


BRAIN RESEARCH

INTERNATIONAL MULTIDISCIPLINARY JOURNAL DEVOTED TO FUNDAMENTAL RESEARCH IN THE BRAIN SCIENCES

MAY 31 1990

CUMULATIVE AUTHOR AND SUBJECT INDEXES

1988



ELSEVIER

EDITOR-IN-CHIEF - D. P. PURPURA

BRAIN RESEARCH

INSTRUCTIONS TO AUTHORS

SCOPE AND PURPOSE

BRAIN RESEARCH provides a medium for prompt publication of articles in the fields of neuroanatomy, neurochemistry, neurophysiology, neuroendocrinology, neuropharmacology, neurotoxicology, neurocommunications, behavioural sciences, molecular neurology and biocybernetics. Clinical studies that are of fundamental importance and have a direct bearing on the knowledge of the structure and function of the brain, the spinal cord, and the peripheral nerves will also be published.

TYPE OF PAPERS

- 1. Research Reports reporting results of original fundamental research in any branch in the brain sciences. It is expected that these papers will be published about six months after acceptance.
- 2. Short Communications reporting on research which has progressed to the stage when it is considered that the results should be made known quickly to other workers in the field. The maximum length allowed will be 1500 words or equivalent space in tables and illustrations. It is expected that short communications will be published about three months after acceptance.
- 3. Review articles. A supplementary volume entitled Brain Research Reviews will be published quarterly which will be devoted to Review articles and occasionally long research papers with extensive review components, giving a survey, an evaluating and critical interpretation of recent research data and conceptions in a particular field of brain research or on a specific problem or topic of interest to workers in the brain sciences.

MANUSCRIPTS

Manuscripts should be submitted in quadruplicate and be complete in all respects (including four copies of all illustrations), and deal with original material not previously published, or being considered for publication elsewhere. Manuscripts submitted under multiple authorship are reviewed on the assumption that all listed authors concur with the submission and that a copy of the final manuscript has been approved by all authors and tacitly or explicitly by the responsible authorities in the laboratories where the work was carried out. If accepted, the manuscript shall not be published elsewhere in the same form, in either the same or another language, without the consent of the Editors and Publisher. Submission of a paper to Brain Research is understood to imply that it has not previously been published (except in abstract form) and that it is not being considered for publica-

The Publisher and Editor-in-Chief regret that they are unable to return copies of submitted manuscripts except in the case of rejected articles, where only the original manuscript and figures are returned to the author.

Research reports and short communications should be sent to:

Professor Dr. D. P. PURPURA

Brain Research

Office of the Dean

Albert Einstein College of Medicine

1300 Morris Park Avenue

Bronx, NY 10461, U.S.A.

Tel.: (1) (212) 430-2387

Correspondence relating to proofs, publication

and reprints should be sent to:

Elsevier Science Publishers B.V.

(Biomedical Division)

P.O. Box 1527

1000 BM Amsterdam

The Netherlands

Tel.: (31) (20) 5803-467

Authors should clearly state the section for which the article should be considered. Review articles will only be published in Brain Research Reviews. Developmental studies and molecular studies may be considered at the request of the author for publication in Brain Research, but will usually be considered for the appropriate section.

Page charge. A charge of US\$ 80.00 will be levied for each printed page in excess of 10 printed pages for Research Reports and 5 printed pages for Short Communications. Upon receipt of each typescript its size in printed pages is estimated by the Publisher. If the estimate is higher than the limits allowed, the authors are advised that they may expect a page charge, the exact amount of which is fixed after the definite length of their paper is known. As an approximate guide to authors for judging the length of their paper, the following estimation may be used:

3 type-written pages = 1 printed page; 3 'average' figures + legends = 1 printed page; 3 'average' tables = 1 printed page; 35 references = 1 printed page.

Manuscripts. Manuscripts should be written in English and be accompanied by a list of 6-8 key words and a summary of about 200 words for Research Reports and 50-70 words for Short Communications, on a separate page. Manuscripts must be submitted in four copies in double-spaced typing with at least a 4 cm margin on pages of uniform size. As a rule research reports and review articles should be divided into sections headed by a caption (Summary, Introduction, Materials and Methods, Results, Discussion, Acknowledgements, References). Short communications should contain no section headings. In order to ensure rapid publication, no revisions or up-datings will be incorporated into a short communication after the manuscript has been accepted and sent to the Publisher.

Authors' full names, academic or professional affiliations, and complete addresses should be included on a separate title page. The name and address of the author to whom proofs and correspondence are to be sent should be given.

Literature references. Citation of literature references in the text should be given at the appropriate places by numbers as superscripts without parentheses. All references cited in the text should be listed at the end of the paper on a separate page (also double-spaced) arranged in alphabetical order of first author and numbered consecutively. All items in the list of references should be cited in the text and, conversely, all references cited in the text must be presented in the list.

Literature references must be complete, including initials of the authors cited, title of paper referred to, abbreviated title of the periodical, volume, year, and first and last page numbers of the article. The abbreviations of journal titles should conform to those adopted by *List of Serial Title Word Abbreviations*, CIEPS/ISDS, Paris, 1985 (ISBN 2-904938-02-8). (See example 2.) The form of literature references to books should be: author, initials, title of book, publisher and city, year and page number referred to. (See example 1.) References to authors contributing to multi-author books or to proceedings printed in book-form should be similar to those for books. (See example 3.)

- 1 Bureš, J., Burešová, O. and Huston, J. P., Techniques and Basic Experiments for the Study of Brain and Behavior, 2nd edn., Elsevier, Amsterdam, 1983, 326 pp.

 2 Langston, J. W., Irwin, I., Langston, E. B. and Forno, L. S., The importance of the '4-5' double bond for neurotoxicity in
- primates of the pyridine derivative MPTP, Neurosci. Lett., 50 (1984) 289-294.
- 3 Sofroniew, M. V., Morphology of vasopressin and oxytocin neurones and their central and vascular projections. In B. A. Cross and G. Leng (Eds.), The Neurohypophysis: Structure, Function and Control, Progress in Brain Research, Vol. 60, Elsevier, Amsterdam, 1983, pp. 101-114.


This journal should be cited in the list of references as Brain Research.

(continued on inside back cover)

BRAIN RESEARCH

AUTHOR AND SUBJECT INDEXES 1988

(Including Developmental Brain Research, Brain Research Reviews and Molecular Brain Research)



BRAIN RESEARCH

INTERNATIONAL MULTIDISCIPLINARY JOURNAL DEVOTED TO FUNDAMENTAL RESEARCH IN THE BRAIN **SCIENCES**

EDITOR-IN-CHIEF: D. P. PURPURA (BRONX, NY, U.S.A.)

EDITORIAL BOARD

G. K. Aghajanian (New Haven, CT, U.S.A.)

B. W. Agranoff (Ann Arbor, MI, U.S.A.)

A. Aguayo (Montreal, Que., Canada)

P. Andersen (Oslo, Norway)

E. C. Azmitia (New York, NY, U.S.A.)

G. Bartholini (Paris, France)

M. V. L. Bennett (Bronx, NY, U.S.A.)

A. Björklund (Lund, Sweden)

F. E. Bloom (La Jolla, CA, U.S.A.)

A. G. Brown (Edinburgh, U.K.)

P. Buser (Paris, France)

R. E. Coggeshall (Galveston, TX, U.S.A.)

B. Cohen (New York, NY, U.S.A.)

H. Collewijn (Rotterdam, The Netherlands)

W. M. Cowan (Bethesda, MD, U.S.A.)

A. C. Cuello (Montreal, Que., Canada)

M. Cynader (Vancouver, B.C., Canada)

J. E. Desmedt (Brussels, Belgium)

J. E. Dowling (Cambridge, MA, U.S.A.)

J. J. Dreifuss (Geneva, Switzerland)

B. Droz (Lausanne, Switzerland)

P. C. Emson (Cambridge, U.K.)

S. J. Enna (Baltimore, MD, U.S.A.)

H. L. Fields (San Francisco, CA, U.S.A.)

B. Flerkó (Pecs, Hungary)

H. M. Gerschenfeld (Paris, France)

J. Glowinski (Paris, France)

P. Goldman-Rakic (New Haven, CT, U.S.A.)

M. H. Goldstein Jr. (Baltimore, MD, U.S.A.)

S. Grillner (Stockholm, Sweden)

B. Gustafsson (Göteborg, Sweden)

A. Hamberger (Göteborg, Sweden)

K. P. Hoffmann (Bochum, F.R.G.)

T. G. M. Hökfelt (Stockholm, Sweden)

R. L. Isaacson (Binghamton, NY, U.S.A.)

M. Ito (Tokyo, Japan)

B. Jacobs (Princeton, NJ, U.S.A.)

G. A. R. Johnston (Sydney, Australia)

E. G. Jones (Irvine, CA, U.S.A.)

J. S. Kelly (Edinburgh, U.K.)

C. Kennedy (Bethesda, MD, U.S.A.)

L. Kruger (Los Angeles, CA, U.S.A.)

J. LaVail (San Francisco, CA, U.S.A.)

J. Liebeskind (Los Angeles, CA, U.S.A.)

H. D. Lux (Planegg, F.R.G.)

B. S. McEwen (New York, NY, U.S.A.)

E. G. McGeer (Vancouver, B.C., Canada)

R. Y. Moore (Stony Brook, NY, U.S.A.)

P. Morell (Chapel Hill, NC, U.S.A.)

W. T. Norton (Bronx, NY, U.S.A.)

M. Palkovits (Budapest, Hungary)

A. J. Patel (London, U.K.)

T. P. S. Powell (Oxford, U.K.)

C. S. Raine (Bronx, NY, U.S.A.)

G. Raisman (London, U.K.)

H. J. Ralston III (San Francisco, CA, U.S.A.)

P. Rakic (New Haven, CT, U.S.A.)

S. I. Rapoport (Bethesda, MD, U.S.A.)

C. E. Ribak (Irvine, CA, U.S.A.)

P. Rudomín (Mexico D.F., Mexico)

R. W. Ryall (Cambridge, U.K.)

M. Schachner (Heidelberg, F.R.G.)

P. A. Schwartzkroin (Seattle, WA, U.S.A.)

E. J. Simon (New York, NY, U.S.A.)

S. H. Snyder (Baltimore, MD, U.S.A.)

C. Sotelo (Paris, France)

J. Stone (Kensington, Australia)

L. Terenius (Uppsala, Sweden)

H. Thoenen (Munich, F.R.G.)

S. Tucek (Prague, Czechoslovakia)

S. Waxman (New Haven, CT, U.S.A.)

R. Werman (Jerusalem, Israel)

C.-P. Wu (Shanghai, China)

R. Wurtman (Cambridge, MA, U.S.A.)

W. Zieglgänsberger (Munich, F.R.G.)

R. S. Zukin (Bronx, NY, U.S.A.)

AUTHOR AND SUBJECT INDEXES - 1988



© 1990, Elsevier Science Publishers B.V. (Biomedical Division)

All rights reserved. No part of this publication may by reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of the Publisher, Elsevier Science Publishers B.V. (Biomedical Division), P.O. Box 1527, 1000 BM Amsterdam, The Netherlands.

No responsibility is assumed by the Publisher for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions or ideas contained in the material herein. Because of the rapid advances in the medical sciences, the Publisher recommends that independent verification of diagnoses and drug dosages should be made.

Although all advertising material is expected to conform to ethical (medical) standards, inclusion in this publication does not constitute a guarantee or endorsement of the quality or value of such product or of the claims made of it by its manufacturer.

Special regulations for authors. Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of the article to the Publisher. This transfer will ensure the widest possible dissemination of information.

Submission of a paper to this journal entails the author's irrevocable and exclusive authorization of the Publisher to collect any sums or considerations for copying or reproduction payable by third parties (as mentioned in article 17, paragraph 2 of the Dutch Copyright Act of 1912 and in the Royal Decree of June 20, 1974 (S. 351) pursuant to article 16b of the Dutch Copyright Act of 1912) and/or to act in or out of Court in connection therewith.

Special regulations for readers in the U.S.A. This journal has been registered with the Copyright Clearance Center, Inc. Consent is given for copying of articles for personal or internal use, or for the personal use of specific clients. This consent is given on the condition that the copier pays through the Center the per-copy fee stated in the code on the first page of each article for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. The appropriate fee should be forwarded with a copy of the first page of the article to the Copyright Clearance Center, Inc., 27 Congress Street, Salem, MA 01970, U.S.A. If no code appears in an article, the author has not given broad consent to copy and permission to copy must be obtained directly from the author. All articles published prior to 1980 may be copied for a per-copy fee of US\$ 2.25, also payable through the Center. This consent does not extend to other kinds of copying, such as for general distribution, resale, advertising and promotion purposes, or for creating new collective works. Special written permission must be obtained from the Publisher for such copying.

Printed in The Netherlands.

INTRODUCTION

The 1988 Cumulative Author and Subject Index comprises eight separate indexes: the Author and Subject Indexes of Brain Research, Molecular Brain Research, Developmental Brain Research and Brain Research Reviews. Please note that in 1988 Brain Research was published according to a volume-numbering scheme that embraced all sections of the journal. Each of the sections also had its own volume numbering, according to the system below. The latter numbering has been used in the present indexes.

BRAIN RESEARCH (1988) Volumes				
Vols. 438–463; 473–475	Volumes 427 and 464	Vols. 466–471; 44*	Volume 472	
Brain Research	Molecular Brain Research Volumes 3 and 4	Developmental Brain Research Volumes 38–43; 44*	Brain Research Reviews Volume 13	

Please note that the above schedule differs slightly from the 1988 publication schedule: **Brain Research** Volumes 435–437 were published in advance in 1987 and were indexed in the 1987 index; **Brain Research** Volumes 473–475 belong to the 1989 subscription year but were published in advance in 1988. They are indexed in the present index. **Brain Research** Volume 427 (**Molecular Brain Research** Volume 3) belongs to the 1987 subscription but was published in 1988, and is indexed in the present index.

* Please note that **Developmental Brain Research** Volume 44 belongs to the 1989 subscription year but was published in advance in 1988. It is indexed in the present index. Please note that this volume does not have a **Brain Research** volume number, since the dual numbering system was abandoned in 1989.

Readers should note that American spelling is used throughout the Subject Indexes.

The Editor and Publisher welcome any comments on the usefulness of this index, as well as suggestions for improvements.

AUTHOR AND SUBJECT INDEXES

CONTENTS

Introduction	v
Brain Research Author Index (Vols. 438–463; 473–475 – 1988)	1
Brain Research Subject Index (Vols. 438–463, 473–475 – 1988)	73
Developmental Brain Research Author Index (Vols. 466–471; 44 (38–44) – 1988)	267
Developmental Brain Research Subject Index (Vols. 466–471; 44 (38–44) – 1988)	281
Brain Research Reviews Author Index (Vol. 472 (13) – 1988)	313
Brain Research Reviews Subject Index (Vol. 472 (13) – 1988)	317
Molecular Brain Research Author Index (Vols. 427 and 464 (3 and 4) – 1988)	323
Molecular Brain Research Subject Index (Vols. 427 and 464 (3 and 4) – 1988)	331

BRAIN RESEARCH AUTHOR INDEX 1988 VOLUMES 438–463; 473–475



A

Abate, C., see Milner, T.A., 448, 205 Abbott, L.C., see Bowker, R.M., 447, 398

Abe, K., see Tamamaki, N., 452, 255 Abel, P.W., Han, C., Noe, B.D. and McDonald, J.K.

Neuropeptide Y: vasoconstrictor effects and possible role in cerebral vasospasm after experimental subarachnoid hemorrhage, 463, 250

Abel, P.W., see McDonald, J.K., 463, 259

Abercrombie, E.D. and Jacobs, B.L. Systemic naloxone administration potentiates locus coeruleus noradrenergic neuronal activity under stressful but not non-stressful conditions, 441, 362
Abou-Donia, M.B., see

Abou-Donia, M.B., see Lapadula, D.M., 458, 123 Abraham, W.C. and Mason, S.E.

Abraham, W.C. and Mason, S.E. Effects of the NMDA receptor/channel antagonists CPP and MK801 on hippocampal field potentials and long-term potentiation in anesthetized rats, 462, 40

Abumrad, N.N., see Radosevich, P.M., 458, 325

Acker, H., see O'Regan, R.G., 445, 268

Ackermann, R.F., see Handforth, A., 460, 94

Acworth, I.N., see During, M.J., 452, 378

452, 378 Adams, R.J., see Martin, D.C., 455, 360

435, 360 Adams, R.N., see Kasser, R.J., 475, 333

Adams, R.N., see Michaelis, M.L., 473, 249

Adell, A., Trullas, R. and Gelpi, E.
Time course of changes in serotonin
and noradrenaline in rat brain after
predictable or unpredictable shock,
459, 54

Ademe, R.M., see Gonzalez-Brito, A., 438, 108

Adinolfi, A.M., see Levine, M.S., 440, 267

Aebischer, P., Guénard, V.,
Winn, S.R., Valentini, R.F. and
Galletti, P.M.
Blind-ended semipermeable
guidance channels support
peripheral nerve regeneration in the
absence of a distal nerve stump,

454, 179 Aebischer, P., Winn, S.R. and Galletti, P.M.

Transplantation of neural tissue in polymer capsules, 448, 364

Aghajanian, G.K., see Innis, R.B., 459, 27

Agid, Y., see Hirsch, E., 441, 139 Agid, Y., see Maloteaux, J.-M., 446, 321 Agnati, L.F., see Janson, A.M., 455, 332

Agren, H., see Mefford, I.N., **475**, 380 Agui, T., Chase, T.N. and Kebabian, J.W. Identification of D₁-dopamine receptor in chicken embryo retina

receptor in chicken embryo retina with [125I]SCH 23982, 452, 49

Aguilera, P., see Garcia-Segura, L.M., 456, 357

Ahdieh, H.B. and Feder, H.H. Sex differences in nuclear androgen receptors in guinea pig brain and the effects of an α_2 noradrenergic blocker on androgen receptors, **456**, 275

Ahmad, S.N. and Miljanich, G.P.
The calcium channel antagonist,
c-conotoxin, and electric organ
nerve terminals: binding and
inhibition of transmitter release and
calcium influx, 453, 247

Aicher, S.A., see Randich, A., 445, 68
Aigouy, L., Pajot, J., Raboisson, P.,
Vassel, A. and Woda, A.
Localisation of the first-order
neurone of the jaw opening reflex
elicited by periodontal stimulation,
473, 380

Aiko, Y., Hosokawa, S., Shima, F., Kato, M. and Kitamura, K. Alterations in local cerebral glucose utilization during electrical stimulation of the striatum and globus pallidus in rats, 442, 43

Aimone, L.D. and Gebhart, G.F. Serotonin and/or an excitatory amino acid in the medial medulla mediates stimulation-produced antinociception from the lateral hypothalamus in the rat, 450, 170

Airhart, M.J., Shirk, J.O. and Edwards, C. Aberrant growth of regenerating retinotectal axons subsequent to optic tract ablation in goldfish, 460, 383

Aiso, M., Potter, W.Z. and Saavedra, J.M. Axonal transport of angiotensin-converting enzyme in the rat striatonigral pathway, 447, 195

Aitken, D.H., see Meaney, M.J., 445, 198

Aitken, D.H., see Sarrieau, A., 442, 157

Aitken, P.G., see Okazaki, M.M., 440, 352

Akaike, N., see Oyama, Y., 442, 223 Akaike, T.

Electrophysiological analysis of the trigemino-tecto-olivo-cerebellar (crus II) projection in the rat, 442, 373

Akasu, T., see Nishimura, T., 442, 399 Akema, T., Hashimoto, R. and Kimura, F.

Preoptic injection of VIP, but not of secretin or PHI, inhibits LH and stimulates prolactin secretion in the ovariectomized rat, 441, 367

Åkerman, K.E.O., see
Enkvist, M.O.K., 462, 67
Akesson, T.R., Simerly, R.B. and
Micevych, P.E.
Estrogen-concentrating
hypothalamic and limbic neurons
project to the medial preoptic
nucleus, 451, 381

Akeyson, E.W., see Knuepfer, M.M., 446, 17

Akiguchi, I., see Ino, T., **460**, 173 Akiguchi, I., see Nakamura, S., **455**, 144

Akiguchi, I., see Yagi, H., 474, 86 Akiyama, M., see Kuo, C.-H., 442, 147

Albanese, A., see Altavista, M.C., 455, 177

Albeck, D. and Smock, T.

A mechanism for vasopressin action in the hippocampus, 463, 394

Alberico, A., see Lyeth, B.G., 452, 39 Albers, H.E., Liou, S.Y. and Ferris, C.F.

Testosterone alters the behavioral response of the medial preoptic-anterior hypothalamus to microinjetton of arginine

vasopressin in the hamster, 456, 382 Albus, K., see Baumfalk, U., 463, 398 Alcayaga, J., Iturriaga, R. and Zapata,

Flow-dependent chemosensory activity in the carotid body superfused in vitro, **455**, 31

Aldskogius, H., see Fried, K., 463, 118
Aldskogius, H., Wiesenfeld-Hallin, Z.
and Kristensson, K.
Selective neuronal destruction by
Ricinus communis agglutinin I and
its use for the quantitative
determination of sciatic nerve dorsal
root ganglion cell numbers, 461, 215
Alesci, R. and Bagnoli, P.

Endogenous levels of serotonin and 5-hydroxyindoleacetic acid in specific areas of the pigeon CNS: effects of serotonin neurotoxins, 450, 259

Alexander, M.J., Clifton, D.K.,
Matsumoto, A.M. and
Steiner, R.A.
Evidence that noradrenergic activity
does not mediate the inhibition of
luteinizing hormone secretion
caused by vasoactive intestinal
peptide, 445, 247

Alexander, N., Kogosov, E. and Haun, C.K. Sinoaortic denervation changes catecholamines in caudate-putamen of rats, 444, 320

Alföldi, P., see Kapás, L., 438, 155 Alkadhi, K.A.

Emetine increases giant miniature endplate potential population at the frog neuromuscular junction, 447, 293

Alkon, D.L., see Disterhoft, J.F., 462, 118

Allan, A.M., Gallaher, E.J., Gionet, S.E. and Harris, R.A. Genetic selection for benzodiazepine ataxia produces functional changes in the y-aminobutyric acid receptor chloride channel complex, 452, 118

Allard, M., see Simonnet, G., 443, 403 Allen, C.N., Brady, R., Swann, J., Hori, N. and Carpenter, D.O. N-Methyl-D-aspartate (NMDA) receptors are inactivated by trypsin, 458, 147

Allen, C.N., see Oyama, Y., 463, 124 Allen, S.J., Dawbarn, D. and Wilcock, G.K.

Morphometric immunochemical analysis of neurons in the nucleus basalis of Meynert in Alzheimer's disease, 454, 275

Allen, S.J., see Dawbarn, D., 440, 185 Alloway, K.D., see Burton, H., 448, 397

Almeida, O.F.X., see Mehmanesh, H., **451**, 69

Almeida, O.F.X., see Nikolarakis, K.E., 450, 360 Alonso, G.

Effects of colchicine on the intraneuronal transport of secretory material prior to the axon: a morphofunctional study in hypothalamic neurosecretory neurons of the rat, 453, 191

Alonso, M.J., see

Fernández-Alfonso, M.S., 474, 147 Altar, C.A., Boyar, W.C., Oei, E. and

Wood, P.L Cholecystokinin attenuates basal and drug-induced increases of limbic and striatal dopamine release, **460**, 76

Altavista, M.C., Bentivoglio, A.R., Crociani, P., Rossi, P. and Albanese, A. Age-dependent loss of cholinergic

neurones in basal ganglia of rats, 455, 177 Altmann, L., Lohmann, H. and

Wiegand, H. Acute lead exposure transiently inhibits hippocampal neuronal activities in vitro, 455, 254

Altrup, U. and Speckmann, E.-J. Epileptic discharges induced by pentylenetetrazol: changes of shape of dendrites, **456**, 401

Altschuler, R.A., see Hoffman, D.W., **460**, 366

Alvarez, J., see Inestrosa, N.C., 441, 331

Alvarez, F.J., Cervantes, C., Blasco, I., Villalba, R. Martinez-Murillo, R., Polak, J.M. and Rodrigo, J. Presence of calcitonin gene-related peptide (CGRP) and substance P (SP) immunoreactivity in intraepidermal free nerve endings of

cat skin, 442, 391 Alvarez, F.J., see Villalba, R.M., 462, 359

Amadori, A., see Ferri, G.-L., 444, 383

Amenta, F., see Mione, M.C., 460, 103

Amini-Sereshki, L. and Morrison, A.R. Release of heat-loss responses in paradoxical sleep by thermal loads and by pontine tegmental lesions in cats, 450, 9

Amir, A., Pittel, Z., Shahar, A., Fisher, A. and Heldman, E. Cholinotoxicity of the ethylcholine aziridinium ion in primary cultures from rat central nervous system, 454, 298

Amir, S. and Jackson, I.M.D. Immunological blockade of endogenous thyrotropin-releasing hormone impairs recovery from hyperglycemia in mice, 462, 160

Amir, S. and Shechter, Y. Apparent involvement of protein kinase C in the central glucoregulatory action of insulin,

Amir, S.

Aging blocks the thermoregulatory action of thyrotropin-releasing hormone in anaesthetized rats, 440, 181

Amir, S.

Thyrotropin-releasing hormone (TRH) blocks glucagon-induced hyperglycemia in mice: dissociation of the antihyperglycemic and pituitary actions of TRH, 455, 201 Amir, S.

TPA (12-O-tetradecanoylphorbol-13-acetate) enhances the central hypoglycemic action of thyrotropin-releasing hormone in mice, 450, 369

Amiri, I., see Ungerer, A., 446, 205 Amouyel, P., Gégonne, A., Delacourte, A., Défossez, A. and

Stéhelin, D. Expression of ETS proto-oncogenes in astrocytes in human cortex, 447, 149

Amri, M. and Car, A. Projections from the medullary swallowing center to the hypoglossal motor nucleus: a neuroanatomical and electrophysiological study in sheep, 441, 119

Andersen, A.C., see Schoofs, L., 450, 202

Anderson, D.J. and McKinney, M. Muscarinic M2 receptor-mediated cyclic AMP reduction in mechanically dissociated rat cortex, 475, 28

Andersson, K., see Janson, A.M., 455, 332

Anderton, B.H., see Langui, D., 438, 67

Anderton, P.J., see Normann, R.A., 443, 95

Andrews, P.L.R., see Hawthorn, J., 438, 193

Ang, V.T.Y., see Hawthorn, J., **438**, 193

Angelico, P., see Vezzani, A., 454, 289 Antelman, S.M., Knopf, S.. Kocan, D., Edwards, D.J.,

Ritchie, J.C. and Nemeroff, C.B. One stressful event blocks multiple actions of diazepam for up to at least a month, 445, 380

Anticich, T.G., see Baumeister, A.A., 447, 116

Anton, F., see Kenshalo Jr., D.R., **454**, 378

Anton, F., see Szolcsanyi, J., 446, 262 Anwar, M., see Park, D.H., 460, 352

Anwyl, R., Lee, W.-L. and Rowan, M. The role of calcium in short-term potentiation in the rat hippocampal slice, 459, 192

Anwyl, R., see Mulkeen, D., 447, 234 Aoki, C. and Pickel, V.M.

Neuropeptide Y-containing neurons in the rat striatum: ultrastructure and cellular relations with tyrosine hydroxylase-containing terminals and with astrocytes, 459, 205

Aoki, E., Semba, R., Keino, H., Kato, K. and Kashiwamata, S. Glycine-like immunoreactivity in the rat auditory pathway, 442, 63

Aou, S., Oomura, Y. and Yoshimatsu, H. Neuron activity of the ventromedial hypothalamus and the medial preoptic area of the female monkey during sexual behavior, 455, 65

Aou, S., Oomura, Y., Woody, C.D. and Nishino, H. Effects of behaviorally rewarding hypothalamic electrical stimulation on intracellularly recorded neuronal activity in the motor cortex of awake monkeys, 439, 31

Aou, S., see Koyama, Y., 446, 199 Apostolides, P.J., see Finklestein, S.P., 448, 346

Apostolides, P.J., see Finklestein, S.P., 460, 253

Appenteng, K., see Batten, T.F.C., 447, 314

Applegate, C.D., see Waszczak, B.L., 455, 115

Aquilonius, S.-M., see Leenders, K.L., 445, 61 Araki, H., see Ishihara, A., 446, 195

Araki, M., McGeer, P.L. and Kimura, The efferent projections of the rat lateral habenular nucleus revealed

by the PHA-L anterograde tracing method, 441, 319

Arango, V., see Ernsberger, P., 452, 336

Arase, K., see Sakata, T., 473, 43 Arata, A., see Onimaru, H., 445, 314 Aravich, P.F., see Sladek, C.D., 445, 39

Arbab, M.A.-R., Wiklund, L., Delgado, T. and Svendgaard, N.A. Stellate ganglion innervation of the vertebro-basilar arterial system demonstrated in the rat with anterograde and retrograde

WGA-HRP tracing, 445, 175 Arbonés, L., Picatoste, F. and García, Histamine H₁-receptors mediate

phosphoinositide hydrolysis in astrocyte-enriched primary cultures, **450**, 144

Arendash, G.W., see Mouton, P.R., 444, 104

Arévalo, R.M., see Garabal, M.V., 457, 330

Arezzo, J.C., Brosnan, C.F., Schroeder, C.E., Litwak, M.S. and Bornstein, M.B. Electrophysiological analysis of factors involved in the primary

factors involved in the primary demyelinating diseases: the rabbit eye model system, **462**, 286

Århem, P., see Lorentz, M., 445, 157 Ariano, M.A.

Striatal D₁ dopamine receptor distribution following chemical lesion of the nigrostriatal pathway, **443**, 204

Arii, T., see Igarashi, H., 473, 365
Arita, H., Kogo, N. and Ichikawa, K.
Locations of medullary neurons with
non-phasic discharges excited by
stimulation of central and/or
peripheral chemoreceptors and by
activation of nociceptors in cat,
442, 1

Armstrong-James, M. and Fox, K.
Evidence for a specific role for cortical NMDA receptors in slow-wave sleep, 451, 189

Arneric, S.P., see Ernsberger, P., 452, 336

Arnerić, S.P., Honig, M.A.,
Milner, T.A., Greco, S.,
Iadecola, C. and Reis, D.J.
Neuronal and endothelial sites of
acetylcholine synthesis and release
associated with microvessels in rat
cerebral cortex: ultrastructural and
neurochemical studies, 454, 11

Aronson, C.E., see Kovachich, G.B., 454, 78

Aruldhas, M.M., see Kumaran, B., 450, 325

Arvidsson, J. and Hellstrand, E. A horseradish peroxidase study of the central projections of primary trigeminal neurons innervating the hard palate in the cat, 451, 197

Asai, M., Vindrola, O., Zubieta, M., Talavera, E. and Massarini, A. Diurnal variations of IR-Met-enkephalin in the brain of pentylenetetrazol-kindled rats, 442, 81

d'Ascanio, P., see Barnes, C.D., 453, 32

Aschner, M. and Clarkson, T.W.
Uptake of methylmercury in the rat
brain: effects of amino acids, 462, 31
Astic, L., see Cattarelli, M., 442, 180
Astier, H., see Tapia-Arancibia, L.,

450, 101 Aston-Jones, G., see Pieribone, V.A., **475**, 259

Attwell, D., see Mobbs, P., 460, 235 Audet, M.A., see Doucet, G., 441, 233 Auerbach, S.B., see Zhou, F.C., 450, 51

Auffray, C., see Normand, E., 439, 39

Auroy, P., see Dallel, R., 448, 7 Austin, M.C. and Kalivas, P.W. The effect of cholinergic stimulation in the nucleus accumbens on locomotor behavior, 441, 209 Awwiller, D.M., see

Nordlander, R.H., **440**, 391 Azizi, S.A., see Cheng, J.-T., **446**, 90 Azmitia, E.C., see Zhou, F.C., **450**, 51

B

Baas, P.W., see Sinclair, G.I., **450**, 60 Baba, H., see Ono, K., **475**, 182 Baba, S., see Sakaue, M., **446**, 343 Bachelard, H.S., see Cox, D.W.G., **440**, 195

Bacher, J.D., see Willison, H.J., 444, 10

Bader, M.F., see Hamann, M., 442, 287

Bagnoli, P., see Alesci, R., 450, 259 Bain, J.L.W., see Riley, D.A., 453, 79 Baird, J.L., see Carlson, J.N., 454, 373 Baird, J.L., see Glick, S.D., 450, 334 Baird, J.L., see Glick, S.D., 473, 161 Bak, T.H., see Carr, K.D., 441, 173 Baker, M., see Bostock, H., 462, 354 Baker, H., Towle, A.C. and

Margolis, F.L.
Differential afferent regulation of dopaminergic and GABAergic neurons in the mouse main olfactory bulb, **450**, 69

Baker, H.F., see Ridley, R.M., 456, 71 Baker, S.P., see Bottiglieri, D.F., 439, 187

Balaban, C.D., Fredericks, D.A., Wurpel, J.N.D. and Severs, W.B. Motor disturbances and neurotoxicity induced by centrally administered somatostatin and vasopressin in conscious rats: interactive effects of two neuropeptides, 445, 117

Balaban, C.D., Roskams, A.-J. and Severs, W.B. Diazepam attenuation of somatostatin-induced motor disturbances and neurotoxicity, 458, 91

Balazs, R., see Kingsbury, A., 448, 46 Baldwin, B.A., see Kendrick, K.M., 439, 1

Baldwin, B.A., see Kendrick, K.M., 442, 171

Ball, J., see Gibson, S.J., **474**, 255 Balthazart, J., see Vockel, A., **463**, 330 Band, L.C., see Pehek, E.A., **443**, 70 Bandler, R. and Carrive, P.

Integrated defence reaction elicited by excitatory amino acid microinjection in the midbrain periaqueductal grey region of the unrestrained cat, 439, 95 Bandler, R., see Carrive, P., 460, 339 Bankiewicz, K.S., see Palombo, E., 453, 227

Bánky, Z., Molnár, J., Csernus, V. and Halász, B. Further studies on circadian hormone rhythms after local

pharmacological destruction of the serotoninergic innervation of the rat suprachiasmatic region before the onset of the corticosterone rhythm, 445, 222

Bannerman, P.G.C., Mirsky, R. and Jessen, K.R.
Antigenic markers and laminin expression in cultured enteric neural cells, 440, 87

Bannerman, P.G.C., Mirsky, R. and Jessen, K.R. Establishment and properties of separate cultures of enteric neurons and enteric glia, 440, 99

Baranyi, A., see Szente, M.B., 461, 64
Baranyi, A., Szente, M.B. and
Woody, C.D.
Activation of protein kinase C
induces long-term changes of

induces long-term changes of postsynaptic currents in neocortical neurons, 440, 341

Barasi, S., see Clatworthy, A., 455, 300

Barbas-Henry, H.A., see
Wouterlood, F.G., 463, 198
Barberis, C., see Petit, P., 440, 299
Barberis, C., see Tribollet, E., 442, 105
Barbero, L., see Suchy, S.F., 440, 25
Barchas, J.D., see Mefford, I.N.,
475, 380

Barclay, S.R. and Harding, C.F.
Androstenedione modulation of
monoamine levels and turnover in
hypothalamic and vocal control
nuclei in the male zebra finch:
steroid effects on brain
monoamines, 459, 333

Bargas, J., see Surmeier, D.J., 473, 187

Barksdale, C.M., see Kalin, N.H., 440, 288

Barman, S.M. and Gebber, G.L.
The axons of raphespinal
sympathoinhibitory neurons branch
in the cervical spinal cord, 441, 371
Barnabei, O., see Virgili, M., 460, 361

Barnabet, O., see Virgili, M., 460, 361 Barnéoud, P., Neveu, P.J., Vitiello, S., Mormède, P. and Le Moal, M. Brain neocortex immunomodulation in rats, 474, 394

Barnéoud, P., see Neveu, P.J., 457, 392 Barnes, C.D., d'Ascanio, P.,

Pompeiano, O. and Stampacchia, G.

Cholinergic brainstem sites for gain control of vestibulospinal reflexes in cats, **453**, 32

Barnhardt, R., see Christakos, C.N., 463, 362

Barnhill, J.G., see Miller, L.G., 446, 314

Baron, P., see Scarpini, E., 440, 261 Barraclough, C.A., see Gitler, M.S., 447, 205 Barrantes, F.J., see De Martinez, M.S.G., 440, 386 Barth, D.S. and Sutherling, W. Current source-density and neuromagnetic analysis of the direct cortical response in rat cortex, **450**, 280

Bartrup, J.T. and Stone, T.W. Interactions of adenosine and magnesium on rat hippocampal slices, 463, 374

Barturen, F., see Pazos, A., 475, 361 Basbaum, A.I., see Faden, A.I., 450, 94

Basbaum, A.I., see Lakos, S., 443, 383 Basile, A.S., see Bolger, G.T., **438**, 101

Basinger, S.F., see Wirsig-Wiechmann, C.R., 449, 116 Baskin, D.G., see Bohannon, N.J.,

Baskys, A., see Niesen, C.E., 445, 137

Baskys, A., see Reynolds, J.N., 456, 286 Bassant, M.H., Joly, M.,

Nilsson, O.G., Björklund, A. and Lamour, Y. Electrophysiological and pharmacological properties of neurons within solid basal forebrain transplants in the rat brain, 460, 8

Bastiaensen, E., Miserez, B. and De Potter, W. Subcellular fractionation of bovine ganglion stellatum: co-storage of noradrenaline, Met-enkephalin and neuropeptide Y in large

'dense-cored' vesicles, 442, 124 Bastian, F.O., see Schlitt, M., 440, 293 Bastone, A., see Ferri, G.-L., 444, 383 Battaglia, G., see Spreafico, R., 474, 192

Batten, T.F.C., Appenteng, K. and Saha, S.

Visualisation of CGRP and ChAT-like immunoreactivity in identified trigeminal neurones by combined peroxidase and alkaline phosphatase enzymatic reactions, 447, 314

Battenberg, E.L.F., see Lipkin, W.I., **451**, 333

Bauce, L., see Franklin, L., 438, 295 Bauce, L.G., see Martin, S.M., 457, 192

Baud, P., Mayo, W., Le Moal, M. and Simon, H. Locomotor hyperactivity in the rat after infusion of muscimol and [D-Ala²]Met-enkephalin into the nucleus basalis magnocellularis. Possible interaction with cortical cholinergic projections, 452, 203

Baudry, M., see Ivy, G., 459, 233 Baudry, M., see Seubert, P., 459, 226 Baudry, M., see Seubert, P., 460, 189 Baudry, M., see Staubli, U., 444, 153 Bauer, R.M., see Waldrop, T.G.,

444, 84

Baumeister, A.A., Anticich, T.G., Hawkins, M.F., Liter, J.C., Thibodeaux, H.F. and

Guillory, E.C. Evidence that the substantia nigra is a component of the endogenous pain suppression system in the rat,

447, 116

Baumfalk, U. and Albus, K. Phaclofen antagonizes baclofen-induced suppression of visually evoked responses in the cat's striate cortex, 463, 398

Baxendale, R.H., Ferrell, W.R. and Wood, L. Responses of quadriceps motor units to mechanical stimulation of knee joint receptors in the decerebrate cat, 453, 150

Bazzett, T.J., see Pehek, E.A., 443, 70 Beach, T.G. and McGeer, E.G. Lamina-specific arrangement of astrocytic gliosis and senile plaques in Alzheimer's disease visual cortex, 463, 357

Beal, M.F., Swartz, K.J., Finn, S.F., Bird, E.D. and Martin, J.B Amino acid and neuropeptide neurotransmitters in Huntington's disease cerebellum, 454, 393

Bear, H.M., see Jenq, C.-B., 457, 63 Beaudet, A., see Piotte, M., 439, 127 Beaujouan, J.C., see Murray, M., **459**, 76

Beauvillain, J.C., Mitchell, V. Tramu, G. and Mazzuca, M. GABA axon terminals in synaptic contact with enkephalin neurons in the hypothalamus of the guinea pig. Demonstration by double immunocytochemistry, 443, 315

Beck, D.W., see Olson, J.J., 439, 259 Becker, J.B. and Freed, W.J. Adrenal medulla grafts enhance functional activity of the striatal dopamine system following substantia nigra lesions, 462, 401

Beckstead, R.M., see Cruz, C.J., 457, 29

Bédard, P.J., see Filion, M., 444, 165 Beers, D.R., see Kesner, R.P., **454**, 219

Beesley, P.W., see Hill, I.E., 461, 27 Behbehani, M.M., see Zemlan, F.P., **453**, 89

Beitz, A.J., see Madl, J.E., 452, 396 Belczynski, C.R., see Pertovaara, A., **438**, 286

Belford, D., see Hendry, I.A., 475, 160

Belia, S., see Grassi Zucconi, G., 447, 253

Bellin, S.I., Landas, S.K. and Johnson, A.K. Selective catecholamine depletion of structures along the ventral lamina terminalis: effects on experimentally-induced drinking and pressor responses, 456, 9

Bellin, S.I., see Dellmann, H.-D., **450**, 181

Bellini, F., see Duranti, R., 452, 66 Belluardo, N., see Bindoni, M.,

462, 10 Ben-Ari, Y., see Cherubini, E., 445, 91 Ben-Ari, Y., see Neuman, R., 459, 265 Ben-Ari, Y., see Represa, A., 457, 355 Ben-Ari, Y., see Tremblay, E., 461, 393

Ben-Ari, Y., see Neuman, R.S., 474, 201

Bénavidès, J., see Dubois, A., 445, 77 Benedetti, I. and Mola, L Survey of neuropeptide-like

immunoreactivity in supramedullary neurons of Coris julis (L.), 449, 373 Benedetti, M., see Frank, C., 441, 393 Beni, M., see Lombardi, G., 458, 348 Bennett, T., see Gardiner, S.M., 458, 179

Bennett, T., see Harland, D., 455, 58 Bennett, G.W., see Fone, K.C.F., 455, 157

Bennett, G.W., see Fone, K.C.F., 460, 22

Bennett, J.A., see Robinson, T.E., 462, 211

Bennett, M.V.L., see Cappell, M.S., 454, 244

Benoit, R., see Mufson, E.J., 453, 117 Benowitz, L.I., see Finklestein, S.P., 448, 346

Benshalom, G. and White, E.L. Dendritic spines are susceptible to structural alterations induced by degeneration of their presynaptic afferents, 443, 377

Benson, J.A. Bicuculline blocks the response to acetylcholine and nicotine but not to muscarine or GABA in isolated insect neuronal somata, 458, 65

Bentgen, K.M., see Robinson, T.E., 462, 211

Bentivoglio, A.R., see Altavista, M.C., 455, 177

Benyamina, M., see Leboulenger, F., **453**, 103

Berciano, M.T. and Lafarga, M. Colony-forming ectopic granule cells in the cerebellar primary fissure of normal adult rats: a morphologic and morphometric study, 439, 169

Beresford, H.R., see Rettig, W.J., **438**, 315

Beretta, S., see Scarpini, E., 440, 261 Berge, O.-G., see Eide, P.K., 440, 42 Berger, B., see Doucet, G., 441, 233 Berger, A.J., see Dick, T.E., 449, 201 Berger, A.J., see Dick, T.E., 454, 31 Berger, B., Doucet, G. and Descarries,

Density of the dopamine innervation in rat cerebral cortex after neonatal 6-hydroxydopamine or adult stage DSP-4 noradrenaline denervations:

a quantitative radioautographic study, **441**, 260 Berger, T.W., see Nisenbaum, E.S., **473**, 389

Bergouignan, F.X., see

Peyronnard, J.M., 443, 295 Bergström, K., see Leenders, K.L., 445, 61

Berkenbosch, F. and Tilders, F.J.H. Effect of axonal transport blockade on corticotropin-releasing factor

immunoreactivity in the median eminence of intact and adrenalectomized rats: relationship between depletion rate and secretory activity, 442, 312 Berman, K.F., see Iadarola, M.J., 474, 75 Bernardi, G., see Mercuri, N.B., **462**, 199 Bérod, A., see Delarue, C., 459, 17 Berrebi, A.S., Fitch, R.H., Ralphe, D.L., Denenberg, J.O., Friedrich Jr., V.L. and Denenberg, V.H. Corpus callosum: region-specific effects of sex, early experience and age, 438, 216 Berretta, S., see Bindoni, M., 462, 10 Berridge, K.C. Brainstem systems mediate the enhancement of palatability by chlordiazepoxide, 447, 262 Berry, M., see Sadler, M., 474, 130 Berthold, C.-H., Corneliuson, O. and Mellström, A. Peroxidase activity at CNS nodes of Ranvier and in initial axon segments of lumbosacral α-motoneurons after intramuscular administration of horseradish peroxidase, 456, 293 Besharse, J.C., see Witkovsky, P., 449, 332 Besson, J.-M., see Nothias, F., 447, 169 Besson, J.-M., see Weil-Fugazza, J., **444**, 374 Besson, J.M., see Calvino, B., 460, 389 Besson, J.M., see Rivot, J.P., 446, 333 Besson, J.M., see Rivot, J.P., 463, 275 Besson, M.J., see Kemel, M.L., **455**, 307 Betancur, C., see Neveu, P.J., 457, 392 Beuche, W., see Hann, P.G., 451, 126 Bhargava, H.N., Matwyshyn, G.A., Hanissian, S. and Tejwani, G.A. Opioid peptides in pituitary gland, brain regions and peripheral tissues of spontaneously hypertensive and Wistar-Kyoto normotensive rats, **440**, 333 Bhat, S. and Silberberg, D.H. NCAM-180, the largest component of the neural cell adhesion molecule, is reduced in dysmyelinating quaking mutant mouse brain, **452**, 373 Bhatnagar, S., see Meaney, M.J., **445**, 198 Bhave, S.V., see Wakade, A.R., **458**, 115 Bianchi, A.L., see Grelot, L., 443, 27 Biber, A., see Grünwald, F., 456, 350 Bibic, L., see Pomeranz, B., 452, 227 Bickford-Wimer, P.C., see Parfitt, K.D., 462, 242 Bicknell, R.J., see Zhao, B.-G., 462, 62 Bidard, J.-N., see Mourre, C., 446, 106 Bidziński, A., see Płaźnik, A.,

447, 122

456, 120

Biegon, A., see Gross-Isseroff, R.,

Biegon, A. and Israeli, M. Regionally selective increases in β -adrenergic receptor density in the brains of suicide victims, 442, 199 Bigelow, J.C., see Kristensen, E.W., 461, 44 Biggio, G., see Malatynska, E., 443, 395 Bignami, A., see Gilad, G.M., 458, 249 Bigon, E., see Vantini, G., 448, 252 Bilkey, D.K., see Takazawa, A., 473, 99 Billings-Gagliardi, S., see Wolf, M.K., 461, 257 Billings-Gagliardi, S. and Wolf, M.K. Shiverer*jimpy double mutant mice. IV. Five combinations of allelic mutations produce three morphological phenotypes, **455**, 271 Bindoni, M., Perciavalle, V., Berretta, S., Belluardo, N. and Diamantstein, T. Interleukin 2 modifies the bioelectric activity of some neurosecretory nuclei in the rat hypothalamus, 462, 10 Binet, S. and Meininger, V. Biochemical basis of microtubule cold stability in the peripheral and central nervous systems, 450, 231 Bing, G., see Kordower, J.H., 461, 221 Binmöller, F.-J., see Reiser, G., **443**, 338 Bird, E.D., see Beal, M.F., 454, 393 Bisby, M.A. Dependence of GAP43 (B50, F1) transport on axonal regeneration in rat dorsal root ganglion neurons, 458, 157 Bisby, M.A., see Tetzlaff, W., 445, 142 Bischof, H.-J., see Herrmann, K., Bisso, G.M., Diana, G., Fortuna, S., Meneguz, A. and Michalek, H. Change in the distribution of acetylcholinesterase molecular forms in frontoparietal cortex of the rat following nucleus basalis lesions with kainic acid, 449, 391 Bitran, D., see Pehek, E.A., 443, 70 Bittner, G.D., see Viancour, T.A., 439, 211 Bittner, G.D., see Winegar, B.D., 475, 21 Björklund, A., see Daszuta, A., 458, 1 Björklund, A., see Divac, I., 444, 371 Björklund, A., see Kalén, P., 474, 374 Björklund, A., see Nilsson, O.G., 453, 235 Björklund, A., see Nilsson, O.G., **456**, 193 Björklund, A., see Trottier, S., **454**, 308 Björklund, A., see Bassant, M.H., **460**, 8 Björklund, A., see Nothias, F., 461, 349 Bjurling, P., see Leenders, K.L.,

445, 61

441, 292

Black, I.B., see La Gamma, E.F.,

Black, J.A., see Waxman, S.G., 453, 337 Blaha, C.D., see Lane, R.F., 460, 398 Blair, M.L., see Sladek, C.D., 445, 39 Blair, R.E., see Taft, W.C., 447, 159 Blanc, G., see Taghzouti, K., 440, 172 Blanchard, J.-C., see Böhme, G.A., 451, 309 Bland, B.H. and Colom, L.V. Responses of phasic and tonic hippocampal theta-on cells to cholinergies: differential effects of muscarinic and nicotinic activation, **440**, 167 Bland, B.H., Colom, L.V., Konopacki, J. and Roth, S.H. Intracellular records of carbachol-induced theta rhythm in hippocampal slices, 447, 364 Bland, B.H., see Colom, L.V., **460**, 329 Bland, B.H., see Konopacki, J., 451, 33 Bland, B.H., see Konopacki, J., **455**, 110 Blanks, R.H.I., see Fredericks, C.A., 454, 116 Blasco, I., see Alvarez, F.J., 442, 391 Blasco, I., see Villalba, R.M., 462, 359 Blaustein, J.D., King, J.C., Toft, D.O. and Turcotte, J. Immunocytochemical localization of estrogen-induced progestin receptors in guinea pig brain, 474, 1 Blaustein, J.D., see Williams, C.L., **449**, 403 Blessing, W.W., see Li, Y.W., 461, 75 Bliss, T.V.P., see Bramham, C.R., 449, 352 Bliss, T.V.P., see Fazeli, M.S., 473, 51 Bloch, B., see Normand, E., 439, 39 Bloedel, J.R., see Lou, J.-S., 445, 171 Blomqvist, A., see Meyerson, B.J., 473, 344 Bloom, F.E., see Lipkin, W.I., **451**, 333 Bloom, S.R., see Gibson, S.J., 474, 255 Blue, M.E., Yagaloff, K.A., Mamounas, L.A., Hartig, P.R. and Molliver, M.E. Correspondence between 5-HT₂ receptors and serotonergic axons in rat neocortex, 453, 315 Bluthé, R.-M., see Dantzer, R., **457**, 143 Boast, C.A., Gerhardt, S.C., Pastor, G., Lehmann, J., Etienne, P.E. and Liebman, J.M. The N-methyl-D-aspartate antagonists CGS 19755 and CPP reduce ischemic brain damage in gerbils, 442, 345 Bodnar, R.J., Williams, C.L., Lee, S.J. and Pasternak, G.W. Role of μ_1 -opiate receptors in supraspinal opiate analgesia: a microinjection study, 447, 25 Boegman, R.J. and Parent, A. Differential sensitivity of neuropeptide Y, somatostatin and NADPH-diaphorase containing

neurons in rat cortex and striatum to quinolinic acid, 445, 358

Boegman, R.J. and Parent, A. The response of striatal neuropeptide Y and cholinergic neurons to excitatory amino acid agonists, 452, 219

Boegman, R.J., Parent, A. and Hawkes, R. Zonation in the rat cerebellar cortex: patches of high acetylcholinesterase activity in the granular layer are congruent with Purkinje cell compartments, 448, 237

Boeijinga, P.H. and Lopes da Silva, F.H. Differential distribution of β and θ EEG activity in the entorhinal cortex of the cat, 448, 272

Boer, G.J., see Mirmiran, M., 458, 192 Bohannon, N.J., Corp, E.S., Wilcox, B.J., Figlewicz, D.P., Dorsa, D.M. and Baskin, D.G. Localization of binding sites for insulin-like growth factor-I (IGF-I) in the rat brain by quantitative autoradiography, 444, 205

Böhme, G.A., Stutzmann, J.-M. and Blanchard, J.-C. Excitatory effects of cholecystokinin in rat hippocampus: pharmacological response compatible with 'central'or B-type CCK receptors, 451, 309

Bol, J.G.J.M., see De Vente, J.,

446, 387

Bolger, G.T., Lesieur, P., Basile, A.S. and Skolnick, P. Modulation of neurotransmitter metabolism by dihydropyridine calcium channel ligands in mouse brain, 438, 101

Bologa, L., Cole, R., Chiappelli, F., Saneto, R.P. and De Vellis, J. Expression of glial fibrillary acidic protein by differentiated astrocytes is regulated by serum antagonistic

factors, 457, 295 Bolwig, T.G., see Clemmesen, L., 453, 204

Boman, A., see Christenson, J., 440, 1 Bomzon, A., see Okun, F., 458, 31 Bonanno, G., Raiteri, M. and

Emson, P.C. In vitro release of somatostatin from cerebral cortical slices: characterization of electrically evoked release, 447, 92

Bondoux-Jahan, M. and Sebille, A. Electrophysiological study of conditioning lesion effects on rat sciatic nerve regeneration following either prior section or freeze. II. Blocking by prior tenotomy, 449, 150

Bondy, C.A. and Russell, J.T. Dendrotoxin and 4-aminopyridine potentiate neurohypophysial hormone secretion during low frequency electrical stimulation, 453, 397

Bonfils, P., see Puel, J.-L., 447, 380

Bongianni, F., Fontana, G. and Pantaleo, T. Effects of electrical and chemical stimulation of the Bötzinger complex on respiratory activity in

the cat, 445, 254 Bonhaus, D.W. and McNamara, J.O. Anticonvulsant action of intranigral γ-vinyl-GABA: role of noradrenergic neurotransmission, 438, 391

Bonsall, R.W., see Rees, H.D., 452, 28 Borgers, M., see Van Reempts, J., 462, 142

Borges, L.F., see Ogilvy, C.S., 475, 244

Borges, R., see Cárdenas, A.M., **456**, 364

Bornstein, M.B., see Arezzo, J.C., 462, 286

Borsini, F., see Maggi, C.A., 449, 61 Bortolotto, Z.A., see

Ikonomidou-Turski, C., 462, 275 Bos, N.P.A., see Mirmiran, M., 458, 192

Bos, N.P.A., see Ter Maat, A., 438, 77 Bossut, D., Frenk, H. and Mayer, D.J. Is substance P a primary afferent neurotransmitter for nociceptive input? II. Spinalization does not reduce and intrathecal morphine potentiates behavioral responses to substance P, 455, 232

Bossut, D., Frenk, H. and Mayer, D.J. Is substance P a primary afferent neurotransmitter for nociceptive input? IV. 2-Amino-5-phosphonovalerate (APV) and [D-Pro²,D-Trp^{7,9}]-substance P exert different effects on behaviors induced by intrathecal substance P. strychnine and kainic acid, 455, 247

Bossut, D., see Frenk, H., 455, 223 Bossut, D., see Frenk, H., 455, 240 Bostock, H. and Baker, M.

Evidence for two types of potassium channel in human motor axons in vivo, **462**, 354 Bots, G.T.A.M., see Coria, F.,

463, 187

Bottiglieri, D.F., Morse, C.A., Baker, S.P., Crews, F.T., Sumners, C. and Raizada, M.K. Increased expression of α_1 -adrenergic receptors in the hypothalamus of spontaneously hypertensive rats, 439, 187

Bouhassira, D., see Hu, B., 473, 394 Boulanger, Y., see Ungerer, A., 446, 205

Bouldin, T.W., see Théorêt, Y., 449, 341

Bourne, R.C., see Chmielowska, J., 439, 155

Bourne, R.C., see Stewart, M.G., 456, 387

Bowe, C.M., Yu, C.H. and Waxman, S.G. Morphological changes in spinal motor neurons giving rise to long-term regenerated sciatic nerve axons, 463, 69

Bowersox, J.A., see Starkstein, S.E., 473, 74

Bowersox, S., see Mignot, E., 444, 184 Bowersox, S.S., Dement, W.C. and Glotzbach, S.F. The influence of ambient temperature on sleep characteristics in the aged cat, 457, 200

Bowersox, S.S., see Faull, K.F.,

450, 225

Bowker, R.M. and Abbott, L.C. The origins and trajectories of somatostatin reticulospinal neurons: a potential neurotransmitter candidate of the dorsal reticulospinal pathway, 447, 398 Boya, J., see Carbonell, A.L., **439**, 337 Boyar, W.C., see Altar, C.A., **460**, 76

Boyes, B.E., see O'Kusky, J.R., **439**, 138

Bozarth, M., see Jenck, F., 450, 387 Braak, E., see Ohm, T.G., 451, 295 Bradley, R.M., see Gurkan, S., 473, 127

Bradley, R.M., see Sweazey, R.D., 439, 195

Brady, L.S., Rothman, R.B. and Herkenham, M. Physiological regulation of neurohypophyseal κ -opiate receptors, 443, 398 Brady, R., see Allen, C.N., 458, 147

Bragdon, A.C., Taylor, D.M., McNamara, J.O. and Wilson, W.A. Abnormal hyperexcitability of hippocampal slices from kindled rats is transient, 453, 257

Brailowsky, S., Kunimoto, M., Menini, C., Silva-Barrat, C., Riche, D. and Naquet, R. The GABA-withdrawal syndrome: a new model of focal epileptogenesis, 442, 175

Brainard, G.C., Lewy, A.J., Menaker, M., Fredrickson, R.H., Miller, L.S., Weleber, R.G., Cassone, V. and Hudson, D Dose-response relationship between light irradiance and the suppression of plasma melatonin in human volunteers, 454, 212

Bramham, C.R., Errington, M.L. and Bliss, T.V.P. Naloxone blocks the induction of long-term potentiation in the lateral but not in the medial perforant pathway in the anesthetized rat,

449, 352 Braun, D.E., see Freed, W.J., 459, 157 Braun, K., Scheich, H.

Zuschratter, W., Heizmann, C.W., Matute, C. and Streit, P. Postnatal development of parvalbumin-, calbindin- and adult GABA-immunoreactivity in two visual nuclei of zebra finches, 475, 205

Brauth, S.E., Kitt, C.A. and Gerfen, C.R. Calcium binding protein in the basal ganglia system of a non-mammalian vertebrate: an immunohistochemical study in the reptile Caiman crocodilus, 452, 367

Braverman, S.B., see Sharma, S.C., 473, 359

Brawer, J.R., see Piotte, M., **439**, 127 Brazell, M.P., see Kasser, R.J., **475**, 333

Brazhnik, E.S. and Vinogradova, O.S. Modulation of the afferent input to the septal neurons by cholinergic drugs, 451, 1

drugs, **451**, 1 Brecha, N.C., see Kruger, L., **463**, 223 Breitbach, D., see Hayward, L., **440**, 199

Brew, H., see Mobbs, P., 460, 235 Briggs, R., see Cowburn, R., 452, 403 Brightman, M.W., see Nagy, Z., 440, 315

Brink, E.E., see Yates, B.J., 449, 377 Brion, J.-P., see Langui, D., 438, 67 Brisson, P., see Roman, A., 442, 33 Broch, O.J., see Eide, P.K., 440, 42 Brödemann, R., see Reymann, K.G., 461, 388

Brodin, L., see Ohta, Y., 445, 400
Brodin, L., Tossman, U., Ohta, Y.,
Ungerstedt, U. and Grillner, S.
The effect of an uptake inhibitor
(dihydrokainate) on endogenous
excitatory amino acids in the
lamprey spinal cord as revealed by
microdialysis, 458, 166

Brody, M.J., see Grosskreutz, C.L., 442, 363

Brooks, P.A. and Stone, T.W. Purine modulation of cholinomimetic responses in the rat hippocampal slice, **458**, 106

Brooks Lacy, D., see Radosevich, P.M., **458**, 325 Brosnan, C.F., see Arezzo, J.C.,

462, 286 Brotchi, J., see Schiffmann, S.,

442, 270

Brown D.O. see Paffa P.R.

Brown, D.Q., see Raffa, R.B., 447, 393

Brown, J., see Seroogy, K., 455, 88 Brown, L.L., see Radosevich, P.M., 458, 325

Brown, M.R., Hauger, R. and Fisher, L.A.
Autonomic and cardiovascular effects of corticotropin-releasing factor in the spontaneously hypertensive rat, 441, 33

Brown, M.R., Mortrud, M., Crum, R. and Sawchenko, P. Role of somatostatin in the regulation of vasopressin secretion, 452, 212

Brown, S.A., see McNeill, T.H., 455, 148

Brownell, D.B., see Gibson, S.J., 474, 255

Brücke, T., see Singhaniyom, W., 453, 393

Brudzynski, S.M., Wu, M. and Mogenson, G.J. Modulation of locomotor activity induced by injections of carbachol into the tegmental pedunculopontine nucleus and adjacent areas in the

rat, 451, 119

Brundin, P., see Daszuta, A., 458, 1 Brundin, P., see Nilsson, O.G., 456, 193

Brunjes, P.C., see

Croul-Ottman, C.E., 460, 323 Bruno, J.P., see Jackson, D., 457, 259 Bruno, J.P., see Jackson, D., 457, 267 Brunswick, D.J., see Kovachich, G.B., 454, 78

Brussaard, A.B., Kits, K.S., Ter Maat, A., Van Minnen, J. and Moed, P.J. Dual inhibitory action of FMRFamide on neurosecretory cells controlling egg laying behavior in the pond snail, 447, 35

Brutus, M., Zuabi, S. and Siegel, A. Effects of D-Ala²-Met⁵-enkephalinamide microinjections placed into the bed nucleus of the stria terminalis upon affective defense behavior in the cat, 473, 147

Bryan Jr., R.M. and Lehman, R.A.W. Cerebral glucose utilization after aversive conditioning and during conditioned fear in the rat, 444, 17

Bryan Jr., R.M. and Pelligrino, D.A. Cerebral blood flow during chronic hypoglycemia in the rat, **475**, 397

Buchan, A., see Seroogy, K., 455, 88 Buchanan, J.T. and Grillner, S. A new class of small inhibitory interneurones in the lamprey spinal cord, 438, 404

Buchanan, K.D., see McKillop, J.M., 447, 239

Bucher, A.P., see Schlitt, M., 440, 293 Buchwald, N.A., see Levine, M.S., 440, 267

Buckley, N.J., Saffrey, M.J., Hassall, C.J.S. and Burnstock, G. Localization of muscarinic receptors on peptide-containing neurones of the guinea pig myenteric plexus in tissue culture, **445**, 152

Budd, T., Clinton, P., Dell, A.,
Duce, I.R., Johnson, S.J.,
Quicke, D.L.J., Taylor, G.W.,
Usherwood, P.N.R. and Usoh, G.
Isolation and characterisation of
glutamate receptor antagonists from
venoms of orb-web spiders, 448, 30

Buéno, L. and Gué, M.
Evidence for the involvement of corticotropin-releasing factor in the gastrointestinal disturbances induced by acoustic and cold stress in mice, 441, 1

Buijs, R.M., see Caffé, A.R., **459**, 386 Bulas, T., see El-Bohy, A., **460**, 379 Bullock, A.E., see Glick, S.D., **473**, 161

Bunarević, A., see Lacković, Z., 443, 199

Bunney, B.S., see Shepard, P.D., 463, 380

Bunney, B.S., see Yeomans, J.S., 450, 86

Buño Jr., W., see Magariños-Ascone, C., 445, 30 Bunse, B., see Onali, P., **456**, 302 Burchfiel, J.L., see Waszczak, B.L., **455**, 115

Burde, R.M.

Direct parasympathetic pathway to

the eye: revisited, **463**, 158
Burde, R.M.
Disparate visceral neuronal pools subserve spinal cord and ciliary

Disparate visceral neuronal pools subserve spinal cord and ciliary ganglion in the monkey: a double labeling approach, **440**, 177

Burke, R.E., see Lev-Tov, A., 438, 328

Burnstock, G., see Buckley, N.J., 445, 152

Burnstock, G., see Dhall, U., 442, 335 Burnstock, G., see Dhital, K.K., 444, 33

Burnstock, G., see Jackowski, A., 443, 159

Burnstock, G., see James, S., 458, 205 Burnstock, G., see Mione, M.C., 460, 103

Burry, R.W., see Kniss, D.A., 439, 281 Burton, H., Alloway, K.D. and Rosenthal, P. Somatotopic organization of the second somatosensory cortical area after lesions of the primary somatosensory area in infant and adult cats, 448, 397

Burton, N.R. and Williams, T.L. Fictive locomotion in the lamprey; a comparison using bicarbonate and HEPES buffers, **440**, 159

Burton, P.R.
Dendrites of mitral cell neurons contain microtubules of opposite polarity, **473**, 107

polarity, **473**, 107 Buscaglia, M., see Scarpini, E., **440**, 261

Buscaglia, M., see Silani, V., **473**, 169 Bush, K.T., see Nagele, R.G., **474**, 279 Busija, D.W., Wagerle, L.C.,

Pourcyrous, M. and Leffler, C.W. Acetylcholine dramatically increases prostanoid synthesis in piglet parietal cortex, 439, 122

Busto, R., see Ikeda, M., 459, 344 Buzsaki, G., see Vanderwolf, C.H., 451, 340

Buzsàki, G.

Polysynaptic long-term potentiation: a physiological role of the perforant path-CA3/CA1 pyramidal cell synapse, **455**, 192

Byers, M.R. and Costello, R.J. Cation-binding sites in trigeminal ganglia and maxillary nerve: unusual reactivity of perikarya, stem axons and satellite cells, 443, 125

Byers, M.R. and Costello, R.J. Membrane heterogeneity in sensory receptors of rat vibrissae: Merkel receptors differ from other nerve endings, 461, 397

Byers, M.R., see Taylor, P.E., **461**, 371 Byrne, M.C., Farooq, M., Sbaschnig-Agler, M., Norton, W.T.

Sbaschnig-Agler, M., Norton, W.T. and Ledeen, R.W. Ganglioside content of astroglia and neurons isolated from maturing rat

brain: consideration of the source of astroglial gangliosides, **461**, 87
Byrne, M.C., see Sbaschnig-Agler, M., **461**, 98

Byrne, P.M., see Tasaki, I., 475, 173

C

Cabib, S., Kempf, E., Schleef, C., Oliverio, A. and Puglisi-Allegra, S. Effects of immobilization stress on dopamine and its metabolites in different brain areas of the mouse: role of genotype and stress duration, 441, 153

Cacabelos, R., see Niigawa, H., 459, 183

Caday, C.G., see Finklestein, S.P., 448, 346

Caday, C.G., see Finklestein, S.P., 460, 253

Cadet, J.L., Jackson-Lewis, V. and Fahn, S.

The iminodipropionitrile (IDPN) model of persistent spasmodic dyskinesias: regional serotonin metabolism in rat brain, 456, 371

Cadet, J.L., see Iadarola, M.J., **474**, 75 Cadet, J.L., see Pezzoli, G., **459**, 398

Cadete-Leite, A., Tavares, M.A.,
Uylings, H.B.M. and
Paula-Barbosa, M.
Granule cell loss and dendritic
regrowth in the hippocampal
dentate gyrus of the rat after chronic
alcohol consumption, 473, 1

Cadwallader, L.B., see Landfield, P.W., 443, 47

Caffé, A.R., Van Leeuwen, F.W., Buijs, R.M. and Van der Gugten, J. Vasopressin and noradrenaline coexistence in the rat locus ceruleus: differential decreases of their levels in distant brain areas after thermal and neurotoxic lesions, 459, 386

Caille, D., see Vibert, J.-F., 448, 403 Cain, D.P., see Ossenkopp, K.-P., 442, 255

Cain, D.P., see Vanderwolf, C.H., 451, 340

Cairns, N.J. and Wonnacott, S. [³H](-)nicotine binding sites in fetal human brain, 475, 1

Calabresi, P., see Mercuri, N.B., 462, 199

Calaresu, F.R., see Ciriello, J., 440, 53 Calcagnetti, D.J., see Fanselow, M.S., 444, 147

Calderazzo-Filho, L.S., see Ikonomidou-Turski, C., 462, 275

Calderon, S.F., Sanberg, P.R. and Norman, A.B.

Quinolinic acid lesions of rat striatum abolish D₁- and D₂-dopamine receptor-mediated

catalepsy, 450, 403

Caldwell, J.D., Jirikowski, G.F., Greer, E.R., Stumpf, W.E. and Pedersen, C.A. Ovarian steroids and sexual interaction alter oxytocinergic content and distribution in the basal forebrain, 446, 236

Calés, J.M., see Garcia-Segura, L.M., 456, 357

Calin, L., see Kesslak, J.P., **454**, 347 Calkoen, F., see De Zeeuw, C.I., **447**, 369

Callahan, M.F., Cunningham, J.T., Kirby, R.F., Johnson, A.K. and Gruber, K.A. Role of the anteroventral third ventricle (AV3V) region of the rat brain in the pressor response to γ₂-melanocyte-stimulating hormone (γ₂-MSH), 444, 177

Callahan, P., Janik, J., Grandison, L. and Rabii, J.

Morphine does not stimulate prolactin release during lactation, **442**, 214

Calogero, A.E., Gallucci, W.T., Chrousos, G.P. and Gold, P.W. Interaction between GABAergic neurotransmission and rat hypothalamic corticotropin-releasing hormone secretion in vitro, 463, 28

Calvet, J., see Calvet, M.-C., **462**, 321 Calvet, J., see Calvet, M.-C., **462**, 334

Calvet, M.-C. and Calvet, J.
Computer-assisted analysis of the developing Purkinje neuron. I.
Effects of the age of the animal at the moment of explantation on the subsequent dendritic development in organotypic cultures, 462, 321

Calvet, M.-C. and Calvet, J.
Computer-assisted analysis of the
developing Purkinje neuron. II. A
comparative study of the dendritic
development in differently aged
kittens and in organotypic cultures
explanted at the same ages, 462, 334

Calvino, B., Couraud, J.Y.,
Maillet, S., Pradelles, P. and
Besson, J.M.
Increased reactivity to chemical but
not to heat noxious stimuli in mice
producing anti-idiotypic antibodies
for substance P, 460, 389

Camhi, J.M., see Goldstein, R.S., 440, 366

Campbell, G.A., see Eckardt, M.J., 444, 53

Campbell, J.N., see Meyer, R.A., 441, 168

Campbell, J.N., see Meyer, R.A.,

Campistron, G., see Schiffmann, S., 442, 270

Campochiaro, P.A., see Friedman, Z., 446, 11

Camps, M., see Closse, A., **440**, 123 Cannon-Spoor, E., see Karoum, F., **440**, 190

Cannon-Spoor, H.E., see Freed, W.J., 446, 133

Canteras, N.S.,
Shammah-Lagnado, S.J.,
Silva, B.A. and Ricardo, J.A.
Somatosensory inputs to the
subthalamic nucleus: a combined
retrograde and anterograde
horseradish peroxidase study in the
rat, 458, 53

Cao, C.Q., see Shigenaga, Y., **445**, 392 Cao, C.Q., see Shigenaga, Y., **461**, 238 Cappabianca, V., see Parenti, M., **473**, 236

Cappell, M.S., Spray, D.C. and Bennett, M.V.L. Stationary and non-stationary occurrences of miniature end plate potentials are well described as stationary and non-stationary Poisson processes in the mollusc Navanax inermit, 454, 244

Caprio, J., see Marui, T., **446**, 178 Car, A., see Amri, M., **441**, 119 Caramia, M., see Rossini, P.M., **458**, 20

Carbone, K.M., see Lipkin, W.I., 475, 366

Carbonell, A.L. and Boya, J.
Ultrastructural study on meningeal regeneration and meningo-glial relationships after cerebral stab wound in the adult rat, 439, 337

Cárdenas, A.M., Montiel, C., Esteban, C., Borges, R. and García, A.G. Secretion from adrenaline- and noradrenaline-storing adrenomedullary cells is regulated by a common dihydropyridine-sensitive calcium channel. 456. 364

channel, **456**, 364 Carels, C., see Van der Glas, H.W., **444**, 284

Carey, R.G., see Horn, K.M., 448, 386 Carla', V., see Lombardi, G., 458, 348 Carlen, P.L., see Niesen, C.E., 445, 137

Carlen, P.L., see Reynolds, J.N., 456, 286

Carlen, P.L., see Stewart, P.A., 443, 12 Carlsen, J. and Heimer, L. The basolateral amygdaloid complex

as a cortical-like structure, **441**, 377 Carlson, J.N., Glick, S.D., Hinds, P.A. and Baird, J.L.

Food deprivation alters dopamine utilization in the rat prefrontal cortex and asymmetrically alters amphetamine-induced rotational behavior, **454**, 373

Carlson, J.N., see Glick, S.D., 473, 161

Carlsson, A., see Maysinger, D., 461, 355

Carlton, S.M., see Harmann, P.A., 441, 87

Carp, R.I., see Quinn, M.R., **445**, 297 Carpenter, B.K., see Turski, W.A., **454**, 164

Carpenter, C.L., Marks, S.S., Watson, D.L. and Greenberg, D.A. Dextromethorphan and dextrorphan as calcium channel antagonists, 439, 372

Carpenter, D.O., see Allen, C.N., 458, 147

Carpenter, D.O., see Hori, N., **457**, 350

Carpenter, D.O., see Oyama, Y., 438, 95

Carpenter, D.O., see Oyama, Y.,

463, 124 Carr, K.D. and Bak, T.H. Medial thalamic injection of opioid agonists: µ-agonist increases while κ -agonist decreases stimulus thresholds for pain and reward, 441, 173

Carrive, P., see Bandler, R., 439, 95

Carrive, P., Bandler, R. and Dampney, R.A.L. Anatomical evidence that hypertension associated with the defence reaction in the cat is mediated by a direct projection from a restricted portion of the midbrain periaqueductal grey to the subretrofacial nucleus of the medulla, 460, 339

Carstens, E., see Culhane, E.S., **438**, 137

Carstens, E., see Klatt, D.S., 447, 246 Carstens, E., see Thurston, C.L., **463**, 1

Carvell, G.E. and Simons, D.J. Membrane potential changes in rat SmI cortical neurons evoked by controlled stimulation of mystacial vibrissae, 448, 186

Casamenti, F., see Orzi, F., 462, 99 Casanova, C., see Molotchnikoff, S., 446, 67

Casanova, M.F., see Poltorak, M., 475, 328

Casey, K.L., see Pertovaara, A., **438**, 286

Cassone, V., see Brainard, G.C., 454, 212

Cassone, V.M.

Circadian variation of [14C]2-deoxyglucose uptake within the suprachiasmatic nucleus of the house sparrow, Passer domesticus, **459**, 178

Castaño, E.M., see Coria, F., 463, 187 Castigli, E., see Grassi Zucconi, G., 447, 253

Castro, R., see Garabal, M.V., 457, 330

Casullo, J., see Krnjević, K., 438, 182 Catelli, J.M. and Sved, A.F. Lesions of the AV3V region attenuate sympathetic activation but not the hypertension elicited by destruction of the nucleus tractus solitarius, 439, 330

Cattarelli, M., Astic, L. and Kauer, J.S. Metabolic mapping of 2-deoxyglucose uptake in the rat piriform cortex using computerized

image processing, **442**, 180 Cau, P., see Pinard, R., **474**, 48 Caudle, R.M. and Isaac, L. A novel interaction between

dynorphin(1-13) and an N-methyl-D-aspartate site, 443, 329

Cavalheiro, E.A., see Ikonomidou-Turski, C., 462, 275 Cavanaugh, J.M., see El-Bohy, A.,

460, 379 Caverson, M.M., see Ciriello, J., 440, 53

Ceccatelli, S., see Seroogy, K., 455, 88 Celentano, J.J., Gibbs, T.T. and Farb, D.H.

Ethanol potentiates GABA- and glycine-induced chloride currents in chick spinal cord neurons, 455, 377

Cérat, A., see Molotchnikoff, S., 446, 67

Cervantes, C., see Alvarez, F.J., 442, 391

Chader, G.J., see Rodrigues, M., 443, 389

Chalazonitis, A., see Crain, S.M., **455**, 99

Chalazonitis, A., Crain, S.M. and Kessler, J.A. Preferential cholinergic projections by embryonic spinal cord neurons within cocultured mouse superior cervical ganglia, 458, 231

Chalazonitis, A., see Chen, G.-G., 462, 372

Chamberlin, N.L. and Dingledine, R. GABAergic inhibition and the induction of spontaneous epileptiform activity by low chloride and high potassium in the

hippocampal slice, 445, 12 Chan, J., see Pickel, V.M., 444, 247 Chan, C.W.Y., see Rogers, M.W., 438, 271

Chan, J.Y.H., see White, S.R.,

441, 195 Chan, P.H., Chu, L. and Fishman, R.A. Reduction of activities of superoxide dismutase but not of glutathione peroxidase in rat brain regions following decapitation ischemia, 439, 388

Chan, S.O. and Jen, L.S. Enlargement of uncrossed retinal projections in the albino rat: additive effects of neonatal eye removal and thalamectomy, 461, 163

Chan, W.C., see Sharma, T.R., 442, 379

Chandler, L.J., see Woodward, J.J., 473, 91

Chang, C.C., Lin, S.-O., Hong, S.J. and Chiou, L.C. Neuromuscular block by verapamil and diltiazem and inhibition of acetylcholine release, 454, 332

Chang, F.-C.T., see Mark, G.P., **443**, 137

Chang, G.D. and Ramirez, V.D. A potent dopamine-releasing factor is present in high concentrations in the rat adrenal gland, 463, 385

Chang, H.T. Substance P-dopamine relationship in the rat substantia nigra: a light and electron microscopy study of

double immunocytochemically

labeled materials, 448, 391 Chang, J.-Y., Owman, C. and Steinbusch, H.W.M. Evidence for coexistence of serotonin and noradrenaline in sympathetic nerves supplying brain vessels of guinea pig, 438, 237

Chang, L.-R., see Tao, P.-L., 462, 313 Chapin, J.K., see Cheng, J.-T., 446, 90 Chapman, C., see Kendrick, K.M., 439, 1

Chapman, C., see Kendrick, K.M., 442, 171

Chapman, C., see Zhao, B.-G., 462, 62

Chapman, P.F., Steinmetz, J.E. and Thompson, R.F. Classical conditioning does not occur when direct stimulation of the red nucleus or cerebellar nuclei is the unconditioned stimulus, 442, 97

Charpak, S., Dubois-Dauphin, M., Raggenbass, M. and Dreifuss, J.J. Direct inhibition by opioid peptides of neurones located in the ventromedial nucleus of the guinea pig hypothalamus, 450, 124

Charriaut-Marlangue, C., see Tremblay, E., 461, 393

Charron, L., see Peyronnard, J.M., **443**, 295 Chase, T.N., see Agui, T., **452**, 49

Chauvel, P., see Trottier, S., 454, 308 Cheetham, S.C., Crompton, M.R., Katona, C.L.E. and Horton, R.W. Brain 5-HT₂ receptor binding sites in depressed suicide victims, 443, 272

Cheetham, S.C., Crompton, M.R., Katona, C.L.E., Parker, S.J. and Horton, R.W. Brain GABA_A/benzodiazepine binding sites and glutamic acid decarboxylase activity in depressed suicide victims, 460, 114

Chemeris, N.K., Iljin, V.I. and Safronova, V.G. Modulation of calcium current in snail neurones by dopamine: the role of intracellular free calcium,

460, 142 Chen, V., see Hillman, D.E., **447**, 353 Chen, G.-G., Chalazonitis, A., Shen, K.-f. and Crain, S.M. Inhibitor of cyclic AMP-dependent protein kinase blocks opioid-induced prolongation of the action potential of mouse sensory ganglion neurons in dissociated cell cultures, **462**, 372

Chen, S., see Hillman, D.E., 447, 353 Cheng, J.-T., see Sessler, F.M., 446, 77

Cheng, J.-T., Sessler, F.M., Azizi, S.A., Chapin, J.K. and Waterhouse, B.D. Electrophysiological actions of norepinephrine in rat lateral hypothalamus. II. An in vitro study of the effects of iontophoretically applied norepinephrine on LH neuronal responses to γ -aminobutyric acid (GABA),

446, 90

Cherubini, E., see Neuman, R.S., 474, 201

Cherubini, E., Neuman, R., Rovira, C. and Ben-Ari, Y. Epileptogenic properties of the mast cell degranulating peptide in CA3 hippocampal neurones, 445, 91

Cherubini, E., see Neuman, R.,

459, 265

Chesa, P.G., see Rettig, W.J., 438, 315 Chiappelli, F., see Bologa, L., 457, 295 Chiappinelli, V.A., see Pinnock, R.D.,

Chiappinelli, V.A., see Wolf, K.M., **439**, 249

Ching, M., Valenca, M. and Negro-Vilar, A. Acute ethanol treatment lowers hypophyseal portal plasma luteinizing hormone-releasing hormone (LH-RH) and systemic plasma LH levels in orchidectomized rats, 443, 325

Chiodo, L.A., see Freeman, A.S.,

439, 266

Chiou, L.C., see Chang, C.C., 454, 332

Chiu, T.H., see Tyma, J.L., 453, 344 Chiu, T.H., see Yu, O., 451, 376 Chiueh, C.C., see Singhaniyom, W., 453, 393

Chmielowska, J., see Stewart, M.G., **456**, 387

Chmielowska, J., Stewart, M.G. and Bourne, R.C. y-Aminobutyric acid (GABA) immunoreactivity in mouse and rat first somatosensory (SI) cortex: description and comparison, 439, 155

Cho, W.K., see Park, Y., **451**, 255 Choi, D.W., see George, C.P., 440, 375

Choi, D.W., see Koh, J.-Y., 446, 374 Choi, D.W., see Monyer, H., 446, 144 Chou, Y.-C. and Luttge, W.G.

Activated Type II receptors in brain cannot rebind glucocorticoids: relationship to progesterone's antiglucocorticoid actions, 440, 67

Christakos, C.N., Cohen, M.I., See, W.R. and Barnhardt, R. Fast rhythms in the discharges of medullary inspiratory neurons, 463, 362

Christenson, J., Boman, A., Lagerbäck, P.-Å. and Grillner, S. The dorsal cell, one class of primary sensory neuron in the lamprey spinal cord. I. Touch, pressure but no nociception — a physiological study,

Christenson, J., Lagerbäck, P.-Å. and Grillner, S. The dorsal cell, one class of primary sensory neuron in the lamprey spinal cord. II. A light- and electron microscopical study, 440, 9

Christie, B.R., see Colom, L.V., **460**, 329

Chrobak, J.J., Hanin, I.,

Schmechel, D.E. and Walsh, T.J. AF64A-induced working memory impairment: behavioral, neurochemical and histological correlates, 463, 107

Chrousos, G.P., see Calogero, A.E., 463, 28

Chu, L., see Chan, P.H., 439, 388 Chuang, L.-W., see Karoum, F., 440, 190

Chudler, E.H., Pretel, S. and Kenshalo Jr., D.R. Distribution of GAD-immunoreactive neurons in the first (SI) and second (SII) somatosensory cortex of the monkey, 456, 57 Chudler, E.H., see Kenshalo Jr., D.R., 454, 378

Church, M.W. and Gritzke, R. Dose-dependent effects of atropine sulfate on the brainstem and cortical auditory evoked potentials in the rat, 456, 224

Ciaranello, R.D., see Faull, K.F., **450**, 225

Ciarleglio, A., see Wolf, K.M., 439, 249

Ciriello, J., see Elisevich, K., 452, 141 Ciriello, J., Caverson, M.M., Calaresu, F.R. and Krukoff, T.L. Neuropeptide and serotonin immunoreactive neurons in the cat ventrolateral medulla, 440, 53

Civelli, O., see Iadarola, M.J., 455, 205

Claps, A., see Torrealba, F., 455, 134 Claps, A. and Torrealba, F. The carotid body connections: a WGA-HRP study in the cat, 455, 123

Clark, J.T., see Gabriel, S.M., 447, 200 Clarkson, T.W., see Aschner, M., 462, 31

Clatworthy, A., Williams, J.H. and Barasi, S. Intrathecal 5-hydroxytryptamine and electrical stimulation of the nucleus raphe magnus in rats both reduce the antinociceptive potency of intrathecally administered noradrenaline, 455, 300

Clemens, J., see Smith, M., 445, 241 Clements, J.R., see Madl, J.E., **452**, 396

Clemmesen, L., Ingvar, M., Hemmingsen, R. and Bolwig, T.G. Local cerebral glucose consumption during ethanol withdrawal in the rat: effects of single and multiple episodes and previous convulsive seizures, **453**, 204

Cliffer, K.D. and Giesler Jr., G.J. PHA-L can be transported anterogradely through fibers of passage, 458, 185 Cliffer, K.D., Urca, G., Elde, R.P.

and Giesler Jr., G.J. Studies of peptidergic input to the lateral spinal nucleus, 460, 356 Clifton, D.K., see Alexander, M.J.,

445, 247

Clifton, G.L., see Taft, W.C., 447, 159 Clinton, P., see Budd, T., 448, 30

Closse, A., Camps, M., Wanner, A. and Palacios, J.M. In vivo labeling of brain dopamine D₂ receptors using the high-affinity specific D₂ agonist [3H]CV 205-502, 440, 123

Clough, R.W., Hoffman, G.E. and Sladek, C.D. Peripubertal development of noradrenergic stimulation of luteinizing hormone-releasing hormone neurosecretion in vitro, 446, 121

Co, C., see Miyauchi, T., 454, 40 Coceani, F., Lees, J. and Dinarello, C.A. Occurrence of interleukin-1 in cerebrospinal fluid of the conscious

cat, **446**, 245 Coderre, T.J., see Wall, P.D., **447**, 215 Coggeshall, R.E., see Hulsebosch, C.E., 461, 322

Coggeshall, R.E., see Jenq, C.-B., **457**, 63

Cogswell, B.E., see Schmidt, R.E., 460, 214

Cohen, J.L. The action of γ -aminobutyric acid on the horizontal cells of the skate retina, 455, 366

Cohen, M.I., see Christakos, C.N., 463, 362

Cohen, R.M., see Singhaniyom, W., **453**, 393

Cole, G., Dobkins, K.R., Hansen, L.A., Terry, R.D. and Saitoh, T. Decreased levels of protein kinase C in Alzheimer brain, 452, 165

Cole, R., see Bologa, L., 457, 295 Coleman, P.D., see West, M.J., 448, 167

Colle, L. and Wise, R.A. Concurrent facilitory and inhibitory effects of amphetamine on stimulation-induced eating, 459, 356

Colle, L.M. and Wise, R.A.

Effects of nucleus accumbens amphetamine on lateral hypothalamic brain stimulation

reward, 459, 361 Collier, T.J., Gash, D.M. and Sladek Jr., J.R. Transplantation of norepinephrine neurons into aged rats improves performance of a learned task, 448, 77

Collin, J.P., see Roman, A., 442, 33 Collins, A.C., see Freund, R.K., **453**, 215

Collins, R.C., see Santori, E.M., 442, 261

Collins, III, W.F., Davis, B.M. and Mendell, L.M. Modulation of EPSP amplitude during high frequency stimulation depends on the correlation between potentiation, depression and facilitation, 442, 161 Colom, L.V., Christie, B.R. and

Bland, B.H. Cingulate cell discharge patterns related to hippocampal EEG and their modulation by muscarinic and nicotinic agents, 460, 329

Colom, L.V., see Bland, B.H.,

440, 167

Colom, L.V., see Bland, B.H.,

447, 364

Comer, C.M., Dowd, J.P. and Stubblefield, G.T. Escape responses following elimination of the giant interneuron pathway in the cockroach, Periplaneta americana, 445, 370

Compton, A.M., see Gardiner, S.M.,

458, 179

Conley, J.D., see Kohn, H., 457, 371 Conn, P.M., see Jennes, L., 452, 156 Consolo, S., see Tacconi, M.T.,

461, 194

Consolo, S., Forloni, G.L., Ladinsky, H. and Palazzi, E. Enhancement of opioid cataleptic response by cortical frontal deafferentation or intrastriatal injection of NMDA-receptor antagonists, 449, 97

Conte, B., see Maggi, C.A., 449, 61 Contestabile, A., see Virgili, M.,

460, 361

Conti, F., Fabri, M. and Manzoni, T. Immunocytochemical evidence for glutamatergic cortico-cortical connections in monkeys, 462, 148

Conti, F., see Defelipe, J., 455, 162 Contreras, P.C., see Thomas, J.W.,

442, 396

Cook, H., see Nordlander, R.H., 440, 391

Cook, L., see Tilson, H.A., 438, 83 Cooley, R.K., see Vanderwolf, C.H., 451, 340

Cooper, R.M., see Rooney, B.J., 439, 311

Cooper, S.J. and Yerbury, R.E. Clonazepam selectively increases saccharin ingestion in a two-choice test, 456, 173

Coote, J.H., see Lovick, T.A., **454**, 123

Corcoran, M.E., see Weller, K.L., **463**, 390

Coria, F., Prelli, F., Castaño, E.M., Larrondo-Lillo, M., Fernandez-Gonzalez, J., Van Duinen, S.G., Bots, G.T.A.M., Luyendijk, W., Shelanski, M.L., and Frangione, B. β -Protein deposition: a pathogenetic link between Alzheimer's disease and cerebral amyloid angiopathies,

Corneliuson, O., see Berthold, C.-H., **456**, 293

Corp, E.S., see Bohannon, N.J., 444, 205

Correa, F.M.A., Guilhaume, S.S. and Saavedra, J.M. A simple two-step immunocytochemical method using protein A-peroxidase to stain

immunoreactive cell antigens, 448, 192

Correa, F.M.A., see Nazarali, A.J., 475, 134

Corrodi, J.G., see Danielson, P.D., **448**, 158

Cortés, R., Probst, A. and Palacios, J.M. Decreased densities of dopamine D1 receptors in the putamen and hippocampus in senile deméntia of the Alzheimer type, 475, 164

Cortés, R., see Dietl, M.M., 439, 360 Cortés, R., see Dietl, M.M., 439, 366 Cortés, R., see Probst, A., 450, 190 Coscia, E., see Parkinson, D., 457, 70 Costa, E., see Karoum, F., 440, 190 Costa, M.E., see Ojeda, S.R., 441, 339 Costall, B., see Gibb, W.R.G.,

461, 361 Costello, R.J., see Byers, M.R.,

443, 125 Costello, R.J., see Byers, M.R., 461, 397

Cotman, C.W., see Kesslak, J.P., **454**, 347

Cotman, C.W., see Lasher, R.S., **452**, 184

Cotter, J.R., see Laemle, L.K., 441, 398

Coull, B.M., see Woodward, W.R., **454**, 106

Coulter, D.A., see Disterhoft, J.F., 462, 118

Coupet, J., see Hinson, J., 446, 379 Couraud, J.Y., see Calvino, B., **460**, 389

Cowburn, R., Hardy, J., Roberts, P. and Briggs, R. Regional distribution of pre- and postsynaptic glutamatergic function in Alzheimer's disease, 452, 403

Cowen, T., see Dhall, U., 442, 335 Cox, D.W.G. and Bachelard, H.S. On the relationship between the excitability of dentate granule cell field potentials and their sensitivity to low glucose, 440, 195

Coyer, P.E., Simeone, F.A. and Michele, J.J. Extended latency of the cortical component of the somatosensoryevoked potential accompanying moderate increases in cerebral blood flow during systemic hypoxia in cats, 441, 145

Coyle, J.T., see Murphy, T.H., 444, 325

Coyle, J.T., see Murphy, T.H., 460, 155

Craik, R.L., see Levin, B.E., 443, 261 Crain, S.M., see Chalazonitis, A.,

Crain, S.M., see Chen, G.-G., 462, 372 Crain, S.M., see Makman, M.H., 445, 303 Crain, S.M., Shen, K.-f. and

Chalazonitis, A. Opioids excite rather than inhibit sensory neurons after chronic opioid exposure of spinal cord-ganglion cultures, 455, 99

Crandall, J.E., see Sims, K.B., **449**, 192

Crane, A.M., see Palombo, E., 453, 227

Crawley, J.N. Attenuation of dark-induced hyperlocomotion by a cholecystokinin antagonist in the

nucleus accumbens, 473, 398 Crepel, F. and Krupa, M. Activation of protein kinase C induces a long-term depression of glutamate sensitivity of cerebellar Purkinje cells. An in vitro study, **458**, 397

Crestani, F., see Tazi, A., 473, 369 Crews, F.T., see Bottiglieri, D.F., 439, 187

Cridland, R.A. and Henry, J.L. Facilitation of the tail-flick reflex by noxious cutaneous stimulation in the rat: antagonism by a substance P analogue, 462, 15

Critchley, D.R., see Parton, R.G., 475, 118

Critchlow, V., see Kaler, L.W., 447, 384

Crociani, P., see Altavista, M.C., 455, 177

Crockard, A., see Jackowski, A., 443, 159

Croll, R.P.

Distribution of monoamines within the central nervous system of the juvenile pulmonate snail, Achatina fulica, 460, 29

Crompton, M.R., see Cheetham, S.C., 443, 272

Crompton, M.R., see Cheetham, S.C., 460, 114

Cronin, J. and Dudek, F.E. Chronic seizures and collateral sprouting of dentate mossy fibers after kainic acid treatment in rats, 474, 181

Cross, A.J., see Simpson, M.D.C., 462, 76

Crossman, A.R., see Leenders, K.L., 445, 61

Croul-Ottman, C.E. and Brunjes, P.C. NADPH diaphorase staining within the developing olfactory bulbs of normal and unilaterally odor-deprived rats, 460, 323 Crowley, W.R.

Sex differences in the responses of hypothalamic luteinizing hormone-releasing hormone and catecholamine systems to ovarian hormones and naloxone: implications for sexual differentiation of luteinizing hormone secretion in rats, 461, 314

Crowley, W.R., see Sahu, A., **457**, 376 Crowley, W.R., see Song, S.-L., **457**, 303

Crum, R., see Brown, M.R., **452**, 212 Crunelli, V., see Soltesz, I., **448**, 351 Crutcher, K., see Kesner, R.P.,

Cruz, C.J. and Beckstead, R.M. Quantitative

radioimmunocytochemical evidence that haloperidol and SCH 23390 induce opposite changes in substance P levels of rat substantia nigra, **457**, 29

Csáky, Å., see Kiss, J., 442, 23 Csernansky, J.G., Kerr, S., Pruthi, R. and Prosser, E.S. Mesolimbic dopamine receptor increases two weeks following hippocampal kindling, 449, 357

Csernus, V., see Bánky, Z., 445, 222 Csillag, A., see Stewart, M.G.,

456, 387
Cubells, J.F., Walkley, S.U. and Makman, M.H.
The effects of gabaculine in vivo on the distribution of GABA-like immunoreactivity in the rat retina, 458, 82

Cudennec, A., Duverger, D.,
Nishikawa, T.,
McRae-Degueurce, A.,
MacKenzie, E.T. and Scatton, B.
Influence of ascending serotonergic
pathways on glucose use in the
conscious rat brain. I. Effects of
electrolytic or neurotoxic lesions of
the dorsal and/or median raphé
nucleus, 444, 214

Cudennec, A., Duverger, D.,
Serrano, A., Scatton, B. and
MacKenzie, E.T.
Influence of ascending serotonergic
pathways on glucose use in the
conscious rat brain. II. Effects of
electrical stimulation of the rostral
raphé nuclei, 444, 227

Cuello, A.C., see Martinez-Murillo, R., 451, 227 Cuello, A.C., see Maysinger, D.,

461, 355 Cuello, A.C., see Pioro, E.P., 455, 182 Cuello, A.C., see Stephens, P.H., 448, 320

445, 320
Culhane, E.S. and Carstens, E.
Medial hypothalamic stimulation
suppresses nociceptive spinal dorsal
horn neurons but not the tail-flick
reflex in the rat, 438, 137

Culhane, E.S., see Klatt, D.S., 447, 246

Culhane, E.S., see Thurston, C.L., 463, 1

Cunningham, J.T., see Callahan, M.F., 444, 177

Cunningham, V.J., see Tucker, S.P., **450**, 131

Cupello, A., see Rapallino, M.V., 462, 350

Curella, P., see Miller, J.A., 447, 60
Curet, O. and De Montigny, C.
Electrophysiological characterization
of adrenoceptors in the rat dorsal
hippocampus. I. Receptors
mediating the effect of
microiontophoretically applied
norepinephrine, 475, 35

Curet, O. and De Montigny, C. Electrophysiological characterization of adrenoceptors in the rat dorsal hippocampus. II. Receptors mediating the effect of synaptically released norepinephrine, 475, 47

Curthoys, I.S., see Smith, P.F., 444, 295

Curthoys, I.S., see Smith, P.F., 444, 308

Curzon, G., see Haleem, D.J., 458, 339

Cusick, C.G. and Kaas, J.H.
Surface view patterns of intrinsic
and extrinsic cortical connections of
area 17 in a prosimian primate,
458, 383

Cutlip, A.C., Lenn, N.J. and Wooten, G.F.
Behavioral and metabolic alterations in the opiate withdrawal syndrome induced by lesions of fasciculus retroflexus, 451, 54

Cynader, M.S., see Grasse, K.L., 455, 385

455, 385
Czéh, G., Obih, J.-C.A. and
Somjen, G.G.
The effect of changing extracellular
potassium concentration on synaptic
transmission in isolated spinal cords,
446, 50

Czéh, G., see Kawasaki, K., 457, 322

D

Daddona, P.E., see Nagy, J.I., **457**, 21 Daddona, P.E., see Staines, W.A., **455**, 72

Daddona, P.E., see Yamamoto, T., 474, 112

Dahl, D., see Ferri, G.-L., 444, 383 Dahl, D., see Gilad, G.M., 458, 249 Dakshinamurti, K., see

Viswanathan, M., 473, 37

Dalati, B., see Jennes, L., **452**, 156 Dall'olio, R., see Gandolfi, O., **455**, 390

Dallel, R., Raboisson, P., Auroy, P. and Woda, A.
The rostral part of the trigeminal sensory complex is involved in orofacial nociception, 448, 7

Dallman, M.F., see Darlington, D.N., 439, 289

Dalton, T.K., see Joseph, J.A., 454, 140

Dalton, T.K., see Joseph, J.A., 454, 149

Dam, T.-V., Escher, E. and Quirion, R. Evidence for the existence of three classes of neurokinin receptors in brain. Differential ontogeny of neurokinin-1, neurokinin-2 and neurokinin-3 binding sites in rat cerebral cortex, 453, 372

Damjanov, I., see Lacković, Z., 443, 199 Dampney, R.A.L., see Carrive, P., **460**, 339 Danel, N., see Mons, N., **451**, 403 Danger, J.M., see Vallarino, M.,

448, 67
D'Angio, M., Serrano, A., Driscoll, P. and Scatton, B.
Stressful environmental stimuli increase extracellular DOPAC levels in the prefrontal cortex of hypoemotional (Roman high-avoidance) but not hyperemotional (Roman low-avoidance) rats. An in vivo voltammetric study, 451, 237

Danielson, P.D., Zottoli, S.J.,
Corrodi, J.G., Rhodes, K.J. and
Mufson, E.J.
Localization of choline
acetyltransferase to somata of
posterior lateral line efferents in the
goldfish, 448, 158

Dantzer, R., Koob, G.F., Bluthé, R.-M. and Le Moal, M. Septal vasopressin modulates social memory in male rats, 457, 143

Dantzer, Ř., see Tazi, Å., 445, 211 Dantzer, R., see Tazi, A., 473, 369 Dardenne, M., see Hirsch, E., 441, 139 Darlington, D.N., Shinsako, J. and

Darlington, D.N., Sninsako, J. and Dallman, M.F. Paraventricular lesions: hormonal and cardiovascular responses to hemorrhage, **439**, 289

Da Silva, C.F., see Madison, R.D., 447, 325

Da Silva, F.H.L., see Kamphuis, W., 440, 205

Daszuta, A., see Nilsson, O.G., 453, 235

Daszuta, A., Strecker, R.E., Brundin, P. and Björklund, A. Serotonin neurons grafted to the adult rat hippocampus. I. Time course of growth as studied by immunohistochemistry and biochemistry, 458, 1

Date, I., see Nakashima, H., 475, 232 Davies, R.O., see Kubin, L., 443, 215 Davis, M., see Spiera, R.F., 445, 130 Davis, B.M., see Collins, III, W.F., 442, 161

Davis, K.D. and Dostrovsky, J.O. Cerebrovascular application of bradykinin excites central sensory neurons, **446**, 401

Davis, K.D. and Dostrovsky, J.O.
Properties of feline thalamic
neurons activated by stimulation of
the middle meningeal artery and
sagittal sinus, 454, 89

Davison, J.S., see Humphreys, G.A., 456, 241

Dávila, J.C., Guirado, S. and De la Calle, A. Immunocytochemical localization of somatostatin in the cerebral cortex of lizards, 447, 52

Davrainville, J.L., see Khayari, A., 457, 188

Davrainville, J.L., see Math, F., 461, 384

Daw, N.W., see Parkinson, D., 457, 70

Dawbarn, D., Allen, S.J. and Semenenko, F.M. Immunohistochemical localization of a-nerve growth factor receptors in the forebrain of the rat, 440, 185

Dawbarn, D., see Allen, S.J., 454, 275 Day, T.A. and Sibbald, J.R. Direct catecholaminergic projection from nucleus tractus solitarii to supraoptic nucleus, 454, 387

De Barry, J., see Ungerer, A., 446, 205

De Beer, F.C., Thomeer, R.T.W.M., Lakke, E., De Vries, J. and Voogd,

Spinal cord transections in fetal rats. Open intrauterine surgery with low mortality, **454**, 397

De Belleroche, J., see Gibson, S.J., 474, 255

De Biasi, S., see Spreafico, R., 474, 192

De Bruin, J.P.C., see Kalsbeek, A., **475**, 80

De Bruin, L.A., see Schasfoort, E.M.C., 475, 58

De Caro, G., see Massi, M., 440, 232 De Deyn, P.P., Marescau, B. and

Macdonald, R.L. Effects of α -keto- δ -guanidinovaleric acid on inhibitory amino acid responses on mouse neurons in cell

culture, 449, 54 De Jong, R. and Visser, J.H. Integration of olfactory information in the Colorado potato beetle brain, 447, 10

De Jong, R. and Visser, J.H. Specificity-related suppression of responses to binary mixtures in olfactory receptors of the Colorado potato beetle, 447, 18

De Keyser, J., Dierckx, R., Vanderheyden, P., Ebinger, G. and Vauquelin, G. D₁ dopamine receptors in human putamen, frontal cortex and calf retina: differences in guanine nucleotide regulation of agonist

binding and adenylate cyclase stimulation, 443, 77

De Kloet, E.R., see Voorhuis, Th.A.M., 442, 139

De Kloet, E.R., see Voorhuis, Th.A.M., 457, 148

De Laat, A., see Van der Glas, H.W., 444, 284

De la Torre, J.C., Morassutti, D., Merali, Z., Fortin, T. and Richard,

Associated norepinephrine loss following calcium-induced spinal paralysis, 442, 297

De Loof, A., see Schoofs, L., 450, 202 De Martinez, M.S.G. and

Barrantes, F.J. Ca2+ and phospholipid-dependent protein kinase activity in rat cerebral hemispheres, 440, 386

De Mello, F.G., see De Mello, M.C.F., **443**, 166

De Mello, M.C.F., Klein, W.L. and De

Mello, F.G. L-Glutamate evoked release of GABA from cultured avian retina cells does not require glutamate receptor activation, 443, 166

De Montigny, C., see Curet, O., 475, 35

De Montigny, C., see Curet, O., 475, 47

De Potter, W., see Bastiaensen, E., 442, 124

De Prins, E., see Marrannes, R., 457, 226

De Souza, E.B., see Kapcala, L.P., **456**, 159

De Vellis, J., see Bologa, L., 457, 295 De Vente, J., Bol, J.G.J.M., Hudson, L., Schipper, J. and Steinbusch, H.W.M. Atrial natriuretic factor-responding and cyclic guanosine monophosphate (cGMP)-producing cells in the rat hippocampus: a combined micropharmacological and immunocytochemical approach,

De Volder, A., see Wanet-Defalque, M.-C., 446, 369 De Vries, J., see De Beer, F.C., 454, 397

446, 387

De Weille, J.R., Vijverberg, H.P.M. and Narahashi, T. Interactions of pyrethroids and octylguanidine with sodium channels of squid giant axons, 445, 1

De Wied, D., see Voorhuis, Th.A.M., 442, 139

De Wied, D., see Voorhuis, Th.A.M., 457, 148

De Yebenes, J.G., see Pezzoli, G., **459**, 398

De Zeeuw, C.I., Holstege, J.C., Calkoen, F., Ruigrok, T.J.H. and Voogd, J. A new combination of WGA-HRP anterograde tracing and GABA immunocytochemistry applied to afferents of the cat inferior olive at the ultrastructural level, 447, 369

Deakin, J.F.W., see Simpson, M.D.C.,

462, 76 Dean, P., see Mitchell, I.J., 460, 394 Dean, M.F., see Jenkins, H.G., 462, 265

Deckel, A.W., Moran, T.H. and Robinson, R.G. Receptor characteristics and recovery of function following kainic acid lesions and fetal transplants of the striatum. I. Cholinergic systems,

474, 27 Deckel, A.W., Moran, T.H. and Robinson, R.G. Receptor characteristics and recovery of function following kainic acid lesions and fetal transplants of the striatum. II. Dopaminergic systems, 474, 39

Decker, J., see Jenny, A., 441, 352 Deckert, J. and Jorgensen, M.B. Evidence for pre- and postsynaptic localization of adenosine A1

receptors in the CA1 region of rat hippocampus: a quantitative autoradiographic study, 446, 161

Defelipe, J., Conti, F., Van Eyck, S.L. and Manzoni, T. Demonstration of glutamate-positive axon terminals forming asymmetric synapses in cat neocortex, 455, 162

Défossez, A., see Amouyel, P., 447, 149

Deitmer, J.W. and Schlue, W.-R. Intracellular acidosis of identified leech neurones produced by substitution of external sodium, **462**, 233

DeKosky, S.T., see Scheff, S.W., 457, 246

Del Fiacco, M., Perra, M.T., Quartu, M., Rosa, M.D., Zucca, G. and Levanti, M.C. Evidence for the presence of substance P-like immunoreactivity in the human cerebellum, 446, 173

De la Calle, A., see Dávila, J.C., 447, 52

Delacourte, A., see Amouyel, P., **447**, 149

Delank, W.K., see Simmet, T., 456, 344

DeLanney, L.E., see Forno, L.S., 448, 150

DeLanney, L.E., see Ricaurte, G.A., 438, 395

DeLanney, L.E., see Ricaurte, G.A., 446, 165

DeLanney, L.E., see Ricaurte, G.A., 474, 359

Delarue, C., Leboulenger, F., Morra, M., Héry, F., Verhofstad, A.J., Bérod, A., Denoroy, L., Pelletier, G. and Vaudry, H. Immunohistochemical and biochemical evidence for the presence of serotonin in amphibian adrenal chromaffin cells, 459, 17

Delarue, C., see Leboulenger, F., 453, 103

Delgado, T., see Arbab, M.A.-R., 445, 175

Delgado-García, J.M., Escudero, M., Torres, B., Portillo, F. and Pásaro,

Behavioral and morphological effects of oculomotor nucleus lesion on abducens internuclear neurons in the cat, 443, 333

Delius, J.D., see Lindenblatt, U., **453**, 1

Dell, A., see Budd, T., 448, 30 Dellmann, H.-D., Lue, L.-F. Bellin, S.I. and Ouassat, M. An immunohistochemical and fine-structural analysis of peptidergic hypothalamic neurosecretory axon regeneration into the leptomeninges of the rat, 450, 181

DeLong, M.R., see Koliatsos, V.E., **463**, 133

DeLorenzo, R.J., see Taft, W.C., 447, 159 Del Río, R.M., see Estrada, C.,

16 439, 107 Demediuk, P., see Faden, A.I., 463, 63 Dement, W.C., see Bowersox, S.S., 457, 200 Dement, W.C., see Faull, K.F., 450, 225 Dement, W.C., see Mignot, E., 444, 184 Demol, S., see Roman, A., 442, 33 Denenberg, J.O., see Berrebi, A.S., 438, 216 Denenberg, V.H., see Berrebi, A.S., 438, 216 Denlinger, S.L., Patarca, R. and Hobson, J.A. Differential enhancement of rapid eye movement sleep signs in the cat: a comparison of microinjection of the cholinergic agonist carbachol and the β -adrenergic antagonist propranolol on pontogeniculo-occipital wave clusters, 473, 116 Denoroy, L., see Delarue, C., 459, 17 Depaulis, A., Pechnick, R.N. and Liebeskind, J.C. Relationship between analgesia and cardiovascular changes induced by electrical stimulation of the mesencephalic periaqueductal gray matter in the rat, 451, 326 Depaulis, A., Vergnes, M., Marescaux, C., Lannes, B. and Warter, J.-M. Evidence that activation of GABA receptors in the substantia nigra suppresses spontaneous spike-and-wave discharges in the rat, 448, 20 Desarmenien, M., see Hamann, M., 442, 287 Desaulles, E., see Hamann, M., 442, 287 Desban, M., see Kemel, M.L., 455, 307 Desborough, K.A., see

Leung, L.-W.S., **463**, 148
Descarries, L., see Berger, B., **441**, 260
Descarries, L., see Séguéla, P., **442**, 11
Descarries, L., see Doucet, G., **441**, 233

Deschênes, M., see Hu, B., **473**, 394 Desiraju, T., see Gundappa, G., **456**, 205

Desmond, N.L. and Levy, W.B.
Synaptic interface surface area increases with long-term potentiation in the hippocampal dentate gyrus, 453, 308
Desmond, N.L. and Levy, W.B.
Synaptic interface surface area increases with long-term dentate gyrus, 453, 308

Despres, G., see Romand, R., **462**, 167 Deura, S., see Onozuka, M., **473**, 401 Devauges, V., see Sara, S.J., **438**, 299 Devine, M.A., see Sladek, C.D., **445**, 39

Devor, M. and Dubner, R.
Centrifugal activity in afferent
C-fibers influences the spontaneous
afferent barrage generated in
nerve-end neuromas, 446, 396
Dewar, K., see Nagy, J.I., 457, 21
Dewar, K., see Yamamoto, T.,
474, 112

Dewar, K.M., see Staines, W.A., 455, 72

Dewey, A.L., Wright, J.W., Hanesworth, J.M. and Harding, J.W. Effects of aminopeptidase inhibition on the half-lives of [125I]angiotensins in the cerebroventricles of the rat, 448, 369

Dhall, U., Cowen, T., Haven, A.J. and Burnstock, G.
Effect of oestrogen and progesterone on noradrenergic nerves and on nerves showing serotonin-like immunoreactivity in the basilar artery of the rabbit, 442, 335
Dhital, K.K., Gerli, R., Lincoln, J.,

Dhital, K.K., Gerli, R., Lincoln, J., Milner, P., Tanganelli, P., Weber, G., Fruschelli, C. and Burnstock, G. Increased density of perivascular nerves to the major cerebral vessels of the spontaneously hypertensive rat: differential changes in noradrenaline and neuropeptide Y during development, 444, 33

Dhital, K.K., see Mione, M.C., **460**, 103

Di Giamberardino, L., see Macioce, P., 438, 291

Diadori, P., see Dykes, R.W., 441, 48 Diamantstein, T., see Bindoni, M., 462, 10

Diana, G., see Bisso, G.M., **449**, 391 Diana, G., see Orzi, F., **462**, 99 Díaz-Palarea, M.D., see

Garabal, M.V., 457, 330
Dick, T.E., Jodkowski, J.S., Viana, F. and Berger, A.J.
Projections and terminations of single respiratory axons in the

cervical spinal cord of cat, 449, 201
Dick, T.E., Viana, F. and Berger, A.J.
Electrophysiological determination
of the axonal projections of single
dorsal respiratory group neurons to
the cervical spinal cord of cat,
454, 31

Dickenson, A., see Schouenborg, J., 439, 56

Dickenson, A.H., see Sullivan, A.F., 461, 182

Dickman, J.D. and Smith, D.V. Response properties of fibers in the hamster superior laryngeal nerve, 450, 25

DiDomenico, R., Nissanov, J. and Eaton, R.C.
Lateralization and adaptation of a continuously variable behavior following lesions of a reticulospinal command neuron, 473, 15

Dierckx, R., see De Keyser, J., 443, 77 Dietl, M.M. and Palacios, J.M. Neurotransmitter receptors in the avian brain. I. Dopamine receptors, 439, 354

Dietl, M.M., Cortés, R. and Palacios, J.M. Neurotransmitter receptors in the avian brain. II. Muscarinic cholinergic receptors, 439, 360
Dietl, M.M., Cortés, R. and
Palacios, J.M.
Neurotransmitter receptors in the
avian brain. III.
GABA-benzodiazepine receptors,
439, 366

Dietrichs, E., see Walberg, F., 449, 47 Dikkes, P., see Madison, R.D., 447, 325

Dinarello, C.A., see Coceani, F., 446, 245

Dingledine, R., see Chamberlin, N.L., 445, 12

Dinh, T.T., see Ritter, S., 450, 354
Disterhoft, J.F., Golden, D.T.,
Read, H.L., Coulter, D.A. and
Alkon, D.L.
AHP reductions in rabbit
hippocampal neurons during
conditioning correlate with
acquisition of the learned response,
462, 118

Divac, I., Mogensen, J. and Björklund, A.
Strain differences in catecholamine content of pigeon brains, 444, 371

Dix, P., see Fone, K.C.F., 455, 157 Dixon, C.E., see Lyeth, B.G., 448, 88 Dixon, C.E., see Lyeth, B.G., 452, 39 Dixon, C.E., see Saija, A., 452, 303 Dixson, A.F., see Lloyd, S.A.C., 463, 317

Djuricic, B., see Paschen, W., 453, 9 Dluzen, D.E., Laping, N.J. and Ramirez, V.D. The importance of striatal interneurons in age-related effects

upon potassium- and amphetamine-stimulated dopamine release, **445**, 354

Dobkins, K.R., see Cole, G., 452, 165 Dockray, G., see Seroogy, K., 455, 88 Doe, K., see Shigenaga, Y., 461, 143 Doe, K., see Shigenaga, Y., 448, 331 Doležal, V. and Tuček, S.

Acetylcholine and choline in rat adrenals and brain cortex prisms incubated at elevated concentrations of choline in the medium, **449**, 244 Dolly, J.O., see Pelchen-Matthews, A.,

441, 127 Dolphin, A.C., see Fazeli, M.S., 473, 51

Domeney, A.M., see Gibb, W.R.G., 461, 361

Domínguez, L., see Pasantes-Morales, H., **459**, 120

Pasantes-Morales, H., 459, 120 Dominick, M.A., see Marcoux, F.W., 452, 329

Donahue, P.E., see Yoshida, J., 455, 1 DonCarlos, L.L., Ho, R.H. and Finkelstein, J.A. Immunocytochemical analysis of somatostatin in the hypothalamus of obese and non-obese Zucker rats, 458, 372

Dong, W.-Q., see Schurr, A., **438**, 311 Donnelly, D.F., see Sica, A.L., **440**, 370

Dooms, G., see Wanet-Defalque, M.-C., 446, 369 Dorsa, D.M., see Bohannon, N.J., 444, 205

Dostrovsky, J.O. and Guilbaud, G. Noxious stimuli excite neurons in nucleus submedius of the normal and arthritic rat, **460**, 269

Dostrovsky, J.O., see Davis, K.D., 446, 401

Dostrovsky, J.O., see Davis, K.D., 454, 89

Doty, R.L., Ferguson-Segall, M., Lucki, I. and Kreider, M. Effects of intrabulbar injections of 6-hydroxydopamine on ethyl acetate odor detection in castrate and non-castrate male rats, 444, 95

Doucet, G., Descarries, L.,
Audet, M.A., Garcia, S. and
Berger, B.
Radioautographic method for
quantifying regional monoamine
innervations in the rat brain.
Application to the cerebral cortex,
441, 233

Doucet, G., see Berger, B., **441**, 260 Douglass, J., see Iadarola, M.J., **455**, 205

Dourish, C.T., see Hill, D.R., 454, 101 Dow-Edwards, D.L., see Miller, M.W., 474, 316

Dowd, J.P., see Comer, C.M., 445, 370 Drachman, D.B., see Pestronk, A., 463, 218

463, 218 Drachman, D.B., see Ramsay, D.A., **462**, 134

Dragnic, Y., see Villanueva, S., 461, 377

Dragunow, M. and Robertson, H.A. Brain injury induces c-fos protein(s) in nerve and glial-like cells in adult mammalian brain, 455, 295

Dragunow, M. and Robertson, H.A. Localization and induction of c-fos protein-like immunoreactive material in the nuclei of adult mammalian neurons, **440**, 252

Dragunow, M., Murphy, K., Leslie, R.A. and Robertson, H.A. Localization of adenosine A₁-receptors to the terminals of the perforant path, **462**, 252

Dreifuss, J.J., see Charpak, S., 450, 124

Dreifuss, J.J., see Raggenbass, M., 459, 60

Dreifuss, J.J., see Tribollet, E., 442, 105

Dreifuss, J.J., see Wuarin, J.-P., 445, 289

Drew, T.

Motor cortical cell discharge during voluntary gait modification, **457**, 181 Dreyfus, H., see Sbaschnig-Agler, M.,

461, 98
Driscoll, P., see D'Angio, M., 451, 237
Drower, E.J. and Hammond, D.L.
GABAergic modulation of
nociceptive threshold: effects of
THIP and bicuculline microinjected
in the ventral medulla of the rat,

450, 316 Drucker-Colín, R. and Prospéro-García, O. Microinjection of carbachol into the pontine area is unable to modify insomnia induced by p-cholorophenylalanine (PCPA), **462**, 163

Dryer, S.E.

Excitatory amino acid-evoked membrane currents and excitatory synaptic transmission in lamprey reticulospinal neurons, 443, 173

Dubner, R., see Devor, M., 446, 396 Dubner, R., see Kenshalo Jr., D.R., 454, 378

Dubois, A., Bénavidès, J., Peny, B., Duverger, D., Fage, D., Gotti, B., MacKenzie, E.T. and Scatton, B. Imaging of primary and remote ischaemic and excitotoxic brain lesions. An autoradiographic study of peripheral type benzodiazepine binding sites in the rat and cat, 445, 77

Dubois-Dauphin, M., see Charpak, S., 450, 124

Dubois-Dauphin, M., see Raggenbass, M., 459, 60

Dubois-Dauphin, M., see Tribollet, E., 442, 105

Dubois-Dauphin, M., see Wuarin, J.-P., 445, 289

Dubový, P.
Dipeptidylpeptidase IV activity in
Meissner corpuscles of rhesus
monkey and its possible function,
461 186

Duce, I.R., see Budd, T., 448, 30 Duchala, C.S., see Lipkin, W.I., 475, 366

Duckrow, R.B.
Regional cerebral blood flow and glucose utilization during hyperinsulinemia, **462**, 363

Duckworth, J.W., see Lambert, G.A., 453, 143

Dudek, F.E., Gribkoff, V.K., Olson, J.E. and Hertzberg, E.L. Reduction of dye coupling in glial cultures by microinjection of antibodies against the liver gap junction polypeptide, 439, 275

Dudek, F.E., see Cronin, J., 474, 181 Dudek, F.E., see Gribkoff, V.K., 442, 152

Dudley, C.A. and Moss, R.L.
Facilitation of lordosis in female rats
by CNS-site specific infusions of an
LH-RH fragment,

Ac-LH-RH-(5-10), 441, 161 Duffy, L.K., see Joachim, C.L., 474, 100

Duggan, A.W., Hendry, I.A.,
Morton, C.R., Hutchison, W.D. and
Zhao, Z.Q.
Cutaneous stimuli releasing
immunoreactive substance P in the
dorsal horn of the cat, 451, 261

Dunaway, G.A. and Kasten, T.P.
Physiological implications of the
alteration of
6-phosphofructo-1-kinase isozyme
pools during brain development and

aging, 456, 310

Dunkley, P.R., Heath, J.W.,
Harrison, S.M., Jarvie, P.E.,
Glenfield, P.J. and Rostas, J.A.P.
A rapid Percoll gradient procedure
for isolation of synaptosomes
directly from an S₁ fraction:
homogeneity and morphology of
subcellular fractions, 441, 59

Dunkley, P.R., see Harrison, S.M., 441, 72

Dunn, A.J., see Mouton, P.R., 444, 104

Dunnett, S.B., see Welner, S.A., 463, 192

Durant, P.A.C. and Yaksh, T.L. Micturition in the unanesthetized rat: effects of intrathecal capsaicin, N-vanillylnonanamide, 6-hydroxydopamine and 5,6-dihydroxytryptamine, 451, 301

Duranti, R., Pantaleo, T. and Bellini, F.
Increase in muscular pain threshold following low frequency—high intensity peripheral conditioning

stimulation in humans, 452, 66
During, M.J., Acworth, I.N. and
Wurtman, R.J.
Effects of systemic L-tyrosine on
dopamine release from rat corpus
striatum and nucleus accumbens,

452, 378 Duron, B., see Marlot, D., **450**, 373 Dussaillant, M., see Sarrieau, A., **442**, 157

Dutar, P., see Dykes, R.W., **441**, 48 Duverger, D., see Cudennec, A., **444**, 214

Duverger, D., see Cudennec, A., 444, 227

Duverger, D., see Dubois, A., 445, 77

Duyckaerts, C., see Represa, A., 457, 355

Dvorkin, B., see Makman, M.H., 445, 303

Dwork, A., see Pezzoli, G., **459**, 398 Dworkin, S.I., see Miyauchi, T., **454**, 40

Dwyer, B.E., see Fujikawa, D.G., **454**, 51

Dykes, R. and Lamour, Y.

Neurons without demonstrable receptive fields outnumber neurons having receptive fields in samples from the somatosensory cortex of anesthetized or paralyzed cats and rats. 440, 133

rats, 440, 133
Dykes, R.W. and Lamour, Y.
An electrophysiological laminar
analysis of single somatosensory
neurons in partially deafferented rat
hindlimb granular cortex subsequent
to transection of the sciatic nerve,
449, 1

Dykes, R.W., Lamour, Y., Diadori, P., Landry, P. and Dutar, P. Somatosensory cortical neurons with an identifiable electrophysiological signature, 441, 48

Dykes, R.W., see Lamour, Y., 449, 18

Earnhardt, T.S., see Théorêt, Y., 449, 341

Eaton, R.C., see DiDomenico, R., 473, 15

Eaton, R.C., see Pehek, E.A., 443, 70 Ebbesson, S.O.E., see Ekström, P., 460, 68

Eberle, A.N., see Schoofs, L., 450, 202 Ebihara, S., Goto, M. and Oshima, I. The phase-shifting effects of pentobarbital on the circadian rhythm of locomotor activity in the mouse: strain differences, 454, 404

Ebina, Y., see Shingai, R., **448**, 198 Ebinger, G., see De Keyser, J., **443**, 77 Ebner, F.F., see Höhmann, C.F.,

448, 53

Eckardt, M.J., Campbell, G.A., Marietta, C.A., Majchrowicz, E. and Weight, F.F. Acute ethanol administration selectively alters localized cerebral glucose metabolism, 444, 53

Eckenstein, F. Transient expression of NGF-receptor-like immunoreactivity in postnatal rat brain and spinal cord, 446, 149 Eckernas, S.-Å., see Leenders, K.L.,

445, 61

Edamatsu, R., see Hiramatsu, M., 455, 38

Edeline, J.-M. and Neuenschwander-El Massioui, N. Retention of CS-US association learned under ketamine anesthesia, 457, 274

Edström, A., see Kanje, M., 439, 116 Edström, A., see Sjöberg, J., 453, 221 Edwards, C., see Airhart, M.J., 460, 383

Edwards, D.J., see Antelman, S.M., 445, 380

Edwards, E., see Olsen, K.L., 448, 223 Egawa, M., Hoebel, B.G. and Stone, E.A. Use of microdialysis to measure brain noradrenergic receptor

function in vivo, 458, 303 Egozi, Y., Kloog, Y., Fleminger, G. and Sokolovsky, M. Acetylcholine in the rat pituitary: a possible humoral factor, 475, 376

Eide, P.K., Hole, K., Berge, O.-G. and Broch, O.J. 5-HT depletion with 5,7-DHT, PCA and PCPA in mice: differential effects on the sensitivity to 5-MeODMT, 8-OH-DPAT and 5-HTP as measured by two nociceptive tests, 440, 42

Eimerl, S., see Minc-Golomb, D., 457, 205

Ekström, P., Honkanen, T. and Ebbesson, S.O.E. FMRFamide-like immunoreactive neurons of the nervus terminalis of teleosts innervate both retina and pineal organ, 460, 68

El-Bohy, A., Cavanaugh, J.M., Getchell, M.L., Bulas, T., Getchell, T.V. and King, A.I. Localization of substance P and neurofilament immunoreactive fibers in the lumbar facet joint capsule and supraspinous ligament of the rabbit, **460**, 379

El-Yassir, N., Fleetwood-Walker, S.M. and Mitchell, R. Heterogeneous effects of serotonin in the dorsal horn of rat: the involvement of 5-HT₁ receptor subtypes, 456, 147

El-Yassir, N., see Fleetwood-Walker, S.M., 451, 213 Elde, R.P., see Cliffer, K.D., 460, 356 Eldrup, E., see Pakkenberg, H., **460**, 146

Elias, S.A., see Robertson, L.T., 452, 97

Elisevich, K. and Ciriello, J. Cardiovascular afferent and fastigial nucleus inputs to paramedian reticulospinal neurons, 452, 141

Ellisman, M.H., see Le Beau, J.M., **459**, 93

Emadian, S.M., see Luttge, W.G., 453, 41

Emerick, S.G., see Hernandez, D.E., **459**, 148

Emmett, C.J., Lawrence, J.M. and Seeley, P.J. Visualization of migration of transplanted astrocytes using polystyrene microspheres, 447, 223

Emson, P.C., see Bonanno, G., 447, 92 Emson, P.C., see Ichimiya, Y., 475, 156

Emson, P.C., see Kuwayama, Y., 446, 219

Emson, P.C., see Yamano, M., 451, 179

Endo, K., see Imai, H., 474, 327 Enkvist, M.O.K., Holopainen, I. and Åkerman, K.E.O.

The effect of K^+ and glutamate receptor agonists on the membrane potential of suspensions of primary cultures of rat astrocytes as measured with a cyanine dye,

DiS-C₂-(5), **462**, 67 Enna, S.J., see Scherer, R.W., 451, 361

Epstein, A.N., see Massi, M., 440, 232 Erickson, P.F., see Lasher, R.S., 452, 184

Ericson, H., see Meyerson, B.J., 473, 344

Eriksson, K., see Marcusson, J., **457**, 122

Eriksson, S., Simon-Oppermann, C., Simon, E. and Gray, D.A. Occlusion of rostroventral 3rd ventricle abolishes drinking but not AVP release in response to central osmotic stimulation, 448, 121

Ernsberger, P., Arneric, S.P., Arango, V. and Reis, D.J. Quantitative distribution of muscarinic receptors and choline acetyltransferase in rat medulla: examination of transmitter-receptor mismatch, 452, 336

Ernsberger, P., Meeley, M.P. and Reis, D.J. An endogenous substance with clonidine-like properties: selective binding to imidazole sites in the ventrolateral medulla, 441, 309

Errington, M.L., see Bramham, C.R., 449, 352

Errington, M.L., see Fazeli, M.S., 473, 51

Erzurumlu, R.S., Jhaveri, S. and Schneider, G.E. Distribution of morphologically different retinal axon terminals in the hamster dorsal lateral geniculate nucleus, 461, 175

Escher, E., see Dam, T.-V., 453, 372 Escudero, M., see

Delgado-García, J.M., 443, 333 Espinosa, I.E. and Gerstein, G.L. Cortical auditory neuron interactions during presentation of 3-tone sequences: effective connectivity, 450, 39

Esteban, C., see Cárdenas, A.M., 456, 364

Estrada, C., Triguero, D., Del Río, R.M. and Ramos, P.G. Biochemical and histological modifications of the rat retina induced by the cholinergic neurotoxin AF64A, 439, 107

Estrada, C., Triguero, D., Muñoz, J. and Sureda, A. Acetylcholinesterase-containing fibers and choline acetyltransferase activity in isolated cerebral microvessels from goats, 453, 275

Etgen, A.M. and Robisch, D.M. Differential extraction of estradioland tamoxifen-receptor complexes from hypothalamic cell nuclei,

Etgen, A.M., see Ng Cheong Ton, J.M., 451, 59 Etienne, P.E., see Boast, C.A.,

442, 345 Eysel, U.Th., see Pape, H.-C., 440, 79 Ezure, K., Manabe, M. and Yamada,

Distribution of medullary respiratory neurons in the rat, **455**, 262

Ezure, K., see Yamada, H., 455, 283

Fabri, M., see Conti, F., 462, 148 Faden, A.I., Gannon, A. and Basbaum, A.I Use of serotonin

immunocytochemistry as a marker of injury severity after experimental spinal trauma in rats, 450, 94 Faden, A.I., Lemke, M. and Demediuk, P. Effects of BW755C, a mixed cyclo-oxygenase-lipoxygenase inhibitor, following traumatic spinal cord injury in rats, 463, 63 Faden, A.I., Sacksen, I. and Noble, L.J. Structure-activity relationships of TRH analogs in rat spinal cord injury, 448, 287 Faden, A.I., see Vink, R., 460, 184 Fage, D., see Dubois, A., 445, 77 Fahn, S., see Cadet, J.L., 456, 371 Fahn, S., see Pezzoli, G., 459, 398 Fairchild, M.D., Parsons, J.E. Wasterlain, C.G., Rinaldi, P.C. and Wallis, R.A. A hypoxic injury potential in the hippocampal slice, 453, 357 Faivre-Bauman, A., see Loudes, C., Falini, A., see Silani, V., 454, 383 Falini, A., see Silani, V., 473, 169 Fanselow, M.S., Calcagnetti, D.J. and Helmstetter, F.J. Peripheral versus intracerebroventricular administration of quaternary naltrexone and the enhancement of Pavlovian conditioning, 444, 147 Farb, D.H., see Celentano, J.J., 455, 377 Farbman, A.I., Gonzales, F. and Inn Chuah, M. The effect of amitriptyline on growth of olfactory and cerebral neurons in vitro, 457, 281 Farner, L.A., see Starcevic, V.P., 462, 112 Farooq, M., see Byrne, M.C., 461, 87 Farooq, M., see Sbaschnig-Agler, M., **461**, 98 Fasolo, A., see Vallarino, M., 448, 67 Faull, K.F., Bowersox, S.S., Zeller-DeAmicis, L. Maddaluno, J.F., Ciaranello, R.D. and Dement, W.C Influence of freezer storage time on cerebral biogenic amine and metabolite concentrations and receptor ligand binding

characteristics, 450, 225
Faull, R.L.M., see Gayer, N.S., 449, 253
Fazeli, M.S., Errington, M.L.,
Dolphin, A.C. and Bliss, T.V.P.
Long-term potentiation in the
dentate gyrus of the anaesthetized
rat is accompanied by an increase in
protein efflux into push-pull
cannula perfusates, 473, 51
Feder, H.H., see Ahdieh, H.B.,

456, 275 Feder, H.H., see Johnson, A.E., **442**, 205

Feenstra, M.G.P., see Kalsbeek, A., 475, 80

Feer, H., see Rudolph, K., 446, 159

Felder, R.B., see Miller, B.D., 456, 333 Feldman, S., see Saphier, D., 453, 183

Feldman, M.L., see Hoeffding, V., 449, 104

Fellmann, D., see Normand, E., 439, 39

Fellows, R.E., see Kadle, R., 460, 60 Felten, S.Y., see Sladek, C.D., 445, 39 Feltz, P., see Hamann, M., 442, 287 Feng, J.-X., see Kasser, R.J., 475, 333 Feng, Z.-C., Roberts Jr., E.L.

Feng, Z.-C., Roberts Jr., E.L., Sick, F.J. and Rosenthal, M. Depth profile of local oxygen tension and blood flow in rat cerebral cortex, white matter and hippocampus, 445, 280

Féral, C., see Le Gall, S., 462, 83 Ferguson-Segall, M., see Doty, R.L., 444, 95

Ferkany, J.W., see Scherer, R.W., 451, 361

Fernandez-Gonzalez, J., see Coria, F., 463, 187

Fernández-Alfonso, M.S., Alonso, M.J., Rico, I., Salaices, M., Sánchez-Ferrer, C.F. and Marín, J. Effects of the Ca²⁺ agonists, Bay K 8644 and CGP 28392, on isolated cat cerebral and peripheral arteries, 474, 147

Ferrara, N., Ousley, F. and Gospodarowicz, D. Bovine brain astrocytes express basic fibroblast growth factor, a neurotropic and angiogenic mitogen, 462, 223

Ferrell, W.R., see Baxendale, R.H., 453, 150 Ferri, S., see Spampinato, S., 463, 100

Ferri, G.-L., Zareh, S., Amadori, A., Bastone, A., Sbraccia, M., Dahl, D. and Frontali, N. 2,5-Hexanedione-induced accumulations of neurofilamentimmunoreactive material throughout the rat autonomic nervous system, 444, 383

Ferris, C.F., see Albers, H.E., **456**, 382 Fetz, E.E., see Komatsu, Y., **442**, 359 ffrench-Mullen, J.M.H., see

Rogawski, M.A., **456**, 38 Fiandaca, M.S., see Kordower, J.H., **461**, 221

Fibiger, H.C., see Radke, J.M., 445, 55

Field, P.M., see Seeley, P.J., 449, 177 Fields, R.D. and Waxman, S.G.

Regional membrane heterogeneity in premyelinated CNS axons: factors influencing the binding of sterol-specific probes, 443, 231

Fieschi, C., see Orzi, F., 462, 99 Fifková, E., see Scheetz, A.J., 460, 246 Figlewicz, D.P., see Bohannon, N.J., 444, 205

Filion, M., Tremblay, L. and Bédard, P.J. Abnormal influences of passive limb movement on the activity of globus pallidus neurons in parkinsonian monkeys, 444, 165 Fincher, A.S., see Frye, G.D., 449, 71 Fink, D.J., see Mata, M., 445, 47 Fink, D.J., see Mata, M., 475, 297 Finkelstein, J.A., see DonCarlos, L.L., 458, 372

Finklestein, S.P., Apostolides, P.J., Caday, C.G., Philips, M.F., Perrone-Bizzozero, N.I. and Benowitz, L.I. A factor from the injured lower vertebrate CNS promotes outgrowth from human fetal brain neurons, 448, 346

Finklestein, S.P., Apostolides, P.J., Caday, C.G., Prosser, J., Philips, M.F. and Klagsbrun, M. Increased basic fibroblast growth factor (bFGF) immunoreactivity at the site of focal brain wounds, 460, 253

Finn, S.F., see Beal, M.F., 454, 393 Finnegan, K.T., Ricaurte, G.A., Ritchie, L.D., Irwin, I., Peroutka, S.J. and Langston, J.W. Orally administered MDMA causes a long-term depletion of serotonin in rat brain, 447, 141

Finnegan, K.T., see Ricaurte, G.A., 438, 395

Fisher, A., see Amir, A., 454, 298 Fisher, A., see Mochida, S., 455, 9 Fisher, L.A., see Brown, M.R., 441, 33

Fisher, R.S., see Levine, M.S., 440, 267

Fishman, R.A., see Chan, P.H., 439, 388

Fisone, G., see Tacconi, M.T., **461**, 194 Fitch, R.H., see Berrebi, A.S., **438**, 216

Flament, D. and Hore, J. Comparison of cerebellar intention tremor under isotonic and isometric conditions, **439**, 179

Flament-Durand, J., see Schiffmann, S., 442, 270

Fleetwood-Walker, S.M., Hope, P.J., Mitchell, R., El-Yassir, N. and Molony, V.

The influence of opioid receptor subtypes on the processing of nociceptive inputs in the spinal dorsal horn of the cat, 451, 213

Fleetwood-Walker, S.M., see El-Yassir, N., 456, 147

Fleischmann, A. and Urca, G. Different endogenous analgesia systems are activated by noxious stimulation of different body regions, **455**, 49

Fleminger, G., see Egozi, Y., 475, 376 Fliers, E., see Goudsmit, E., 473, 306 Flood, D.G., see West, M.J., 448, 167 Flood, J.F. and Morley, J.E.

Effects of bombesin and gastrin-releasing peptide on memory processing, **460**, 314

Flood, J.F. and Roberts, E.
Dehydroepiandrosterone sulfate improves memory in aging mice, 448, 178

Flood, J.F., Smith, G.E. and Roberts, Dehydroepiandrosterone and its sulfate enhance memory retention in

mice, 447, 269

Florence, S.L., Wall, J.T. and Kaas, J.H. The somatotopic pattern of afferent projections from the digits to the spinal cord and cuneate nucleus in macaque monkeys, 452, 388

Flores, C.M., see Iadarola, M.J.,

474, 75

Florio, T., see Schettini, G., 439, 322 Flynn, F.W., see Tordoff, M.G., 445, 216

Fog, R., see Pakkenberg, H., 460, 146 Fogarty, J.D., see Kultas-Ilinsky, K., 459, 1

Folkesson, R., see Sakurada, T., 442, 191

Fone, K.C.F., Dix, P., Tomlinson, D.R., Bennett, G.W. and Marsden, C.A. Spinal effects of chronic intrathecal administration of the thyrotrophin-releasing hormone analogue (CG 3509) in rats, 455, 157

Fone, K.C.F., Johnson, J.V. Bennett, G.W. and Marsden, C.A. Effect of intrathecal proctolin administration on the behaviour

evoked by the thyrotrophin-releasing hormone (TRH) analogue (RX 77368) and the indoleamine, TRH, substance P and calcitonin gene-related peptide levels and choline acetyltransferase activity in the rat spinal cord, 460, 22

Fontana, G., see Bongianni, F., 445, 254

Foote, S.L., see Lewis, D.A., 449, 225 Ford, P., see Hoffman, S.A., **452**, 358 Forloni, G.L., see Consolo, S., **449**, 97 Forman, D.S., see Smith, R.S., 446, 26 Forno, L.S., Langston, J.W.,

DeLanney, L.E. and Irwin, I. An electron microscopic study of MPTP-induced inclusion bodies in an old monkey, 448, 150

Forster, M.J., see Kumar, B.A., **460**, 195

Forsythe, I.D., see Tracey, D.J., 453, 129

Fortin, T., see De la Torre, J.C., 442, 297

Fortuna, S., see Bisso, G.M., 449, 391 Foutz, A.S., see Vibert, J.-F., 448, 403 Fowler, J.C.

Modulation of neuronal excitability by endogenous adenosine in the absence of synaptic transmission, **463**, 368

Fox, K., see Armstrong-James, M., 451, 189

Fox, G.Q.

A morphometric analysis of synaptic vesicle distributions, 475, 103 Foy, W.L., see McKillop, J.M., 447, 239

Francis Pau, K.-Y., Gliessman, P.M.,

Hess, D.L. and Spies, H.G. Effects of estrogen on hypothalamic gonadotropin-releasing hormone release in castrated male rhesus macaques, 459, 70

François, C., Percheron, G., Yelnik, J. and Tandé, D. A topographic study of the course of nigral axons and of the distribution of pallidal axonal endings in the centre médian-parafascicular complex of macaques, 473, 181

Frangione, B., see Coria, F., 463, 187 Frank, C., Sagratella, S.,

Benedetti, M. and Scotti de Carolis, Comparative influence of calcium blocker and purinergic drugs on epileptiform bursting in rat

hippocampal slices, 441, 393 Frankenberg, M.v., see Lorez, H.P., 454, 355

Franklin, L., Bauce, L. and Pittman, O.J. Depletion of central catecholamines reduces pressor responses to arginine vasopressin, 438, 295 Franklin, S.O., see Inturrisi, C.E.,

448, 230

Frassoni, C., see Spreafico, R., 474, 192

Frazer, A., see Kovachich, G.B., 454, 78

Fredericks, C.A., Giolli, R.A., Blanks, R.H.I. and Sadun, A.A. The human accessory optic system, 454, 116

Fredericks, D.A., see Balaban, C.D., 445, 117

Frederickson, C.J., Hernandez, M.D., Goik, S.A., Morton, J.D. and McGinty, J.F. Loss of zinc staining from hippocampal mossy fibers during kainic acid induced seizures: a histofluorescence study, 446, 383

Fredrickson, R.H., see Brainard, G.C.,

454, 212 Freed, W.J. and Braun, D.E. Anticonvulsant activity of deaminated analogues of glutamic acid diethyl ester (GDEE), 459, 157

Freed, W.J. and Cannon-Spoor, H.E. Cortical lesions increase reinnervation of the dorsal striatum by substantia nigra grafts, 446, 133

Freed, W.J., see Becker, J.B., 462, 401 Freed, W.J., see Karoum, F., 440, 190 Freed, W.J., see Poltorak, M., 475, 328 Freedman, R., see Parfitt, K.D., 462, 242

Freeman, A.S. and Chiodo, L.A. Electrophysiological effects of cholecystokinin octapeptide on identified rat nigrostriatal dopaminergic neurons, 439, 266

Freeman, J.A., see Langdon, R.B., 441, 299

Frenk, H., Bossut, D. and Mayer, D.J. Is substance P a primary afferent neurotransmitter for nociceptive input? III. Valproic acid and

chlordiazepoxide decrease behaviors elicited by intrathecal injection of substance P and excitatory compounds, 455, 240

Frenk, H., Bossut, D., Urca, G. and Mayer, D.J. Is substance P a primary afferent neurotransmitter for nociceptive input? I. Analysis of pain-related behaviors resulting from intrathecal administration of substance P and 6 excitatory compounds, 455, 223

Frenk, H., see Bossut, D., 455, 232 Frenk, H., see Bossut, D., 455, 247 Frenz, P., see Villanueva, S., 461, 377 Freund, R.K., Jungschaffer, D.A., Collins, A.C. and Wehner, J.M.

Evidence for modulation of GABAergic neurotransmission by nicotine, 453, 215

Frey, P., see Seroogy, K., 455, 88 Frey, U., Krug, M., Reymann, K.G. and Matthies, H. Anisomycin, an inhibitor of protein synthesis, blocks late phases of LTP phenomena in the hippocampal CA1 region in vitro, **452**, 57

Frey, U., see Reymann, K.G., 440, 305

Fricker, L.D. and Herbert, E. Comparison of a carboxypeptidase E-like enzyme in human, bovine, mouse, Xenopus, shark and Aplysia neural tissue, 453, 281

Fried, K., Aldskogius, H. and Hildebrand, C Proportion of unmyelinated axons in rat molar and incisor tooth pulps following neonatal capsaicin treatment and/or sympathectomy, 463, 118

Friede, R.L., see Hann, P.G., 451, 126 Friedemann, M., see Ng Cheong Ton, J.M., **451**, 59 Friedl, W., see Hebebrand, J., **446**, 251

Friedman, M.I., see Tordoff, M.G., 445, 216

Friedman, Z., Hackett, S.F. and Campochiaro, P.A. Human retinal pigment epithelial cells possess muscarinic receptors coupled to calcium mobilization, 446, 11

Friedrich Jr., V.L., see Berrebi, A.S., 438, 216

Frischknecht, H.-R., see Külling, P., 450, 237

Fritschy, J.-M., Lyons, W.E., Molliver, M.E. and Grzanna, R. Neurotoxic effects of p-chloroamphetamine on the serotoninergic innervation of the trigeminal motor nucleus: a retrograde transport study, 473, 261 Frontali, N., see Ferri, G.-L., 444, 383

Frosch, M.P., see Madison, R.D., 445, 101

Frostholm, A., see Rotter, A.,

439, 236 Frostholm, A., see Rotter, A., **444**, 133

Fruschelli, C., see Dhital, K.K.,

444, 33 Fry, K.R., see Yu, B.C.-Y., 439, 376 Frye, G.D. and Fincher, A.S. Effect of ethanol on γ-vinyl GABA-induced GABA accumulation in the substantia nigra and on synaptosomal GABA content in six rat brain regions, 449, 71 Fujii, K., see Sadoshima, S., 454, 238 Fujikawa, D.G., Vannucci, R.C. Dwyer, B.E. and Wasterlain, C.G. Generalized seizures deplete brain energy reserves in normoxemic newborn monkeys, 454, 51 Fujikawa, N., see Hiramatsu, M., **455**, 38 Fujimoto, K., see Sakata, T., 441, 403 Fujimoto, K., see Sakata, T., 473, 43 Fujimura, K. and Matsuda, Y. Responses to ramp current stimulation of the neurons in substantia nigra pars compacta in vitro, 475, 177 Fujishima, M., see Sadoshima, S., **454**, 238 Fujita, S., see Miyake, T., **451**, 133 Fujita, I., see Koyama, Y., **446**, 199 Fujitsuka, N., Kori, A.A., Sokabe, M. and Ito, F. Modification of sensory-terminal responses and membrane structure of frog muscle spindle by collagenase, 443, 243 Fujitsuka, N., see Sokabe, M., 443, 254 Fukagawa, K., see Sakata, T., 441, 403 Fukagawa, K., see Sakata, T., 473, 43 Fukahori, M., Itoh, M., Oomagari, K. and Kawasaki, H. Zinc content in discrete hippocampal and amygdaloid areas of the epilepsy (El) mouse and normal mice, **455**, 381 Fukai, K., see Fukuda, H., 449, 157 Fukami, Y. The effects of NH₃ and CO₂ on the

The effects of NH₃ and CO₂ on the sensory ending of mammalian muscle spindles: intracellular pH as a possible mechanism, **463**, 140 Fukuda, A., see Minami, T., **462**, 258 Fukuda, J., see Hirono, T., **446**, 189 Fukuda, Y., see Sawai, H., **455**, 394 Fukuda, Y., see Sumitomo, I., **446**, 354 Fukuda, H. and Fukai, K.

ukuda, H. and Fukai, K.

Discharges of bulbar respiratory
neurons during rhythmic straining
evoked by activation of pelvic
afferent fibers in dogs, 449, 157

Fukuda, H., Hara, K., Nakamura, S., Kimura, H. and Kameyama, M. 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) enhances tryptophan hydroxylase activity in mouse striatum, but not in the frontal cortex, 449, 399

Fukuda, M., see Miyake, T., 451, 133
Fukuda, T. and Jacobowitz, D.M.
Purification and
immunocytochemical detection of a
protein that reveals layer V
pyramidal cells in the rat cortex,

441, 185
Fukui, M., see Sakata, S., 451, 85
Fukui, H., see Takemura, M., 451, 386
Fukushima, M., see Sakata, T., 473, 43
Fuller, R.W., see Ghetti, B., 458, 367
Funabashi, T., Sasaki, H. and Kimura, F.
Intraventricular injection of

Intraventricular injection of antiserum to nerve growth factor delays the development of amygdaloid kindling, 458, 132

Funakoshi, M., see Ninomiya, Y., 451, 319

Funakoshi, M., see Tonosaki, K., 445, 363

Furukawa, T., see Shibata, K., **443**, 117 Fusco, M., see Vantini, G., **448**, 252 Fuster, J.M., see Quintana, J., **474**, 211

Fuster, J.M., see Yajeya, J., 474, 222 Fuxe, K., see Janson, A.M., 455, 332

G

Gabbott, P.L.A., Somogyi, J., Stewart, M.G. and Hamori, J. The orientation of interneurones in the dorsal lateral geniculate nucleus of the rat: a quantitative study, 438, 379

Gabriel, S.M., Clark, J.T., Kalra, P.S., Kalra, S.P. and Simpkins, J.W. Chronic morphine and testosterone treatment: effects on norepinephrine and serotonin metabolism and gonadotropin secretion in male rats, 447, 200

Gallager, D.W., see Lidow, M.S., 459, 105

Gallager, D.W., see Wilson, M.A., 473, 198

Gallagher, J.P., see Hasuo, H., 438, 323

Gallaher, E.J., see Allan, A.M., 452, 118

Galletti, P.M., see Aebischer, P., 448, 364

Galletti, P.M., see Aebischer, P., 454, 179

Gallo, V., see Kingsbury, A., 448, 46 Gallucci, W.T., see Calogero, A.E., 463, 28

Gandhi, M.R., see Sica, A.L., **440**, 370 Gandolfi, O., Roncada, P., Dall'olio, R. and Montanaro, N. Behavioral and biochemical expression of D₁-receptor supersensitivity following SCH 23390 repeated administrations, **455**, 390

Ganfornina, M.D., see Sánchez, D., 455, 166

Gannon, A., see Faden, A.I., **450**, 94 Garabal, M.V., Arévalo, R.M., Díaz-Palarea, M.D., Castro, R. and Rodríguez, M. Tyrosine availability and brain noradrenaline synthesis in the fetus: control by maternal tyrosine ingestion, **457**, 330

García, S., see Doucet, G., **441**, 233 García, A., see Arbonés, L., **450**, 144 García, A.G., see Cárdenas, A.M., **456**, 364

Garcia-Segura, L.M., Suarez, I., Segovia, S., Tranque, P.A., Calés, J.M., Aguilera, P., Olmos, G. and Guillamón, A. The distribution of glial fibrillary acidic protein in the adult rat brain is influenced by the neonatal levels of sex steroids, 456, 357

García-Austt, E., see Magariños-Ascone, C., **445**, 30 García-Sevilla, J.A., see Pazos, A.,

475, 361 Gardiner, S.M., Compton, A.M. and Bennett, T.

Renal vasodilatation after central administration of galanin, 458, 179 Gardiner, S.M., see Harland, D.,

Gardiner, S.M., see Harland, D., 455, 58

Gardiner, T.W., Iverson, D.A. and Rebec, G.V. Heterogeneous responses of neostriatal neurons to amphetamine in freely moving rats, 463, 268

Gardner, E.L., see Ng Cheong Ton, J.M., 451, 59

Gariano, R.F. and Groves, P.M.
Burst firing induced in midbrain
dopamine neurons by stimulation of
the medial prefrontal and anterior
cingulate cortices, 462, 194

Garner, J.A.

Differential turnover of tubulin and neurofilament proteins in central nervous system neuron terminals, 458, 309

Garofalo, L., see Maysinger, D., 461, 355

Garris, D.R. and Michel, M.E. Regional brain glucose uptake in genetically diabetic C57BL/KsJ mice: modulation by the opiate antagonist, Nalmefene, 445, 262

Garthwaite, J., see Garthwaite, G., 440, 162

Garthwaite, G. and Garthwaite, J. Electron microscopic autoradiography of D-[³H]aspartate uptake sites in mouse cerebellar slices shows poor labelling of mossy fibre terminals, 440, 162

Gash, D.M., see Collier, T.J., **448**, 77 Gash, D.M., see Kordower, J.H., **461**, 221

Gash, D.M., see Notter, M.F.D., **456**, 254

Gatti, P.J., Souza, J.D. and Gillis, R.A. Increase in coronary vascular resistance produced by stimulating neurons in the region of the area postrema of the cat, 448, 313

Gauchy, C., see Kemel, M.L., 455, 307 Gauthier, P. and Rasminsky, M.

Activity of medullary respiratory neurons regenerating axons into peripheral nerve grafts in the adult rat, 438, 225

Gautron, J., see Martelly, I., 460, 205 Gavish, M., see Okun, F., 458, 31 Gayer, N.S. and Faull, R.L.M. Connections of the paraflocculus of

the cerebellum with the superior colliculus in the rat brain, 449, 253

Gaykema, R.P.A., see Wouterlood, F.G., 455, 170 Gebber, G.L., see Barman, S.M., 441, 371

Gebhart, G.F., see Aimone, L.D., **450**, 170

Gebhart, G.F., see Janss, A.J., 440, 109

Gebhart, G.F., see Jones, S.L., 460, 281

Gebhart, G.F., see Ness, T.J., **450**, 153 Gebhart, G.F., see Ren, K., **446**, 285 Gee, A.G., see Leenders, K.L., **445**, 61

Geffard, M., see Mons, N., 451, 403 Geffard, M., see Nothias, F., 463, 341 Geffard, M., see Schiffmann, S., 442, 270

Geffen, L.B., see Li, Y.W., **461**, 75 Gégonne, A., see Amouyel, P., **447**, 149

Geiger, J.D., see Nagy, J.I., 457, 21 Geiger, J.D., see Staines, W.A.,

Geiger, J.D., see Yamamoto, T., 474, 112

Gelpi, E., see Adell, A., 459, 54 George, C.P., Goldberg, M.P., Choi, D.W. and Steinberg, G.K. Dextromethorphan reduces neocortical ischemic neuronal damage in vivo, 440, 375

George, S.R., see Haas, D.A., 461, 230

Geraerts, W.P.M., see Ter Maat, A., 438, 77

Gerbec, E.N., Messing, R.B. and Sparber, S.B. Parallel changes in operant behavioral adaptation and hippocampal corticosterone binding in rats treated with trimethyltin, 460, 346

Gerber, G., see Ryu, P.D., 441, 357 Gerfen, C.R. and Young, III, W.S. Distribution of striatonigral and striatopallidal peptidergic neurons in both patch and matrix compartments: an in situ hybridization histochemistry and fluorescent retrograde tracing study, 460, 161

Gerfen, C.R., see Brauth, S.E., 452, 367

Gerhardt, G.A., see Ng Cheong Ton, J.M., 451, 59

Gerhardt, S.C., see Boast, C.A., 442, 345

Gerli, R., see Dhital, K.K., 444, 33 Gerstein, G.L., see Espinosa, I.E., 450, 39

Getchell, M.L., see El-Bohy, A.,

460, 379

Getchell, T.V., see El-Bohy, A., **460**, 379

Geula, C., Jarvie, P.A., Logan, T.C. and Slevin, J.T. Long-term enhancement of K⁺-evoked release of L-glutamate in entorhinal kindled rats, **442**, 368 Ghetti, B., see Mendelsohn, L.G.,

458, 361

Ghetti, B., Perry, K.W. and Fuller, R.W. Serotonin concentration and turnover in cerebelum and other brain regions of *pcd* mutant mice, **458**, 367

Gibb, W.R.G., Costall, B.,
Domeney, A.M., Kelly, M.E. and
Naylor, R.J.
The histological effects of
intracerebral injection or infusion of
MPTP (1-methyl-4-phenyl-1,2,3,6tetrahydropyridine) and MPP⁺
(1-methyl-4-phenylpyridinium) in rat
and mouse, 461, 361

Gibbins, I.L. and Morris, J.L.
Co-existence of immunoreactivity to neuropeptide Y and vasoactive intestinal peptide in non-noradrenergic axons innervating guinea pig cerebral arteries after sympathectomy, 444, 402

Gibbs, C.M. and Powell, D.A. Neuronal correlates of classically conditioned bradycardia in the rabbit: studies of the medial prefrontal cortex, 442, 86

Gibbs, M., see Hyde, T.M., **447**, 287 Gibbs, T.T., see Celentano, J.J., **455**, 377

Gibson, C.J.

Diurnal alterations in retinal tyrosine level and dopamine turnover in diabetic rats, **454**, 60

Gibson, M.J., see Silverman, A.-J., 443, 267

Gibson, S.J., Polak, J.M., Katagiri, T., Su, H., Weller, R.O., Brownell, D.B., Holland, S., Hughes, J.T., Kikuyama, S., Ball, J., Bloom, S.R., Steiner, T.J., De Belleroche, J. and Rose, F.C. A comparison of the distributions of eight peptides in spinal cord from normal controls and cases of motor neurone disease with special reference to Onuf's nucleus, 474, 255

Giesler Jr., G.J., see Cliffer, K.D., 458, 185

Giesler Jr., G.J., see Cliffer, K.D., 460, 356

Gilad, G.M., Gilad, V.H., Dahl, D. and Bignami, A. Astroglia-induced detachment of central neurons but astroglia-dependent growth of peripheral neurons in rat embryonic spinal cord primary cultures, 458, 249

Gilad, G.M., see Tetzlaff, W., 445, 142 Gilad, V.H., see Gilad, G.M., 458, 249 Gilad, V.H., see Tetzlaff, W., 445, 142 Gilbert, M.E.

The NMDA-receptor antagonist, MK-801, suppresses limbic kindling and kindled seizures, **463**, 90

Gillette, R., see McCrohan, C.R., 438, 115

Gillette, R., see McCrohan, C.R., 452, 21

Gillette, M.U. and Prosser, R.A.
Circadian rhythm of the rat
suprachiasmatic brain slice is rapidly
reset by daytime application of
cAMP analogs, 474, 348

cAMP analogs, **474**, 348 Gillis, R.A., see Gatti, P.J., **448**, 313 Ginsberg, M.D., see Ikeda, M., **459**, 344

Gintzler, A.R., see Sander, H.W., 474, 343

Gintzler, A.R., see Sharma, T.R., 442, 379

Gioannini, T.L., see Keren, O., 440, 280

Giolli, R.A., see Fredericks, C.A., 454, 116

Gionet, S.E., see Allan, A.M., 452, 118

Giordano, M.,

Hagenmeyer-Houser, S.H. and Sanberg, P.R. Intraparenchymal fetal striatal transplants and recovery in kainic acid lesioned rats, 446, 183

Girgis, S., see Yamano, M., 451, 179 Gitler, M.S. and Barraclough, C.A. Identification of the hypothalamic site through which locus coeruleus axons decussate to reach and stimulate contralateral LH-RH neurons, 447, 205

Giuditta, A., see Grassi Zucconi, G., 447, 253

Giuliani, S., see Maggi, C.A., 449, 61 Gleiter, C.H., see Nutt, D.J., 448, 377 Glenfield, P.J., see Dunkley, P.R., 441, 59

Glenn, L.L., Whitney, J.F., Rewitzer, J.S., Salamone, J.A. and Mariash, S.A. Method for stable intracellular recordings of spinal α -motoneurons during treadmill walking in awake, intact cats, **439**, 396

Glick, S.D., Carlson, J.N., Baird, J.L., Maisonneuve, I.M. and Bullock, A.E.
Basal and amphetamine-induced asymmetries in striatal dopamine release and metabolism: bilateral in vivo microdialysis in normal rats,

473, 161
Glick, S.D., Hinds, P.A. and
Baird, J.L.
Two kinds of nigrostriatal
asymmetry: relationship to
dopaminergic drug sensitivity and
6-hydroxydopamine lesion effects in
Long-Evans rats, 450, 334

Glick, Š.D., Lyon, R.A., Hinds, P.A., Sowek, C. and Titeler, M. Correlated asymmetries in striatal D₁ and D₂ binding: relationship to

- apomorphine-induced rotation, 455, 43
- Glick, S.D., see Carlson, J.N., 454, 373
- Gliessman, P.M., see Francis Pau, K.-Y., 459, 70
- Glotzbach, S.F., see Bowersox, S.S., 457, 200
- Glowinski, J., see Murray, M., **459**, 76 Glowinski, J., see Kemel, M.L., **455**, 307
- Glowinski, J., see Simon, H., 447, 335 Glowinski, J., see Taghzouti, K., 440, 172
- Go, V.L.W., see Schick, R.R., 448, 294
- Goadsby, P.J., see Lambert, G.A., 453, 143
- Godefroy, F., see Weil-Fugazza, J., 444, 374
- Godley, B.F. and Wurtman, R.J. Release of endogenous dopamine from the superfused rabbit retina in vitro: effect of light stimulation, 452, 393
- Goebel, D.J., see Pourcho, R.G., 447, 164
- Goffinet, A., see Wanet-Defalque, M.-C., 446, 369
- Goh, Y., see Matsumura, H., 444, 265 Goik, S.A., see Frederickson, C.J., 446, 383
- Gold, P.E., see Stone, W.S., **449**, 135 Gold, P.W., see Calogero, A.E., **463**, 28
- Goldberg, M.P., see George, C.P., 440, 375
- Goldberg, M.R., see Tung, C.-S., 456, 64
- Goldberg, S.J. and McClung, J.R. Orthodromic activation of juxta-abducens neurons following sixth nerve stimulation in the cat, 443, 350
- Golden, D.T., see Disterhoft, J.F., 462, 118
- Goldman-Rakic, P.S., see Lidow, M.S., 459, 105
- Goldsmith, M. and Van der Kooy, D. Separate non-cholinergic descending projections and cholinergic ascending projections from the nucleus tegmenti pedunculopontinus, 445, 386
- Goldstein, M., see Janson, A.M., 455, 332
- Goldstein, M., see Seroogy, K., 455, 88
- Goldstein, G.W., see Robertson, P.L., 447, 341
- Goldstein, M., see Henschen, A.F., 474, 66
- Goldstein, M., see Lewis, D.A., 449, 225
- Goldstein, R.S. and Camhi, J.M. Reduction of sensory activity produced by cercal displacement modifies response of wind-sensitive interneurons in the cockroach, 440, 366
- Gollman, H.M. and Rudy, T.A.
 Comparative pyrogenic potency of

- endogenous prostanoids and of prostanoid-mimetics injected into the anterior hypothalamic/preoptic region of the cat, **449**, 281
- Gómez-Pinilla, F., Knauer, D.J. and Nieto-Sampedro, M. Epidermal growth factor receptor immunoreactivity in rat brain. Development and cellular localization, 438, 385
- Gómez-Pinilla, F., see Villablanca, J.R., **453**, 17
- Gondoh, Y., see Tsuda, A., 474, 174 Gonzales, F., see Farbman, A.I., 457, 281
- Gonzalez, H.A., see Wang, P.S., **446**, 363
- Gonzalez, M.F., see Sharp, J.W., 438, 357
- Gonzalez-Brito, A., Jones, D.J., Ademe, R.M. and Reiter, R.J. Characterization and measurement of [¹²⁵I]iodopindolol binding in individual rat pineal glands: existence of a 24-h rhythm in β-adrenergic receptor density, 438, 108
- Gonzalez-Brito, A., Reiter, R.J., Santana, C., Menendez-Pelaez, A. and Guerrero, J.M. β-Adrenergic stimulation prior to darkness advances the nocturnal increase of Syrian hamster pineal melatonin synthesis, 475, 393
- Gonzalez-Brito, A., see Troiani, M.E., 450, 18
- González, A.M., see Pazos, A., 475, 361
- Goodman, J.H., see Homan, R.W., 447, 404
- Goodman, S.R., see Zagon, I.S., 449, 80
- Goodrich, J.E., see Marcoux, F.W., 452, 329
- Gooley, S.G., see Keating, E.G., 438, 247
- Gordon, F.J. and McCann, L.A.
 Pressor responses evoked by
 microinjections of L-glutamate into
 the caudal ventrolateral medulla of
 the rat, 457, 251
- Gordon, T.R., Kocsis, J.D. and Waxman, S.G. Evidence for the presence of two types of potassium channels in the rat optic nerve, 447, 1
- Gorenstein, C., see Rotter, A., 439, 236
- Gorski, R.A., see Tarttelin, M.F.,
- Gorza, L., Schiaffino, S. and Vitadello, M.
- Heart conduction system: a neural crest derivative?, 457, 360
- Gosnell, B.A., see Krahn, D.D., 443, 63
- Gospodarowicz, D., see Ferrara, N., 462, 223
- Goto, I., see Tanaka, K., **454**, 340 Goto, M., see Ebihara, S., **454**, 404 Gotoh, F., see Tomita, M., **474**, 165 Gotti, B., see Dubois, A., **445**, 77

- Gottlieb, J., see Sabel, B.A., **459**, 373 Goudsmit, E., Fliers, E. and Swaab, D.F.
 - Testosterone supplementation restores vasopressin innervation in the senescent rat brain, 473, 306
- Govindarajulu, P., see Kumaran, B., 450, 325
- Govoni, S., see Lucchi, L., 449, 347 Gozlan, H., see Simon, H., 447, 335 Graczak, L.M., see Quock, R.M., 440, 35
- Graff, D. and
 Grimmelikhuijzen, C.J.P.
 Isolation of
 <Glu-Ser-Leu-Arg-Trp-NH₂, a
 novel neuropeptide from sea
 anemones, **442**, 354
- Gramlich, C.A., see Stripling, J.S., 441, 281
- Grandison, L., see Callahan, P., 442, 214
- Granholm, A.-C.E. and Palmer, M.R. Electrophysiological effects of norepinephrine on Purkinje neurons in intraocular cerebellar grafts: α vs β -specificity, **459**, 256
- Grasse, K.L. and Cynader, M.S.

 The effect of visual cortex lesions on vertical optokinetic nystagmus in the cat, 455, 385
- Grassi Zucconi, G., Menichini, E., Castigli, E., Belia, S. and Giuditta, A.
- Circadian oscillations of DNA synthesis in rat brain, 447, 253 Gratton, A. and Wise, R.A.
- Gratton, A. and Wise, R.A.
 Comparisons of connectivity and
 conduction velocities for medial
 forebrain bundle fibers subserving
 stimulation-induced feeding and
 brain stimulation reward, 438, 264
- Gratton, A. and Wise, R.A.
 Comparisons of refractory periods for medial forebrain bundle fibers subserving stimulation-induced feeding and brain stimulation reward: a psychophysical study, 438, 256
- Gray, D.A., see Eriksson, S., 448, 121 Greco, S., see Arnerić, S.P., 454, 11 Greenberg, D.A., see Carpenter, C.L.,
- **439**, 372 Greenblatt, D.J., see Miller, L.G., **446**, 314
- Greenough, W.T., see Sirevaag, A.M., 441, 386
- Greenstein, Y.J., Pavlides, C. and Winson, J.
 Long-term potentiation in the dentate gyrus is preferentially induced at theta rhythm periodicity,
- 438, 331 Greenstein, Y.J., see Pavlides, C., 439, 383
- Greer, E.R., see Caldwell, J.D., 446, 236
- Greer, M.A., see Murakami, M., 438, 366
- Greer, S.E., see Murakami, M., 438, 366
- Grelot, L., Iscoe, S. and Bianchi, A.L.

Effects of amino acids on the excitability of respiratory bulbospinal neurons in solitary and para-ambigual regions of medulla in cat, 443, 27

Gribkoff, V.K. and Dudek, F.E.
The effects of the excitatory amino acid antagonist kynurenic acid on synaptic transmission to supraoptic neuroendocrine cells, 442, 152

Gribkoff, V.K., see Dudek, F.E., 439, 275

Gribnau, A.A.M., see Joosten, E.A.J., 459, 173

Griffith, W.H. and Taylor, L. Sodium valproate decreases synaptic potentiation and epileptiform activity in hippocampus, 474, 155 Grill, H.J., see Mark, G.P., 443, 137

Grill, H.J., see Mark, G.P., 443, Grill, H.J., see Tordoff, M.G., 445, 216

Grillner, S., see Brodin, L., 458, 166 Grillner, S., see Buchanan, J.T., 438, 404

Grillner, S., see Christenson, J., 440, 1 Grillner, S., see Christenson, J., 440, 9 Grillner, S., see Ohta, Y., 445, 400 Grimes, P.A., see Stone, R.A., 475, 389

Grimmelikhuijzen, C.J.P., Hahn, M., Rinehart, K.L. and Spencer, A.N. Isolation of <Glu-Leu-Leu-Gly-Gly-Arg-Phe-NH₂ (Pol-RFamide), a novel neuropeptide from hydromedusae, **475**, 198

Grimmelikhuijzen, C.J.P., see Graff, D., 442, 354

Gritzke, R., see Church, M.W., 456, 224

Groppetti, A., see Parenti, M., 473, 236

Gross, J.L., see Morrison, R.S., 473, 141

Gross-Isseroff, R., Israeli, M. and Biegon, A.
Autoradiographic analysis of [³H]desmethylimipramine binding in the human brain postmortem, **456**, 120

Grosskreutz, C.L. and Brody, M.J. Regional hemodynamic responses to central administration of corticotropin-releasing factor (CRF), 442, 363

Grosvenor, C.E., see Song, S.-L., 457, 303

Groves, P.M., see Gariano, R.F., **462**, 194

Gruber, K.A., see Callahan, M.F., 444, 177

Grudman, M., see Pavlides, C., 439, 383

Grünwald, F., Schröck, H.,
Theilen, H., Biber, A. and
Kuschinsky, W.
Local cerebral glucose utilization of
the awake rat during chronic
administration of nicotine, 456, 350

Grzanna, R., see Fritschy, J.-M., 473, 261

Gué, M., see Buéno, L., 441, 1 Guénard, V., see Aebischer, P., 454, 179

Guerrero, J.M., see Gonzalez-Brito, A., 475, 393 Guido, W., see Schroeder, C.E., 454, 227

Guilbaud, G., see Dostrovsky, J.O., 460, 269

Guilbert, M., see Guillemot, J.-P., 441, 221

Guilhaume, S.S., see Correa, F.M.A., 448, 192

Guillamón, A., see

Garcia-Segura, L.M., 456, 357 Guilleminault, C., see Mignot, E., 444, 184

Guillemot, J.-P., Lepore, F.,
Prevost, L., Richer, L. and
Guilbert, M.
Somatosensory receptive fields of
fibres in the rostral corpus callosum
of the cat, 441, 221

Guillory, E.C., see Baumeister, A.A., 447, 116

Guinan, M.J., see Klatt, D.S., 447, 246 Guirado, S., see Dávila, J.C., 447, 52 Gunasekar, P.G., see Kumaran, B., 450, 325

Gundappa, G. and Desiraju, T.
Deviations in brain development of F2 generation on caloric undernutrition and scope of their prevention by rehabilitation: alterations in dendritic spine production and pruning of pyramidal neurons of lower laminae of motor cortex and visual cortex, 456, 205

Guo, X.-Q., see Wang, Q., 439, 350 Gurkan, S. and Bradley, R.M. Effects of electrical stimulation of autonomic nervous system on degranulation of von Ebner's gland acini, 473, 127

Gurtu, S., see Pant, K.K., **454**, 400 Gustafsson, B., see Huang, Y.-Y., **456**, 88

Guthrie, D., see Levine, M.S., 440, 267

Gutkind, J.S., see Nazarali, A.J., 475, 134

Guyenet, P.G., see Sun, M.-K., 438, 23 Guyenet, P.G., see Sun, M.-K.,

442, 229 Guyenet, P.G., see Sun, M.-K., 451, 345

H

Haas, D.A. and George, S.R.
Single or repeated mild stress
increases synthesis and release of
hypothalamic corticotropin-releasing
factor, 461, 230
Haas, H.L., see Reiner, P.B., 442, 166

Haby, M., see Soltesz, I., 448, 351 Hackett, J., see Rodrigues, M., 443, 389

Hackett, J.T., see Sun, M.-K., **438**, 23 Hackett, J.T., see Sun, M.-K., **442**, 229 Hackett, J.T., see Sun, M.-K., **451**, 345 Hackett, S.F., see Friedman, Z., **446**, 11

Haefely, W.E., see Pizzi, M., 456, 235 Hafidi, A., see Romand, R., 462, 167 Hagenmeyer-Houser, S.H., see Giordano, M., 446, 183

Hahn, M., see

Grimmelikhuijzen, C.J.P., **475**, 198 Hahne, M., Illert, M. and Wietelmann, D.

Recurrent inhibition in the cat distal forelimb, **456**, 188

Hájek, I., see Svoboda, J., **458**, 97 Hakim, A., see Nadler, J.V., **456**, 168 Halász, B., see Bánky, Z., **445**, 222 Halász, B., see Kiss, J., **442**, 23 Haldar, J., see Miaskowski, C., **458**, 137

Haleem, D.J., Kennett, G. and Curzon, G. Adaptation of female rats to stress: shift to male pattern by inhibition of corticosterone synthesis, 458, 339

Haley, D.A., Thompson, R.F. and Iv, J.M.
Pharmacological analysis of the magnocellular red nucleus during classical conditioning of the rabbit nictitating membrane response,

454, 131
Hall, E.D. and Travis, M.A.
Inhibition of arachidonic
acid-induced vasogenic brain edema
by the non-glucocorticoid
21-aminosteroid U74006F, 451, 350

Hallanger, A.E., see Mitani, A., 451, 397

Halliday, G.M., see Li, Y.W., 461, 75
Hamann, M., Desarmenien, M.,
Desaulles, E., Bader, M.F. and
Feltz, P.
Quantitative evaluation of the
properties of a pyridazinyl GABA
derivative (SR 95531) as a GABA_A
competitive antagonist. An
electrophysiological approach,
442, 287

Hambrecht, K.L., see Robinson, S.E., 445, 160

Hambrecht, K.L., see Robinson, S.E., 457, 383

Hamill, R.W., see Unger, J.W., 452, 293

Hamilton, C.A., see Yakubu, M.A., 463, 289

Hamm, R.J., see Lyeth, B.G., 448, 88 Hamm, R.J., see Lyeth, B.G., 452, 39 Hammond, D.L., see Drower, E.J.,

Hamori, J., see Gabbott, P.L.A., 438, 379

450, 316

Han, C., see Abel, P.W., 463, 250 Han, C., see McDonald, J.K., 463, 259 Hand, P.J., see Levin, B.E., 443, 261 Hand, T.H., Koob, G.F., Stinus, L. and Le Moal, M. Aversive properties of opiate receptor blockade: evidence for exclusively central mediation in naive and morphine-dependent rats, 474, 364

Handa, R.J., Roselli, C.E. and Resko, J.A.
Distribution of androgen receptor in microdissected brain areas of the female baboon (*Papio cynocephalus*), 445, 111

Handforth, A. and Ackermann, R.F. Functional [14C]2-deoxyglucose mapping of progressive states of status epilepticus induced by amygdala stimulation in rat, 460, 94

Handwerker, H.O., see Szolcsanyi, J., 446, 262

Hanesworth, J.M., see Dewey, A.L., 448, 369

Hanesworth, J.M., see Wright, J.W., 441, 215

Hanin, I., see Chrobak, J.J., **463**, 107 Hanissian, S., see Bhargava, H.N., **440**, 333

Hann, P.G., Beuche, W.,
Neumann, U. and Friede, R.L.
The rate of Wallerian degeneration
in the absence of immunoglobulins.
A study in chick and mouse
peripheral nerve, 451, 126

Hansen, A.J., see Nedergaard, M., 449, 395

Hansen, L.A., see Cole, G., **452**, 165 Hara, K., see Fukuda, H., **449**, 399 Harada, K., see Kato, I., **474**, 16 Hardin, J.C., see Kostrzewa, R.M., **442**, 321

Harding, C.F., see Barclay, S.R., **459**, 333

Harding, C.F., see Walters, M.J., 459, 37

Harding, J.W., see Dewey, A.L., 448, 369

Harding, J.W., see Jensen, L.L., 448, 359

Harding, J.W., see King, S.J., **448**, 140 Harding, J.W., see Quirk, W.S., **452**, 73

Harding, J.W., see Sullivan, M.J., 456, 249

Harding, J.W., see Wright, J.W., 441, 215

Hardung, M., see Meyer, D.K., **452**, 113

Hardy, J., see Cowburn, R., **452**, 403 Härfstrand, A., see Janson, A.M., **455**, 332

Harland, D., Gardiner, S.M. and Bennett, T. Cardiovascular and dipsogenic effects of angiotensin II administered i.c.v. in Long-Evans and Brattleboro rats, 455, 58

Harmann, P.A., Carlton, S.M. and Willis, W.D. Collaterals of spinothalamic tract cells to the periaqueductal gray: a fluorescent double-labeling study in the rot 441, 87.

the rat, 441, 87 Harrell, L.E. and Parsons, D.S. The role of cortical sympathetic ingrowth in the behavioral effects of nucleus basalis magnocellularis lesions, **474**, 353

Harris, E., see Pettibone, D.J., 457, 212

Harris, R.A., see Allan, A.M., 452, 118

Harrison, S.M., Jarvie, P.E. and Dunkley, P.R.
A rapid Percoll gradient procedure for isolation of synaptosomes directly from an S₁ fraction: viability of subcellular fractions, **441**, 72

Harrison, S.M., see Dunkley, P.R., 441, 59

Hartig, P.R., see Blue, M.E., **453**, 315 Hartvig, P., see Leenders, K.L., **445**, 61

Harvey, A.R., Rush, R.A. and Keating, P.J. Cultured fetal tectal tissue grafted to the midbrain of newborn rats: morphology of grafts and innervation by host retinal and cortical axons, 462, 89

Harvey, J.A., Winsky, L., Schindler, C.W., McMaster, S.E. and Welsh, J.P. Asymmetric uptake of 2-deoxy-D-[14C]glucose in the dorsal cochlear nucleus during Pavlovian conditioning in the rabbit, 449, 213

Hasegawa, A., see Yokota, T., 475, 187

Hasegawa, H., see Kakudo, K., 440, 153

Hasegawa, M., Rosenbluth, J. and Ishise, J.
Nodal and paranodal structural changes in mouse and rat optic nerve during Wallerian degeneration, 452, 345

Hasegawa, T., see Kato, I., 474, 16 Haseldonckx, M., see Van

Reempts, J., 462, 142 Haselton, C.L., see Haselton, J.R., 453, 167

Haselton, C.L., see Haselton, J.R., 453, 176

Haselton, J.R., Winters, R.W., Liskowsky, D.R., Haselton, C.L., McCabe, P.M. and Schneiderman, N.

Anatomical and functional connections of neurons of the rostral medullary raphe of the rabbit, 453, 176

Haselton, J.R., Winters, R.W.,
Liskowsky, D.R., Haselton, C.L.,
McCabe, P.M. and Schneiderman,
N.
Cardiovascular responses elicited by
electrical and chemical stimulation
of the rostral medullary raphe of the

Hashimoto, P.H.

Tracer in cisternal cerebrospinal fluid is soon detected in choroid plexus capillaries, 440, 149

rabbit, 453, 167

Hashimoto, R., see Akema, T., 441, 367

Hassall, C.J.S., see Buckley, N.J.,

445, 152

Hässig, R., see Macioce, P., **438**, 291
Hasuo, H., Gallagher, J.P. and
Shinnick-Gallagher, P.
Disinhibition in the rat septum
mediated by M₁ muscarinic
receptors, **438**, 323
Heteroko, H. see Hieroneo, K.

Hatanaka, H., see Hisanaga, K., 475, 349

Hatanaka, H., see Kubota, Y., 458, 389

Hatton, G.I., see Yang, Q.Z., 463, 47 Hattori, T., see Takada, M., 442, 72 Hattori, T., see Takada, M., 455, 346 Hattori, T., see Takada, M., 457, 165 Hattori, T. and Maehashi, H.

Acceleration by stannous ion of the evoked release of transmitter from motor nerve endings in the frog,

473, 157

Hattori, T., see Miyake, T., 451, 133
Hattori, Y., Kasai, M., Uesugi, S.,
Kawata, M. and Yamashita, H.
Atrial natriuretic polypeptide
depresses angiotensin II induced
excitation of neurons in the rat
subfornical organ in vitro, 443, 355
Hattori, Y., see Moriwaki, A., 461, 190

Hauger, R., see Brown, M.R., 441, 33 Haun, C.K., see Alexander, N., 444, 320

Hauptmann, M., see Płaźnik, A., 447, 122

Hauw, J.J., see Represa, A., **457**, 355 Haven, A.J., see Dhall, U., **442**, 335 Hawkes, R., see Boegman, R.J., **448**, 237

Hawkes, R.B., see Hill, I.E., 461, 27 Hawkins, M.F., see Baumeister, A.A., 447, 116

Hawthorn, J., Andrews, P.L.R., Ang, V.T.Y. and Jenkins, J.S. Differential release of vasopressin and oxytocin in response to abdominal vagal afferent stimulation or apomorphine in the ferret, 438, 193

Hayaishi, O., see Matsumura, H., 444, 265

Hayaishi, O., see Suzuki, S., 446, 1 Hayaishi, O., see Naito, K., 453, 329 Hayakawa, E.M., see Stewart, P.A., 443, 12

Hayama, T., see Ogawa, H., 454, 321 Hayes, R.L., see Lyeth, B.G., 448, 88 Hayes, R.L., see Lyeth, B.G., 452, 39 Hayes, R.L., see Saija, A., 452, 303

Hayward, L., Breitbach, D. and Rymer, W.Z. Increased inhibitory effects on close

Increased inhibitory effects on close synergists during muscle fatigue in the decerebrate cat, **440**, 199
Hazato, T., see Shimamura, M.,

445, 350 Heath, J.W., see Dunkley, P.R.,

441, 59 Heavens, R.P., see

Sirinathsinghji, D.J.S., **438**, 399 Heavens, R.P., see

Sirinathsinghji, D.J.S., 443, 101 Hebebrand, J., see Schmitz, E., 473, 314 Hebebrand, J., Friedl, W., Reichelt, R., Schmitz, E., Möller, P. and Propping, P. The shark GABA-benzodiazepine receptor: further evidence for a not so late phylogenetic appearance of the benzodiazepine receptor, 446, 251

Hedlund, B., see Lorentz, M., 445, 157 Heidemann, S.R., see Sinclair, G.I.,

Heimer, L., see Carlsen, J., 441, 377 Heimrich, B., see Reiner, P.B., 442, 166

Heinemann, U., see Jones, R.S.G., 462, 367

Heisler, S., see Pennefather, P.S., 444, 346

Heizmann, C.W., see Braun, K., 475, 205

Heizmann, C.W., see Ichimiya, Y., 475, 156

Heldman, E., see Amir, A., **454**, 298 Hellstrand, E., see Arvidsson, J., **451**, 197

Helmstetter, F.J., see Fanselow, M.S., 444, 147

Hemmingsen, R., see Clemmesen, L., 453, 204

Hendry, I.A., Hill, C.E., Belford, D. and Watters, D.J.
A monoclonal antibody to a parasympathetic neurotrophic factor causes in munoparasympathectomy

in mice, **475**, 160 Hendry, I.A., see Duggan, A.W., **451**, 261

Henke, P.G., see Ray, A., 442, 195 Henneberry, R.C., see Novelli, A., 451, 205

Henry, J.L., see Cridland, R.A., **462**, 15

Henry, J.L., see Rochford, J., 445, 404 Henschel, M., see Schröder, H., 459, 328

Henschen, A.F., Goldstein, M. and Palmer, M.R.
Evidence for functional contact between cografted locus coeruleus and spinal cord in oculo: electrophysiological studies, 474, 66

Herbert, E., see Fricker, L.D., 453, 281

Herbert, D.C., see Troiani, M.E., 450, 18

Herbert, J., see Pezzoli, G., **459**, 398 Herkenham, M., see Brady, L.S., **443**, 398

Hernandez, D.E. and Emerick, S.G. Thyrotropin-releasing hormone: medullary site of action to induce gastric ulcers and stimulate acid secretion, 459, 148

Hernandez, M.D., see Frederickson, C.J., 446, 383 Herranz, A.S., see Herreras, O., 461, 303

Herrera-Marschitz, M., see

Maysinger, D., 461, 355
Herreras, O., Solís, J.M.,
Herranz, A.S., Martín del Río, R.
and Lerma, J.

Sensory modulation of hippocampal transmission. II. Evidence for a cholinergic locus of inhibition in the Schaffer-CA1 synapse, **461**, 303

Herreras, O., Solís, J.M., Muñoz, M.D., Martín del Río, R. and Lerma, J. Sensory modulation of hippocampal transmission. I. Opposite effects on CA1 and dentate gyrus synapsis,

461, 290
Herrmann, K. and Bischof, H.-J.
The sensitive period for the morphological effects of monocular deprivation in two nuclei of the tectofugal pathway of zebra finches, 451, 43

Hertzberg, E.L., see Dudek, F.E., 439, 275

Herve, D., see Simon, H., 447, 335 Hervé, D., see Taghzouti, K., 440, 172 Héry, F., see Delarue, C., 459, 17 Herz, A., see Mehmanesh, H., 451, 69 Herz, A., see Nikolarakis, K.E., 450, 360

Hess, D.L., see Francis Pau, K.-Y., 459, 70

Hicks, T.P., see Kaneko, T., **443**, 360 Higashi, S., see Murakami, F., **447**, 98 Higgins, W.J., see O'Neill, J.B., **450**, 303

Higgins, W.J., see Zipser, B., 463, 296 Hildebrand, C., see Fried, K., 463, 118 Hildebrand, C., Oscarsson, A. and

Risling, M. Fibre composition of the feline trochlear and abducens nerves, 453, 401

Hill, C.E., see Hendry, I.A., 475, 160 Hill, D.R., Shaw, T.M., Dourish, C.T. and Woodruff, G.N. CCK-A receptors in the rat interpeduncular nucleus: evidence for a presynaptic location, 454, 101

Hill, I.E., Selkirk, C.P., Hawkes, R.B. and Beesley, P.W. Characterization of novel glycoprotein components of synaptic membranes and postsynaptic densities, gp65 and gp55, with a monoclonal antibody, 461, 27

Hiller, J.M., see Keren, O., 440, 280 Hillman, D.E., Chen, S. and Chen, V. Ectopic glial cells in rat cerebella following neonatal administration of methylazoxymethanol acetate, 447, 353

Hillyard, C.J., see Yamano, M., 451, 179

Hinds, P.A., see Carlson, J.N., 454, 373

Hinds, P.A., see Glick, S.D., **450**, 334 Hinds, P.A., see Glick, S.D., **455**, 43

Hiner, B.C., Mauk, M.D., Peroutka, S.J. and Kocsis, J.D. Buspirone, 8-OH-DPAT and ipsapirone: effects on hippocampal cerebellar and sciatic fiber excitability, 461, 1

Hinson, J., Rauh, C. and Coupet, J. Neuropeptide Y stimulates inositol phospholipid hydrolysis in rat brain miniprisms, 446, 379
Hirabayashi, Y., see Kato, T., 438, 277
Hirai, K. and Katayama, Y.
Late slow outward currents
following hyperpolarizing commands
are associated with intracellular
Ca²⁺ increase in guinea-pig
submucous neurons: investigations
with fura-2, 461, 367

Hirai, K. and Katayama, Y.
Methionine enkephalin
presynaptically facilitates and
inhibits bullfrog sympathetic
ganglionic transmission, 448, 299

Hirai, K., see Tatsumi, H., 451, 371 Hirai, N., Nakashima, H. and Tanaka, Y.

Activity of dorsal spinocerebellar tract neurones in the thoracic spinal cord in relation to respiratory movement, **475**, 385

Hiramatsu, M., Edamatsu, R.,
Fujikawa, N., Shirasu, A.,
Yamamoto, M., Suzuki, S. and
Mori, A.
Measurement during convulsions of
guanidino compound levels in
cerebrospinal fluid collected with a
catheter inserted into the cisterna

magna of rabbits, 455, 38
Hirono, T., Torimitsu, K., Kawana, A.
and Fukuda, J.
Recognition of artificial
microstructures by sensory nerve

fibers in culture, 446, 189 Hirose, Y., see Kurasawa, I., 446, 113 Hirsch, E., Ruberg, M.,

Portier, M.-M., Dardenne, M. and Agid, Y.

Characterization of two antigens in

Characterization of two antigens in parkinsonian Lewy bodies, 441, 139 Hisanaga, K., Tsukui, H., Takei, N.

and Hatanaka, H.
Transplantation of fetal and early
postnatal rat septal cholinergic
neurons cultured in serum-free and
serum-containing medium with
nerve growth factor, 475, 349

Hjulstad, S., see Murakami, M., 438, 366

Ho, R.H., see DonCarlos, L.L., 458, 372

Hobson, J.A., see Denlinger, S.L., 473, 116

Hoebel, B.G., see Egawa, M., 458, 303

Hoeffding, V. and Feldman, M.L. Degeneration in the cochlear nerve of the rat following cochlear lesions, 449, 104

Hoffman, D.W., Jones-King, K.L. and Altschuler, R.A.
Putative neurotransmitters in the rat

cochlea at several ages, 460, 366 Hoffman, G.E., see Clough, R.W., 446, 121

Hoffman, P.N., see Koo, E.H., 449, 361

Hoffman, S.A., Ford, P. and Kubo, R. Characterization of cell surface antigens on the adrenergic neuroblastoma clone A₂(1), **452**, 358

Höglund, U., see Meyerson, B.J., **473**, 344 Höhmann, C.F. and Ebner, F.F. Basal forebrain lesions facilitate adult host fiber ingrowth into neocortical transplants, 448, 53 Hökfelt, T., see Millhorn, D.E., **461**, 169 Hökfelt, T., see Ohta, Y., 445, 400 Hökfelt, T., see Seroogy, K., 455, 88 Hökfelt, T., see Tsuruo, Y., 447, 183 Hokoç, J.N. and Mariani, A.P. Synapses from bipolar cells onto dopaminergic amacrine cells in cat and rabbit retinas, 461, 17 Holaday, J.W., see Martinez-Arizala, A., 473, 385 Hole, K., see Eide, P.K., 440, 42 Holland, S., see Gibson, S.J., 474, 255 Hollinden, G.E., Sanchez-Ramos, J.R., Sick, T.J. and Rosenthal, M. MPP+-induced increases in extracellular potassium ion activity in rat striatal slices suggest that consequences of MPP neurotoxicity are spread beyond dopaminergic terminals, 475, 283 Hollinden, G.E., see Sanchez-Ramos, J.R., 443, 183 Hollister, A.S., see Tung, C.-S., **456**, 64 Hollyfield, J.G., see Wiechmann, A.F., 453, 377 Holopainen, I., see Enkvist, M.O.K., **462**, 67 Holstege, G. Anatomical evidence for a strong ventral parabrachial projection to nucleus raphe magnus and adjacent tegmental field, 447, 154 Holstege, J.C., see De Zeeuw, C.I., 447, 369 Holtzman, S.G., see Mumford, G.K., **459**, 163 Holtzman, S.G., see Ukai, M., 459, 275 Homan, R.W. and Goodman, J.H. Endurance of the kindling effect is independent of the degree of generalization, 447, 404 Homma, I., see Onimaru, H., 445, 314 Honda, K., see Naito, K., 453, 329 Hong, J.-S., see Lee, P.H.K., 441, 381 Hong, J.S., see Zhang, W.Q., **461**, 335 Hong, S.J., see Chang, C.C., **454**, 332 Honig, M.A., see Arnerić, S.P.,

Honkanen, T., see Ekström, P., 460, 68

Hoogerbrugge, P.M., see Kondo, A.,

Fleetwood-Walker, S.M., 451, 213 Hore, J., see Flament, D., 439, 179

Excitatory amino acid receptors in

receptor desensitization, 457, 350

Hori, Y., see Moriwaki, A., 461, 190

Hori, N. and Carpenter, D.O.

piriform cortex do not show

Hori, N., see Allen, C.N., 458, 147

Hood, W.F., see Thomas, J.W.,

442, 396

460, 178

Hope, P.J., see

Hubbard, J.I., see Sibbald, J.R., 461, 205 Hudson, D., see Brainard, G.C., 454, 212 Hudson, L., see De Vente, J., 446, 387 Hudson, P.M., see Zhang, W.Q.,

461, 335

Hugelin, A., see Vibert, J.-F., 448, 403

Hori, N., see Oyama, Y., 463, 124 Hori, T., see Nakashima, T., 454, 361 Hori, T., see Shibata, M., 443, 37 Horn, A.M. and Lightman, S.L. Vasopressin-stimulated turnover of phosphatidylinositol in the decentralised superior cervical ganglion of the rat, 455, 18 Horn, K.M. and Carey, R.G. Origin of butyrylcholinesterase in the lateral geniculate nucleus of tree shrew, 448, 386 Horseman, N.D., see Pauly, J.R., 452, 105 Horton, R.W., see Cheetham, S.C., 443, 272 Horton, R.W., see Cheetham, S.C., 460, 114 Hosford, D.A. and McNamara, J.O. Microinjection of muscimol into entopeduncular nucleus suppresses pilocarpine but not maximal electroshock seizures in rats, 462, 205 Hosokawa, S., see Aiko, Y., 442, 43 Hosoya, E., see Sugaya, E., 459, 196 Hovda, D.A., see Villablanca, J.R., 453, 17 Howie, C.A., see Yakubu, M.A., **463**, 289 Hruska, R.E. and Nowak, M.W. Estrogen treatment increases the density of D₁ dopamine receptors in the rat striatum, 442, 349 Hsiao, C.-F., see Sumitomo, I., **446**, 354 Hu, Y., see Liu, D., 445, 205 Hu, B., Bouhassira, D., Steriade, M. and Deschênes, M. The blockage of ponto-geniculo-occipital waves in the cat lateral geniculate nucleus by nicotinic antagonists, 473, 394 Hu, X.-T. and Wang, R.Y. Disinhibition of nucleus accumbens neurons by the dopamine D2 receptor agonist LY-141865: prevented by 6-OHDA pretreatment, 444, 389 Huang, M., see Suzuki, Y., 457, 241 Huang, T., see Inturrisi, C.E., 448, 230 Huang, W.-C., Tsai, L.-M. and Wu, J.-N. Effect of unilateral renal denervation on bilateral renal response to saline loading in anteroventral third ventricle-lesioned rats, 460, 83 Huang, Y.-Y., Gustafsson, B. and Wigström, H. Facilitation of hippocampal long-term potentiation in slices perfused with high concentrations of calcium, 456, 88

Hughes, B., see Kultas-Ilinsky, K., **459**. 1 Hughes, J.T., see Gibson, S.J., 474, 255 Hull, C.D., see Levine, M.S., 440, 267 Hull, E.M., see Pehek, E.A., 443, 70 Hulsebosch, C.E. and Coggeshall, R.E. Intraspinal sprouting after administration of nerve growth factor antibodies to neonatal rats, **461**, 322 Humphreys, G.A., Davison, J.S. and Veale, W.L. Injection of neuropeptide Y into the paraventricular nucleus of the hypothalamus inhibits gastric acid secretion in the rat, 456, 241 Huneycutt, W.S., see Stein, B.E., 448, 355 Hunt, A., see Patel, A.J., 450, 378 Hunt, W.A., see Joseph, J.A., 454, 140 Hunt, W.A., see Joseph, J.A., 454, 149 Hunter, B.E., see King, M.A., 459, 381 Hunter, E.T., see Nagele, R.G., 474, 279 Hutchison, J.B., see Schumacher, M., 441, 98 Hutchison, R.E., see Schumacher, M., 441, 98 Hutchison, W.D., see Duggan, A.W., 451, 261 Huybrechts, R., see Schoofs, L., **450**, 202 Hyde, T.M., Gibbs, M. and Peroutka, S.J. Distribution of muscarinic cholinergic receptors in the dorsal vagal complex and other selected nuclei in the human medulla, 447, 287 Hydén, H., see Rapallino, M.V., **462**, 350 Hyman, B.T., Kromer, L.J. and Van Hoesen, G.W. A direct demonstration of the perforant pathway terminal zone in Alzheimer's disease using the monoclonal antibody Alz-50, **450**, 392

Iadarola, M.J., Douglass, J., Civelli, O. and Naranjo, J.R. Differential activation of spinal cord dynorphin and enkephalin neurons during hyperalgesia: evidence using cDNA hybridization, 455, 205

Iadarola, M.J., Flores, C.M., Cadet, J.L., Suddath, R., Illowsky, B. and Berman, K.F. Met⁵-Enkephalin-Arg⁶-Gly⁷-Leu⁸ immunoreactivity in rat and human

Kawakami, F. Fine structure of NPY-containing neurons in the lateral geniculate nucleus and their terminals in the suprachiasmatic nucleus of the rat, **439**, 230 Ichikawa, K., see Arita, H., 442, 1 Ichikawa, M. Plasticity of intra-amygdaloid connections following the denervation of fibers from accessory olfactory bulb to medial amygdaloid nucleus in adult rat: immunohistochemical study of anterogradely transported lectin (Phaseolus vulgaris leucoagglutinin), **451**, 248 Ichimiya, Y., Emson, P.C., Mountjoy, C.Q., Lawson, D.E.M. and Heizmann, C.W. Loss of calbindin-28K immunoreactive neurones from the cortex in Alzheimer-type dementia, **475**, 156 Ida, Y., see Tsuda, A., 474, 174 Ide, C., see Onodera, S., 444, 273 Igarashi, H., Nasu, F., Inomata, K. and Arii, T. High-voltage electron microscopy of E-PTA-stained synaptic junctions in the rat frontal cortex, 473, 365 Ihara, N., see Ueda, S., 444, 361 Ihara, Y. Massive somatodendritic sprouting of cortical neurons in Alzheimer's disease, 459, 138 Iizuka, S., see Sugaya, E., **459**, 196 Ikarashi, T., see Kato, I., **474**, 16 Ikeda, H., see Jenkins, H.G., **459**, 145 Ikeda, H., see Robbins, J., 438, 52 Ikeda, M., Busto, R., Yoshida, S., Santiso, M., Martinez, E. and Ginsberg, M.D. Cerebral phosphoinositide, triacylglycerol and energy metabolism during severe hypoxia and recovery, 459, 344
Ikeda, M., see Malatynska, E., 443, 395 Ikeda, M., see Nicolaysen, L.C., 460, 50 Ikonomidou-Turski, C., Cavalheiro, E.A., Turski, L., Bortolotto, Z.A., Kleinrok, Z., Calderazzo-Filho, L.S. and

Turski, W.A.

462, 275

460, 142

Differential effects of non-steroidal

anti-inflammatory drugs on seizures

produced by pilocarpine in rats,

Ikuta, F., see Oyanagi, K., 458, 218

Ilinsky, I.A., see Kultas-Ilinsky, K.,

Illert, M., see Hahne, M., 456, 188

Iljin, V.I., see Chemeris, N.K.,

cerebrospinal fluid: influence of

electroconvulsive shock, 474, 75

Okamura, H., Kubo, T. and

Iadecola, C., see Arnerić, S.P., 454, 11

neuroleptic drugs and

Ibata, Y., Takahashi, Y.,

Illowsky, B., see Iadarola, M.J., 474, 75 Imai, H., Nakamura, T., Endo, K. and Narabayashi, H. Hemiparkinsonism in monkeys after unilateral caudate nucleus infusion of 1-methyl-4-phenyl-1,2,3,6tetrahydropyridine (MPTP) behavior and histology, 474, 327 Imai, K., see Yamashita, T., 474, 309 Imai, S., see Onozuka, M., 473, 401 Imai-Matsumura, K., Matsumura, K., Tsai, C.-L. and Nakayama, T. Thermal responses of ventromedial hypothalamic neurons in vivo and in vitro, 445, 193 Imura, H., see Tsujii, S., 475, 371 Inagaki, N., Yamatodani, A., Shinoda, K., Panula, P., Watanabe, T., Shiotani, Y. and Wada, H. Histaminergic nerve fibers in the median eminence and hypophysis of rats demonstrated immunocytochemically with antibodies against histidine decarboxylase and histamine, 439, 402 Inagaki, S., see Kubota, Y., 458, 389 Inestrosa, N.C. and Alvarez, J. Axons grow in the aging rat but fast transport and acetylcholinesterase content remain unchanged, 441, 331 Infante, C., see Motles, E., 473, 65 Ingvar, M., see Clemmesen, L., 453, 204 Inn Chuah, M., see Farbman, A.I., **457**, 281 Innis, R.B., Nestler, E.J. and Aghajanian, G.K. Evidence for G protein mediation of serotonin- and GABAB-induced hyperpolarization of rat dorsal raphe neurons, 459, 27 Ino, T., Itoh, K., Kamiya, H., Shigemoto, R., Akiguchi, I. and Mizuno, N. Direct projections of non-pyramidal neurons of Ammon's horn to the supramammillary region in the cat, **460**, 173 Inomata, K., see Igarashi, H., 473, 365 Inoue, Y., see Terashima, T., 455, 353 Inoué, S., see Naito, K., **453**, 329 Inoue, K., see Inoue, Y., **449**, 271 Inoue, Y., see Terashima, T., 442, 305 Inoue, Y., Takahashi, S., Takayama, C., Inoue, K., Okano, H. and Mikoshiba, K. Central myelin in the first hybrid mice produced by intercrossing homozygotes of shiverer and myelin-deficient mutants, 449, 271 Introini-Collison, I.B., see McGaugh, J.L., 446, 37 Inturrisi, C.E., LaGamma, E.F., Franklin, S.O., Huang, T., Nip, T.J. and Yoburn, B.C. Characterization of enkephalins in rat adrenal medullary explants, **448**, 230 Iovino, M., Papa, M., Monteleone, P.

and Steardo, L. Neuroanatomical and biochemical evidence for the involvement of the area postrema in the regulation of vasopressin release in rats, 447, 178 Irons, K.P., see LaVail, J.H., 463, 78 Irwin, I., see Forno, L.S., 448, 150 Irwin, I., see Finnegan, K.T., 447, 141 Irwin, I., see Notter, M.F.D., 456, 254 Irwin, I., see Ricaurte, G.A., 438, 395 Irwin, I., see Ricaurte, G.A., 446, 165 Irwin, I., see Ricaurte, G.A., 474, 359 Isaac, L., see Caudle, R.M., 443, 329 Isacson, O., see Lams, B.E., 475, 401 Isacson, O., see Nothias, F., 461, 349 Iscoe, S., see Grelot, L., 443, 27 Ishida, A., see Oishi, K., 458, 261 Ishida, M., see Shinozaki, H., 451, 353 Ishida, M. and Shinozaki, H. Acromelic acid is a much more potent excitant than kainic acid or domoic acid in the isolated rat spinal cord, 474, 386 Ishida, M. and Shinozaki, H. Excitatory action of a plant extract, stizolobic acid, in the isolated spinal cord of the rat, **473**, 193 Ishida-Yamamoto, A., Senba, E. and Tohyama, M. Calcitonin gene-related peptide- and substance P-immunoreactive nerve fibers in Meissner's corpuscles of rats: an immunohistochemical analysis, 453, 362 Ishige, A., see Sugaya, E., 459, 196 Ishihara, T., see Nakagawa, Y., 439, 11 Ishihara, A., Naitoh, H., Araki, H. and Nishihira, Y. Soma size and oxidative enzyme activity of motoneurones supplying the fast twitch and slow twitch muscles in the rat, 446, 195 Ishimoto, I., see Millar, T.J., 439, 77 Ishise, J., see Hasegawa, M., 452, 345 Ishitsuka, T., see Sadoshima, S., 454, 238 Israeli, M., see Biegon, A., 442, 199 Israeli, M., see Gross-Isseroff, R., 456, 120 Ito, F., see Fujitsuka, N., 443, 243 Ito, F., see Sokabe, M., 443, 254 Ito, J.-į., see Kato, T., 438, 277 Ito, K., see Mitani, A., 451, 397 Itoh, K., see Ino, T., 460, 173 Itoh, K., see Sugimoto, T., 439, 147 Itoh, M., see Fukahori, M., 455, 381 Itoh, Y., see Kakudo, K., 440, 153 Itoi, M., see Mizobe, K., 438, 307 Iturriaga, R., see Alcayaga, J., 455, 31 Iv, J.M., see Haley, D.A., 454, 131 Iversen, S.D., see Welner, S.A., 463, 192 Iverson, D.A., see Gardiner, T.W., 463, 268 Ivy, G., see Seubert, P., 459, 226 Ivy, G., Seubert, P., Lynch, G. and Baudry, M. Lesions of entorhinal cortex produce a calpain-mediated degradation of brain spectrin in dentate gyrus. II. Anatomical studies, 459, 233

Iwaguchi, T., see Shimamura, M.,

445, 350
Iwai, E. and Yukie, M.
A direct projection from
hippocampal field CA1 to ventral
area TE of inferotemporal cortex in
the monkey, 444, 397

Iwamoto, G.A., see Waldrop, T.G., 444, 84

Izumi, H. and Karita, K.
Investigation of mechanisms of the flare and wheal reactions in human skin by band method, 449, 328

Jackowski, A., Crockard, A. and Burnstock, G. Ultrastructure of serotonin-containing nerve fibres in the middle cerebral artery of the rat and evidence for its localisation within catecholamine-containing nerve fibres by immunoelectron microscopy, 443, 159

Jackson, D., Bruno, J.P.,
Stachowiak, M.K. and
Zigmond, M.J.
Inhibition of striatal acetylcholine
release by serotonin and dopamine
after the intracerebral
administration of
6-hydroxydopamine to neonatal rats,

457, 267
Jackson, D., Stachowiak, M.K.,
Bruno, J.P. and Zigmond, M.J.
Inhibition of striatal acetylcholine
release by endogenous serotonin,
457, 259

Jackson, I.M.D., see Amir, S., 462, 160

Jackson, I.M.D., see Van den Bergh, P., **461**, 53

Jackson, I.M.D., see Wu, P., **456**, 22 Jackson-Lewis, V., see Cadet, J.L., **456**, 371

Jackson-Lewis, V., see Pezzoli, G., 459, 398

Jacobowitz, D.M., see Fukuda, T., 441, 185

Jacobowitz, D.M., see Kostrzewa, R.M., 442, 321

Jacobowitz, D.M., see Sills, M.A., 453, 385

Jacobs, B.L., see Abercrombie, E.D., 441, 362

Jacquin, M.F., see Renehan, W.E., 462, 396

Jakupčević, M., see Lacković, Z., 443, 199

James, M.D., see MacKenzie, F.J.,

James, S. and Burnstock, G. Autoradiographic localization of binding sites for ¹²⁵I-substance P on neurones from cultured rat superior cervical ganglion, 458, 205

Janeczko, K.

The proliferative response of astrocytes to injury in neonatal rat brain. A combined immunocytochemical and autoradiographic study, **456**, 280

Janigro, D. and Schwartzkroin, P.A. Effects of GABA on CA3 pyramidal cell dendrites in rabbit hippocampal slices, **453**, 265

Janik, J., see Callahan, P., 442, 214
Jansen, R.F., see Ter Maat, A., 438, 77
Janson, A.M., Fuxe, K., Agnati, L.F.,
Kitayama, I., Härfstrand, A.,
Andersson, K. and Goldstein, M.
Chronic nicotine treatment
counteracts the disappearance of
tyrosine-

hydroxylase-immunoreactive nerve cell bodies, dendrites and terminals in the mesostriatal dopamine system of the male rat after partial hemitransection, 455, 332

Janss, A.J. and Gebhart, G.F. Brainstem and spinal pathways mediating descending inhibition from the medullary lateral reticular nucleus in the rat, 440, 109

Jard, S., see Petit, P., 440, 299 Jard, S., see Tribollet, E., 442, 105 Jarvie, P.A., see Geula, C., 442, 368 Jarvie, P.E., see Dunkley, P.R.,

441, 59 Jarvie, P.E., see Harrison, S.M., 441, 72

Jassik-Gerschenfeld, D., see Montoro, R.J., 460, 168 Jayov-Agid F. see Maloteaux I

Javoy-Agid, F., see Maloteaux, J.-M., 446, 321

Jeftinija, S.

Enkephalins modulate excitatory synaptic transmission in the superficial dorsal horn by acting at μ -opioid receptor sites, **460**, 200

Jegou, S., see Schoofs, L., **450**, 202 Jen, L.S., see Chan, S.O., **461**, 163 Jen, P.H-S., see Schlegel, P.A., **456**, 127

Jenck, F., Bozarth, M. and Wise, R.A. Contraversive circling induced by ventral tegmental microinjections of moderate doses of morphine and [D-Pen²,D-Pen⁵]enkephalin, **450**, 387

Jenkins, H.G., Martin, J. and Dean, M.F.
Receptor-mediated uptake of β-glucuronidase into primary astrocytes and C6 glioma cells from rat brain, 462, 265

Jenkins, H.G., Tansey, E.M., Macefield, F. and Ikeda, H. Evidence for a T-cell related factor as the cause of demyelination in mice following Semliki Forest virus infection, 459, 145

Jenkins, J.S., see Hawthorn, J., 438, 193

Jenkins, L.W., see Lyeth, B.G., 448, 88

Jenkins, L.W., see Lyeth, B.G., 452, 39

Jennes, L., Dalati, B. and Conn, P.M. Distribution of gonadrotropin releasing hormone agonist binding sites in the rat central nervous system, 452, 156

Jennings, R.A., see Schlitt, M., 440, 293

Jenny, A., Smith, J. and Decker, J. Motor organization of the spinal accessory nerve in the monkey, 441, 352

Jenq, C.-B., Jenq, L.L., Bear, H.M. and Coggeshall, R.E. Conditioning lesions of peripheral nerves change regenerated axon numbers, 457, 63

Jenq, L.L., see Jenq, C.-B., **457**, 63 Jensen, K.F., see Koralek, K.-A., **463**, 346

Jensen, L.L., Harding, J.W. and Wright, J.W.
Central effects of a specific angiotensin receptor antagonist, sarthran (Sar¹,Thr⁸AII) in normotensive and spontaneously

hypertensive rat strains, 448, 359 Jessen, K.R., see Bannerman, P.G.C., 440, 87

Jessen, K.R., see Bannerman, P.G.C., 440, 99

Jhaveri, S., see Erzurumlu, R.S., 461, 175

Jiang, L.H., Kasser, R.J. and Wang, R.Y. Cholecystokinin antagonist lorglumide reverses chronic haloperidol-induced effects on dopamine neurons, 473, 165

Jirikowski, G.F., see Caldwell, J.D., 446, 236

Jirmanová, I., see Zelená, J., **438**, 163 Joachim, C.L., Duffy, L.K., Morris, J.H. and Selkoe, D.J. Protein chemical and immunocytochemical studies of meningovascular β-amyloid protein in Alzheimer's disease and normal aging, **474**, 100

Jodkowski, J.S., see Dick, T.E., 449, 201

Joëls, M., see Schiess, M.C., 440, 380 Joh, T.H., see Li, Y.W., 461, 75 Joh, T.H., see Park, D.H., 460, 352 Joh, T.H., see Pickel, V.M., 444, 247 Johansson, C., see Meyerson, B.J., 473, 344

Johe, K.K., see Michaelis, M.L., 473, 249

Johnson, A.E., Nock, B., McEwen, B.S. and Feder, H.H. α_1 - and α_2 -noradrenergic receptor binding in guinea pig brain: sex differences and effects of ovarian steroids, **442**, 205

Johnson, A.K., see Bellin, S.I., 456, 9 Johnson, A.K., see Callahan, M.F., 444, 177

Johnson, D., Seeldrayers, P.A. and Weiner, H.L. The role of mast cells in demyelination. 1. Myelin proteins are degraded by mast cell proteases and myelin basic protein and P₂ can stimulate mast cell degranulation, 444, 195

Johnson Jr., E.M., see Laing, N.G., 444, 351

Johnson, G.V.W. and Jope, R.S. Phosphorylation of rat brain cytoskeletal proteins is increased after orally administered aluminum,

Johnson, J.A., see Ridley, R.M., 456, 71

Johnson, J.V., see Fone, K.C.F., 460, 22

Johnson, K.M., see Yi, S.-J., 445, 147 Johnson, R.F., Moore, R.Y. and Morin, L.P. Loss of entrainment and anatomical plasticity after lesions of the hamster retinohypothalamic tract, 460, 297

Johnson, R.F., Morin, L.P. and Moore, R.Y. Retinohypothalamic projections in the hamster and rat demonstrated using cholera toxin, 462, 301

Johnson, S.J., see Budd, T., 448, 30 Johnston, C.F., see McKillop, J.M., 447, 239

Johnston, G.A.R., see Lloyd, H.G.E., 462, 391

Johnston, M.V., see McDonald, J.W., **459**, 200

Johnstone, B.M., see Rajan, R.,

Joly, M., see Bassant, M.H., 460, 8 Jonakait, G.M., Schotland, S. and Ni,

Development of serotonin. substance P and thyrotrophinreleasing hormone in mouse medullary raphe grown in organotypic tissue culture: developmental regulation by serotonin, 473, 336

Jones, B.E. and Webster, H.H. Neurotoxic lesions of the dorsolateral pontomesencephalic tegmentum-cholinergic cell area in the cat. I. Effects upon the cholinergic innervation of the brain. **451**, 13

Jones, B.E., see Webster, H.H., 458, 285

Jones, D.J., see Gonzalez-Brito, A., 438, 108

Jones, D.J., see Simmons, R.M.A.,

445, 338 Jones, M.W., Kilpatrick, I.C. and Phillipson, O.T. Thalamic control of subcortical dopamine function in the rat and the effects of lesions applied to the medial prefrontal cortex, 475, 8

Jones, R.S.G. and Heinemann, U. Verapamil blocks the afterhyperpolarization but not the spike frequency accommodation of rat CA1 pyramidal cells in vitro, 462, 367

Jones, R.S.G.

Epileptiform events induced by GABA-antagonists in entorhinal cortical cells in vitro are partly mediated by N-methyl-D-aspartate receptors, 457, 113

Jones, S.L. and Gebhart, G.F. Inhibition of spinal nociceptive transmission from the midbrain, pons and medulla in the rat: activation of descending inhibition by morphine, glutamate and electrical stimulation, 460, 281

Jones-King, K.L., see Hoffman, D.W., **460**, 366

Joosten, E.A.J. and Gribnau, A.A.M. Unmyelinated corticospinal axons in adult rat pyramidal tract. An electron microscopic tracer study, 459, 173

Jope, R.S., see Johnson, G.V.W., 456, 95

Jorgensen, M.B., see Deckert, J., **446**, 161

Jork, R., see Reymann, K.G., 440, 305 Joseph, J.A., Dalton, T.K. and Hunt, W.A. Age-related decrements in the

muscarinic enhancement of K⁺-evoked release of endogenous striatal dopamine: an indicator of altered cholinergic-dopaminergic reciprocal inhibitory control in senescence, 454, 140 Joseph, J.A., Dalton, T.K., Roth, G.S.

and Hunt, W.A. Alterations in muscarinic control of striatal dopamine autoreceptors in senescence: a deficit at the ligand-muscarinic receptor interface?, 454, 149

Jüch, P.J.W. and Rokx, J.T.M. Efferent projections of the parvocellular reticular nucleus to the mesencephalic trigeminal nucleus in rat, 462, 185

Judge, P.W., see Phillips, D.P.,

Jung, M.W., see Seubert, P., 460, 189 Jungschaffer, D.A., see Freund, R.K., **453**, 215

Juorio, A.V. and Sloley, B.D. The presence of tyramine and related monoamines in the nerve cord and some other tissues of the lobster, Homarus americanus, 444, 380

Juraska, J.M. and Kopcik, J.R. Sex and environmental influences on the size and ultrastructure of the rat corpus callosum, 450, 1

Jurson, P.A., see Robinson, T.E., 462, 211

Justice Jr., J.B., see Nicolaysen, L.C., 456, 317

Justice Jr., J.B., see Nicolaysen, L.C., 460, 50

Kaas, J.H., see Cusick, C.G., 458, 383

Kaas, J.H., see Florence, S.L., 452, 388

Kadle, R., Suksang, C., Roberson, E.D. and Fellows, R.E. Identification of an insulin-like factor in astrocyte conditioned medium, 460, 60

Kagamiyama, H., see Suzuki, S., 446, 1

Kai, Y., see Plata-Salamán, C.R., 448, 106

Kai, Y., Oomura, Y. and Shimizu, N. Responses of rat lateral hypothalamic neurons to periaqueductal gray stimulation and nociceptive stimuli, 461, 107

Kaihara, T., see Mizobe, K., 438, 307 Kairiss, E.W., see Racine, R.J., 454, 251

Kairiss, E.W., see Racine, R.J., 454, 264

Kakudo, K., Hasegawa, H., Komatsu, N., Nakamura, A., Itoh, Y. and Watanabe, K. Immuno-electron microscopic study of calcitonin gene-related peptide (CGRP) in axis cylinders of the vagus nerve. CGRP is present in both myelinated and unmyelinated

fibers, **440**, 153 Kalén, P., Kokaia, M., Lindvall, O. and Björklund, A. Basic characteristics of noradrenaline release in the hippocampus of intact and 6-hydroxydopamine-lesioned rats as studied by in vivo microdialysis, 474, 374

Kaler, L.W., Vale, W. and Critchlow,

Effects of somatostatin antiserum on growth hormone levels in rats with periventricular lesions in the anterior hypothalamus, 447, 384

Kalin, N.H., Shelton, S.E. and Barksdale, C.M. Opiate modulation of separation-induced distress in non-human primates, 440, 288

Kalin, N.H., Sherman, J.E. and Takahashi, L.K. Antagonism of endogenous CRH systems attenuates stress-induced freezing behavior in rats, 457, 130

Kalivas, P.W., see Austin, M.C., 441, 209

Kalman, M., see Stewart, M.G., 456, 387

Kalra, P.S., see Gabriel, S.M.,

447, 200 Kalra, P.S., see Sahu, A., **457**, 376 Kalra, S.P., see Gabriel, S.M., 447, 200

Kalra, S.P., see Sahu, A., 457, 376 Kalsbeek, A., De Bruin, J.P.C., Feenstra, M.G.P., Matthijssen, M.A.H. and Uylings, H.B.M. Neonatal thermal lesions of the mesolimbocortical dopaminergic

projection decrease food-hoarding

behavior, 475, 80 Kamei, H., see Navarro, X., 447, 133 Kameyama, M., see Fukuda, H., **449**, 399 Kameyama, T., see Ukai, M., 451, 357 Kameyama, M., see Nakamura, S., 455, 144 Kamiya, H., see Ino, T., 460, 173 Kamiya, H., see Takano, Y., 445, 188 Kamphuis, W., Da Silva, F.H.L. and Wadman, W.J. Changes in local evoked potentials in the rat hippocampus (CA₁) during kindling epileptogenesis, 440, 205 Kanda, K.-i., see Sato, Y., 446, 225 Kaneko, T. and Hicks, T.P. Baclofen and γ -aminobutyric acid differentially suppress the cutaneous responsiveness of primary somatosensory cortical neurones, 443, 360 Kaneko, T., Shigemoto, R. and Mizuno, N. Metabolism of glutamate and ammonia in astrocyte: an immunocytochemical study, 457, 160 Kani, K., see Sakai, M., 438, 335 Kanje, M., Lundborg, G. and Edström, A. A new method for studies of the effects of locally applied drugs on peripheral nerve regeneration in vivo, 439, 116 Kanje, M., see Sjöberg, J., **453**, 221 Kanje, M., Skottner, A. and Lundborg, G. Effects of growth hormone treatment on the regeneration of rat sciatic nerve, 475, 254 Kanno, S. and Okada, Y. Laminar distribution of GABA (γ-aminobutyric acid) in the dorsal lateral geniculate nucleus, Area 17 and Area 18 of the visual cortex, and the superior colliculus of the cat, 451, 172 Kapás, L., Obál Jr., F., Alföldi, P. Rubicsek, G., Penke, B. and Obál, Effects of nocturnal intraperitoneal administration of cholecystokinin in rats: simultaneous increase in sleep, increase in EEG slow-wave activity, reduction of motor activity suppression of eating, and decrease in brain temperature, 438, 155 Kapcala, L.P. and De Souza, E.B. Characterization of corticotropin-releasing factor receptors in dissociated brain cell cultures, 456, 159 Karadi, Z., see Nishino, H., 445, 325 Karasawa, N., see Sakai, M., 438, 335 Karbon, E.W., see Scherer, R.W., 451, 361 Karita, K., see Izumi, H., 449, 328 Karoum, F., Freed, W.J., Chuang, L.-W., Cannon-Spoor, E., Wyatt, R.J. and Costa, E.

D-DOPA and L-DOPA similarly

elevate brain dopamine and produce

Kasahara, Y., see Marui, T., 446, 178 Kasai, M., see Hattori, Y., 443, 355 Kasai, T. and Komiyama, T. The timing and the amount of agonist facilitation and antagonist inhibition of varying ankle dorsiflexion force in man, 447, 389 Kása, P., see Szerdahelyi, P., 444, 356 Kase, H., see Reymann, K.G., 461, 388 Kashiba, A., see Uemura, S., 448, 162 Kashiwamata, S., see Aoki, E., 442, 63 Kasper, J., see Yates, B.J., 449, 377 Kasser, R.J., Renner, K.J., Feng, J.-X., Brazell, M.P. and Adams, R.N. Spreading depression induced by 100 mM KCl in caudate is blocked by local anesthesia of the substantia nigra, 475, 333 Kasser, R.J., see Jiang, L.H., 473, 165 Kasten, T.P., see Dunaway, G.A., **456**, 310 Katada, T., see Terashima, T., 442, 305 Katada, T., see Terashima, T., 455, 353 Katagi, H., see Tominaga, T., 460, 376 Katagiri, T., see Gibson, S.J., 474, 255 Kataoka, K., see Mitani, A., 451, 397 Katayama, Y., see Hirai, K., 448, 299 Katayama, Y., see Hirai, K., 461, 367 Katayama, Y., see Tatsumi, H., 451, 371 Kato, K., see Kato, T., 438, 277 Kato, I., Harada, K., Hasegawa, T. and Ikarashi, T. Role of the nucleus of the optic tract of monkeys in optokinetic nystagmus and optokinetic after-nystagmus, 474, 16 Kato, K., see Aoki, E., 442, 63 Kato, K., see Sano, M., 459, 404 Kato, M., see Aiko, Y., 442, 43 Kato, M., see Sakata, S., 451, 85 Kato, T., Ito, J.-i., Tanaka, R., Suzuki, Y., Hirabayashi, Y., Matsumoto, M., Ogura, H. and Kato, K. Sialosyl cholesterol induces morphological and biochemical differentiations of glioblasts without intracellular cyclic AMP level rise, **438**, 277 Katoh, S., see Yagi, H., 474, 86 Katoh-Semba, R., see Sano, M., **459**, 404 Katona, C.L.E., see Cheetham, S.C., **443**, 272 Katona, C.L.E., see Cheetham, S.C., Katz, K.H., see Ojeda, S.R., 441, 339 Katz, Y., see Okun, F., 458, 31 Kauer, J.S., see Cattarelli, M., 442, 180 Kaufman, H., Vadasz, C. and Lajtha, Effects of estradiol and dexamethasone on choline acetyltransferase activity in various rat brain regions, 453, 389 Kavaliers, M., see Wiebe, J.P., **461**, 150

turning behavior in rats, 440, 190

Kawahara, K., Nakazono, Y., Kumagai, S., Yamauchi, Y. and Miyamoto, Y. Neuronal origin of parallel suppression of postural tone and respiration elicited by stimulation of midpontine dorsal tegmentum in the decerebrate cat, 474, 403 Kawahara, K., Nakazono, Y., Kumagai, S., Yamauchi, Y. and Miyamoto, Y. Parallel suppression of extensor muscle tone and respiration by stimulation of pontine dorsal tegmentum in decerebrate cat, 473, 81 Kawai, Y., see Kohno, J., 461, 158 Kawai, Y., Takagi, H., Yanai, K. and Tohyama, M. Adrenergic projection from the caudal part of the nucleus of the tractus solitarius to the parabrachial nucleus in the rat: immunocytochemical study combined with a retrograde tracing method, 459, 369 Kawakami, F., see Ibata, Y., 439, 230 Kawamata, S., see Nishino, H., 445, 325 Kawamata, T., see Nakamura, S., 455, 144 Kawamura, K., see Nakashima, H., **475**, 232 Kawana, A., see Hirono, T., 446, 189 Kawanishi, G., see Mochida, S., 455, 9 Kawasaki, H., see Fukahori, M., **455**, 381 Kawasaki, T., see Sato, Y., 446, 225 Kawasaki, K., Czéh, G. and Somjen, G.G. Prolonged exposure to high potassium concentration results in irreversible loss of synaptic transmission in hippocampal tissue slices, 457, 322 Kawasaki, K., Matsushita, A., Satoh, M. and Takagi, H. The lateral vestibular nucleus is a site for the depressant action of benzodiazepines on the crossed extensor reflex, 461, 282 Kawata, M., see Hattori, Y., 443, 355 Kayama, Y., see Sumitomo, I., 447, 376 Keating, E.G. and Gooley, S.G. Saccadic disorders caused by cooling the superior colliculus or the frontal eye field, or from combined lesions of both structures, 438, 247 Keating, P.J., see Harvey, A.R., 462, 89 Kebabian, J.W., see Agui, T., 452, 49 Keil, L.C., see Starcevic, V.P., 462, 112 Keilhoff, G., see Šťastný, F., 462, 56 Keino, H., see Aoki, E., 442, 63 Keizer, R.F., see Kim, C.S., 440, 216 Keller, A., see Solberg, Y., 459, 168 Keller, F., see Reiner, P.B., 442, 166 Keller Jr., R.W., Kuhr, W.G., Wightman, R.M. and Zigmond, M.J.

The effect of L-DOPA on in vivo dopamine release from nigrostriatal bundle neurons, **447**, 191

Kelly, J.B., see Phillips, D.P., **443**, 281 Kelly, M.E., see Gibb, W.R.G., **461**, 361

Kemel, M.L., Desban, M., Gauchy, C., Glowinski, J. and Besson, M.J. Topographical organization of efferent projections from the cat substantia nigra pars reticulata, 455, 307

Kempf, E., see Cabib, S., 441, 153 Kendrick, K.M. and Leng, G. Haemorrhage-induced release of noradrenaline, 5-hydroxytryptamine and uric acid in the supraoptic nucleus of the rat, measured by microdialysis, 440, 402

Kendrick, K.M., Keverne, E.B., Chapman, C. and Baldwin, B.A. Intracranial dialysis measurement of oxytocin, monoamine and uric acid release from the olfactory bulb and substantia nigra of sheep during parturition, suckling, separation from lambs and eating, 439, 1

Kendrick, K.M., Keverne, E.B., Chapman, C. and Baldwin, B.A. Microdialysis measurement of oxytocin, aspartate, γ-aminobutyric acid and glutamate release from the olfactory bulb of the sheep during vaginocervical stimulation, 442, 171

Kennedy, W.R., see Navarro, X., 447, 133

Kennedy, W.R., see Navarro, X., 463, 174 Kennett, G., see Haleem, D.J.,

458, 339
Kenshalo Jr., D.R., Chudler, E.H.,
Anton, F. and Dubner, R.
SI nociceptive neurons participate in
the encoding process by which

the encoding process by which monkeys perceive the intensity of noxious thermal stimulation, 454, 378

Kenshalo Jr., D.R., see Chudler, E.H., 456, 57 Kerchner, G.A., see Mendelsohn, L.G., 458, 361

Kerchner, G.A., see Smith, M.,

445, 241
Keren, O., Gioannini, T.L.,
Hiller, J.M. and Simon, E.J.
Affinity crosslinking of ¹²⁵I-labeled
human β-endorphin to cell lines
possessing either μ- or δ-type opioid
binding sites, 440, 280

Kerr, S., see Csernansky, J.G., 449, 357

Kerry, C.J., Ramsey, R.L.,
Sansom, M.S.P. and
Usherwood, P.N.R.
Single channel studies of
non-competitive antagonism of a
quisqualate-sensitive glutamate
receptor by argiotoxin₆₃₆ — a
fraction isolated from orb-web
spider venom, **459**, 312
Kersting, U., see Lehmenkühler, A.,

444, 181

Kesner, R.P., Crutcher, K. and Beers, D.R. Serial position curves for item (spatial location) information: role of the dorsal hippocampal formation and medial septum, **454**, 219

Kesslak, J.P., Walencewicz, A., Calin, L., Nieto-Sampedro, M. and Cotman, C.W. Hippocampal but not astrocyte transplants enhance recovery on a forced choice alternation task after kainate lesions, 454, 347

Kessler, J.A., see Chalazonitis, A., 458, 231

Keverne, E.B., see Kendrick, K.M., 439, 1

Keverne, E.B., see Kendrick, K.M., 442, 171

Khalil, Z., Marley, P.D. and Livett, B.G. Effect of substance P on nicotine-induced desensitization of cultured bovine adrenal chromaffin cells: possible receptor subtypes, 459, 282

Khalil, Z., Marley, P.D. and Livett, B.G. Mammalian tachykinins modulate the nicotinic secretory response of cultured bovine adrenal chromaffin cells, **459**, 289

Kharouby, M., see Mayo, W., 455, 213
Khayari, A., Math, F. and
Davrainville, J.L.
Electrical stimulation of primary
olfactory nerve induces two types of
variations in the extracellular
potassium activity within the
glomerulus of the rat olfactory bulb
in vivo, 457, 188

Khayari, A., see Math, F., 461, 384 Kicliter, E., see Lugo-Garcia, N., 454, 67

Kihara, M., see Kubo, T., **451**, 366 Kikuchi, H., see Uemura, Y., **448**, 98 Kikuyama, S., see Gibson, S.J., **474**, 255

Killackey, H.P., see Koralek, K.-A., 463, 346

Kilpatrick, I.C., see Jones, M.W., 475, 8

Kim, K., see Park, Y., **451**, 255 Kim, C.S., Keizer, R.F. and Pritchard, J.B. 2,4-Dichlorophenoxyacetic acid intoxication increases its accumulation within the brain, **440**, 216

Kim, S.U., see Yong, V.W., 444, 59 Kim, Y.S., see Quinn, M.R., 445, 297 Kimura, F., see Akema, T., 441, 367 Kimura, F., see Funabashi, T., 458, 132 Kimura, H., see Araki, M., 441, 319 Kimura, H., see Nakamura, S., 455, 144

Kimura, H., see Fukuda, H., 449, 399 Kimura, H., see Uemura, S., 448, 162 Kimura, T., see Nakamura, S., 455, 144

King, A.I., see El-Bohy, A., 460, 379

King, J.C. and Seiler, G.R.
Ultrastructural evidence suggests
variations in biosynthesis and
processing within LH-RH neurons
as a function of ovariectomy in rats,
452, 127

King, J.C., see Blaustein, J.D., 474, 1 King Jr., J.T. and LaMotte, C.C. VIP-, SS-, and GABA-like immunoreactivity in the mid-hippocampal region of El (epileptic) and C57BL/6 mice, 475, 192

King, M.A., Hunter, B.E. and Walker, D.W.
Alterations and recovery of dendritic spine density in rat hippocampus following long-term ethanol ingestion, 459, 381

King, S.J., Harding, J.W. and Moe, K.E. Elevated salt appetite and brain binding of angiotensin II in mineralocorticoid-treated rats, 448, 140

King, W.M., see Oyama, Y., 438, 95 King, W.M., see Oyama, Y., 463, 124 Kingsbury, A., Gallo, V. and Balazs, R. Stimulus-coupled release of amino

Stimulus-coupled release of amino acids from cerebellar granule cells in culture, 448, 46

Kirby, R.F., see Callahan, M.F., 444, 177

Kirino, T., see Yamamoto, M., **452**, 323

Kirk, M.D., see Rathouz, M.M., 458, 170

Kisara, K., see Sakurada, T., 442, 191
Kiss, J., Csáky, Á. and Halász, B.
Demonstration of serotoninergic
axon terminals on
somatostatin-immunoreactive
neurons of the anterior
periventricular nucleus of the rat
hypothalamus, 442, 23

Kiss, J.Z., see Voorhuis, Th.A.M., 442, 139

Kita, H. and Kitai, S.T.
Glutamate decarboxylase immunoreactive neurons in rat neostriatum: their morphological types and populations, 447, 346

Kitai, S.T., see Kita, H., 447, 346 Kitai, S.T., see Surmeier, D.J., 473, 187

Kitamura, K., see Aiko, Y., **442**, 43 Kitamura, R., see Yamamoto, T., **451**, 147

Kitamura, T., see Miyake, T., 451, 133 Kitano, S.-i. and Komatsu, A. Central respiratory oscillator: phase-response analysis, 439, 19 Kitao, Y., see Kudo, M., 463, 352 Kitao, Y., see Tokuno, H., 474, 390 Kitayama, I., see Janson, A.M.,

455, 332 Kito, S., see Kubota, Y., 458, 389 Kits, K.S., see Brussaard, A.B., 447, 35

Kitt, C.A., see Brauth, S.E., 452, 367 Kiyama, H., see Takemura, M., 451, 386 Kiyohara, S., see Marui, T., 446, 178 Kiyohara, T., see Shibata, M., 443, 37 Kiyomitsu, Y., see Yamamoto, T., 451, 147

Klaassen, A.B.M., see Van Megen, Y.J.B., 474, 185 Klagsbrun, M., see Finklestein, S.P.,

460, 253

Klangkalya, B., Sripairojthikoon, W., Oparil, S. and Wyss, J.M. High NaCl diet increases anterior hypothalamic α_2 -adrenoceptors in SHR, **451**, 77 Klatt, D.S., Guinan, M.J.,

Klatt, D.S., Guinan, M.J., Culhane, E.S., Carstens, E. and Watkins, L.R. The dorsal raphe nucleus: a

The dorsal raphe nucleus: a re-evaluation of its proposed role in opiate analgesia systems, 447, 246 Klein, W.L., see De Mello, M.C.F.,

443, 166

Kleinrok, Z., see Ikonomidou-Turski, C., 462, 275

Klockgether, T., Turski, L., Schwarz, M., Sontag, K.-H. and Lehmann, J. Paradoxical convulsant action of a

novel non-competitive N-methyl-p-aspartate (NMDA) antagonist, tiletamine, **461**, 343

Kloog, Y., see Egozi, Y., 475, 376 Knauer, D.J., see Gómez-Pinilla, F., 438, 385

Kniss, D.A. and Burry, R.W. Serum and fibroblast growth factor stimulate quiescent astrocytes to re-enter the cell cycle, 439, 281

Knopf, S., see Antelman, S.M., 445, 380

Knöpfel, T., see Zeise, M.L., **443**, 373 Knowles, W.D., see Tesche, C.D., **462**, 190

Knuepfer, M.M., Akeyson, E.W. and Schramm, L.P.Spinal projections of renal afferent nerves in the rat, 446, 17

Kobari, M., see Tomita, M., 474, 165 Kobayashi, H., see Mochida, S., 455, 9 Kobayashi, M., see Koshikawa, N., 444, 394

Kobayashi, T., see Tanaka, K., 454, 340

Kocan, D., see Antelman, S.M., 445, 380

Koch, R., see Reiser, G., 443, 338 Kocsis, J.D., see Gordon, T.R., 447, 1 Kocsis, J.D., see Hiner, B.C., 461, 1 Koda, L., see Martinez Jr., J.L., 450, 81

Kogo, N., see Arita, H., **442**, 1 Kogosov, E., see Alexander, N., **444**, 320

Kogure, K., see Onodera, H., 458, 212 Koh, J.-Y. and Choi, D.W.

Cultured striatal neurons containing NADPH-diaphorase or acetylcholinesterase are selectively resistant to injury by NMDA receptor agonists, 446, 374 Koh, S. and Loy, R.

Age-related loss of nerve growth

factor sensitivity in rat basal forebrain neurons, 440, 396 Koh, T., see Tsujii, S., 475, 371 Kohn, H., Conley, J.D. and Leander, J.D.

Marked stereospecificity in a new class of anticonvulsants, **457**, 371 ohno, J., Shinoda, K., Kawai, Y.

Kohno, J., Shinoda, K., Kawai, Y., Peng, Y., Ono, K. and Shiotani, Y. Direct adrenergic inputs to sacral autonomic neurons: using a double-immunostaining method at the light and electron microscopic levels, 461, 158

Kokaia, M., see Kalén, P., 474, 374 Kokkoroyiannis, T., see Kuipers, U., 462, 154

Kokoris, G.J., see Silverman, A.-J., 443, 267

Kolb, B., see Whishaw, I.Q., 451, 97
Koliatsos, V.E., Martin, L.J.,
Walker, L.C., Richardson, R.T.,
DeLong, M.R. and Price, D.L.
Topographic, non-collateralized
basal forebrain projections to
amygdala, hippocampus, and
anterior cingulate cortex in the
rhesus monkey, 463, 133

Komatsu, A., see Kitano, S.-i., **439**, 19 Komatsu, N., see Kakudo, K., **440**, 153

Komatsu, Y., Nakajima, S., Toyama, K. and Fetz, E.E. Intracortical connectivity revealed by spike-triggered averaging in slice preparations of cat visual cortex, 442, 359

Komatsu, Y., see Nakajima, S., 457, 176

Komiskey, H.L., Raemont, L.M. and Mundinger, K.L. Aging: modulation of GABA_A binding sites by ethanol and diazepam, **458**, 37

Komiyama, T., see Kasai, T., 447, 389 Kondo, A., Hoogerbrugge, P.M., Suzuki, K., Poorthuis, B.J.H.M., Van Bekkum, D.W. and Suzuki, K. Pathology of the peripheral nerve in the twitcher mouse following bone

marrow transplantation, 460, 178
Kondo, H. and Yamamoto, M.
Occurrence, ontogeny,
ultrastructure and some plasticity of
CGRP (calcitonin gene-related
peptide)-immunoreactive nerves in
the carotid body of rats, 473, 283
Kondo, S. see Tanaka, S. 463, 163

Kondo, S., see Tanaka, S., 463, 163 Konishi, J., see Tsujii, S., 475, 371 Konopacki, J., Bland, B.H. and Roth, S.H. Carbachol-induced EEG 'theta' in hippocampal formation slices: evidence for a third generator of

theta in CA3c area, **451**, 33 Konopacki, J., Bland, B.H. and Roth, S.H. Evidence that activation of in vitro hippocampal θ rhythm only involves muscarinic receptors, **455**, 110

Konopacki, J., see Bland, B.H., 447, 364

Konopka, L.M. and Parsons, R.L. Clindamycin-induced alteration of ganglionic function. I. Direct effects on ganglion cell properties, **458**, 269

Konopka, L.M., Neel, D.S. and Parsons, R.L. Clindamycin-induced alteration of ganglionic function. II. Effect of nicotinic receptor—channel function,

458, 278

Koo, E.H., Hoffman, P.N. and Price, D.L. Levels of neurotransmitter and cytoskeletal protein mRNAs during nerve regeneration in sympathetic ganglia, 449, 361

Koob, G.F., see Dantzer, R., 457, 143 Koob, G.F., see Hand, T.H., 474, 364 Kopcik, J.R., see Juraska, J.M., 450, 1 Kopin, I.J., see Palombo, E., 453, 227

Koralek, K.-A., Jensen, K.F. and Killackey, H.P. Evidence for two complementary patterns of thalamic input to the rat somatosensory cortex, 463, 346

Kordower, J.H., Sladek Jr., J.R., Fiandaca, M.S., Bing, G. and Gash, D.M.

Tyrosine hydroxylase-immunoreactive somata within the primate subfornical organ: species specificity, **461**, 221

organ: species specificity, 461, 221 Korf, J., see Loopuijt, L.D., 456, 263 Korf, J., see Schasfoort, E.M.C., 475, 58

Kori, A.A., see Fujitsuka, N., 443, 243Kori, A.A., see Sokabe, M., 443, 254Kosciuk, M.C., see Nagele, R.G., 474, 279

Koshelev, V.B., see Ryasina, T.V., 473, 153

Koshikawa, N., Tomiyama, K., Omiya, K. and Kobayashi, M. Ketamine anaesthesia has no effect on striatal dopamine metabolism in rats, **444**, 394

Kosik, K.S., see Sims, K.B., **449**, 192 Kostović, I., see Lacković, Z., **443**, 199 Kostowski, W., see Płaźnik, A., **447**, 122

Kostrzewa, R.M., Hardin, J.C. and Jacobowitz, D.M.
Destruction of cells in the midportion of the locus coeruleus by a dorsal bundle lesion in neonatal rats, 442, 321

Kovachich, G.B., Aronson, C.E., Brunswick, D.J. and Frazer, A. Quantitative autoradiography of serotonin uptake sites in rat brain using [³H]cyanoimipramine, **454**, 78

Kovács, G.L., see Sarnyai, Z., 463, 294

Kovács, K.J. and Makara, G.B. Corticosterone and dexamethasone act at different brain sites to inhibit adrenalectomy-induced adrenocorticotropin hypersecretion, 474, 205

Koyama, N., see Nishikawa, Y., **458**, 394

Koyama, N., see Yokota, T., 475, 187

34 Koyama, Y., Fujita, I., Aou, S. and Oomura, Y. Proceptive presenting elicited by electrical stimulation of the female monkey hypothalamus, 446, 199 Krahn, D.D., Gosnell, B.A., Levine, A.S. and Morley, J.E. Behavioral effects of corticotropin-releasing factor: localization and characterization of central effects, 443, 63 Kräuchi, K., see Rudolph, K., 446, 159 Kreider, M., see Doty, R.L., 444, 95 Kreider, B.Q., see Scarpini, E., **440**, 261 Krieger, A.J., see Sundaram, K., 449, 141 Krieger, E.M., see Menani, J.V., 446, 295 Krigman, M.R., see Théorêt, Y., 449, 341 Kristensen, E.W., Bigelow, J.C. and Wightman, R.M. Time resolved dopamine overflow from synaptosomes and chopped striatal tissue with rapid superfusion, 461, 44 Kristensson, K., see Aldskogius, H., 461, 215 Kriván, M., see Sarnyai, Z., 463, 294 Krnjević, K., see Zhang, L., **462**, 174 Krnjević, K., Ropert, N. and Casullo, Septohippocampal disinhibition, **438**, 182 Kromer, L.J., see Hyman, B.T., 450, 392 Krug, M., see Frey, U., 452, 57 Kruger, L., Mantyh, P.W. Sternini, C., Brecha, N.C. and Mantyh, C.R. Calcitonin gene-related peptide (CGRP) in the rat central nervous system: patterns of immunoreactivity and receptor binding sites, 463, 223 Kruisbrink, J., see Mirmiran, M., **458**, 192 Kruk, M.R., see Lammers, J.H.C.M., 449, 294 Kruk, M.R., see Lammers, J.H.C.M., 449, 311 Kruk, Z.L., see Stamford, J.A., 448, 381 Kruk, Z.L., see Stamford, J.A., Krukoff, T.L., see Ciriello, J., 440, 53 Krupa, M., see Crepel, F., 458, 397 Krushinsky, A.L., see Ryasina, T.V., 473, 153 Krusin-Elbaum, L., see Tesche, C.D., **462**, 190 Kuba, K., see Nohmi, M., 438, 175 Kubin, L. and Davies, R.O.

Sites of termination and relay of

spike-triggered averaging, 443, 215

Kubo, R., see Hoffman, S.A., 452, 358

pulmonary rapidly adapting

Kubo, K.-y., see Onozuka, M.,

Kubo, T. and Kihara, M.

473, 401

receptors as studied by

N-Methyl-D-aspartate receptors mediate tonic vasodepressor control in the caudal ventrolateral medulla of the rat, 451, 366 Kubo, T., see Ibata, Y., 439, 230 Kubo, T., see Tanaka, M., 447, 175 Kubota, Y., Inagaki, S., Kito, S., Shimada, S., Okayama, T., Hatanaka, H., Pelletier, G., Takagi, H.and Tohyama, M. Neuropeptide Y-immunoreactive neurons receive synaptic inputs from dopaminergic axon terminals in the rat neostriatum, 458, 389 Kudo, Y., see Nohmi, M., 438, 175 Kudo, M., Nakamura, Y., Moriizumi, T., Tokuno, H. and Kitao, Y. Bilateral projections from the medial superior olivary nucleus to the inferior colliculus in the mole (Mogera robusta), 463, 352 Kudo, M., see Tokuno, H., 474, 390 Kuhr, W.G., see Keller Jr., R.W.; 447, 191 Kuijpers, W., see Van Megen, Y.J.B., 474, 185 Kuipers, U., Laouris, Y., Kokkoroyiannis, T., Meyer-Lohmann, J. and Windhorst, Relations between time- and frequency-domain measures of signal transmission from cutaneous afferents to dorsal horn neurons, 462, 154 Külling, P., Frischknecht, H.-R., Pasi, A., Waser, P.G. and Siegfried, Social conflict-induced changes in nociception and β -endorphin-like immunoreactivity in pituitary and discrete brain areas of C57BL/6 and DBA/2 mice, 450, 237 Kultas-Ilinsky, K., Fogarty, J.D., Hughes, B. and Ilinsky, I.A. Distribution and binding parameters of GABA and benzodiazepine receptors in the cat motor thalamus and adjacent nuclear groups, 459, 1 Kumagai, S., see Kawahara, K., 473, 81 Kumagai, S., see Kawahara, K., 474, 403 Kumamoto, E. and Shinnick-Gallagher, P. Soman enhances nicotinic depolarizations, and depresses muscarinic hyperpolarizations in parasympathetic neurons, 458, 151 Kumar, B.A., Forster, M.J. and Lal, H. CGS 8216, a benzodiazepine receptor antagonist, enhances learning and memory in mice, 460, 195 Kumaran, B., Gunasekar, P.G., Aruldhas, M.M. and Govindarajulu,

Role of prolactin on neural and glial

carbohydrate metabolism. I. Studies

cellular enzymes involved in

450, 325 Kumashiro, H., see Uemura, S., 448, 162 Kumoi, K., Saito, N., Kuno, T. and Tanaka, C Immunohistochemical localization of y-aminobutyric acid- and aspartate-containing neurons in the rat deep cerebellar nuclei, 439, 302 Kung, H.F., see Singhaniyom, W., **453**, 393 Kunimoto, M., see Brailowsky, S., 442, 175 Kuno, T., see Kumoi, K., 439, 302 Kunos, G., see Mosqueda-Garcia, R., 442, 119 Kuo, C.-H., Tamotsu, S., Morita, Y., Shinozawa, T., Akiyama, M. and Presence of retina-specific proteins in the lamprey pineal complex, 442, 147 Kuraishi, Y., see Ohno, H., 474, 197 Kurasawa, I., Hirose, Y., Sunada, T. and Nakamura, Y. Phase-linked modulation of excitability of presynaptic terminals of low-threshold afferent fibers in the inferior alveolar nerve during cortically induced fictive mastication in the guinea pig, **446**, 113 Kurata, K., see Sakata, T., **473**, 43 Kurihara, K., see Nakamura, M., **444**, 159 Kuriyama, K., see Nakashima, T., 454, 361 Kurosawa, M., see Takano, Y., 445, 188 Kurumiya, S. and Nakajima, S. Dopamine D₁ receptors in the nucleus accumbens: involvement in the reinforcing effect of tegmental stimulation, 448, 1 Kuschinsky, W., see Grünwald, F., **456**, 350 Kuwayama, Y., Emson, P.C. and Stone, R.A. Pterygopalatine ganglion cells contain neuropeptide Y, 446, 219 Kuwayama, Y., see Stone, R.A., **475**, 389

on immature male bonnet monkeys,

Labbe, R., see Ramirez, J.J., 459, 153 Lacković, Z., Jakupčević, M., Bunarević, A., Damjanov, I., Relja, M. and Kostović, I. Serotonin and norepinephrine in the spinal cord of man, 443, 199 Lacombe, P., see Lasbennes, F., 454, 205 LaCorbiere, M., see Le Beau, J.M., 459, 93 Ladenheim, E.E., Speth, R.C. and Ritter, R.C. Reduction of CCK-8 binding in the nucleus of the solitary tract in unilaterally nodosectomized rats, **474**, 125

Ladinsky, H., see Consolo, S., 449, 97 Laduron, P.-M., see Maloteaux, J.-M.,

Laemle, L.K. and Cotter, J.R. VIP-like immunoreactivity in the anterior hypothalamic area of a hibernating bat varies with physiological state, 441, 398

Lafarga, M., see Berciano, M.T., **439**, 169

La Gamma, E.F., White, J.D., McKelvy, J.F. and Black, I.B. Second messenger mechanisms governing opiate peptide transmitter regulation in the rat adrenal medulla, 441, 292

LaGamma, E.F., see Inturrisi, C.E., **448**, 230

Lagerbäck, P.-Ä., see Christenson, J.,

Lagerbäck, P.-Å., see Christenson, J., 440, 9

LaHoste, G.J., Mormède, P., Rivet, J.-M. and Le Moal, M. Differential sensitization to amphetamine and stress responsivity as a function of inherent laterality, **453**, 381

LaHoste, G.J., Mormède, P., Rivet, J.-M. and Le Moal, M. New evidence for distinct patterns of brain organization in rats differentiated on the basis of inherent laterality, 474, 296 Lai, H.

Effects of repeated exposure to white noise on central cholinergic activity in the rat, 442, 403

Laing, N.G., Osborne, P.A. and Johnson Jr., E.M. Muscle spindle number is normal in guinea pigs with reduced dorsal root ganglia following in utero deprivation of nerve growth factor, 444, 351

Lajtha, A., see Kaufman, H., 453, 389 Lakeman, A.D., see Schlitt, M., **440**, 293

Lakke, E., see De Beer, F.C., 454, 397 Lakos, S. and Basbaum, A.I. An ultrastructural study of the

projections from the midbrain periaqueductal gray to spinally projecting,

serotonin-immunoreactive neurons of the medullary nucleus raphe magnus in the rat, 443, 383

Lakos, S.F., see Miller, A.D., 456, 367 Lal, H., see Kumar, B.A., 460, 195 Lal, S., see Sarrieau, A., 442, 157 Lalonde, R., Lamarre, Y. and

Smith, A.M. Does the mutant mouse lurcher have deficits in spatially oriented behaviours?, **455**, 24

Lam, D.M-K., see Wu, S.M.-S.,

458, 195

Lam, D.M.K., see Watt, C.B., 444, 366

Lam, D.M.K., see Yu, B.C.-Y., 439, 376

LaManna, J.C., see Shockley, R.P., **454**, 170

Lamarre, Y., see Lalonde, R., 455, 24 Lambert, G.A., Goadsby, P.J., Zagami, A.S. and Duckworth, J.W. Comparative effects of stimulation of the trigeminal ganglion and the superior sagittal sinus on cerebral blood flow and evoked potentials in the cat, 453, 143

Lammers, J.H.C.M., Kruk, M.R., Meelis, W. and Van der Poel, A.M. Hypothalamic substrates for brain stimulation-induced attack, teeth-chattering and social grooming in the rat, 449, 311

Lammers, J.H.C.M., Kruk, M.R., Meelis, W. and Van der Poel, A.M. Hypothalamic substrates for brain stimulation-induced patterns of locomotion and escape jumps in the rat, **449**, 294

LaMotte, C.C., see King Jr., J.T., 475, 192

Lamour, Y., see Bassant, M.H., 460, 8 Lamour, Y., see Dykes, R., 440, 133 Lamour, Y., see Dykes, R.W., 449, 1

Lamour, Y., see Rascol, O., 446, 303 Lamour, Y. and Dykes, R.W.

Somatosensory neurons in partially deafferented rat hindlimb granular cortex subsequent to transection of the sciatic nerve: effects of glutamate and acetylcholine, 449, 18

Lamour, Y., see Dykes, R.W., 441, 48 Lams, B.E., Isacson, O. and Sofroniew, M.V.

Loss of transmitter-associated enzyme staining following axotomy does not indicate death of brainstem cholinergic neurons, 475, 401

Landas, S.K., see Bellin, S.I., 456, 9 Landfield, P.W., Cadwallader, L.B. and Vinsant, S.

Quantitative changes in hippocampal structure following long-term exposure to △9-tetrahydrocannabinol: possible mediation by glucocorticoid systems, **443**, 47

Landgraf, R., see Neumann, I., **462**, 181

Landgraf, R., Neumann, I. and Schwarzberg, H. Central and peripheral release of vasopressin and oxytocin in the conscious rat after osmotic stimulation, 457, 219

Landolfi, E., see Schettini, G., 439, 322

Landry, P., see Dykes, R.W., 441, 48 Lane, R.F., Blaha, C.D. and Rivet, J.M. Selective inhibition of mesolimbic

dopamine release following chronic administration of clozapine: involvement of α_1 -noradrenergic

receptors demonstrated by in vivo voltammetry, 460, 398

Langdon, R.B., Manis, P.B. and Freeman, J.A. Goldfish retinotectal transmission in vitro: component current sink-source pairs isolated by varying calcium and magnesium levels, 441, 299

Lange, H., see Uhlhaas, S., 457, 196 Lange, A.B., see Pasztor, V.M., 458, 199

Langley, O.K., Sternberger, N.H. and Sternberger, L.A. Expression of neurofilament proteins by Purkinje cells: ultrastructural immunolocalization with monoclonal antibodies, 457, 12

Langston, J.W., see Finnegan, K.T., 447, 141

Langston, J.W., see Forno, L.S., 448, 150

Langston, J.W., see Notter, M.F.D., 456, 254

Langston, J.W., see Ricaurte, G.A., **438**, 395

Langston, J.W., see Ricaurte, G.A., 446, 165

Langston, J.W., see Ricaurte, G.A., 474, 359

Langui, D., Anderton, B.H., Brion, J.-P. and Ulrich, J. Effects of aluminium chloride on cultured cells from rat brain hemispheres, 438, 67

Långström, B., see Leenders, K.L., 445, 61

Lannes, B., see Depaulis, A., 448, 20 Lanoir, J., see Pinard, R., 474, 48 Lanthier, A. and Patwardhan, V.V.

In vitro steroid metabolism by rat retina, 463, 403 Laouris, Y., see Kuipers, U., 462, 154

Lapadula, D.M., Suwita, E. and Abou-Donia, M.B Evidence for multiple mechanisms responsible for 2,5-hexanedione-induced neuropathy, 458, 123 Lapham, L.L., see Unger, J.W.,

452, 293 Laping, N.J., see Dluzen, D.E.,

445, 354 Laribi, C., see Simonnet, G., 443, 403 LaRocca, C.D. and Wiley, R.G. Monoclonal anti-Thy 1 antibody (OX7) is axonally transported in rat

nervous system, 449, 381 Larrondo-Lillo, M., see Coria, F., 463, 187

Larson, A.A., see Madl, J.E., 452, 396 Larson, J. and Lynch, G. Role of N-methyl-D-aspartate receptors in the induction of synaptic potentiation by burst stimulation patterned after the hippocampal θ -rhythm, 441, 111

Larson, J., see Seubert, P., **459**, 226. Larson, J., see Seubert, P., **460**, 189 Larson, J., see Staubli, U., **444**, 153 Larson-Prior, L.J. and Slater, N.T. GABAergic inhibition and

epileptiform discharges in the turtle hippocampus in vitro, 460, 369

Lasbennes, F., Lacombe, P. and Seylaz, J. Effect of monoamine oxidase inhibition on the regional cerebral blood flow response to circulating

noradrenaline, 454, 205

Lasek, R.J., see Sahenk, Z., 460, 199 Lasher, R.S., Erickson, P.F., Mena, E.E. and Cotman, C.W. The binding of a monoclonal antibody reactive with pp60v-src to the rat CNS both in vitro and in vivo: evidence that the epitope is present intracellularly as well as being associated with a number of antigenically related polypeptides located externally in the plasma membrane only in the synaptic region, 452, 184

Laterre, E.C., see Maloteaux, J.-M., 446, 321

Lauber, A.H. and Whalen, R.E. Muscarinic cholinergic modulation of hypothalamic estrogen binding sites, 443, 21

Lauber, A.H.

Bethanechol-induced increase in hypothalamic estrogen receptor binding in female rats is related to capacity for estrogen-dependent reproductive behavior, 456, 177

Laurie, D.J., see Pratt, J.A., 475, 218 Lauritzen, M., Rice, M.E., Okada, Y. and Nicholson, C Quisqualate, kainate and NMDA can initiate spreading depression in

the turtle cerebellum, 475, 317 Lauritzen, M., see Okada, Y.C.,

442, 185

LaVail, J.H. and Irons, K.P. Abnormal neuromuscular junctions in the lateral rectus muscle of wobbler mice, 463, 78

Lavoie, J., see Peyronnard, J.M., 443, 295

Law, P.Y., see Tao, P.-L., 462, 313 Lawrence, D., see Lawrence, J.A.M., 446, 212

Lawrence, J.A.M., Poulin, P., Lawrence, D. and Lederis, K. [3H]Arginine vasopressin binding to rat brain: a homogenate and autoradiographic study, 446, 212

Lawrence, J.M., see Emmett, C.J., 447, 223

Lawson, D.E.M., see Ichimiya, Y., 475, 156

Lawson, R.R., see Leander, J.D., 448, 115

Lawson, W., see Morgan, P.J., 447, 279

Lazdunski, M., see Lombet, A., 459, 44

Lazdunski, M., see Mourre, C., **446**, 106

Lazdunski, M., see Mourre, C., **448**, 128

Lazdunski, M., see Mourre, C., 451, 274 Le Beau, J.M., LaCorbiere, M., Powell, H.C., Ellisman, M.H. and Schubert, D

Extracellular fluid conditioned during peripheral nerve regeneration stimulates Schwann cell adhesion, migration and proliferation, 459, 93

Le Gall, S., Féral, C., Van Minnen, J. and Marchand, C.R. Evidence for peptidergic innervation of the endocrine optic gland in Sepia by neurons showing FMRFamide-like immunoreactivity, **462**, 83

Le Moal, M., see Barnéoud, P., 474, 394

Le Moal, M., see Dantzer, R., 457, 143

Le Moal, M., see Hand, T.H., 474, 364 Le Moal, M., see LaHoste, G.J., 453, 381

Le Moal, M., see LaHoste, G.J., 474, 296

Le Moal, M., see Neveu, P.J., 457, 392 Le Moal, M., see Tazi, A., 445, 211

Le Moal, M., see Tazi, A., 473, 369

Le Moal, M., see Baud, P., **452**, 203 Le Moal, M., see Mayo, W., **455**, 213

Le Moal, M., see Taghzouti, K., 440, 172

Leander, J.D., Lawson, R.R., Ornstein, P.L. and Zimmerman, D.M. N-Methyl-p-aspartic acid-induced lethality in mice: selective antagonism by phencyclidine-like

drugs, 448, 115 Leander, J.D., Rathbun, R.C. and Zimmerman, D.M.

Anticonvulsant effects of phencyclidine-like drugs: relation to N-methyl-D-aspartic acid antagonism, 454, 368

Leander, J.D., see Kohn, H., 457, 371 Leanza, G., see Spampinato, S., 463, 100

Leboulenger, F., Benyamina, M., Delarue, C., Netchitaïlo, P., Saint-Pierre, S. and Vaudry, H. Neuronal and paracrine regulation of adrenal steroidogenesis: interactions between acetylcholine, serotonin and vasoactive intestinal peptide (VIP) on corticosteroid production by frog interrenal tissue, **453**, 103

Leboulenger, F., see Delarue, C., 459, 17

Lecci, A., see Maggi, C.A., 449, 61 Lechan, R.M., see Van den Bergh, P., 461, 53

Ledeen, R.W., see Byrne, M.C., 461, 87

Ledeen, R.W., see

Sbaschnig-Agler, M., 461, 98 Lederis, K., see Lawrence, J.A.M., 446, 212

Lederis, K., see Suzuki, Y., 457, 241 Lee, H.-y., see Nagele, R.G., 474, 279 Lee, J., see Seubert, P., 459, 226 Lee, M., Strahlendorf, H.K. and

Strahlendorf, J.C

Differential effects of

N-methyl-p-aspartic acid and L-homocysteic acid on cerebellar

Purkinje neurons, **456**, 104 Lee, P.H.K., Obie, J. and Hong, J.-S. Intrahippocampal injections of a specific μ -receptor ligand PL017 produce generalized convulsions in rats, 441, 381

Lee, S.J., see Bodnar, R.J., 447, 25 Lee, W.-L., see Anwyl, R., 459, 192

Leenders, K.L., Aquilonius, S.-M., Bergström, K., Bjurling, P., Crossman, A.R., Eckernas, S.-Å., Gee, A.G., Hartvig, P., Lundqvist, H., Långström, B., Rimland, A., and Tedroff, J. Unilateral MPTP lesion in a rhesus monkey: effects on the striatal dopaminergic system measured in vivo with PET using various novel tracers, 445, 61

Lees, J., see Coceani, F., 446, 245 Leffler, C.W., see Busija, D.W.,

439, 122

Legendre, P., Poulain, D.A. and Vincent, J.D. A study of ionic conductances involved in plateau potential activity in putative vasopressinergic neurons in primary cell culture, 457, 386

Legendre, P., see Simonnet, G., 443, 403

Lehman, R.A.W., see Bryan Jr., R.M., 444, 17

Lehmann, J., see Klockgether, T., 461, 343

Lehmann, J., see Boast, C.A., 442, 345

Lehmenkühler, A., Kersting, U. and Nicholson, C Diffusion of penicillin in agar and

cerebral cortex of the rat, 444, 181 Leiva, J., see Motles, E., 473, 65 Lemke, M., see Faden, A.I., 463, 63

Leng, G., see Kendrick, K.M., 440, 402

Lenn, N.J., see Cutlip, A.C., 451, 54 Leon, A., see Vantini, G., 448, 252 Leonard, C., see Tetzlaff, W., 445, 142 Lepore, F., see Guillemot, J.-P., 441, 221

Leranth, C., see MacLusky, N.J., 439, 391

Leranth, C., MacLusky, N.J., Shanabrough, M. and Naftolin, F. Immunohistochemical evidence for synaptic connections between pro-opiomelanocortin-immunoreactive axons and LH-RH neurons in the preoptic area of the rat, 449, 167

Leresche, N., see Soltesz, I., 448, 351 Lerma, J., see Herreras, O., 461, 290 Lerma, J., see Herreras, O., 461, 303 LeRoith, D., see Ota, A., 443, 1

LeRoith, D., see Rodrigues, M., 443, 389

Lesieur, P., see Bolger, G.T., 438, 101 Leslie, R.A., see Dragunow, M., 462, 252

Leslie, S.W., see Winegar, B.D., 475, 21

Leslie, S.W., see Woodward, J.J., 473, 91

Leslie, S.W., see Woodward, J.J., 475, 141

Letourneau, P.C., see Quick, D.C., 440, 243

Leung, L.-W.S. and Desborough, K.A. APV, an *N*-methyl-D-aspartate receptor antagonist, blocks the hippocampal theta rhythm in behaving rats, 463, 148

Lev-Tov, A., Meyers, D.E.R. and Burke, R.E. Modification of primary afferent depolarization in cat group Ia afferents following high frequency intra-axonal tetanization of individual afferents, 438, 328

Levanti, M.C., see Del Fiacco, M., 446, 173

Levin, B.E., Craik, R.L. and Hand, P.J. The role of norepinephrine in adult rat somatosensory (SmI) cortical metabolism and plasticity, 443, 261

Levin, B.E., see Wilmot, C.A., **453**, 157

Levine, A.S., see Krahn, D.D., 443, 63

Levine, J.D., see Taiwo, Y.O., 458, 402

Levine, M.S., Adinolfi, A.M., Fisher, R.S., Hull, C.D., Guthrie, D. and Buchwald, N.A. Ultrastructural alterations in caudate nucleus in aged cats, 440, 267

LeVine, S.M. and Macklin, W.B. Biotin enrichment in oligodendrocytes in the rat brain, 444, 199

LeVine, III, H. and Sahyoun, N.E. Two types of brain calmodulin-dependent protein kinase II: morphological, biochemical and immunochemical properties, 439, 47

Levitan, H., see Wadhwani, K.C.,

462, 22 Levitan, I.B., see Lotshaw, D.P., 439, 64

Levy, S. and Tillotson, D. Effects of Na⁺ and Ca²⁺ gradients on intracellular free Ca²⁺ in voltage-clamped Aplysia neurons,

474, 333 Levy, W.B., see Desmond, N.L.,

453, 308 Levy, Y., see Minc-Golomb, D., 457, 205

Lewis, D.A., Foote, S.L., Goldstein, M. and Morrison, J.H. The dopaminergic innervation of monkey prefrontal cortex: a tyrosine hydroxylase immunohistochemical study, 449, 225

Lewis, S.F., see MacLean, D.B.,

457, 53 Lewy, A.J., see Brainard, G.C., 454, 212

Li, P., see Wang, Q., 439, 350 Li, P., see Wang, Q., 457, 367

Li, P., see Wang, Q., 473, 227

Li, T., see Watt, C.B., 444, 366 Li, Y.W., Halliday, G.M., Joh, T.H., Geffen, L.B. and Blessing, W.W. Tyrosine hydroxylase-containing neurons in the supraoptic and paraventricular nuclei of the adult human, 461, 75

Li, Z.K., see Takada, M., 455, 346 Li, Z.K., see Takada, M., 457, 165 Libet, B. and Mochida, S.

Long-term enhancement (LTE) of postsynaptic potentials following neural conditioning, in mammalian sympathetic ganglia, 473, 271

Lidow, M.S., Goldman-Rakic, P.S., Rakic, P. and Gallager, D.W. Differential quenching and limits of resolution in autoradiograms of brain tissue labeled with 3Hand 14C-compounds, 459, 105

Liebeskind, J.C., see Depaulis, A., 451, 326

Liebeskind, J.C., see Marek, P., 447, 188

Liebeskind, J.C., see Yirmiya, R., 438, 339

Lieblich, I., see Yirmiya, R., 438, 339 Liebman, J.M., see Boast, C.A., 442, 345

Lightman, S.L., see Horn, A.M., 455, 18

Lightman, S.L., see Moratalla, R., 450, 398 Liles, W.C. and Nathanson, N.M.

Alteration in the regulation of neuronal muscarinic acetylcholine receptor number induced by chronic lithium in neuroblastoma cells,

439, 88 Liles, W.C., see Martin, J.M., **454**, 370 Lin, S.-O., see Chang, C.C., **454**, 332 Lincoln, J., see Dhital, K.K., 444, 33

Linden, D.J., Wong, K.L., Sheu, F.-S. and Routtenberg, A. NMDA receptor blockade prevents the increase in protein kinase C substrate (protein F1) phosphorylation produced by

long-term potentiation, 458, 142 Lindenblatt, U. and Delius, J.D. Nucleus basalis prosencephali, a substrate of apomorphine-induced

pecking in pigeons, 453, 1 Lindvall, O., see Kalén, P., 474, 374 Lindvall, O., see Trottier, S., 454, 308 Ling, N., see Sugihara, H., 475, 128 Linnoila, M., see Nutt, D.J., 448, 377 Liou, S.Y., see Albers, H.E., 456, 382 Lipkin, W.I., Battenberg, E.L.F.,

Bloom, F.E. and Oldstone, M.B.A. Viral infection of neurons can depress neurotransmitter mRNA levels without histologic injury, 451, 333

Lipkin, W.I., Carbone, K.M., Wilson, M.C., Duchala, C.S. Narayan, O. and Oldstone, M.B.A. Neurotransmitter abnormalities in Borna disease, 475, 366

Liron, Z., Wong, E. and Roberts, E. Studies on uptake of γ -aminobutyric acid by mouse brain particles;

toward the development of a model, 444, 119

Lisak, R.P., see Scarpini, E., 440, 261 Liskowsky, D.R., see Haselton, J.R., 453, 167

Liskowsky, D.R., see Haselton, J.R., 453, 176

Lister, T. and Ray, D.E. The role of basal forebrain in the primary cholinergic vasodilation in rat neocortex produced by systemic administration of cismethrin,

450, 364 Lisý, V., see Šťastný, F., **462**, 56 Liter, J.C., see Baumeister, A.A., 447, 116

Littlewood, P.M.H. and Simmons, P.J. Hexamminecobaltic chloride provides a simple method for marking neurones for electron microscopy, 445, 165

Litwak, M.S., see Arezzo, J.C., **462**, 286

Liu, D. and Hu, Y. The central projections of the great auricular nerve primary afferent fibers — an HRP transganglionic tracing method, 445, 205

Liu, R.P.C. and Swenberg, M.-L. Autoradiographic localization of substance P ligand binding sites and distribution of immunoreactive neurons in the periaqueductal gray of the rat, 475, 73

Livett, B.G., see Khalil, Z., 459, 282 Livett, B.G., see Khalil, Z., 459, 289 Lloyd, H.G.E., Spence, I. and Johnston, G.A.R. Involvement of adenosine in synaptic depression induced by a brief period of hypoxia in isolated spinal cord of neonatal rat, 462, 391

Lloyd, S.A.C. and Dixson, A.F. Effects of hypothalamic lesions upon the sexual and social behaviour of the male common marmoset (Callithrix jacchus), 463, 317

Loewy, A.D., see Spencer, S.E., 458, 72

Loewy, A.D., see Strack, A.M., **455**, 187

Logan, T.C., see Geula, C., 442, 368 Loh, H.H., see Tao, P.-L., 462, 313 Lohman, A.H.M., see

Wouterlood, F.G., 463, 198 Lohmann, H., see Altmann, L., 455, 254

Lohof, A.M., see Matsumoto, R.R., 444, 67

Lombardi, G., Beni, M., Carla', V., Toffano, G. and Moroni, F. Differential actions of neurotrophic factors on lesion-induced damage of the serotonergic neurons projecting to the hippocampus, 458, 348

Lombardi, G., see Schettini, G., 439, 322

Lombet, A., Mourre, C. and Lazdunski, M. Interaction of insecticides of the pyrethroid family with specific binding sites on the

voltage-dependent sodium channel from mammalian brain, **459**, 44 Lombet, A., see Mourre, C., **448**, 128

Lonati-Galligani, M.

Hypothalamus, frontal cortex and lymphocyte β_2 -adrenergic receptors in acute and chronic starvation in rat, **442**, 329

Long, J.B., see Martinez-Arizala, A., 473, 385

Long, J.B., see Tortella, F.C., **456**, 139 Loopuijt, L.D., Sebens, J.B. and Korf,

Regional differences in reappearance of D₂-dopamine receptors in the rat caudate-putamen complex after irreversible inactivation, **456**, 263

Lopes da Silva, F.H., see Boeijinga, P.H., 448, 272 Lopes da Silva, F.H., see

Melchers, B.P.C., 454, 1 Lopez-Garcia, C. and Martinez-Guijarro, F.J. Neurons in the medial cortex give rise to Timm-positive boutons in the cerebral cortex of lizards, 463, 205

López-Barneo, J., see Montoro, R.J., 460, 168

Lorentz, M., Hedlund, B. and Århem, P.
Morphine activates calcium channels

in cloned mouse neuroblastoma cell lines, **445**, 157

Lorez, H.P., Frankenberg, M.v., Weskamp, G. and Otten, U. Effect of bilateral decortication on nerve growth factor content in basal nucleus and neostriatum of adult rat brain, 454, 355

Lossinsky, A.S., see Quinn, M.R., 445, 297

Lotshaw, D.P. and Levitan, I.B. Reciprocal modulation of calcium current by serotonin and dopamine in the identified *Aplysia* neuron R15, **439**, 64

Lou, J.-S. and Bloedel, J.R.
A study of cerebellar cortical
involvement in motor learning using
a new avoidance conditioning
paradigm involving limb movement,
445, 171

Loudes, C., Faivre-Bauman, A., Patte, C. and Tixier-Vidal, A. Involvement of DHP voltage-sensitive calcium channels and protein kinase C in thyroliberin (TRH) release by developing hypothalamic neurons in culture, 456, 324

Louilot, A., see Simon, H., 447, 335 Lovick, T.A. and Coote, J.H. Electrophysiological properties of paraventriculo-spinal neurones in

the rat, 454, 123 Lovick, T.A.

Convergent afferent inputs to neurones in nucleus paragigantocellularis lateralis in the cat, **456**, 183

Low, P.A., see Schmelzer, J.D.,

473, 321

Low, P.A., see Zochodne, D.W., **461**, 10

Lowe Jr., W.L., see Ota, A., 443, 1 Loy, R., see Koh, S., 440, 396 Lozhnikova, S.M., see Ryasina, T.V., 473, 153

Luabeya, M.A.K., see

Maloteaux, J.-M., 446, 321 Lucaites, V.L., see Mendelsohn, L.G., 458, 361

Lucchi, L., Moresco, R.M., Govoni, S. and Trabucchi, M. Effect of chronic ethanol treatment on dopamine receptor subtypes in

rat striatum, 449, 347 Luck, W., see Simmet, T., 456, 344 Lucki, I., see Doty, R.L., 444, 95 Lue, L.-F., see Dellmann, H.-D., 450, 181

Lugo-Garcia, N. and Kicliter, E.

Morphology of ganglion cells which
project to the dorsal lateral
geniculate and superior colliculus in
the ground squirrel, 454, 67

Lukic, D., see Miaskowski, C., 458, 137

Lummis, S.C.R., see Pinnock, R.D., **458**, 45

Lundborg, G., see Kanje, M., 475, 254 Lundborg, G., see Kanje, M., 439, 116 Lundqvist, H., see Leenders, K.L., 445, 61

Lupa, M.T.

Effects of an inhibitor of the synaptic vesicle acetylcholine transport system on quantal neurotransmitter release: an electrophysiological study, **461**, 118

Luttge, W.G. and Emadian, S.M. Further chemical differentiation of Type I and Type II adrenocorticosteroid receptors in mouse brain cytosol: evidence for a new class of glucocorticoid receptors, 453, 41

Luttge, W.G., see Chou, Y.-C., 440, 67 Luyendijk, W., see Coria, F., 463, 187 Lyeth, B.G., Dixon, C.E.,

Hamm, R.J., Jenkins, L.W., Young, H.F., Stonnington, H.H. and Hayes, R.L. Effects of anticholinergic treatment on transient behavioral suppression and physiological responses following concussive brain injury to

the rat, 448, 88
Lyeth, B.G., Dixon, C.E.,
Jenkins, L.W., Hamm, R.J.,
Alberico, A., Young, H.F.,
Stonnington, H.H. and Hayes, R.L.
Effects of scopolamine treatment on
long-term behavioral deficits
following concussive brain injury to
the rat, 452, 39

Lyeth, B.G., see Robinson, S.E., 445, 160

Lyeth, B.G., see Saija, A., **452**, 303 Lynch, G., see Larson, J., **441**, 111 Lynch, G., see Seubert, P., **459**, 226 Lynch, G., see Seubert, P., **460**, 189

Lynch, G., see Staubli, U., 444, 153

Lynch, G., see Ivy, G., 459, 233 Lyon, R.A., see Glick, S.D., 455, 43 Lyons, W.E., see Fritschy, J.-M., 473, 261 Lysko, P.G., see Novelli, A., 451, 205 Lyudkovskaya, I.G., see Ryasina, T.V.,

M

473, 153

MacDonald, J.F., see Pennefather, P.S., 444, 346 Macdonald, R.L., see De Deyn, P.P., 449, 54

Macefield, F., see Jenkins, H.G., 459, 145

439, 145 Machado, B.H., see Menani, J.V., 446, 295

MacIntyre, I., see Yamano, M., 451, 179

Macioce, P., Hässig, R., Tavitian, B. and Di Giamberardino, L. Axonal transport of the molecular forms of acetylcholinesterase in rats at the onset of diabetes induced by streptozotocin, 438, 291

MacKay, W.A.
Unit activity in the cerebellar nuclei related to arm reaching movements, 442, 240

Mackel, R. and Noda, T.
Sensory input to cerebellocerebral relay neurons in the cat thalamus, 440, 348

MacKenzie, E.T., see Cudennec, A., 444, 214

MacKenzie, E.T., see Cudennec, A., 444, 227 MacKenzie, E.T., see Dubois, A.,

445, 77 MacKenzie, F.J., James, M.D. and Wilson, C.A.

Changes in dopamine activity in the zona incerta (ZI) over the rat oestrous cycle and the effect of lesions of the ZI on cyclicity: further evidence that the incerto-hypothalamic tract has a stimulatory role in the control of LH

release, 444, 75 Macklin, W.B., see LeVine, S.M., 444, 199

Macklis, J.D., see Madison, R.D., 445, 101

MacLean, B., see Welner, S.A., 463, 192

MacLean, D.B., Lewis, S.F. and Wheeler, F.B. Substance P content in cultured neonatal rat vagal sensory neurons: the effect of nerve growth factor, 457, 53

MacLean, P.D. and Newman, J.D.
Role of midline frontolimbic cortex
in production of the isolation call of

squirrel monkeys, 450, 111 MacLennan, A.J., see Radke, J.M., 445, 55

MacLusky, N.J., Naftolin, F. and Leranth, C. Immunocytochemical evidence for direct synaptic connections between corticotrophin-releasing factor (CRF) and gonadotrophin-releasing hormone (GnRH)- containing neurons in the preoptic area of the rat, 439, 391

MacLusky, N.J., see Leranth, C., 449, 167

Macrae, I.M. and Reid, J.L. Cardiovascular significance of neuropeptide Y in the caudal ventrolateral medulla of the rat. 456, 1

MacRae, P.G., Spirduso, W.W. and Wilcox, R.E. Reaction time and nigrostriatal dopamine function: the effects of

age and practice, 451, 139 Macron, J.-M., see Marlot, D., **450**, 373

MacVicar, B., see Walz, W., 443, 321 Maddaluno, J.F., see Faull, K.F., **450**, 225

Maderdrut, J.L., Oppenheim, R.W. and Prevette, D. Enhancement of naturally occurring cell death in the sympathetic and parasympathetic ganglia of the chicken embryo following blockade of ganglionic transmission, 444, 189

Maderdrut, J.L., see

Merchenthaler, I., 452, 87 Maderspach, K. and Solomonia, R. Glial and neuronal opioid receptors: apparent positive cooperativity observed in intact cultured cells, 441, 41

Madison, D.V. and Nicoll, R.A. Norepinephrine decreases synaptic inhibition in the rat hippocampus, 442, 131

Madison, R.D., Da Silva, C.F. and Dikkes, P. Entubulation repair with protein additives increases the maximum nerve gap distance successfully bridged with tubular prostheses, **447**, 325

Madison, R.D., Macklis, J.D. and Frosch, M.P. Non-invasive laser microsurgery selectively damages populations of labeled mouse neurons: dependence on incident laser dose and absorption, 445, 101

Madl, J.E., Clements, J.R., Beitz, A.J., Wenthold, R.J. and Larson, A.A. Immunocytochemical localization of glutamate dehydrogenase in mitochondria of the cerebellum: an ultrastructural study using a monoclonal antibody, 452, 396

Maeda, H., Maki, S. and Uchimura, H. Facilitatory effects of caerulein on hypothalamic defensive attack in cats, 459, 351

Maehashi, H., see Hattori, T., 473, 157 Magariños-Ascone, C., Buño Jr., W. and García-Austt, E. Monkey pulvinar units related to motor activity and sensory response, 445, 30

Maggi, C.A., Santicioli, P., Borsini, F., Giuliani, S., Conte, B., Lecci, A. and Meli, A. The effect of 4-aminopyridine on micturition reflex in normal or capsaicin-desensitized rats. 449, 61

Maidment, N.T., see Yeomans, J.S., **450**, 86

Maillet, S., see Calvino, B., 460, 389 Mailleux, P. and Vanderhaeghen, J.-J. Transient neurotensin in the human inferior olive during development, 456, 199

Maisonneuve, I.M., see Glick, S.D., 473, 161

Majchrowicz, E., see Eckardt, M.J., 444, 53

Makara, G.B., see Kovács, K.J., 474, 205

Maki, S., see Maeda, H., 459, 351 Makman, M.H., Dvorkin, B. and Crain, S.M. Modulation of adenylate cyclase activity of mouse spinal cord-ganglion explants by opioids, serotonin and pertussis toxin, 445, 303

Makman, M.H., see Cubells, J.F., **458**, 82

Malatynska, E., Serra, M., Ikeda, M., Biggio, G. and Yamamura, H.I. Modulation of GABA-stimulated chloride influx by β -carbolines in rat brain membrane vesicles, 443, 395 Malchow, R.P. and Yazulla, S.

Light adaptation of rod and cone luminosity horizontal cells of the retina of the goldfish, 443, 222

Maley, B.E. and Panneton, W.M. Enkephalin-immunoreactive neurons in the nucleus tractus solitarius project to the parabrachial nucleus of the cat, 442, 340

Malkinson, T.J., see Martin, S.M., 455, 196

Malkinson, T.J., see Martin, S.M., 457, 192

Maloteaux, J.-M., Luabeya, M.A.K., Vanisberg, M.-A., Laterre, E.C., Laduron, P.-M., Javoy-Agid, F. and Benzodiazepine receptors in normal human brain, in Parkinson's disease and in progressive supranuclear

palsy, 446, 321 Malouf, A.T., see Murphy, T.H., 444, 325

Mamounas, L.A., see Blue, M.E., 453, 315

Manabe, M., see Yamada, H., 455, 283 Manabe, M., see Ezure, K., 455, 262 Manceau, V., see Weil-Fugazza, J., 444, 374

Manis, P.B., see Langdon, R.B.,

441, 299

Mann, D.M.A., see Simpson, M.D.C., 462, 76

Mantyh, C.R., see Kruger, L., 463, 223

Mantyh, P.W., see Kruger, L., 463, 223 Manzoni, T., see Conti, F., 462, 148 Manzoni, T., see Defelipe, J., 455, 162 Marchand, C.R., see Le Gall, S., 462, 83

Marcoux, F.W., Goodrich, J.E. and Dominick, M.A. Ketamine prevents ischemic neuronal injury, 452, 329

Marcusson, J. and Eriksson, K. [3H]GBR-12935 binding to dopamine uptake sites in the human brain, 457, 122

Marek, P., Yirmiya, R. and Liebeskind, J.C. Strain differences in the magnitude of swimming-induced analgesia in mice correlate with brain opiate receptor concentration, 447, 188

Marescau, B., see De Deyn, P.P., 449, 54

Marescaux, C., see Depaulis, A., 448, 20

Marfurt, C.F., see Turner, D.F., 452, 381

Margolis, F.L., see Baker, H., 450, 69 Mariani, A.P., see Hokoç, J.N., 461, 17

Mariash, S.A., see Glenn, L.L., 439, 396

Marietta, C.A., see Eckardt, M.J., 444, 53

Marín, J., see

Fernández-Alfonso, M.S., 474, 147 Marino, A., see Schettini, G., 439, 322 Mark, G.P., Scott, T.R.,

Chang, F.-C.T. and Grill, H.J. Taste responses in the nucleus tractus solitarius of the chronic decerebrate rat, 443, 137

Markham, J.A., see Scheetz, A.J., 460, 246

Marks, S.S., see Carpenter, C.L., 439, 372

Marley, P.D., see Khalil, Z., 459, 282 Marley, P.D., see Khalil, Z., 459, 289 Marlot, D., Macron, J.-M. and Duron,

Effects of ipsilateral and contralateral cervical phrenic afferents stimulation on phrenic motor unit activity in the cat, 450, 373

Marrannes, R., Willems, R., De Prins, E. and Wauquier, A. Evidence for a role of the N-methyl-D-aspartate (NMDA) receptor in cortical spreading depression in the rat, 457, 226

Marsden, C.A., see Fone, K.C.F., 455, 157

Marsden, C.A., see Fone, K.C.F., **460**, 22

Marshall, J.F., see O'Dell, S.J., **460**, 402

Martelly, I. and Gautron, J. Differential expression of acetylcholinesterase molecular forms in neural retina and retinal pigmented epithelium during chick development, **460**, 205

Martin, D.C., Watkins, C.A., Adams, R.J. and Nason, L.A. Anesthetic effects on 5-hydroxytryptamine uptake by rat brain synaptosomes, 455, 360

Martin, J., see Jenkins, H.G., **462**, 265 Martin, J.B., see Beal, M.F., **454**, 393

Martin, J.M., Liles, W.C. and
Nathanson, N.M.
Modification of neuronal muscarinic
receptor-mediated responses by
islet-activating protein, 454, 370
Martin, L.J., see Koliatsos, V.E.,

463, 133

Martin, M.L. and Regan, C.M.

The anticonvulsant sodium valproate specifically induces the expression of a rat glial heat shock protein which is identified as the collagen type IV receptor, 459, 131

Martin, S.M., Malkinson, T.J.,
Bauce, L.G., Veale, W.L. and
Pittman, Q.J.
Plasma catecholamines in conscious
rabbits after central administration

of vasopressin, 457, 192
Martin, S.M., Malkinson, T.J.,
Veale, W.L. and Pittman, Q.J.
Prostaglandin fever in rats is altered
by kainic acid lesions of the ventral
septal area, 455, 196

Martin del Río, R., see Herreras, O., 461, 290

Martín del Río, R., see Herreras, O., 461, 303

Martinez, E., see Ikeda, M., **459**, 344 Martinez Jr., J.L. and Koda, L. Penetration of fluorescein into the

Penetration of fluorescein into the brain: a sex difference, **450**, 81 Martinez-Arizala, A., Long, J.B. and

Holaday, J.W.
TRH fails to antagonize the acute paralytic effects of intrathecal dynorphin A and substance P antagonists in the rat, 473, 385

Martinez-Guijarro, F.J., see Lopez-Garcia, C., 463, 205

Martinez-Murillo, R., see Alvarez, F.J., 442, 391

Martinez-Murillo, R., Semenenko, F. and Cuello, A.C.
The origin of tyrosine hydroxylase-immunoreactive fibers in the regions of the nucleus basalis magnocellularis of the rat, 451, 227 Martínez, I., see Motles, E., 473, 65

Martínez-Murillo, R., see
Villalba R M 462 359

Villalba, R.M., **462**, 359 Martini, M., see Rossi, M.L., **452**, 312 Marubio, L.M., see Strack, A.M., **455**, 187

Marui, T., Caprio, J., Kiyohara, S. and Kasahara, Y.
Topographical organization of taste and tactile neurons in the facial lobe of the sea catfish, *Plotosus lineatus*, 446, 178

Mascetti, G.G. and Strozzi, L.

Visual cells in the inferior colliculus of the cat, 442, 387

Mason, S.E., see Abraham, W.C., 462, 40

Massarini, A., see Asai, M., 442, 81 Massi, M., Perfumi, M., De Caro, G. and Epstein, A.N. Inhibitory effect of kassinin on salt intake induced by different natriorexigenic treatments in the rat, 440, 232

Mata, M. and Fink, D.J.

Calmodulin distribution in peripheral nerve: an EM immunocytochemical study, 475, 297

Mata, M., Staple, J. and Fink, D.J. Cytochemical localization of Ca²⁺-ATPase activity in peripheral nerve, **445**, 47

Math, F., Khayari, A. and Davrainville, J.L. Influence of GABA, baclofen and bicuculline on the extracellular K⁺ activity in the olfactory bulb of the developing rat, **461**, 384

Math, F., see Khayari, A., **457**, 188 Mathiasen, J.R., see Raffa, R.B., **447**, 393

Matloub, H.S., see Riley, D.A., 453, 79

Mato, M., see Nishimura, Y., **440**, 144 Matsuda, T., see Nakashima, T., **454**, 361

Matsuda, Y., see Fujimura, K., 475, 177

Matsuda, H., see Sano, N., **455**, 324 Matsuda, S., see Sano, N., **455**, 324 Matsumoto, A.M., see

Alexander, M.J., 445, 247
Matsumoto, M., see Kato, T., 438, 277
Matsumoto, R.R., Lohof, A.M.,
Patrick, R.L. and Walker, J.M.
Dopamine-independent motor
behavior following microinjection of
rimorphin in the substantia nigra,
444, 67

Matsumura, H., Goh, Y., Ueno, R., Sakai, T. and Hayaishi, O. Awaking effect of PGE₂ microinjected into the preoptic area of rats, 444, 265

Matsumura, K., see Imai-Matsumura, K., 445, 193 Matsunaga, T., see Tanaka, M., 447, 175

Matsuo, R., see Yamamoto, T., 451, 147

Matsushima, R., see Tashiro, T., 440, 357

Matsushita, A., see Kawasaki, K., 461, 282

Matsuyama, K., Ohta, Y. and Mori, S. Ascending and descending projections of the nucleus reticularis gigantocellularis in the cat demonstrated by the anterograde neural tracer, *Phaseolus vulgaris* leucoagglutinin (PHA-L), 460, 124

Matthies, H., see Frey, U., **452**, 57 Matthies, H., see Reymann, K.G., **440**, 305

Matthies, H., see Reymann, K.G.,

461, 388

Matthijssen, M.A.H., see Kalsbeek, A., 475, 80

Matute, C., see Braun, K., 475, 205 Matwyshyn, G.A., see

Bhargava, H.N., **440**, 333

Mauk, M.D., see Hiner, B.C., **461**, 1 Mayer, D.J., see Bossut, D., **455**, 232 Mayer, D.J., see Bossut, D., **455**, 247 Mayer, D.J., see Frenk, H., **455**, 223

Mayer, D.J., see Frenk, H., **455**, 240 Mayfield, D., see Wilcox, R.E., **443**, 190 Mayo, W., Kharouby, M., Le

Mayo, W., Kharouby, M., Le Moal, M. and Simon, H. Memory disturbances following ibotenic acid injections in the nucleus basalis magnocellularis of the rat, 455, 213

Mayo, W., see Baud, P., 452, 203
Maysinger, D., Herrera-Marschitz, M.,
Carlsson, A., Garofalo, L.,
Cuello, A.C. and Ungerstedt, U.
Striatal and cortical acetylcholine
release in vivo in rats with unilateral
decortication: effects of treatment
with monosialoganglioside GM1,
461, 355

Mazzuca, M., see Beauvillain, J.C., 443, 315

McAtee, S.J., see Schmidt, R.E., **460**, 214

McBride, C.S., see Sirinathsinghji, D.J.S., **443**, 101

McCabe, P.M., see Haselton, J.R., 453, 167

McCabe, P.M., see Haselton, J.R., **453**, 176

McCall, M.A., see Spear, P.D., 447, 79 McCall, M.A., Tong, L. and Spear, P.D. Development of neuronal responses in cat posteromedial lateral

suprasylvian visual cortex, 447, 67 McCall, R.D., see Renehan, W.E., 462, 396

McCann, L.A., see Gordon, F.J., 457, 251

McCarley, R.W., see Mitani, A., 451, 397

McClellan, A.D.

Brainstem command systems for locomotion in the lamprey: localization of descending pathways in the spinal cord, **457**, 338

McClellan, A.D.
Functional regeneration of
descending brainstem command
pathways for locomotion
demonstrated in the in vitro lamprey
CNS, 448, 339

McClung, J.R., see Goldberg, S.J., 443, 350

McCrohan, C.R. and Gillette, R. Cyclic AMP-stimulated sodium current in identified feeding neurons of *Lymnaea stagnalis*, 438, 115

McCrohan, C.R. and Gillette, R. Enhancement of cyclic AMP-dependent sodium current by the convulsant drug pentylenetetrazol, **452**, 21

McCulloch, J., see Pratt, J.A., 475, 218 McDonald, J.K., Han, C., Noe, B.D. and Abel, P.W. High levels of NPY in rabbit cerebrospinal fluid and immunohistochemical analysis of possible sources, 463, 259

McDonald, J.K., see Abel, P.W., 463, 250

McDonald, J.W., Silverstein, F.S. and Johnston, M.V.
Neurotoxicity of N-methylp-aspartate is markedly enhanced in developing rat central nervous system, 459, 200

McÉwen, B.S., see Johnson, A.E., 442, 205

McEwen, B.S., see Walters, M.J., 459, 37

McFarland, D.J., see Seegal, R.F., 445, 234

McGaugh, J.L., Introini-Collison, I.B. and Nagahara, A.H. Memory-enhancing effects of posttraining naloxone: involvement of β-noradrenergic influences in the amygdaloid complex, 446, 37

McGeer, E.G., see Beach, T.G., 463, 357

McGeer, E.G., see Mizukawa, K., 452, 286

McGeer, E.G., see Mizukawa, K., 461, 274

McGeer, E.G., see O'Kusky, J.R., 439, 138

McGeer, P.L., see Araki, M., **441**, 319 McGeer, P.L., see Mizukawa, K., **452**, 286

McGeer, P.L., see Mizukawa, K., 461, 274

McGinty, J.F., see Frederickson, C.J., 446, 383

McGlinn, A.M., see Stone, R.A., 475, 389

McIntosh, T.K., see Vink, R., **460**, 184 McKelvy, J.F., see La Gamma, E.F., **441**, 292

McKenzie, J.C., see Turner, B.H., 473, 60

McKillop, J.M., Foy, W.L.,
Johnston, C.F., Shaw, C.,
Murphy, R.F. and Buchanan, K.D.
Gastrin-releasing peptide (GRP)
immunoreactivity in the rat retina: a
radioimmunoassay,
immunohistochemical and
chromatographic study, 447, 239
McKinney, M., see Anderson, D.J.,

McKinney, M., see Anderson, D.J., 475, 28

McLamb, R.L., see Tandon, P., 473, 241

McLamb, R.L., see Tilson, H.A., 438, 83

McLaughlin, P.J., see Zagon, I.S., 449, 80

McLellan, C.A., see Singhaniyom, W., 453, 393

McMaster, S.E., see Harvey, J.A., 449, 213

McNamara, J.O., see Bonhaus, D.W., 438, 391 McNamara, J.O., see Bragdon, A.C., **453**, 257

McNamara, J.O., see Hosford, D.A., 462, 205

McNeill, T.H., Brown, S.A., Rafols, J.A. and Shoulson, I. Atrophy of medium spiny I striatal dendrites in advanced Parkinson's disease, 455, 148

McNeill, T.H., see Unger, J.W., 452, 293

McRae-Degueurce, A., see Cudennec, A., 444, 214 Meana, J.J., see Pazos, A., 475, 361 Meaney, M.J., see Sapolsky, R.M., 448, 182

Meaney, M.J., see Sarrieau, A., 442, 157

Meaney, M.J., Viau, V., Aitken, D.H. and Bhatnagar, S. Stress-induced occupancy and translocation of hippocampal glucocorticoid receptors, 445, 198

Meeley, M.P., see Ernsberger, P., 441, 309

Meelis, W., see Lammers, J.H.C.M., 449, 294

Meelis, W., see Lammers, J.H.C.M., 449, 311

Meese, C.O., see Paschen, W., 453, 9 Mefford, J.N., Roth, K.A., Agren, H. and Barchas, J.D. Enhancement of dopamine metabolism in rat brain frontal cortex: a common effect of chronically administered

antipsychotic drugs, 475, 380
Mehmanesh, H., Almeida, O.F.X.,
Nikolarakis, K.E. and Herz, A.
Hypothalamic LH-RH release after
acute and chronic treatment with
morphine studied in a combined in
vivo/in vitro model, 451, 69

Mehta, A.K. and Ticku, M.K.
Developmental aspects of
benzodiazepine receptors and
GABA-gated chloride channels in
primary cultures of spinal cord
neurons, 454, 156

Mei, L., Yamamura, H.I. and Roeske, W.R. Muscarinic receptor-mediated hydrolysis of phosphatidylinositols in human neuroblastoma (SH-SY5Y) cells is sensitive to pertussis toxin, 447, 360

Meininger, V., see Binet, S., **450**, 231 Meisel, R.L. and Pfaff, D.W. Progesterone effects on sexual behavior and neuronal ultrastructure in female rats, **463**, 153

Meiselman, S., see Nagy, Z., **440**, 315 Melamed, M.R., see Rettig, W.J., **438**, 315

Mélan, C., see Ungerer, A., 446, 205
Melchers, B.P.C., Pennartz, C.M.A.,
Wadman, W.J. and Lopes da
Silva, F.H.
Quantitative correlation between
tetanus-induced decreases in
extracellular calcium and LTP,
454, 1

Meli, A., see Maggi, C.A., 449, 61

Mellow, A.M., see Sills, M.A., 453, 385

Mellström, A., see Berthold, C.-H., **456**, 293

Memo, M., see Pizzi, M., **456**, 235 Mena, E.E., see Lasher, R.S., **452**, 184 Menaker, M., see Brainard, G.C., **454**, 212

Menani, J.V., Machado, B.H., Krieger, E.M. and Salgado, H.C. Tachycardia during the onset of one-kidney, one-clip renal hypertension: role of the renin-angiotensin system and AV3V tissue, 446, 295

Mendell, L.M., see Collins, III, W.F., 442, 161

Mendelsohn, L.G., see Smith, M., 445, 241

Mendelsohn, L.G., Smith, M.C., Lucaites, V.L., Kerchner, G.A. and Ghetti, B. Autoradiographic localization of insulin-like growth factor II receptors in cerebellar cortex of weaver and Purkinje cell

degeneration mutant mice, **458**, 361 Meneguz, A., see Bisso, G.M., **449**, 391

Menendez-Pelaez, A., see Gonzalez-Brito, A., 475, 393 Menichini, E., see Grassi Zucconi, G.,

447, 253 Menini, C., see Brailowsky, S., 442, 175

Meola, G., see Scarpini, E., 440, 261 Merali, Z., see De la Torre, J.C., 442, 297

Merchenthaler, I., Maderdrut, J.L., Weber, E. and Petrusz, P. Characterization of metorphamide-like immunoreactivity in the zona incerta and lateral hypothalamus: co-localization with α-melanocyte-stimulating hormone-like immunoreactivity, 452, 87

Mercuri, N.B., Calabresi, P. and Bernardi, G. Potassium ions play a role in the glycine-induced inhibition of rat substantia nigra zona compacta neurones, 462, 199

Meredith, M.A., see Stein, B.E., 448, 355

Meshul, C.K. and Seil, F.J.

Transplanted astrocytes reduce synaptic density in the neuropil of cerebellar cultures, 441, 23

Messier, J.P., see Peyronnard, J.M., 443, 295

Messing, R.B., see Gerbec, E.N., 460, 346

Mesulam, M.M., see Mufson, E.J., 453, 117

Metz, R., see Wanet-Defalque, M.-C., 446, 369

Meucci, O., see Schettini, G., 439, 322 Meyer, D.K., Schultheiss, K. and Hardung, M. Bilateral ablation of frontal cortex reduces concentration of cholecystokinin-like immunoreactivity in rat dorsolateral striatum, **452**, 113

Meyer, E.M., see Mouton, P.R., 444, 104

Meyer, R.A. and Campbell, J.N. A novel electrophysiological technique for locating cutaneous nociceptive and chemospecific receptors, 441, 81

Meyer, R.A., Campbell, J.N. and Raja, S.N.

Antidromic nerve stimulation in monkey does not sensitize unmyelinated nociceptors to heat, 441, 168

Meyer-Lohmann, J., see Kuipers, U., 462, 154

Meyers, D.E.R., see Lev-Tov, A., 438, 328

Meyerson, B.J., Höglund, U., Johansson, C., Blomqvist, A. and Ericson, H. Neonatal vasopressin antagonist treatment facilitates adult copulatory behavior in female rats and increases hypothalamic vasopressin content, 473, 344

Miaskowski, C., Ong, G.L., Lukic, D. and Haldar, J.
Immobilization stress affects oxytocin and vasopressin levels in hypothalamic and extrahypothalamic sites, 458, 137

Micevych, P.E., see Akesson, T.R., 451, 381

Michael, R.P., see Rees, H.D., 452, 28 Michaelis, M.L., Johe, K.K., Moghadam, B. and Adams, R.N. Studies on the ionic mechanism for the neuromodulatory actions of adenosine in the brain, 473, 249

Michalek, H., see Bisso, G.M., 449, 391

Michel, C., see Wanet-Defalque, M.-C., 446, 369 Michel, M.E., see Garris, D.R., 445, 262

Michele, J.J., see Coyer, P.E., **441**, 145 Mickle, J.P., see Yates, B.J., **451**, 285

Mignot, E., Guilleminault, C., Bowersox, S., Rappaport, A. and Dement, W.C.

Effect of α_1 -adrenoceptors blockade with prazosin in canine narcolepsy, 444, 184

444, 184 Miki, N., see Kuo, C.-H., 442, 147 Mikoshiba, K., see Inoue, Y., 449, 271 Miletic, V. and Tan, H.

Iontophoretic application of calcitonin gene-related peptide produces a slow and prolonged excitation of neurons in the cat lumbar dorsal horn, **446**, 169

Miljanich, G.P., see Ahmad, S.N., 453, 247

Millan, M.J. and Morris, B.J.

Long-term blockade of μ-opioid receptors suggests a role in control of ingestive behaviour, body weight and core temperature in the rat,

450, 247

Millar, J., see Stamford, J.A., 448, 381 Millar, J., see Stamford, J.A., 454, 282 Millar, T.J., Winder, C., Ishimoto, I. and Morgan, I.G. Putative serotonergic bipolar and amacrine cells in the chicken retina, 439, 77

Millard, W., see Mouton, P.R., 444, 104

Miller, A.D., Lakos, S.F. and Tan, L.K.
Central motor program for relaxation of periesophageal diaphragm during the expulsive phase of vomiting, 456, 367

Miller, B.D. and Felder, R.B. Excitatory amino acid receptors intrinsic to synaptic transmission in nucleus tractus solitarii, **456**, 333

Miller, D.B.

Restraint-induced analgesia in the CD-1 mouse: interactions with morphine and time of day, 473, 327

Miller, J.A., Curella, P. and Zahniser, N.R. A new densitometric procedure to measure protein levels in tissue slices used in quantitative autoradiography, 447, 60

Miller, L.G., Greenblatt, D.J.,
Barnhill, J.G., Thompson, M.L.
and Shaderh, R.I.
Modulation of benzodiazepine
receptor binding in mouse brain by
adrenalectomy and steroid
replacement, 446, 314

Miller, L.S., see Brainard, G.C., 454, 212

Miller, M.W. and Dow-Edwards, D.L. Structural and metabolic alterations in rat cerebral cortex induced by prenatal exposure to ethanol, 474, 316

Miller, M.W. and Nowakowski, R.S. Use of bromodeoxyuridineimmunohistochemistry to examine the proliferation, migration and time of origin of cells in the central nervous system, **457**, 44

Millhorn, D.E., Hökfelt, T., Seroogy, K. and Verhofstad, A.A.J. Extent of colocalization of serotonin and GABA in neurons of the ventral medulla oblongata in rat, 461, 169

Milner, K.L. and Mogenson, G.J. Electrical and chemical activation of the mesencephalic and subthalamic locomotor regions in freely moving rats, 452, 273

Milner, P., see Dhital, K.K., 444, 33
Milner, T.A., Morrison, S.F.,
Abate, C. and Reis, D.J.
Phenylethanolamine
N-methyltransferase-containing
terminals synapse directly on
sympathetic preganglionic neurons
in the rat, 448, 205

Milner, T.A., see Arnerić, S.P., 454, 11 Mimura, K.

Cytochrome oxidase histochemistry

in the effect of light deprivation on the fly visual system, 445, 228 Minami, M., see Ohno, H., 474, 197

Minami, M., see Ohno, H., 474, 197 Minami, S., see Sugihara, H., 475, 128 Minami, T., Oomura, Y., Nabekura, J. and Fukuda, A. Direct effects of

3,4-dihydroxybutanoic acid γ -lactone and 2,4,5-trihydroxypentanoic acid γ -lactone on lateral and ventromedial hypothalamic neurons, **462**, 258

Minc-Golomb, D., Eimerl, S., Levy, Y. and Schramm, M. Release of D-[³H]aspartate and [¹⁴C]GABA in rat hippocampus slices: effects of fatty acid-free bovine serum albumin and Ca²⁺

withdrawal, 457, 205
Mione, M.C., Dhital, K.K.,
Amenta, F. and Burnstock, G.
An increase in the expression of
neuropeptidergic vasodilator, but
not vasoconstrictor, cerebrovascular
nerves in aging rats, 460, 103

Mirmiran, M., Kruisbrink, J., Bos, N.P.A., Van der Werf, D. and Boer, G.J. Decrease of rapid-eye-movement sleep in the light by intraventricular application of a VIP-antagonist in the rat, 458, 192

Mirsky, R., see Bannerman, P.G.C., 440, 87

Mirsky, R., see Bannerman, P.G.C., 440, 99

Miserez, B., see Bastiaensen, E., 442, 124

Mitani, A., Ito, K., Hallanger, A.E., Wainer, B.H., Kataoka, K. and McCarley, R.W. Cholinergic projections from the laterodorsal and pedunculopontine tegmental nuclei to the pontine gigantocellular tegmental field in the cat. 451, 397

Mitchell, R., see El-Yassir, N., 456, 147

Mitchell, C.K. and Redburn, D.A. AP4 inhibits chloride-dependent binding and uptake of [³H]glutamate in rabbit retina, 459, 298

Mitchell, I.J., Redgrave, P. and Dean, P.

Plasticity of behavioural response to repeated injection of glutamate in cuneiform area of rat, **460**, 394 Mitchell, R., see

Fleetwood-Walker, S.M., **451**, 213 Mitchell, V., see Beauvillain, J.C.,

443, 315 Mitsuhiro, Y., see Shigenaga, Y., 445, 392

Mitsuhiro, Y., see Shigenaga, Y., 448, 331

Mitsuhiro, Y., see Shigenaga, Y., 461, 143

Mitsuhiro, Y., see Shigenaga, Y., 461, 238

Mitsuma, T., see Sobue, G., 474, 287 Miura, M. and Takayama, K. The site of the origin of the so-called fastigial pressor response, 473, 352

Miyake, T., Hattori, T., Fukuda, M., Kitamura, T. and Fujita, S. Quantitative studies on proliferative changes of reactive astrocytes in mouse cerebral cortex, **451**, 133

Miyamoto, Y., see Kawahara, K., **473**, 81

Miyamoto, Y., see Kawahara, K., 474, 403

Miyamoto, T., Okada, Y. and Sato, T. Membrane properties of isolated frog taste cells: three types of responsivity to electrical stimulation, 449, 369

Miyamoto, T., see Okada, Y., **450**, 295 Miyauchi, T., Dworkin, S.I., Co, C. and Smith, J.E. Specific effects of punishment on

biogenic monoamine turnover in discrete rat brain regions, **454**, 40

Miyazaki, M., see Okuda, C., 474, 399 Mizobe, F., see Mochida, S., 455, 9 Mizobe, K., Itoi, M., Kaihara, T. and

Toyama, K.
Neuronal responsiveness in area 21a

of the cat, **438**, 307 Mizobe, T., see Okuda, C., **474**, 399 Mizukawa, K., McGeer, P.L.,

Vincent, S.R. and McGeer, E.G. Ultrastructure of reduced nicotinamide adenine dinucleotide phosphate (NADPH) diaphorase-positive neurons in the cat cerebral cortex, amygdala and caudate nucleus, 452, 286

Mizukawa, K., Vincent, S.R.,
McGeer, P.L. and McGeer, E.G.
Reduced nicotinamide adenine
dinucleotide phosphate
(NADPH)-diaphorase-positive
neurons in cat cerebral white

matter, 461, 274 Mizuno, N., see Ino, T., 460, 173 Mizuno, N., see Kaneko, T., 457, 160 Mizuno, N., see Sugimoto, T., 439, 147

Mizuno, N., see Suginioto, I., 439, 187 Mizuno, N., see Uemura, Y., 448, 98 Moal M.L. see Simon H. 447, 335

Moal, M.L., see Simon, H., 447, 335 Mobbs, P., Brew, H. and Attwell, D. A quantitative analysis of glial cell coupling in the retina of the axolotl (Ambystoma mexicanum), 460, 235

Mochida, S., see Libet, B., 473, 271
Mochida, S., Mizobe, F., Fisher, A.,
Kawanishi, G. and Kobayashi, H.
Dual synaptic effects of activating
M₁-muscarinic receptors, in superior
cervical ganglia of rabbits, 455, 9

Moe, K.E., see King, S.J., 448, 140 Moed, P.J., see Brussaard, A.B.,

Mogensen, J., see Divac, I., 444, 371 Mogenson, G.J., see Brudzynski, S.M., 451, 119

Mogenson, G.J., see Milner, K.L., 452, 273

Moghadam, B., see Michaelis, M.L., 473, 249

Mola, L., see Benedetti, I., 449, 373 Moll, C., see Mourre, C., 448, 128 Molliver, M.E., see Blue, M.E., 453, 315

Molliver, M.E., see Fritschy, J.-M., 473, 261

Möller, P., see Hebebrand, J., 446, 251 Molnár, J., see Bánky, Z., 445, 222 Molony, V., see

Fleetwood-Walker, S.M., **451**, 213 Molotchnikoff, S., Cérat, A. and

Casanova, C.
Influences of cortico-pretectal fibers on responses of rat pretectal neurons, 446, 67

Monahan, J.B., see Thomas, J.W., 442, 396

Mons, N., Danel, N. and Geffard, M. Visualization of L-dihydroxy-phenylalanine in rat brain by using specific antibodies, **451**, 403

Montanaro, N., see Gandolfi, O., 455, 390

Monteleone, P., see Iovino, M., 447, 178

Montenegro, J., see

Pasantes-Morales, H., **459**, 120

Monti Graziadei, A.G. and Morrison, E.E. Experimental studies on the olfactory marker protein. IV. Olfactory marker protein in the olfactory neurons transplanted within the brain, 455, 401

Montiel, C., see Cárdenas, A.M., 456, 364

Montoro, R.J., López-Barneo, J. and Jassik-Gerschenfeld, D. Differential burst firing modes in neurons of the mammalian visual cortex in vitro, **460**, 168

Monyer, H. and Choi, D.W. Morphinans attenuate cortical neuronal injury induced by glucose deprivation in vitro, **446**, 144

Mooradian, A.D.
Blood-brain barrier transport of choline is reduced in the aged rat, 440, 328

Moore, G.H., see Riley, D.A., 453, 79 Moore, R.Y. and Sibony, P. Enkephalin-like immunoreactivity in neurons in the human pineal gland,

457, 395 Moore, R.Y., see Johnson, R.F., **460**, 297

Moore, R.Y., see Johnson, R.F., 462, 301

Moore, R.Y., see Shibata, S., 438, 374 Moran, T.H., see Deckel, A.W.,

474, 27 Moran, T.H., see Deckel, A.W., 474, 39

Moran, T.H., see Starkstein, S.E., 473, 74

Morán, J., see Pasantes-Morales, H., 459, 120

Morassutti, D., see De la Torre, J.C., 442, 297

Moratalla, R., Vallejo, M. and Lightman, S.L. Vasopressin stimulates inositol phospholipid metabolism in rat medulla oblongata in vivo, **450**, 398 Morello, H. and Taleisnik, S.
The inhibition of proestrous LH
surge and ovulation in rats bearing
lesions of the dorsal raphe nucleus is
mediated by the locus coeruleus,
440, 227

Moresco, R.M., see Lucchi, L., 449, 347

Moretto, A. and Sabri, M.I.

Progressive deficits in retrograde
axon transport precede degeneration
of motor axons in acrylamide
neuropathy, 440, 18

Morgan, I.G., see Millar, T.J., 439, 77 Morgan, P.J., Williams, L.M., Lawson, W. and Riddoch, G. Adrenergic and VIP stimulation of cyclic AMP accumulation in ovine

pineals, **447**, 279 Mori, A., see Hiramatsu, M., **455**, 38 Mori, S., see Matsuyama, K., **460**, 124 Mori, K., see Ono, K., **475**, 182

Mori-Okamoto, J. and Tatsuno, J. Effects of noradrenaline on the responsiveness of cultured cerebellar neurons to excitatory amino acids, 448, 259

Morigiwa, K., see Sawai, H., **455**, 394 Moriizumi, T., see Kudo, M., **463**, 352 Moriizumi, T., see Tokuno, H., **474**, 390

Morimoto, A., Watanabe, T., Sakata, Y. and Murakami, N. Leukocytosis induced by microinjection of endogenous pyrogen or interleukin-1 into the preoptic and anterior hypothalamus, 475, 345

Morimoto, K., see Sato, K., 463, 12 Morin, L.P., see Johnson, R.F., 460, 297

Morin, L.P., see Johnson, R.F., 462, 301 Morita, Y., see Kuo, C.-H., 442, 147

Moriwaki, A., Hattori, Y., Yasuhara, H. and Hori, Y. Lateral difference in responsiveness of norepinephrine-sensitive cyclic AMP-generating systems of rat cerebral cortex with iron-induced epileptic activity, 461, 190

Morley, J.E., see Flood, J.F., **460**, 314 Morley, J.E., see Krahn, D.D., **443**, 63 Mormède, P., see Barnéoud, P., **474**, 394

Mormède, P., see LaHoste, G.J., 453, 381

Mormède, P., see LaHoste, G.J., 474, 296

Moroni, F., see Lombardi, G., 458, 348 Morra, M., see Delarue, C., 459, 17 Morris, B.J., see Millan, M.J.,

450, 247 Morris, J.H., see Joachim, C.L., **474**, 100

Morris, J.L., see Gibbins, I.L., 444, 402

Morrison, A.R., see Amini-Sereshki, L., 450, 9

Morrison, E.E., see Monti Graziadei, A.G., 455, 401 Morrison, J.H., see Lewis, D.A., 449, 225

Morrison, R.S., Gross, J.L. and Moskal, J.R. Inhibition of protein kinase C activity promotes the neurotrophic action of epidermal and basic fibroblast growth factors, 473, 141 Morrison, S.F., see Milner, T.A.,

448, 205

Morrow, B.A., see Starcevic, V.P., **462**, 112

Morrow, T.J., see Pertovaara, A., 438, 286

Morse, C.A., see Bottiglieri, D.F., **439**, 187

Morse, J.K., see Scheff, S.W., 457, 246 Morton, C.R., see Duggan, A.W., 451, 261

Morton, J.D., see Frederickson, C.J., 446, 383

Morton, M.T., see Sharp, J.W., 438, 357

Mortrud, M., see Brown, M.R., 452, 212

Mosher, J.M., see Racine, R.J., **454**, 264

Mosher, M., see Racine, R.J., 454, 251 Moskal, J.R., see Morrison, R.S., **473**, 141

Moskal, J.R., see Zatz, M., 438, 199 Mosqueda-Garcia, R. and Kunos, G. Peripheral opiate receptors are not involved in the naloxone-sensitive cardiovascular effects of clonidine in rats, 442, 119

Moss, R.L., see Dudley, C.A., **441**, 161

Motin, V., see Svoboda, J., 458, 97 Motles, E., Infante, C., Leiva, J., Saavedra, H. and Martínez, I. Output pathway for turning behavior from the neostriatum and substantia nigra in cats, 473, 65

Mountjoy, C.Q., see Ichimiya, Y., 475, 156

Mourre, C., Bidard, J.-N. and Lazdunski, M. High affinity receptors for the bee venom MCD peptide. Quantitative autoradiographic localization at different stages of brain development and relationship with MCD neurotoxicity, 446, 106

Mourre, C., Moll, C., Lombet, A. and Lazdunski, M. Distribution of voltage-dependent Na+ channels identified by high-affinity receptors for tetrodotoxin and saxitoxin in rat and human brains: quantitative autoradiographic analysis, 448, 128

Mourre, C., Nehlig, A. and Lazdunski, Cerebral glucose utilization after

administration of apamin, a toxin active on Ca2+-dependent K+ channels, 451, 274

Mourre, C., see Lombet, A., 459, 44 Mouton, P.R., Meyer, E.M., Dunn, A.J., Millard, W. and Arendash, G.W. Induction of cortical cholinergic

hypofunction and memory retention deficits through intracortical AF64A infusions, 444, 104

Mudie, E., see Wilcox, R.E., 443, 190 Mufson, E.J., Benoit, R. and

Mesulam, M.M. Immunohistochemical evidence for a possible somatostatin-containing amygdalostriatal pathway in normal and Alzheimer's disease brain, 453, 117

Mufson, E.J., see Danielson, P.D., 448, 158

Mulkeen, D., Anwyl, R. and Rowan, M. The effects of external calcium on long-term potentiation in the rat

hippocampal slice, 447, 234

Mullen, D.A., see Zatz, M., 438, 199 Mullen, D.A., see Zatz, M., 450, 137 Mullen, D.A., see Zatz, M., 453, 51 Mullen, D.A., see Zatz, M., 453, 63 Mullen, D.A., see Zatz, M., 463, 305 Mumford, G.K., Neill, D.B. and

Holtzman, S.G. Caffeine elevates reinforcement threshold for electrical brain stimulation: tolerance and

withdrawal changes, 459, 163 Mundinger, K.L., see Komiskey, H.L., 458, 37

Muñoz, J., see Estrada, C., 453, 275 Muñoz, M.D., see Herreras, O., 461, 290

Murakami, M., see Takahashi, K.-I., 456, 29

Murakami, N., see Morimoto, A., 475, 345

Murakami, F. and Higashi, S. Presence of crossed corticorubral fibers and increase of crossed projections after unilateral lesions of the cerebral cortex of the kitten: a demonstration using anterograde transport of Phaseolus vulgaris leucoagglutinin, 447, 98

Murakami, F. and Song, W.-J. Climbing fibers are labelled after injection of PHA-L into the nucleus interpositus of the cat, 463, 144

Murakami, M., Greer, M.A., Hjulstad, S., Greer, S.E. and Tanaka, K. The role of the superior cervical ganglia in the nocturnal rise of pineal type-II thyroxine 5'-deiodinase activity, **438**, 366

Murase, K., see Ryu, P.D., 441, 357 Murphy, K., see Dragunow, M., 462, 252

Murphy, R.F., see McKillop, J.M., 447, 239

Murphy, T.H., Malouf, A.T., Sastre, A., Schnaar, R.L. and Coyle, J.T.

Calcium-dependent glutamate cytotoxicity in a neuronal cell line, 444, 325

Murphy, T.H., Schnaar, R.L., Coyle, J.T. and Sastre, A. Glutamate cytotoxicity in a neuronal cell line is blocked by membrane

depolarization, 460, 155 Murphy, V.A. and Rapoport, S.I. Increased transfer of ⁴⁵Ca into brain and cerebrospinal fluid from plasma during chronic hypocalcemia in rats, 454, 315

Murray, M., Saffroy, M., Torrens, Y., Beaujouan, J.C. and Glowinski, J. Tachykinin binding sites in the interpeduncular nucleus of the rat: normal distribution, postnatal development and the effects of lesions, 459, 76

Nabekura, J., see Minami, T., 462, 258 Nadler, J.V., see Okazaki, M.M., 440, 352

Nadler, J.V., Wang, A. and Hakim, A. Toxicity of L-proline toward rat hippocampal neurons, 456, 168

Naftolin, F., see Leranth, C., 449, 167 Naftolin, F., see MacLusky, N.J., 439, 391

Nagahara, A.H., see McGaugh, J.L., 446, 37

Nagara, H., see Tanaka, K., 454, 340 Nagashima, A., see Takano, Y., 445, 188

Nagatsu, I., see Sakai, M., 438, 335 Nagatsu, T., see Nagatsu, I., 475, 91 Nagatsu, I., Sakai, M., Yoshida, M. and Nagatsu, T.

Aromatic L-amino acid decarboxylase-immunoreactive neurons in and around the cerebrospinal fluid-contacting neurons of the central canal do not contain dopamine or serotonin in the mouse and rat spinal cord, 475, 91

Nagele, R.G., Kosciuk, M.C., Hunter, E.T., Bush, K.T. and Lee, H.-y. Immunoelectron microscopic localization of actin in neurites of cultured embryonic chick dorsal root ganglia: actin is a component of granular, microtubule-associated

crossbridges, 474, 279 Nagy, J.I., see Staines, W.A., 455, 72 Nagy, J.I., see Yamamoto, T., 474, 112 Nagy, J.I., Yamamoto, T., Dewar, K., Geiger, J.D. and Daddona, P.E. Adenosine deaminase-'like immunoreactivity in cerebellar Purkinje cells of rat, 457, 21

Nagy, Z., Pettigrew, K.D., Meiselman, S. and Brightman, M.W. Cerebral vessels cryofixed after hyperosmosis or cold injury in normothermic and hypothermic frogs, 440, 315

Nahin, R.L. Immunocytochemical identification of long ascending, peptidergic lumbar spinal neurons terminating in either the medial or lateral thalamus in the rat, 443, 345 Naito, K., Osama, H., Ueno, R. Hayaishi, O., Honda, K. and Inoué, Suppression of sleep by prostaglandin synthesis inhibitors in unrestrained rats, 453, 329 Naitoh, H., see Ishihara, A., 446, 195 Nakagawa, Y. and Ishihara, T. Enhancement of neurotrophic activity in cholinergic cells by hippocampal extract prepared from colchicine-lesioned rats, 439, 11 Nakai, Y., see Tsujii, S., 475, 371 Nakajima, S., see Kurumiya, S., 448, 1 Nakajima, S., Komatsu, Y. and Toyama, K. Synaptic action of layer I fibers on cells in cat striate cortex, 457, 176 Nakajima, S., see Komatsu, Y., 442, 359 Nakamura, Y., see Kurasawa, I., 446, 113 Nakamura, Y., see Tokuno, H., **474**, 390 Nakamura, A., see Kakudo, K., 440, 153 Nakamura, M. and Kurihara, K. Temperature dependence of amiloride-sensitive and -insensitive components of rat taste nerve response to NaCl, 444, 159 Nakamura, M., see Turski, W.A., 454, 164 Nakamura, N., see Nakamura, S., 455, 144 Nakamura, S., Kawamata, T., Kimura, T., Akiguchi, I., Kameyama, M., Nakamura, N., Wakata, Y. and Kimura, H. Reduced nicotinamide adenine dinucleotide phosphate-diaphorase histochemistry in the pontomesencephalic region of the human brainstem, 455, 144 Nakamura, S., see Fukuda, H., **449**, 399 Nakamura, T., see Imai, H., 474, 327 Nakamura, T., see Ozawa, S., 443, 85 Nakamura, Y., see Kudo, M., 463, 352 Nakashima, T., see Shibata, M., 443, 37 Nakashima, H., Kawamura, K. and Date, I. Immunological reaction and blood-brain barrier in mouse-to-rat cross-species neural graft, 475, 232 Nakashima, H., see Hirai, N., 475, 385 Nakashima, T., Hori, T., Kuriyama, K. and Matsuda, T. Effects of interferon- α on the activity of preoptic thermosensitive neurons in tissue slices, 454, 361 Nakatomi, Y., see Sadoshima, S., **454**, 238

Nakayama, S., see Takaki, M.,

442, 351

Nakayama, T., see Imai-Matsumura, K., 445, 193 Nakayama, S., see Ukai, M., 451, 357 Nakazawa, S., see Takahashi, H., 441, 202 Nakazono, Y., see Kawahara, K., **473**, 81 Nakazono, Y., see Kawahara, K., 474, 403 Nanayama, T., see Oku, R., 475, 356 Nanry, K.P., see Zhang, W.Q., **461**, 335 Naquet, R., see Brailowsky, S., 442, 175 Narabayashi, H., see Imai, H., 474, 327 Narahashi, T., see De Weille, J.R., Narahashi, T., see Takeda, K., 448, 308 Naranjo, J.R., see Iadarola, M.J., **455**, 205 Narayan, O., see Lipkin, W.I., 475, 366 Nason, L.A., see Martin, D.C., Nasu, F., see Igarashi, H., 473, 365 Nathanson, J., see Tapia-Arancibia, L., 450, 101 Nathanson, N.M., see Liles, W.C., 439, 88 Nathanson, N.M., see Martin, J.M., **454**, 370 Natori, M., see Nishimura, Y., 440, 144 Navarro, X. and Kennedy, W.R. Effect of age on collateral reinnervation of sweat glands in the mouse, 463, 174 Navarro, X., Kamei, H. and Kennedy, W.R. Effect of age and maturation on sudomotor nerve regeneration in mice, 447, 133 Naylor, R.J., see Gibb, W.R.G., 461, 361 Nazarali, A.J., Gutkind, J.S., Correa, F.M.A. and Saavedra, J.M. Effect of chronic administration of the converting enzyme inhibitor enalapril (MK 421) on brain atrial natriuretic peptide receptors in Wistar-Kyoto and spontaneously hypertensive rats, 475, 134 Nazarali, A.J., see Pinto, J.E.B., **475**, 146 Neafsey, E.J., see Ruit, K.G., **457**, 310 Neal, J.W., Pearson, R.C.A. and Powell, T.P.S. The cortico-cortical connections within the parieto-temporal lobe of area PG,7a, in the monkey, 438, 343 Neal, J.W., Pearson, R.C.A. and Powell, T.P.S. The organization of the cortico-cortical connections between the walls of the lower part of the superior temporal sulcus and the inferior parietal lobule in the monkey, 438, 351 Neale, J.H., see Williamson, L.C.,

456, 375

Neale, J.H., see Williamson, L.C.,

475, 151 Nedergaard, M. and Hansen, A.J. Spreading depression is not associated with neuronal injury in the normal brain, 449, 395 Neel, D.S., see Konopka, L.M., 458, 278 Negro-Vilar, A., see Ching, M., 443, 325 Nehlig, A., see Mourre, C., 451, 274 Neill, D.B., see Mumford, G.K., **459**, 163 Neill, D.B., see Nicolaysen, L.C., 460, 50 Nelson, D.O. Altered angiotensin II sensitivity of neurons in the organum vasculosum lamina terminalis region of the spontaneously hypertensive rat, 444, 46 Nemeroff, C.B., see Antelman, S.M., 445, 380 Nencini, P., Woolverton, W.L. and Seiden, L.S. Enhancement of morphine-induced analgesia after repeated injections of methylenedioxymethamphetamine, **457**, 136 Ness, T.J. and Gebhart, G.F. Colorectal distension as a noxious visceral stimulus: physiologic and pharmacologic characterization of pseudaffective reflexes in the rat, **450**, 153 Nestler, E.J., see Innis, R.B., 459, 27 Netchitaïlo, P., see Leboulenger, F., **453**, 103 Neuenschwander-El Massioui, N., see Edeline, J.-M., 457, 274 Neuman, R., Cherubini, E. and Ben-Ari, Y. Epileptiform bursts elicited in CA₃ hippocampal neurons by a variety of convulsants are not blocked by N-methyl-D-aspartate antagonists, **459**, 265 Neuman, R., see Cherubini, E., 445, 91 Neuman, R.S., Ben-Ari, Y. and Cherubini, E. Antagonism of spontaneous and evoked bursts by 6-cyano-7-nitroquinoxaline-2,3-dione (CNQX) in the CA3 region of the in vitro hippocampus, 474, 201 Neumann, I., Schwarzberg, H. and Landgraf, R. Measurement of septal release of vasopressin and oxytocin by the push-pull technique following electrical stimulation of the paraventricular nucleus of rats, **462**, 181 Neumann, I., see Landgraf, R., 457, 219 Neumann, U., see Hann, P.G., **451**, 126 Neveu, P.J., Barnéoud, P., Vitiello, S., Betancur, C. and Le Moal, M. Brain modulation of the immune system: association between lymphocyte responsiveness and paw

preference in mice, 457, 392 Neveu, P.J., see Barnéoud, P., 474, 394 Newman, J.D., see MacLean, P.D., 450, 111

Ng Cheong Ton, J.M.,
Gerhardt, G.A., Friedemann, M.,
Etgen, A.M., Rose, G.M.,
Sharpless, N.S. and Gardner, E.L.
The effects of Δ⁹-tetrahydrocannabinol on potassium-evoked
release of dopamine in the rat
caudate nucleus: an in vivo
electrochemical and in vivo
microdialysis study, **451**, 59

microdialysis study, 451, 59 Ni, L., see Jonakait, G.M., 473, 336 Nicholson, C., see Lauritzen, M., 475, 317

Nicholson, C., see Lehmenkühler, A., 444, 181

Nicholson, C., see Okada, Y.C., 442, 185

Nicholson, C., see Rice, M.E., 461, 328

Nicolaysen, L.C., Ikeda, M., Justice Jr., J.B. and Neill, D.B. Dopamine release at behaviorally relevant parameters of nigrostriatal stimulation: effects of current and frequency, 460, 50

Nicolaysen, L.C., Pan, H.-T. and Justice Jr., J.B. Extracellular cocaine and dopamine concentrations are linearly related in rat striatum, 456, 317

Nicoll, R.A., see Madison, D.V., 442, 131

Nieminen, K., Suarez-Isla, B.A. and Rapoport, S.I. Electrical properties of cultured dorsal root ganglion neurons from normal and trisomy 21 human fetal tissue, 474, 246

Niesen, C.E., Baskys, A. and Carlen, P.L. Reversed ethanol effects on potassium conductances in aged hippocampal dentate granule neurons, 445, 137

Nieto-Sampedro, M., see Gómez-Pinilla, F., 438, 385 Nieto-Sampedro, M., see Kesslak, J.P.,

454, 347 Niigawa, H., Yamatodani, A., Nishimura, T., Wada, H. and Cacabelos, R.

Effect of neurotoxic lesions in the mammillary bodies on the distribution of brain histamine, **459**, 183

Niijima, K. and Yoshida, M.
Activation of mesencephalic
dopamine neurons by chemical
stimulation of the nucleus tegmenti
pedunculopontinus pars compacta,
451, 163

Nikolarakis, K.E., Almeida, O.F.X. and Herz, A. Hypothalamic opioid receptors mediate the inhibitory actions of corticotropin-releasing hormone on luteinizing hormone release: further evidence from a morphine-tolerant

animal model, 450, 360 Nikolarakis, K.E., see Mehmanesh, H., 451, 69

Nilsson, O.G., Brundin, P.,
Widner, H., Strecker, R.E. and
Björklund, A.
Human fetal basal forebrain neurons
grafted to the denervated rat
hippocampus produce an
organotypic cholinergic
reinnervation pattern, 456, 193

Nilsson, O.G., see Bassant, M.H., 460, 8

Nilsson, O.G., Strecker, R.E., Daszuta, A. and Björklund, A. Combined cholinergic and serotonergic denervation of the forebrain produces severe deficits in a spatial learning task in the rat, 453, 235

Ninomiya, Y. and Funakoshi, M. Amiloride inhibition of responses of rat single chorda tympani fibers to chemical and electrical tongue stimulations, **451**, 319

Nip, T.J., see Inturrisi, C.E., 448, 230 Nisenbaum, E.S., Stricker, E.M., Zigmond, M.J. and Berger, T.W. Spontaneous activity of Type II but not Type I striatal neurons is correlated with recovery of behavioral function after dopamine-depleting brain lesions, 473, 389

Nishihama, C.C., see Takada, M., 442, 72

Nishihama, M.S., see Takada, M., 442, 72

Nishihira, Y., see Ishihara, A., 446, 195

Nishikawa, T., see Cudennec, A., 444, 214

Nishikawa, Y., Koyama, N. and Yokota, T.
Ipsilateral somatosensory tongue representation within the lateral subdivision of the nucleus ventralis posteromedialis parvocellularis of the cat thalamus. 458, 394

the cat thalamus, 458, 394 Nishikawa, Y., see Yokota, T., 475, 187

Nishimura, T., see Niigawa, H., **459**, 183

Nishimura, T., Tokimasa, T. and Akasu, T. 5-Hydroxytryptamine inhibits cholinergic transmission through 5-HT_{1A} receptor subtypes in rabbit vesical parasympathetic ganglia, 442, 399

Nishimura, Y., Natori, M. and Mato, M.
Choline acetyltransferase immunopositive pyramidal neurons in the rat frontal cortex, 440, 144

Nishino, H., Ono, T., Shibata, R., Kawamata, S., Watanabe, H., Shiosaka, S., Tohyama, M. and Karadi, Z. Adrenal medullary cells transmute into dopaminergic neurons in

Nishino, H., see Aou, S., 439, 31

dopamine-depleted rat caudate and ameliorate motor disturbances, **445**, 325

Nishiyama, K., see Onozuka, M., 473, 401

Nishizaki, T. and Okada, Y.
Effects of excitatory amino acids on the oxygen consumption of hippocampal slices from the guinea pig, 452, 11

Nissanov, J., see DiDomenico, R., 473, 15

Nitsch, C. and Riesenberg, R.
Immunocytochemical demonstration
of GABAergic synaptic connections
in rat substantia nigra after different
lesions of the striatonigral
projection, 461, 127

Noble, L.J., see Faden, A.I., 448, 287 Nock, B., see Johnson, A.E., 442, 205 Noda, T., see Mackel, R., 440, 348 Noe, B.D., see Abel, P.W., 463, 250 Noe, B.D., see McDonald, J.K., 463, 259

Nohmi, M., Kuba, K., Ogura, A. and Kudo, Y.

Measurement of intracellular Ca²⁺ in the bullfrog sympathetic ganglion cells using fura-2 fluorescence, 438, 175

Nojyo, Y., see Tamamaki, N., **452**, 255 Nordberg, A., see Wahlström, G., **474**, 189

Nordlander, R.H., Awwiller, D.M. and Cook, H.
Dorsal roots are absent from the tail of larval *Xenopus*, **440**, 391

Norman, A.B., see Calderon, S.F., 450, 403

Normand, E., Popovici, T.,
Onteniente, B., Fellmann, D.,
Piatier-Tonneau, D., Auffray, C.
and Bloch, B.
Dopaminergic neurons of the
substantia nigra modulate
preproenkephalin A gene expression
in rat striatal neurons, 439, 39

Normann, R.A., Perlman, I. and Anderton, P.J. Modulation of cone-to-horizontal-cell signal transmission in the turtle retina by magnesium ions, 443, 95

Norton, W.T., see Byrne, M.C., 461, 87

Norton, W.T., see Sbaschnig-Agler, M., **461**, 98 Nothias, F., Onteniente, B

Nothias, F., Onteniente, B., Geffard, M. and Peschanski, M. Rapid growth of host afferents into fetal thalamic transplants, 463, 341

Nothias, F., Peschanski, M. and Besson, J.-M. Somatotopic reciprocal connections between the somatosensory cortex and the thalamic Po nucleus in the rat, 447, 169

Nothias, F., Wictorin, K., Isacson, O., Björklund, A. and Peschanski, M. Morphological alteration of thalamic afferents in the excitotoxically lesioned striatum, 461, 349

Notter, M.F.D., Irwin, I., Langston, J.W. and Gash, D.M. Neurotoxicity of MPTP and MPP+ in vitro: characterization using specific cell lines, 456, 254 Novelli, A., Reilly, J.A., Lysko, P.G.

and Henneberry, R.C. Glutamate becomes neurotoxic via the N-methyl-D-aspartate receptor when intracellular energy levels are reduced, 451, 205

Novicki, D., see Tandon, P., 473, 241 Nowak, M.W., see Hruska, R.E., 442, 349

Nowakowski, R.S., see Miller, M.W., 457, 44

Nukada, H.

Post-traumatic endoneurial neovascularization and nerve regeneration: a morphometric study, 449, 89

Nutt, D.J., Gleiter, C.H. and Linnoila, M.

Repeated electroconvulsive shock normalizes blood glucose levels in genetically obese mice (C57BL/6J ob/ob) but not in genetically diabetic mice (C57BL/KsJ db/db), 448, 377 Nyhus, L.M., see Yoshida, J., 455, 1

Obál, F., see Kapás, L., 438, 155 Obál Jr., F., see Kapás, L., 438, 155 Obara, S., see Okano, K., 457, 79 Oberg, P.A., see Rechthand, E., 446, 61

Obie, J., see Lee, P.H.K., 441, 381 Obih, J.-C.A., see Czéh, G., 446, 50 Ockleford, C.D., see Parton, R.G., 475, 118 Oda, K. and Shibasaki, H.

Antigenic difference of acetylcholine receptor between single and multiple form endplates of human extraocular muscle, 449, 337

O'Dell, S.J. and Marshall, J.F. Transport of [³H]mazindol binding sites in mesostriatal dopamine axons, 460, 402

O'Donohue, T.L., see Thomas, J.W., 442, 396

Oei, E., see Altar, C.A., 460, 76 Ogata, J., see Sadoshima, S., 454, 238 Ogawa, T., see Sumitomo, I., 447, 376 Ogawa, H., Hayama, T. and

Yamashita, Y. Thermal sensitivity of neurons in a rostral part of the rat solitary tract

nucleus, 454, 321 Ogawa, N., see Ujike, H., 453, 136 Ogawa, N., Sora, Y.H., Saito, M. and Shimazu, T.

Hypothalamic regulation of histidyl-proline diketopiperazine binding sites in the rat liver, 451, 115

Ogilvy, C.S. and Borges, L.F. A quantitative analysis of the retrograde axonal transport of 4 different fluorescent dyes in peripheral sensory and motor neurons and lack of anterograde transport in the corticospinal system, 475, 244

Ogita, K. and Yoneda, Y. Temperature-dependent and -independent apparent binding activities of [3H]-glutathione in brain synaptic membranes, 463, 37 Oguchi, M., see Tsuda, A., 474, 174

Ogura, A., see Nohmi, M., 438, 175 Ogura, H., see Kato, T., 438, 277 Ohm, T.G., Braak, E., Probst, A. and Weindl, A. Neuropeptide Y-like immunoreactive neurons in the

human olfactory bulb, 451, 295 Ohnishi, S.T., see Tominaga, T., 460, 376

Ohno, H., Kuraishi, Y., Minami, M. and Satoh, M. Modality-specific antinociception produced by intrathecal injection of anti-somatostatin antiserum in rats,

474, 197 Ohta, Y., Brodin, L., Grillner, S., Hökfelt, T. and Walsh, J.H. Possible target neurons of the reticulospinal cholecystokinin (CCK) projection to the lamprey spinal cord: immunohistochemistry combined with intracellular staining with Lucifer yellow, 445, 400

Ohta, Y., see Brodin, L., 458, 166 Ohta, Y., see Matsuyama, K., 460, 124 Ohtsuka, K.

Inhibitory action of Purkinje cells in the posterior vermis on fastigio-prepositus circuit of the cat, 455, 153

Oinuma, M., see Terashima, T., 442, 305

Oishi, K., Yoneda, T. and Ishida, A. An analysis of frequency response of motor units during voluntary isometric contractions at various speeds, 458, 261

Ojeda, S.R., Urbanski, H.F., Katz, K.H. and Costa, M.E. Prostaglandin E₂ releases luteinizing hormone-releasing hormone from the female juvenile hypothalamus through a Ca²⁺-dependent, calmodulin-independent mechanism, 441, 339

Oka, H., see Yamamoto, T., 461, 199 Okada, Y., see Kanno, S., 451, 172 Okada, Y., see Nishizaki, T., 452, 11 Okada, Y., Miyamoto, T. and Sato, T. Ionic mechanism of generation of receptor potential in response to quinine in frog taste cell, 450, 295

Okada, Y., see Lauritzen, M., 475, 317 Okada, Y., see Miyamoto, T., 449, 369 Okada, Y.C., Lauritzen, M. and Nicholson, C.

Magnetic field associated with spreading depression: a model for the detection of migraine, 442, 185 Okamoto, M., see Sato, K., 463, 12 Okamura, H., see Ibata, Y., 439, 230 Okano, H., see Inoue, Y., 449, 271

Okano, K. and Obara, S. Effects of bath-applied L-glutamate and related chemicals on the afferent synapse of the Plotosus electroreceptor, 457, 79

Okano, K.

Two pharmacologically distinct receptors mediate two postsynaptic potential (PSP) components in the afferent synapse of the Plotosus electroreceptor, 457, 89

Okayama, T., see Kubota, Y., 458, 389 Okazaki, M.M., Aitken, P.G. and Nadler, J.V. Mossy fiber lesion reduces the probability that kainic acid will provoke CA3 hippocampal pyramidal cell bursting, 440, 352

Oku, R., Nanayama, T. and Satoh, M. Calcitonin gene-related peptide modulates calcium mobilization in synaptosomes of rat spinal dorsal

horn, 475, 356 Okuda, C., Mizobe, T. and Miyazaki, M. Involvement of endogenous thyrotropin-releasing hormone in central regulation of the cardiovascular system after bleeding in conscious rats, 474, 399

Okun, F., Weizman, R., Katz, Y., Bomzon, A., Youdim, M.B.H. and Gavish, M. Increase in central and peripheral benzodiazepine receptors following

surgery, 458, 31 O'Kusky, J.R., Boyes, B.E. and McGeer, E.G. Methylmercury-induced movement and postural disorders in developing rat: regional analysis of brain catecholamines and indoleamines, 439, 138

Olasmaa, M. and Terenius, L. Coupling of receptors in brain membranes by fusion to the adenylate cyclase system of a foreign effector cell, 473, 29

Olasmaa, M. and Terenius, L. Prolonged exposure of human neuroblastoma SH-SY5Y cell line to morphine and oxotremorine modulates signal transduction in

adenylate cyclase system, **475**, 291 Olcese, J., Reuss, S., Stehle, J., Steinlechner, S. and Vollrath, L. Responses of the mammalian retina to experimental alteration of the ambient magnetic field, 448, 325 Old, L.J., see Rettig, W.J., 438, 315

Olds, M.E.

The response of non-dopamine neurons in substantia nigra and ventral tegmental area to amphetamine and apomorphine during hypermotility: the striatal influence, 452, 237

Oldstone, M.B.A., see Lipkin, W.I., 451, 333

Oldstone, M.B.A., see Lipkin, W.I., 475, 366

Olianas, M.C., see Onali, P., 456, 302 Oliver, M., see Seubert, P., 460, 189 Oliverio, A., see Cabib, S., 441, 153 Olivier, A., see Sarrieau, A., 442, 157 Olmos, G., see Garcia-Segura, L.M., 456, 357

Olmstead, C.E. and Villablanca, J.R. Maturation of pyrogen-elicited fever in the kitten, **442**, 279

Olsen, K.L., Edwards, E., Schechter, N. and Whalen, R.E. Muscarinic receptors in preoptic area and hypothalamus: effects of cyclicity, sex and estrogen treatment, 448, 223

Olson, J.E., see Dudek, F.E., 439, 275 Olson, J.J., Poor Jr., M.M. and Beck, D.W. Methylprednisolone reduces the bulk flow of water across an in vitro blood-brain barrier, 439, 259

Omiya, K., see Koshikawa, N.,

444, 394 Onali, P., Olianas, M.C. and Bunse, B. Evidence that adenosine A2 and dopamine autoreceptors antagonistically regulate tyrosine hydroxylase activity in rat striatal synaptosomes, 456, 302

O'Neill, J.B., Pert, C.B., Ruff, M.R., Smith, C.C., Higgins, W.J. and Zipser, B. Identification and characterization of the opiate receptor in the ciliated

protozoan, Tetrahymena, 450, 303 O'Neill, J.B., see Zipser, B., 463, 296 Ong, G.L., see Miaskowski, C., 458, 137

Onimaru, H., Arata, A. and Homma, Primary respiratory rhythm generator in the medulla of brainstem-spinal cord preparation from newborn rat, 445, 314

Ono, K., Baba, H., Mori, K. and Wada, J.A. Premotor cortical kindling interferes with subsequent hippocampal kindling, 475, 182

Ono, K., see Kohno, J., 461, 158 Ono, T., see Nishino, H., 445, 325 Onodera, H. and Kogure, K Differential localization of adenosine A1 receptors in the rat hippocampus: quantitative autoradiographic study, 458, 212

Onodera, S. and Ide, C Tentative identification of arterial baroreceptors associated with arteriovenous anastomoses, 444, 273

Onozuka, M., Imai, S., Kubo, K.-y., Deura, S., Nishiyama, K. and Ozono, S. Cyclic AMP-dependent protein phosphorylation is involved in activation of the potassium current associated with endogenous cellular calcium in Euhadra neurons, 473, 401

Onteniente, B., see Normand, E., 439, 39

Onteniente, B., see Nothias, F., 463, 341

Ooboshi, H., see Sadoshima, S., 454, 238

Ookuma, K., see Sakata, T., 441, 403 Oomagari, K., see Fukahori, M., 455, 381

Oomura, Y., see Koyama, Y., 446, 199 Oomura, Y., see Sakata, T., 473, 43 Oomura, Y., see Aou, S., 439, 31 Oomura, Y., see Aou, S., 455, 65 Oomura, Y., see Kai, Y., 461, 107 Oomura, Y., see Minami, T., 462, 258 Oomura, Y., see Plata-Salamán, C.R.,

448, 106 Oparil, S., see Klangkalya, B., **451**, 77 Oppenheim, R.W., see

Maderdrut, J.L., 444, 189 Orchard, I., see Pannabecker, T.,

458, 180 Orchard, I., see Pasztor, V.M., 458, 199

O'Regan, M.H. and Phillis, J.W. Potentiation of adenosine-evoked depression of rat cerebral cortical neurons by triazolam, 445, 376

O'Regan, R.G. and Acker, H. Effects of changes in chemoreceptor activity on extracellular K⁺ and Ca2+ activities in the cat carotid body, 445, 268

Orem, J.

The activity of late inspiratory cells during the behavioral inhibition of inspiration, 458, 224

Ornstein, P.L., see Leander, J.D., 448, 115

Orrego, F., see Villanueva, S., 440, 363 Orrego, F., see Villanueva, S., 461, 377 Orzi, F., Diana, G., Casamenti, F.,

Palombo, E. and Fieschi, C Local cerebral glucose utilization following unilateral and bilateral lesions of the nucleus basalis magnocellularis in the rat, 462, 99

Osama, H., see Naito, K., 453, 329 Osborne, P.A., see Laing, N.G., 444, 351

Oscarsson, A., see Hildebrand, C., 453, 401

Oshima, I., see Ebihara, S., 454, 404 Osmanović, S.S. and Shefner, S.A. Baclofen increases the potassium conductance of rat locus coeruleus neurons recorded in brain slices. 438, 124

Ossenkopp, K.-P. and Cain, D.P. Inhibitory effects of acute exposure to low-intensity 60-Hz magnetic fields on electrically kindled seizures in rats, 442, 255

Ossowska, K., see Wardas, J., 462, 378 Ota, A., Shemer, J., Pruss, R.M., Lowe Jr., W.L. and LeRoith, D. Characterization of the altered oligosaccharide composition of the insulin receptor on neural-derived cells, 443, 1

Otsuki, S., see Ujike, H., 453, 136 Otten, U., see Lorez, H.P., 454, 355 Ottersen, O.P., Storm-Mathisen, J. and Somogyi, P. Colocalization of glycine-like and GABA-like immunoreactivities in Golgi cell terminals in the rat cerebellum: a postembedding light and electron microscopic study,

Otani, K., see Shigenaga, Y., 461, 238

450, 342 Ouassat, M., see Dellmann, H.-D., 450, 181

Ousley, F., see Ferrara, N., 462, 223 Owman, C., see Chang, J.-Y., 438, 237 Oyama, Y., King, W.M. and

Carpenter, D.O. Edrophonium-induced inward membrane current in single neurons physically isolated from Aplysia californica, 438, 95

Oyama, Y., King, W.M., Allen, C.N., Hori, N. and Carpenter, D.O. Characterization of an inward current elicited by edrophonium in physically isolated and internally perfused Aplysia neurons, 463, 124

Oyama, Y., Sadoshima, J.-I., Tokutomi, N. and Akaike, N Some properties of inhibitory action of lidocaine on the Ca²⁺ current of single isolated frog sensory neurons, 442, 223

Oyanagi, K., Takahashi, H., Wakabayashi, K. and Ikuta, F. Selective decrease of large neurons in the neostriatum in progressive supranuclear palsy, 458, 218

Ozaki, H.S. and Shimada, M. The fibers which course within the Probst's longitudinal bundle seen in the brain of a congenitally acallosal mouse: a study with the horseradish peroxidase technique, 441, 5

Ozawa, S., Nakamura, T. and Yuzaki, Cation permeability change caused by L-glutamate in cultured rat hippocampal neurons, 443, 85

Ozono, S., see Onozuka, M., 473, 401

Packan, D.R., see Sapolsky, R.M., **453**, 367

Pajot, J., see Aigouy, L., 473, 380 Pakkenberg, B., see Pakkenberg, H.,

Pakkenberg, H., Pakkenberg, B., Fog, R. and Eldrup, E. The effect of MPTP on uridine uptake in murine nerve cells, **460**, 146

Palacios, J.M., see Closse, A., 440, 123 Palacios, J.M., see Cortés, R., 475, 164 Palacios, J.M., see Dietl, M.M., 439, 354

Palacios, J.M., see Dietl, M.M., **439**, 360

Palacios, J.M., see Dietl, M.M., **439**, 366

Palacios, J.M., see Probst, A., 450, 190 Palazzi, E., see Consolo, S., 449, 97 Palij, P., see Stamford, J.A., 448, 381 Palmer, M.R., see Granholm, A.-C.E., **459**, 256

Palmer, M.R., see Henschen, A.F., 474, 66

Palombo, E., Porrino, L.J., Bankiewicz, K.S., Crane, A.M., Kopin, I.J. and Sokoloff, L. Administration of MPTP acutely increases glucose utilization in the substantia nigra of primates, **453**, 227

Palombo, E., see Orzi, F., 462, 99 Pan, H.-T., see Nicolaysen, L.C., **456**, 317

Pannabecker, T. and Orchard, I. Evidence for a Na⁺/Ca²⁺ exchange mechanism in the neuroendocrine cells of the locust corpus cardiacum, 458, 180

Panneton, W.M., see Maley, B.E., 442, 340

Pant, H.C., see Shah, J., 474, 94 Pant, K.K. and Gurtu, S. Angiotensin receptors at the spinal

cardiovascular loci, 454, 400 Pantaleo, T., see Bongianni, F.,

445, 254 Pantaleo, T., see Duranti, R., 452, 66

Panula, P., see Inagaki, N., **439**, 402 Papa, M., see Iovino, M., **447**, 178 Pape, H.-C. and Eysel, U.Th.

Cholinergic excitation and inhibition in the visual thalamus of the cat influences of cortical inactivation and barbiturate anesthesia, 440, 79

Parati, E.A., see Parenti, M., 473, 236 Parent, A., see Boegman, R.J., 445, 358

Parent, A., see Boegman, R.J., 452, 219

Parent, A., see Smith, Y., 453, 353 Parent, A., see Boegman, R.J., 448, 237

Parenti, M., Rusconi, L., Cappabianca, V., Parati, E.A. and Groppetti, A Role of dopamine in manganese neurotoxicity, 473, 236 Pares-Herbute, N., see

Tapia-Arancibia, L., 450, 101 Parfitt, K.D., Freedman, R. and Bickford-Wimer, P.C Electrophysiological effects of locally applied noradrenergic agents at cerebellar Purkinje neurons:

receptor specificity, 462, 242 Park, D.H., Joh, T.H., Anwar, M. and Ruggiero, D.A. Biochemical evidence for presence of dopamine β -hydroxylase in rat

retina, 460, 352 Park, S.D., see Park, Y., 451, 255 Park, Y., Park, S.D., Cho, W.K. and Kim, K. Testosterone stimulates LH-RH-like mRNA level in the rat hypothalamus, 451, 255

Parker, S.J., see Cheetham, S.C., 460, 114

Parkinson, D., Coscia, E. and Daw, N.W. Identification and localization of adrenergic receptors in cat visual cortex, 457, 70 Parsons, D.S., see Harrell, L.E.,

474, 353

Parsons, J.E., see Fairchild, M.D., 453, 357

Parsons, R.L., see Konopka, L.M., 458, 269

Parsons, R.L., see Konopka, L.M., 458, 278

Parton, R.G., Ockleford, C.D. and Critchley, D.R. Tetanus toxin binding to mouse spinal cord cells: an evaluation of the role of gangliosides in toxin internalization, 475, 118

Parvin, C.A., see Schmidt, R.E., 460, 214

Pasantes-Morales, H., Domínguez, L., Montenegro, J. and Morán, J. A chloride-dependent component of the release of labeled GABA and taurine from the chick retina, 459, 120

Pásaro, R., see Delgado-García, J.M., 443, 333

Paschen, W., Röhn, G., Meese, C.O., Djuricic, B. and Schmidt-Kastner,

Polyamine metabolism in reversible cerebral ischemia: effect of α -difluoromethylornithine, 453, 9

Pascual, J., see Pazos, A., 475, 361 Pasi, A., see Külling, P., 450, 237 Pasteels, B., see Roman, A., 442, 33 Pasternak, G.W., see Bodnar, R.J., **447**, 25

Pastor, G., see Boast, C.A., 442, 345 Pasztor, V.M., Lange, A.B. and Orchard, I.

Stretch-induced release of proctolin from the dendrites of a lobster sense organ, 458, 199

Patarca, R., see Denlinger, S.L., **473**, 116

Patel, A.J., Hunt, A. and Seaton, P. The mechanism of cytosine arabinoside toxicity on quiescent astrocytes in vitro appears to be analogous to in vivo brain injury, **450**, 378

Patel, S.N. and Stewart, M.G. Changes in the number and structure of dendritic spines 25 hours after passive avoidance training in the domestic chick, Gallus domesticus, 449, 34

Patel, S.N., Rose, S.P.R. and Stewart, M.G. Training induced dendritic spine density changes are specifically related to memory formation processes in the chick, Gallus

domesticus, 463, 168 Patneau, D.K., see Stripling, J.S., 441, 281

Patrick, R.L., see Matsumoto, R.R., 444, 67

Patte, C., see Loudes, C., 456, 324 Patwardhan, V.V., see Lanthier, A., **463**, 403

Paul, S.M., see Suzdak, P.D., 444, 340 Paula-Barbosa, M., see

Cadete-Leite, A., 473, 1 Paulose, C.S., see Viswanathan, M., **473**, 37

Pauly, J.R. and Horseman, N.D. Autoradiographic localization of α -bungarotoxin binding sites in the suprachiasmatic region of rat brain, **452**, 105

Pavlides, C., Greenstein, Y.J., Grudman, M. and Winson, J. Long-term potentiation in the dentate gyrus is induced preferentially on the positive phase of θ -rhythm, 439, 383

Pavlides, C., see Greenstein, Y.J., 438, 331

Paxinos, G., see Racine, R.J., 454, 264 Pazos, A., González, A.M., Pascual, J., Meana, J.J., Barturen, F. and García-Sevilla, J.A. α_2 -Adrenoceptors in human forebrain: autoradiographic visualization and biochemical parameters using the agonist

^{[3}H]UK-14304, **475**, 361 Pearson, R.C.A., see Neal, J.W., 438, 343

Pearson, R.C.A., see Neal, J.W., 438, 351

Pearson, R.C.A., Taylor, N. and Snyder, S.H. Tubulin messenger RNA: in situ hybridization reveals bilateral increases in hypoglossal and facial nuclei following nerve transection, 463, 245

Pechnick, R.N., see Depaulis, A., 451, 326

Pedersen, C.A., see Caldwell, J.D., **446**, 236

Pediaditakis, P., see Tilson, H.A., **438**, 83

Pehek, E.A., Warner, R.K., Bazzett, T.J., Bitran, D., Band, L.C., Eaton, R.C. and Hull, E.M. Microinjection of cis-flupenthixol, a dopamine antagonist, into the medial preoptic area impairs sexual behavior of male rats, 443, 70

Pelchen-Matthews, A. and Dolly, J.O. Distribution of acceptors for β -bungarotoxin in the central nervous system of the rat, 441, 127 Pelletier, G., see Delarue, C., 459, 17

Pelletier, G., see Kubota, Y., 458, 389 Pelletier, G., see Vallarino, M., 448, 67

Pelligrino, D.A., see Bryan Jr., R.M., 475, 397 Pellmar, T.C., see Tolliver, J.M.,

456, 49

Peng, Y., see Kohno, J., **461**, 158 Penke, B., see Kapás, L., **438**, 155 Pennartz, C.M.A., see

Melchers, B.P.C., 454, 1

Pennefather, P.S., Heisler, S. and MacDonald, J.F. A potassium conductance contributes to the action of somatostatin-14 to suppress ACTH secretion, 444, 346

Penner, J.D., see White, S.R., 441, 195

Peny, B., see Dubois, A., **445**, 77 Percheron, G., see François, C., **473**, 181

Perciavalle, V., see Bindoni, M., **462**, 10

Pereyra, P.M. and Roots, B.I.
The use of tetracycline
hydrochloride as a rapid fluorescent
stain for myelin membranes in
vertebrates and invertebrates,
458, 377

Perfumi, M., see Massi, M., 440, 232 Perkins, IV, A.T. and Teyler, T.J. A critical period for long-term potentiation in the developing rat visual cortex, 439, 222

Perlman, I., see Normann, R.A., 443, 95

Peroutka, S.J., see Finnegan, K.T., 447, 141

Peroutka, S.J., see Hiner, B.C., 461, 1 Peroutka, S.J., see Hyde, T.M.,

Perra, M.T., see Del Fiacco, M., 446, 173

Perrone-Bizzozero, N.I., see Finklestein, S.P., **448**, 346 Perry, K.W., see Ghetti, B., **458**, 367 Pert, C.B., see O'Neill, J.B., **450**, 303

Pert, C.B., see Zipser, B., 463, 296 Pertovaara, A., Belczynski, C.R., Morrow, T.J. and Casey, K.L. The effect of systemic cocaine on spinal nociceptive reflex activity in the rat, 438, 286

Peschanski, M., see Nothias, F., 461, 349

Peschanski, M., see Nothias, F., 463, 341

Peschanski, M., see Nothias, F., 447, 169

Peschanski, M., see Weil-Fugazza, J., 444, 374

Peskar, B.A., see Simmet, T., **456**, 344 Pestronk, A., see Ramsay, D.A., **462**, 134

Pestronk, A. and Drachman, D.B. Motor nerve outgrowth: reduced capacity for sprouting in the terminals of longer axons, 463, 218

Petit, P., Barberis, C. and Jard, S. Vasopressin potentiates the noradrenaline-induced accumulation of cyclic AMP in the rat superior cervical ganglion, 440, 299

Petrusz, P., see Merchenthaler, I., 452, 87

Pettibone, D.J., Totaro, J.A., Harris, E. and Robinson, F.M. Heterogeneity of [³H]neurotensin binding: studies with dynorphin, L-156,903 and levocabastine, **457**, 212

Pettigrew, K.D., see Nagy, Z., 440, 315

Peyrichoux, J., Pierre, J., Repérant, J., Rio, J.P. and Ward, R. A longitudinal study of the effects of retinal ablation on the organization of the retinal target lamina of the optic tectum in the teleost, *Rutilus rutilus*, 447, 299

Peyronnard, J.M., Charron, L.,
Lavoie, J., Messier, J.P. and
Bergouignan, F.X.
A comparative study of the effects
of chronic axotomy, crush lesion and
re-anastomosis of the rat sural nerve
on horseradish peroxidase labelling
of primary sensory neurons,
443, 295

Pezzoli, G., Fahn, S., Dwork, A., Truong, D.D., De Yebenes, J.G., Jackson-Lewis, V., Herbert, J. and Cadet, J.L. Non-chromaffin tissue plus nerve growth factor reduces experimental parkinsonism in aged rats, **459**, 398

Pezzoli, G., see Silani, V., **454**, 383 Pfaff, D.W., see Meisel, R.L., **463**, 153 Pfeiffer, S.W., see Sawchenko, P.E., **474**, 231

Phelps, C.P. and Saporta, S.
The release of pituitary LH and sprouting of LH- releasing hormone (LHRH)-containing neurons after anterior hypothalamic deafferentation, **454**, 188

Philips, M.F., see Finklestein, S.P., 448, 346

Philips, M.F., see Finklestein, S.P., 460, 253

Phillips, D.P., Judge, P.W. and Kelly, J.B. Primary auditory cortex in the ferret (*Mustela putorius*): neural response properties and topographic organization, **443**, 281

Phillipson, O.T., see Jones, M.W., 475, 8

Phillis, J.W., see O'Regan, M.H., 445, 376

Piatier-Tonneau, D., see Normand, E.,

Picatoste, F., see Arbonés, L., **450**, 144 Pickel, V.M., Joh, T.H. and Chan, J. Substance P in the rat nucleus accumbens: ultrastructural localization in axon terminals and their relation to dopaminergic afferents, **444**, 247

Pickel, V.M., see Aoki, C., **459**, 205 Pieniek, M., see Rogawski, M.A., **456**, 38

Pieribone, V.A. and Aston-Jones, G. The iontophoretic application of Fluoro-Gold for the study of afferents to deep brain nuclei, 475, 259

Pierre, J., see Peyrichoux, J., 447, 299 Pinard, E., see Puiroud, S., 453, 287 Pinard, R., Segu, L., Cau, P. and Lanoir, J. Distribution of benzodiazepine receptors in the rat superior colliculus: a light and electron microscope quantitative autoradiographic study, 474, 48 Pindak, F., see Schlitt, M., 440, 293

Pinnock, R.D., Lummis, S.C.R.,
Chiappinelli, V.A. and
Sattelle, D.B.
κ-Bungarotoxin blocks an
α-bungarotoxin-sensitive nicotinic receptor in the insect central nervous system, 458, 45

Pinto, J.E.B., Nazarali, A.J. and Saavedra, J.M. Angiotensin II binding sites in the superior cervical ganglia of spontaneously hypertensive and Wistar-Kyoto rats after

preganglionic denervation, 475, 146 Pioro, E.P. and Cuello, A.C. Purkinje cells of adult rat cerebellum express nerve growth factor receptor immunoreactivity: light microscopic observations, 455, 182

Piotte, M., Beaudet, A. and Brawer, J.R.
Light and electron microscopic study of tyrosine hydroxylase-immunoreactive neurons within the developing rat arcuate nucleus, 439, 127

Piront, M.-L. and Schmidt, R.
Inhibition of long-term memory
formation by anti-ependymin
antisera after active shock-avoidance
learning in goldfish, 442, 53

Pittel, Z., see Amir, A., **454**, 298 Pittman, Q.J., see Franklin, L., **438**, 295

Pittman, Q.J., see Martin, S.M., 455, 196

Pittman, Q.J., see Martin, S.M., 457, 192

Pittman, Q.J., see Watson, T.W.J., 448, 40

Pizzi, M., Prada, M.D., Valerio, A., Memo, M., Spano, P.F. and Haefely, W.E.
Dopamine D₂ receptor stimulation inhibits inositol phosphate generating system in rat striatal slices, **456**, 235

Pizzuti, A., see Silani, V., **454**, 383 Pizzuti, A., see Silani, V., **473**, 169 Plager, M.D. and Vogt, B.A. μ - And δ -opioid receptor binding peaks and κ -homogeneity in the molecular layers of rat hippocampal formation, **460**, 150

Plata-Salamán, C.R., Oomura, Y. and Kai, Y.

Tumor necrosis factor and interleukin-1 β : suppression of food intake by direct action in the central nervous system, 448, 106

Płaźnik, A., Tamborska, E., Hauptmann, M., Bidziński, A. and Kostowski, W. Brain neurotransmitter systems mediating behavioral deficits produced by inescapable shock treatment in rats, 447, 122
Pleasure, D.E., see Yong, V.W., 444, 59
Plurad, D.A., see Schmidt, R.E., 458, 353

Plurad, D.A., see Schmidt, R.E., 460, 214 Pochet, R., see Roman, A., 442, 33

Pointis, D., see Rivot, J.P., 446, 333 Pointis, D., see Rivot, J.P., 463, 275 Polak, J.M., see Alvarez, F.J., 442, 391 Polak, J.M., see Gibson, S.J., 474, 255 Polley, E.H., see Yoshida, J., 455, 1 Poltorak, M., Stevens, J.R.,

Freed, W.J. and Casanova, M.F. The expression of phosphorylated neurofilament epitopes in human brains, 475, 328

Pomeranz, B. and Bibic, L.
Electroacupuncture suppresses a
nociceptive reflex: naltrexone
prevents but does not reverse this
effect, 452, 227

Pomeranz, B. and Warma, N.
Electroacupuncture suppression of a nociceptive reflex is potentiated by two repeated electroacupuncture treatments: the first opioid effect potentiates a second non-opioid effect, 452, 232

Pompeiano, O., see Barnes, C.D., **453**, 32

Poor Jr., M.M., see Olson, J.J., 439, 259

Poorthuis, B.J.H.M., see Kondo, A., 460, 178

Popovici, T., see Normand, E., 439, 39 Porrino, L.J., see Palombo, E., 453, 227

Porter, J.C., see Wang, P.S., **446**, 363 Portier, M.-M., see Hirsch, E., **441**, 139

Portillo, F., see Delgado-García, J.M., 443, 333

Portoghese, P.S., see Sander, H.W., 474, 343

Potter, W.Z., see Aiso, M., 447, 195 Poulain, D.A., see Legendre, P., 457, 386

Poulin, P., see Lawrence, J.A.M., 446, 212

Pourcho, R.G. and Goebel, D.J. Colocalization of substance P and γ-aminobutyric acid in amacrine cells of the cat retina, 447, 164

Pourcyrous, M., see Busija, D.W., 439, 122

Powell, D.A., see Gibbs, C.M.,

Powell, H.C., see Le Beau, J.M., **459**, 93

Powell, T.P.S., see Neal, J.W., 438, 343 Powell, T.P.S., see Neal, J.W., 438, 351 Prada, M.D., see Pizzi, M., 456, 235 Pradelles, P., see Calvino, B., 460, 389 Prasad, N., see Sica, A.L., 440, 370 Pratt, J.A., Laurie, D.J. and McCulloch, J. The effects of FG 7142 upon local cerebral glucose utilization suggest overlap between limbic structures important in anxiety and convulsions, **475**, 218

Prelli, F., see Coria, F., 463, 187 Pretel, S., see Chudler, E.H., 456, 57 Prevette, D., see Maderdrut, J.L., 444, 189

Prevost, L., see Guillemot, J.-P., 441, 221

Price, D.L., see Koliatsos, V.E., 463, 133

Price, D.L., see Koo, E.H., 449, 361 Pritchard, J.B., see Kim, C.S., 440, 216

Pritz, M.B. and Stritzel, M.E.
Thalamic nuclei that project to
reptilian telencephalon lack GABA
and GAD immunoreactive neurons
and puncta, 457, 154
Probst, A., Cortés, R., Ulrich, J. and

Probst, A., Cortés, R., Ulrich, J. and Palacios, J.M.
Differential modification of muscarinic cholinergic receptors in the hippocampus of patients with Alzheimer's disease: an autoradiographic study, 450, 190
Probst, A., see Cortés, R., 475, 164
Probst, A., see Ohm, T.G., 451, 295

Probst, A., see Cortes, R., 4/5, 164
Probst, A., see Ohm, T.G., 451, 295
Propping, P., see Hebebrand, J.,
446, 251
Prospéro-García, O., see

Drucker-Colín, R., 462, 163 Prosser, E.S., see Csernansky, J.G., 449, 357

Prosser, J., see Finklestein, S.P., 460, 253

Prosser, R.A., see Gillette, M.U., 474, 348

Pröve, E., see Vockel, A., 463, 330 Pruss, R.M., see Ota, A., 443, 1 Pruthi, R., see Csernansky, J.G., 449, 357

Puel, J.-L., Bonfils, P. and Pujol, R. Selective attention modifies the active micromechanical properties of the cochlea, 447, 380

Puglisi-Allegra, S., see Cabib, S., 441, 153

Puiroud, S., Pinard, E. and Seylaz, J. Dynamic cerebral and systemic circulatory effects of adenosine, theophylline and dipyridamole, **453**, 287

Pujol, R., see Puel, J.-L., 447, 380

Q

Quarles, R.H., see Willison, H.J., 444, 10 Quartu, M., see Del Fiacco, M., 446, 173 Quick, D.C. and Letourneau, P.C.

Immuno-labelling for freeze-fracture: application to a cell

surface attachment antigen, 440, 243
Quicke, D.L.J., see Budd, T., 448, 30
Quinn, M.R., Kim, Y.S.,
Lossinsky, A.S. and Carp, R.I.
Influence of stereotaxically injected
scrapie on neurotransmitter systems
of mouse cerebellum, 445, 297
Quintana, J., see Yajeya, J., 474, 222
Quintana, J., Yajeya, J. and
Fuster, J.M.
Prefrontal representation of stimulus

Prefrontal representation of stimulus attributes during delay tasks. I. Unit activity in cross-temporal integration of sensory and sensory-motor information, 474, 211

Quirion, R., see Dam, T.-V., **453**, 372 Quirion, R., see Sarrieau, A., **442**, 157 Quirk, W.S., see Wright, J.W., **441**, 215

Quirk, W.S., Wright, J.W. and Harding, J.W.
Tachyphylaxis of dipsogenic activity to intracerebroventricular administration of angiotensins, 452, 73

Quock, R.M. and Graczak, L.M. Influence of narcotic antagonist drugs upon nitrous oxide analgesia in mice, 440, 35

R

Rabii, J., see Callahan, P., 442, 214
Raboisson, P., see Aigouy, L., 473, 380
Raboisson, P., see Dallel, R., 448, 7
Racine, R.J., Mosher, M. and
Kairiss, E.W.

The role of the pyriform cortex in the generation of interictal spikes in the kindled preparation, **454**, 251 agains B. J. Payings G.

Racine, R.J., Paxinos, G.,
Mosher, J.M. and Kairiss, E.W.
The effects of various lesions and
knife-cuts on septal and amygdala
kindling in the rat, 454, 264

Radke, J.M., MacLennan, A.J., Vincent, S.R. and Fibiger, H.C. Comparison between short- and long-term haloperidol administration on somatostatin and substance P concentrations in the rat brain, 445, 55

Radosevich, P.M., Brooks Lacy, D., Brown, L.L., Williams, P.E. and Abumrad, N.N.
Effects of insulin-induced hypoglycemia on plasma and cerebrospinal fluid levels of ir-\(\theta\)-endorphins, ACTH, cortisol, norepinephrine, insulin and glucose in the conscious dog, 458, 325

Raemont, L.M., see Komiskey, H.L., 458, 37

Raffa, R.B., Mathiasen, J.R. and Brown, D.Q.

 μ -, but not δ-, opioid receptormediated antinociception in mice is attenuated by γ -irradiation, 447, 393

Rafols, J.A., see McNeill, T.H., 455, 148

Raggenbass, M., Dubois-Dauphin, M., Tribollet, E. and Dreifuss, J.J. Direct excitatory action of vasopressin in the lateral septum of the rat brain, **459**, 60

Raggenbass, M., see Charpak, S., 450, 124

Raggenbass, M., see Wuarin, J.-P., 445, 289

Raiteri, M., see Bonanno, G., 447, 92 Raizada, M.K., see Bottiglieri, D.F., 439, 187

Raja, S.N., see Meyer, R.A., 441, 168 Rajagopalan, S., see Rodrigues, M., 443, 389

Rajan, R. and Johnstone, B.M.
Binaural acoustic stimulation
exercises protective effects at the
cochlea that mimic the effects of
electrical stimulation of an auditory
efferent pathway, 459, 241

Rakic, P., see Lidow, M.S., 459, 105 Ralphe, D.L., see Berrebi, A.S., 438, 216

Ramirez, J.J., Labbe, R. and Stein, D.G.

Recovery from perseverative behavior after entorhinal cortex lesions in rats, **459**, 153

Ramirez, V.D., see Chang, G.D., 463, 385

Ramirez, V.D., see Dluzen, D.E., 445, 354

Ramos, P.G., see Estrada, C., 439, 107 Ramsay, D.A., Drachman, D.B. and Pestronk, A.

Rapid synthesis of acetylcholine receptors at neuromuscular junctions, **462**, 134

Ramsey, R.L., see Kerry, C.J., 459, 312

Randic, M., see Ryu, P.D., 441, 357 Randich, A. and Aicher, S.A. Medullary substrates mediating antinociception produced by electrical stimulation of the vagus, 445, 68

Randich, A., see Ren, K., 446, 285 Ransom, R.W. and Stec, N.L. Inhibition of *N*-methyl-D-aspartate evoked sodium flux by MK-801, 444, 25

Rapallino, M.V., Cupello, A. and Hydén, H.
Direct evidence for the presence of GABA_A receptors on the cytoplasmic side of the Deiters' neurone membrane, 462, 350

Rapoport, S.I., see Murphy, V.A., 454, 315

Rapoport, S.I., see Nieminen, K., 474, 246

Rapoport, S.I., see Rechthand, E., 446, 61

Rapoport, S.I., see Smith, Q.R., 462, 1

Rapoport, S.I., see Wadhwani, K.C.,

462, 22

Rappaport, I., see Sharma, S.C., 473, 359

Rappaport, A., see Mignot, E., 444, 184

Rascol, O. and Lamour, Y.
Differential effects of M₁ and M₂
muscarinic drugs on
septohippocampal, hippocampal and
cortical neurons in the rat, 446, 303

Rasminsky, M., see Gauthier, P., 438, 225

Rathbun, R.C., see Leander, J.D., 454, 368

Rathouz, M.M. and Kirk, M.D. Localization of catecholamines in the buccal ganglia of *Aplysia* californica, **458**, 170

Rauh, C., see Hinson, J., 446, 379 Ravid, R., see Van Zwieten, E.J.,

474, 369
Ray, A., Henke, P.G. and Sullivan, R.M.
Opiate mechanisms in the central amygdala and gastric stress pathology in rats, 442, 195

Ray, D.E., see Lister, T., **450**, 364 Read, D.J.C., see Scheibner, T., **453**, 72

Read, H.L., see Disterhoft, J.F., **462**, 118

Rebec, G.V., see Gardiner, T.W., 463, 268

Rechthand, E., Sato, S., Oberg, P.A. and Rapoport, S.I. Sciatic nerve blood flow response to carbon dioxide, 446, 61

Redburn, D.A., see Mitchell, C.K., **459**, 298

Redd, P.E., see Taylor, P.E., **461**, 371 Redgrave, P., see Mitchell, I.J., **460**, 394

Reeh, P.W., see Szolcsanyi, J., **446**, 262

Rees, H.D., Bonsall, R.W. and Michael, R.P.Estrogen binding and the actions of testosterone in the brain of the male rhesus monkey. 452, 28

rhesus monkey, **452**, 28 Regan, C.M., see Martin, M.L., **459**, 131

Regan, D. and Regan, M.P.
The transducer characteristic of hair cells in the human ear: a possible objective measure, 438, 363

Regan, M.P., see Regan, D., 438, 363 Reichelt, R., see Hebebrand, J., 446, 251

Reichelt, R., see Schmitz, E., 473, 314 Reichlin, S., see Tapia-Arancibia, L., 450, 101

Reid, J.L., see Macrae, I.M., **456**, 1 Reid, J.L., see Yakubu, M.A., **463**, 289

Reid, K.H., see Schurr, A., 438, 311 Reier, P., see Shaw, G., 460, 227 Reilly, J.A., see Novelli, A., 451, 205 Reilly, K.J., see Torbati, D., 459, 187 Reinbolt, J., see Ungerer, A., 446, 205 Reiner, P.B., Heimrich, B., Keller, F. and Haas, H.L.

Organotypic culture of central

histamine neurons, 442, 166

Reis, D.J., see Arnerić, S.P., **454**, 11 Reis, D.J., see Ernsberger, P., **441**, 309 Reis, D.J., see Ernsberger, P., **452**, 336 Reis, D.J., see Milner, T.A., **448**, 205

Memantine (1-amino-3,5-dimethyladamantane) blocks the serotonininduced depolarization response in a

Reiser, G., Binmöller, F.-J. and Koch,

neuronal cell line, 443, 338 Reiter, R.J., see Gonzalez-Brito, A., 438, 108

Reiter, R.J., see Gonzalez-Brito, A., 475, 393

Reiter, R.J., see Troiani, M.E., **450**, 18 Relja, M., see Lacković, Z., **443**, 199

Ren, K., Randich, A. and Gebhart, G.F. Vagal afferent modulation of a nociceptive reflex in rats: involvement of spinal opioid and

monoamine receptors, 446, 285 Renehan, W.E., Stansel, S.S., McCall, R.D., Rhoades, R.W. and Jacquin, M.F. An electron microscopic analysis of

the morphology and connectivity of individual HRP-labeled slowly adapting vibrissa primary afferents in the adult rat, **462**, 396

Renner, K.J., see Kasser, R.J., 475, 333

Repérant, J., see Peyrichoux, J., 447, 299

Reppert, S.M. and Uhl, G.R.
The vasopressin gene is expressed prior to regulation in the supraoptic nuclei of fetal rats, **456**, 392

Represa, A., Duyckaerts, C., Tremblay, E., Hauw, J.J. and Ben-Ari, Y. Is senile dementia of the Alzheimer type associated with hippocampal plasticity?, 457, 355

Represa, A., see Tremblay, E., 461, 393

Resko, J.A., see Handa, R.J., 445, 111
Rettig, W.J., Chesa, P.G.,
Beresford, H.R., Melamed, M.R.
and Old, L.J.
Definition of an extracellular matrix
protein in rostral portions of the
human central nervous system,

438, 315 Reuss, S., see Olcese, J., 448, 325 Rewitzer, J.S., see Glenn, L.L., 439, 396

Reyher, C.K.H.

Persistence of the pars externa system of the anterior olfactory nucleus in a microsmatic primate, *Callithrix jacchus*, **457**, 169

Reymann, K.G., Brödemann, R., Kase, H. and Matthies, H. Inhibitors of calmodulin and protein kinase C block different phases of hippocampal long-term potentiation, 461, 388

Reymann, K.G., Frey, U., Jork, R. and Matthies, H. Polymyxin B, an inhibitor of protein

kinase C, prevents the maintenance of synaptic long-term potentiation in hippocampal CA₁ neurons, **440**, 305 Reymann, K.G., see Frey, U., **452**, 57

Reynolds, J.N., Baskys, A. and

Carlen, P.L.
The effects of serotonin on

N-methyl-p-aspartate and synaptically evoked depolarizations in rat neocortical neurons, 456, 286

Rezazadeh, S.M., see Woodward, J.J., 475, 141

Rhoades, R.W., see Renehan, W.E., 462, 396

Rhodes, K.J., see Danielson, P.D., 448, 158

Ribas, J., see Sánchez, D., **455**, 166 Ricardo, J.A., see Canteras, N.S., **458**, 53

Ricaurte, G.A., DeLanney, L.E., Finnegan, K.T., Irwin, I. and Langston, J.W. The dopamine-depleting effect of 6-hydroxydopamine does not

increase with aging, 438, 395

Ricaurte, G.A., DeLanney, L.E., Irwin, I. and Langston, J.W. Toxic effects of MDMA on central serotonergic neurons in the primate: importance of route and frequency of drug administration, 446, 165

Ricaurte, G.A., DeLanney, L.E., Wiener, S.G., Irwin, I. and Langston, J.W.
5-Hydroxyindoleacetic acid in cerebrospinal fluid reflects serotonergic damage induced by 3,4-methylenedioxymethamphetamine in CNS of non-human primates, 474, 359

Ricaurte, G.A., see Finnegan, K.T.,

447, 141
Rice, M.E. and Nicholson, C.
Behavior of extracellular K⁺ and pH in skate (*Raja erinacea*) cerebellum, 461, 328

Rice, M.E., see Lauritzen, M., 475, 317

Richard, M., see De la Torre, J.C., 442, 297

Richards, J.G., see Schmitz, E., **473**, 314

Richardson, C., see Simmons, R.W., 473, 134

Richardson, R.T., see Koliatsos, V.E., 463, 133

Riche, D., see Brailowsky, S., 442, 175 Richer, L., see Guillemot, J.-P., 441, 221

Richtand, N., see Turner, B.H., 473, 60

Rico, I., see Fernández-Alfonso, M.S., 474, 147

Riddoch, G., see Morgan, P.J., 447, 279

Ridley, R.M., Samson, N.A., Baker, H.F. and Johnson, J.A. Visuospatial learning impairment following lesion of the cholinergic projection to the hippocampus, 456, 71

Riesenberg, R., see Nitsch, C.,

461, 127

Rigor, B.M., see Schurr, A., 438, 311
Riley, D.A., Sanger, J.R.,
Matloub, H.S., Yousif, N.J.,
Bain, J.L.W. and Moore, G.H.
Identifying motor and sensory
myelinated axons in rabbit
peripheral nerves by histochemical
staining for carbonic anhydrase and
cholinesterase activities, 453, 79

Rimland, A., see Leenders, K.L., 445, 61

Rinaldi, P.C., see Fairchild, M.D., 453, 357

Rinehart, K.L., see

Grimmelikhuijzen, C.J.P., **475**, 198 Rio, J.P., see Peyrichoux, J., **447**, 299 Risling, M., see Hildebrand, C., **453**, 401

Ritchie, J.C., see Antelman, S.M., 445, 380

Ritchie, L.D., see Finnegan, K.T., 447, 141

Ritter, R.C., see Ladenheim, E.E., 474, 125

Ritter, S., Dinh, T.T., Stone, S. and Ross, N.
Cerebroventricular dilation in spontaneously hypertensive rats (SHRs) is not attenuated by reduction of blood pressure, 450, 354

Rivet, J.-M., see LaHoste, G.J., 453, 381

Rivet, J.-M., see LaHoste, G.J., **474**, 296

Rivet, J.M., see Lane, R.F., 460, 398 Rivot, J.P., Pointis, D. and Besson, J.M. In vivo electrochemical detection of 5-hydroxyindole within the trigeminal nucleus caudalis of freely moving rats: the effect of morphine, 463, 275

Rivot, J.P., Pointis, D. and Besson, J.M. Morphine increases 5-HT metabolism in the nucleus raphe magnus: an in vivo study in freely moving rats using 5-hydroxyindole electrochemical detection, **446**, 333

Robbins, J., Wakakuwa, K. and Ikeda, H.

Noradrenaline action on cat retinal ganglion cells is mediated by

dopamine (D₂) receptors, 438, 52 Roberson, E.D., see Kadle, R., 460, 60

Roberts, E., see Flood, J.F., **447**, 269 Roberts, E., see Flood, J.F., **448**, 178 Roberts, E., see Liron, Z., **444**, 119

Roberts, E., see Tamaru, M., 473, 205 Roberts Jr., E.L. and Sick, T.J. Calcium-sensitive recovery of extracellular potassium and synaptic transmission in rat hippocampal slices exposed to brief anoxia, 456, 113

Roberts Jr., E.L., see Feng, Z.-C., 445, 280

Roberts, P., see Cowburn, R., 452, 403 Robertson, B., see Vanderwolf, C.H., **451**, 340 Robertson, D., see Tung, C.-S., **456**, 64

Robertson, D. and Winter, I.M. Cochlear nucleus inputs to olivocochlear neurones revealed by combined anterograde and retrograde labelling in the guinea pig, 462, 47

Robertson, H.A., see Dragunow, M., 440, 252

Robertson, H.A., see Dragunow, M., 455, 295

Robertson, H.A., see Dragunow, M., 462, 252

Robertson, L.T. and Elias, S.A.
Representations of the body surface
by climbing fiber responses in the
dorsal paraflocculus of the cat,
452, 97

Robertson, P.L. and Goldstein, G.W. Heparin inhibits the growth of astrocytes in vitro, 447, 341

Robinson, F.M., see Pettibone, D.J., 457, 212

Robinson, P.J., see Smith, Q.R., 462, 1

Robinson, R.G., see Deckel, A.W., 474, 27

Robinson, R.G., see Deckel, A.W., 474, 39

Robinson, R.G., see Starkstein, S.E., 473, 74

Robinson, S.E. and Hambrecht, K.L. The effect of cocaine on hippocampal cholinergic and noradrenergic metabolism, **457**, 383

Robinson, S.E., Hambrecht, K.L. and Lyeth, B.G. Basal forebrain carbachol injection reduces cortical acetylcholine turnover and disrupts memory, 445, 160

Robinson, S.E., see Saija, A., **452**, 303 Robinson, T.E. and Whishaw, I.Q. Normalization of extracellular dopamine in striatum following recovery from a partial unilateral 6-OHDA lesion of the substantia nigra: a microdialysis study in freely moving rats, **450**, 209

Robinson, T.E., Jurson, P.A.,
Bennett, J.A. and Bentgen, K.M.
Persistent sensitization of dopamine
neurotransmission in ventral
striatum (nucleus accumbens)
produced by prior experience with
(+)-amphetamine: a microdialysis
study in freely moving rats, 462, 211
Robisch, D.M., see Etgen, A.M.,

452, 1
Rochford, J. and Henry, J.L.
Lack of effect of adrenal
denervation on analgesia elicited by
continuous and intermittent cold
water swim in the rat 445, 404

water swim in the rat, 445, 404 Rodrigo, J., see Alvarez, F.J., 442, 391 Rodrigo, J., see Villalba, R.M., 462, 359

Rodrigues, M., Waldbillig, R.J., Rajagopalan, S., Hackett, J., LeRoith, D. and Chader, G.J.

Retinal insulin receptors: localization using a polyclonal anti-insulin receptor antibody, 443, 389 Rodrigues, V. Spatial coding of olfactory information in the antennal lobe of Drosophila melanogaster, 453, 299 Rodrigues de Miranda, J.F., see Van Megen, Y.J.B., 474, 185 Rodríguez, M., see Garabal, M.V., **457**, 330 Roeske, W.R., see Mei, L., 447, 360 Roeske, W.R., see Wang, J.-x., 446, 155 Rogawski, M.A., Pieniek, M., Suzuki, S. and ffrench-Mullen, J.M.H. Phencyclidine selectively blocks the sustained voltage-dependent potassium conductance in PC12 cells, 456, 38 Rogers, B.C., see Tilson, H.A., **438**, 83 Rogers, M.W. and Chan, C.W.Y. Motor planning is impaired in Parkinson's disease, 438, 271 Röhn, G., see Paschen, W., 453, 9 Roisin, M.P., see Tremblay, E., 461, 393 Rökaeus, Å., see Wenk, G.L., 460, 17 Rokx, J.T.M., see Jüch, P.J.W., 462, 185 Roman, A., Brisson, P., Pasteels, B., Demol, S., Pochet, R. and Collin, J.P. Pineal-retinal molecular relationships - immunocytochemical evidence of calbindin-27 kDa in pineal transducers, 442, 33 Roman, F. and Soumireu-Mourat, B. Behavioral dissociation of anterodorsal and posteroventral hippocampus by subseizure stimulation in mice, 443, 149 Romand, R., Hafidi, A. and Despres, G. Immunocytochemical localization of neurofilament protein subunits in the spiral ganglion of the adult rat, 462, 167 Ronan, M. Anatomical and physiological evidence for electroreception in larval lampreys, 448, 173 Roncada, P., see Gandolfi, O., 455, 390 Rooney, B.J. and Cooper, R.M. Effects of square-wave gratings and diffuse light on metabolic activity in the rat visual system, 439, 311 Roots, B.I., see Pereyra, P.M., 458, 377 Ropert, N., see Krnjević, K., 438, 182 Rorstad, O.P., see Suzuki, Y., 457, 241

Rosa, M.D., see Del Fiacco, M.,

Rose, G.M., see Ng Cheong Ton, J.M., 451, 59

Rose, F.C., see Gibson, S.J., 474, 255

Rose, S.P.R., see Patel, S.N., 463, 168

446, 173

Roselli, C.E., see Handa, R.J., 445, 111 Rosenberg, H.C., see Tietz, E.I., 438, 41 Rosenberg, H.C., see Tyma, J.L., 453, 344 Rosenberg, H.C., see Yu, O., 451, 376 Rosenbluth, J., see Hasegawa, M., 452, 345 Rosenthal, M., see Feng, Z:-C., 445, 280 Rosenthal, M., see Hollinden, G.E., 475, 283 Rosenthal, M., see Sanchez-Ramos, J.R., 443, 183 Rosenthal, P., see Burton, H., 448, 397 Roskams, A.-J., see Balaban, C.D., 458, 91 Ross, N., see Ritter, S., 450, 354 Ross, A.H., see Scarpini, E., 440, 261 Rossi, M.L. and Martini, M. The effect of barium and some channel blockers on sensory discharge of the frog labyrinth posterior canal recorded at rest and during rotation, 452, 312 Rossi, P., see Altavista, M.C., 455, 177 Rossini, P.M., Zarola, F., Stalberg, E. and Caramia, M. Pre-movement facilitation of motor-evoked potentials in man during transcranial stimulation of the central motor pathways, 458, 20 Rostas, J.A.P., see Dunkley, P.R., 441, 59 Rostène, W.H., see Sarrieau, A., 442, 157 Roth, G.S., see Joseph, J.A., 454, 149 Roth, K.A., see Mefford, I.N., 475, 380 Roth, K.A., see Schmidt, R.E., 458, 353 Roth, K.A., see Schmidt, R.E., 460, 214 Roth, S.H., see Bland, B.H., 447, 364 Roth, S.H., see Konopacki, J., 451, 33 Roth, S.H., see Konopacki, J., 455, 110 Rothe, F., see Šťastný, F., 462, 56 Rothman, R.B., see Brady, L.S., 443, 398 Rotter, A. and Frostholm, A. Cerebellar benzodiazepine receptors: cellular localization and consequences of neurological mutations in mice, 444, 133 Rotter, A., Gorenstein, C. and Frostholm, A The localization of GABA receptors in mice with mutations affecting the structure and connectivity of the cerebellum, 439, 236 Routtenberg, A., see Linden, D.J., 458, 142 Rovira, C., see Cherubini, E., 445, 91 Rowan, M., see Anwyl, R., 459, 192 Rowan, M., see Mulkeen, D., 447, 234 Rowe, M.H.

Changes in inner plexiform layer

cortical ablation in cats, 439, 345

thickness following neonatal visual

462, 76 Ruberg, M., see Hirsch, E., 441, 139 Rubicsek, G., see Kapás, L., 438, 155 Ruda, M.A., see Takahashi, O., 475, 168 Rudolph, K., Wirz-Justice, A., Kräuchi, K. and Feer, H. Static magnetic fields decrease nocturnal pineal cAMP in the rat, 446, 159 Rudy, T.A., see Gollman, H.M., 449, 281 Ruff, M.R., see O'Neill, J.B., 450, 303 Ruff, M.R., see Zipser, B., 463, 296 Ruggiero, D.A., see Park, D.H., 460, 352 Ruigrok, T.J.H., see De Zeeuw, C.I., **447**, 369 Ruit, K.G. and Neafsey, E.J. Cardiovascular and respiratory responses to electrical and chemical stimulation of the hippocampus in anesthetized and awake rats, 457, 310 Rusconi, L., see Parenti, M., 473, 236 Rush, R.A., see Harvey, A.R., 462, 89 Rush, R.A., see Williams, R., 463, 21 Russell, J.T., see Bondy, C.A., 453, 397 Russell, J.T., see Stanley, E.F., 475, 64 Russo, A., see Spampinato, S., **463**, 100 Ryan, J.P., see Uhl, G.R., 459, 391 Ryasina, T.V., Koshelev, V.B., Krushinsky, A.L., Lozhnikova, S.M., Sotskaya, M.N. and Lyudkovskaya, I.G The role of short-term hypobaric hypoxia in prevention of disorders of the cerebral circulation in rats during acoustic stress, 473, 153 Rymer, W.Z., see Hayward, L., 440, 199 Ryu, P.D., Gerber, G., Murase, K. and Randic, M. Actions of calcitonin gene-related peptide on rat spinal dorsal horn neurons, 441, 357

Royston, M.C., see Simpson, M.D.C.,

Saavedra, H., see Motles, E., 473, 65 Saavedra, J.M., see Aiso, M., 447, 195 Saavedra, J.M., see Correa, F.M.A., **448**, 192 Saavedra, J.M., see Nazarali, A.J., 475, 134 Saavedra, J.M., see Pinto, J.E.B., 475, 146

Sabel, B.A., Gottlieb, J. and Schneider, G.E. Exogenous GM₁ gangliosides protect against retrograde degeneration following posterior neocortex lesions in developing

hamsters, **459**, 373 Sabri, M.I., see Moretto, A., **440**, 18 Sacksen, I., see Faden, A.I., **448**, 287

Sadler, M. and Berry, M.

Link-Vertex Analysis of Purkinje cell dendritic trees from the murine cerebellum, **474**, 130

Sadoshima, J.-I., see Oyama, Y., 442, 223

Sadoshima, S., Nakatomi, Y., Fujii, K., Ooboshi, H., Ishitsuka, T., Ogata, J. and Fujishima, M.

Mortality and histological findings of the brain during and after cerebral ischemia in male and female spontaneously hypertensive rats, **454**, 238

Sadun, A.A., see Fredericks, C.A., **454**, 116

Saederup, E., see Squires, R.F., 441, 15

Saffrey, M.J., see Buckley, N.J., 445, 152

Saffroy, M., see Murray, M., 459, 76 Safronova, V.G., see Chemeris, N.K., 460, 142

Sagratella, S., see Frank, C., 441, 393 Saha, S., see Batten, T.F.C., 447, 314 Sahenk, Z. and Lasek, R.J.

Inhibition of proteolysis blocks anterograde–retrograde conversion of axonally transported vesicles, 460, 199

Sahu, A., Kalra, S.P., Crowley, W.R. and Kalra, P.S. Evidence that NPY-containing neurons in the brainstem project into selected hypothalamic nuclei: implication in feeding behavior,

457, 376 Sahyoun, N.E., see LeVine, III, H.,

439, 47
Saija, A., Hayes, R.L., Lyeth, B.G.,
Dixon, C.E., Yamamoto, T. and
Robinson, S.E.

The effect of concussive head injury on central cholinergic neurons, **452**, 303

Saint-Pierre, S., see Leboulenger, F., 453, 103

Saint-Pierre, S., see Vallarino, M., 448, 67

Saito, H., see Tanaka, J., 461, 403 Saito, M., see Ogawa, N., 451, 115 Saito, N., see Kumoi, K., 439, 302 Saito, N., see Sakaue, M., 446, 343 Saito, N., see Yamashita, T., 474, 309 Saitoh, T., see Cole, G., 452, 165

Sakai, H. and Woody, C.D.
Relationships between axonal
diameter, soma size, and axonal
conduction velocity of HRP-filled,
pyramidal tract cells of awake cats,

460, 1

Sakai, M., Kani, K., Karasawa, N.,
Yoshida, M. and Nagatsu, I.
Carnosine-like immunoreactivity in the olfactory bulb of the rat: an electron microscopic study, 438, 335
Sakai, M., see Nagatsu, I., 475, 91

Sakata, S., Shima, F., Kato, M. and

Fukui, M.

Effects of thalamic parafascicular stimulation on the periaqueductal gray and adjacent reticular formation neurons. A possible contribution to pain control mechanisms, **451**, 85

Sakata, T., Arase, K., Fujimoto, K., Kurata, K., Fukagawa, K., Fukushima, M., Steffens, A.B. and Oomura, Y. Structural characteristics of endogenous sugar acids and relations to feeding modulation, 473, 43

Sakata, T., Ookuma, K.,
Fukagawa, K., Fujimoto, K.,
Yoshimatsu, H., Shiraishi, T. and
Wada, H.
Blockade of the histamine
H₁-receptor in the rat ventromedial
hypothalamus and feeding
elicitation, 441, 403

Sakata, Y., see Morimoto, A., 475, 345
Sakaue, M., Saito, N., Taniguchi, H.,
Baba, S. and Tanaka, C.
Immunohistochemical localization of γ-aminobutyric acid in the rat
pituitary gland and related
hypothalamic regions, 446, 343

Sakurada, S., see Sakurada, T., 442, 191

Sakurada, T., Takahashi, K.,
Sakurada, S., Kisara, K.,
Folkesson, R. and Terenius, L.
Enkephalins interact with substance
P-induced aversive behaviour in
mice, 442, 191
Salaices, M., see

Salaices, M., see Fernández-Alfonso, M.S., **474**, 147 Salamone, J.A., see Glenn, L.L.,

439, 396 Salamone, J.D., see Welner, S.A., **463**, 192

Salgado, H.C., see Menani, J.V., 446, 295

Salinger, W.L., see Schroeder, C.E., 454, 227

Samanin, R., see Vezzani, A., 454, 289 Samejima, A., see Yamamoto, T., 461, 199

Samson, N.A., see Ridley, R.M., 456, 71

Sanberg, P.R., see Calderon, S.F., 450, 403

Sanberg, P.R., see Giordano, M., 446, 183

Sanchez, R. and Vargas, L.
Inhibition of stress-induced
hyperglycemia by tail pinching or
intraventricular enkephalin
administration in the rat, 452, 149

Sanchez-Ramos, J.R.,
Hollinden, G.E., Sick, T.J. and
Rosenthal, M.
1-Methyl-4-phenylpyridinium
(MPP+) increases oxidation of
Cytochrome-b in rat striatal slices,
443, 183

Sanchez-Ramos, J.R., see

Hollinden, G.E., 475, 283
Sánchez, D., Ganfornina, M.D. and Ribas, J.
Periaqueductal gray neurons' activity in a mesencephalic slice preparation, 455, 166
Sánchez-Ferrer, C.F., see

Fernández-Alfonso, M.S., 474, 147 Sander, H.W., Portoghese, P.S. and Gintzler, A.R. Spinal κ-opiate receptor involvement in the analgesia of pregnancy: effects of intrathecal nor-binaltorphimine, a κ-selective antagonist, 474, 343

Saneto, R.P., see Bologa, L., 457, 295 Sanger, J.R., see Riley, D.A., 453, 79 Sano, K., see Yamamoto, M., 452, 323 Sano, Y., see Ueda, S., 444, 361 Sano, M., Kato, K., Totsuka, T. and

Katoh-Semba, R.
A convenient bioassay for NGF using a new subline of PC12 pheochromocytoma cells (PC12D), 459, 404

Sano, N., Matsuda, S., Matsuda, H. and Uehara, Y. A morphometric analysis of extracellular space in the developing spinal cord of the chick embryo, 455, 324

Sansom, M.S.P., see Kerry, C.J., **459**, 312

Santana, C., see Gonzalez-Brito, A., 475, 393

Santicioli, P., see Maggi, C.A., 449, 61 Santiso, M., see Ikeda, M., 459, 344 Santori, E.M. and Collins, R.C. Effects of chronic cortical seizures on GABA and benzodiazepine receptors within seizure pathways, 442, 261

Saphier, D. and Feldman, S.
Iontophoretic application of glucocorticoids inhibits identified neurones in the rat paraventricular nucleus, **453**, 183

Sapolsky, R.M. and Meaney, M.J.
Postmortem decay in glucocorticoid binding in human and primate brain, 448, 182

Sapolsky, R.M., Packan, D.R. and Vale, W.W.
Glucocorticoid toxicity in the hippocampus: in vitro demonstration, **453**, 367

Sapolsky, R.M., see Sarrieau, A., 442, 157

Sapolsky, R.M., see Stein, B.A., 473, 175

Saporta, S., see Phelps, C.P., 454, 188 Sapru, H., see Sundaram, K., 449, 141 Sara, S.J. and Devauges, V.

Priming stimulation of locus coeruleus facilitates memory retrieval in the rat, 438, 299

Sarnyai, Z., Viski, S., Kriván, M., Szabó, G., Kovács, G.L. and Telegdy, G. Endogenous oxytocin inhibits morphine tolerance through limbic forebrain oxytocin receptors, 56 463, 294 Sarrieau, A., Dussaillant, M., Sapolsky, R.M., Aitken, D.H. Olivier, A., Lal, S., Rostène, W.H., Quirion, R.and Meaney, M.J. Glucocorticoid binding sites in human temporal cortex, 442, 157 Sasaki, H., see Funabashi, T., 458, 132 Sastre, A., see Murphy, T.H., 460, 155 Sastre, A., see Murphy, T.H., 444, 325 Sato, A., see Takano, Y., 445, 188 Sato, T., see Miyamoto, T., 449, 369 Sato, T., see Okada, Y., 450, 295 Sato, K., Morimoto, K. and Okamoto, M. Anticonvulsant action of a non-competitive antagonist of NMDA receptors (MK-801) in the kindling model of epilepsy, 463, 12 Sato, S., see Rechthand, E., 446, 61 Sato, Y., Kanda, K.-i. and Kawasaki, Target neurons of floccular middle zone inhibition in medial vestibular nucleus, 446, 225 Satoda, T., see Tashiro, T., 440, 357 Satoh, M., see Ohno, H., 474, 197 Satoh, M., see Oku, R., 475, 356 Satoh, M., see Kawasaki, K., 461, 282 Sattelle, D.B., see Pinnock, R.D., 458, 45 Sawai, H., Morigiwa, K. and Fukuda, Effects of EEG synchronization on visual responses of the cat's geniculate relay cells: a comparison among Y, X and W cells, 455, 394 Sawchenko, P., see Brown, M.R., 452, 212 Sawchenko, P.E. and Pfeiffer, S.W. Ultrastructural localization of neuropeptide Y and galanin immunoreactivity in the paraventricular nucleus of the hypothalamus in the rat, 474, 231 Sawyer, W.B., see Spencer, S.E., 458, 72 Sawyer, W.B., see Strack, A.M., 455, 187 Sawynok, J., see Sweeney, M., 462, 346 Sbaschnig-Agler, M., Dreyfus, H. Norton, W.T., Sensenbrenner, M., Farooq, M., Byrne, M.C. and Ledeen, R.W. Gangliosides of cultured astroglia, 461, 98 Sbaschnig-Agler, M., see Byrne, M.C., 461, 87 Sbraccia, M., see Ferri, G.-L., 444, 383 Scarlato, G., see Scarpini, E., 440, 261 Scarlato, G., see Silani, V., 454, 383 Scarlato, G., see Silani, V., 473, 169 Scarpini, E., Kreider, B.Q., Lisak, R.P., Meola, G., Velicogna, M.E., Baron, P., Beretta, S., Buscaglia, M., Ross, A.H., and Scarlato, G. Cultures of human Schwann cells

isolated from fetal nerves, 440, 261

Scatton, B., see Cudennec, A.,

444, 214

Scatton, B., see D'Angio, M., 451, 237 Scatton, B., see Dubois, A., 445, 77 Scatton, B., see Cudennec, A., 444, 227 Schalling, M., see Seroogy, K., 455, 88 Schasfoort, E.M.C., De Bruin, L.A. and Korf, J. Mild stress stimulates rat hippocampal glucose utilization transiently via NMDA receptors, as assessed by lactography, 475, 58 Schechter, N., see Olsen, K.L., 448, 223 Scheetz, A.J., Markham, J.A. and Fifková, E. Astrocyte proliferation precedes a decrease in basket cells in the dentate fascia following chronic ethanol treatment in mice, 460, 246 Scheff, S.W., Morse, J.K. and DeKosky, S.T. Neurotrophic effects of steroids on lesion-induced growth in the hippocampus. I. The asteroidal condition, **457**, 246 Scheibner, T., Read, D.J.C. and Sullivan, C.E. Distribution of substance P-immunoreactive structures in the developing cat carotid body, 453, 72 Scheich, H., see Braun, K., 475, 205 Scherer, R.W., Karbon, E.W. Ferkany, J.W. and Enna, S.J. Augmentation of neurotransmitter receptor-stimulated cyclic AMP accumulation in rat brain: differentiation between the effects of baclofen and phorbol esters, 451, 361 Schettini, G., Florio, T., Meucci, O., Landolfi, E., Lombardi, G. and Marino, A. Somatostatin inhibition of anterior pituitary adenylate cyclase activity: different sensitivity between male and female rats, 439, 322 Schiaffino, S., see Gorza, L., 457, 360 Schick, R.R., Stevens, C.W. Yaksh, T.L. and Go, V.L.W. Chronic intraventricular administration of cholecystokinin octapeptide (CCK-8) suppresses feeding in rats, 448, 294 Schiess, M.C., Joëls, M. and Shinnick-Gallagher, P. Estrogen priming affects active membrane properties of medial amygdala neurons, 440, 380 Schiffmann, S., Campistron, G., Tugendhaft, P., Brotchi, J., Flament-Durand, J., Geffard, M. and Vanderhaeghen, J.-J Immunocytochemical detection of GABAergic nerve cells in the human temporal cortex using a direct y-aminobutyric acid antiserum, 442, 270 Schindler, C.W., see Harvey, J.A., **449**, 213 Schipper, J., see De Vente, J., 446, 387

Schleef, C., see Cabib, S., 441, 153

Schlegel, P.A., Jen, P.H-S. and

Singh, S. Auditory spatial sensitivity of inferior collicular neurons of echolocating bats, 456, 127 Schlitt, M., Bucher, A.P., Stroop, W.G., Pindak, F. Bastian, F.O., Jennings, R.A., Lakeman, A.D. and Whitley, R.J. Neurovirulence in an experimental focal herpes encephalitis: relationship to observed seizures, 440, 293 Schlue, W.-R., see Deitmer, J.W., **462**, 233 Schmechel, D.E., see Chrobak, J.J., 463, 107 Schmelzer, J.D. and Low, P.A. The effect of hyperbaric oxygenation and hypoxia on the blood-nerve barrier, 473, 321 Schmidt, R., see Piront, M.-L., 442, 53 Schmidt, J.T. and Shashoua, V.E. Antibodies to ependymin block the sharpening of the regenerating retinotectal projection in goldfish, 446, 269 Schmidt, R.E., McAtee, S.J., Plurad, D.A., Parvin, C.A., Cogswell, B.E. and Roth, K.A. Differential susceptibility of prevertebral and paravertebral sympathetic ganglia to experimental injury, 460, 214
Schmidt, R.E., Plurad, D.A. and Roth, K.A Effects of chronic experimental streptozotocin-induced diabetes on the noradrenergic and peptidergic innervation of the rat alimentary tract, 458, 353 Schmidt, W., see Šťastný, F., 462, 56 Schmidt-Kastner, R., see Paschen, W., 453, 9 Schmitz, E., Reichelt, R., Walkowiak, W., Richards, J.G. and Hebebrand, J. A comparative phylogenetic study of the distribution of cerebellar GABA_A/benzodiazepine receptors using radioligands and monoclonal antibodies, 473, 314 Schmitz, E., see Hebebrand, J., 446, 251 Schmitz-Bourgeois, M., see Ungerer, A., 446, 205 Schnaar, R.L., see Murphy, T.H., 444, 325 Schnaar, R.L., see Murphy, T.H., 460, 155 Schneider, G.E., see Erzurumlu, R.S., 461, 175 Schneider, G.E., see Sabel, B.A., **459**, 373 Schneiderman, N., see Haselton, J.R., 453, 167 Schneiderman, N., see Haselton, J.R., 453, 176 Schoofs, L., Jegou, S., Andersen, A.C., Tonon, M.C., Eberle, A.N., Huybrechts, R., De Loof, A. and Vaudry, H.

Coexistence of

melanin-concentrating hormone and α-melanocyte-stimulating hormone immunoreactivities in the central nervous system of the locust. Locusta migratoria, **450**, 202

Schor, N.F.

Inactivation of mammalian brain glutamine synthetase by oxygen radicals, 456, 17 Schotland, S., see Jonakait, G.M.,

473, 336

Schouenborg, J. and Dickenson, A. Long-lasting neuronal activity in rat dorsal horn evoked by impulses in cutaneous C fibres during noxious mechanical stimulation, 439, 56

Schramm, M., see Minc-Golomb, D., 457, 205

Schramm, L.P., see Knuepfer, M.M., 446, 17

Schröck, H., see Grünwald, F., **456**, 350

Schröder, H., Stehle, J. and Henschel, Twenty-four-hour pineal melatonin synthesis in the vasopressin-deficient

Brattleboro rat, 459, 328

Schroeder, C.E., Salinger, W.L. and Guido, W. The influence of anesthesia upon binocular processes controlling the recordability of X- and Y-cells in the lateral geniculate nucleus of the cat, 454, 227

Schroeder, C.E., see Arezzo, J.C., 462, 286

Schubert, D., see Le Beau, J.M., 459, 93

Schubert, P.

Physiological modulation by adenosine: selective blockade of A₁-receptors with DPCPX enhances stimulus train-evoked neuronal Ca influx in rat hippocampal slices, **458**, 162

Schultheiss, K., see Meyer, D.K., **452**, 113

Schumacher, M., Hutchison, R.E. and Hutchison, J.B. Ontogeny of testosterone-inducible

brain aromatase activity, 441, 98 Schurr, A., Dong, W.-Q., Reid, K.H., West, C.A. and Rigor, B.M. Lactic acidosis and recovery of neuronal function following cerebral hypoxia in vitro, 438, 31

Schwarcz, R., see Turski, W.A., 454, 164

Schwarting, G.A., see Suchy, S.F.,

Schwartz, J.P., see Uhl, G.R., 459, 391 Schwartz, R.D., see Suzdak, P.D., 444, 340

Schwartzkroin, P.A., see Janigro, D., 453, 265

Schwartzkroin, P.A., see Shen, K.-f., **475**, 305

Schwarz, M., see Klockgether, T., **461**, 343

Schwarzberg, H., see Landgraf, R., 457, 219 Schwarzberg, H., see Neumann, I.,

462, 181 Scott, J.J.A.

Responses of cat muscle spindle afferents after short periods of denervation and reinnervation,

Scott, T.R., see Mark, G.P., 443, 137 Scotti de Carolis, A., see Frank, C., 441, 393

Searles, C.D. and Singer, H.S. The identification and characterization of a GABAergic system in the cholinergic neuroblastoma × glioma hybrid clone NG108-15, 448, 373

Seaton, P., see Patel, A.J., 450, 378 Sebens, J.B., see Loopuijt, L.D., **456**, 263

Sebille, A., see Bondoux-Jahan, M., 449, 150

Sediguchi, K., see Sugaya, E., 459, 196 See, W.R., see Christakos, C.N., 463, 362

Seegal, R.F. and McFarland, D.J. Stereotaxic microinjection of HSV-1 selectively decreases striatal dopamine concentrations in mice, 445, 234

Seeldrayers, P.A., see Johnson, D., 444, 195

Seeley, P.J. and Field, P.M. Use of colloidal gold complexes of wheat germ agglutinin as a label for neural cells, 449, 177

Seeley, P.J., see Emmett, C.J., 447, 223

Segal, M.

Synaptic activation of a cholinergic receptor in rat hippocampus, 452, 79 Segovia, S., see Garcia-Segura, L.M.,

Segu, L., see Pinard, R., 474, 48 Séguéla, P., Watkins, K.C. and Descarries, L.

Ultrastructural features of dopamine axon terminals in the anteromedial and the suprarhinal cortex of adult rat, 442, 11

Seiden, L.S., see Nencini, P., 457, 136 Seil, F.J., see Meshul, C.K., 441, 23 Seiler, G.R., see King, J.C., **452**, 127 Selkirk, C.P., see Hill, I.E., **461**, 27 Selkoe, D.J., see Joachim, C.L., 474, 100

Semba, R., see Aoki, E., 442, 63

Semenenko, F., see Martinez-Murillo, R., 451, 227 Semenenko, F.M., see Dawbarn, D.,

440, 185 Senba, E. and Tohyama, M. Calcitonin gene-related peptide containing autonomic efferent

pathways to the pelvic ganglia of the rat, 449, 386 Senba, E., see Ishida-Yamamoto, A.,

453, 362

Senba, E., see Tanaka, M., 447, 175

Senba, E., Yanaihara, C., Yanaihara, N. and Tohyama, M. Co-localization of substance P and Met-enkephalin-Arg⁶-Gly⁷- Leu⁸ in the intraspinal neurons of the rat,

with special reference to the neurons in the substantia gelatinosa, 453, 110

Sensenbrenner, M., see Sbaschnig-Agler, M., 461, 98

Seroogy, K., Ceccatelli, S., Schalling, M., Hökfelt, T., Frey, P., Walsh, J., Dockray, G., Brown, J., Buchan, A., and Goldstein, M. A subpopulation of dopaminergic neurons in rat ventral mesencephalon contains both neurotensin and cholecystokinin, 455, 88

Seroogy, K., see Millhorn, D.E., 461, 169

Serra, M., see Malatynska, E., 443, 395

Serrano, A., see Cudennec, A., 444, 227

Serrano, A., see D'Angio, M., 451, 237

Seshan, K.R., see Viancour, T.A., 439, 211

Sessler, F.M., Cheng, J.-T. and Waterhouse, B.D. Electrophysiological actions of norepinephrine in rat lateral hypothalamus. I. Norepinephrine-induced modulation of LH neuronal responsiveness to

afferent synaptic inputs and putative neurotransmitters, 446, 77 Sessler, F.M., see Cheng, J.-T., **446**, 90 Seto, K., see Tanaka, J., **456**, 397

Seto, K., see Tanaka, J., 461, 403 Seubert, P., Ivy, G., Larson, J., Lee, J., Shahi, K., Baudry, M. and

Lynch, G Lesions of entorhinal cortex produce a calpain-mediated degradation of brain spectrin in dentate gyrus. I. Biochemical studies, **459**, 226

Seubert, P., Larson, J., Oliver, M., Jung, M.W., Baudry, M. and Lynch, G. Stimulation of NMDA receptors induces proteolysis of spectrin in hippocampus, 460, 189

Seubert, P., see Ivy, G., 459, 233 Severs, W.B., see Balaban, C.D., 445, 117

Severs, W.B., see Balaban, C.D., 458, 91

Severs, W.B., see Starcevic, V.P., 462, 112

Seylaz, J., see Lasbennes, F., 454, 205 Seylaz, J., see Puiroud, S., 453, 287 Shaderh, R.I., see Miller, L.G.,

446, 314 Shah, J. and Pant, H.C. Spontaneous calcium release induced by ethanol in the isolated rat brain microsomes, 474, 94

Shahar, A., see Amir, A., 454, 298 Shahi, K., see Seubert, P., 459, 226 Shammah-Lagnado, S.J., see

Canteras, N.S., 458, 53 Shanabrough, M., see Leranth, C., 449, 167

Shannon, S.L., see Wong, D., 453, 349 Sharif, N.A.

Chronic prolactin, gonadal and

thyroid hormone treatments in vivo alter levels of TRH and muscarinic receptors in male and female rat tissues 449 364

tissues, 449, 364
Sharma, S.C., Braverman, S.B. and
Rappaport, I.
A monoclonal antibody specific for

the visual system of the goldfish,

473, 359

Sharma, T.R., Chan, W.C. and Gintzler, A.R. Effect of chronic naltrexone administration and its withdrawal on the regional activity of neurons that contain norepinephrine, dopamine and serotonin, 442, 379

Sharp, F.R., see Sharp, J.W., 438, 357 Sharp, J.W., Gonzalez, M.F., Morton, M.T., Simon, R.P. and

Sharp, F.R.

Sharp, F.R. Decreases of cortical and thalamic glucose metabolism produced by parietal cortex stimulation in the rat, 438, 357

Sharpless, N.S., see Ng Cheong Ton, J.M., 451, 59

Shashoua, V.E., see Schmidt, J.T., 446, 269

Shaw, C., see McKillop, J.M., 447, 239 Shaw, G., Winialski, D. and Reier, P. The effect of axotomy and deafferentation on phosphorylation dependent antigenicity of neurofilaments in rat superior cervical ganglion neurons, 460, 227

Shaw, S., see Tilson, H.A., 438, 83 Shaw, T.M., see Hill, D.R., 454, 101 Shechter, Y., see Amir, S., 450, 272 Shefner, S.A., see Osmanović, S.S.,

438, 124 Shelanski, M.L., see Coria, F.,

463, 187 Sheller, R.A., see Viancour, T.A.,

439, 211 Shelton, S.E., see Kalin, N.H., **440**, 288

Shemer, J., see Ota, A., 443, 1 Shen, K.-f. and Schwartzkroin, P.A. Effects of temperature alterations on population and cellular activities in hippocampal slices from mature

and immature rabbit, **475**, 305 Shen, K.-f., see Chen, G.-G., **462**, 372 Shen, K.-f., see Crain, S.M., **455**, 99

Shepard, P.D. and Bunney, B.S.
Effects of apamin on the discharge properties of putative dopamine-containing neurons in vitro, 463, 380

Sherman, J.E., see Kalin, N.H., **457**, 130

Sheu, F.-S., see Linden, D.J., **458**, 142 Shibasaki, H., see Oda, K., **449**, 337 Shibasaki, T., see Sugihara, H., **475**, 128

Shibata, K. and Furukawa, T.
The mammillary body, a potential site of action of neurotensin in passive avoidance behavior in rats, 443, 117

Shibata, M., Hori, T., Kiyohara, T. and Nakashima, T.

Convergence of skin and hypothalamic temperature signals on the sulcal prefrontal cortex in the rat, 443, 37

Shibata, R., see Nishino, H., 445, 325 Shibata, S. and Moore, R.Y.

Electrical and metabolic activity of suprachiasmatic nucleus neurons in hamster hypothalamic slices, 438, 374

Shigemoto, R., see Ino, T., **460**, 173 Shigemoto, R., see Kaneko, T., **457**, 160

Shigenaga, Y., Mitsuhiro, Y.,
Yoshida, A., Cao, C.Q. and Tsuru,
H.
Morphology of single mesencephalic trigeminal neurons innervating masseter muscle of the cat, 445, 392

Shigenaga, Y., Yoshida, A.,
Mitsuhiro, Y., Doe, K. and
Suemune, S.
Morphology of single mesencephalic
trigeminal neurons innervating
periodontal ligament of the cat,
448. 331

Shigenaga, Y., Yoshida, A.,
Mitsuhiro, Y., Tsuru, K. and Doe,
K.
Morphological and functional
properties of trigeminal nucleus
oralis neurons projecting to the
trigeminal motor nucleus of the cat,

461, 143 Shigenaga, Y., Yoshida, A., Tsuru, K., Mitsuhiro, Y., Otani, K. and Cao, C.Q.

Physiological and morphological characteristics of cat masticatory motoneurons — intracellular injection of HRP, **461**, 238

Shima, F., see Aiko, Y., **442**, 43 Shima, F., see Sakata, S., **451**, 85 Shimada, M., see Ozaki, H.S., **441**, 5 Shimada, S., see Kubota, Y., **458**, 389 Shimamura, M., Hazato, T. and

Iwaguchi, T.
A new aminopeptidase in monkey cerebral membrane fraction: hydrolysis of enkephalin, 445, 350

Shimazu, T., see Ogawa, N., **451**, 115 Shimizu, N., see Kai, Y., **461**, 107 Shimizu, M., see Yamamoto, M., **452**, 323

Shimura, T., see Takahashi, H., 441, 202

Shingai, R. and Ebina, Y.
Some properties of membrane current fluctuations induced by kainate, quisqualate, and NMDA in cultured septal neurons of rat,
448, 198

Shinnick-Gallagher, P., see Hasuo, H., 438, 323

Shinnick-Gallagher, P., see Kumamoto, E., 458, 151 Shinnick-Gallagher, P., see Schiess, M.C., 440, 380

Shinoda, K., see Inagaki, N., 439, 402 Shinoda, K., see Kohno, J., 461, 158 Shinozaki, H., see Ishida, M., 473, 193 Shinozaki, H., see Ishida, M., 474, 386 Shinozaki, H. and Ishida, M.
Stizolobic acid, a competitive
antagonist of the quisqualate-type
receptor at the crayfish
neuromuscular junction, **451**, 353
Shinozawa, T., see Kuo, C.-H.,

442, 147 Shinsako, J., see Darlington, D.N., **439**, 289

Shiosaka, S., see Nishino, H., **445**, 325 Shiotani, Y., see Kohno, J., **461**, 158 Shiotani, Y., see Inagaki, N., **439**, 402 Shiraishi, T., see Sakata, T., **441**, 403 Shirao, I., see Tsuda, A., **474**, 174 Shirasu, A., see Hiramatsu, M., **455**, 38

Shirk, J.O., see Airhart, M.J., 460, 383 Shockley, R.P. and LaManna, J.C. Determination of rat cerebral cortical blood volume changes by capillary mean transit time analysis during hypoxia, hypercapnia and hyperventilation, 454, 170

Shoulson, I., see McNeill, T.H., 455, 148

Shouse, M.N., Stroh, P.J. and Vreeken, T.
Temporal lobe and petit mal antiepileptics differentially affect ventral lateral thalamic and motor cortex excitability patterns, 473, 372

Shuey, D.L., see Tandon, P., 473, 241 Sibbald, J.R., Hubbard, J.I. and Sirett, N.E.

Responses from osmosensitive neurons of the rat subfornical organ in vitro, 461, 205

Sibbald, J.R., see Day, T.A., **454**, 387 Sibony, P., see Moore, R.Y., **457**, 395

Sica, A.L., Steele, A.M.,
Gandhi, M.R., Donnelly, D.F. and
Prasad, N.
Power spectral analyses of

inspiratory activities in neonatal pigs, **440**, 370 Sick, T.J., see Feng, Z.-C., **445**, 280

Sick, T.J., see Hollinden, G.E., 475, 283 Sick, T.J., see Roberts Jr., E.L.,

456, 113 Sick, T.J., see Sanchez-Ramos, J.R., **443**, 183

Siegel, A., see Brutus, M., **473**, 147 Siegel, J.M., see Wu, M.-F., **457**, 399 Siegfried, B., see Külling, P., **450**, 237 Sieghart, W.

Comparison of two different benzodiazepine binding proteins by peptide mapping after limited proteolysis, **450**, 387

Siekevitz, P., see Wu, K., 457, 98 Sikdar, S.K., see

Sirinathsinghji, D.J.S., 438, 399 Silani, V., Pizzuti, A., Strada, O., Falini, A., Buscaglia, M. and Scarlato, G. Human neuronal cell viability demonstrated in culture after

cryopreservation, 473, 169 Silani, V., Pizzuti, A., Strada, O., Falini, A., Pezzoli, G. and Scarlato,

G.

Cryopreservation of human fetal adrenal medullary cells, 454, 383

Silberberg, D.H., see Bhat, S., **452**, 373

Sills, M.A., Mellow, A.M., Sunderland, T. and Jacobowitz, D.M. Central muscarinic cholinergic antagonists block wet-dog shakes produced by the TRH analog MK-771 in the rat, 453, 385

Silva, B.A., see Canteras, N.S., 458, 53

Silva-Barrat, C., see Brailowsky, S., 442, 175

Silverman, A.-J., Kokoris, G.J. and Gibson, M.J. Quantitative analysis of synaptic input to gonadotropin-releasing hormone neurons in normal mice

and hpg mice with preoptic area grafts, 443, 267

Silverstein, F.S., see McDonald, J.W., 459, 200

Simeone, F.A., see Coyer, P.E., 441, 145

Simerly, R.B., see Akesson, T.R., 451, 381

Simmet, T., Luck, W., Delank, W.K. and Peskar, B.A. Formation of cysteinyl-leukotrienes by human brain tissue, 456, 344

Simmons, P.J., see Littlewood, P.M.H., 445, 165 Simmons, R.M.A. and Jones, D.J. Binding of [³H]prazosin and [³H]p-aminoclonidine to α -adrenoceptors in rat spinal cord, **445**, 338

Simmons, R.W. and Richardson, C. Peripheral regulation of stiffness during arm movements by coactivation of the antagonist muscles, 473, 134

Simon, H., see Baud, P., 452, 203 Simon, H., see Mayo, W., 455, 213 Simon, E., see Eriksson, S., 448, 121 Simon, E.J., see Keren, O., 440, 280

Simon, H., see Taghzouti, K., 440, 172 Simon, H., Taghzouti, K., Gozlan, H., Studler, J.M., Louilot, A., Herve, D., Glowinski, J., Tassin, J.P.and Moal, M.L. Lesion of dopaminergic terminals in the amygdala produces enhanced locomotor response to D-amphetamine and opposite

changes in dopaminergic activity in prefrontal cortex and nucleus accumbens, 447, 335

Simon, R.P., see Sharp, J.W., 438, 357

Simon-Oppermann, C., see Eriksson, S., 448, 121 Simonnet, G., Legendre, P., Laribi, C., Allard, M. and

Vincent, J.D. Location of angiotensin II binding sites on neuronal and glial cells of cultured mouse spinal cord: an autoradiographic study, 443, 403

Simons, D.J., see Carvell, G.E., 448, 186

Simpkins, J.W., see Gabriel, S.M., 447, 200

Simpson, M.D.C., Royston, M.C., Deakin, J.F.W., Cross, A.J., Mann, D.M.A. and Slater, P. Regional changes in [3H]D-aspartate and [3H]TCP binding sites in Alzheimer's disease brains, 462, 76

Sims, K.B., Crandall, J.E., Kosik, K.S. and Williams, R.S. Microtubule-associated protein 2 (MAP 2) immunoreactivity in human fetal neocortex, 449, 192

Sinclair, G.I., Baas, P.W. and Heidemann, S.R. Role of microtubules in the cytoplasmic compartmentation of neurons. II. Endocytosis in the growth cone and neurite shaft, 450, 60

Singer, H.S., see Searles, C.D., **448**, 373

Singh, S., see Schlegel, P.A., 456, 127 Singhaniyom, W., Tsai, Y.F., Brücke, T., McLellan, C.A., Cohen, R.M., Kung, H.F. and Chiueh, C.C. Blockade of in vivo binding of ¹²⁵I-labeled 3-iodobenzamide (IBZM) to dopamine receptors by D₂ antagonist and agonist, 453, 393

Siow, Y.L., see Viswanathan, M., 473, 37

Sirett, N.E., see Sibbald, J.R., 461, 205

Sirevaag, A.M. and Greenough, W.T. A multivariate statistical summary of synaptic plasticity measures in rats exposed to complex, social and individual environments, 441, 386

Sirinathsinghji, D.J.S., Heavens, R.P. and McBride, C.S. Dopamine-releasing action of 1-methyl-4-phenyl-1,2,3,6tetrahydropyridine (MPTP) and 1-methyl-4-phenylpyridine (MPP⁺) in the neostriatum of the rat as demonstrated in vivo by the push-pull perfusion technique: dependence on sodium but not

calcium ions, 443, 101 Sirinathsinghji, D.J.S., Heavens, R.P. and Sikdar, S.K. In vivo studies on the dopamine re-uptake mechanism in the striatum of the rat: effects of benztropine, sodium and ouabain, 438, 399

Sjöberg, J., Kanje, M. and Edström, Influence of non-neuronal cells on

regeneration of the rat sciatic nerve, 453, 221

Skolnick, P., see Bolger, G.T., 438, 101 Skolnick, P., see Suzdak, P.D., 444, 340

Skottner, A., see Kanje, M., 475, 254 Sladek, C.D., Devine, M.A. Felten, S.Y., Aravich, P.F. and Blair, M.L. Abnormalities in hypothalamic and

neurohypophysial vasopressin content are not a consequence of hypertension in the spontaneously hypertensive rat, 445, 39

Sladek, C.D., see Clough, R.W., 446, 121

Sladek Jr., J.R., see Collier, T.J., 448, 77 Sladek Jr., J.R., see Kordower, J.H.,

461, 221 Slater, P., see Simpson, M.D.C., 462, 76

Slater, N.T., see Larson-Prior, L.J., 460, 369

Slevin, J.T., see Geula, C., 442, 368 Sloley, B.D., see Juorio, A.V.,

444, 380 Smith, A.M., see Lalonde, R., 455, 24 Smith, C.C., see O'Neill, J.B.,

450, 303 Smith, C.C., see Zipser, B., 463, 296 Smith, D.O.

Statistical evidence for non-random clustering of synaptic vesicles associated with filamentous interconnections, 447, 145

Smith, D.V., see Dickman, J.D., 450, 25

Smith, G.E., see Flood, J.F., 447, 269 Smith, J., see Jenny, A., 441, 352 Smith, J.E., see Miyauchi, T., 454, 40

Smith, M., Clemens, J., Kerchner, G.A. and Mendelsohn, L.G. The insulin-like growth factor-II (IGF-II) receptor of rat brain: regional distribution visualized by autoradiography, 445, 241

Smith, M.C., see Mendelsohn, L.G., 458, 361

Smith, P.F. and Curthoys, I.S. Neuronal activity in the contralateral medial vestibular nucleus of the guinea pig following unilateral labyrinthectomy, 444, 295

Smith, P.F. and Curthoys, I.S Neuronal activity in the ipsilateral medial vestibular nucleus of the guinea pig following unilateral labyrinthectomy, **444**, 308 Smith, Q.R., Ziylan, Y.Z.,

Robinson, P.J. and Rapoport, S.I. Kinetics and distribution volumes for tracers of different sizes in the brain plasma space, 462, 1

Smith, R.S. and Forman, D.S. Organelle dynamics in lobster axons: anterograde and retrograde particulate organelles, 446, 26

Smith, S.S., Waterhouse, B.D. and Woodward, D.J. Locally applied estrogens potentiate glutamate-evoked excitation of cerebellar Purkinje cells, 475, 272

Smith, Y. and Parent, A. Neurons of the subthalamic nucleus in primates display glutamate but not GABA immunoreactivity, 453, 353

Smock, T., see Albeck, D., 463, 394 Snell, L.D., see Yi, S.-J., 445, 147 Snyder, S.H., see Pearson, R.C.A., 463, 245

Sobue, G., Taki, T., Yasuda, T. and

Mitsuma, T. Gangliosides modulate Schwann cell proliferation and morphology, 474, 287

Soechting, J.F.

Effect of load perturbations on EMG activity and trajectories of pointing movements, 451, 390

Sofroniew, M.V., see Lams, B.E., 475, 401

Sokabe, M., Fujitsuka, N., Kori, A.A. and Ito, F. Effects of cyclic nucleotides and calcium on transduction and encoding processes in frog muscle spindle, 443, 254

Sokabe, M., see Fujitsuka, N., 443, 243

Sokoloff, L., see Palombo, E., 453, 227 Sokolovsky, M., see Egozi, Y.,

475, 376

Solberg, Y., White, E.L. and Keller,

Types and distribution of glutamic acid decarboxylase (GAD)-immunoreactive neurons in

mouse motor cortex, 459, 168 Solís, J.M., see Herreras, O., 461, 290 Solís, J.M., see Herreras, O., 461, 303 Solomonia, R., see Maderspach, K.,

441, 41

Soltesz, I., Haby, M., Leresche, N. and Crunelli, V. The GABA_B antagonist phaclofen inhibits the late K⁺-dependent IPSP in cat and rat thalamic and hippocampal neurones, 448, 351

Somjen, G.G., see Czéh, G., 446, 50 Somjen, G.G., see Kawasaki, K.,

457, 322 Somogyi, P., see Ottersen, O.P., 450, 342

Somogyi, J., see Gabbott, P.L.A.,

Song, S.-L., Crowley, W.R. and Grosvenor, C.E. Evidence for involvement of an adrenal catecholamine in the β -adrenergic inhibition of oxytocin release in lactating rats, 457, 303

Song, W.-J., see Murakami, F., 463, 144

Sonnier, B.J., see Villablanca, J.R., 453, 17

Sontag, K.-H., see Klockgether, T., 461, 343

Sora, Y.H., see Ogawa, N., 451, 115 Soto, E. and Vega, R.

Actions of excitatory amino acid agonists and antagonists on the primary afferents of the vestibular system of the axolotl (Ambystoma mexicanum), 462, 104

Sotskaya, M.N., see Ryasina, T.V., 473, 153

Soumireu-Mourat, B., see Roman, F., 443, 149

Souza, J.D., see Gatti, P.J., 448, 313 Sowek, C., see Glick, S.D., 455, 43 Spampinato, S., Stanzani, S., Leanza, G., Russo, A. and Ferri, S.

Role of the ventromedial

hypothalamus in the regulation of adenohypophyseal immunoreactive dynorphin in the rat, 463, 100

Spano, P.F., see Pizzi, M., 456, 235 Sparber, S.B., see Gerbec, E.N., 460, 346

Spear, P.D., see McCall, M.A., 447, 67

Spear, P.D., Tong, L. and McCall, M.A. Functional influence of areas 17, 18, and 19 on lateral suprasylvian cortex in kittens and adult cats: implications for compensation following early visual cortex damage, 447, 79

Speckmann, E.-J., see Altrup, U., 456, 401

Speckmann, E.-J., see Walden, J., 473, 294

Spence, I., see Lloyd, H.G.E., **462**, 391

Spencer, A.N., see

Grimmelikhuijzen, C.J.P., 475, 198 Spencer, S.E., Sawyer, W.B. and

Loewy, A.D. L-Glutamate stimulation of the zona incerta in the rat decreases heart rate and blood pressure, 458, 72

Speth, R.C., see Ladenheim, E.E., 474, 125

Speth, R.C., see White, S.R., 441, 195 Spiera, R.F. and Davis, M. Excitatory amino acid antagonists depress acoustic startle after infusion into the ventral nucleus of the lateral lemniscus or paralemniscal zone, 445, 130

Spies, H.G., see Francis Pau, K.-Y., **459**, 70

Spirduso, W.W., see MacRae, P.G., 451, 139

Spirduso, W.W., see Wilcox, R.E., 443, 190

Spray, D.C., see Cappell, M.S., **454**, 244

Spreafico, R., De Biasi, S., Frassoni, C. and Battaglia, G. A comparison of GAD- and GABA-immunoreactive neurons in the first somatosensory area (SI) of the rat cortex, 474, 192

Squires, R.F. and Saederup, E. Antidepressants and metabolites that block GABAA receptors coupled to 35S-t-butylbicyclophosphorothionate binding sites in rat brain, 441, 15

Sripairojthikoon, W., see Klangkalya, B., 451, 77

Stachowiak, M.K., see Jackson, D., 457, 259

Stachowiak, M.K., see Jackson, D., 457, 267

Stachowiak, M.K., see Zhang, W.Q., 461, 335

Staines, W.A., see Yamamoto, T., 474, 112

Staines, W.A., Yamamoto, T. Dewar, K.M., Daddona, P.E., Geiger, J.D. and Nagy, J.I. Distribution, morphology and habenular projections of adenosine deaminase-containing neurons in the septal area of rat, 455, 72

Stalberg, E., see Rossini, P.M., 458, 20 Stamford, J.A., Kruk, Z.L. and Millar,

Stimulated limbic and striatal dopamine release measured by fast cyclic voltammetry: anatomical, electrochemical and pharmacological characterisation, 454, 282

Stamford, J.A., Kruk, Z.L., Palij, P. and Millar, J. Diffusion and uptake of dopamine in rat caudate and nucleus accumbens compared using fast cyclic voltammetry, 448, 381

Stampacchia, G., see Barnes, C.D., **453**, 32

Stanford, D., see Stewart, M.G., **456**, 387

Stanley, E.F. and Russell, J.T. Inactivation of calcium channels in rat pituitary intermediate lobe cells, 475, 64

Stansel, S.S., see Renehan, W.E., 462, 396

Stanzani, S., see Spampinato, S., 463, 100

Staple, J., see Mata, M., 445, 47 Starcevic, V.P., Morrow, B.A., Farner, L.A., Keil, L.C. and Severs, W.B. Long-term recording of

cerebrospinal fluid pressure in freely behaving rats, 462, 112 Starkstein, S.E., Moran, T.H.,

Bowersox, J.A. and Robinson, R.G. Behavioral abnormalities induced by frontal cortical and nucleus accumbens lesions, 473, 74

Stasi, M.A., see Vezzani, A., 454, 289 Šťastný, F., Rothe, F., Schmidt, W., Wolf, G., Keilhoff, G. and Lisy, V. Changes in the activity of γ -glutamyl transpeptidase induced by kainic acid and surgical lesions of the hippocampal formation in young

rats, 462, 56 Staubli, U., Larson, J., Thibault, O., Baudry, M. and Lynch, G. Chronic administration of a thiol-proteinase inhibitor blocks long-term potentiation of synaptic responses, 444, 153

Steardo, L., see Iovino, M., 447, 178 Stec, N.L., see Ransom, R.W., 444, 25 Steele, A.M., see Sica, A.L., 440, 370 Steffens, A.B., see Sakata, T., 473, 43 Stéhelin, D., see Amouyel, P., 447, 149 Stehle, J., see Olcese, J., 448, 325

Stehle, J., see Schröder, H., 459, 328 Stein, B.A. and Sapolsky, R.M.

Chemical adrenalectomy reduces hippocampal damage induced by kainic acid, 473, 175

Stein, B.E., Huneycutt, W.S. and Meredith, M.A. Neurons and behavior: the same rules of multisensory integration apply, 448, 355

Stein, D.G., see Ramirez, J.J.,

459, 153

Stein, E.A., see Trusk, T.C., 438, 61 Steinberg, G.K., see George, C.P.,

440, 375

Steinbusch, H.W.M., see Chang, J.-Y., 438, 237

Steinbusch, H.W.M., see De Vente, J., 446, 387

Steiner, R.A., see Alexander, M.J., 445, 247

Steiner, T.J., see Gibson, S.J., 474, 255 Steinlechner, S., see Olcese, J., 448, 325

Steinmetz, J.E., see Chapman, P.F., 442, 97

Stephens, P.H., Tagari, P.C. and Cuello, A.C. Age-related variations in plasticity of rat basal forebrain cholinergic neurons after cortical lesions, 448, 320

Steriade, M., see Hu, B., 473, 394 Stern, Y., see Wall, P.D., 447, 215 Sternberger, L.A., see Langley, O.K., 457, 12

Sternberger, N.H., see Langley, O.K., 457, 12

Sternini, C., see Kruger, L., 463, 223 Stevens, C.W., see Schick, R.R., 448, 294

Stevens, J.R., see Poltorak, M., 475, 328

Stewart, J. and Vezina, P. A comparison of the effects of intra-accumbens injections of amphetamine and morphine on reinstatement of heroin intravenous self-administration behavior, **457**, 287

Stewart, M.G., Bourne, R.C., Chmielowska, J., Kalman, M., Csillag, A. and Stanford, D. Quantitative autoradiographic analysis of the distribution of [3H]muscimol binding to GABA receptors in chick brain, 456, 387 Stewart, M.G., see Chmielowska, J.,

439, 155 Stewart, M.G., see Gabbott, P.L.A., 438, 379

Stewart, M.G., see Patel, S.N., 449, 34 Stewart, M.G., see Patel, S.N., 463, 168

Stewart, P.A., Hayakawa, E.M. and Carlen, P.L.

Ethanol and pentobarbital in combination increase blood-brain barrier permeability to horseradish

peroxidase, 443, 12 Stinus, L., see Hand, T.H., 474, 364 Stirpe, F., see Wiley, R.G., 438, 145 Stone, E.A., see Egawa, M., 458, 303

Stone, R.A., McGlinn, A.M., Kuwayama, Y. and Grimes, P.A. Peptide immunoreactivity of the ciliary ganglion and its accessory cells in the rat, **475**, 389

Stone, R.A., see Kuwayama, Y., 446, 219

Stone, S., see Ritter, S., 450, 354 Stone, S., see Witkovsky, P., 449, 332 Stone, T.W., see Bartrup, J.T.,

463, 374

Stone, T.W., see Brooks, P.A., 458, 106

Stone, W.S. and Gold, P.E. Amygdala kindling effects on sleep and memory in rats, 449, 135

Stonnington, H.H., see Lyeth, B.G., **448**, 88

Stonnington, H.H., see Lyeth, B.G., 452, 39

Storm-Mathisen, J., see Ottersen, O.P., 450, 342

Strack, A.M., Sawyer, W.B., Marubio, L.M. and Loewy, A.D. Spinal origin of sympathetic preganglionic neurons in the rat, 455, 187

Strada, O., see Silani, V., 454, 383 Strada, O., see Silani, V., 473, 169 Strahlendorf, H.K., see Lee, M., 456, 104

Strahlendorf, J.C., see Lee, M., 456, 104

Strecker, R.E., see Daszuta, A., 458, 1 Strecker, R.E., see Nilsson, O.G., 453, 235

Strecker, R.E., see Nilsson, O.G., 456, 193

Streit, P., see Braun, K., 475, 205 Stricker, E.M., see Nisenbaum, E.S., 473, 389

Stripling, J.S., Patneau, D.K. and Gramlich, C.A. Selective long-term potentiation in the pyriform cortex, 441, 281

Stritzel, M.E., see Pritz, M.B., **457**, 154

Stroh, P.J., see Shouse, M.N., 473, 372 Stroop, W.G., see Schlitt, M., 440, 293 Strozzi, L., see Mascetti, G.G., 442, 387

Strumwasser, F., see Woolum, J.C., 444, 1

Stubblefield, G.T., see Comer, C.M.,

Studler, J.M., see Simon, H., 447, 335 Studler, J.M., see Taghzouti, K., 440, 172

Stumpf, W.E., see Caldwell, J.D., 446, 236

Stutzmann, J.-M., see Böhme, G.A., 451, 309

Su, H., see Gibson, S.J., 474, 255 Suarez, I., see Garcia-Segura, L.M., 456, 357

Suarez-Isla, B.A., see Nieminen, K., 474, 246

Suberg, S.N., see Thurston, C.L., 463, 1

Suchy, S.F., Yamamoto, M., Barbero, L. and Schwarting, G.A. A monoclonal antibody, WCC4, recognizes a developmentally regulated ganglioside containing α -galactose and α -fucose present in the rat nervous system, 440, 25

Suddath, R., see Iadarola, M.J., 474, 75

Suemune, S., see Shigenaga, Y., **448**, 331

Sugaya, E., Ishige, A., Sediguchi, K., Yuzurihara, M., Iizuka, S.,

Sugimoto, A. and Hosova, E. Damage of hippocampal neurons caused by cobalt focus in the cerebral cortex of rats, 459, 196

Sugihara, H., Wakabayashi, I., Minami, S., Takahashi, F., Shibasaki, T. and Ling, N. Effect of α -methyl-p-tyrosine and an antiserum to rat growth hormone (GH)-releasing factor (GRF) on plasma GH secretory profile during a continuous infusion of human GRF in rats, 475, 128

Sugimoto, A., see Sugaya, E., 459, 196 Sugimoto, T., Itoh, K. and Mizuno, N. Calcitonin gene-related peptide-like immunoreactivity in neuronal elements of the cat cerebellum, 439, 147

Sugimoto, T., see Uemura, Y., 448, 98 Sukhdeo, M.V.K., see Sukhdeo, S.C., 463, 57

Sukhdeo, S.C. and Sukhdeo, M.V.K. Immunohistochemical and electrochemical detection of serotonin in the nervous system of Fasciola hepatica, a parasitic flatworm, **463**, 57

Suksang, C., see Kadle, R., 460, 60 Sullivan, A.C., see Wilmot, C.A., **453**, 157

Sullivan, A.F. and Dickenson, A.H. Electrophysiological studies on the spinal effects of dermorphin, an endogenous μ -opioid agonist, **461**, 182

Sullivan, C.E., see Scheibner, T., 453, 72

Sullivan, M.J., Harding, J.W. and Wright, J.W. Differential effects of aminopeptidase inhibitors on angiotensin-induced pressor responses, 456, 249

Sullivan, R.M., see Ray, A., 442, 195 Sumitomo, I., Hsiao, C.-F. and Fukuda, Y. Two types of thalamic reticular cells in relation to the two visual thalamocortical systems in the rat,

446, 354 Sumitomo, I., Takahashi, Y., Kayama, Y. and Ogawa, T. Burst discharges associated with phasic hyperpolarizing oscillations of rat ventrobasal relay neurons, 447, 376

Sumners, C., see Bottiglieri, D.F., 439, 187

Sun, M.-K., Hackett, J.T. and Guyenet, P.G. Sympathoexcitatory neurons of rostral ventrolateral medulla exhibit pacemaker properties in the presence of a glutamate-receptor

antagonist, 438, 23 Sun, M.-K., Young, B.S., Hackett, J.T. and Guyenet, P.G. Reticulospinal pacemaker neurons of the rat rostral ventrolateral medulla with putative sympathoexcitatory function: an

intracellular study in vitro, 442, 229 Sun, M.-K., Young, B.S., Hackett, J.T. and Guyenet, P.G. Rostral ventrolateral medullary neurons with intrinsic pacemaker

catecholaminergic, 451, 345 Sunada, T., see Kurasawa, I., 446, 113

properties are not

Sundaram, K., Krieger, A.J. and Sapru, H. M2 muscarinic receptors mediate pressor responses to cholinergic agonists in the ventrolateral

medullary pressor area, 449, 141 Sunderland, T., see Sills, M.A.,

453, 385

Sureda, A., see Estrada, C., 453, 275 Surmeier, D.J., Bargas, J. and

Kitai, S.T.

Voltage-clamp analysis of a transient potassium current in rat neostriatal neurons, 473, 187 Sutherling, W., see Barth, D.S.,

450, 280

Suwita, E., see Lapadula, D.M., **458**, 123

Suzdak, P.D., Schwartz, R.D., Skolnick, P. and Paul, S.M. Alcohols stimulate y-aminobutyric acid receptor-mediated chloride uptake in brain vesicles: correlation with intoxication potency, 444, 340

Suzuki, K., see Kondo, A., 460, 178 Suzuki, K., see Kondo, A., 460, 178 Suzuki, S., see Hiramatsu, M., 455, 38 Suzuki, S., see Rogawski, M.A.,

456, 38

Suzuki, S., Watanabe, Y., Tsubokura, S., Kagamiyama, H. and Hayaishi, O. Decrease in tetrahydrobiopterin content and neurotransmitter amine biosynthesis in rat brain by an inhibitor of guanosine triphosphate

cyclohydrolase, **446**, 1 Suzuki, S.S., see Wu, M.-F., **457**, 399 Suzuki, Y., Huang, M., Lederis, K.

and Rorstad, O.P.

The role of adenylate cyclase in relaxation of brain arteries: studies

with forskolin, 457, 241 Suzuki, Y., see Kato, T., 438, 277 Sved, A.F., see Catelli, J.M., 439, 330 Svendgaard, N.A., see

Arbab, M.A.-R., 445, 175

Svoboda, J., Motin, V., Hájek, I. and Syková, E. Increase in extracellular potassium level in rat spinal dorsal horn induced by noxious stimulation and peripheral injury, 458, 97

Swaab, D.F., see Goudsmit, E., 473, 306

Swaab, D.F., see Van Zwieten, E.J., 474, 369

Swann, J., see Allen, C.N., 458, 147 Swartz, K.J., see Beal, M.F., 454, 393

Sweazey, R.D. and Bradley, R.M. Responses of lamb nucleus of the solitary tract neurons to chemical stimulation of the epiglottis, **439**, 195

Sweeney, M., White, T. and Sawynok, 5-Hydroxytryptamine releases

adenosine from primary afferent nerve terminals in the spinal cord, 462, 346

Swenberg, M.-L., see Liu, R.P.C., 475, 73

Syková, E., see Svoboda, J., 458, 97 Szabó, G., see Sarnyai, Z., 463, 294

Szente, M.B., Baranyi, A. and Woody, C.D. Intracellular injection of apamin reduces a slow potassium current

mediating afterhyperpolarizations and IPSPs in neocortical neurons of cats, 461, 64

Szente, M.B., see Baranyi, A., 440, 341

Szerdahelyi, P. and Kása, P. Intraventricular administration of the cholinotoxin AF64A increases the accumulation of aluminum in the rat parietal cortex and hippocampus; but not in the frontal cortex, 444, 356

Szolcsanyi, J., Anton, F., Reeh, P.W. and Handwerker, H.O. Selective excitation by capsaicin of mechano-heat sensitive nociceptors

in rat skin, **446**, 262 Szulczyk, A., Szulczyk, P. and Żywuszko, B Analysis of reflex activity in cardiac sympathetic nerve induced by myelinated phrenic nerve afferents, 447, 109

Szulczyk, P., see Szulczyk, A., 447, 109

Tacconi, M.T., Fisone, G. and Consolo, S. Modulation of phospholipid

methylation in rat striatum by the corticostriatal pathway, 461, 194

Taft, W.C., Tennes-Rees, K.A., Blair, R.E., Clifton, G.L. and DeLorenzo, R.J. Cerebral ischemia decreases endogenous calcium-dependent protein phosphorylation in gerbil brain, 447, 159

Tagari, P.C., see Stephens, P.H., 448, 320

Taghzouti, K., see Simon, H., 447, 335 Taghzouti, K., Simon, H., Hervé, D., Blanc, G., Studler, J.M. Glowinski, J., Le Moal, M. and Tassin, J.P. Behavioural deficits induced by an electrolytic lesion of the rat ventral mesencephalic tegmentum are corrected by a superimposed lesion

of the dorsal noradrenergic system,

440, 172

Taiwo, Y.O. and Levine, J.D. Characterization of the arachidonic acid metabolites mediating bradykinin and noradrenaline hyperalgesia, 458, 402

Takada, M., Li, Z.K. and Hattori, T. Dopaminergic nigrotectal projection

in the rat, 457, 165

Takada, M., Li, Z.K. and Hattori, T. Single thalamic dopaminergic neurons project to both the neocortex and spinal cord, 455, 346

Takada, M., Nishihama, M.S., Nishihama, C.C. and Hattori, T. Two separate neuronal populations of the rat subthalamic nucleus project to the basal ganglia and pedunculopontine tegmental region, 442, 72

Takagi, H., see Kawasaki, K., 461, 282 Takagi, H., see Kawai, Y., **459**, 369 Takagi, H., see Kubota, Y., **458**, 389 Takahashi, F., see Sugihara, H.,

475, 128

Takahashi, H., Nakazawa, S., Yoshino, Y. and Shimura, T. Metabolic studies of the edematous cerebral cortex of the pyrithiamine-treated thiamine-deficient rat, 441, 202

Takahashi, H., see Oyanagi, K., 458, 218

Takahashi, H., see Tsujii, S., 475, 371 Takahashi, K., see Sakurada, T., 442, 191

Takahashi, K.-I. and Murakami, M. Calcium action potential in ON-OFF transient amacrine cell of the carp retina, 456, 29

Takahashi, L.K., see Kalin, N.H., 457, 130

Takahashi, O., see Tashiro, T., 440, 357

Takahashi, O., Traub, R.J. and Ruda, M.A Demonstration of calcitonin gene-related peptide immunoreactive axons contacting dynorphin A(1-8) immunoreactive spinal neurons in a rat model of peripheral inflammation and hyperalgesia, 475, 168

Takahashi, S., see Inoue, Y., 449, 271 Takahashi, Y., see Ibata, Y., 439, 230 Takahashi, Y., see Sumitomo, I.,

447, 376 Takaki, M. and Nakayama, S. Effects of mesenteric nerve stimulation on the electrical activity of myenteric neurons in the guinea pig ileum, 442, 351

Takano, Y., Nagashima, A., Kamiya, H., Kurosawa, M. and Sato, A. Well-maintained reflex responses of sympathetic nerve activity to stimulation of baroreceptor, chemoreceptor and cutaneous mechanoreceptors in neonatal capsaicin-treated rats, 445, 188

Takayama, K., see Miura, M., 473, 352

Takayama, C., see Inoue, Y., 449, 271 Takayama, C., see Terashima, T., **455**, 353

Takazawa, A. and Bilkey, D.K. Myoclonus inducing and seizure modifying effect of cysteamine on cortical and amygdaloid kindled rats, 473, 99

Takeda, T., see Yagi, H., 474, 86 Takeda, K. and Narahashi, T. Chemical modification of sodium channel inactivation: separate sites for the action of grayanotoxin and

tetramethrin, **448**, 308 Takeda, N., see Tanaka, M., **447**, 175 Takei, N., see Hisanaga, K., 475, 349

Takemura, M., Kiyama, H., Fukui, H., Tohyama, M. and Wada, H. Autoradiographic visualization in rat brain of receptors for c -conotoxin GVIA, a newly discovered calcium antagonist, 451, 386

Taki, T., see Sobue, G., 474, 287 Talavera, E., see Asai, M., 442, 81 Taleisnik, S., see Morello, H., 440, 227

Tamamaki, N., Abe, K. and Nojyo, Y. Three-dimensional analysis of the whole axonal arbors originating from single CA2 pyramidal neurons in the rat hippocampus with the aid of a computer graphic technique, 452, 255

Tamaru, M. and Roberts, E. I. Structure-activity studies on inhibition of choline uptake by a mouse brain synaptosomal preparation: basic data, 473, 205

Tamborska, E., see Płaźnik, A., 447, 122

Tamotsu, S., see Kuo, C.-H., 442, 147 Tamura, A., see Yamamoto, M., **452**, 323

Tan, H., see Miletic, V., 446, 169 Tan, D.-P. and Tsou, K. Intranigral injection of dynorphin in combination with substance P on striatal dopamine metabolism in the

rat, 443, 310 Tan, L.K., see Miller, A.D., 456, 367 Tanabe, T., see Ueda, S., 444, 361 Tanaka, C., see Kumoi, K., 439, 302 Tanaka, C., see Sakaue, M., 446, 343 Tanaka, K., see Murakami, M.,

438, 366 Tanaka, Y., see Hirai, N., 475, 385 Tanaka, J. and Seto, K. Neurons in the lateral hypothalamic area and zona incerta with ascending

projections to the subfornical organ area in the rat, 456, 397

454, 340

Tanaka, J., Saito, H. and Seto, K. The median preoptic nucleus participates in the control of paraventricular vasopressin neurons by the subfornical organ in the rat, **461**, 403

Tanaka, K., Nagara, H., Kobayashi, T. and Goto, I. The twitcher mouse: accumulation of galactosylsphingosine and pathology of the sciatic nerve,

Tanaka, M., see Tsuda, A., 474, 174 Tanaka, M., Takeda, N., Senba, E., Tohyama, M., Kubo, T. and Matsunaga, T. Localization of calcitonin gene-related peptide in the vestibular end-organs in the rat: an immunohistochemical study, **447**, 175

Tanaka, R., see Kato, T., 438, 277 Tanaka, S., Kondo, S., Tanaka, T. and Yonemasu, Y. Long-term observation of rats after unilateral intra-amygdaloid injection

of kainic acid, 463, 163

Tanaka, T., see Tanaka, S., 463, 163 Tandé, D., see François, C., 473, 181 Tandon, P., McLamb, R.L., Novicki, D., Shuey, D.L. and

Tilson, H.A. Fetal hippocampal cell suspensions ameliorate behavioral effects of intradentate colchicine in the rat, 473, 241

Tanganelli, P., see Dhital, K.K., 444, 33

Taniguchi, H., see Sakaue, M., 446, 343

Tansey, E.M., see Jenkins, H.G., **459**, 145

Tao, P.-L., Chang, L.-R., Law, P.Y. and Loh, H.H. Decrease in δ -opioid receptor density in rat brain after chronic [D-Ala²,D-Leu⁵]enkephalin treatment, 462, 313

Tapia-Arancibia, L., Pares-Herbute, N., Astier, H., Reichlin, S. and Nathanson, J. Adenylate cyclase activation is not sufficient to stimulate somatostatin release from dispersed cerebral cortical and diencephalic cells in glia-free cultures, 450, 101

Tarttelin, M.F. and Gorski, R.A. Postnatal influence of diethylstilbestrol on the differentiation of the sexually dimorphic nucleus in the rat is as effective as perinatal treatment, 456, 271

Tasaki, I. and Byrne, P.M. Large mechanical changes in the bullfrog olfactory bulb evoked by afferent fiber stimulation, 475, 173

Tashiro, T., Satoda, T., Takahashi, O., Matsushima, R. and Mizuno, N. Distribution of axons exhibiting both enkephalin- and serotonin-like immunoreactivities in the lumbar cord segments: an immunohistochemical study in the

cat, 440, 357 Tassin, J.P., see Simon, H., 447, 335

Tassin, J.P., see Taghzouti, K., 440, 172 Tatsumi, H., Hirai, K. and Katayama,

Measurement of the intracellular calcium concentration in guinea-pig myenteric neurons by using fura-2, **451**, 371

Tatsuno, J., see Mori-Okamoto, J., 448, 259

Tavares, M.A., see Cadete-Leite, A., 473, 1

Tavitian, B., see Macioce, P., 438, 291 Taylor, L., see Griffith, W.H., 474, 155 Taylor, D.M., see Bragdon, A.C., 453, 257

Taylor, G.W., see Budd, T., 448, 30 Taylor, N., see Pearson, R.C.A., 463, 245

Taylor, P.E., Byers, M.R. and Redd, P.E. Sprouting of CGRP nerve fibers in response to dentin injury in rat molars, 461, 371

Tazi, A., Dantzer, R. and Le Moal, M. Schedule-induced polydipsia experience decreases locomotor response to amphetamine, 445, 211

Tazi, A., Dantzer, R., Crestani, F. and Le Moal, M. Interleukin-1 induces conditioned taste aversion in rats: a possible explanation for its pituitary-adrenal stimulating activity, 473, 369

Tedroff, J., see Leenders, K.L., 445, 61

Tehovnik, E.J. and Yeomans, J.S. Contraversive circling elicited from the internal capsule and substantia nigra: evidence for a continuous axon bundle mediating circling, 441, 269

Tejwani, G.A., see Bhargava, H.N., 440, 333

Telegdy, G., see Sarnyai, Z., 463, 294 Tennes-Rees, K.A., see Taft, W.C., 447, 159

Ter Maat, A., Geraerts, W.P.M., Jansen, R.F. and Bos, N.P.A. Chemically mediated positive feedback generates long-lasting afterdischarge in a molluscan neuroendocrine system, 438, 77

Ter Maat, A., see Brussaard, A.B., 447, 35

Terashima, T., Katada, T., Oinuma, M., Inoue, Y. and Ui, M. Immunohistochemical analysis of the localization of guanine nucleotide-binding protein in the mouse brain, **442**, 305

Terashima, T., Katada, T., Takayama, C., Ui, M. and Inoue, Immunohistochemical detection of GTP-binding regulatory protein

(G_o) in the autonomic nervous system including the enteric nervous system, superior cervical ganglion and adrenal medulla, 455, 353

Terenius, L., see Olasmaa, M., 473, 29 Terenius, L., see Olasmaa, M., 475, 291

Terenius, L., see Sakurada, T., **442**, 191

Terry, R.D., see Cole, G., 452, 165 Tesche, C.D., Krusin-Elbaum, L. and Knowles, W.D.

Simultaneous measurement of magnetic and electric responses of in

vitro hippocampal slices, 462, 190 Tetzlaff, W., Gilad, V.H., Leonard, C., Bisby, M.A. and Gilad, G.M. Retrograde changes in transglutaminase activity after peripheral nerve injuries, 445, 142 Teyler, T.J., see Perkins, IV, A.T.,

439, 222

Theilen, H., see Grünwald, F., 456, 350

Théorêt, Y., Earnhardt, T.S., Bouldin, T.W. and Krigman, M.R. The neurotoxicity of intrahippocampal kainic acid injection in rats is not accompanied by a reduction of Timm stain, 449, 341

Thibault, O., see Staubli, U., 444, 153 Thibodeaux, H.F., see

Baumeister, A.A., 447, 116

Thomas, J.W., Hood, W.F., Monahan, J.B., Contreras, P.C. and O'Donohue, T.L. Glycine modulation of the phencyclidine binding site in mammalian brain, 442, 396

Thomeer, R.T.W.M., see De Beer, F.C., 454, 397 Thompson, F.J., see Yates, B.J.,

451, 285 Thompson, M.L., see Miller, L.G., 446, 314

Thompson, R.F., see Chapman, P.F., 442, 97

Thompson, R.F., see Haley, D.A., 454, 131

Thoné, F., see Van Reempts, J., 462, 142

Thurston, C.L., Culhane, E.S., Suberg, S.N., Carstens, E. and Watkins, L.R. Antinociception vs motor effects of intrathecal vasopressin as measured by four pain tests, 463, 1

Ticku, M.K., see Mehta, A.K., 454, 156

Tietz, E.I. and Rosenberg, H.C. Behavioral measurement of benzodiazepine tolerance and GABAergic subsensitivity in the substantia nigra pars reticulata, 438, 41

Tietz, E.I., see Tyma, J.L., 453, 344 Tilders, F.J.H., see Berkenbosch, F., 442, 312

Tiligada, E. and Wilson, J.F. Dopaminergic inhibition of α -melanocyte-stimulating hormone release from superfused slices of the rat hypothalamus, 457, 379

Tillotson, D., see Levy, S., 474, 333 Tilson, H.A., McLamb, R.L., Shaw, S., Rogers, B.C., Pediaditakis, P. and Cook, L. Radial-arm maze deficits produced by colchicine administered into the area of the nucleus basalis are ameliorated by cholinergic agents, 438, 83

Tilson, H.A., see Tandon, P., 473, 241 Tilson, H.A., see Zhang, W.Q., 461, 335

Titeler, M., see Glick, S.D., 455, 43 Tixier-Vidal, A., see Loudes, C., 456, 324

Todd, W.P., see Turski, W.A., 454, 164 Toffano, G., see Lombardi, G., 458, 348

Toft, D.O., see Blaustein, J.D., 474, 1 Tohyama, M., see Ishida-Yamamoto, A., 453, 362

Tohyama, M., see Kawai, Y., 459, 369 Tohyama, M., see Kubota, Y., 458, 389 Tohyama, M., see Senba, E., 449, 386 Tohyama, M., see Senba, E., 453, 110

Tohyama, M., see Yamano, M., 451, 179

Tohyama, M., see Nishino, H., 445, 325

Tohyama, M., see Takemura, M., **451**, 386

Tohyama, M., see Tanaka, M., 447, 175

Tokimasa, T., see Nishimura, T., 442, 399

Tokuno, H., Moriizumi, T., Kudo, M., Kitao, Y. and Nakamura, Y. Ultrastructural differences between pallidohabenular terminals and pallidothalamic terminals, 474, 390

Tokuno, H., see Kudo, M., 463, 352 Tokutomi, N., see Oyama, Y., 442, 223 Tolliver, J.M. and Pellmar, T.C.

Effects of dithiothreitol, a sulfhydryl reducing agent, on CA₁ pyramidal cells of the guinea pig hippocampus in vitro, 456, 49

Tominaga, T., Katagi, H. and Ohnishi, S.T. Is Ca²⁺-activated potassium efflux involved in the formation of ischemic brain edema?, 460, 376

Tomita, M., Gotoh, F. and Kobari, M. Colloid osmotic pressure of cat brain homogenate separated from autogenous CSF by a copper ferrocyanide membrane, 474, 165

Tomiyama, K., see Koshikawa, N., 444, 394

Tomlinson, D.R., see Fone, K.C.F., 455, 157

Tong, L., see McCall, M.A., 447, 67 Tong, L., see Spear, P.D., 447, 79 Tonon, M.C., see Schoofs, L., 450, 202 Tonosaki, K. and Funakoshi, M.

Voltage- and current-clamp recordings of the receptor potential in mouse taste cell, 445, 363

Torbati, D. and Reilly, K.J. Effect of prolonged normobaric hyperoxia on regional cerebral metabolic rate for glucose in conscious rats, 459, 187

Tordoff, M.G., Flynn, F.W., Grill, H.J. and Friedman, M.I. Contribution of fat metabolism to 'glucoprivic' feeding produced by fourth ventricular 5-thio-p-glucose. 445, 216

Torimitsu, K., see Hirono, T., 446, 189 Torrealba, F., see Claps, A., 455, 123 Torrealba, G., see Zapata, P., 445, 19 Torrealba, F. and Claps, A The carotid sinus connections: a

WGA-HRP study in the cat. 455, 134

Torrens, Y., see Murray, M., 459, 76 Torres, B., see Delgado-García, J.M., 443, 333

Tortella, F.C. and Long, J.B. Characterization of opioid peptide-like anticonvulsant activity in rat cerebrospinal fluid, 456, 139

Tossman, U., see Brodin, L., 458, 166 Totaro, J.A., see Pettibone, D.J., 457, 212

Totsuka, T., see Sano, M., 459, 404 Towle, A.C., see Baker, H., 450, 69 Toyama, K., see Mizobe, K., 438, 307 Toyama, K., see Nakajima, S.,

457, 176 Toyama, K., see Komatsu, Y., **442**, 359 Trabucchi, M., see Lucchi, L., **449**, 347

Tracey, D.J., Walmsley, B. and Forsythe, I.D. Spinocerebellar neurones in the guinea pig — a morphological study, 453, 129

Tramu, G., see Beauvillain, J.C., 443, 315

Tranque, P.A., see Garcia-Segura, L.M., 456, 357

Trapp, B.D., see Willison, H.J., **444**, 10

Traub, R.J., see Takahashi, O., 475, 168 Travers, J.B.

Efferent projections from the anterior nucleus of the solitary tract of the hamster, 457,

Travis, M.A., see Hall, E.D., 451, 350 Tremblay, E., Roisin, M.P., Represa, A., Charriaut-Marlangue, C. and Ben-Ari, Y. Transient increased density of NMDA binding sites in the developing rat hippocampus, **461**, 393

Tremblay, E., see Represa, A., 457, 355

Tremblay, L., see Filion, M., 444, 165 Tribollet, E., Barberis, C., Jard, S., Dubois-Dauphin, M. and Dreifuss, J.J. Localization and pharmacological characterization of high affinity binding sites for vasopressin and oxytocin in the rat brain by light microscopic autoradiography,

Tribollet, E., see Raggenbass, M., **459**, 60

442, 105

Triguero, D., see Estrada, C., 439, 107 Triguero, D., see Estrada, C., 453, 275 Troiani, M.E., Reiter, R.J.,

Vaughan, M.K., Gonzalez-Brito, A. and Herbert, D.C. The depression in rat pineal melatonin production after saline injection at night may be elicited by

corticosterone, 450, 18 Trottier, S., Lindvall, O., Chauvel, P. and Björklund, A. Facilitation of focal cobalt-induced

epilepsy after lesions of the noradrenergic locus coeruleus system, **454**, 308 Trullas, R., see Adell, A., **459**, 54 Truong, D.D., see Pezzoli, G., **459**, 398

Trusk, T.C. and Stein, E.A.
Effects of heroin and cocaine on brain activity in rats using
[1-14C]octanoate as a fast functional tracer, 438, 61

Tsai, C.-L., see Imai-Matsumura, K., 445, 193

Tsai, L.-M., see Huang, W.-C., **460**, 83 Tsai, Y.F., see Singhaniyom, W., **453**, 393

Tsou, K., see Tan, D.-P., 443, 310
Tsubokura, S., see Suzuki, S., 446, 1
Tsuda, A., Tanaka, M., Ida, Y.,
Shirao, I., Gondoh, Y., Oguchi, M.
and Yoshida, M.
Expression of aggression attenuates

Expression of aggression attenuates stress-induced increases in rat brain noradrenaline turnover, **474**, 174

Tsujii, S., Nakai, Y., Takahashi, H., Usui, T., Koh, T., Yonekura, Y., Konishi, J. and Imura, H. Effect of food deprivation on regional brain glucose utilization in lean and fatty Zucker rats, 475, 371 Tsukui, H., see Hisanaga, K., 475, 349 Tsuru, H., see Shigenaga, Y., 445, 392 Tsuru, K., see Shigenaga, Y., 461, 143

Tsuru, K., see Shigenaga, Y., 461, 238 Tsuruo, Y., Hökfelt, T. and Visser, T.J. Thyrotropin-releasing hormone (TRH)-immunoreactive neuron populations in the rat olfactory bulb, 447, 183

Tuček, S., see Doležal, V., **449**, 244
Tucker, S.P. and Cunningham, V.J.
Autoradiography of [³H]cytochalasin
B binding in rat brain, **450**, 131

Tugendhaft, P., see Schiffmann, S., 442, 270

Tung, C.-S., Goldberg, M.R., Hollister, A.S. and Robertson, D. Both α - and β -adrenoreceptors contribute to the central depressor effect of catecholamines, **456**, 64 Turcotte, J., see Blaustein, J.D., **474**,

Turcotte, J., see Blaustein, J.D., 474, 1 Turek, F.W., see Van Reeth, O., 444, 333

Turner, B.H., Wilson, J.S.,
McKenzie, J.C. and Richtand, N.
MPTP produces a pattern of
nigrostriatal degeneration which
coincides with the mosaic
organization of the caudate nucleus,
473, 60

Turner, D.F. and Marfurt, C.F.
Uptake and transneuronal transport
of horseradish peroxidase—wheat
germ agglutinin by tooth pulp
primary afferent neurons, 452, 381

Turski, L., see Ikonomidou-Turski, C., 462, 275

Turski, L., see Klockgether, T., 461, 343

Turski, W.A., Nakamura, M.,
Todd, W.P., Carpenter, B.K.,
Whetsell Jr., W.O. and Schwarcz,
R.
Identification and quantification of

kynurenic acid in human brain tissue, **454**, 164 Turski, W.A., see Ikonomidou-Turski, C., **462**, 275 Tyma, J.L., Rosenberg, H.C., Tietz, E.I. and Chiu, T.H. Effects of chronic flurazepam

ma, J.L., Rosenberg, H.C., Tietz, E.I. and Chiu, T.H. Effects of chronic flurazepam treatment on firing rate of rat substantia nigra pars reticulata neurons, 453, 344

U

Uchimura, H., see Maeda, H., **459**, 351

Ueda, S., Ihara, N., Tanabe, T. and Sano, Y.
Reinnervation of serotonin fibers in the denervated rat subcommissural organ by fetal raphe transplants. An immunohistochemical study, 444, 361

Uehara, Y., see Sano, N., 455, 324 Uemura, S., Kimura, H., Kashiba, A., Kumashiro, H. and Wada, J.A. Bifunctional roles of catecholamines in the development of amygdala kindling demonstrated by continuous intra-amygdala infusion of 6-hydroxydopamine, 448, 162

Uemura, Y., Sugimoto, T., Kikuchi, H. and Mizuno, N. Possible origins of cerebrovascular nerve fibers showing vasoactive intestinal polypeptide-like immunoreactivity: an immunohistochemical study in the dog, 448, 98

Ueno, R., see Matsumura, H., 444, 265

Ueno, R., see Naito, K., 453, 329Uesugi, S., see Hattori, Y., 443, 355Uhl, G.R., Ryan, J.P. and Schwartz, J.P.

Morphine alters preproenkephalin gene expression, **459**, 391 Uhl, G.R., see Reppert, S.M.,

456, 392
Uhlhaas, S. and Lange, H.
Striatal deficiency of L-pyroglutamic acid in Huntington's disease is accompanied by increased plasma levels, 457, 196

Ui, M., see Terashima, T., 442, 305 Ui, M., see Terashima, T., 455, 353

Ujike, H., Ogawa, N. and Otsuki, S. Effects of acute and long-term treatment with methamphetamine on substance P concentration and receptor numbers in the rat brain, 453, 136

Ukai, M. and Holtzman, S.G. Effects of intrahypothalamic administration of opioid peptides selective for μ -, κ -, and δ -receptors

on different schedules of water intake in the rat, **459**, 275

Ukai, M., Nakayama, S. and Kameyama, T. Apomorphine markedly potentiates naltrexone-induced hypodipsia in the rat, **451**, 357

Ulrich, J., see Langui, D., **438**, 67 Ulrich, J., see Probst, A., **450**, 190 Unger, J.W., McNeill, T.H.,

Lapham, L.L. and Hamill, R.W. Neuropeptides and neuropathology in the amygdala in Alzheimer's disease: relationship between somatostatin, neuropeptide Y and subregional distribution of neuritic plaques, **452**, 293

Ungerer, A., Schmitz-Bourgeois, M., Mélan, C., Boulanger, Y., Reinbolt, J., Amiri, I. and De Barry, J.

y-L-Glutamyl-L-aspartate induces specific deficits in long-term memory and inhibits [3H]glutamate binding on hippocampal

membranes, 446, 205 Ungerstedt, U., see Maysinger, D., 461, 355

Ungerstedt, U., see Brodin, L., 458, 166

Urbanski, H.F., see Ojeda, S.R., 441, 339

Urca, G., see Fleischmann, A., 455, 49
Urca, G., see Cliffer, K.D., 460, 356
Urca, G., see Frenk, H., 455, 223
Usherwood, P.N.R., see Budd, T., 448, 30

446, 30 Usherwood, P.N.R., see Kerry, C.J., 459, 312 Usoh, G., see Budd, T., 448, 30 Usui, T., see Tsujii, S., 475, 371 Uylings, H.B.M., see

Cadete-Leite, A., 473, 1 Uylings, H.B.M., see Kalsbeek, A., 475, 80

V

Vadasz, C., see Kaufman, H., **453**, 389 Vale, W., see Kaler, L.W., **447**, 384 Vale, W.W., see Sapolsky, R.M., **453**, 367

Valenca, M., see Ching, M., 443, 325 Valentini, R.F., see Aebischer, P., 454, 179

Valerio, A., see Pizzi, M., 456, 235 Vallarino, M., Danger, J.M., Fasolo, A., Pelletier, G., Saint-Pierre, S. and Vaudry, H. Distribution and characterization of neuropeptide Y in the brain of an elasmobranch fish, 448, 67

Vallejo, M., see Moratalla, R., 450, 398

Van Bekkum, D.W., see Kondo, A.,

460, 178

Van de Ven, M., see Van Reempts, J.,

462, 142

Van den Bergh, P., Wu, P., Jackson, I.M.D. and Lechan, R.M. Neurons containing a N-terminal sequence of the TRH-prohormone (preproTRH₅₃₋₇₄) are present in a unique location of the midbrain periaqueductal gray of the rat, 461, 53

Van der Glas, H.W., De Laat, A., Carels, C. and Van Steenberghe, D. Interactive periodontal and acoustic influences on the masseteric post-stimulus electromyographic complex in man, 444, 284

Van der Gugten, J., see Caffé, A.R., 459, 386

Van der Kooy, D., see Goldsmith, M., 445, 386

Van der Poel, A.M., see Lammers, J.H.C.M., 449, 294 Van der Poel, A.M., see Lammers, J.H.C.M., 449, 311

Van der Werf, D., see Mirmiran, M., 458, 192

Van der Woude, Tj., see Van Zwieten, E.J., 474, 369

Van Deuren, B., see Van Reempts, J., 462, 142

Van Duinen, S.G., see Coria, F., 463, 187

Van Eyck, S.L., see Defelipe, J., 455, 162

Van Hoesen, G.W., see Hyman, B.T., 450, 392

Van Leeuwen, F.W., see Caffé, A.R., 459, 386

Van Megen, Y.J.B., Klaassen, A.B.M., Rodrigues de Miranda, J.F. and Kuijpers, W. Cholinergic muscarinic receptors in

rat cochlea, 474, 185 Van Minnen, J., see Brussaard, A.B., 447, 35

Van Minnen, J., see Le Gall, S., 462, 83

Van Reempts, J., Van Deuren, B., Haseldonckx, M., Van de Ven, M., Thoné, F. and Borgers, M. Purine nucleoside phosphorylase: a histochemical marker for glial cells, **462**, 142

Van Reeth, O., Vanderhaeghen, J.J. and Turek, F.W. A benzodiazepine antagonist, Ro 15-1788, can block the phase-shifting effects of triazolam on the mammalian circadian clock, 444, 333

Van Steenberghe, D., see Van der Glas, H.W., 444, 284

Van Zwieten, E.J., Ravid, R., Swaab, D.F. and Van der Woude, Immunocytochemically stained

vasopressin binding sites on blood vessels in the rat brain, 474, 369 Vanderhaeghen, J.-J., see Mailleux, P.,

456, 199 Vanderhaeghen, J.-J., see Schiffmann, S., 442, 270 Vanderhaeghen, J.J., see Van Reeth, O., 444, 333

Vanderheyden, P., see De Keyser, J., 443, 77

Vanderwolf, C.H., Buzsaki, G., Cain, D.P., Cooley, R.K. and Robertson, B. Neocortical and hippocampal electrical activity following decapitation in the rat, 451, 340

Vaney, D.I. and Young, H.M. GABA-like immunoreactivity in cholinergic amacrine cells of the rabbit retina, 438, 369

Vaney, D.I. and Young, H.M. GABA-like immunoreactivity in NADPH-diaphorase amacrine cells of the rabbit retina, 474, 380

Vanisberg, M.-A., see

Maloteaux, J.-M., 446, 321 Vannucci, R.C., see Fujikawa, D.G., 454, 51

Vantini, G., Fusco, M., Bigon, E. and Leon, A. GM1 ganglioside potentiates the effect of nerve growth factor in preventing vinblastine-induced sympathectomy in newborn rats, 448, 252

Vargas, L., see Sanchez, R., 452, 149 Vassel, A., see Aigouy, L., 473, 380 Vaudry, H., see Delarue, C., 459, 17 Vaudry, H., see Leboulenger, F., 453, 103

Vaudry, H., see Schoofs, L., 450, 202 Vaudry, H., see Vallarino, M., 448, 67 Vaughan, M.K., see Troiani, M.E.,

450, 18 Vauquelin, G., see De Keyser, J., 443, 77

Vautrin, J.

Classes of unitary evoked responses at the vertebrate neuromuscular junction, 438, 304

Veale, W.L., see Humphreys, G.A.,

456, 241 Veale, W.L., see Martin, S.M., 455, 196

Veale, W.L., see Martin, S.M., 457, 192

Vega, R., see Soto, E., 462, 104 Velicogna, M.E., see Scarpini, E., 440, 261

Veraart, C., see

Wanet-Defalque, M.-C., 446, 369 Vergnes, M., see Depaulis, A., 448, 20 Verhofstad, A.A.J., see Millhorn, D.E., 461, 169

Verhofstad, A.J., see Delarue, C., 459, 17

Vezina, P., see Stewart, J., 457, 287 Vezzani, A., Wu, H.Q., Angelico, P., Stasi, M.A. and Samanin, R. Quinolinic acid-induced seizures, but not nerve cell death, are associated with extracellular Ca2+ decrease assessed in the hippocampus by brain dialysis, 454, 289

Viana, F., see Dick, T.E., 449, 201 Viana, F., see Dick, T.E., 454, 31 Viancour, T.A., Sheller, R.A.,

Bittner, G.D. and Seshan, K.R. Protein transport between crayfish lateral giant axons, 439, 211

Viau, V., see Meaney, M.J., 445, 198 Vibert, J.-F., Foutz, A.S., Caille, D. and Hugelin, A. Respiratory rhythm multistability during sleep-wake states, 448, 403

Vijverberg, H.P.M., see De

Weille, J.R., 445, 1 Villablanca, J.R., Gómez-Pinilla, F., Sonnier, B.J. and Hovda, D.A. Bilateral pericruciate cortical innervation of the red nucleus in cats with adult or neonatal cerebral hemispherectomy, 453, 17

Villablanca, J.R., see Olmstead, C.E., 442, 279

Villalba, R., see Alvarez, F.J., 442, 391 Villalba, R.M., Martínez-Murillo, R., Blasco, I., Alvarez, F.J. and Rodrigo, J. C-PON containing neurons in the rat striatum are also positive for NADPH-diaphorase activity. A light

microscopic study, 462, 359 Villanueva, S. and Orrego, F. Endogenous ligands for the quisqualate receptor: presence in rat

brain cortex synaptic vesicles, 440, 363

Villanueva, S., Frenz, P., Dragnic, Y. and Orrego, F. Veratridine-induced release of endogenous glutamate from rat brain cortex slices: a reappraisal of the role of calcium, 461, 377

Vincent, J.D., see Legendre, P., 457, 386

Vincent, J.D., see Simonnet, G., **443**, 403

Vincent, S.R., see Mizukawa, K., 452, 286 Vincent, S.R., see Mizukawa, K.,

461, 274 Vincent, S.R., see Radke, J.M.,

445, 55 Vindrola, O., see Asai, M., 442, 81

Vink, R., McIntosh, T.K. and Faden, A.I. Treatment with the thyrotropin-releasing hormone analog CG3703 restores magnesium homeostasis following traumatic brain injury in rats, 460, 184

Vinogradova, O.S., see Brazhnik, E.S., 451, 1 Vinsant, S., see Landfield, P.W., 443, 47

Virgili, M., Barnabei, O. and Contestabile, A. Depletion of cholinergic habenulo-interpeduncular neurons by selectively timed methylazoxymethanol acetate (MAM) treatment during pregnancy, 460, 361 Viski, S., see Sarnyai, Z., 463, 294

Visser, J.H., see De Jong, R., 447, 10 Visser, J.H., see De Jong, R., 447, 18 Visser, T.J., see Tsuruo, Y., 447, 183 Viswanathan, M., Siow, Y.L.,

Paulose, C.S. and Dakshinamurti, K.

Pineal indoleamine metabolism in pyridoxine-deficient rats, 473, 37 Vitadello, M., see Gorza, L., 457, 360 Vitiello, S., see Barnéoud, P., 474, 394 Vitiello, S., see Neveu, P.J., 457, 392 Vockel, A., Pröve, E. and Balthazart,

Changes in the activity of testosterone-metabolizing enzymes in the brain of male and female zebra finches during the

post-hatching period, **463**, 330 Vogt, B.A., see Plager, M.D., **460**, 150 Vollrath, L., see Olcese, J., **448**, 325 Voogd, J., see De Beer, F.C., **454**, 397 Voogd, J., see De Zeeuw, C.I., **447**, 369

Voorhuis, Th.A.M., De Kloet, E.R. and De Wied, D. The distribution and plasticity of [³H]vasopressin-labelled specific binding sites in the canary brain, **457**, 148

Voorhuis, Th.A.M., Kiss, J.Z., De Kloet, E.R. and De Wied, D. Testosterone-sensitive vasotocin-immunoreactive cells and fibers in the canary brain, 442, 139 Vreeken, T., see Shouse, M.N., 473, 372

W

Wada, H., see Inagaki, N., 439, 402 Wada, H., see Sakata, T., 441, 403 Wada, H., see Takemura, M., 451, 386 Wada, H., see Niigawa, H., 459, 183 Wada, J.A., see Ono, K., 475, 182

Wada, J.A., see Uemura, S., 448, 162 Wadhwani, K.C., Levitan, H. and Rapoport, S.I.

Calcium transfer at the blood-nerve barrier of the frog sciatic nerve, 462, 22

Wadman, W.J., see Kamphuis, W., 440, 205

Wadman, W.J., see Melchers, B.P.C., 454, 1

Wagerle, L.C., see Busija, D.W., 439, 122

Wahl, M., see Whalley, E.T., 438, 1 Wahlström, G. and Nordberg, A. Relation between voluntary ethanol intake in rats and changes in striatal muscarinic binding sites seen after induction of stable ethanol intake by an intermittent ethanol treatment, 474, 189

Wainer, B.H., see Mitani, A., 451, 397 Wakabayashi, I., see Sugihara, H., 475, 128

Wakabayashi, K., see Oyanagi, K., 458, 218

Wakade, A.R. and Bhave, S.V. Facilitation of noradrenergic character of sympathetic neurons by co-culturing with heart cells, 458, 115

Wakakuwa, K., see Robbins, J., 438, 52

Wakata, Y., see Nakamura, S., 455, 144

Walberg, F. and Dietrichs, E.

The interconnection between the vestibular nuclei and the nodulus: a study of reciprocity, 449, 47

Waldbillig, R.J., see Rodrigues, M., 443, 389

Walden, J., Speckmann, E.-J. and Witte, O.W. Membrane currents induced by pentylenetetrazol in identified neurons of *Helix pomatia*, **473**, 294

Waldrop, T.G., Bauer, R.M. and Iwamoto, G.A.
Microinjection of GABA antagonists into the posterior hypothalamus elicits locomotor activity and a cardiorespiratory activation, 444, 84

Walencewicz, A., see Kesslak, J.P., 454, 347

Walker, D.W., see King, M.A., 459, 381

Walker, J.M., see Matsumoto, R.R., 444, 67

Walker, L.C., see Koliatsos, V.E., **463**, 133

Walkley, S.U., see Cubells, J.F., 458, 82

Walkowiak, W., see Schmitz, E., 473, 314

Wall, J.T., see Florence, S.L., **452**, 388 Wall, P.D., Coderre, T.J., Stern, Y. and Wiesenfeld-Hallin, Z. Slow changes in the flexion reflex of the rat following arthritis or tenotomy, **447**, 215

Wallis, R.A., see Fairchild, M.D., 453, 357

Walmsley, B., see Tracey, D.J., 453, 129

Walsh, J., see Seroogy, K., **455**, 88 Walsh, J.H., see Ohta, Y., **445**, 400 Walsh, T.J., see Chrobak, J.J., **463**, 107

Walters, M.J., McEwen, B.S. and Harding, C.F. Estrogen receptor levels in hypothalamic and vocal control nuclei in the male zebra finch,

459, 37
Walz, W. and MacVicar, B.
Electrophysiological properties of glial cells: comparison of brain slices with primary cultures, 443, 321

Wanet-Defalque, M.-C., Veraart, C., De Volder, A., Metz, R., Michel, C., Dooms, G. and Goffinet, A. High metabolic activity in the visual cortex of early blind human subjects, 446, 369

Wang, A., see Nadler, J.V., **456**, 168 Wang, J.-x., Roeske, W.R., Wang, W.

and Yamamura, H.I. Himbacine recognizes a high affinity subtype of M_2 muscarinic cholinergic receptors in the rat cerebral cortex, 446, 155

Wang, P.S., Gonzalez, H.A. and Porter, J.C.
Saline ingestion stimulates the in situ molar activity of tyrosine hydroxylase in the median eminence and superior cervical ganglion, 446, 363

Wang, Q. and Li, P. A GABAergic mechanism in the inhibition of cardiac vagal reflexes, 457, 367

Wang, Q. and Li, P.
Stimulation of the ventrolateral medulla inhibits the baroreceptor input to the nucleus tractus solitarius, 473, 227

solitarius, 473, 227
Wang, Q., Guo, X.-Q. and Li, P.
The inhibitory effect of somatic inputs on the excitatory responses of vagal cardiomotor neurones to stimulation of the nucleus tractus solitarius in rabbits, 439, 350

solitarius in rabbits, **439**, 350 Wang, R.Y., see Hu, X.-T., **444**, 389 Wang, R.Y., see Jiang, L.H., **473**, 165 Wang, W., see Wang, J.-x., **446**, 155 Wanner, A., see Closse, A., **440**, 123

Waraczynski, M.A.
Basal forebrain knife cuts and medial forebrain bundle self-stimulation, 438, 8

Ward, R., see Peyrichoux, J., 447, 299 Ward, D.G.

Stimulation of the parabrachial nuclei with monosodium glutamate increases arterial pressure, **462**, 383

Ward, K.K., see Zochodne, D.W., 461, 10

Wardas, J., Ossowska, K. and Wolfarth, S. Evidence for the independent role of GABA synapses of the zona incerta-lateral hypothalamic region in haloperidol-induced catalepsy, 462, 378

Warma, N., see Pomeranz, B., 452, 232

Warner, R.K., see Pehek, E.A., 443, 70

Warter, J.-M., see Depaulis, A., 448, 20

Waser, P.G., see Külling, P., **450**, 237 Wasterlain, C.G., see Fairchild, M.D., **453**, 357

Wasterlain, C.G., see Fujikawa, D.G.,

Waszczak, B.L., Applegate, C.D. and Burchfiel, J.L. Kindling does not cause persistent changes in firing rates or transmitter sensitivities of substantia nigra pars reticulata neurons, 455, 115

Watanabe, K., see Kakudo, K., 440, 153

Watanabe, H., see Nishino, H., 445, 325

Watanabe, T., see Inagaki, N., 439, 402

Watanabe, T., see Morimoto, A., 475, 345

Watanabe, Y., see Suzuki, S., 446, 1 Waterhouse, B.D., see Cheng, J.-T., 446, 90

Waterhouse, B.D., see Sessler, F.M., 446, 77

Waterhouse, B.D., see Smith, S.S., 475, 272

Watkins, C.A., see Martin, D.C., 455, 360

Watkins, K.C., see Séguéla, P., 442, 11 Watkins, L.R., see Klatt, D.S., 447, 246

Watkins, L.R., see Thurston, C.L., 463, 1

Watson, D.L., see Carpenter, C.L., 439, 372

Watson, T.W.J. and Pittman, Q.J. Somatostatin(14) and -(28) but not somatostatin(1-12) hyperpolarize CA1 pyramidal neurons in vitro, 448, 40

Watt, C.B., Li, T., Lam, D.M.K. and Wu, S.M.

Quantitative studies of enkephalin's coexistence with γ -aminobutyric acid, glycine and neurotensin in amacrine cells of the chicken retina, 444, 366

Watt, C.B., see Yu, B.C.-Y., 439, 376 Watters, D.J., see Hendry, I.A., **475**, 160

Wauquier, A., see Marrannes, R., 457, 226

Waxman, S.G. and Black, J.A. Unmyelinated and myelinated axon membrane from rat corpus callosum: differences in macromolecular structure, 453, 337

Waxman, S.G., see Bowe, C.M., 463, 69

Waxman, S.G., see Fields, R.D., 443, 231

Waxman, S.G., see Gordon, T.R.,

Weber, E., see Merchenthaler, I., 452, 87

Weber, G., see Dhital, K.K., 444, 33 Webster, H.H. and Jones, B.E. Neurotoxic lesions of the dorsolateral pontomesencephalic tegmentum-cholinergic cell area in the cat. II. Effects upon sleep-waking states, 458, 285

Webster, H.H., see Jones, B.E., **451**, 13

Weerasuriya, A. Patterns of change in endoneurial

capillary permeability and vascular space during Wallerian degeneration, 445, 181

Wehner, J.M., see Freund, R.K., 453, 215

Weight, F.F., see Eckardt, M.J., 444, 53

Weight, F.F., see Yavari, P., 452, 175 Weil-Fugazza, J., Peschanski, M., Godefroy, F., Manceau, V. and Besson, J.-M. Absence of long-term changes in biochemical markers of

monoaminergic systems afferent to the excitotoxically neuron-depleted somatosensory thalamus, 444, 374

Weindl, A., see Ohm, T.G., 451, 295 Weiner, H.L., see Johnson, D., 444, 195

Weiss, S.

Forskolin attenuates the evoked release of [3H]GABA from striatal neurons in primary culture, 463, 182

Weizman, R., see Okun, F., 458, 31 Weleber, R.G., see Brainard, G.C., 454, 212

Weller, K.L. and Corcoran, M.E. Anterior neocortical kindling in vasopressin-deficient rats, 463, 390

Weller, R.O., see Gibson, S.J., 474, 255

Welner, S.A., Dunnett, S.B., Salamone, J.D., MacLean, B. and Iversen, S.D Transplantation of embryonic ventral forebrain grafts to the neocortex of rats with bilateral lesions of nucleus basalis magnocellularis ameliorates a lesion-induced deficit in spatial memory, 463, 192

Welsh, J.P., see Harvey, J.A., 449, 213 Wenk, G.L. and Rökaeus, Å Basal forebrain lesions differentially alter galanin levels and acetylcholinergic receptors in the

hippocampus and neocortex, 460, 17 Wenthold, R.J., see Madl, J.E., **452**, 396

Weskamp, G., see Lorez, H.P., 454, 355

West, C.A., see Schurr, A., 438, 311 West, M.J., Coleman, P.D. and Flood, D.G. Estimating the number of granule cells in the dentate gyrus with the disector, 448, 167

West, T.E.G. and Wise, R.A. Effects of naltrexone on nucleus accumbens, lateral hypothalamic and ventral tegmental self-stimulation rate-frequency functions, 462, 126

Whalen, R.E., see Lauber, A.H., 443, 21

Whalen, R.E., see Olsen, K.L., 448, 223

Whalley, E.T. and Wahl, M. Cerebrovascular reactivity to angiotensin and angiotensin-converting enzyme activity in cerebrospinal fluid, 438, 1 Wheeler, F.B., see MacLean, D.B.,

457, 53

Whetsell Jr., W.O., see Turski, W.A., **454**, 164

Whishaw, I.Q. and Kolb, B. Sparing of skilled forelimb reaching and corticospinal projections after neonatal motor cortex removal or hemidecortication in the rat: support for the Kennard doctrine, 451, 9

Whishaw, I.Q., see Robinson, T.E., **450**, 209 White, E.L., see Benshalom, G.,

443, 377

White, E.L., see Solberg, Y., 459, 168 White, J.D., see La Gamma, E.F., 441, 292

White, S.R., Penner, J.D., Speth, R.C. and Chan, J.Y.H. Angiotensin II receptors in the lumbar spinal cord of the rat,

White, T., see Sweeney, M., 462, 346 Whitley, R.J., see Schlitt, M., 440, 293 Whitney, J.F., see Glenn, L.L., 439, 396

Wictorin, K., see Nothias, F., 461, 349 Widner, H., see Nilsson, O.G., **456**, 193

Wiebe, J.P. and Kavaliers, M. Analgesic effects of the putative FSH-suppressing gonadal steroid, 3α -hydroxy-4-pregnen-20-one: possible modes of action, 461, 150

Wiechmann, A.F., Yang, X.-L., Wu, S.M. and Hollyfield, J.G. Melatonin enhances horizontal cell sensitivity in salamander retina, **453**, 377

Wiegand, H., see Altmann, L., 455, 254

Wiener, S.G., see Ricaurte, G.A., **474**, 359

Wiesenfeld-Hallin, Z., see Wall, P.D., 447, 215

Wiesenfeld-Hallin, Z., see Aldskogius, H., 461, 215

Wietelmann, D., see Hahne, M., 456, 188

Wightman, R.M., see Keller Jr., R.W., 447, 191

Wightman, R.M., see Kristensen, E.W., 461, 44

Wigström, H., see Huang, Y.-Y., 456, 88

Wiklund, L., see Arbab, M.A.-R., **445**, 175

Wilcock, G.K., see Allen, S.J., **454**, 275

Wilcox, B.J., see Bohannon, N.J., 444, 205

Wilcox, R.E., Mudie, E., Mayfield, D., Young, R.K. and Spirduso, W.W. Movement initiation characteristics in young adults rats in relation to the high- and low-affinity agonist states of the striatal D₂ dopamine receptor, 443, 190

Wilcox, R.E., see MacRae, P.G., **451**, 139

Wiley, R.G. and Stirpe, F. Modeccin and volkensin but not abrin are effective suicide transport agents in rat CNS, 438, 145

Wiley, R.G., see LaRocca, C.D., 449, 381

Willems, R., see Marrannes, R., 457, 226

Williams, C.L. and Blaustein, J.D. Steroids induce hypothalamic progestin receptors and facilitate female sexual behavior in neonatal rats, 449, 403

Williams, C.L., see Bodnar, R.J.,

447, 25

Williams, J.H., see Clatworthy, A., 455, 300

Williams, L.M., see Morgan, P.J., 447, 279

Williams, P.E., see Radosevich, P.M., 458, 325

Williams, R. and Rush, R.A.
Electron microscopic
immunocytochemical localization of
nerve growth factor in developing
mouse olfactory neurons, 463, 21

Williams, R.S., see Sims, K.B., 449, 192

Williams, T.L., see Burton, N.R., 440, 159

Williamson, L.C. and Neale, J.H. Calcium-dependent release of N-acetylaspartylglutamate from retinal neurons upon depolarization, 475, 151

Williamson, L.C. and Neale, J.H. Ultrastructural localization of N-acetylaspartylglutamate in synaptic vesicles of retinal neurons, **456**, 375

456, 375 Willis, W.D., see Harmann, P.A., **441**, 87

Willison, H.J., Trapp, B.D.,
Bacher, J.D. and Quarles, R.H.
The expression of myelin-associated
glycoprotein in regenerating cat
sciatic nerve, 444, 10

Wilmot, C.A., Sullivan, A.C. and Levin, B.E. Effects of diet and obesity on brain α_1 - and α_2 -noradrenergic receptors

in the rat, **453**, 157 Wilson, C.A., see MacKenzie, F.J., **444**, 75

Wilson, J.F., see Tiligada, E., 457, 379 Wilson, J.S., see Turner, B.H., 473, 60 Wilson, M.A. and Gallager, D.W.

Wilson, M.A. and Gallager, D.W. GABAergic subsensitivity of dorsal raphe neurons in vitro after chronic benzodiazepine treatment in vivo, 473, 198

Wilson, M.C., see Lipkin, W.I., 475, 366

Wilson, V.J., see Yates, B.J., **449**, 377 Wilson, W.A., see Bragdon, A.C., **453**, 257

Winder, C., see Millar, T.J., **439**, 77 Windhorst, U., see Kuipers, U., **462**, 154

Winegar, B.D., Bittner, G.D. and Leslie, S.W.
Effects of pentobarbital on behavioral and synaptic plasticities in crayfish, 475, 21

Winialski, D., see Shaw, G., **460**, 227 Winn, S.R., see Aebischer, P., **448**, 364

Winn, S.R., see Aebischer, P., 454, 179

Winsky, L., see Harvey, J.A., **449**, 213 Winson, J., see Greenstein, Y.J., **438**, 331

Winson, J., see Pavlides, C., 439, 383 Winter, I.M., see Robertson, D., 462, 47

Winters, R.W., see Haselton, J.R.,

453, 167

Winters, R.W., see Haselton, J.R., 453, 176

Wirsig-Wiechmann, C.R. and Basinger, S.F. FMRFamide-immunoreactive retinopetal fibers in the frog, *Rana pipiens:* demonstration by lesion and immunocytochemical techniques, 449, 116

Wirz-Justice, A., see Rudolph, K., 446, 159

Wise, R.A., see Colle, L., 459, 356 Wise, R.A., see Colle, L.M., 459, 361 Wise, R.A., see Gratton, A., 438, 256 Wise, R.A., see Gratton, A., 438, 264 Wise, R.A., see Jenck, F., 450, 387 Wise, R.A., see West, T.E.G., 462, 126

Witkovsky, P., Stone, S. and Besharse, J.C.
Dopamine modifies the balance of rod and cone inputs to horizontal cells of the *Xenopus* retina, 449, 332

Witte, O.W., see Walden, J., 473, 294 Woda, A., see Aigouy, L., 473, 380 Woda, A., see Dallel, R., 448, 7 Wolf, G., see Šťastný, F., 462, 56 Wolf, K.M., Ciarleglio, A. and

Chiappinelli, V.A.

κ-Bungarotoxin: binding of a neuronal nicotinic receptor antagonist to chick optic lobe and skeletal muscle, 439, 249

Wolf, M.K. and Billings-Gagliardi, S. Quaking*shiverer double mutant mice: morphological phenotypes support possible dual actions of the shiverer locus, 461, 257

Wolf, M.K., see Billings-Gagliardi, S., 455, 271

Wolfarth, S., see Wardas, J., **462**, 378 Wong, D. and Shannon, S.L. Functional zones in the auditory cortex of the echolocating bat, *Myotis lucifugus*, **453**, 349

Wong, E., see Liron, Z., 444, 119 Wong, K.L., see Linden, D.J., 458, 142

Wonnacott, S., see Cairns, N.J., 475, 1 Wood, L., see Baxendale, R.H., 453, 150

Wood, P.L., see Altar, C.A., 460, 76 Woodruff, G.N., see Hill, D.R., 454, 101

Woodward, D.J., see Smith, S.S., 475, 272

Woodward, J.J., Chandler, L.J. and Leslie, S.W. Calcium-dependent and -independent release of endogenous dopamine from rat striatal

synaptosomes, **473**, 91 Woodward, J.J., Rezazadeh, S.M. and Leslie, S.W.

Differential sensitivity of synaptosomal calcium entry and endogenous dopamine release to ϵ -conotoxin, 475, 141

Woodward, W.R. and Coull, B.M. Effects of kainic acid lesions in lateral geniculate nucleus: activity dependence of retrograde axonal transport of fluorescent dyes, **454**, 106

Woody, C.D., see Aou, S., 439, 31 Woody, C.D., see Baranyi, A., 440, 341

Woody, C.D., see Sakai, H., **460**, 1 Woody, C.D., see Szente, M.B., **461**, 64

Woolum, J.C. and Strumwasser, F. Calcium changes in isolated peptidergic neurons during activation by a cAMP analog, 444, 1

Woolverton, W.L., see Nencini, P., 457, 136

Wooten, G.F., see Cutlip, A.C., 451, 54

Wouterlood, F.G. and Gaykema, R.P.A.
Innervation of histaminergic neurons in the posterior hypothalamic region by medial preoptic neurons.
Anterograde tracing with *Phaseolus vulgaris* leucoagglutinin combined with immunocytochemistry of histidine decarboxylase in the rat, 455, 170

Wouterlood, F.G.,
Barbas-Henry, H.A. and
Lohman, A.H.M.
Mixed-junction axon terminals on
identified principal abducens
motoneurons in the monitor lizard,
463, 198

Wright, J.W., Quirk, W.S.,
Hanesworth, J.M. and
Harding, J.W.
Influence of aminopeptidase
inhibitors on brain angiotensin
metabolism and drinking in rats,
441, 215

Wright, J.W., see Dewey, A.L., 448, 369

Wright, J.W., see Jensen, L.L., 448, 359

Wright, J.W., see Quirk, W.S., **452**, 73 Wright, J.W., see Sullivan, M.J., **456**, 249

Wu, H.Q., see Vezzani, A., **454**, 289 Wu, J.-N., see Huang, W.-C., **460**, 83 Wu, K. and Siekevitz, P.

Neurochemical characteristics of a postsynaptic density fraction isolated from adult canine hippocampus, **457**, 98

Wu, M., see Brudzynski, S.M., **451**, 119

Wu, M.-F., Suzuki, S.S. and Siegel, J.M. Anatomical distribution and response patterns of reticular neurons active in relation to acoustic startle, **457**, 399

Wu, P. and Jackson, I.M.D.
Post-translational processing of
thyrotropin-releasing hormone
precursor in rat brain: identification
of 3 novel peptides derived from
proTRH, 456, 22
Wu, P., see Van den Bergh, P., 461, 53

Wu, P., see Van den Bergh, P., 461, 53 Wu, S.M., see Watt, C.B., 444, 366 Wu, S.M., see Wiechmann, A.F., 453, 377

Wu, S.M.-S. and Lam, D.M-K.
The coexistence of three neuroactive substances in amacrine cells of the chicken retina, **458**, 195

Wuarin, J.-P., Dubois-Dauphin, M., Raggenbass, M. and Dreifuss, J.J. Effect of opioid peptides on the paraventricular nucleus of the guinea pig hypothalamus is mediated by μ -type receptors, 445, 289

Wurpel, J.N.D., see Balaban, C.D., 445, 117

Wurtman, R.J., see During, M.J., 452, 378

Wurtman, R.J., see Godley, B.F., 452, 393

Wyatt, R.J., see Karoum, F., **440**, 190 Wyss, J.M., see Klangkalya, B., **451**, 77

X

Xie, X.
Inhibition of long-term potentiation of the hippocampal CA1 EPSP by a negative cooperativity, **445**, 367

Y

Yachi, A., see Yamashita, T., **474**, 309 Yagaloff, K.A., see Blue, M.E., **453**, 315

Yagi, H., Katoh, S., Akiguchi, I. and Takeda, T.

Age-related deterioration of ability of acquisition in memory and learning in senescence accelerated mouse: SAM-P/8 as an animal model of disturbances in recent memory, 474, 86

Yajeya, J., Quintana, J. and Fuster, J.M. Prefrontal representation of stimulus attributes during delay tasks. II. The role of behavioral significance, 474, 222

Yajeya, J., see Quintana, J., **474**, 211 Yaksh, T.L.

Substance P release from knee joint afferent terminals: modulation by opioids, **458**, 319

Yaksh, T.L., see Durant, P.A.C., 451, 301

Yaksh, T.L., see Schick, R.R., 448, 294

Yakubu, M.A., Hamilton, C.A.,

Howie, C.A. and Reid, J.L. Idazoxan and brain α_2 -adrenoceptors in the rabbit, **463**, 289

Yamada, H., see Ezure, K., 455, 262 Yamada, H., Ezure, K. and Manabe,

Efferent projections of inspiratory neurons of the ventral respiratory group. A dual labeling study in the rat, **455**, 283

Yamamoto, M., see Kondo, H., **473**, 283

Yamamoto, M., see Hiramatsu, M., 455, 38

Yamamoto, M., see Suchy, S.F., 440, 25

Yamamoto, M., Tamura, A.,
Kirino, T., Shimizu, M. and Sano,
K.
Behavioral changes after focal

cerebral ischemia by left middle cerebral artery occlusion in rats, 452, 323

Yamamoto, T., Matsuo, R., Kiyomitsu, Y. and Kitamura, R. Taste effects of 'umami' substances in hamsters as studied by electrophysiological and conditioned taste aversion techniques, **451**, 147

Yamamoto, T., Samejima, A. and Oka, H. Short latency activation of local circuit neurons in the cat somatosensory cortex, 461, 199 Yamamoto, T., see Nagy, J.I., 457, 21 Yamamoto, T., see Saija, A., 452, 303 Yamamoto, T., see Staines, W.A.,

455, 72
Yamamoto, T., Staines, W.A.,
Dewar, K., Geiger, J.D.,
Daddona, P.E. and Nagy, J.I.
Distinct adenosine
deaminase-containing inputs to the
substantia nigra from the striatum

substantia nigra from the striatum and tuberomammillary nucleus, **474**, 112

Yamamura, H.I., see Malatynska, E., 443, 395

Yamamura, H.I., see Mei, L., **447**, 360 Yamamura, H.I., see Wang, J.-X., **446**, 155

Yamano, M., Hillyard, C.J., Girgis, S., MacIntyre, I., Emson, P.C. and Tohyama, M. Presence of a substance P-like immunoreactive neurone system

Presence of a substance P-like immunoreactive neurone system from the parabrachial area to the central amygdaloid nucleus of the rat with reference to coexistence with calcitonin gene-related peptide, **451**, 179

Yamashita, H., see Hattori, Y., 443, 355

Yamashita, Y., see Ogawa, H., 454, 321

Yamashita, T., Imai, K., Saito, N. and Yachi, A. Detection of novel proteins associated with secondary amyloidosis and Alzheimer's disease by monoclonal antibody, **474**, 309 Yamatodani, A., see Inagaki, N., 439, 402

Yamatodani, A., see Niigawa, H., 459, 183

Yamauchi, Y., see Kawahara, K., 473, 81

Yamauchi, Y., see Kawahara, K., 474, 403

Yanai, K., see Kawai, Y., **459**, 369 Yanaihara, C., see Senba, E., **453**, 110 Yanaihara, N., see Senba, E., **453**, 110

Yang, Q.Z. and Hatton, G.I. Direct evidence for electrical coupling among rat supraoptic nucleus neurons, 463, 47

Yang, X.-L., see Wiechmann, A.F., 453, 377

Yasuda, T., see Sobue, G., 474, 287 Yasuhara, H., see Moriwaki, A., 461, 190

Yates, B.J., Kasper, J., Brink, E.E. and Wilson, V.J. Peripheral input to L4 neurons whose activity is modulated by neck rotation, 449, 377

Yates, B.J., Thompson, F.J. and Mickle, J.P. Responses of spinal cord neurons following stimulation of $A\beta$ femoral-saphenous venous afferent fibers, **451**, 285

Yavari, P. and Weight, F.F.
Pharmacological studies in frog
sympathetic ganglion: support for
the cholinergic monosynaptic
hypothesis for slow IPSP mediation,
452, 175

Yazulla, S., see Malchow, R.P., 443, 222

 Yelnik, J., see François, C., 473, 181
 Yeomans, J.S., Maidment, N.T. and Bunney, B.S.
 Excitability properties of medial forebrain bundle axons of A9 and

forebrain bundle axons of A9 and A10 dopamine cells, **450**, 86 Yeomans, J.S., see Tehovnik, E.J.,

441, 269 Yerbury, R.E., see Cooper, S.J., **456**, 173

Yi, S.-J., Snell, L.D. and Johnson, K.M.
Linkage between phencyclidine (PCP) and N-methyl-D-aspartate (NMDA) receptors in the cerebellum, 445, 147

Yirmiya, R., Lieblich, I. and Liebeskind, J.C. Reduced saccharin preference in CXBK (opioid receptor-deficient) mice, 438, 339

Yirmiya, R., see Marek, P., 447, 188 Yoburn, B.C., see Inturrisi, C.E., 448, 230

Yokota, T., see Nishikawa, Y., 458, 394 Yokota, T., Koyama, N., Nishikawa, Y. and Hasegawa, A.

Nishikawa, Y. and Hasegawa, A. Dual somatosensory representation of the periodontium in nucleus ventralis posteromedialis of the cat thalamus, 475, 187

Yoneda, Y., see Ogita, K., 463, 37 Yoneda, T., see Oishi, K., 458, 261 Yonekura, Y., see Tsujii, S., 475, 371 Yonemasu, Y., see Tanaka, S.,

463, 163 Yong, V.W., Kim, S.U. and Pleasure, D.E.

Growth factors for fetal and adult human astrocytes in culture, 444, 59 pshida M. see Nijijima K. 451, 163

Yoshida, M., see Niijima, K., 451, 163 Yoshida, M., see Tsuda, A., 474, 174 Yoshida, A., see Shigenaga, Y., 445, 392

Yoshida, A., see Shigenaga, Y., 448, 331

Yoshida, A., see Shigenaga, Y., 461, 143

Yoshida, A., see Shigenaga, Y., 461, 238

Yoshida, J., Polley, E.H., Nyhus, L.M. and Donahue, P.E.
Labeling of nerve cells in the dorsal motor nucleus of the vagus of rats by retrograde transport of Fluoro-Gold, 455, 1

Yoshida, M., see Nagatsu, I., 475, 91 Yoshida, M., see Sakai, M., 438, 335 Yoshida, S., see Ikeda, M., 459, 344 Yoshimatsu, H., see Aou, S., 455, 65 Yoshimatsu, H., see Sakata, T., 441, 403

Yoshino, Y., see Takahashi, H., 441, 202

Youdim, M.B.H., see Okun, F., 458, 31

Young, B.S., see Sun, M.-K., 442, 229 Young, B.S., see Sun, M.-K., 451, 345 Young, H.F., see Lyeth, B.G., 448, 88 Young, H.F., see Lyeth, B.G., 452, 39

Young, H.M., see Vaney, D.I., 438, 369

Young, H.M., see Vaney, D.I., 474, 380

Young, R.K., see Wilcox, R.E., 443, 190

Young, III, W.S., see Gerfen, C.R., 460, 161

460, 161 Yousif, N.J., see Riley, D.A., 453, 79 Yu, B.C.-Y., Watt, C.B.,

Yu, B.C.-Y., Watt, C.B., Lam, D.M.K. and Fry, K.R. GABAergic ganglion cells in the rabbit retina, 439, 376

Yu, C.H., see Bowe, C.M., **463**, 69

Yu, O., Chiu, T.H. and Rosenberg, H.C. A comparison of the effects of midazolam and pentobarbital on the dose-response of GABA-gated Clinflux in rat brain microsacs, 451, 376

Yukie, M., see Iwai, E., 444, 397 Yuzaki, M., see Ozawa, S., 443, 85 Yuzurihara, M., see Sugaya, E., 459, 196 **453**, 143

Zagon, I.S., Goodman, S.R. and McLaughlin, P.J. Characterization of opioid binding sites in murine neuroblastoma, 449, 80

Zahniser, N.R., see Miller, J.A., 447, 60

Zapata, P., see Alcayaga, J., 455, 31

Zapata, P. and Torrealba, G. Reflex effects evoked by stimulation of hypoglossal afferent fibers, 445, 19

Zareh, S., see Ferri, G.-L., **444**, 383 Zarola, F., see Rossini, P.M., **458**, 20

Zatz, M. and Mullen, D.A.
Does calcium influx regulate
melatonin production through the
circadian pacemaker in chick pineal
cells? Effects of nitrendipine, Bay K
8644, Co²⁺, Mn²⁺, and low external
Ca, 463, 305

Zatz, M. and Mullen, D.A.
Norepinephrine, acting via
adenylate cyclase, inhibits melatonin
output but does not phase-shift the
pacemaker in cultured chick pineal
cells, 450, 137

Zatz, M. and Mullen, D.A.
Photoendocrine transduction in cultured chick pineal cells. II.
Effects of forskolin, 8-bromocyclic AMP, and 8-bromocyclic GMP on the melatonin rhythm,
453, 51

Zatz, M. and Mullen, D.A.

Two mechanisms of photoendocrine transduction in cultured chick pineal cells: pertussis toxin blocks the acute but not the phase-shifting effects of light on the melatonin rhythm,

453, 63

Zatz, M., Mullen, D.A. and Moskal, J.R. Photoendocrine transduction in cultured chick pineal cells: effects of light, dark, and potassium on the melatonin rhythm, 438, 199

Zeise, M.L., Knöpfel, T. and Zieglgänsberger, W. (±)-β-Parachlorophenylglutamate selectively enhances the depolarizing response to L-homocysteic acid in neocortical neurons of the rat: evidence for a specific uptake system, 443, 373

Zelená, J. and Jirmanová, I. Grafts of Pacinian corpuscles reinnervated by dorsal root axons, 438, 163

Zeller-DeAmicis, L., see Faull, K.F., 450, 225

Zemlan, F.P. and Behbehani, M.M. Nucleus cuneiformis and pain modulation: anatomy and behavioral pharmacology, **453**, 89

Zhang, L. and Krnjević, K.
Intracellular injection of Ca²⁺
chelator does not affect spike
repolarization of cat spinal

motoneurons, 462, 174

Zhang, W.Q., Tilson, H.A., Nanry, K.P., Hudson, P.M., Hong, J.S. and Stachowiak, M.K. Increased dopamine release from striata of rats after unilateral nigrostriatal bundle damage, 461, 335

Zhao, B.-G., Chapman, C. and Bicknell, R.J. Functional κ-opioid receptors on oxytocin and vasopressin nerve terminals isolated from the rat neurohypophysis, 462, 62

Zhao, Z.Q., see Duggan, A.W., 451, 261

Zhou, F.C., Auerbach, S.B. and Azmitia, E.C. Transplanted raphe and hippocampal fetal neurons do not displace afferent inputs to the dorsal hippocampus from serotonergic neurons in the median raphe nucleus of the rat, 450, 51

Zieglgänsberger, W., see Zeise, M.L., 443, 373

Zigmond, M.J., see Jackson, D., 457, 259

Zigmond, M.J., see Jackson, D., **457**, 267

Zigmond, M.J., see Keller Jr., R.W., 447, 191

Zigmond, M.J., see Nisenbaum, E.S., 473, 389

Zimmerman, D.M., see Leander, J.D., 448, 115 Zimmerman, D.M., see Leander, J.D.,

454, 368 Zipser, B., see O'Neill, J.B.,

Zipser, B., see O'Neill, J.B., **450**, 303

Zipser, B., Ruff, M.R., O'Neill, J.B., Smith, C.C., Higgins, W.J. and Pert, C.B.

The opiate receptor: a single 110 kDa recognition molecule appears to be conserved in *Tetrahymena*, leech, and rat, **463**, 296

Ziylan, Y.Z., see Smith, Q.R., 462, 1

Zochodne, D.W., Ward, K.K. and Low, P.A.
Guanethidine adrenergic neuropathy: an animal model of selective autonomic neuropathy, 461, 10

Zottoli, S.J., see Danielson, P.D., 448, 158

Zuabi, S., see Brutus, M., 473, 147

Zubieta, M., see Asai, M., 442, 81

Zucca, G., see Del Fiacco, M., 446, 173

Zuschratter, W., see Braun, K., 475, 205

Żywuszko, B., see Szulczyk, A., 447, 109

Z



BRAIN RESEARCH SUBJECT INDEX 1988 VOLUMES 438–463; 473–475





A1 noradrenaline nucleus

Neuropeptide Y; Caudal ventrolateral medulla; Mean arterial pressure; Heart rate; Nucleus ambiguus; Wistar-Kyoto normotensive rats (Macrae, I.M.) 456, 1

A23187

Striatum; Calcium; Inositoltrisphosphate; Dopamine autoreceptor; Muscarinic (Joseph, J.A.) **454**, 149

Abdominal constriction

Nitrous oxide; Analgesia; Phenylquinone; Narcotic antagonist drug; Opioid receptor subtype (Quock, R.M.) 440, 35

Abducens

Oculomotor; Extraocular; Lateral rectus; Afferent (Goldberg, S.J.) **443**, 350

Abducens nerve

Trochlear nerve; Myelinated axon; Unmyelinated axon; Fibre count; Size distribution (Hildebrand, C.) **453**, 401

Abducens nucleus

Alert cat; Eye movement; Axotomized internuclear neuron; Oculomotor nucleus lesion (Delgado-García, J.M.) **443**, 333

Abrin

Suicide transport; Toxic lectin; Modeccin; Volkensin; Caudate nucleus; Substantia nigra; Parafascicular nucleus (Wiley, R.G.) 438, 145

Acallosal brain

Corpus callosum; Probst's bundle; Mouse, ddN strain; Corticocortical fiber; Commissural fiber (Ozaki, H.S.) **441,** 5

Accessory olfactory bulb

Neuropeptide; Periglomerular cell; Olfaction; Immunohistochemistry (Tsuruo, Y.) **447**, 183

Lesion-induced synaptic reorganization; Medial amygdaloid nucleus; *Phaseolus vulgaris* leucoagglutinin (PHA-L); Rat (Ichikawa, M.) **451**, 248

Accessory optic system

Retinofugal pathway; Human visual system; Medial terminal accessory optic nucleus; Lateral terminal accessory optic nucleus; Dorsal terminal accessory optic nucleus; Interstitial nucleus of the superior fascicle, posterior fibers; p-Phenylene-diamine method; Oculomotor function (Fredericks, C.A.) 454, 116

Vertical optokinetic nystagmus; Visual cortex lesion; Lateral terminal nucleus; Cat (Grasse, K.L.) **455**, 385

Accommodation

Estrogen; Medial nucleus of the amygdala; Genomic; Excitatory postsynaptic potential; Depolarizing afterpotential; Intracellular recording (Schiess, M.C.) 440, 380

Hyperpolarization; A-current; Cadmium; Pars compacta neuron; Substantia nigra (Fujimura, K.) 475, 177

Accurel

Vasopressin; Immunocytochemistry; Binding site; Blood vessel; Brattleboro rat; Blood-brain barrier (Van Zwieten, E.J.) 474, 369

Acetyl-coenzyme A carboxylase Biotin; Oligodendrocyte; Carbonic anhydrase; Pyruvate carboxylase (LeVine, S.M.) 444, 199

Acetylcholine

γ-Aminobutyric acid; Disinhibition; Dorsolateral septum; Septohippocampal pathway (Hasuo, H.) 438, 323

Retina; Amacrine cell; γ-Aminobutyric acid; Neurotransmitter colocalization; Rabbit (Vaney, D.I.) **438**, 369

Perigeniculate nucleus; Dorsal lateral geniculate nucleus; Barbiturate; Corticogeniculate activity; Nicotinic receptor; Muscarinic receptor (Pape, H.-C.) 440, 79

Ethylcholine mustard aziridinium ion; AF64A; Cholinergic hypofunction; Memory intracortical; Nucleus basalis; Animal model; Alzheimer's disease (Mouton, P.R.) 444, 104

Cell death; Chicken; Ciliary ganglion; Embryology; Sympathetic ganglion; Synaptic transmission; Trophic factor (Maderdrut, J.L.) 444, 189

Carotid body; Potassium; Calcium; Dopamine; Sympathetic stimulation; Cyanide; Hypoxia (O'Regan, R.G.) 445, 268

Norepinephrine; Lateral hypothalamus; γ-Aminobutyric acid; Glutamate; Neuromodulation (Sessler, F.M.) **446,** 77

Muscarinic receptor subtype; Muscarinic agonist; Pirenzepine; Rat; Microiontophoresis (Rascol, O.) **446,** 303

Stimulation produced analgesia; Dorsal raphe nucleus; Periaqueductal gray; Opiate; Analgesia; Pain; Behavior (Klatt, D.S.) 447, 246

Transmitter; Immunohistochemistry; Lateral line efferent; Choline acetyltransferase; Goldfish (Danielson, P.D.) 448, 158

Somatosensory cortex; Hindlimb deafferentation; Sciatic nerve section; Glutamic acid (Lamour, Y.) 449, 18

Acetylcholine esterase; Choline acetyltransferase; Kainic acid; Reticular formation (Jones, B.E.) 451, 13

Circling behavior; Nucleus tegmenti pedunculopontinus pars compacta; Nucleus accumbens; Kainic acid; Dopamine turnover (Niijima, K.) **451.** 163

Striatum; Neuropeptide Y; Choline acetyltransferase; Kainic acid; Quinolinic acid; L-Glutamic acid; Decortication (Boegman, R.J.) 452, 219

Concussion; Head injury; Pons; Rat; Hippocampus; Amygdala; Thalamus (Saija, A.) **452**, 303

Serotonin; Vasoactive intestinal peptide; Frog corticosteroidogenesis; Co-action; Perifusion (Leboulenger, F.) **453**, 103

Serotonin; Septum; Hippocampus; Spatial learning; Locomotor activity (Nilsson, O.G.) **453**, 235

Cortical microvessel; Choline acetyltransferase; Neurotransmitter release; γ-Aminobutyric acid; High-performance liquid chromatography; Electron microscopy; Immunocytochemistry (Arnerić, S.P.) **454**, 11

Kindling; Substantia nigra pars reticulata; Single-unit recording; Epileptogenesis; γ-Aminobutyric acid; Glycine; Glutamate (Waszczak, B.L.) **455**, 115

Vertical limb of diagonal band of Broca; Pilocarpine; Learning; Marmoset (Ridley, R.M.) **456**, 71

Serotonin; Striatum; Slice; Release (Jackson, D.) 457, 259

Serotonin; Dopamine; Striatum; In vitro; 6-Hydroxydopamine; Release (Jackson, D.) **457**, 267

Bicuculline; γ-Aminobutyric acid; Nicotine; Muscarine; Receptor; Insect; Locust (Benson, J.A.) **458**, 65

Purine; Adenosine; Cholinomimetic; Neuromodulator; Transmitter interaction (Brooks, P.A.) 458, 106

Cochlea; Aging; Presbycusis; Enkephalin; Dynorphin (Hoffman, D.W.) **460**, 366

Neuromuscular junction; Miniature endplate potential; End plate potential; Synaptic vesicle; AH5183 (Lupa, M.T.) **461**, 118

Rapid eye movement sleep; Insomnia; Carbachol; p-Chlorophenylalanine; Pontine area (Drucker-Colín, R.) 462, 163

AF64A; Cholinergic neurotoxin; Memory; Working/episodic memory; Medial septum; Hippocampus (Chrobak, J.J.) 463, 107 Ponto-geniculo-occipital wave; Lateral geniculate nucleus; Peribrachial area; Nicotinic mechanism; Rapid eye movement sleep (Hu, B.) 473, 394 Pituitary; Estrous cycle (Egozi, Y.) 475, 376

Acetylcholine receptor

Human extraocular muscle; Endplate; Antigenic determinant; Myasthenia gravis; Anti-acetylcholine receptor antibody (Oda, K.) 449, 337

Neuromuscular junction; α-Bungarotoxin; Receptor synthesis (Ramsay, D.A.) **462**, 134

Acetylcholine release

Acetylcholine synthesis; Adrenal; Brain cortex; Choline; Surplus acetylcholine (Doležal, V.) 449, 244

Neuromuscular transmission; Calcium channel; Verapamil; Diltiazem; Nifedipine (Chang, C.C.) **454**, 332

Acetylcholine sensitivity

Somatosensory cortex; Thin spike; Somatosensory neuron (Dykes, R.W.) **441,** 48

Acetylcholine synthesis

Acetylcholine release; Adrenal; Brain cortex; Choline; Surplus acetylcholine (Doležal, V.) **449**, 244

Acetylcholine turnover

Basal forebrain; Working memory; Cortex; Carbachol (Robinson, S.E.) 445, 160

Cocaine; Hippocampus; Norepinephrine (Robinson, S.E.) 457, 383

Acetylcholinesterase

Diabetes; Streptozotocin; Axonal transport; Peripheral neuropathy (Macioce, P.) 438, 291

Fast axoplasmic transport; Axonal growth; Aging; Phrenic nerve; Axonal microtubule (Inestrosa, N.C.) 441, 331

Pterygopalatine ganglion; Rat; Guinea pig; Neuropeptide Y; Cholinergic; Tyrosine hydroxylase; Small intensely fluorescent (SIF) cell; Coexistence (Kuwayama, Y.) 446, 219

Quinolinate; Kainate; NADPH-diaphorase; Excitatory amino acid; Huntington's disease; Striatum; Cell culture (Koh, J.-Y.) **446**, 374

Monoclonal antibody; Cerebellum; Cerebellar nucleus; Sagittal band; Development (Boegman, R.J.) 448, 237

Choline acetyltransferase; Acetylcholine; Kainic acid; Reticular formation (Jones, B.E.) **451**, 13

Tyrosine hydroxylase; Nucleus basalis magnocellularis; Cholinergic; Substantia nigra (Martinez-Murillo, R.) **451,** 227

Ageing; Morphology; Neostriatum

(Altavista, M.C.) 455, 177

Neural transplantation; Human fetus; Septum; Hippocampus; Immunization (Nilsson, O.G.) **456**, 193

Chick development; Retinal pigmented epithelium; Neural retina (Martelly, I.) **460**, 205

Mazindol; Dopamine axon; 6-Hydroxydopamine; Mesostriatum (O'Dell, S.J.) **460**, 402

Cholinergic neuron; Retrograde degeneration; Axotomy; Cell death; Choline acetyltransferase (Lams, B.E.) 475, 401

Acetylcholinesterase fiber

Cholinergic innervation; Choline acetyltransferase; Cerebral capillary; Neural control of cerebral circulation (Estrada, C.) **453**, 275

Acetylcholinesterase inhibitor Soman; Bladder; Parasympathetic neuron; Nicotinic depolarization; Muscarinic hyperpolarization (Kumamoto, E.) 458, 151

Acetylcholinesterase molecular form

Lesions of nucleus basalis; Kainic acid; Alzheimer's disease; Presynaptic acetylcholinesterase; Neurotoxic lesion (Bisso, G.M.) **449**, 391

N-Acetylaspartylglutamate Acidic amino acid; Neuropeptide; Synaptic vesicle; Amphibian;

Amacrine; Bipolar; Photoreceptor (Williamson, L.C.) 456, 375

Glutamate; γ-Aminobutyric acid (GABA); Neuropeptide; Amphibian; Biosynthesis; Synaptic release (Williamson, L.C.) 475, 151

3-Acetylpyridine

Glucocorticoid; Hippocampus; Glucocorticoid toxicity; Kainic acid (Sapolsky, R.M.) 453, 367

N-Acetyltransferase activity Pineal gland; Melatonin; Isoproterenol; Syrian hamster (Gonzalez-Brito, A.) 475, 393

A-channel

K-channel; Potassium channel; Myelinated axon; Node of Ranvier (Gordon, T.R.) **447,** 1

Acidic amino acid

N-Acetylaspartylglutamate; Neuropeptide; Synaptic vesicle; Amphibian; Amacrine; Bipolar; Photoreceptor (Williamson, L.C.) **456**, 375

Acidic fibroblast growth factor Basic fibroblast growth factor; Central nervous system; Astrocyte; White matter; Angiogenesis; Regeneration (Ferrara, N.) 462, 223

Acidosis

Cornu ammonis area 1 population

spike; Hippocampal slice; Hypoxia; Lactate (Schurr, A.) 438, 311

Acoustic startle

Reticular formation; Pons; Medulla; Prepulse inhibition (Wu, M.-F.) **457,** 399

Acoustic stimulation

Temporary threshold shift; Binaural; Crossed olivocochlear bundle; Protection (Rajan, R.) **459**, 241

Acoustic stress

Corticotropin-releasing factor; Cold stress; Stomach; Gastric emptying; Motility; Mouse (Buéno, L.) 441, 1

Motion disorder; Intracranial haemorrhage; Resistance to hypoxia (Ryasina, T.V.) 473, 153

Acousticolateralis receptor

Neurotransmitter; Glutamate; Kynurenate; Afferent synapse; Electroreceptor (Okano, K.) 457, 79

Afferent synapse; Electroreceptor; Postsynaptic potential; Postsynaptic receptor; Kynurenate; Transmitter (Okano, K.) 457, 89

Acromelic acid

Excitatory amino acid; Kainic acid; Domoic acid; Rat; Spinal cord; Electrophysiology (Ishida, M.) 474, 386

Acrylamide

Retrograde transport; Axonal transport; Sciatic nerve; Neurotoxin; Neurotoxicology; Axonopathy; Neuropathy (Moretto, A.) 440, 18

Actin

Crossbridge; Axonal transport; Microtubule; Neurite; Cytoskeleton; Immunoelectron microscopy (Nagele, R.G.) 474, 279

Action potential

Isolated taste cell; Bullfrog; Whole-cell clamp; Membrane property; Electrical stimulation (Miyamoto, T.) 449, 369

Down syndrome; Tissue culture; Dorsal root ganglion; Neuron; Patch clamp; Trisomy 21; Development (Nieminen, K.) 474, 246

Action potential duration

Dorsal root ganglion neuron; Opioid modulation; Cyclic adenosine monophosphate-dependent protein kinase; Intracellular dialysis (Chen, G.-G.) 462, 372

Active chloride secretion

Frog taste cell; Intracellular receptor potential; Quinine; Furosemide; Cotransport of Na⁺/Cl⁻ (Okada, Y.) **450**, 295

β Activity

Olfactory pathway; Prepiriform cortex; Entorhinal cortex; Hippocampal formation; Electroencephalogram (EEG); θ Rhytm; Mutual information (Boeijinga, P.H.) **448**, 272

A-current

Neostriatum; Voltage-clamp; Cell culture (Surmeier, D.J.) 473, 187

Accommodation; Hyperpolarization; Cadmium; Pars compacta neuron; Substantia nigra (Fujimura, K.) 475, 177

Acupuncture

Endorphin; Naloxone; Electroacupuncture; Analgesia; Tail flick; Spinal cord; Electrostimulation (Pomeranz, B.) **452**, 227

Electroacupuncture; Analgesia; Naloxone; Endorphin; Spinal cord; Naltrexone; Nociceptive reflex (Pomeranz, B.) **452**, 232

Acute phase response

Leukocytosis; Neutrophilia; Endogenous pyrogen; Interleukin-1; Hypothalamus (Morimoto, A.) 475, 345

Acute starvation

Chronic starvation; β_2 -Adrenergic receptor; Hypothalamus; Cortex; Lymphocyte (Lonati-Galligani, M.) **442**, 329

Adaptation

Retina; Horizontal cell; Vision (Malchow, R.P.) 443, 222

Auditory pathway; Superior olivary nuclei; Inferior colliculus; Insectivora; Mole; Wheat germ-agglutinin horseradish peroxidase; Binaural hearing (Kudo, M.) 463, 352

Adenohypophysis

Somatostatin; Cyclic adenosine monophosphate (cAMP); Growth hormone-releasing factor (GRF); Forskolin; Pertussis toxin (Schettini, G.) 439, 322

Adenosine

Benzodiazepine; Triazolam; Cerebral cortex (O'Regan, M.H.) 445, 376

Theophylline; Dipyridamole; Cerebral blood flow; Cerebral pO₂; Cerebral pCO₂; Rabbit (Puiroud, S.) **453**, 287

Purine; Acetylcholine; Cholinomimetic; Neuromodulator; Transmitter interaction (Brooks, P.A.) **458**, 106

Physiological modulation; A₁-Receptor antagonist; 8-Cyclopentyl-1,3-dipropylxanthine; Adenosine deaminase; Ca²⁺ flux; Synaptic transmission; Rat hippocampal slice (Schubert, P.) **458**, 162

Hypoxia; Isolated spinal cord; Synaptic transmission; Neonatal rat (Lloyd, H.G.E.) **462**, 391

Hippocampus; Non-synaptic; Brain slice; Flow rate (Fowler, J.C.) 463, 368

Magnesium; Hippocampus; Presynaptic inhibition; Epileptiform activity

(Bartrup, J.T.) **463**, 374 Synaptosome; Neuromodulation; K⁺-conductance; Lipophilic ions; Ion-selective microelectrode; Ionic mechanism (Michaelis, M.L.) **473**, 249

Adenosine deaminase

Enkephalin; Immunohistochemistry; Septal nucleus; Habenula; Septohabenular projection; Purinergic neurotransmission (Staines, W.A.) **455,** 72

Purkinje cell; Cerebellum; Purinergic neuromodulator; Immunohistochemistry (Nagy, J.I.) **457**, 21

Adenosine; Physiological modulation; A_1 -Receptor antagonist; 8-Cyclopentyl-1,3-dipropylxanthine; Ca^{2+} flux; Synaptic transmission; Rat hippocampal slice (Schubert, P.) 458, 162

Striatum; Hypothalamus; Substantia nigra; Tuberomammillary nucleus; Immunohistochemistry; Fluorescence retrograde tracing (Yamamoto, T.) 474, 112

Adenosine 3',5'-monophosphate Ganglioside; Schwann cell; Mitosis (Sobue, G.) 474, 287

Adenosine monophosphate, cyclic Calcium; Peptidergic neuron; Arsenazo; *Aplysia*; Afterdischarge (Woolum, J.C.) **444**, 1

Baclofen; Receptor, GABA_B; Protein kinase C; Phorbol ester (Scherer, R.W.) **451,** 361

Circadian rhythm; Entrainment; Photoreceptor (Zatz, M.) 453, 51

Cerebral artery; Forskolin; Vasoactive intestinal polypeptide (VIP); Adenylate cyclase (Suzuki, Y.) **457**, 241

Potassium current; Protein kinase, cAMP-dependent; Snail neuron; Protein kinase inhibitor; Intracellularly stored calcium (Onozuka, M.) 473, 401

Adenosine receptor

Scrapie; Neurotransmitter; Cerebellum; Glutamic acid decarboxylase (Quinn, M.R.) 445, 297

Dopamine autoreceptor; Tyrosine hydroxylase; Rat striatum (Onali, P.) **456**, 302

Autoradiography; Hippocampus; Ischemia; Kainate (Onodera, H.) **458**, 212

Perforant path; Presynaptic (Dragunow, M.) 462, 252

Adenosine receptor, A1 Cyclohexyladenosine, [³H]; Presynaptic; Postsynaptic; Hippocampus; CA1 region (Deckert, J.) 446, 161

Adenosine release

Serotonin; Capsaicin; Primary afferent

neuron (Sweeney, M.) 462, 346

Adenylate cyclase

Spinal cord-sensory ganglion; Tissue culture; Cyclic adenosine monophosphate (cAMP); Opioid tolerance; Opioid receptor; Serotonin receptor; Pertussis toxin (Makman, M.H.) 445, 303

Ethanol; Dopamine receptor; Striatum (Lucchi, L.) 449, 347

Somatostatin; Primary culture; Neuron; Vasoactive intestinal peptide; Calcium; Phorbol ester (Tapia-Arancibia, L.) **450**, 101

Cerebral artery; Forskolin; Vasoactive intestinal polypeptide (VIP); Adenosine monophosphate, cyclic (Suzuki, Y.) 457, 241

β-Adrenoceptor; Neuropeptide; Receptor-effector coupling; Cell fusion; Membrane; Hybridization (Olasmaa, M.) 473, 29

Human neuroblastoma; Neurotransmitter receptor; Inhibitory coupling; Receptor desensitization (Olasmaa, M.) 475, 291

Adhesion

Valproate; Glia; Collagen type IV receptor; Heat shock; Teratogenesis (Martin, M.L.) **459**, 131

Peripheral nerve; Regeneration; Schwann cell factor; Growth; Migration (Le Beau, J.M.) **459**, 93

Adipokinetic hormone

Insect; Locust; Calcium; Sodium-calcium exchange; Neuroendocrine; Corpus cardiacum (Pannabecker, T.) 458, 180

Adjuvant arthritis

Pain; Antinociception; Spinal cord; Somatostatin; Antiserum; Intrathecal injection (Ohno, H.) 474, 197

Adrenal

Genetic hypertension; Opioid peptide; β-Endorphin; Dynorphin; Methionine-enkephalin; Brain region; Pituitary; Heart; Kidney (Bhargava, H.N.) 440, 333

Aging; Mouse; Memory; Retention; Steroid (Flood, J.F.) 448, 178

Acetylcholine synthesis; Acetylcholine release; Brain cortex; Choline; Surplus acetylcholine (Doležal, V.) 449, 244

Pineal; Rat; Melatonin; Serotonin N-acetyltransferase; Pituitary; Stress; Saline injection (Troiani, M.E.) **450**, 18

Adrenal chromaffin cell

Desensitization; Nicotinic receptor; Tachykinin; Substance P; Secretion; Catecholamine; Neuromodulation (Khalil, Z.) **459**, 282

Tachykinin; Substance P; Secretion; Catecholamine; Neuromodulation (Khalil, Z.) **459**, 289

Adrenal denervation

Cold water swim; Stress; Opioid; Non-opioid analgesia; Tail flick (Rochford, J.) 445, 404

Adrenal gland

Autonomic nervous system; Dorsal root ganglion; Sympathetic ganglion; Sympathetic preganglionic neuron (Strack, A.M.) 455, 187

Dopamine release; Adrenaline release; Corpus striatum (Chang, G.D.) 463, 385

Adrenal medulla

Opiate peptide; Second messenger; Preproenkephalin mRNA (La Gamma, E.F.) 441, 292

Transplant; Dopamine; Chromaffin cell; Caudate; In vivo dialysis; Circling; Rat (Nishino, H.) 445, 325

Enkephalin; Explant; Proenkephalin; Depolarization; Chromatographic characterization (Inturrisi, C.E.) 448, 230

Guanosine triphosphate-binding regulatory protein; Islet-activating protein; Pertussis toxin; Enteric nervous system; Superior cervical ganglion (Terashima, T.) 455, 353

Adrenaline release; Noradrenaline release; Dihydropyridine; Calcium channel (Cárdenas, A.M.) 456, 364

 β -Adrenergic receptor; Epinephrine; Isoproterenol; Lactation; Norepinephrine; Oxytocin; Propranolol (Song, S.-L.) **457**, 303

Chromaffin cell; Graft; Nerve growth factor; Parkinson's disease; Transplant (Pezzoli, G.) 459, 398

Adrenal medulla graft

Parkinson's disease; Microdialysis; Dopamine release; Striatum; Cerebrospinal fluid (Becker, J.B.) 462, 401

Adrenal steroid

Gonadal steroid; Sprouting; Hippocampus; Neurotrophic; Glucocorticoid (Scheff, S.W.) 457, 246

Adrenalectomy

Corticotropin-releasing factor; Axonal transport; Colchicine; Secretory activity (Berkenbosch, F.) 442, 312

Benzodiazepine receptor; Steroid; Hypophysectomy; Corticosterone (Miller, L.G.) 446, 314

Adrenaline

Immunocytochemistry; Horseradish peroxidase; Retrograde transport (Milner, T.A.) 448, 205

Catecholamine; Norepinephrine; Vasopressin; Blood pressure; Conscious rabbit (Martin, S.M.) 457, 192

Adrenal medulla; β -Adrenergic receptor; Isoproterenol; Lactation; Norepinephrine; Oxytocin; Propranolol (Song, S.-L.) 457, 303

Nucleus of the tractus solitarius; Phenylethanolamine N-methyltransferase; Parabrachial nucleus; Immunocytochemistry (Kawai, Y.) 459, 369

Estradiol; Hypothalamus; Luteinizing hormone; Luteinizing hormone-releasing hormone; Naloxone; Noradrenaline; Opioid; Progesterone (Crowley, W.R.) 461, 314

Adrenaline release

Noradrenaline release; Adrenal medulla; Dihydropyridine; Calcium channel (Cárdenas, A.M.) 456, 364

Dopamine release; Adrenal gland; Corpus striatum (Chang, G.D.) 463, 385

Adrenergic

Hypertension; Neuropeptide Y; Cerebral vessel; Perivascular nerve; Spontaneously hypertensive rat; Superior cervical ganglion (Dhital, K.K.) 444, 33

Serotoninergic; Peptidergic; Perivascular; Innervation; Cerebral artery; Development; Rat (Mione, M.C.) 460, 103

B-Adrenergic

Pineal; Thyroxine 5'-deiodinase; Rat; Hypothyroidism; Rhythm (Murakami, M.) 438, 366

Adrenergic control

Cyclic adenosine monophosphate; Ovine pineal; β -Receptor; Vasoactive intestinal peptide; In vitro autoradiography (Morgan, P.J.) 447, 279

Adrenergic fiber

Sacral intermediolateral nucleus; Sacral parasympathetic preganglionic neuron; Cholinergic neuron; β -Galactosidase; Double-immunostaining method (Kohno, J.) 461, 158

Adrenergic neuropathy

Autonomic neuropathy; Guanethidine sulfate (Zochodne, D.W.) 461, 10

Adrenergic pharmacology

Sympathetic ganglion; Sucrose-gap; Slow inhibitory postsynaptic potential; Bullfrog (Yavari, P.) 452, 175

Adrenergic transmitter

Neuropeptide Y; Coexistence; Hypothalamus; Projection; Feeding (Sahu, A.) 457, 376

Adrenoceptor

Noradrenaline; Dopamine; Retinal ganglion cell; Dopamine receptor; Neuroleptic (Robbins, J.) 438, 52

Human brain; Suicide; Quantitative autoradiography (Biegon, A.) 442, 199

Spinal cord; Development; Noradrenaline; Cyclic adenosine monophosphate; Uptake (Simmons, R.M.A.) 445, 338

Noradrenaline; Purkinje neuron: Cerebellum in oculo; Brain transplantation (Granholm, A.-C.E.) 459, 256

α-Adrenoceptor

Clonidine; Clonidine-displacing substance; Medulla oblongata; Ventrolateral medulla; Receptor binding; p-[3H]Aminoclonidine; Imidazole binding site (Ernsberger, P.) 441, 309

Area postrema; Coronary constriction; Sympathetic nervous system; β -Adrenoceptor; Ventricular tachyarrhythmias; Vagotomy (Gatti, P.J.) 448, 313

β-Adrenoceptor; Noradrenaline; Rat dorsal hippocampus; Pyramidal neuron; Locus ceruleus; 6-Hydroxydopamine (Curet, O.) 475, 47

Hypertension; Photoaffinity; Hypothalamus; Neuronal culture (Bottiglieri, D.F.) 439, 187

α₁-Adrenoceptor

Cat visual cortex; α_2 -Adrenoceptor; β -Adrenoceptor; Autoradiography (Parkinson, D.) 457, 70

α₁-Adrenoceptor, central Prazosin; Rapid eye movement sleep; Narcolepsy; Cataplexy (Mignot, E.) 444, 184

α₂-Adrenoceptor Circadian rhythm; Entrainment (Zatz, M.) 450, 137

α₂-Adrenoceptor Hypothalamus; Hypertension;

Spontaneously hypertensive rat; Salt sensitivity; Calcium (Klangkalya, B.) 451, 77

Blood pressure;

α-Methyldihydroxyphenylalanine; β -Adrenoceptor; Nucleus tractus solitarii (Tung, C.-S.) 456, 64

Cat visual cortex; α_1 -Adrenoceptor; β -Adrenoceptor; Autoradiography (Parkinson, D.) 457, 70

Noradrenaline; Cerebellum; Purkinje cell; Receptor specificity; Pressure ejection (Parfitt, K.D.) 462, 242

Idazoxan; Forebrain; Hindbrain; Up-regulation (Yakubu, M.A.) **463**, 289

Hippocampus; Noradrenaline; Idazoxan; Microiontophoresis; Pyramidal neuron (Curet, O.) 475, 35

[³H]UK-14304; Autoradiography; Membrane binding; Human brain (Pazos, A.) 475, 361

β-Adrenoceptor [125I]Iodopindolol; Pineal gland; Daily (24 h) rhythm; Light-dark cycle; Male rat (Gonzalez-Brito, A.) 438, 108

Area postrema; Coronary constriction: Sympathetic nervous system; a-Adrenoceptor; Ventricular tachyarrhythmias; Vagotomy (Gatti, P.J.) 448, 313

Blood pressure; α -Methyldihydroxyphenylalanine; α_2 -Adrenoceptor; Nucleus tractus solitarii (Tung, C.-S.) **456**, 64

Cat visual cortex; α_1 -Adrenoceptor; α_2 -Adrenoceptor; Autoradiography (Parkinson, D.) **457**, 70

Adrenal medulla; Epinephrine; Isoproterenol; Lactation; Norepinephrine; Oxytocin; Propranolol (Song, S.-L.) **457**, 303

Brain cAMP efflux; Microdialysis; Noradrenaline (Egawa, M.) 458, 303

Adenylate cyclase; Neuropeptide; Receptor-effector coupling; Cell fusion; Membrane; Hybridization (Olasmaa, M.) 473, 29

α-Adrenoceptor; Noradrenaline; Rat dorsal hippocampus; Pyramidal neuron; Locus ceruleus; 6-Hydroxydopamine (Curet, O.) 475, 47

β₂-Adrenoceptor

Acute starvation; Chronic starvation; Hypothalamus; Cortex; Lymphocyte (Lonati-Galligani, M.) **442**, 329

Adrenocorticosteroid

Glucocorticoid receptor; Glucocorticoid binding; Progesterone; Antiglucocorticoid (Chou, Y.-C.) **440**, 67

Adrenocorticosteroid receptor Mineralocorticoid; Glucocorticoid; Steroid binding; Receptor stability (Luttge, W.G.) 453, 41

Adrenocorticotropic hormone Hemorrhage; Renin; Catecholamine; Arterial pressure; Baroreceptor reflex; Conscious rat (Darlington, D.N.) 439, 289

△9-Tetrahydrocannabinol; Hippocampus; Morphometrics; Neuronal density; Glial reactivity; Behavior; Corticosterone (Landfield, P.W.) 443, 47

Arcuate nucleus; Gonadotropin release; Electron microscopy (Leranth, C.) 449, 167

Lateralization; Sensitization; Amphetamine; Stress; Psychosis; Dopamine; Catecholamine (LaHoste, G.J.) 453, 381

Hypoglycemia; Cerebrospinal fluid; β-Endorphin; Catecholamine; Cortisol; Insulin; Conscious dog (Radosevich, P.M.) **458**, 325

Corticotropin-releasing factor; Immunoreactivity; Hypothalamus; Median eminence; Anisomycin; Stress (Haas, D.A.) **461**, 230

Glucocorticoid; Feedback; Paraventricular nucleus; Hippocampus (Kovács, K.J.) 474, 205

Adrenocorticotropic hormone secretion

Somatostatin; AtT-20 pituitary cell;

Potassium channel; Pertussis toxin; G-protein (Pennefather, P.S.) 444, 346

Adult brain

Proto-oncogenes; C-fos; Plasticity (Dragunow, M.) 440, 252

AF-102B

Sympathetic ganglion; Slow synaptic potential; M₁-muscarinic action; Interneuronal receptor; Postganglionic receptor; McN-A-343 (Mochida, S.) **455**, 9

AF64A

Acetylcholine; Ethylcholine mustard aziridinium ion; Cholinergic hypofunction; Memory intracortical; Nucleus basalis; Animal model; Alzheimer's disease (Mouton, P.R.) **444**, 104

Cholinergic neurotoxin; Memory; Working/episodic memory; Acetylcholine; Medial septum; Hippocampus (Chrobak, J.J.) **463**, 107

AFDX-116

Blood pressure; cis-Methyldioxolane; Heart rate; Muscarinic receptor; Receptor, M₁; McN-A343; Pirenzepine; Wistar rat (Sundaram, K.) **449**, 141

Affective defense behavior

Bed nucleus of stria terminalis; D-Ala²-Met⁵-Enkephalinamide; Naloxone; Medial hypothalamus (Brutus, M.) **473**, 147

Afferent

Abducens; Oculomotor; Extraocular; Lateral rectus (Goldberg, S.J.) **443**, 350

Afferent and efferent pathways

Horseradish peroxidase; Ventral paraflocculus; Superior colliculus; Deep cerebellar nucleus (Gayer, N.S.) 449, 253

Afferent fiber

Horseradish peroxidase (HRP); Great auricular nerve; Transganglionic transport (Liu, D.) 445, 205

Afferent pathway

Fluoro-Gold; Retrograde tracing; Fluorescent tracer; Locus coeruleus; Raphe; Substantia nigra; Nucleus basalis; Immunofluorescence; Rat (Pieribone, V.A.) 475, 259

Afferent synapse

Neurotransmitter; Glutamate; Kynurenate; Acousticolateralis receptor; Electroreceptor (Okano, K.) 457, 79

Acousticolateralis receptor; Electroreceptor; Postsynaptic potential; Postsynaptic receptor; Kynurenate; Transmitter (Okano, K.) 457, 89

Vestibular system; Hair cell; Excitatory amino acid receptor (Soto, E.) **462**, 104

Afterdischarge

Calcium; Peptidergic neuron;

Adenosine monophosphate, cyclic; Arsenazo; *Aplysia* (Woolum, J.C.) **444**, 1

Afterhyperpolarization

Motor cortex; Hypothalamus; Intracellular recording; Monkey; Intracranial self-stimulation (Aou, S.) 439, 31

Apamin; Ca²⁺-dependent K⁺ current; Inhibitory postsynaptic response; Neocortex; Intracellular injection; Voltage clamp (Szente, M.B.) **461**, 64

Hippocampal neuron; Neuronal conditioning; Learned response; Eye blink conditioning; CA1 pyramidal cell (Disterhoft, J.F.) **462**, 118

BAPTA; Calcium-activated potassium conductance; Cadmium; EGTA; Potassium channel blocker; Tetraethylammonium (Zhang, L.) 462, 174

Age

Movement initiation; Reaction time; Conditioned avoidance response; Nigrostriatal function; Dopamine; Practice (MacRae, P.G.) **451**, 139

Collateral sprouting; Reinnervation; Sudomotor axon; Sweat gland (Navarro, X.) **463**, 174

Age-at-lesion effect

Central nervous system reorganization; Neural plasticity; Sprouting; Red nucleus; Motor cortex; Hemispherectomy (Villablanca, J.R.) **453**, 17

Aggregation of intramembrane particles

Frog muscle spindle; Decapsulation; Collagenase; Prolongation of spike duration (Fujitsuka, N.) **443**, 243

Aggression

Defence; Midbrain periaqueductal grey region; Excitatory amino acid; D,L-Homocysteate; Aspartate; Kainate; Cat (Bandler, R.) 439, 95

Rat; Hypothalamus; Teeth-chattering; Social grooming; Electrical brain stimulation; Discriminant analysis; Mapping (Lammers, J.H.C.M.) **449**, 311

Borna disease; Neurotransmitter; Neuronal transcript; Limbic system dysfunction; Hyperactivity (Lipkin, W.I.) 475, 366

Aging

Thyrotropin-releasing hormone; Thermoregulation; Chloral hydrate; Rat (Amir, S.) **440**, 181

Caudate nucleus; Ultrastructure; Synaptic density; Synaptic apposition length; Cat (Levine, M.S.) **440**, 267

Blood-brain barrier; Choline transport (Mooradian, A.D.) 440, 328

Nerve growth factor (NGF) receptor; Basal forebrain; Neuronal death (Koh, S.) **440**, 396 Fast axoplasmic transport; Axonal growth; Acetylcholinesterase; Phrenic nerve; Axonal microtubule (Inestrosa, N.C.) **441,** 331

Ethanol; Hippocampus; Potassium conductance (Niesen, C.E.) 445, 137

Amphetamine; Corpus striatum; Dopamine; Tetrodotoxin (Dluzen, D.E.) **445**, 354

Development; Nerve regeneration; Reinnervation; Sweat gland; Sudomotor axon (Navarro, X.) 447, 133

Neuronal transplant; Noradrenaline; Memory; Locus ceruleus (Collier, T.J.) 448, 77

Neurotoxicity; Parkinsonism; Substantia nigra; Nerve cell degeneration (Forno, L.S.) 448, 150

Mouse; Memory; Retention; Steroid; Adrenal (Flood, J.F.) 448, 178

Nucleus basalis magnocellularis; Cholinergic neuron; Neural plasticity (Stephens, P.H.) **448**, 320

Kindling; Sleep; Memory; Rat; Seizure (Stone, W.S.) 449, 135

Striatum; Dopamine autoreceptor; Muscarinic (Joseph, J.A.) 454, 140

Acetylcholinesterase; Morphology; Neostriatum (Altavista, M.C.) 455, 177

6-Phosphofructo-1-kinase; Brain; Glycolysis; Development; Fructose-2,6-biphosphate; Metabolic regulation (Dunaway, G.A.) **456**, 310

Sleep; Temperature; Arousal (Bowersox, S.S.) 457, 200

Human hippocampus; Senile dementia of the Alzheimer type; Excitatory aminoacid binding site; Mossy fiber plasticity (Represa, A.) 457, 355

γ-Aminobutyric acid_A binding site; Ethanol; Diazepam; Brain membrane (Komiskey, H.L.) **458**, 37

Cochlea; Presbycusis; Enkephalin; Dynorphin; Acetylcholine (Hoffman, D.W.) **460**, 366

Vasopressin innervation; Oxytocin innervation; Testosterone; Sex steroid; Plasticity in senescence; Rat (Goudsmit, E.) 473, 306

Amyloid; β-Protein; Protein chemistry; Alzheimer's disease (Joachim, C.L.) **474,** 100

Agonist

Oxygen consumption; Excitatory amino acid; Antagonist; Hippocampal slice; Postsynaptic potential; Neuroexcitation; Neurotoxicity (Nishizaki, T.) 452, 11

Agonist facilitation

Antagonist inhibition; H-reflex; Ankle dorsiflexion; Man (Kasai, T.) 447, 389

к-Agonist

Morphine; Opioid; μ-Agonist; δ-Agonist; Ventral tegmental area; Rotation (Jenck, F.) **450**, 387

δ-Agonist

Morphine; Opioid; μ-Agonist; κ-Agonist; Ventral tegmental area; Rotation (Jenck, F.) **450**, 387

μ-Agonist

Morphine; Opioid; δ -Agonist; κ -Agonist; Ventral tegmental area; Rotation (Jenck, F.) **450**, 387

AH5183

Acetylcholine; Neuromuscular junction; Miniature endplate potential; End plate potential; Synaptic vesicle (Lupa, M.T.) **461**, 118

Akinesia

Parkinson's disease; Reaction time; Motor planning (Rogers, M.W.) 438, 271

Alcohol

Brain metabolism; Convulsion; Ethanol withdrawal syndrome; Deoxyglucose; Kindling; Physical dependence; Rat (Clemmesen, L.) 453, 204

Ethanol; γ-Aminobutyric acid; Glycine; Glutamate; Benzodiazepine (Celentano, J.J.) **455**, 377

Dentate gyrus; Granule cell; Stereology; Dendrite; Neuronal plasticity; Rat (Cadete-Leite, A.) 473, 1

Deoxyglucose; Autoradiography; Brain; Cerebral cortex (Miller, M.W.) **474,** 316

Alcohol toxicity

γ-Aminobutyric acid (GABA); Chloride uptake; Brain vesicle; Chloride channel (Suzdak, P.D.) 444, 340

Alcoholism model

Rat; Ethanol; Muscarinic binding site; Chronic treatment (Wahlström, G.) **474,** 189

Alert cat

Abducens nucleus; Eye movement; Axotomized internuclear neuron; Oculomotor nucleus lesion (Delgado-García, J.M.) 443, 333

Alkali metal cation

Cultured hippocampal neuron; Whole-cell voltage-clamp; L-Glutamate; Membrane permeability; Calcium; Magnesium (Ozawa, S.) 443, 85

Alkaline phosphatase

Immunohistochemistry; Horseradish peroxidase; Trigeminal neuron; Choline acetyltransferase; Calcitonin gene-related peptide (Batten, T.F.C.) 447, 314

All dopamine cell group

Subparafascicular nucleus; Neocortex; Spinal cord; Retrograde fluorescent

labeling; Immunohistochemistry; Rat (Takada, M.) 455, 346

Aluminum

Neuron; Cell culture; Neurofilament; Tangle; Immunocytochemistry; Rat brain hemisphere (Langui, D.) 438, 67

Cytoskeletal protein phosphorylation; Neurofilament; Microtubule-associated protein 2 (Johnson, G.V.W.) **456,** 95

Tetracycline; Invertebrate; Vertebrate; Myelin; Cation (Pereyra, P.M.) **458**, 377

Aluminum accumulation

Cholinotoxin (AF64A); Rat brain; Regional difference; Parietal cortex; Hippocampus; Alzheimer's disease (Szerdahelyi, P.) 444, 356

Alz-50 antibody

Alzheimer's disease; Perforant pathway; Hippocampus (Hyman, B.T.) **450**, 392

Alzheimer type dementia

Hippocampus; Muscarinic cholinergic receptor; Neuritic (senile) plaque; Neurofibrillary tangle (Probst, A.) **450**, 190

Alzheimer's disease

Acetylcholine; Ethylcholine mustard aziridinium ion; AF64A; Cholinergic hypofunction; Memory intracortical; Nucleus basalis; Animal model (Mouton, P.R.) 444, 104

Cholinotoxin (AF64A); Aluminum accumulation; Rat brain; Regional difference; Parietal cortex; Hippocampus (Szerdahelyi, P.) 444, 356

Lesions of nucleus basalis; Acetylcholinesterase molecular form; Kainic acid; Presynaptic acetylcholinesterase; Neurotoxic lesion (Bisso, G.M.) 449, 391

Alz-50 antibody; Perforant pathway; Hippocampus (Hyman, B.T.) **450**, 392

Protein kinase C; Neuronal degeneration; Phorbol ester; Phosphorylation; Human brain (Cole, G.) **452**, 165

Amygdala; Somatostatin; Neuropeptide Y; Neuronal atrophy; Neuritic plaque; Cholinergic afferent (Unger, J.W.) **452**, 293

Glutamate; N-Methyl-p-aspartic acid receptor; Terminal (Cowburn, R.) 452, 403

Somatostatin; Amygdala; Human; Immunohistochemistry; Basal forebrain (Mufson, E.J.) **453**, 117

Neuron specific enolase; Immunocytochemistry (Allen, S.J.) **454**, 275 Progressive supranuclear palsy; Senile dementia; Neostriatum; Large neuron; Morphometry (Oyanagi, K.) 458, 218

Tau; Meshwork; Senile plaque; Pyramidal cell; Dendrite; Sprouting (Ihara, Y.) **459**, 138

Neurofilament; Phosphorylation; Axotomy; Deafferentation; Regeneration (Shaw, G.) 460, 227

Cortex; Striatum; Microdialysis; Basal ganglia; Monoganglioside GM1 (Maysinger, D.) **461**, 355

D-Aspartate;

N-(1-[2-Thienyl]cyclohexyl)piperidine; Glutamate; Brain (Simpson, M.D.C.) **462,** 76

Sporadic cerebral amyloid angiopathy; Hereditary cerebral hemorrhage with amyloidosis; Dementia; Stroke; β-Protein; β-Amyloid disease (Coria, F.) **463**, 187

Visual cortex; Gliosis; Senile plaque; Neurofibrillary tangle; Glial fibrillary acidic protein (Beach, T.G.) 463, 357

Amyloid; β -Protein; Protein chemistry; Aging (Joachim, C.L.) **474**, 100

Amyloid; Monoclonal antibody; Secondary amyloidosis; Novel protein; Immunohistology; Western blotting (Yamashita, T.) **474**, 309

Calcium; Calcium binding protein; Calbindin-28K; Cerebral cortex; Senile dementia (Ichimiya, Y.) 475, 156

Immunocytochemistry; Schizophrenia; Neurofilament; Phosphorylation; Neuronal tangle (Poltorak, M.) **475,** 328

Amacrine

N-Acetylaspartylglutamate; Acidic amino acid; Neuropeptide; Synaptic vesicle; Amphibian; Bipolar; Photoreceptor (Williamson, L.C.) **456**, 375

Amacrine cell

Retina; Acetylcholine; γ -Aminobutyric acid; Neurotransmitter colocalization; Rabbit (Vaney, D.I.) **438**, 369

Retina; Serotonin; Bipolar cell; Ganglion cell; Chicken; Kainic acid; 5,7-Dihydroxytryptamine (Millar, T.J.) 439, 77

Retina; Enkephalin; Neurotensin; γ-Aminobutyric acid; Glycine; Coexistence (Watt, C.B.) 444, 366

Substance P; γ-Aminobutyric acid; Retina; Cat; Immunocytochemistry; Colocalization (Pourcho, R.G.) **447**, 164

Carp; Retina; Ca²⁺-action potential; Dendritic arborization; Postsynaptic potential; Reversal potential (Takahashi, K.-I.) **456**, 29

Retina; Enkephalin; Neurotensin;

Glycine; Coexistence (Wu, S.M.) 458, 195

Retina; γ-Aminobutyric acid; NADPH-diaphorase; Colocalization; Rabbit (Vaney, D.I.) **474**, 380

Amastatin

Aminopeptidase inhibitor; Bestatin; Angiotensin II; Angiotensin III; Cerebroventricular metabolism; Drinking; Rat (Wright, J.W.) **441**, 215

Angiotensin II; Angiotensin III; Bestatin; Cerebroventricle; Rat (Dewey, A.L.) 448, 369

Angiotensin II; Angiotensin III; [Sar¹]Angiotensin II; Bestatin; Blood pressure; Intracerebroventricular; Rat (Sullivan, M.J.) **456**, 249

Amiloride

Temperature dependence; Taste nerve response; Receptor potential; Rat; NaCl; Anion influence (Nakamura, M.) 444, 159

Taste; Single fiber; Chorda tympani nerve; Ionic stimulus; Electrical stimulation; Rat (Ninomiya, Y.) **451,** 319

Aminergic

Rapid eye movement sleep; Pontine reticular formation; Carbachol; Cholinergic; Propranolol; Microinjection; Cat; Reciprocal interaction model (Denlinger, S.L.) 473, 116

Amino acid

Glucose metabolism; Edematous cerebral cortex; Thiamine-deficient rat; Pyrithiamine; Wernicke's encephalopathy (Takahashi, H.) 441, 202

Kindling; Glutamate; Hippocampus; Neurotransmitter release; Kainic acid (Geula, C.) **442**, 368

Respiratory bulbospinal neuron; Antidromic latency; γ-Aminobutyric acid (GABA); Glycine; Glutamate; Homocysteate; Medulla; Cat (Grelot, L.) **443**, 27

Taste; Tactile; Somatotopy; Medulla; Facial lobe; Catfish; Electrophysiology (Marui, T.) 446, 178

Basal ganglia; γ-Aminobutyric acid; Immunohistochemistry; Squirrel monkey (Smith, Y.) **453**, 353

Amino acid antagonist

Startle; Glutamate; Lateral lemniscus (Spiera, R.F.) 445, 130

p-(-)-2-Amino-7-phosphonoheptanoic acid Hippocampus; Burst; Kainate; 6-Cyano-7-nitroquinoxaline-2,3-dione (Neuman, R.S.) 474, 201

Amino-oxyacetic acid Excitatory amino acid; Ca²⁺ withdrawal; Spontaneous release; Veratridine (Minc-Golomb, D.) 457, 205

p-[³H]Aminoclonidine
Clonidine; Clonidine-displacing
substance; Medulla oblongata;
Ventrolateral medulla; Receptor
binding: a-Adrenergic receptor:

binding; α-Adrenergic receptor; Imidazole binding site (Ernsberger, P.) **441.** 309

Aminopeptidase

Enkephalin degradation; Inhibitor; Brain (Shimamura, M.) 445, 350

Aminopeptidase inhibitor

Amastatin; Bestatin; Angiotensin II; Angiotensin III; Cerebroventricular metabolism; Drinking; Rat (Wright, J.W.) 441, 215

2-Amino-4-phosphonobutyric acid Glutamate uptake; Glutamate binding; Chloride-dependent uptake; Chloride-dependent binding (Mitchell, C.K.) 459, 298

2-Amino-5-phosphonovalerate Dynorphin; *N*-Methyl-D-Aspartate (NMDA); γ-D-Glutamylglycine; Tail-flick reflex; Neurotoxicity (Caudle, R.M.) **443**, 329

Sleep; Cerebral cortex; N-Methyl-D-aspartic acid (NMDA); Thalamocortical (Armstrong-James, M.) **451**, 189

Blood pressure; Caudal ventrolateral medulla; N-Methyl-p-aspartate; Excitatory amino acid; Push-pull perfusion; Rat (Kubo, T.) **451**, 366

Hippocampal slice; CA1; Calcium; Long-term potentiation; *N*-Methyl-p-aspartic acid (Melchers, B.P.C.) **454**, 1

Substance P; Behavior; Pain; Analgesia; Strychnine; Kainic acid; Morphine (Bossut, D.) **455**, 247

21-Aminosteroid

Arachidonic acid; Vasogenic edema; Lipid peroxidation (Hall, E.D.) **451.** 350

4-Aminopyridine

Caffeine; Penicillin; Verapamil; L-Phenyl-isopropyladenosine (L-PIA); Epileptiform bursting; Hippocampus (Frank, C.) **441**, 393

Micturition reflex; Urinary bladder; Rat; Capsaicin-sensitive sensory neuron; Bladder voiding cycle (Maggi, C.A.) 449, 61

Neurohypophysis; Vasopressin; Oxytocin; Potassium channel; Dendrotoxin (Bondy, C.A.) **453**, 397

PC12 cells; Potassium channel;

Phencyclidine; Thienylphencylclidine; Dioxadrol; 1-(1-Phenylcyclohexyl)-3-Methylpiperidine; Tetraethylammonium (Rogawski, M.A.) **456**, 38

α-Aminobutyric acid antagonist Entorhinal cortex; Epilepsy; N-Methyl-D-aspartate receptor (Jones, R.S.G.) 457, 113

Baclofen; γ-Aminobutyric acid-B receptor (GABA_B receptor); Potassium conductance; Locus ceruleus; Intracellular recording (Osmanović, S.S.) **438**, 124

Benzodiazepine; Flurazepam; Muscimol; Substantia nigra; Rotation; Circling; Tolerance (Tietz, E.I.) 438, 41

γ-Aminobutyric acid Acetylcholine; Disinhibition; Dorsolateral septum; Septohippocampal pathway (Hasuo, H.) 438, 323

Retina; Amacrine cell; Acetylcholine; Neurotransmitter colocalization; Rabbit (Vaney, D.I.) **438**, 369

Aspartate; Immunohistochemistry; Deep cerebellar nucleus; Rat (Kumoi, K.) **439**, 302

γ-Aminobutyric acid/benzodiazepine receptor; Pigeon brain; CI 218872; Basal ganglia; Cerebellum (Dietl, M.M.) **439**, 366

Human temporal cortex; Cerebral biopsy; Glutaraldehyde; Immunocytochemistry; GABAergic nerve cell (Schiffmann, S.) **442**, 270

Retina; Ganglion cell; Monoclonal antibody (Yu, B.C.) 439, 376

Microdialysis; Oxytocin; Aspartate; Glutamate; Olfactory bulb; Vaginocervical stimulation; Sheep (Kendrick, K.M.) 442, 171

Partial epilepsy; Remote lesion; Withdrawal; Cerebral cortex; Rat model; Brain plasticity (Brailowsky, S.) 442, 175

GABA_A antagonist; Pyridazine derivative; Sensory ganglion; Chromaffin cell; Chloride channel; Calcium current (Hamann, M.) **442**, 287

Respiratory bulbospinal neuron; Antidromic latency; Amino acid; Glycine; Glutamate; Homocysteate; Medulla; Cat (Grelot, L.) **443**, 27

Immunocytochemistry; Enkephalin; Hypothalamus; Guinea pig (Beauvillain, J.C.) **443**, 315

Chloride influx; Membrane vesicle; Benzodiazepine; β -Carboline (Malatynska, E.) **443**, 395

Arterial pressure; Bicuculline; Cat; Electromyographic activity; Heart rate; Hypothalamus; Muscimol; Phrenic nerve (Waldrop, T.G.) 444, 84

Transport; Brain particle; Model (Liron, Z.) 444, 119

Alcohol toxicity; Chloride uptake; Brain vesicle; Chloride channel (Suzdak, P.D.) **444**, 340

Circadian rhythm; Triazolam; Benzodiazepine antagonist; Benzodiazepine receptor (Van Reeth, O.) 444, 333

Retina; Amacrine cell; Enkephalin; Neurotensin; Glycine; Coexistence (Watt, C.B.) 444, 366

Norepinephrine; Lateral hypothalamus; Acetylcholine; Glutamate; Neuromodulation (Sessler, F.M.) **446,** 77

Norepinephrine; In vitro lateral hypothalamus; Cyclic adenosine monophosphate; β -Receptor; α -Receptor (Cheng, J.-T.) **446**, 90

γ-Aminobutyric acid antiserum; Immunohistochemistry; Rat; Hypothalamus; Pituitary gland (Sakaue, M.) **446**, 343

Substance P; Retina; Amacrine cell; Cat; Immunocytochemistry; Colocalization (Pourcho, R.G.) **447**, 164

Brainstem; Benzodiazepine; Chlordiazepoxide (CDP); Feeding; Palatability (Berridge, K.C.) **447**, 262

Muscimol; 4,5,6,7-Tetrahydro-isoxazolo [5,4-c]pyridin 3-ol (THIP); Bicuculline; Intracerebral injection; Epilepsy, Electroencephalogram; Substantia nigra; Rat; Petit mal (Depaulis, A.) 448, 20

Lateral geniculate nucleus; Thalamus; Hippocampus; Baclofen; Inhibitory postsynaptic potential, GABA_A; Inhibitory postsynaptic potential, GABA_B (Soltesz, I.) **448**, 351

Neuronal cell clone; NG108-15; Glutamic acid decarboxylase; Neurotransmitter; Differentiation; Pyridoxal 5'-phosphate (Searles, C.D.) **448**, 373

Ethanol; Substantia nigra; Synaptosome; γ -Vinyl γ -aminobutyric acid; γ -Aminobutyric acid turnover (Frye, G.D.) **449**, 71

Olfactory bulb; Tyrosine hydroxylase; Transneuronal regulation; Phenotypic expression (Baker, H.) **450**, 69

Antinociception; Bicuculline; Hyperalgesia; Nucleus raphe magnus; Nucleus reticularis gigantocellularis pars alpha; 4,5,6,7-Tetrahydroisoxazolo[5,4-c]pyridin-3-ol (Drower, E.J.) **450**, 316

Glycine; Immunocytochemistry; Colocalization; Rat; Cerebellum (Ottersen, O.P.) **450**, 342 Laminar distribution; Dorsal lateral geniculate nucleus; Visual cortex; Superior colliculus; Cat (Kanno, S.) 451, 172

Benzodiazepine; Barbiturate; Chloride ion; Midazolam; Pentobarbital; Chloride flux; Rat brain (Yu, O.) 451, 376

Selective breeding; Benzodiazepine; *t*-Butylbicyclophosphorothionate (TBPS); Diazepam-sensitive (DS) mouse; Diazepam-resistant (DR) mouse (Allan, A.M.) **452**, 118

Nicotine; Hippocampus; Mouse; CA1; Population spike (Freund, R.K.) **453**, 215

Hippocampal slice; Dendritic inhibition; GABA_B receptor; Pyramidal cell; CA3 (Janigro, D.) **453**, 265

Basal ganglia; Immunohistochemistry; Squirrel monkey; Amino acid (Smith, Y.) **453**, 353

Acetylcholine; Cortical microvessel; Choline acetyltransferase; Neurotransmitter release; High-performance liquid chromatography; Electron microscopy; Immunocytochemistry (Arnerić, S.P.) 454, 11

Red nucleus; Nictitating membrane response; Classical conditioning; Bicuculline methiodide; Picrotoxin (Haley, D.A.) **454**, 131

Kindling; Substantia nigra pars reticulata; Single-unit recording; Epileptogenesis; Glycine; Glutamate; Acetylcholine (Waszczak, B.L.) **455**, 115

Horizontal cell; Elasmobranch; Skate (Cohen, J.L.) 455, 366

Ethanol; Alcohol; Glycine; Glutamate; Benzodiazepine (Celentano, J.J.) **455**, 377

First somatosensory cortex; Second somatosensory cortex; Glutamic acid decarboxylase; Immunocytochemistry; Monkey (Chudler, E.H.) **456**, 57

Glutamic acid decarboxylase; Immunocytochemistry; Inhibition; Local circuit neuron; Relay cell; Reptile; Thalamus (Pritz, M.B.) 457, 154

Blood pressure; Central nervous system; Glutamate; Medulla oblongata (Gordon, F.J.) **457**, 251

Dorsal vagal nucleus; Rostral ventrolateral medulla; Somatic input; Bradycardia (Wang, Q.) **457**, 367

Bicuculline; Acetylcholine; Nicotine; Muscarine; Receptor; Insect; Locust

(Benson, J.A.) 458, 65

Rat; Retina; Gabaculine; Immunocytochemistry; Müller cell (Cubells, J.F.) 458, 82

Taurine; Chloride-dependent release; Kainic acid; Retinal swelling (Pasantes-Morales, H.) **459**, 120

Glutamic acid decarboxylase; Inhibition; Motor cortex; Mouse (Solberg, Y.) **459**, 168

Benzodiazepine binding site; Glutamic acid decarboxylase; Human postmortem brain; Suicide; Depression; Antidepressant drug (Cheetham, S.C.) **460,** 114

Turtle; Hippocampus; Excitatory amino acid; *N*-Methyl-D-aspartic acid; Epilepsy (Larson-Prior, L.J.) **460**, 369

Substantia nigra; Neostriatum; Glutamic acid decarboxylase; Immunocytochemistry; Striatonigral projection; γ-Aminobutyric acid synapse; Degeneration (Nitsch, C.) **461**, 127

Analgesia; 3*a*-Hydroxy-4-pregnen-20-one; Follicle stimulating hormone suppression; Steroid; Opiate; Calcium channel antagonist; Benzodiazepine; Naloxone; Verapamil; Nifedipine; Ro 15-1788; Picrotoxin; Bicuculline; Tyr-MIF-1; Morphine (Wiebe, J.P.) **461**, 150

Deiters' neuron; Chloride ion permeability; Cytoplasmic side receptor (Rapallino, M.V.) **462**, 350

Corticotropin-releasing hormone; Rat hypothalamus; Diazepam; Muscimol; Baclofen (Calogero, A.E.) **463**, 28

Neuronal cell; Cryopreservation; Tissue culture; Neuron-specific enolase (Silani, V.) **473**, 169

Dorsal raphe nucleus; Chronic benzodiazepine; Diazepam; Rat; Brain slice (Wilson, M.A.) 473, 198

Immunocytochemistry; Glutamic acid decarboxylase; Somatosensory cortex; Rat (Spreafico, R.) 474, 192

Retina; Amacrine cell; NADPH-diaphorase; Colocalization; Rabbit (Vaney, D.I.) 474, 380

N-Acetylaspartylglutamate (NAAG); Glutamate; Neuropeptide; Amphibian; Biosynthesis; Synaptic release (Williamson, L.C.) 475, 151

Vasoactive intestinal polypeptide; Somatostatin; Immunoreactivity; Hippocampus; Epileptic mouse; Epilepsy (King, J.T.) 475, 192

Development; Parvalbumin; Calbindin; Visual system; Zebra finch; Plasticity (Braun, K.) 475, 205

γ-Aminobutyric acid antagonist

γ-Aminobutyric acid (GABA) receptor; ³⁵S-t-Butylbicyclo phosphorothionate (³⁵S-TBPS) (picrotoxin) binding site; Antidepressant (Squires, R.F.) **441**, 15

γ-Aminobutyric acid antiserum γ-Aminobutyric acid (GABA); Immunohistochemistry; Rat; Hypothalamus; Pituitary gland (Sakaue, M.) 446, 343

γ-Aminobutyric acid immunocytochemistry

Anterograde tracing; Wheatgerm-agglutinated horseradish peroxidase (WGA-HRP); Inferior olive; Electron microscopy; Cat (De Zeeuw, C.I.) 447, 369

γ-Aminobutyric acid receptor

γ-Aminobutyric acid (GABA) antagonist; ³⁵S-t-Butylbicyclo phosphorothionate (³⁵S-TBPS) (picrotoxin) binding site; Antidepressant (Squires, R.F.) **441**, 15

Kindling; Benzodiazepine receptor; Sensorimotor cortex; Receptor autoradiography (Santori, E.M.) **442**, 261

Primary cultured spinal cord neuron; Benzodiazepine receptor; Chloride channel; Development (Mehta, A.K.) **454**, 156

Isolated postsynaptic density; Hippocampus; Protein composition; Protein phosphorylation; Glutamate receptor; Voltage-sensitive calcium channel; Calmodulin (Wu, K.) 457, 98

Benzodiazepine receptor; Motor thalamus; Basal ganglia output; Quantitative receptor autoradiography (Kultas-Ilinsky, K.) 459, 1

Development; Olfactory bulb; Potassium ion (Math, F.) 461, 384

γ-Aminobutyric acidbenzodiazepine receptor

Pigeon brain; CI 218872; γ-Aminobutyric acid; Basal ganglia; Cerebellum (Dietl, M.M.) 439, 366

Evolution; Photoaffinity labeling; Radiohistochemistry; Immunohistochemistry (Hebebrand, J.) **446**, 251

Cerebellum; Evolution; Radiohistochemistry; Immunohistochemistry (Schmitz, E.) 473, 314

γ-Aminobutyric acid release Forskolin; Cyclic adenosine monophosphate; Striatum; Neuron; Primary culture (Weiss, S.) 463, 182

γ-Aminobutyric acid synapse Substantia nigra; Neostriatum; Glutamic acid decarboxylase; Immunocytochemistry; Striatonigral projection; γ -Aminobutyric acid; Degeneration (Nitsch, C.) **461**, 127

γ-Aminobutyric acid turnover Ethanol; γ-Aminobutyric acid; Substantia nigra; Synaptosome; γ-Vinyl γ-aminobutyric acid (Frye, G.D.) 449, 71

γ-Aminobutyric acid-A receptor Zona incerta-lateral hypothalamus; Ventromedial thalamic nucleus; Haloperidol; Catalepsy; Bicuculline (Wardas, J.) 462, 378

γ-Aminobutyric acid-B receptor (GABA_B receptor)

Baclofen; γ -Aminobutyric acid (GABA); Potassium conductance; Locus ceruleus; Intracellular recording (Osmanović, S.S.) 438, 124

γ-Aminobutyric acid-response α-Keto-δ-guanidinovaleric acid; Convulsant; Hyperargininemia; Glycine-response; Epileptogenicity; Primary dissociated neuronal cell culture (De Deyn, P.P.) 449, 54

γ-Aminobutyric acid_A binding site Aging; Ethanol; Diazepam; Brain membrane (Komiskey, H.L.) **458**, 37

γ-Aminobutyric acidergic mechanism

Inescapable shock; Noradrenergic mechanism; Dopaminergic mechanism; Serotonergic mechanism; Cholinergic mechanism; Motor activity; Rat (Płaźnik, A.) 447, 122

γ-Aminobutyric acidergic neuron Visual system; Dorsal lateral geniculate nucleus; Coronal plane; Morphometry; 3-Dimensional reconstruction (Gabbott, P.L.A.) 438, 379

Amitriptyline Olfaction; Nerve growth; Nerve development; Olfactory receptor

development; Olfactory receptor (Farbman, A.I.) 457, 281

Ammocoete

Dorsal nucleus; Medial nucleus; Lateral line nerve; Electroreception (Ronan, M.) **448**, 173

Ammon's horn

Hippocampus; Dentate gyrus; Supramammillary nucleus; Hypothalamus; Non-pyramidal neuron; Cat; Wheat germ-agglutinated horseradish peroxidase (Ino, T.) 460, 173

Ammonia

Glia; Astrocyte; Glutamate dehydrogenase; Glutamine synthetase; Glutaminase; Glutamate; α-Ketoglutarate (Kaneko, T.) **457**, 160

Cat; Mechanosensitivity; Muscle

spindle; pH; Proton pump; Sensory ending; Carbondioxide (Fukami, Y.) **463**, 140

Amnesia

Dehydroepiandrosterone; Dehydroepiandrosterone sulfate; Hormone; Memory; Mouse; Retention; Steroid (Flood, J.F.) 447, 269

Dendritic spine; Avoidance training; Chick (Patel, S.N.) 463, 168

Amphetamine

Schedule-induced polydipsia; Coping; Central dopaminergic system (Tazi, A.) 445, 211

Aging; Corpus striatum; Dopamine; Tetrodotoxin (Dluzen, D.E.) 445, 354

Serotonin; Neurotoxicity; Primate; 3,4-Methylenedioxymethamphetamine (Ricaurte, G.A.) **446**, 165

Dopamine; Dihydroxyphenylacetic acid; Homovanillic acid; 5-Hydroxyindoleacetic acid; Release; 6-Hydroxydopamine; Recovery of function; Dialysis; Rotational behavior (Robinson, T.E.) **450**, 209

Rotation; Apomorphine; 6-Hydroxydopamine; Striatum; Lateralization (Glick, S.D.) **450**, 334

Pedunculopontine nucleus; Mesencephalic locomotor region; Locomotor activity; Carbachol; Nucleus accumbens; Cholinergic mechanism; Rat (Brudzynski, S.M.) 451, 119

Reticulata neuron; Striatum; Motor activity; Apomorphine (Olds, M.E.) **452**, 237

Lateralization; Sensitization; Stress; Psychosis; Dopamine; Catecholamine; Adrenocorticotropin (LaHoste, G.J.) **453**, 381

Rotation; Apomorphine; Striatum; Receptor, D₁-; Receptor, D₂-; Asymmetry; Lateralization; N-Methylspiperone; SCH-23390 (Glick, S.D.) **455**, 43

Morphine; Nucleus accumbens; Heroin; Reinstatement of drug taking; Priming; Drug self-administration (Stewart, J.) 457, 287

Feeding; Lateral hypothalamus (Colle, L.) **459**, 356

Brain stimulation reward; Self-stimulation; Nucleus Accumbens (Colle, L.M.) **459**, 361

Cholecystokinin; Caudate-putamen; Olfactory tubercle; Haloperidol; Dopamine; 3-Methoxytyramine; Dihydroxyphenylacetic acid (Altar, C.A.) 460, 76

Sensitization; Dopamine; Nucleus accumbens; Dialysis; Dopamine release; Locomotion; Stereotyped behavior; Stimulant; Chronic drug

effect; Amphetamine psychosis; Neural plasticity (Robinson, T.E.) **462**, 211

Freely moving rat; Neostriatum; Single-unit activity (Gardiner, T.W.) 463, 268

In vivo microdialysis; Dopamine; Striatum; Rotation; Asymmetry (Glick, S.D.) 473, 161

Cerebral lateralization; Rodent; Neocortical ablation; Spatial bias; Stress-related hormone; Sensitization (LaHoste, G.J.) 474, 296

Serotonin; Neurotoxicity; Cerebrospinal fluid; 5-Hydroxyindoleacetic acid; (±)-3,4-Methylenedioxymethamphetamine (Ricaurte, G.A.) 474, 359

Amphetamine analog

3,4-Methylenedioxymethylamphetamine; Serotonin; Neurotoxicity; Route of administration (Finnegan, K.T.) 447, 141

Amphetamine derivative

Raphe nucleus; Serotoninergic axon; Neurotoxicity (Fritschy, J.-M.) 473, 261

Amphetamine psychosis Sensitization; Amphetamine; Dopamine; Nucleus accumbens; Dialysis; Dopamine release; Locomotion; Stereotyped behavior; Stimulant; Chronic drug effect; Neural plasticity (Robinson, T.E.) 462, 211

D-Amphetamine

Dopaminergic mesencephalic neuron; Amygdala; Nucleus accumbens; Prefrontal cortex; Dihydroxyphenylacetic acid/dopamine (DOPAC/DA) ratio; Locomotor activity (Simon, H.) 447, 335

Food deprivation; Medial prefrontal cortex; Dopamine; Rotational behavior; Brain asymmetry (Carlson, J.N.) **454**, 373

Amphibian

N-Acetylaspartylglutamate; Acidic amino acid; Neuropeptide; Synaptic vesicle; Amacrine; Bipolar; Photoreceptor (Williamson, L.C.) **456**, 375

N-Acetylaspartylglutamate (NAAG); Glutamate; γ-Aminobutyric acid (GABA); Neuropeptide; Biosynthesis; Synaptic release (Williamson, L.C.) **475,** 151

Amphibian spinal cord

Dorsal root; Sensory afferent; Caudal spinal cord (Nordlander, R.H.) **440,** 391

Amygdala

Thalamus; Striatum; Prefrontal cortex; Section Golgi impregnation (Carlsen, J.) 441, 377

Naloxone; β -Noradrenergic antagonist;

α-Noradrenergic antagonist; Inhibitory avoidance; Discrimination learning; Memory; Caudate-putamen; Cortex (McGaugh, J.L.) **446**, 37

Dopaminergic mesencephalic neuron; Nucleus accumbens; Prefrontal cortex; Dihydroxyphenylacetic acid/dopamine (DOPAC/DA) ratio; D-Amphetamine; Locomotor activity (Simon, H.) 447, 335

Epilepsy; Kindling; Endurance (Homan, R.W.) 447, 404

Kindling; 6-Hydroxydopamine; Microinfusion; Catecholamine; Cat (Uemura, S.) **448**, 162

Testosterone; Estradiol; Aromatization; Primate; Hypothalamus; Preoptic area; Pituitary gland (Rees, H.D.) **452**, 28

Alzheimer's disease; Somatostatin; Neuropeptide Y; Neuronal atrophy; Neuritic plaque; Cholinergic afferent (Unger, J.W.) 452, 293

Acetylcholine; Concussion; Head injury; Pons; Rat; Hippocampus; Thalamus (Saija, A.) **452**, 303

Somatostatin; Human; Alzheimer's disease; Immunohistochemistry; Basal forebrain (Mufson, E.J.) **453**, 117

Epilepsy; Kindling; Interictal spike; Pyriform cortex; Hippocampus (Racine, R.J.) **454**, 251

Epilepsy; Kindling; Pyriform cortex; Septal area; Hippocampus; Lesion (Racine, R.J.) **454**, 264

Deoxyglucose; Seizure; Limbic system; Status epilepticus (Handforth, A.) **460**, 94

Kindling; Hippocampus; MK-801; N-Methyl-D-aspartate; Anticonvulsant (Gilbert, M.E.) **463**, 90

Experimental epilepsy; Kainic acid; Microinjection; Spontaneous limbic seizure; Complex partial seizure (Tanaka, S.) 463, 163

Amygdala kindling

Carbamazepine; Ethosuximide; Evoked potential; Systemic penicillin epilepsy; Ventral lateral thalamus; Motor cortex; Cat; Sleep-waking cycle (Shouse, M.N.) 473, 372

Amygdaloid kindling Cysteamine; Seizure; Myoclonus; Somatostatin; Cortical kindling (Takazawa, A.) 473, 99

Amyloid

β-Protein; Protein chemistry; Alzheimer's disease; Aging (Joachim, C.L.) 474, 100

Alzheimer's disease; Monoclonal antibody; Secondary amyloidosis; Novel protein; Immunohistology; Western blotting (Yamashita, T.) **474,** 309

β-Amyloid disease

Alzheimer's disease; Sporadic cerebral amyloid angiopathy; Hereditary cerebral hemorrhage with amyloidosis; Dementia; Stroke; β-Protein (Coria, F.) 463, 187

Analgesia

Cocaine; Nociception; Flexion reflex; Rat (Pertovaara, A.) 438, 286

Nitrous oxide; Phenylquinone; Abdominal constriction; Narcotic antagonist drug; Opioid receptor subtype (Quock, R.M.) 440, 35

Medial thalamus; μ -Receptor; κ -Receptor; Reward (Carr, K.D.) **441**, 173

Opiate; Naloxonazine (Bodnar, R.J.) 447, 25

Antinociception; Morphine; Substantia nigra; Naloxone; Intracerebral microinjection; Pain (Baumeister, A.A.) 447, 116

Stimulation produced analgesia; Dorsal raphe nucleus; Periaqueductal gray; Opiate; Acetylcholine; Pain; Behavior (Klatt, D.S.) 447, 246

β-Endorphin; Periaqueductal gray; Pituitary; Mouse strain; Social stress; Naloxone; β-Chlornaltrexamine (Külling, P.) **450**, 237

Stimulation-produced analgesia; Periaqueductal gray matter; Superior colliculus; Tegmentum; Midbrain; Blood pressure; Rat (Depaulis, A.) **451,** 326

Endorphin; Naloxone; Electroacupuncture; Tail flick; Spinal cord; Electrostimulation; Acupuncture (Pomeranz, B.) **452**, 227

Electroacupuncture; Naloxone; Endorphin; Spinal cord; Naltrexone; Nociceptive reflex; Acupuncture (Pomeranz, B.) 452, 232

Nucleus cuneiformis; Pain modulation (Zemlan, F.P.) **453**, 89

Tonic immobility; Nociceptive response (Fleischmann, A.) 455, 49

Substance P; Strychnine; Kainic acid; L-Glutamic acid; Morphine; Pain; Behavior; Spinal cord (Bossut, D.) **455**, 232

2-Amino-5-phosphonovalerate, [D-Pro²,D-Trp^{7,9}]-substance P; Substance P; Behavior; Pain; Strychnine; Kainic acid; Morphine (Bossut, D.) **455**, 247

Nucleus paragigantocellularis lateralis; Convergent input; Cardiovascular control (Lovick, T.A.) **456**, 183

Pain; Hyperalgesia; Bradykinin; Noradrenaline; Arachidonic acid; SC-19220; Prostaglandin antagonist (Taiwo, Y.O.) **458**, 402 3α -Hydroxy-4-pregnen-20-one; Follicle stimulating hormone suppression; Steroid; γ -Aminobutyric acid; Opiate; Calcium channel antagonist; Benzodiazepine; Naloxone; Verapamil; Nifedipine; Ro 15-1788; Picrotoxin; Bicuculline; Tyr-MIF-1; Morphine (Wiebe, J.P.) **461**, 150

Dermorphin; μ-Opioid receptor; Dorsal horn; Opioid peptide (Sullivan, A.F.) **461**, 182

Vasopressin; Motor suppression; Neuropeptide; Pain (Thurston, C.L.) **463,** 1

Restraint; Stress-induced analgesia; Morphine; Naloxone; Tail flick; Circadian effect; CD-1 mice (Miller, D.B.) **473**, 327

Analgesic effect

Pain; Parafascicular nucleus; Periaqueductal gray; Descending pain suppression system (Sakata, S.) **451**, 85

Androgen receptor Baboon; R1881 (Handa, R.J.) 445, 111

Sex difference; Guinea pig brain; Noradrenergic transmission (Ahdieh, H.B.) **456**, 275

Androgen-dependent behavior Vasopressin; Lateral septum; Social memory (Dantzer, R.) **457**, 143

Anesthesia

Receptive field; Neuron; Somatosensory cortex; Cat; Rat (Dykes, R.) **440**, 133

Angiogenesis

Basic fibroblast growth factor; Acidic fibroblast growth factor; Central nervous system; Astrocyte; White matter; Regeneration (Ferrara, N.) 462, 223

Angiotensin

Angiotensin-converting enzyme; Kininase II; Bradykinin; Cerebrospinal fluid; Cerebral blood vessel (Whalley, E.T.) 438, 1

Sarthran; Receptor antagonist; Blood pressure; Intracerebroventricular; Spontaneously hypertensive rat (Jensen, L.L.) 448, 359

Blood pressure; Cardiovascular locus; Saralasin; Spinal cord (Pant, K.K.) **454**, 400

Angiotensin converting enzyme Autoradiography; Brain nucleus; Renin angiotensin system; Hypertension; Receptor; Atriopeptin; Atrial natriuretic factor (Nazarali, A.J.) 475, 134

Angiotensin II

Spinal cord; Motoneuron; Dorsal horn; Peptide; Receptor (White, S.R.) **441**, 195

Aminopeptidase inhibitor; Amastatin; Bestatin; Angiotensin III;

Cerebroventricular metabolism; Drinking; Rat (Wright, J.W.) 441, 215

Atrial natriuretic polypeptide; Subfornical organ; Brain slice preparation; Rat; Body fluid homeostasis (Hattori, Y.) 443, 355

Spinal cord; Culture; Autoradiography; Receptor; Neuron; Glial cell (Simonnet, G.) **443**, 403

Basal heart rate; Baroreflex; Sympathetic nervous system; Captopril; Blood pressure regulation; Converting enzyme inhibitor (Menani, J.V.) **446**, 295

Tumor necrosis factor; Interleukin-1β; Transforming growth factor-β; Food and water intake; Rat; Central nervous system; Intracerebroventricular administration (Plata-Salamán, C.R.) 448, 106

Deoxycorticosterone acetate; Salt appetite; Circumventricular organ; Angiotensin receptor (King, S.J.) **448**, 140

Angiotensin III; Amastatin; Bestatin; Cerebroventricle; Rat (Dewey, A.L.) **448**, 369

Angiotensin III; Tachyphylaxis; Drinking; Rat (Quirk, W.S.) 452, 73

Blood pressure; Water intake; Vasopressin antagonist; Brattleboro rat (Harland, D.) **455**, 58

Drinking; Blood pressure; Catecholamine; Angiotensin-induced thirst; Angiotensin-induced pressor response (Bellin, S.I.) **456**, 9

Angiotensin III; [Sar¹]Angiotensin II; Amastatin; Bestatin; Blood pressure; Intracerebroventricular; Rat (Sullivan, M.J.) **456**, 249

Angiotensin II-sensitive neuron Organum vasculosum lamina terminalis; Spontaneously hypertensive rat; Wistar-Kyoto rat; Brain; Slice technique; Micropressure injection (Nelson, D.O.) 444, 46

Angiotensin III Aminopeptidase inhibitor; Amastatin; Bestatin; Angiotensin II; Cerebroventricular metabolism; Drinking; Rat (Wright, J.W.) 441, 215

Angiotensin II; Amastatin; Bestatin; Cerebroventricle; Rat (Dewey, A.L.) 448, 369

Angiotensin II; Tachyphylaxis; Drinking; Rat (Quirk, W.S.) 452, 73

Angiotensin II; [Sar¹]Angiotensin II; Amastatin; Bestatin; Blood pressure; Intracerebroventricular; Rat (Sullivan, M.J.) **456**, 249

Angiotensin receptor
Angiotensin II; Deoxycorticosterone acetate; Salt appetite;
Circumventricular organ (King, S.J.)
448, 140

Angiotensin-converting enzyme Kininase II; Angiotensin; Bradykinin;

Cerebrospinal fluid; Cerebral blood vessel (Whalley, E.T.) 438, 1

Angiotensin-converting enzyme inhibitor

Kininase II; Brain transport; Quantitative autoradiography; Peptidase; Axonal transport; Striatonigral pathway (Aiso, M.)

Angiotensin-induced pressor response

Drinking; Blood pressure; Angiotensin II; Catecholamine; Angiotensin-induced thirst (Bellin, S.I.) 456, 9

Angiotensin-induced thirst

Drinking; Blood pressure; Angiotensin II; Catecholamine; Angiotensin-induced pressor response (Bellin, S.I.) 456, 9

[Sar¹]Angiotensin II

Angiotensin II; Angiotensin III; Amastatin; Bestatin; Blood pressure; Intracerebroventricular; Rat (Sullivan, M.J.) 456, 249

Animal model

Myelin-associated glycoprotein; P0 protein; Myelin basic protein; Myelin protein; Peripheral nervous system; Remyelination; Nerve regeneration (Willison, H.J.) 444, 10

Acetylcholine; Ethylcholine mustard aziridinium ion; AF64A; Cholinergic hypofunction; Memory intracortical; Nucleus basalis; Alzheimer's disease (Mouton, P.R.) 444, 104

Hyperactivity; Learning deficit; Memory deficit; Open field; Passive avoidance; Recent memory disturbance; T-maze; Senescence accelerated mouse (Yagi, H.) 474, 86

Animal model of cognitive dysfunction

Colchicine: Nucleus basalis: Radial-arm maze; Cholinergic pharmacological agent (Tilson, H.A.) 438, 83

Anion influence

Temperature dependence; Taste nerve response; Amiloride; Receptor potential; Rat; NaCl (Nakamura, M.) 444, 159

Anisomycin

Long-term potentiation; Protein synthesis; Hippocampal CA1 in vitro; Field potential (Frey, U.) 452, 57

Corticotropin-releasing factor: Immunoreactivity; Adrenocorticotropic hormone; Hypothalamus; Median eminence; Stress (Haas, D.A.) 461, 230

Ankle dorsiflexion

Agonist facilitation; Antagonist inhibition; H-reflex; Man (Kasai, T.) 447, 389

Anoxia

CA₂ hippocampal neuron; Burst; Kainate; Magnesium; N-Methyl-p-aspartate; Potassium; N-Methyl-D-aspartate antagonist (Neuman, R.) 459, 265

Anoxic depolarization

Calcium: Potassium undershoot; Synaptic transmission (Roberts, E.L.) 456, 113

Antagonist

Oxygen consumption; Excitatory amino acid; Agonist; Hippocampal slice; Postsynaptic potential; Neuroexcitation; Neurotoxicity (Nishizaki, T.) 452, 11

Antagonist inhibition

Agonist facilitation; H-reflex; Ankle dorsiflexion; Man (Kasai, T.) 447, 389

Antenna

Escape behavior; Giant interneuron; Lesion; Cockroach (Comer, C.M.) 445, 370

Antennal lobe

Leptinotarsa decemlineata; Olfaction; Electrophysiology; Odor quality coding; Interneuron; Deutocerebrum; Brain (De Jong, R.) 447, 10

Spatial coding; Olfaction; Olfactory stimulation; Deoxyglucose; Autoradiography (Rodrigues, V.) 453, 299

Anterior cingulate cortex

Dopamine; Substantia nigra; Ventral tegmental area; Bursting; Medial prefrontal cortex; Low-threshold spike (Gariano, R.F.) 462, 194

Anterior hypothalamic area Vasoactive intestinal polypeptide; Thermoregulation; Hibernation (Laemle, L.K.) 441, 398

Anterior hypothalamus

Ventromedial hypothalamus; Preoptic area; Thermosensitive neuron; Brain slice preparation; Brown adipose tissue; Rat (Îmai-Matsumura, K.) 445, 193

Interferon- α ; Thermosensitive neuron; Naloxone; Sodium salicylate; Preoptic hypothalamus; Hypothalamic slice; Fever (Nakashima, T.) 454, 361

Retinohypothalamic tract; Geniculohypothalamic tract; Suprachiasmatic nucleus; Circadian rhythm; Entrainment (Johnson, R.F.) 462, 301

Anterior median nucleus

Edinger-Westphal nucleus; Parasympathetic nucleus; Fluorescent tracer; Nuclear yellow; Fast blue; Ciliary ganglion; Spinal cord; Double label (Burde, R.M.) 440, 177

Anterior neocortex

Kindling; Brattleboro rat; Vasopressin (Weller, K.L.) 463, 390

Anterior olfactory nucleus Neuropeptide Y; Human olfactory

bulb; Interstitial neuron; Immunocytochemistry (Ohm, T.G.)

Anterograde axonal tracing

Habenula projection; Phaseolus vulgaris leucoagglutinin (PHA-L); Rat brain; Thalamus; Midbrain (Araki, M.) 441, 319

Anterograde degeneration

Auditory system; Light microscopy; Nerve fiber; Myelin (Hoeffding, V.) 449, 104

Anterograde label

Olivocochlear neuron; Cochlear nucleus; Retrograde label (Robertson, D.) 462, 47

Anterograde tracing

Cerebral vascular innervation; Sympathetic innervation; Stellate ganglion; Basilar artery; Vertebral artery; Wheatgerm-agglutinated horseradish peroxidase (WGA-HRP) histochemistry; Rat (Arbab, M.A.) 445, 175

Wheatgerm-agglutinated horseradish peroxidase (WGA-HRP) y-Aminobutyric acid (GABA) immunocytochemistry; Inferior olive; Electron microscopy; Cat (De Zeeuw, C.I.) 447, 369

Pyramidal tract; Corticospinal tract; Unmyelinated axon; Rat (Joosten, E.A.J.) 459, 173

Nucleus reticularis gigantocellularis; Reticular formation; Phaseolus vulgaris leucoagglutinin; Reticular ascending projection; Reticulo-spinal projection; Reticulo-reticular connection (Matsuyama, K.) 460, 124

Anterograde transport Phaseolus vulgaris leucoagglutinin; Fiber of passage (Cliffer, K.D.) 458, 185

Anterograde-retrograde conversion

Proteolysis; Thiolprotease inhibitor; Axon terminal; Membranous organelle; Tubulovesicular organelle (Sahenk, Z.) 460, 199

Anteroventral third ventricle

Nucleus tractus solitarius; Hypertension; Vasopressin; Blood pressure; Hypothalamus (Catelli, J.M.) 439, 330

 γ_2 -Melanocyte-stimulating hormone; Blood pressure; Heart rate; Sympathetic nervous system (Callahan, M.F.) 444, 177

Renal denervation; Renal excretion; Saline loading (Huang, W.-C.) 460, 83

Anti-acetylcholine receptor antibody

Acetylcholine receptor; Human

extraocular muscle; Endplate; Antigenic determinant; Myasthenia gravis (Oda, K.) **449**, 337

Anti-curare action

Stannous ion; Transmitter release; Motor nerve ending; Frog (Hattori, T.) **473**, 157

Anti-glycine antibody

Glycine; Immunocytochemistry; Glycinergic neuron; Auditory pathway; Vestibular ganglion (Aoki, E.) **442**, 63

Anti-nerve growth factor

Muscle spindle; Dorsal root ganglion (Laing, N.G.) 444, 351

Anti-nerve growth factor serum Kindling; Basolateral amygdala; Intraventricular injection (Funabashi, T.) 458, 132

Anti-nociception

Substance P; Enkephalin; Co-localization; Intraspinal neuron; Substantia gelatinosa (Senba, E.) **453**, 110

Anti-substance P anti-idiotypic antibody

Pain; Hot plate test; Formalin test; Mouse (Calvino, B.) 460, 389

Anti-thyrotropin-releasing hormone antibody

Thyrotropin-releasing hormone; 2-Deoxyglucose; Hyperglycemia; Mouse (Amir, S.) **462**, 160

Anti-γ-aminobutyric acid (anti-GABA) serum

Mouse; Rat; Somatosensory cortex; Barrel; Vibrissa; Immunocytochemistry (Chmielowska, J.) 439, 155

Antibiotic

Sympathetic ganglion cell; M-current; Hyperpolarizing afterpotential; Ganglion cell depolarization; Clindamycin (Konopka, L.M.) **458**, 269

Sympathetic ganglion; Open channel blockade; Nicotinic receptor; Clindamycin; Excitatory postsynaptic current (Konopka, L.M.) 458, 278

Antibody

Bovine; Monkey; Human; Retina; Insulin receptor; Localization; Immunocytochemistry; Immunoelectron microscopy (Rodrigues, M.) 443, 389

L-Dihydroxyphenylalanine; Glutaraldehyde; Rat brain; Substantia nigra; Locus ceruleus; Striatum; Enzyme-linked immunosorbent assay; Immunocytochemistry (Mons, N.) **451**, 403

Dopamine β -hydroxylase; Rat retina; Immunocytochemical staining; Interspecies cross-immunoreactivity; Radioenzymatic assay (Park, D.H.) **460,** 352

Antibody complement-mediated cytolysis
Purified enteric neuron; Glia; Culture;

Monoclonal antibody; Cytosine arabinoside; Immunolabelling (Bannerman, P.G.C.) **440**, 99

Antibody microprobe

Substance P; Cutaneous stimulus (Duggan, A.W.) 451, 261

Antibody to nerve growth factor Unmyelinated fiber; Primary afferent; Lissauer's tract; Intraspinal sprouting; Nerve growth factor; C-fiber (Hulsebosch, C.E.) 461, 322

Anticonvulsant

Electroshock; γ-Vinyl-GABA; Norepinephrine; Substantia nigra (Bonhaus, D.W.) **438**, 391

Herpes simplex encephalitis; Herpes simplex virus; Immunocytochemistry; Neurovirulence; Seizure disorder (Schlitt, M.) **440**, 293

Phencyclidine; *N*-Methyl-D-aspartic acid; Dexoxadrol; MK-801; Mouse (Leander, J.D.) **454**, 368

Stereoselectivity; Maximal electric shock; Mouse (Kohn, H.) **457**, 371

Kindling; Amygdala; Hippocampus; MK-801; N-Methyl-D-aspartate (Gilbert, M.E.) **463**, 90

Anticonvulsant action

Tiletamine; Excitatory amino acid; Myorelaxant action (Klockgether, T.) **461,** 343

Antidepressant

γ-Aminobutyric acid (GABA) receptor; γ-Aminobutyric acid (GABA) antagonist; ³⁵S-t-Butylbicyclo phosphorothionate (³⁵S-TBPS) (picrotoxin) binding site (Squires, R.F.) **441**, 15

Antidepressant drug

Serotonin-2 (5-HT₂) binding site; [³H]Ketanserin binding; Human postmortem brain; Suicide; Depression (Cheetham, S.C.) **443**, 272

γ-Aminobutyric acid; Benzodiazepine binding site; Glutamic acid decarboxylase; Human postmortem brain; Suicide; Depression (Cheetham, S.C.) 460, 114

Antidromic activity

Primary afferent; Substance P release; Synovial fluid; Opioid receptor; Peripheral afferent terminal (Yaksh, T.L.) **458**, 319

Antidromic latency

Respiratory bulbospinal neuron; Amino acid; γ-Aminobutyric acid (GABA); Glycine; Glutamate; Homocysteate; Medulla; Cat (Grelot, L.) 443, 27

Antidromic mapping

Axonal branching; Medullospinal sympathetic neuron; Spike-triggered averaging; Sympathetic nerve discharge (Barman, S.M.) 441, 371

Antidromic response

Paraventricular nucleus; Spinal cord; Vagal afferent (Lovick, T.A.) 454, 123

Antiestrogen

Nuclear estrogen receptor; Hypothalamus; Heparin; DNA intercalator (Etgen, A.M.) 452, 1

Antigen

Freeze-fracture; Colloidal gold; Cell surface; Attachment; Cell surface attachment (CSAT) (Quick, D.C.) 440, 243

Antigenic determinant

Acetylcholine receptor; Human extraocular muscle; Endplate; Myasthenia gravis; Anti-acetylcholine receptor antibody (Oda, K.) 449, 337

Antiglucocorticoid

Glucocorticoid receptor; Glucocorticoid binding; Progesterone; Adrenocorticosteroid (Chou, Y.-C.) **440,** 67

Antihistamine

Histamine H_1 -receptor; Feeding; α -Fluoromethylhistidine; Ventromedial hypothalamus; Lateral hypothalamus; Paraventricular nucleus; Microinfusion (Sakata, T.) **441**, 403

Antimuscarinic

Cholinergic; Concussion; Experimental brain injury; Mechanical brain injury (Lyeth, B.G.) 448, 88

Antinociception

Vagus; Medulla; Pain; Cardiovascular (Randich, A.) 445, 68

Morphine; Substantia nigra; Naloxone; Intracerebral microinjection; Pain; Analgesia (Baumeister, A.A.) 447, 116

Irradiation; Morphine; [D-Pen²,L-Pen⁵]Enkephalin (Raffa, R.B.) **447**, 393

Bicuculline; γ -Aminobutyric acid; Hyperalgesia; Nucleus raphe magnus; Nucleus reticularis gigantocellularis pars alpha; 4,5,6,7-Tetrahydroisoxazolo[5,4-c]pyridin-3-ol (Drower, E.J.) **450**, 316

Dorsal horn neuron; Opioid; μ -Receptor; δ -Receptor; κ -Receptor (Fleetwood-Walker, S.M.) **451**, 213

Intrathecal; Noradrenaline; 5-Hydroxytryptamine; Posterior raphe nuclear complex; Rat (Clatworthy, A.) **455**, 300

Methylenedioxymethamphetamine; Neurotoxicity; Serotonin; Morphine (Nencini, P.) **457**, 136

Pain; Spinal cord; Somatostatin; Antiserum; Intrathecal injection; Adjuvant arthritis (Ohno, H.) **474**, 197

Antipsychotic drug

Dopamine; Frontal cortex; Homovanillic acid (Mefford, I.N.) 475, 380 **Antiserum**

Pain; Antinociception; Spinal cord; Somatostatin; Intrathecal injection; Adjuvant arthritis (Ohno, H.) 474, 197

Antiserum to rat GRF

Growth hormone (GH); Somatostatin; GH-releasing factor (GRF); GH secretory pattern; α-Methyl-p-tyrosine (Sugihara, H.) 475, 128

Anxiety

Benzodiazepine ligand; *N*-Methyl- β -carboline-3-carboxamide (FG 7142); Seizure; [14 C]Deoxyglucose technique; Glucose utilization (Pratt, J.A.) 475, 218

Aortic nerve

Baroreceptor reflex; Ventrolateral medulla; Nucleus tractus solitarii; Rabbit (Wang, Q.) 473, 227

Apamin

Ca²⁺-dependent K⁺ channel; 2-Deoxyglucose, [¹⁴C]-; Brain metabolism; Rat brain (Mourre, C.) 451, 274

Ca2+-dependent K+ current; Inhibitory postsynaptic response; Afterhyperpolarization; Neocortex; Intracellular injection; Voltage clamp (Szente, M.B.) 461, 64

Dopamine neuron; Substantia nigra; Extracellular recording; Discharge pattern; Calcium-dependent potassium channel (Shepard, P.D.) 463, 380

Aplysia

Calcium current; Serotonin; Dopamine; Forskolin (Lotshaw, D.P.) 439, 64

Calcium; Peptidergic neuron; Adenosine monophosphate, cyclic; Arsenazo; Afterdischarge (Woolum, J.C.) 444, 1

Catecholamine; Histofluorescence; Buccal ganglion (Rathouz, M.M.) **458**, 170

Aplysia neuron

Edrophonium; Inward current; Sodium permeability; Internal perfusion; Concentration clamp (Oyama, Y.) 438, 95

Edrophonium; Sodium current; Concentration clamp; Intracellular perfusion (Oyama, Y.) 463, 124

Apnea

Taste; Larynx; Epiglottis (Dickman, J.D.) 450, 25

Dorsal tegmental field; Postural atonia; Mesencephalic cat (Kawahara, K.) 473, 81

Postural atonia; Dorsal tegmental field; Nucleus reticularis pontis oralis (Kawahara, K.) 474, 403

Apomorphine

Cholecystokinin; Dopamine; Electrophysiology; Neuromodulation; Midbrain (Freeman, A.S.) 439, 266

Sexual behavior; Dopamine; cis-Flupenthixol; Medial preoptic area; Rat; Male (Pehek, E.A.) 443, 70

Rotation; Amphetamine; 6-Hydroxydopamine; Striatum; Lateralization (Glick, S.D.) 450, 334

Presynaptic dopamine autoreceptor; Naltrexone; Water intake; Locomotor activity; Rat (Ukai, M.) 451, 357

Reticulata neuron; Striatum; Motor activity; Amphetamine (Olds, M.E.) 452, 237

6-Hydroxydopamine; Stereotyped pecking; Nucleus basalis; Pigeon (Lindenblatt, U.) 453, 1

Rotation; Amphetamine; Striatum; Receptor, D₁-; Receptor, D₂-; Asymmetry; Lateralization; N-Methylspiperone; SCH-23390 (Glick, S.D.) 455, 43

 α -Melanocyte-stimulating hormone; Dopamine; Rat; Hypothalamus; Superfusion; Flupenthixol (Tiligada, E.) 457, 379

Apomorphine-induced stereotypy D₁-supersensitivity; SKF 38393-induced grooming; Spiroperidol; Dopamine metabolite concentration (Gandolfi, O.) 455, 390

Apparent binding of [3H]glutathione

L-Cysteine; Temperature dependency; Regional distribution; Glutamate binding site (Ogita, K.) 463, 37

Arachidonic acid

Vasogenic edema; 21-Aminosteroid; Lipid peroxidation (Hall, E.D.) 451, 350

Pain; Hyperalgesia; Bradykinin; Noradrenaline; SC-19220; Prostaglandin antagonist; Analgesia (Taiwo, Y.O.) 458, 402

Arcuate nucleus

Adrenocorticotropic hormone; Gonadotropin release; Electron microscopy (Leranth, C.) 449, 167

Astrocyte; Glial fibrillary acidic protein; Hippocampus; Globus pallidus; Estradiol; Testosterone; Sex difference; Immunocytochemistry (Garcia-Segura, L.M.) 456, 357

Dorsomedial hypothalamus; Ventromedial hypothalamus; Immunoreactive dynorphin A; Immunoreactive dynorphin B; Hypothalamus; Pituitary gland; Radiofrequency lesion (Spampinato, S.) 463, 100

Area 18

Middle temporal visual area; Intrinsic connection; Galago (Cusick, C.G.) 458, 383

Area 19

Area 21; Posteromedial lateral

suprasylvian area; Suprasylvian cortex; Vision; Orientation selectivity (Mizobe, K.) 438, 307

Posteromedial lateral suprasylvian area; Area 19; Suprasylvian cortex; Vision; Orientation selectivity (Mizobe, K.)

Area PG,7a

Cortex; Corticocortical connection (Neal, J.W.) 438, 343

Area postrema

Horseradish peroxidase; Vasopressin; Urine output; Urine osmolality; Urine sodium excretion (Iovino, M.) 447, 178

Vagal complex; Cholinergic receptor; Solitary nucleus; Emesis; Human brainstem (Hyde, T.M.) 447, 287

Coronary constriction; Sympathetic nervous system; α-Adrenoceptor; β -Adrenoceptor; Ventricular tachyarrhythmias; Vagotomy (Gatti, P.J.) 448, 313

Hippocampus; Hippocampal CA1; Cerebral cortex; Inferotemporal cortex; Monkey; Horseradish peroxidase (HRP) (Iwai, E.) 444, 397

Arg-vasopressin

Catecholamine; 6-Hydroxydopamine; Blood pressure (Franklin, L.) 438, 295

Brain phosphoinositide; Nucleus tractus solitarii; Vasopressin receptor (Moratalla, R.) 450, 398

Hippocampal slice; Pyramidal cell; Interneuron; Cerebral microvessel (Albeck, D.) 463, 394

Arg-vasopressin release

Third cerebral ventricle; Cerebrospinal fluid flow; Osmoreception (Eriksson, S.) 448, 121

Argiotoxin

Glutamate receptor; Locust muscle; Non-competitive antagonism (Budd, T.) 448, 30

Argiotoxin₆₃₆ Quisqualate-sensitive glutamate receptor channel; Non-competitive antagonism; Locust muscle (Kerry, C.J.) 459, 312

Arm

Primate; Cerebellar nucleus; Neuronal activity; Reach (MacKay, W.A.) 442, 240

Arm movement

Cerebellar intention tremor; Isometric contraction; Reversible cooling lesion (Flament, D.) 439, 179

Perturbation; Movement control (Soechting, J.F.) 451, 390

Mechanical impedance; Electromyographic pattern (Simmons, R.W.) 473, 134

Aromatase

 5α -Reductase; 5β -Reductase; Testosterone; Brain development; Sex dimorphism; Hypothalamus (Schumacher, M.) 441, 98

Testosterone metabolism; Zebra finch; 5α -Reduction; 5β -Reduction; Sexual differentiation (Vockel, A.) 463, 330

Aromatic amino acid decarboxylase Pineal gland; Pyridoxine deficiency; Serotonin; Melatonin; Rat (Viswanathan, M.) 473, 37

Aromatic L-amino acid decarboxylase

Tyrosine hydroxylase; Dopamine; Serotonin; Spinal cord; Immunohistochemistry; Mouse; Rat (Nagatsu, I.) 475, 91

Aromatic L-amino acid decarboxylase inhibition p-Tyramine; M-Tyramine; β-Phenylethylamine; Tryptamine; Lobster; Nerve cord (Juorio, A.V.)

444, 380

Aromatization

Testosterone; Estradiol; Primate; Hypothalamus; Amygdala; Preoptic area; Pituitary gland (Rees, H.D.) 452, 28

Aromatization inhibitor Estrogen receptor; Zebra finch;

Hypothalamus; Song system (Walters, M.J.) 459, 37

Respiratory rhythm; Multistability; Biologic oscillator; Sleep; Wakefulness (Vibert, J.-F.) 448, 403

Sleep; Aging; Temperature (Bowersox, S.S.) 457, 200

Arsenazo

Calcium; Peptidergic neuron; Adenosine monophosphate, cyclic; Aplysia; Afterdischarge (Woolum, J.C.) 444, 1

Arsenazo III

Calcium buffering; Ion-sensitive electrode; Molluscan neuron; Intracellular organelle (Levy, S.) 474, 333

Arterial baroreceptor nerve

Striatum: Dopamine: Norepinephrine; Cardiovascular regulation; Somatomotor/visceromotor integration (Alexander, N.) 444, 320

Arterial pressure

Hemorrhage; Adrenocorticotropic hormone (ACTH); Renin; Catecholamine; Baroreceptor reflex; Conscious rat (Darlington, D.N.) **439**, 289

Corticotropin-releasing factor; Regional vascular resistance; Rat (Grosskreutz, C.L.) 442, 363

Bicuculline; Cat; Electromyographic activity; γ-Aminobutyric acid; Heart rate; Hypothalamus; Muscimol; Phrenic nerve (Waldrop, T.G.) 444, 84

Arteriovenous anastomosis

Wheatgerm-agglutinated horseradish peroxidase (WGA-HRP); Transganglionic; Trigeminal nerve; Baroreceptor; Cat (Onodera, S.) 444, 273

Arthritis

Flexor reflex; Tenotomy; Rat; Chronic; Plasticity; Spinal cord (Wall, P.D.) 447, 215

Aspartate

Defence; Aggression; Midbrain periaqueductal grey region; Excitatory amino acid; D,L-Homocysteate; Kainate; Cat (Bandler, R.) 439, 95

γ-Aminobutyric acid; Immunohistochemistry; Deep cerebellar nucleus; Rat (Kumoi, K.) 439, 302

Cerebellum; Glutamate; Autoradiography; Mossy fiber; Granule cell (Garthwaite, G.) 440, 162

Quisqualate receptor; Brain; Postsynaptic density; Synaptic vesicle; Glutamic acid (Villanueva, S.) 440, 363

Microdialysis; Oxytocin; γ -Aminobutyric acid (GABA); Glutamate; Olfactory bulb; Vaginocervical stimulation; Sheep (Kendrick, K.M.) 442, 171

Cultured neuron; Cerebellum; Glutamate; Noradrenaline (Mori-Okamoto, J.) 448, 259

N-(1-[2-Thienyl]cyclohexyl)piperidine; Glutamate; Alzheimer's disease; Brain (Simpson, M.D.C.) 462, 76

Glutamate; Quisqualate; Kainate; N-Methyl-D-aspartate; Turtle cerebellum; Spreading depression; Ion-selective microelectrode (Lauritzen, M.) 475, 317

Association

Long-term potentiation; Hippocampus; Cooperativity (Buzsàki, G.) 455, 192

Associative learning

Cochlear nucleus; Deoxyglucose; Pavlovian conditioning; Rabbit; Autoradiography (Harvey, J.A.) 449, 213

Astrocyte

Epidermal growth factor (EGF); Neuron; Immunohistochemistry (Gómez-Pinilla, F.) 438, 385

Cell cycle; Fibroblast growth factor; In vitro (Kniss, D.A.) 439, 281

Synaptic density; Neuropil; Electron microscopy; Cerebellar culture;

Cytosine arabinoside (Meshul, C.K.) 441, 23

Bromodeoxyuridine; Glial growth factor from bovine pituitary; Human; Mitogen; Platelet-derived growth factor; Phorbol ester; Tissue culture (Yong, V.W.) 444, 59

ETS proto-oncogene; Astrocytoma; Human brain cortex (Amouyel, P.) 447, 149

Transplant; Microsphere; Fluorescence; Electron microscope (Emmett, C.J.) 447, 223

Heparin; Thymidine incorporation; Growth; Inhibition (Robertson, P.L.) 447, 341

Histamine; H₁-Receptor; Phosphoinositide hydrolysis; [3H]Mepyramine; Extracellular calcium (Arbonés, L.) 450, 144

Functional recovery; Brain transplant; Hippocampus; Trophic factor; Kainate (Kesslak, J.P.) 454, 347

Glial fibrillary acidic protein; Arcuate nucleus; Hippocampus; Globus pallidus; Estradiol; Testosterone; Sex difference; Immunocytochemistry (Garcia-Segura, L.M.) 456, 357

Glia; Glutamate dehydrogenase; Glutamine synthetase; Glutaminase; Glutamate; Ammonia; α-Ketoglutarate (Kaneko, T.) **457**, 160

Rat brain cell culture; Glial fibrillary acidic protein; Fetal calf serum; Factor; Differentiation (Bologa, L.) 457, 295

Hippocampus; Plasticity; Sprouting; Degeneration; Cytoskeleton; Pathology; Spectrin (Ivy, G.) 459, 233

Dentate gyrus; Basket cell; Chronic ethanol; Granule cell; Short-sleep mice; Long-sleep mice (Scheetz, A.J.)

3,3-Diethylthiadicarboxyamineiodide; Membrane potential; Potassium; Glutamate receptor; Kainate; Quisqualate; N-Methyl-D-aspartate (Enkvist, M.O.K.) 462, 67

Basic fibroblast growth factor; Acidic fibroblast growth factor; Central nervous system; White matter; Angiogenesis; Regeneration (Ferrara, N.) 462, 223

Sialic acid; Receptor; β -Glucuronidase; C6 glioma (Jenkins, H.G.) 462, 265

Astrocyte culture

Conditioned medium; Neuronal development; Insulin-like factor; Neurotrophic activity (Kadle, R.) **460**, 60

Astrocytoma

ETS proto-oncogene; Human brain cortex; Astrocyte (Amouyel, P.) 447, 149

Astroglia

Central neuron; Peripheral neuron; Detachment; Primary culture (Gilad, G.M.) **458**, 249

Ganglioside; Neuron; Source of astroglial ganglioside (Byrne, M.C.) **461,** 87

Ganglioside (Sbaschnig-Agler, M.) **461**, 98

Asymmetric synapse

Glutamate; Somatic sensory cortex; Visual cortex; Cat; Immunocytochemistry (Defelipe, J.) **455,** 162

Asymmetry

Rotation; Amphetamine; Apomorphine; Striatum; Receptor, D₁-; Receptor, D₂-; Lateralization; N-Methylspiperone; SCH-23390 (Glick, S.D.) **455**, 43

In vivo microdialysis; Amphetamine; Dopamine; Striatum; Rotation (Glick, S.D.) 473, 161

Ca2+-ATPase

Peripheral nerve; Axon; Dorsal root ganglia (DRG); Schwann cell; Myelin; Electron microscopic cytochemistry (Mata, M.) **445**, 47

Atrial natriuretic factor

Sodium nitroprusside; Cyclic guanosine monophosphate (GMP); Hippocampus; Immunocytochemistry; Rat (De Vente, J.) **446**, 387

Autoradiography; Brain nucleus; Renin angiotensin system; Angiotensin converting enzyme; Hypertension; Receptor; Atriopeptin (Nazarali, A.J.) 475, 134

Atrial natriuretic polypeptide

Angiotensin II; Subfornical organ; Brain slice preparation; Rat; Body fluid homeostasis (Hattori, Y.) **443**, 355

Atriopeptin

Autoradiography; Brain nucleus; Renin angiotensin system; Angiotensin converting enzyme; Hypertension; Receptor; Atrial natriuretic factor (Nazarali, A.J.) 475, 134

Atropine

Thyrotropin-releasing hormone; MK-771; Wet-dog shake; Scopolamine (Sills, M.A.) **453**, 385

Atropine sulfate

Hypothalamus; Estradiol binding site; Bethanechol; Sex difference (Lauber, A.H.) **443**, 21

Auditory brainstem response; Brainstem auditory evoked potential; Cortical auditory evoked potential; Rat (Church, M.W.) **456**, 224

AtT-20 pituitary cell

Somatostatin; Adrenocorticotropic hormone (ACTH) secretion; Potassium channel; Pertussis toxin; G-protein (Pennefather, P.S.) 444, 346 Attachment

Freeze-fracture; Colloidal gold; Cell surface; Antigen; Cell surface attachment (CSAT) (Quick, D.C.) **440**, 243

Attention

Locus ceruleus; Noradrenaline; Memory (Sara, S.J.) 438, 299

Prefrontal cortex; Behavioral significance; Stimulus evaluation; Motivation; Monkey (Yajeya, J.) **474,** 222

Audio-motor reflex

Periodontal reflex; Masseter muscle; Human; Masticatory motor control (Van der Glas, H.W.) 444, 284

Audiovisual integration

Inferior colliculus; Visual cell; Visual midbrain; Visual system; Tectum (Mascetti, G.G.) 442, 387

Audition

Vision; Orientation; Neurophysiology; Behavior (Stein, B.E.) 448, 355

Auditory brainstem response

Atropine sulfate; Brainstem auditory evoked potential; Cortical auditory evoked potential; Rat (Church, M.W.) **456**, 224

Auditory cortex

Cortical topography; Binaural cortical neuron; Tonotopic organization (Phillips, D.P.) **443**, 281

Functional organization; Complex-sound processing; Echolocation; Bat (Wong, D.) **453**, 349

Auditory pathway

Glycine; Anti-glycine antibody; Immunocytochemistry; Glycinergic neuron; Vestibular ganglion (Aoki, E.) **442**, 63

Superior olivary nuclei; Inferior colliculus; Insectivora; Mole; Wheat germ-agglutinin horseradish peroxidase; Adaptation; Binaural hearing (Kudo, M.) **463**, 352

Auditory physiology

Evoked potential; Hair cell; Non-linear analysis (Regan, D.) 438, 363

Auditory system

Light microscopy; Anterograde degeneration; Nerve fiber; Myelin (Hoeffding, V.) **449**, 104

Spiral ganglion; T II neuron; Neurofilament subunits; Immunocytochemistry; Rat (Romand, R.) 462, 167

Augmenting firing

Inspiratory neuron; Expiratory neuron; Decrementing firing; Ventral respiratory group; Distribution (Ezure, K.) 455, 262

Autoimmunity

Central nervous system-systemic lupus erythematosus; Brain reactive

autoantibody; Neuroblastoma; Brain antigen; Cell surface antigen (Hoffman, S.A.) 452, 358

Autonomic nerve

2,5-Hexanedione; Neurofilament; Neuronal cytoskeleton; Enteric nervous system (Ferri, G.-L.) 444, 383

Autonomic nervous system Visceral afferent; Referred pain; Cardiovascular regulation; Viscerosomatic integration (Knuepfer, M.M.) 446, 17

Adrenal gland; Dorsal root ganglion; Sympathetic ganglion; Sympathetic preganglionic neuron (Strack, A.M.) **455**, 187

Zona incerta; Hypothalamus; Subthalamic nucleus; Cardiovascular control; L-Glutamate; Autoradiography (Spencer, S.E.) **458**, 72

Von Ebner's gland; Tongue; Circumvallate papilla; Salivary gland; Taste (Gurkan, S.) **473**, 127

Fastigial nucleus; Parabrachial nucleus; Electrical stimulation; Blood pressure; Heart rate; Respiration; Cardiovascular system (Miura, M.) 473, 352

Autonomic neuropathy Adrenergic neuropathy; Guanethidine sulfate (Zochodne, D.W.) **461**, 10

Autonomic system

Neuropeptide; Calcitonin gene-related peptide; Immunohistochemistry; Receptor binding site; Motor system; Sensory system; Rat (Kruger, L.) 463, 223

Autoradiography

Dopamine receptor; D₁ receptor; D₂ receptor; In vitro; Pigeon brain; Basal ganglia (Dietl, M.M.) **439**, 354

Cerebellum; D-[³H]Aspartate; Glutamate; Mossy fiber; Granule cell (Garthwaite, G.) **440**, 162

Competition study; Oxytocin; Rat brain; Synthetic structural analogue; V_1 receptor; Vasopressin (Tribollet, E.) 442, 105

D₁-Receptor; Cyclic adenosine monophosphate; 6-Hydroxydopamine lesion (Ariano, M.A.) **443**, 204

Brattleboro rat; Dehydration; Dynorphin; κ-Opiate receptor; Receptor down-regulation; Vasopressin (Brady, L.S.) **443**, 398

Angiotensin II; Spinal cord; Culture; Receptor; Neuron; Glial cell (Simonnet, G.) **443**, 403

Muscarinic receptor; Guinea pig myenteric neuron; Neuropeptide; Immunocytochemistry (Buckley, N.J.) 445, 152

Hippocampal receptor; Cerebellar receptor; Insulin-like growth factor-II (Smith, M.) **445**, 241

MCD peptide receptor; Ionic channel; Ontogenesis; Rat brain; Seizure (Mourre, C.) 446, 106

Vasopressin; Central receptor; Peptide; Homogenate binding (Lawrence, J.A.M.) **446**, 212

Parabrachial nucleus; Nucleus raphe magnus; Nociception; Limbic system (Holstege, G.) 447, 154

Axonal tract tracing; Wheatgerm agglutinated horseradish peroxidase; Leucine; Somesthetic pathway (Nothias, F.) 447, 169

Cochlear nucleus; Deoxyglucose; Pavlovian conditioning; Associative learning; Rabbit (Harvey, J.A.) **449,** 213

Cytochalasin B; Glucose transporter; Rat brain (Tucker, S.P.) 450, 131

Photoaffinity labeling; Flunitrazepam; Clonazepam; Ro 15-4513; Different benzodiazepine binding protein; Peptide mapping; Papin (Sieghart, W.) **450**, 387

ω-Conotoxin; Calcium channel; Distribution; Rat; Brain (Takemura, M.) **451**, 386

Rat; Biological rhythm; Light effect (Pauly, J.R.) 452, 105

Spatial coding; Olfaction; Antennal lobe; Olfactory stimulation; Deoxyglucose (Rodrigues, V.) **453**, 299

Serotonin; Receptor, 5-HT₂; Serotonergic axon; Dorsal raphe; Cerebral cortex; Receptor binding; Immunocytochemistry (Blue, M.E.) **453**, 315

Desmethylimipramine; Human brain; Suicide (Gross-Isseroff, R.) **456**, 120

Brain injury; Reactive astrocyte proliferation; Newborn rat; Glial fibrillary acid protein; Immunocytochemistry (Janeczko, K.) **456**, 280

Nucleus tractus solitarii; Taste; Parabrachial nucleus; Hamster; Horseradish peroxidase (Travers, J.B.) **457**, 1

Bromodeoxyuridine; Immunohistochemistry; [³H]Thymidine; Cortex; Hippocampus; Dentate gyrus (Miller, M.W.) 457, 44

Cat visual cortex; α_1 -Adrenoceptor; α_2 -Adrenoceptor; β -Adrenoceptor (Parkinson, D.) **457**, 70

Canary; Brain; Vasotocin; Receptor; Testosterone (Voorhuis, Th.A.M.) **457**, 148

Neurotensin binding; Rat brain; Rat uterus; Dynorphin; L-156,903; Levocabastine (Pettibone, D.J.) **457**, 212

Zona incerta; Hypothalamus;

Subthalamic nucleus; Cardiovascular control; Autonomic nervous system; L-Glutamate (Spencer, S.E.) **458**, 72

Substance P receptor; Superior cervical ganglion; Tissue culture; Neuron; Rat (James, S.) **458**, 205

Adenosine receptor; Hippocampus; Ischemia; Kainate (Onodera, H.) **458**, 212

Oxygen; Brain metabolism; Hyperoxia; Oxygen poisoning; Glucose utilization; 2-Deoxyglucose (Torbati, D.) **459**, 187

Local cerebral glucose utilization; Cholinergic marker; Deoxyglucose; Nucleus basalis magnocellularis; Dementia (Orzi, F.) **462**, 99

Receptor; Benzodiazepine; Superior colliculus; Electron microscopy (Pinard, R.) **474**, 48

Muscarinic; Cholinergic; Receptor; ³H-1-Quinuclidinylbenzilate-binding; Cohclea; Efferent (Van Megen, Y.J.B.) **474,** 185

Deoxyglucose; Alcohol; Brain; Cerebral cortex (Miller, M.W.) **474**, 316

Periaqueductal gray; Substance P binding site; Substance P immunoreactive neuron (Liu, R.P.C.) 475, 73

Brain nucleus; Renin angiotensin system; Angiotensin converting enzyme; Hypertension; Receptor; Atriopeptin; Atrial natriuretic factor (Nazarali, A.J.) 475, 134

Sympathetic ganglion; Deafferentation; Hypertension, genetic; Neuropeptide receptor; Renin angiotensin system (Pinto, J.E.B.) 475, 146

 α_2 -Adrenoceptor; [3 H]UK-14304; Membrane binding; Human brain (Pazos, A.) 475, 361

Autoradiography, quantitative Serotonin uptake site; Cyanoimipramine (Kovachich, G.B.) **454,** 78

Autoregulation

Local cerebral blood flow; Blood-brain barrier; Monoamine oxidase inhibitor (Lasbennes, F.) **454**, 205

Aversion

Withdrawal; Methylnaloxone; Place conditioning; Morphine dependence (Hand, T.H.) **474**, 364

Aversive behavior

Substance P; Opioid peptide; Passive immunization; Intrathecal injection; Mouse (Sakurada, T.) **442**, 191

Aversive conditioning

Regional cerebral glucose utilization; Conditioned fear; Conditional emotional response; Rat; Stress (Bryan, R.M.) 444, 17

Avian

Circadian; Suprachiasmatic nucleus; Periventricular preoptic nucleus; Ventral lateral geniculate nucleus; Lateral anterior nucleus (Cassone, V.M.) **459**, 178

Avian brain

Catecholamine content; Dopamine; Prefrontal cortex equivalent; Strain difference (Divac, I.) 444, 371

Avoidance conditioning

Learning; Memory; Goldfish brain protein; Ependymin; Shuttle-box training; Long-term memory; Extracellular glycoprotein (Piront, M.-L.) 442, 53

Avoidance training

Dendritic spine; Chick; Amnesia (Patel, S.N.) 463, 168

Awake monkey

Pulvinar; Unit activity; Motor behavior; Sensory response (Magariños-Ascone, C.) 445, 30

Axo-axonic junction

Mesolimbic; Neuropeptide; Dual labeling (Pickel, V.M.) 444, 247

Axoglial junction

Ranvier's node; Wallerian degeneration; Demyelination; Freeze-fracturing; Optic nerve; Myelin; Axolemma (Hasegawa, M.) 452, 345

Axolemma

Filipin; Tomatin; Saponin; Calcium; Lipid domain; Extracellular matrix; Membrane-associated cytoskeleton; Cytoskeleton; Cholesterol (Fields, R.D.) 443, 231

Ranvier's node; Axoglial junction; Wallerian degeneration; Demyelination; Freeze-fracturing; Optic nerve; Myelin (Hasegawa, M.) 452, 345

Axon

Ca²⁺-ATPase; Peripheral nerve; Dorsal root ganglia (DRG); Schwann cell; Myelin; Electron microscopic cytochemistry (Mata, M.) **445**, 47

Axonal transport; Organelle motion; Video microscopy (Smith, R.S.) **446,** 26

Corpus callosum; Sex difference; Ultrastructure; Differential environment (Juraska, J.M.) 450, 1

Tubulin; Cold stability; Microtubule; Nervous system; Isoelectric focusing; Mouse (Binet, S.) **450**, 231

Freeze-fracture; Membrane; Myelination (Waxman, S.G.) 453, 337

Calmodulin; Peripheral nerve; Schwann cell; Immunocytochemistry; Schmidt-Lanterman cleft (Mata, M.) 475, 297

Axon collateral

Neural control of respiration; Phrenic

motor column; Horseradish peroxidase; Neuroanatomy; Synaptic terminal (Dick, T.E.) 449, 201

Axon hillock

Cation-binding; Trigeminal perikaryon; Stem axon; Node; Schwann cell (Byers, M.R.) **443**, 125

Axon length

Nerve sprouting; Neuromuscular junction; Botulinum toxin (Pestronk, A.) **463**, 218

Axon reaction

Peripheral nerve; Injury; Transglutaminase (Tetzlaff, W.) **445**, 142

Chromatolysis; Motor neuron; Nerve injury; Regeneration; Perikaryal response (Bowe, C.M.) **463**, 69

Tubulin; In situ hybridization; Neuronal plasticity; Axonal sprouting (Pearson, R.C.A.) **463**, 245

Axon reflex

Hyperalgesia; Nociceptor; Pain; Sensitization; Unmyelinated fiber (Meyer, R.A.) **441**, 168

Flare; Wheal; Sweating; Histamine; Substance P; Nicotine; Capsaicin (Izumi, H.) **449**, 328

Axon terminal

Proteolysis; Thiolprotease inhibitor; Anterograde-retrograde conversion; Membranous organelle; Tubulovesicular organelle (Sahenk, Z.) **460,** 199

Visual system; Lateral geniculate body; Optic tract; Retinal projection; Hamster (Erzurumlu, R.S.) **461**, 175

Axonal branching

Antidromic mapping; Medullospinal sympathetic neuron; Spike-triggered averaging; Sympathetic nerve discharge (Barman, S.M.) 441, 371

Axonal diameter

Conduction velocity; Soma size; Cat pyramidal tract cell; Horseradish peroxidase staining (Sakai, H.) 460, 1

Axonal growth

Fast axoplasmic transport; Aging; Acetylcholinesterase; Phrenic nerve; Axonal microtubule (Inestrosa, N.C.) 441, 331

Axonal guidance

Visual pathway; Regeneration; Goldfish (Airhart, M.J.) 460, 383

Axonal injury

Primary sensory neuron; Horseradish peroxidase; Dorsal root ganglion; Neuronal labeling; Neuron metabolism; Nerve anastomosis (Peyronnard, J.M.) 443, 295

Axonal mapping

Neural control of respiration; Spike-triggered averaging; Bulbospinal tract; Phrenic motoneuron; Inspiration (Dick, T.E.) 454, 31

Axonal microtubule

Fast axoplasmic transport; Axonal growth; Aging; Acetylcholinesterase; Phrenic nerve (Inestrosa, N.C.) **441,** 331

Axonal projection

Nucleus tegmenti pedunculopontinus; Double labeling; Cholinergic (Goldsmith, M.) **445**, 386

Axonal regeneration

Conditioning lesion; Nerve transection; Nerve freeze; Sciatic nerve; Rat; Tenotomy; Neurotrophic factor (Bondoux-Jahan, M.) 449, 150

Guidance channel; Nerve transection; Permeable tube; Neurotropism (Aebischer, P.) **454**, 179

Axonal sprouting

Calcitonin gene-related peptide; Neurogenic inflammation; Sensory receptor (Taylor, P.E.) 461, 371

Axon reaction; Tubulin; In situ hybridization; Neuronal plasticity (Pearson, R.C.A.) **463**, 245

Axonal tract tracing

Wheatgerm agglutinated horseradish peroxidase; Leucine; Autoradiography; Somesthetic pathway (Nothias, F.) 447, 169

Light microscopy; Electron microscopy; Regenerating growth cone; Wheat germ-agglutinated horseradish peroxidase (Nothias, F.) **461**, 349

Axonal trajectory

Trigeminal nucleus oralis; Trigeminal motor nucleus; Intracellular HRP injection (Shigenaga, Y.) **461**, 143

Axonal transport

Diabetes; Streptozotocin; Acetylcholinesterase; Peripheral neuropathy (Macioce, P.) 438, 291

Acrylamide; Retrograde transport; Sciatic nerve; Neurotoxin; Neurotoxicology; Axonopathy; Neuropathy (Moretto, A.) **440**, 18

Corticotropin-releasing factor; Adrenalectomy; Colchicine; Secretory activity (Berkenbosch, F.) 442, 312

Axon; Organelle motion; Video microscopy (Smith, R.S.) 446, 26

Angiotensin-converting enzyme inhibitor; Kininase II; Brain transport; Quantitative autoradiography; Peptidase; Striatonigral pathway (Aiso, M.) 447, 195

Monoclonal antibody; Thy 1 antigen; OX7; Immunoperoxidase (LaRocca, C.D.) 449, 381

GAP43; B50; F1; Nerve regeneration; Dorsal root ganglion (Bisby, M.A.) **458**, 157

Neurofilament; Tubulin; Presynaptic

terminal (Garner, J.A.) 458, 309

T-Lymphocyte; Demyelination; Optic nerve; Multiple sclerosis; Semliki Forest virus (Jenkins, H.G.) **459**, 145

Actin; Crossbridge; Microtubule; Neurite; Cytoskeleton; Immunoelectron microscopy (Nagele, R.G.) 474, 279

Axonopathy

Acrylamide; Retrograde transport; Axonal transport; Sciatic nerve; Neurotoxin; Neurotoxicology; Neuropathy (Moretto, A.) 440, 18

Axoplasmic flow

Histocytochemistry; Electron microscopy; Ventral root; Spinal cord; Motor neuron; Ranvier's node; Initial axon segment (Berthold, C.-H.) **456**, 293

Axospinous synaptic junction Dendritic spine; Degeneration; Structural alteration; Spiny stellate neuron; Thalamocortical; Somatosensory cortex (Benshalom, G.)

Axotomized internuclear neuron Abducens nucleus; Alert cat; Eye movement; Oculomotor nucleus lesion (Delgado-García, J.M.) 443, 333

Axotomy

443, 377

Respiration; Regeneration; Nerve transplant; Rat; Electrophysiology; Brainstem (Gauthier, P.) 438, 225

Gene expression; Neuronal gene; Nucleic acid hybridization; Tyrosine hydroxylase (Koo, E.H.) **449**, 361

Histochemistry; Peripheral nerve; Carbonic anhydrase; Cholinesterase; Nerve regeneration; Myelinated axon; Motor nerve fiber; Sensory nerve fiber (Riley, D.A.) 453, 79

Neurofilament; Phosphorylation; Deafferentation; Regeneration; Alzheimer's disease (Shaw, G.) 460, 227

Cholinergic neuron; Retrograde degeneration; Cell death; Choline acetyltransferase; Acetylcholinesterase (Lams, B.E.) 475, 401

B

B50

GAP43; F1; Nerve regeneration; Dorsal root ganglion; Axonal transport (Bisby, M.A.) **458**, 157

Baboon

Androgen receptor; R1881

(Handa, R.J.) 445, 111

Baclofen

γ-Aminobutyric acid (GABA); γ-Aminobutyric acid-B receptor (GABA_B receptor); Potassium conductance; Locus ceruleus; Intracellular recording (Osmanović, S.S.) 438, 124

S1 cortex; Receptive field; GABA_B; Natural stimulation; Microiontophoresis (Kaneko, T.) **443,** 360

Lateral geniculate nucleus; Thalamus; Hippocampus; γ -Aminobutyric acid; Inhibitory postsynaptic potential, $GABA_A$; Inhibitory postsynaptic potential, $GABA_B$ (Soltesz, I.) 448, 351

Receptor, GABA_B; Adenosine monophosphate, cyclic; Protein kinase C; Phorbol ester (Scherer, R.W.) **451,** 361

G protein; Pertussis toxin; Serotonin; Dorsal raphe (Innis, R.B.) 459, 27

Corticotropin-releasing hormone; γ-Aminobutyric acid; Rat hypothalamus; Diazepam; Muscimol (Calogero, A.E.) **463**, 28

Baclofen-induced suppression Phaclofen; Visually evoked response; Striate cortex (Baumfalk, U.) **463**, 398

D A DULA

Afterhyperpolarization; Calcium-activated potassium conductance; Cadmium; EGTA; Potassium channel blocker; Tetraethylammonium (Zhang, L.) 462, 174

Barbiturate

Perigeniculate nucleus; Dorsal lateral geniculate nucleus; Acetylcholine; Corticogeniculate activity; Nicotinic receptor; Muscarinic receptor (Pape, H.-C.) 440, 79

Benzodiazepine; Chloride ion; Midazolam; Pentobarbital; γ-Aminobutyric acid; Chloride flux; Rat brain (Yu, O.) **451,** 376

Barium

Isolated frog labyrinth; Synaptic transmission; Calcium; K⁺-channel blocker (Rossi, M.L.) **452**, 312

Barium action potential

Glia; Hippocampus; Primary culture; Electrophysiology (Walz, W.) 443, 321

Baroreceptor

Wheatgerm-agglutinated horseradish peroxidase (WGA-HRP); Transganglionic; Trigeminal nerve; Arteriovenous anastomosis; Cat (Onodera, S.) 444, 273

Visceral; Sensory; Brainstem; Nucleus tractus solitarii; Medulla (Torrealba, F.) **455**, 134

Baroreceptor reflex

Hemorrhage; Adrenocorticotropic hormone (ACTH); Renin; Catecholamine; Arterial pressure; Conscious rat (Darlington, D.N.) 439, 289

Substance P; Blood pressure control; Capsaicin; Nucleus tractus solitarii; Chemoreceptor reflex (Takano, Y.) **445**, 188

Raphe; Blood pressure; Cardiovascular (Haselton, J.R.) 453, 167

Aortic nerve; Ventrolateral medulla; Nucleus tractus solitarii; Rabbit (Wang, Q.) **473**, 227

Baroreflex

Angiotensin II; Basal heart rate; Sympathetic nervous system; Captopril; Blood pressure regulation; Converting enzyme inhibitor (Menani, J.V.) 446, 295

Barrel

Mouse; Rat; Somatosensory cortex; Vibrissa; Anti-γ-aminobutyric acid (anti-GABA) serum; Immunocytochemistry (Chmielowska, J.) 439, 155

Barrel cortex

Intracellular; Whisker; Excitatory postsynaptic potential; Inhibitory postsynaptic potential; Columnar organization (Carvell, G.E.) 448, 186

Barrel receptor field

Locus ceruleus; Vibrissa; Cerebral metabolism; 2-Deoxyglucose (Levin, B.E.) **443**, 261

Barrel rotation

Neurotoxicity; Cerebellum; Somatostatin; Vasopressin; Convulsion; Pulmonary edema (Balaban, C.D.) **445,** 117

Neurotoxicity; Neuropeptide; Convulsion; Diazepam (Balaban, C.D.) 458, 91

Barrelfield

Posterior thalamic complex; Somatosensory cortex; Vibrissa (Koralek, K.-A.) 463, 346

Basal forebrain

Aging; Nerve growth factor (NGF) receptor; Neuronal death (Koh, S.) **440**, 396

Acetylcholine turnover; Working memory; Cortex; Carbachol (Robinson, S.E.) **445**, 160

Somatostatin; Amygdala; Human; Alzheimer's disease; Immunohistochemistry (Mufson, E.J.) 453, 117

Graft; Unit activity; Microiontophoresis; Cholinergic neuron (Bassant, M.H.) **460**, 8

Basal forebrain lesion

Rat; Cortical blood flow; Cholinergic

vasodilation; Pyrethroid insecticide (Lister, T.) **450**, 364

Basal ganglia

Dopamine receptor; D₁ receptor; D₂ receptor; In vitro; Autoradiography; Pigeon brain (Dietl, M.M.) **439**, 354

Muscarinic cholinergic receptor; Pigeon brain; Telencephalon; Cerebellum (Dietl, M.M.) **439**, 360

γ-Aminobutyric acid/benzodiazepine receptor; Pigeon brain; CI 218872; γ-Aminobutyric acid; Cerebellum (Dietl, M.M.) **439**, 366

Calcium binding protein; Caiman crocodilus; Immunocytochemistry (Brauth, S.E.) **452**, 367

γ-Aminobutyric acid; Immunohistochemistry; Squirrel monkey; Amino acid (Smith, Y.) **453**, 353

Parkinson's disease; Striatum; Medium spiny I neuron; Neurodegenerative disease (McNeill, T.H.) 455, 148

Cortex; Striatum; Microdialysis; Alzheimer's disease; Monoganglioside GM1 (Maysinger, D.) **461**, 355

Primate; Macaque; Centre médian; Parafascicular nucleus; Medial nucleus of the pallidum; Substantia nigra (François, C.) 473, 181

Partial seizure; Kindling; Transfer; Premotor cortex; Hippocampus (Ono, K.) 475, 182

Basal ganglia output

γ-Aminobutyric acid (GABA) receptor; Benzodiazepine receptor; Motor thalamus; Quantitative receptor autoradiography (Kultas-Ilinsky, K.) 459, 1

Basal heart rate

Angiotensin II; Baroreflex; Sympathetic nervous system; Captopril; Blood pressure regulation; Converting enzyme inhibitor (Menani, J.V.) 446, 295

Basal lamina

Brain stab wound; Glia limitans; Meninx; Regeneration (Carbonell, A.L.) 439, 337

Basal nucleus

Neocortex; Transplant; Plasticity; Regeneration (Höhmann, C.F.) 448, 53

Nerve growth factor; Cerebral cortex; Neostriatum; Rat; Neuronal degeneration; Rat brain injury; Brain plasticity (Lorez, H.P.) **454**, 355

Basal sympathetic tone

Rostral ventrolateral medulla; Pacemaker neuron; Reticulospinal neuron; Intracellular recording; Rat (Sun, M.-K.) **442**, 229

Rostral ventrolateral medulla; Pacemaker neuron; Reticulospinal neuron; C₁ adrenergic cell (Sun, M.-K.) 451, 345

Basic fibroblast growth factor Brain injury (Finklestein, S.P.) **460,** 253

Acidic fibroblast growth factor; Central nervous system; Astrocyte; White matter; Angiogenesis; Regeneration (Ferrara, N.) **462**, 223

Protein kinase C; Trophic factor; Neuron; Epidermal growth factor; Neurite outgrowth (Morrison, R.S.) 473, 141

Basilar artery

Oestrogen; Progesterone; Perivascular; Noradrenergic; Serotonin-like immunoreactivity; Rabbit (Dhall, U.) **442**, 335

Cerebral vascular innervation; Sympathetic innervation; Stellate ganglion; Vertebral artery; Anterograde tracing; Wheatgerm-agglutinated horseradish peroxidase (WGA-HRP) histochemistry; Rat (Arbab, M.A.) 445, 175

Basket cell

Dentate gyrus; Astrocyte; Chronic ethanol; Granule cell; Short-sleep mice; Long-sleep mice (Scheetz, A.J.) **460**, 246

Basolateral amygdala

Kindling; Anti-nerve growth factor serum; Intraventricular injection (Funabashi, T.) 458, 132

Bat

Auditory cortex; Functional organization; Complex-sound processing; Echolocation (Wong, D.) **453**, 349

Spatial sensitivity; Inferior colliculus; Sound localization (Schlegel, P.A.) **456,** 127

Batrachotoxin

Pyrethroid; Insecticide; Sodium channel; Batrachotoxinin A 20-α-benzoate (Lombet, A.) **459**, 44

Batrachotoxinin A 20-α-benzoate Pyrethroid; Insecticide; Sodium channel; Batrachotoxin (Lombet, A.) 459, 44

BAY K 8644

Nifedipine; Neurotransmitter metabolism; Dihydropyridine; Calcium channel (Bolger, G.T.) **438**, 101

Cerebral artery; Femoral artery; Nifedipine; CGP 28392; Vascular tone; Noradrenaline release (Fernández-Alfonso, M.S.) **474,** 147

Bed nucleus of stria terminalis

Affective defense behavior; D-Ala²-Met⁵-Enkephalinamide; Naloxone; Medial hypothalamus (Brutus, M.) **473**, 147

Behavior

△9-Tetrahydrocannabinol; Hippocampus; Morphometrics; Neuronal density; Glial reactivity; Corticosterone; Adrenocorticotropic hormone (ACTH) (Landfield, P.W.) 443, 47

Stimulation produced analgesia; Dorsal raphe nucleus; Periaqueductal gray; Opiate; Acetylcholine; Analgesia; Pain (Klatt, D.S.) 447, 246

Vision; Audition; Orientation; Neurophysiology (Stein, B.E.) 448, 355

Substance P; Capsaicin; Kainic acid; Picrotoxin; Strychnine; Morphine; L-Glutamic acid; Pain; Spinal cord (Frenk, H.) **455**, 223

Substance P; Strychnine; Kainic acid; L-Glutamic acid; Morphine; Analgesia; Pain; Spinal cord (Bossut, D.) **455**, 232

Substance P; Valproic acid; Kainic acid; Strychnine; Morphine; Pain; Spinal cord; Chlordiazepoxide (Frenk, H.) **455**, 240

2-Amino-5-phosphonovalerate, [D-Pro²,D-Trp^{7,9}]-substance P; Substance P; Pain; Analgesia; Strychnine; Kainic acid; Morphine (Bossut, D.) **455**, 247

Nucleus accumbens; Lateralization; Frontal cortex; Dopamine (Starkstein, S.E.) **473**, 74

Pentobarbital; Crayfish; Tolerance; Facilitation; Synapse (Winegar, B.D.) **475**, 21

Behavior-CRF

Corticotropin-releasing factor (CRF); Hypothalamus; Grooming behavior (Krahn, D.D.) 443, 63

Behavioral control of breathing Respiratory neuron (Orem, J.) 458, 224

Behavioral recovery

Dopamine; Striatum; Electrophysiology; 6-Hydroxydopamine (Nisenbaum, E.S.) **473**, 389

Striatal transplant; Muscarinic cholinergic receptor; Kainic acid; Huntington's disease; Locomotor activity; Spontaneous alternation (Deckel, A.W.) 474, 27

Neostriatum; Striatum; Brain transplantation; Kainic acid; Dopamine receptor; Locomotor activity (Deckel, A.W.) 474, 39

Behavioral restoration

Electrolytic ventral mesencephalic tegmentum lesion; Locomotor hyperactivity; Spontaneous alternation; Noradrenergic—dopaminergic (NA-DA) interaction; Receptor heteroregulation (Taghzouti, K.) 440, 172

Behavioral sensitization

Substance P-like immunoreactivity;

Substance P receptor number; Methamphetamine; Schizophrenia (Ujike, H.) **453**, 136

Behavioral significance

Prefrontal cortex; Stimulus evaluation; Attention; Motivation; Monkey (Yajeya, J.) **474**, 222

Behavioral withdrawal

Opiate withdrawal; Fasciculus retroflexus; Interpeduncular nucleus; 2-Deoxyglucose autoradiography; Rat; Lesion (Cutlip, A.C.) 451, 54

Benzodiazepine

Flurazepam; y-Aminobutyric acid (GABA); Muscimol; Substantia nigra; Rotation; Circling; Tolerance (Tietz, E.I.) 438, 41

γ-Aminobutyric acid (GABA); Chloride influx; Membrane vesicle; β-Carboline (Malatynska, E.) 443, 395

Adenosine; Triazolam; Cerebral cortex (O'Regan, M.H.) 445, 376

Stress; Diazepam; Corticosterone; Sensitization; Pentylenetetrazole; Post-traumatic stress disorder (Antelman, S.M.) **445**, 380

Brainstem; Chlordiazepoxide (CDP); Feeding; Palatability; γ-Aminobutyric acid (GABA) (Berridge, K.C.) 447, 262

Barbiturate; Chloride ion; Midazolam; Pentobarbital; γ-Aminobutyric acid; Chloride flux; Rat brain (Yu, O.) **451,** 376

γ-Aminobutyric acid (GABA); Selective breeding; t-Butylbicyclophosphorothionate (TBPS); Diazepam-sensitive (DS) mouse; Diazepam-resistant (DR) mouse (Allan, A.M.) 452, 118

Tolerance; Substantia nigra pars reticulata; Flurazepam (Tyma, J.L.) **453**, 344

Ethanol; Alcohol; γ-Aminobutyric acid; Glycine; Glutamate (Celentano, J.J.) **455**, 377

Clonazepam; Palatability; Sweet taste; Zolpidem; Fluid intake; Rat (Cooper, S.J.) **456**, 173

Learning; Memory; CGS 8216; Flumazenil (Ro 15-1788) (Kumar, B.A.) **460**, 195

Analgesia

3α-Hydroxy-4-pregnen-20-one; Follicle stimulating hormone suppression; Steroid; γ-Aminobutyric acid; Opiate; Calcium channel antagonist; Naloxone; Verapamil; Nifedipine; Ro 15-1788; Picrotoxin; Bicuculline; Tyr-MIF-1; Morphine (Wiebe, J.P.) 461, 150

Crossed extensor reflex; Extracellular unit; Lateral vestibular nucleus; Intracranial microinjection; Iontophoresis (Kawasaki, K.) 461, 282

Receptor; Autoradiography; Superior colliculus; Electron microscopy (Pinard, R.) 474, 48

Benzodiazepine antagonist

Circadian rhythm; Triazolam; γ-Aminobutyric acid; Benzodiazepine receptor (Van Reeth, O.) 444, 333

Benzodiazepine binding site

γ-Aminobutyric acid; Glutamic acid decarboxylase; Human postmortem brain; Suicide; Depression; Antidepressant drug (Cheetham, S.C.) **460**, 114

Benzodiazepine ligand

N-Methyl-β-carboline-3-carboxamide (FG 7142); Anxiety; Seizure; [¹⁴C]Deoxyglucose technique; Glucose utilization (Pratt, J.A.) 475, 218

Benzodiazepine receptor

Kindling; γ-Aminobutyric acid (GABA) receptor; Sensorimotor cortex; Receptor autoradiography (Santori, E.M.) 442, 261

Circadian rhythm; Triazolam; γ-Aminobutyric acid; Benzodiazepine antagonist (Van Reeth, O.) 444, 333

Adrenalectomy; Steroid; Hypophysectomy; Corticosterone (Miller, L.G.) **446**, 314

Human brain; Parkinson's disease; Progressive supranuclear palsy; Glutamic acid decarboxylase; [³H]Flunitrazepam (Maloteaux, J.-M.) **446,** 321

Primary cultured spinal cord neuron; γ-Aminobutyric acid receptor; Chloride channel; Development (Mehta, A.K.) **454,** 156

γ-Aminobutyric acid (GABA) receptor; Motor thalamus; Basal ganglia output; Quantitative receptor autoradiography (Kultas-Ilinsky, K.) **459**, 1

Benztropine

Tris chloride; Choline chloride; Sodium; Ouabain; Dopamine; Re-uptake; Striatum; Push-pull perfusion; Rat (Sirinathsinghji, D.J.S.) 438, 399

1-Methyl-4-phenyl-1,2,3,6-tetra-hydropyridine (MPTP);
1-Methyl-4-phenylpyridine (MPP+);
Dopamine; 3,4-Dihydroxyphenylacetic acid (DOPAC); Ouabain; Calcium;
EGTA; Push-pull perfusion;
High-performance liquid chromatography; Parkinsonism;
Neostriatum; Rat
(Sirinathsinghji, D.J.S.) 443, 101

Bergmann glia

Cerebellar development; Methylazoxymethanol; Gliogenesis; External granular layer; Glial filament protein (GFP) (Hillman, D.E.) 447, 353

Bestatin

Aminopeptidase inhibitor; Amastatin; Angiotensin II; Angiotensin III; Cerebroventricular metabolism; Drinking; Rat (Wright, J.W.) 441, 215

Angiotensin II; Angiotensin III; Amastatin; Cerebroventricle; Rat (Dewey, A.L.) 448, 369

Angiotensin II; Angiotensin III; [Sar¹]Angiotensin II; Amastatin; Blood pressure; Intracerebroventricular; Rat (Sullivan, M.J.) **456**, 249

Bethanechol

Hypothalamus; Estradiol binding site; Atropine sulfate; Sex difference (Lauber, A.H.) **443**, 21

Neonatal androgenization; Rat; Ovulation; Lordosis; Estrogen binding site (Lauber, A.H.) **456**, 177

Bicuculline

Arterial pressure; Cat; Electromyographic activity; γ-Aminobutyric acid; Heart rate; Hypothalamus; Muscimol; Phrenic nerve (Waldrop, T.G.) **444**, 84

γ-Aminobutyric acid; Muscimol; 4,5,6,7-Tetrahydro-isoxazolo [5,4-c]pyridin 3-ol (THIP); Intracerebral injection; Epilepsy, Electroencephalogram; Substantia nigra; Rat; Petit mal (Depaulis, A.) 448, 20

Antinociception; γ -Aminobutyric acid; Hyperalgesia; Nucleus raphe magnus; Nucleus reticularis gigantocellularis pars alpha; 4,5,6,7-Tetrahydroisoxazolo[5,4-c]pyridin-3-ol (Drower, E.J.) **450**, 316

Acetylcholine; γ-Aminobutyric acid; Nicotine; Muscarine; Receptor; Insect; Locust (Benson, J.A.) **458**, 65

Analgesia; 3α -Hydroxy-4-pregnen-20-one; Follicle stimulating hormone suppression; Steroid; γ -Aminobutyric acid; Opiate; Calcium channel antagonist; Benzodiazepine; Naloxone; Verapamil; Nifedipine; Ro 15-1788; Picrotoxin; Tyr-MIF-1; Morphine (Wiebe, J.P.) **461**, 150

Zona incerta-lateral hypothalamus; Ventromedial thalamic nucleus; Haloperidol; Catalepsy; γ-Aminobutyric acid-A receptor (Wardas, J.) 462, 378

Olfactory bulb; Neuron shrinkage (Tasaki, I.) 475, 173

Bicuculline methiodide

Red nucleus; Nictitating membrane response; γ-Aminobutyric acid; Classical conditioning; Picrotoxin (Haley, D.A.) **454**, 131

Bilateral symmetry

Serotonin; İmmunohistochemistry; Cerebral ganglion (Sukhdeo, S.C.) **463,** 57

Binary mixture

Leptinotarsa decemlineata; Olfaction; Electrophysiology; Odor quality coding; Receptor neuron; Suppression (De Jong, R.) 447, 18

Binaural

Temporary threshold shift; Acoustic stimulation; Crossed olivocochlear bundle; Protection (Rajan, R.) **459**, 241

Binaural cortical neuron

Auditory cortex; Cortical topography; Tonotopic organization (Phillips, D.P.) **443**, 281

Binaural hearing

Auditory pathway; Superior olivary nuclei; Inferior colliculus; Insectivora; Mole; Wheat germ-agglutinin horseradish peroxidase; Adaptation (Kudo, M.) 463, 352

Binding site

D₁-Dopamine receptor; Chicken retina; Cyclic adenosine monophosphate (cAMP); Development (Agui, T.) **452**, 49

Vasopressin; Immunocytochemistry; Accurel; Blood vessel; Brattleboro rat; Blood-brain barrier (Van Zwieten, E.J.) 474, 369

Binocular deprivation

Blindness; Positron emission tomography; Human; Visual cortex (Wanet-Defalque, M.-C.) **446**, 369

Binocular interaction

Lateral geniculate nucleus X-cell; Y-cell; Nitrous oxide; Cat; Monocular paralysis (Schroeder, C.E.) **454,** 227

Binomial release

Miniature end plate potential; Postsynaptic potential; End plate potential; Quantum; Non-stationary Poisson distribution; *Navanax inermis*; Gastropod; Mollusc (Cappell, M.S.) **454**, 244

Biochemical marker

Percoll; Synaptosome; Homogeneity; Electron microscopy; Morphology (Dunkley, P.R.) **441**, 59

Biogenic amine

Canine brain tissue; Freezer storage time; Metabolite; Receptor (Faull, K.F.) **450**, 225

Biologic oscillator

Respiratory rhythm; Multistability; Sleep; Wakefulness; Arousal (Vibert, J.-F.) 448, 403

Biological buffer

Fictive locomotion; Spinal cord; Lamprey; N-Hydroxyethylpiperazine-N-ethane sulfonic acid (HEPES) (Burton, N.R.) **440**, 159

Biological rhythm

Rat; Autoradiography; Light effect (Pauly, J.R.) 452, 105

Biomagnetism

Spreading depression; Migraine; Cerebellum; Evoked magnetic field (Okada, Y.C.) **442**, 185

Direct cortical response; Current source-density; Magnetoencephalography; Neocortex; Electrophysiology (Barth, D.S.) **450,** 280

Biosynthesis

N-Acetylaspartylglutamate (NAAG); Glutamate; γ-Aminobutyric acid (GABA); Neuropeptide; Amphibian; Synaptic release (Williamson, L.C.) **475,** 151

Biotin

Oligodendrocyte; Carbonic anhydrase; Acetyl-coenzyme A carboxylase; Pyruvate carboxylase (LeVine, S.M.) **444,** 199

Bipolar

N-Acetylaspartylglutamate; Acidic amino acid; Neuropeptide; Synaptic vesicle; Amphibian; Amacrine; Photoreceptor (Williamson, L.C.) **456,** 375

Bipolar cell

Retina; Serotonin; Amacrine cell; Ganglion cell; Chicken; Kainic acid; 5,7-Dihydroxytryptamine (Millar, T.J.) 439, 77

Electron microscopy; Immunohistochemistry; Tyrosine hydroxylase; Synaptic input (Hokoç, J.N.) **461**, 17

Bird

Neuron size; Plasticity; Deprivation; Visual system; Development (Herrmann, K.) **451**, 43

Bladder

Soman; Acetylcholine esterase inhibitor; Parasympathetic neuron; Nicotinic depolarization; Muscarinic hyperpolarization (Kumamoto, E.) **458**, 151

Bladder voiding cycle

4-Aminopyridine; Micturition reflex; Urinary bladder; Rat; Capsaicin-sensitive sensory neuron (Maggi, C.A.) 449, 61

Bleeding

Endogenous thyrotropin-releasing hormone; Cerebral ventricle; Passive immunization; Push-pull perfusion; Cardiovascular system; Conscious rat (Okuda, C.) 474, 399

Blindness

Positron emission tomography; Human; Binocular deprivation; Visual cortex (Wanet-Defalque, M.-C.) **446**, 369

Blood flow

Peripheral nerve; Blood vessel; Vasa nervorum; Carbon dioxide; Peripheral neuropathy; Mononeuritis; Ischemia; Regulation; Laser Doppler flowmetry (Rechthand, E.) **446**, 61 **Blood pressure**

Catecholamine; 6-Hydroxydopamine; Arg-vasopressin (Franklin, L.) 438, 295

Anteroventral third ventricle; Nucleus tractus solitarius; Hypertension; Vasopressin; Hypothalamus (Catelli, J.M.) 439, 330

Microdialysis; Hemorrhage; Noradrenaline; 3-Methoxy-4-hydroxyphenylethyleneglycol (MHPG); Serotonin; Uric acid; Supraoptic nucleus; Rat (Kendrick, K.M.) 440, 402

 γ_2 -Melanocyte-stimulating hormone; Anteroventral third ventricle; Heart rate; Sympathetic nervous system (Callahan, M.F.) **444**, 177

Sarthran; Receptor antagonist; Intracerebroventricular; Angiotensin; Spontaneously hypertensive rat (Jensen, L.L.) 448, 359

AFDX-116; cis-Methyldioxolane; Heart rate; Muscarinic receptor; Receptor, M₁; McN-A343; Pirenzepine; Wistar rat (Sundaram, K.) **449**, 141

Stimulation-produced analgesia; Periaqueductal gray matter; Superior colliculus; Tegmentum; Midbrain; Analgesia; Rat (Depaulis, A.) **451**, 326

Caudal ventrolateral medulla; N-Methyl-D-aspartate; 2-Amino-5-phosphonovalerate; Excitatory amino acid; Push-pull perfusion; Rat (Kubo, T.) 451, 366

Raphe; Cardiovascular; Baroreceptor reflex (Haselton, J.R.) 453, 167

Raphe; Defense response; Hypothalamus; Periaqueductal gray; Intermediolateral horn (Haselton, J.R.) **453,** 176

Angiotensin; Cardiovascular locus; Saralasin; Spinal cord (Pant, K.K.) **454,** 400

Angiotensin II; Water intake; Vasopressin antagonist; Brattleboro rat (Harland, D.) 455, 58

Drinking; Angiotensin II; Catecholamine; Angiotensin-induced thirst; Angiotensin-induced pressor response (Bellin, S.I.) **456**, 9

 α -Methyldihydroxyphenylalanine; α_2 -Adrenoceptor; β -Adrenoceptor; Nucleus tractus solitarii (Tung, C.-S.) **456,** 64

Angiotensin II; Angiotensin III; [Sar¹]Angiotensin II; Amastatin; Bestatin; Intracerebroventricular; Rat (Sullivan, M.J.) **456**, 249

Catecholamine; Epinephrine; Norepinephrine; Vasopressin; Conscious rabbit (Martin, S.M.) 457, 192

Central nervous system; γ-Aminobutyric acid; Glutamate;

Medulla oblongata (Gordon, F.J.) 457, 251

Defence reaction; Hypertension; Midbrain periaqueductal grey; Subretrofacial nucleus; Rostral ventrolateral medulla; Excitatory amino acid (Carrive, P.) 460, 339

Pons; Parabrachial nucleus; Locus ceruleus; Excitatory amino acid (Ward, D.G.) **462**, 383

Fastigial nucleus; Parabrachial nucleus; Electrical stimulation; Heart rate; Respiration; Autonomic nervous system; Cardiovascular system (Miura, M.) 473, 352

Blood pressure control

Substance P; Capsaicin; Nucleus tractus solitarii; Baroreceptor reflex; Chemoreceptor reflex (Takano, Y.) 445, 188

Blood pressure regulation Endogenous opioid; Nalaxone methylbromide (Mosqueda-Garcia, R.) 442, 119

Angiotensin II; Basal heart rate; Baroreflex; Sympathetic nervous system; Captopril; Converting enzyme inhibitor (Menani, J.V.) 446, 295

Blood vessel

Multivariate statistics; Brain plasticity; Synapse morphology; Complex environment; Mitochondrion (Sirevaag, A.M.) **441**, 386

Peripheral nerve; Blood flow; Vasa nervorum; Carbon dioxide; Peripheral neuropathy; Mononeuritis; Ischemia; Regulation; Laser Doppler flowmetry (Rechthand, E.) 446, 61

Vasopressin; Immunocytochemistry; Accurel; Binding site; Brattleboro rat; Blood-brain barrier (Van Zwieten, E.J.) 474, 369

Blood-brain barrier

Cerebral edema; Cerebral endothelia; Corticosteroid; Water (Olson, J.J.) 439, 259

Choroid plexus; Blood-CSF barrier; Organic anion transport; Whole-body autoradiography (Kim, C.S.) 440, 216

Cryofixed endothelium; Vesicular transport; Tight junction (Nagy, Z.) **440**, 315

Choline transport; Aging (Mooradian, A.D.) 440, 328

Ethanol; Pentobarbital; Vascular permeability; Capillary ultrastructure (Stewart, P.A.) **443**, 12

Endotoxin; Interleukin-1; Fever mechanism; Organum vasculosum laminae terminalis (OVLT); Intravenous route;

Intracerebroventricular route (Coceani, F.) 446, 245

Circumventricular organ; Fluorescein; Gonadectomy; Rat; Sex difference (Martinez, J.L.) 450, 81

Local cerebral blood flow; Autoregulation; Monoamine oxidase inhibitor (Lasbennes, F.) 454, 205

Calcium; Hypocalcemia; Brain; Cerebrospinal fluid; Choroid plexus; Transport (Murphy, V.A.) 454, 315

Plasma volume; Brain; Capillary; Distribution volume; Dextran; Inulin; Transferrin; Rat (Smith, Q.R.) 462, 1

Methylmercury; L-Cysteine; Transport; Rat (Aschner, M.) 462, 31

Vasopressin; Immunocytochemistry; Accurel; Binding site; Blood vessel; Brattleboro rat (Van Zwieten, E.J.) 474, 369

Neural transplantation; Xenograft; Cyclosporin A; T cell subset (Nakashima, H.) 475, 232

Blood-CSF barrier

Choroid plexus; Blood-brain barrier; Organic anion transport; Whole-body autoradiography (Kim, C.S.) 440, 216

Blood-nerve barrier

Peripheral nerve; Perineurium; Calcium permeability; Perfusion; Frog (Wadhwani, K.C.) 462, 22

Hyperbaric oxygenation; Peripheral nerve; Hypoxia; Rat (Schmelzer, J.D.) **473**, 321

Body fluid homeostasis

Atrial natriuretic polypeptide; Angiotensin II; Subfornical organ; Brain slice preparation; Rat (Hattori, Y.) 443, 355

Body temperature

Electroconvulsive shock; C57BL/6J ob/ob mouse; C57BL/KsJ db/db mouse; Hyperglycemia; Weight; Diabetes (Nutt, D.J.) 448, 377

Bombesin

Corticotropin-releasing factor; Spontaneously hypertensive rat; Catecholamine; Mean arterial pressure; Heart rate (Brown, M.R.) 441, 33

Gastrin-releasing peptide; Gut peptide; Memory; Mouse; Retention (Flood, J.F.) 460, 314

Bone marrow transplantation

Globoid cell leukodystrophy; Twitcher mouse; Peripheral nerve; Remyelination (Kondo, A.) 460, 178

Borna disease

Neurotransmitter; Neuronal transcript; Limbic system dysfunction; Aggression; Hyperactivity (Lipkin, W.I.) 475, 366

Botulinum toxin

Nerve sprouting; Neuromuscular junction; Axon length (Pestronk, A.) 463, 218

Bötzinger complex

Respiratory activity; Breathing pattern; L-Glutamate; DL-Homocysteic acid; Phrenic nerve activity; Expiratory muscle (Bongianni, F.) 445, 254

Bovine

Antibody; Monkey; Human; Retina; Insulin receptor; Localization; Immunocytochemistry; Immunoelectron microscopy (Rodrigues, M.) 443, 389

Bradvcardia

y-Aminobutyric acid; Dorsal vagal nucleus; Rostral ventrolateral medulla; Somatic input (Wang, Q.) 457, 367

Bradykinin

Angiotensin-converting enzyme; Kininase II; Angiotensin; Cerebrospinal fluid; Cerebral blood vessel (Whalley, E.T.) 438, 1

Cerebrovascular; Headache; Thalamus; Trigeminal (Davis, K.D.) 446, 401

Pain; Hyperalgesia; Noradrenaline; Arachidonic acid; SC-19220; Prostaglandin antagonist; Analgesia (Taiwo, Y.O.) 458, 402

Quisqualate receptor; Postsynaptic density; Synaptic vesicle; Glutamic acid; Aspartic acid (Villanueva, S.) 440, 363

Canary; Vasotocin; Testosterone (Voorhuis, Th.A.M.) 442, 139

Angiotensin II-sensitive neuron; Organum vasculosum lamina terminalis; Spontaneously hypertensive rat; Wistar-Kyoto rat; Slice technique; Micropressure injection (Nelson, D.O.) 444, 46

Insulin-like growth factor-1; Quantitative autoradiography; Rat; Receptor (Bohannon, N.J.) 444, 205

Aminopeptidase; Enkephalin degradation; Inhibitor (Shimamura, M.) 445, 350

Leptinotarsa decemlineata; Olfaction; Electrophysiology; Odor quality coding; Interneuron; Antennal lobe; Deutocerebrum (De Jong, R.) 447, 10

ω-Conotoxin; Calcium channel; Autoradiography; Distribution; Rat (Takemura, M.) 451, 386

Seizure; Energy reserve; Normoxemia; Newborn monkey (Fujikawa, D.G.) 454, 51

Calcium; Hypocalcemia; Cerebrospinal fluid; Choroid plexus; Transport; Blood-brain barrier (Murphy, V.A.) **454**, 315

6-Phosphofructo-1-kinase; Glycolysis; Aging; Development; Fructose-2,6-biphosphate; Metabolic regulation (Dunaway, G.A.) 456, 310 Canary; Vasotocin; Receptor; Autoradiography; Testosterone (Voorhuis, Th.A.M.) 457, 148

L-Pyroglutamic acid; Huntington's disease; Neurotoxin hypothesis; Plasma; Cerebrospinal fluid (Uhlhaas, S.) 457, 196

Blood-brain barrier; Plasma volume; Capillary; Distribution volume; Dextran; Inulin; Transferrin; Rat (Smith, Q.R.) 462, 1

D-Aspartate; N-(1-[2-Thienyl]cyclohexyl)piperidine; Glutamate; Alzheimer's disease (Simpson, M.D.C.) 462, 76

Deoxyglucose; Autoradiography; Alcohol; Cerebral cortex (Miller, M.W.) 474, 316

Brain antigen

Central nervous system-systemic lupus erythematosus; Brain reactive autoantibody; Neuroblastoma; Cell surface antigen; Autoimmunity (Hoffman, S.A.) 452, 358

Brain area

Stress; Mouse; Genotype; Dopamine; Dihydroxyphenylacetic acid; Homovanillic acid; 3-Methoxytyramine (Cabib, S.) 441, 153

Brain asymmetry

Food deprivation; Medial prefrontal cortex; Dopamine; Rotational behavior; D-Amphetamine (Carlson, J.N.) 454, 373

Brain cAMP efflux

β-Adrenoceptor; Microdialysis; Noradrenaline (Egawa, M.) **458**, 303

Brain cell culture

Corticotropin-releasing factor (CRF); Hypothalamus; Receptor; Extrahypothalamic brain; Regulation (Kapcala, L.P.) 456, 159

Brain cortex

Acetylcholine synthesis; Acetylcholine release; Adrenal; Choline; Surplus acetylcholine (Doležal, V.) 449, 244

Endogenous glutamate; Calcium; Veratridine (Villanueva, S.) 461, 377

Brain culture

Opioid receptor; Naloxone; Opioid agonist; Glia; Neuron (Maderspach, K.) 441, 41

Brain damage

Ganglioside; Visual system; Retrograde degeneration; Lateral geniculate body (Sabel, B.A.) 459, 373

Pilocarpine; Non-steroidal anti-inflammatory drugs; Seizure; Epilepsy (Ikonomidou-Turski, C.) 462, 275

Brain development

Aromatase; 5\alpha-Reductase; 5β -Reductase; Testosterone; Sex dimorphism; Hypothalamus

(Schumacher, M.) 441, 98

Ontogenetic adaptation of dendritic spine genesis; Pyramidal neuron spine of motor cortex; Pyramidal neuron spine of visual cortex; Undernutrition; Spine genesis (Gundappa, G.) **456**, 205

Tyrosine; Noradrenaline; Petgnancy; Diet (Garabal, M.V.) 457, 330

Brain dialysis

Dopamine release; Tyrosine; Striatum; Nucleus accumbens (During, M.J.) **452,** 378

Calcium; Hippocampus; Quinolinic acid; Neurodegeneration; Seizure (Vezzani, A.) **454**, 289

Neuronal transmission; Presynaptic inhibition; Cholinergic mechanism; Hippocampus; Sensory input; Theta-rhythm (Herreras, O.) **461**, 303

6-Hydroxydopamine lesion; Nigrostriatal bundle; Dopamine release (Zhang, W.Q.) **461,** 335

Brain DNA synthesis

Circadian rhythm; Sleep-waking cycle (Grassi Zucconi, G.) 447, 253

Brain edema

Brain homogenate; Electronic osmometer; Colloid osmotic pressure; Oncotic pressure; Osmotic potential; Cerebrospinal fluid (Tomita, M.) **474,** 165

Brain glucose metabolism

Inhibition; Thalamus; Cortex; Electrical stimulation; Selective attention; Sensory processing; Thalamic reticular nucleus (Sharp, J.W.) 438, 357

Brain glucose uptake

Diabetes; C57BL/KsJ mouse; Nalmefene; Opiate antagonist (Garris, D.R.) **445**, 262

Brain glucose utilization

Zucker rat; Genetic obesity; Food deprivation; Hunger-motivated behavior (Tsujii, S.) 475, 371

Brain graft

Locus ceruleus; Spinal cord; Phentolamine; Noradrenaline (Henschen, A.F.) 474, 66

Brain homogenate

Electronic osmometer; Colloid osmotic pressure; Oncotic pressure; Osmotic potential; Brain edema; Cerebrospinal fluid (Tomita, M.) 474, 165

Brain injury

Reactive astrocyte proliferation; Newborn rat; Glial fibrillary acid protein; Immunocytochemistry; Autoradiography (Janeczko, K.) **456**, 280

Thyrotropin-releasing hormone; Magnesium; Nuclear magnetic resonance (Vink, R.) **460**, 184

Basic fibroblast growth factor (Finklestein, S.P.) 460, 253

Brain laterality

Corpus callosum; Sex difference; Early experience; Rat (Berrebi, A.S.) 438, 216

Brain lateralization

Protein phosphorylation; Protein kinase C; Rat cerebral hemisphere; Cerebral asymmetry; Synaptosomal fraction (De Martinez, M.S.G.) 440, 386

Brain membrane

Aging; γ -Aminobutyric acid_A binding site; Ethanol; Diazepam. (Komiskey, H.L.) **458**, 37

Brain metabolism

Ca²⁺-dependent K⁺ channel; Apamin; 2-Deoxyglucose, [¹⁴C]-; Rat brain (Mourre, C.) **451**, 274

Alcohol; Convulsion; Ethanol withdrawal syndrome; Deoxyglucose; Kindling; Physical dependence; Rat (Clemmesen, L.) **453**, 204

Oxygen; Hyperoxia; Oxygen poisoning; Glucose utilization; Autoradiography; 2-Deoxyglucose (Torbati, D.) **459**, 187

Brain nucleus

Autoradiography; Renin angiotensin system; Angiotensin converting enzyme; Hypertension; Receptor; Atriopeptin; Atrial natriuretic factor (Nazarali, A.J.) 475, 134

Brain opioid receptor

[D-Ala²,D-Leu⁵]Enkephalin; Receptor, δ-opioid (Tao, P.-L.) **462**, 313

Brain particle

 γ -Aminobutyric acid; Transport; Model (Liron, Z.) **444**, 119

Brain phosphoinositide

Arg-vasopressin; Nucleus tractus solitarii; Vasopressin receptor (Moratalla, R.) **450**, 398

Brain plasticity

Multivariate statistics; Synapse morphology; Complex environment; Mitochondrion; Blood vessel (Sirevaag, A.M.) 441, 386

γ-Aminobutyric acid (GABA); Partial epilepsy; Remote lesion; Withdrawal; Cerebral cortex; Rat model (Brailowsky, S.) **442**, 175

Nerve growth factor; Cerebral cortex; Basal nucleus; Neostriatum; Rat; Neuronal degeneration; Rat brain injury (Lorez, H.P.) **454**, 355

Brain reactive autoantibody

Central nervous system-systemic lupus erythematosus; Neuroblastoma; Brain antigen; Cell surface antigen; Autoimmunity (Hoffman, S.A.) 452, 358

Brain receptor

Cholecystokinin; Cholecystokinin A (CCK-A) receptor; Cholecystokinin B (CCK-B) receptor; Rat hippocampal slice; Single-unit activity; Extracellular recording (Böhme, G.A.) **451**, 309

Brain region

Genetic hypertension; Opioid peptide; β-Endorphin; Dynorphin; Methionine-enkephalin; Pituitary; Heart; Adrenal; Kidney (Bhargava, H.N.) **440**, 333

Choline acetyltransferase; Estradiol; Dexamethasone; Mechanism of action (Kaufman, H.) **453**, 389

Punishment; Noradrenaline; Dopamine; Serotonin; Neurotransmitter turnover (Miyauchi, T.) **454**, 40

Brain reward

Δ⁹-Tetrahydrocannabinol; Marijuana; Cannabinoid; Cannabis; Dopamine; 3,4-Dihydroxyphenylethylamine; Neostriatum; Caudate nucleus; Rat; Potassium; In vivo electrochemistry; In vivo microdialysis (Ng Cheong Ton, J.M.) **451**, 59

Brain segment

Extracellular matrix; Central nervous system; Immunohistochemistry; Monoclonal antibody (Rettig, W.J.) 438, 315

Brain slice

Intracellular recording; Lucifer yellow injection; Opioid peptide; Receptor characterization (Wuarin, J.-P.) 445, 289

[p-Ala²,NMePhe⁴,Gly-ol⁵]Enkephalin; Guinea pig; Hypothalamus; Lucifer yellow; μ-Opioid receptor (Charpak, S.) **450**, 124

Hippocampus; Carbachol; Theta; Topography; CA3c generator (Konopacki, J.) **451**, 33

Cardiovascular; Neurotransmitter; L-Glutamate; Medulla (Miller, B.D.) **456,** 333

Bursting neuron; Intracellular recording; Visual cortex (Montoro, R.J.) 460, 168

Adenosine; Hippocampus; Non-synaptic; Flow rate (Fowler, J.C.) **463**, 368

γ-Aminobutyric acid; Dorsal raphe nucleus; Chronic benzodiazepine; Diazepam; Rat (Wilson, M.A.) 473, 198

cAMP; Circadian rhythm; Hypothalamus; Oscillator; Pacemaker; Phase-shift; Suprachiasmatic nuclei (Gillette, M.U.) 474, 348

Brain slice preparation

Atrial natriuretic polypeptide; Angiotensin II; Subfornical organ; Rat; Body fluid homeostasis (Hattori, Y.) 443, 355

Ventromedial hypothalamus; Preoptic area; Anterior hypothalamus; Thermosensitive neuron; Brown

adipose tissue; Rat (Imai-Matsumura, K.) 445, 193

Brain stab wound

Basal lamina; Glia limitans; Meninx; Regeneration (Carbonell, A.L.) **439**, 337

Brain stimulation reward

Amphetamine; Self-stimulation; Nucleus Accumbens (Colle, L.M.) **459**, 361

Naltrexone; Nucleus accumbens; Ventral tegmental area; Lateral hypothalamus (West, T.E.G.) **462**, 126

Brain temperature

Cholecystokinin; Sleep; Feeding (Kapás, L.) 438, 155

Brain transplant

Functional recovery; Hippocampus; Astrocyte; Trophic factor; Kainate (Kesslak, J.P.) **454**, 347

Brain transplantation

Noradrenaline; Purkinje neuron; Cerebellum in oculo; Adrenoceptor (Granholm, A.-C.E.) 459, 256

Neostriatum; Striatum; Kainic acid; Dopamine receptor; Behavioral recovery; Locomotor activity (Deckel, A.W.) **474**, 39

Brain transport

Angiotensin-converting enzyme inhibitor; Kininase II; Quantitative autoradiography; Peptidase; Axonal transport; Striatonigral pathway (Aiso, M.) 447, 195

Brain ventricle

Spontaneous hypertension; Renal hypertension; Captopril; Hydrocephalus; Spontaneously hypertensive rat; Intraventricular pressure (Ritter, S.) **450**, 354

Brain vesicle

γ-Aminobutyric acid (GABA); Alcohol toxicity; Chloride uptake; Chloride channel (Suzdak, P.D.) 444, 340

Brain-stimulation reward

Dopamine receptor; Nucleus accumbens; Reinforcement; SCH 23390; Sulpiride; Ventral tegmental area (Kurumiya, S.) 448, 1

Brainstem

Respiration; Regeneration; Nerve transplant; Axotomy; Rat; Electrophysiology (Gauthier, P.) 438, 225

Benzodiazepine; Chlordiazepoxide (CDP); Feeding; Palatability; γ-Aminobutyric acid (GABA) (Berridge, K.C.) 447, 262

Thermoregulation; Sleep; Paradoxical sleep without atonia (Amini-Sereshki, L.) **450**, 9

Chemoreceptor; Nucleus tractus solitarii; Medulla; Visceral; Sensory (Claps, A.) 455, 123

Baroreceptor; Visceral; Sensory; Nucleus tractus solitarii; Medulla (Torrealba, F.) **455**, 134

Iminodipropionitrile; Spasmodic dyskinesia; Serotonin; Striatum; Nucleus accumbens (Cadet, J.L.) **456,** 371

Morphine; Descending inhibition; Nociception; Glutamate; Spinal cord (Jones, S.L.) **460**, 281

Brainstem auditory evoked potential

Atropine sulfate; Auditory brainstem response; Cortical auditory evoked potential; Rat (Church, M.W.) **456**, 224

Brainstem in vitro

Respiratory rhythm; Primary oscillator; Rostral ventrolateral medulla; Newborn rat (Onimaru, H.) **445**, 314

Brainstem locomotor region

Spinal cord regeneration; Locomotion; Spinal cord injury; Descending command system; Lamprey (McClellan, A.D.) 448, 339

Locomotion; Command system; Descending pathway; Lamprey (McClellan, A.D.) 457, 338

Brainstem reticular formation

Choline acetyltransferase; Horseradish peroxidase-conjugated wheat germ agglutinin; *Phaseolus vulgaris* leucoagglutinin; Immunohistochemistry; Double labeling; Sleep (Mitani, A.) **451**, 397

Brattleboro rat

Autoradiography; Dehydration; Dynorphin; κ-Opiate receptor; Receptor down-regulation; Vasopressin (Brady, L.S.) **443**, 398

Angiotensin II; Blood pressure; Water intake; Vasopressin antagonist (Harland, D.) **455**, 58

Pineal gland; Melatonin synthesis; Circadian rhythmicity; Serotonin-N-acetyltransferase; Long-Evans rat; Vasopressin (Schröder, H.) **459**, 328

Kindling; Anterior neocortex; Vasopressin (Weller, K.L.) 463, 390

Vasopressin; Immunocytochemistry; Accurel; Binding site; Blood vessel; Blood-brain barrier (Van Zwieten, E.J.) 474, 369

Breathing pattern

Bötzinger complex; Respiratory activity; L-Glutamate; DL-Homocysteic acid; Phrenic nerve activity; Expiratory muscle (Bongianni, F.) 445, 254

Bromocriptine

Cerebellum; Cerebral cortex; Glial cells; Hypothalamus; Neural cells; Pons-medulla; Prolactin; Monkey (Kumaran, B.) 450, 325

Bromodeoxyuridine

Astrocyte; Glial growth factor from bovine pituitary; Human; Mitogen; Platelet-derived growth factor; Phorbol ester; Tissue culture (Yong, V.W.) 444, 59

Immunohistochemistry; [³H]Thymidine; Autoradiography; Cortex; Hippocampus; Dentate gyrus (Miller, M.W.) 457, 44

Brown adipose tissue

Ventromedial hypothalamus; Preoptic area; Anterior hypothalamus; Thermosensitive neuron; Brain slice preparation; Rat (Imai-Matsumura, K.) 445, 193

Buccal ganglion

Epileptic activity; Pentylenetetrazol; Dendrite shape; *Helix pomatia* (Altrup, U.) **456**, 401

Catecholamine; Aplysia; Histofluorescence (Rathouz, M.M.) 458, 170

Bulbar respiratory neuron

Pelvic nerve; Defecation; Micturition; Parturition; Kölliker-Fuse (K-F) nucleus; Straining; Respiration (Fukuda, H.) 449, 157

Bulbospinal raphe neuron

Thyrotrophin-releasing hormone; Indoleamine; Choline acetyltransferase activity; Motoneuron; Peptide (Fone, K.C.F.) **460**, 22

Bulbospinal tract

Neural control of respiration; Spike-triggered averaging; Axonal mapping; Phrenic motoneuron; Inspiration (Dick, T.E.) **454**, 31

Bullfrog

Isolated taste cell; Whole-cell clamp; Membrane property; Electrical stimulation; Action potential (Miyamoto, T.) 449, 369

Sympathetic ganglion; Sucrose-gap; Slow inhibitory postsynaptic potential; Adrenergic pharmacology (Yavari, P.) **452,** 175

Bullfrog sympathetic ganglion cell Intracellular Ca²⁺; Fura-2 (Nohmi, M.) 438, 175

α-Bungarotoxin

κ-Bungarotoxin; Neuronal nicotinic receptor; Chick embryo; Central nicotinic site; Muscle nicotinic receptor; L-Nicotine (Wolf, K.M.) 439, 249

Acetylcholine receptor; Neuromuscular junction; Receptor synthesis (Ramsay, D.A.) 462, 134

β-Bungarotoxin

Quantitative autoradiography; Rat brain; Hippocampus; Cerebellum; Dendrotoxin; K⁺-channel (Pelchen-Matthews, A.) **441**, 127

к-Bungarotoxin

Neuronal nicotinic receptor; α-Bungarotoxin; Chick embryo; Central nicotinic site; Muscle nicotinic receptor; L-Nicotine (Wolf, K.M.) **439**, 249

Bursectomy

Wallerian degeneration; Myelin phagocytosis; Monocyte; Immunoglobulin; Nerve edema (Hann, P.G.) 451, 126

Burst

CA₃ hippocampal neuron; Anoxia; Kainate; Magnesium; N-Methyl-D-aspartate; Potassium; N-Methyl-D-aspartate antagonist (Neuman, R.) **459**, 265

Hippocampus; Kainate; 6-Cyano-7-nitroquinoxaline-2,3-dione; D-(-)-2-Amino-7-phosphonoheptanoic acid (Neuman, R.S.) 474, 201

Burst discharge

Phasic hyperpolarization; Rebound excitation; Ventrobasal relay neuron; Rat (Sumitomo, I.) 447, 376

Bursting

Dopamine; Substantia nigra; Ventral tegmental area; Medial prefrontal cortex; Anterior cingulate cortex; Low-threshold spike (Gariano, R.F.) **462**, 194

Hippocampus; Physiology; Sodium valproate; Epilepsy; Post-tetanic potentiation (Griffith, W.H.) 474, 155

Bursting neuron

Intracellular recording; Visual cortex; Brain Slice (Montoro, R.J.) 460, 168

Buspirone

Ipsapirone; 8-Hydroxy-2-[N,N-dipropylamino]-tetralin; Serotonin; Hippocampus; Cerebellum; Sciatic nerve (Hiner, B.C.) **461**, 1

4-Butanolide

Endogenous organic acid; 3,4-Dihydroxybutanoic acid γ -lactone; 2,4,5-Trihydroxypentanoic acid γ -lactone; Feeding modulation; Rat; Serum glucose; Insulin (Sakata, T.) **473**, 43

³⁵S-t-Butylbicyclo phosphorothionate (³⁵S-TBPS) (picrotoxin) binding site

γ-Aminobutyric acid (GABA) receptor; γ-Aminobutyric acid (GABA) antagonist; Antidepressant (Squires, R.F.) 441, 15

t-Butylbicyclophosphorothionate (TBPS)

γ-Aminobutyric acid (GABA); Selective breeding; Benzodiazepine; Diazepam-sensitive (DS) mouse; Diazepam-resistant (DR) mouse (Allan, A.M.) 452, 118

Butyrylcholinesterase

Cholinesterase; Lateral geniculate nucleus; Tree shrew; Retinal projections (Horn, K.M.) 448, 386

C

C1 adrenergic cell

Rostral ventrolateral medulla; Pacemaker neuron; Reticulospinal neuron; Basal sympathetic tone (Sun, M.-K.) 451, 345

C57BL/6J ob/ob mouse

Electroconvulsive shock; C57BL/KsJ db/db mouse; Hyperglycemia; Weight; Body temperature; Diabetes (Nutt, D.J.) 448, 377

C57BL/KsJ db/db mouse

Electroconvulsive shock; C57BL/6J ob/ob mouse; Hyperglycemia; Weight; Body temperature; Diabetes (Nutt, D.J.) 448, 377

C57BL/KsJ mouse

Diabetes; Brain glucose uptake; Nalmefene; Opiate antagonist (Garris, D.R.) 445, 262

C6 glioma

Sialic acid; Receptor; β-Glucuronidase; Astrocyte (Jenkins, H.G.) **462**, 265

CA₁

Long-term potentiation; N-Methyl-D-aspartate; θ -Rhythm; Hippocampus; Synaptic plasticity (Larson, J.) **441**, 111

Nicotine; γ -Aminobutyric acid; Hippocampus; Mouse; Population spike (Freund, R.K.) **453**, 215

Hippocampal slice; Hypoxia; Neuronal Injury; In vitro (Fairchild, M.D.) **453**, 357

Hippocampal slice; Calcium; Long-term potentiation; N-Methyl-D-aspartic acid; 2-Amino-5-phosphonovalerate (Melchers, B.P.C.) **454,** 1

CA1 pyramidal cell

Afterhyperpolarization; Hippocampal neuron; Neuronal conditioning; Learned response; Eye blink conditioning (Disterhoft, J.F.) **462**, 118

Calcium entry blocker (Jones, R.S.G.) 462, 367

Hippocampal slice; Temperature sensitivity; Immature nervous system (Shen, K.-f.) **475**, 305

CA1 pyramidal neuron

Somatostatin; Hyperpolarization; Hippocampus (Watson, T.W.J.) 448, 40

CA1 region

Long-term potentiation; Heterosynaptic interaction; Postsynaptic potential; Negative cooperativity; Hippocampus; Medial septum; In vivo (Xie, X.) 445. 367

Adenosine A1 receptor; Cyclohexyladenosine, [³H]; Presynaptic; Postsynaptic; Hippocampus (Deckert, J.) 446, 161

CA₂

Hippocampus; Pyramidal neuron; Septum; Horseradish peroxidase; Lamellar organization; Computer reconstruction (Tamamaki, N.) 452, 255

CA₃

Kainic acid; Hippocampus; Epilepsy; Mossy fiber; Seizure (Okazaki, M.M.) **440**, 352

Mast cell degranulating peptide (MCD); Hippocampal neuron; Spontaneous network burst; Evoked network burst; Long-lasting effect (Cherubini, E.) 445, 91

Kindling; Permanence; Hippocampus; Potassium; Stimulus train-induced bursting (Bragdon, A.C.) **453**, 257

Hippocampal slice; γ -Aminobutyric acid; Dendritic inhibition; GABA_B receptor; Pyramidal cell (Janigro, D.) **453**, 265

CA3c generator

Hippocampus; Brain slice; Carbachol; Theta; Topography (Konopacki, J.) 451, 33

CA3 hippocampal neuron
Burst; Anoxia; Kainate; Magnesium;
N-Methyl-D-aspartate; Potassium;
N-Methyl-D-aspartate antagonist
(Neuman, R.) 459, 265

Cadmium

Afterhyperpolarization; BAPTA; Calcium-activated potassium conductance; EGTA; Potassium channel blocker; Tetraethylammonium (Zhang, L.) 462, 174

Accommodation; Hyperpolarization; A-current; Pars compacta neuron; Substantia nigra (Fujimura, K.) 475, 177

Caerulein

Haloperidol; Dopamine; Synergy; Hypothalamic defensive attack; Chronic cat (Maeda, H.) 459, 351

Caffeine

4-Aminopyridine; Penicillin; Verapamil; L-Phenyl-isopropyladenosine (L-PIA); Epileptiform bursting; Hippocampus (Frank, C.) **441**, 393

Reinforcement threshold; Intracranial self-stimulation; Tolerance; Withdrawal (Mumford, G.K.) **459**, 163

Caiman crocodilus

Calcium binding protein; Basal ganglia; Immunocytochemistry (Brauth, S.E.) **452,** 367

Calbindin

Development; Parvalbumin; γ-Aminobutyric acid; Visual system; Zebra finch; Plasticity (Braun, K.) 475, 205

Calbindin-27 kDa

Pineal transducer; Retinal cone; Calcium; Immunocytochemistry (Roman, A.) 442, 33

Calbindin-28K

Calcium; Calcium binding protein; Cerebral cortex; Alzheimer's disease; Senile dementia (Ichimiya, Y.) 475, 156

Calcitonin

Calcitonin gene-related peptide; Vagus nerve; Immunocytochemistry; Myelinated nerve; Unmyelinated nerve (Kakudo, K.) 440, 153

Calcitonin gene related peptide

Mossy fiber; Parallel fiber; Granule cell; Cerebellar nuclei; Cerebellum; Pontine nuclei; Immunohistochemistry (Sugimoto, T.) 439, 147

Calcitonin; Vagus nerve; Immunocytochemistry; Myelinated nerve; Unmyelinated nerve (Kakudo, K.) 440, 153

Rat dorsal horn neuron; Spinal cord; Slice (Ryu, P.D.) 441, 357

Substance P (SP); Cat; Intraepidermal nerve fibers; Immunocytochemistry (Alvarez, F.J.) 442, 391

Spinal dorsal horn; Iontophoresis; Nociception; Neuropeptide; Synaptic transmission; Cat (Miletic, V.) 446, 169

Vestibular end-organ; Immunohistochemistry; Rat (Tanaka, M.) **447**, 175

Immunohistochemistry; Alkaline phosphatase; Horseradish peroxidase; Trigeminal neuron; Choline acetyltransferase (Batten, T.F.C.) 447, 314

Sacral parasympathetic nucleus; Sympathetic preganglionic neuron; Pelvic ganglion; Rat (Senba, E.) **449,** 386

Substance P; Lateral parabrachial area; Central amygdaloid nucleus; Projection; Immunocytochemistry; Coexistence; Double-staining method (Yamano, M.) **451**, 179

Substance P; Meissner's corpuscle; Immunohistochemistry; Rat (Ishida-Yamamoto, A.) 453, 362

Neurogenic inflammation; Axonal sprouting; Sensory receptor (Taylor, P.E.) 461, 371

Neuropeptide; Immunohistochemistry; Receptor binding site; Motor system; Sensory system; Autonomic system; Rat (Kruger, L.) 463, 223

Dynorphin; Spinal cord; Rat; Immunocytochemistry; Nociception (Takahashi, O.) 475, 168

Calcium influx; Calcium efflux; Synaptosome; Spinal dorsal horn (Oku, R.) 475, 356 Ciliary neuron; Parasympathetic nervous system; Enkephalin; Neuropeptide Y; Vasoactive intestinal peptide (Stone, R.A.) 475, 389

Calcitonin gene-related peptide nerve

Carotid body; Ultrastructure; Reactive plasticity (Kondo, H.) 473, 283

Calcium

Calbindin-27 kDa; Pineal transducer; Retinal cone; Immunocytochemistry (Roman, A.) 442, 33

Cultured hippocampal neuron; Whole-cell voltage-clamp; L-Glutamate; Membrane permeability; Alkali metal cation; Magnesium (Ozawa, S.) 443, 85

Photoreceptor; Horizontal cell; Cone; Synaptic transmission; Ethylenediaminetetracetic acid (EDTA); Ethyleneglycol-bis-(β-aminoethyl ether)-N,N,N',N',-tetraacetic acid (EGTA); Chelator; Magnesium (Normann, R.A.) 443, 95

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP); 1-Methyl-4-phenylpyridine (MPP+); Dopamine; 3,4-Dihydroxyphenylacetic acid (DOPAC); Benztropine; Ouabain; EGTA; Push-pull perfusion; High-performance liquid chromatography; Parkinsonism; Neostriatum; Rat (Sirinathsinghji, D.J.S.) 443, 101

Filipin; Tomatin; Saponin; Axolemma; Lipid domain; Extracellular matrix; Membrane-associated cytoskeleton; Cytoskeleton; Cholesterol (Fields, R.D.) 443, 231

Peptidergic neuron; Adenosine monophosphate, cyclic; Arsenazo; *Aplysia*; Afterdischarge (Woolum, J.C.) **444**, 1

Calcium channel; Cell culture; Excitotoxin; Glutamate; Neuroblastoma (Murphy, T.H.) 444, 325

Carotid body; Potassium; Dopamine; Acetylcholine; Sympathetic stimulation; Cyanide; Hypoxia (O'Regan, R.G.) **445**, 268

Hippocampal slice; Long-term potentiation (Mulkeen, D.) 447, 234

Somatostatin; Primary culture; Neuron; Vasoactive intestinal peptide; Adenylate cyclase; Phorbol ester (Tapia-Arancibia, L.) **450**, 101

 α_2 -Adrenoceptor; Hypothalamus; Hypertension; Spontaneously hypertensive rat; Salt sensitivity (Klangkalya, B.) **451,** 77

Intracellular recording; Intracellular calcium concentration; Fura-2; Fluorescent calcium indicator; Myenteric neuron; Calcium-dependent

potassium conductance (Tatsumi, H.) 451, 371

Isolated frog labyrinth; Synaptic transmission; Barium; K⁺-channel blocker (Rossi, M.L.) **452**, 312

Hippocampal slice; CA1; Long-term potentiation; *N*-Methyl-D-aspartic acid; 2-Amino-5-phosphonovalerate (Melchers, B.P.C.) **454**, 1

Striatum; A23187; Inositoltrisphosphate; Dopamine autoreceptor; Muscarinic (Joseph, J.A.) **454**, 149

Brain dialysis; Hippocampus; Quinolinic acid; Neurodegeneration; Seizure (Vezzani, A.) **454**, 289

Hypocalcemia; Brain; Cerebrospinal fluid; Choroid plexus; Transport; Blood-brain barrier (Murphy, V.A.) **454,** 315

Hippocampus; Slice; Long-term potentiation; *N*-Methyl-p-aspartate (Huang, Y.-Y.) **456**, 88

Potassium undershoot; Anoxic depolarization; Synaptic transmission (Roberts, E.L.) **456**, 113

Spreading depression; Leão's depression; Neuron damage; Potassium; Extracellular (Kawasaki, K.) **457**, 322

Insect; Locust; Sodium-calcium exchange; Neuroendocrine; Corpus cardiacum; Adipokinetic hormone (Pannabecker, T.) **458**, 180

Depolarization; Glutamate; Neuroblastoma; Neurotoxicity; Cell culture; Quisqualate (Murphy, T.H.) **460,** 155

Calpain; Cytoskeleton; Excitotoxicity; Neuropathology; Plasticity (Seubert, P.) **460**, 189

Endogenous glutamate; Brain cortex; Veratridine (Villanueva, S.) **461**, 377

Dopamine release; Synaptosome; Fura-2 (Woodward, J.J.) 473, 91

Epilepsy; Pentylenetetrazol; Membrane current; Snail neuron; Helix pomatia (Walden, J.) **473**, 294

Calcium binding protein; Calbindin-28K; Cerebral cortex; Alzheimer's disease; Senile dementia (Ichimiya, Y.) 475, 156

Calcium action potential

Carp; Retina; Amacrine cell; Dendritic arborization; Postsynaptic potential; Reversal potential (Takahashi, K.-I.) **456**, 29

Calcium binding protein

Basal ganglia; Caiman crocodilus; Immunocytochemistry (Brauth, S.E.) 452, 367

Calcium; Calbindin-28K; Cerebral cortex; Alzheimer's disease; Senile

dementia (Ichimiya, Y.) 475, 156

Calcium buffering

Ion-sensitive electrode; Arsenazo III; Molluscan neuron; Intracellular organelle (Levy, S.) 474, 333

Calcium channel

BAY K 8644; Nifedipine; Neurotransmitter metabolism; Dihydropyridine (Bolger, G.T.) 438, 101

Dextromethorphan; Dextrorphan; Calcium channel antagonist; ⁴⁵Ca²⁺ uptake; Synaptosome; PC12 cell line (Carpenter, C.L.) **439**, 372

Calcium; Cell culture; Excitotoxin; Glutamate; Neuroblastoma (Murphy, T.H.) 444, 325

Morphine; Mouse neuroblastoma cell (Lorentz, M.) 445, 157

ω-Conotoxin; Autoradiography; Distribution; Rat; Brain (Takemura, M.) **451**, 386

Conotoxin; Electric organ; Transmitter release; Synaptosome; Nerve terminal; Neurosecretion (Ahmad, S.N.) **453**, 247

Acetylcholine release; Neuromuscular transmission; Verapamil; Diltiazem; Nifedipine (Chang, C.C.) **454**, 332

Dihydropyridine; ω -Conotoxin; Protein kinase C; 12-O-Tetradecanoyl-phorbol- β acetate; Thyroliberin release; Hypothalamic neuron; Primary culture (Loudes, C.) **456,** 324

Adrenaline release; Noradrenaline release; Adrenal medulla; Dihydropyridine (Cárdenas, A.M.) **456**, 364

Circadian rhythm; Entrainment (Zatz, M.) 463, 305

Intermediate lobe cell; Calcium current; Neurosecretion; Channel inactivation (Stanley, E.F.) **475**, 64

ω-Conotoxin; Synaptosome; Dopamine release (Woodward, J.J.) 475, 141

Calcium channel antagonist Dextromethorphan; Dextrorphan; Calcium channel; ⁴⁵Ca²⁺ uptake; Synaptosome; PC12 cell line (Carpenter, C.L.) **439**, 372

Analgesia:

3α-Hydroxy-4-pregnen-20-one; Follicle stimulating hormone suppression; Steroid; γ-Aminobutyric acid; Opiate; Benzodiazepine; Naloxone; Verapamil; Nifedipine; Ro 15-1788; Picrotoxin; Bicuculline; Tyr-MIF-1; Morphine (Wiebe, J.P.) 461, 150

Calcium current

Aplysia; Serotonin; Dopamine; Forskolin (Lotshaw, D.P.) 439, 64

Concentration clamp technique;

Intracellular perfusion; Lidocaine; Sensory neuron; Voltage clamp (Oyama, Y.) **442**, 223

γ-Aminobutyric acid (GABA); GABA_A antagonist; Pyridazine derivative; Sensory ganglion; Chromaffin cell; Chloride channel (Hamann, M.) **442**, 287

Intermediate lobe cell; Calcium channel; Neurosecretion; Channel inactivation (Stanley, E.F.) 475, 64

Calcium efflux

Calcitonin gene-related peptide; Calcium influx; Synaptosome; Spinal dorsal horn (Oku, R.) 475, 356

Calcium entry blocker CA1 pyramidal cell (Jones, R.S.G.) **462**, 367

Calcium flux

Adenosine; Physiological modulation; A₁-Receptor antagonist; 8-Cyclopentyl-1,3-dipropylxanthine; Adenosine deaminase; Synaptic transmission; Rat hippocampal slice (Schubert, P.) **458**, 162

Calcium influx

Calcitonin gene-related peptide; Calcium efflux; Synaptosome; Spinal dorsal horn (Oku, R.) 475, 356

Calcium permeability

Peripheral nerve; Blood-nerve barrier; Perineurium; Perfusion; Frog (Wadhwani, K.C.) **462**, 22

Calcium uptake

Dextromethorphan; Dextrorphan; Calcium channel; Calcium channel antagonist; Synaptosome; PC12 cell line (Carpenter, C.L.) **439**, 372

Calcium withdrawal

Excitatory amino acid; Spontaneous release; Veratridine; Amino-oxyacetic acid (Minc-Golomb, D.) **457**, 205

Calcium-activated potassium channel

Charybdotoxin; Focal ischemia; Ischemic brain edema (Tominaga, T.) **460,** 376

Calcium-activated potassium conductance

Afterhyperpolarization; BAPTA; Cadmium; EGTA; Potassium channel blocker; Tetraethylammonium (Zhang, L.) **462**, 174

Calcium-calmodulin-dependent protein kinase

İschemia; Phosphorylation; Cell death (Taft, W.C.) 447, 159

Apamin; 2-Deoxyglucose, [¹⁴C]-; Brain metabolism; Rat brain (Mourre, C.) **451**, 274

Calcium-dependent potassium channel
Dopamine neuron; Substantia nigra;

Extracellular recording; Discharge pattern; Apamin (Shepard, P.D.) **463**, 380

Calcium-dependent potassium conductance

Intracellular recording; Intracellular calcium concentration; Calcium; Fura-2; Fluorescent calcium indicator; Myenteric neuron (Tatsumi, H.) 451, 371

Calcium-dependent potassium current

Voltage-clamp; Guinea-pig; Submucous neuron; Intracellular calcium concentration; Fura-2 (Hirai, K.) **461**, 367

Apamin; Inhibitory postsynaptic response; Afterhyperpolarization; Neocortex; Intracellular injection; Voltage clamp (Szente, M.B.) 461, 64

Calcium-independent release Giant miniature endplate potential (gMEPP); Spontaneous release; Emetine (Alkadhi, K.A.) 447, 293

Calcium-induced paralysis

Chemical paralysis; Spinal norepinephrine; Sucrose-potassium phosphate-glyoxylic acid (SPG) histofluorescence; Monoamine; High-performance liquid chromatography (HPLC) (De la Torre, J.C.) 442, 297

Calmidazolium

Long-term potentiation; Hippocampus; Synaptic plasticity; Calmodulin; Protein kinase C; Second messenger; K-252b; Protein phosphorylation (Reymann, K.G.) **461**, 388

Calmodulin

Isolated postsynaptic density; Hippocampus; Protein composition; Protein phosphorylation; Glutamate receptor; γ-Aminobutyric acid receptor; Voltage-sensitive calcium channel (Wu, K.) **457**, 98

Long-term potentiation; Hippocampus; Synaptic plasticity; Protein kinase C; Second messenger; Calmidazolium; K-252b; Protein phosphorylation (Reymann, K.G.) **461**, 388

Peripheral nerve; Axon; Schwann cell; Immunocytochemistry; Schmidt-Lanterman cleft (Mata, M.) 475, 297

Calpain

Leupeptin; Long-term potentiation; Chronic recording (Staubli, U.) 444, 153

Calcium; Cytoskeleton; Excitotoxicity; Neuropathology; Plasticity (Seubert, P.) **460**, 189

cAMP

Brain slice; Circadian rhythm; Hypothalamus; Oscillator; Pacemaker; Phase-shift; Suprachiasmatic nuclei (Gillette, M.U.) 474, 348

Canary

Brain; Vasotocin; Testosterone (Voorhuis, Th.A.M.) 442, 139

Brain; Vasotocin; Receptor; Autoradiography; Testosterone (Voorhuis, Th.A.M.) **457**, 148

Cancer

Opioid receptor; Endogenous opioid system; Neuroblastoma; Neurotumor (Zagon, I.S.) 449, 80

Canine brain tissue

Freezer storage time; Biogenic amine; Metabolite; Receptor (Faull, K.F.) **450,** 225

Cannabinoid

Δ⁹-Tetrahydrocannabinol; Marijuana; Cannabis; Dopamine; 3,4-Dihydroxyphenylethylamine; Neostriatum; Caudate nucleus; Rat; Potassium; In vivo electrochemistry; In vivo microdialysis; Brain reward (Ng Cheong Ton, J.M.) **451**, 59

Cannabis

Δ⁹-Tetrahydrocannabinol; Marijuana; Cannabinoid; Dopamine; 3,4-Dihydroxyphenylethylamine; Neostriatum; Caudate nucleus; Rat; Potassium; In vivo electrochemistry; In vivo microdialysis; Brain reward (Ng Cheong Ton, J.M.) **451**, 59

Capillary

Blood-brain barrier; Plasma volume; Brain; Distribution volume; Dextran; Inulin; Transferrin; Rat (Smith, Q.R.) 462, 1

Capillary recruitment

Cerebral circulation; Cerebrovascular function; Hypocapnia; Cerebral blood flow (Shockley, R.P.) **454**, 170

Capillary ultrastructure

Blood-brain barrier; Ethanol; Pentobarbital; Vascular permeability (Stewart, P.A.) 443, 12

Capsaicin

Substance P; Blood pressure control; Nucleus tractus solitarii; Baroreceptor reflex; Chemoreceptor reflex (Takano, Y.) 445, 188

Nociceptor; Cutaneous receptor; Desensitization of polymodal nociceptor (Szolcsanyi, J.) 446, 262

Axon reflex; Flare; Wheal; Sweating; Histamine; Substance P; Nicotine (Izumi, H.) 449, 328

Micturition; Intrathecal injection; *N*-Vanillylnonanamide; 6-Hydroxydopamine; 5,6-Dihydroxytryptamine (Durant, P.A.C.) **451**, 301

Substance P; Kainic acid; Picrotoxin;

Strychnine; Morphine; L-Glutamic acid; Pain; Behavior; Spinal cord (Frenk, H.) **455**, 223

Serotonin; Adenosine release; Primary afferent neuron (Sweeney, M.) **462,** 346

Rat; Tooth pulp axon; Pain; Sympathectomy; Electron microscopy (Fried, K.) **463**, 118

Capsaicin-sensitive sensory neuron 4-Aminopyridine; Micturition reflex; Urinary bladder; Rat; Bladder voiding cycle (Maggi, C.A.) **449**, 61

Captopril

Angiotensin II; Basal heart rate; Baroreflex; Sympathetic nervous system; Blood pressure regulation; Converting enzyme inhibitor (Menani, J.V.) 446, 295

Spontaneous hypertension; Renal hypertension; Brain ventricle; Hydrocephalus; Spontaneously hypertensive rat; Intraventricular pressure (Ritter, S.) **450**, 354

Carbachol

Nucleus accumbens; Substantia innominata; Locomotor activity; Rat (Austin, M.C.) **441,** 209

Acetylcholine turnover; Basal forebrain; Working memory; Cortex (Robinson, S.E.) **445**, 160

Intracellular; θ -Rhythm; Hippocampal slice (Bland, B.H.) **447**, 364

Hippocampus; Brain slice; Theta; Topography; CA3c generator (Konopacki, J.) 451, 33

Pedunculopontine nucleus; Mesencephalic locomotor region; Locomotor activity; Amphetamine; Nucleus accumbens; Cholinergic mechanism; Rat (Brudzynski, S.M.) 451, 119

Hippocampal slice; θ Rhythm; Nicotine; Neurotransmitter (Konopacki, J.) **455**, 110

Rapid eye movement sleep; Insomnia; Acetylcholine; p-Chlorophenylalanine; Pontine area (Drucker-Colín, R.) **462,** 163

Rapid eye movement sleep; Pontine reticular formation; Cholinergic; Propranolol; Aminergic; Microinjection; Cat; Reciprocal interaction model (Denlinger, S.L.) 473, 116

Carbamazepine

Ethosuximide; Evoked potential; Amygdala kindling; Systemic penicillin epilepsy; Ventral lateral thalamus; Motor cortex; Cat; Sleep-waking cycle (Shouse, M.N.) 473, 372

Carbon dioxide

Peripheral nerve; Blood vessel; Blood flow; Vasa nervorum; Peripheral

neuropathy; Mononeuritis; Ischemia; Regulation; Laser Doppler flowmetry (Rechthand, E.) 446, 61

Carbon fiber electrode

KCl stimulation; Spreading depression; Ion-selective electrode; Caudate; Substantia nigra; In vivo voltammetry (Kasser, R.J.) 475, 333

Carbon fiber microelectrode Fast cyclic voltammetry; Electrical stimulation; Nucleus accumbens;

stimulation; Nucleus accumbent Caudate nucleus; Dopamine (Stamford, J.A.) **454**, 282

Carbondioxide

Cat; Mechanosensitivity; Muscle spindle; pH; Proton pump; Sensory ending; Ammonia (Fukami, Y.) **463**, 140

Carbonic anhydrase

Biotin; Oligodendrocyte; Acetyl-coenzyme A carboxylase; Pyruvate carboxylase (LeVine, S.M.) 444, 199

Histochemistry; Peripheral nerve; Cholinesterase; Nerve regeneration; Axotomy; Myelinated axon; Motor nerve fiber; Sensory nerve fiber (Riley, D.A.) 453, 79

cis-4-(Phosphonomethyl)-2-piperidine-Carboxylic acid (CGS 19755)

4-(3-Phosphonopropyl)-2-piperazine-Carboxylic acid (CPP); Hippocampus; Motor activity; Stroke model; *N*-Methyl-D-aspartic acid antagonist (Boast, C.A.) 442, 345

4-(3-Phosphonopropyl)-2-piperazine-Carboxylic acid (CPP) cis-4-(Phosphonomethyl)-2-piperiting Carboxylic acid (CCS)

2-piperidine-Carboxylic acid (CGS 19755); Hippocampus; Motor activity; Stroke model; *N*-Methyl-D-aspartic acid antagonist (Boast, C.A.) **442**, 345

Carboxypeptidase B-like

Neuropeptide biosynthesis; Processing enzyme; Enkephalin convertase; Carboxypeptidase H (Fricker, L.D.) 453, 281

Carboxypeptidase H

Neuropeptide biosynthesis; Processing enzyme; Carboxypeptidase B-like; Enkephalin convertase (Fricker, L.D.) **453**, 281

$3-[(\pm)-2-Carboxypiperazin-4-yl]-$ propyl-1-phosphonic acid

Hippocampus; N-Methyl-p-aspartate; Long-term potentiation; (+)-5-Methyl-10,11-dihydro-5Hdibenzo[a,d]cyclo-hepten-5,10-imine maleate; Field potential; Synaptic transmission (Abraham, W.C.) 462, 40

β-Carboline

γ-Aminobutyric acid (GABA); Chloride influx; Membrane vesicle; Benzodiazepine (Malatynska, E.) **443**, 395 Cardiac sympathetic nerve

Phrenic nerve afferent; Cord dorsum potential; Somatosympathetic reflex (Szulczyk, A.) 447, 109

Cardiovascular

Enkephalin; Immunohistochemistry; Parabrachial nucleus; Nucleus tractus solitarii (Maley, B.E.) **442**, 340

Vagus; Medulla; Antinociception; Pain (Randich, A.) 445, 68

Raphe; Blood pressure; Baroreceptor reflex (Haselton, J.R.) 453, 167

Neurotransmitter; L-Glutamate; Brain slice; Medulla (Miller, B.D.) 456, 333

Cardiovascular control

Nucleus paragigantocellularis lateralis; Convergent input; Analgesia (Lovick, T.A.) **456**, 183

Zona incerta; Hypothalamus; Subthalamic nucleus; Autonomic nervous system; L-Glutamate; Autoradiography (Spencer, S.E.) **458**, 72

Cardiovascular locus

Angiotensin; Blood pressure; Saralasin; Spinal cord (Pant, K.K.) 454, 400

Cardiovascular pressor

Visceral pain; Nociception; Pseudaffective reflex; Colorectal distension; Morphine; Visceromotor; Clonidine (Ness, T.J.) 450, 153

Cardiovascular reflex pathway

Paramedian reticular nucleus; Intermediolateral nucleus; Carotid sinus nerve; Fastigial nucleus; Orthostatic reflex (Elisevich, K.) **452**, 141

Cardiovascular regulation

Ventrolateral medulla; Serotonin; Substance P; Neurotensin; Somatostatin (Ciriello, J.) **440**, 53

Striatum; Dopamine; Norepinephrine; Arterial baroreceptor nerve; Somatomotor/visceromotor integration (Alexander, N.) **444**, 320

Visceral afferent; Autonomic nervous system; Referred pain; Viscerosomatic integration (Knuepfer, M.M.) 446, 17

Cardiovascular system

Fastigial nucleus; Parabrachial nucleus; Electrical stimulation; Blood pressure; Heart rate; Respiration; Autonomic nervous system (Miura, M.) 473, 352

Endogenous thyrotropin-releasing hormone; Cerebral ventricle; Passive immunization; Push-pull perfusion; Conscious rat; Bleeding (Okuda, C.) **474**, 399

Carnosine

Olfactory bulb; Immunocytochemistry; Neurotransmitter; Rat (Sakai, M.) 438, 335

Carotid body

Potassium; Calcium; Dopamine;

Acetylcholine; Sympathetic stimulation; Cyanide; Hypoxia (O'Regan, R.G.) 445, 268

Immunocytochemistry; Development; Cat; Neurotransmitter; Hypoxia (Scheibner, T.) **453**, 72

Chemoreceptor; Flow dependence; Flow interruption; Chemosensory excitation; Receptor gain (Alcayaga, J.) **455**, 31

Calcitonin gene-related peptide nerve; Ultrastructure; Reactive plasticity (Kondo, H.) 473, 283

Carotid sinus nerve

Paramedian reticular nucleus; Intermediolateral nucleus; Fastigial nucleus; Cardiovascular reflex pathway; Orthostatic reflex (Elisevich, K.) 452, 141

Carp

Retina; Amacrine cell; Ca²⁺-action potential; Dendritic arborization; Postsynaptic potential; Reversal potential (Takahashi, K.-I.) **456**, 29

Castration

Locus ceruleus; Noradrenaline; 6-Hydroxydopamine; Olfaction; Olfactory bulb; Psychophysics (Doty, R.L.) 444, 95

Cat

Defence; Aggression; Midbrain periaqueductal grey region; Excitatory amino acid; D.L-Homocysteate; Aspartate; Kainate (Bandler, R.) 439, 95

Receptive field; Neuron; Somatosensory cortex; Anesthesia; Rat (Dykes, R.) **440**, 133

Aging; Caudate nucleus; Ultrastructure; Synaptic density; Synaptic apposition length (Levine, M.S.) **440**, 267

Enkephalin; Serotonin; Spinal cord; Coexistence; Immunohistochemistry; Immunofluorescence (Tashiro, T.) **440**, 357

Corpus callosum; Somatosensory cortex; Interhemispheric transfer; Receptive field; Mid-line fusion (Guillemot, J.-P.) **441**, 221

Locus coeruleus; Noradrenaline; Endogenous opioid; Naloxone; Stress; Single unit activity (Abercrombie, E.D.) **441**, 362

Visual cortex; Spike-triggered averaging; Unitary postsynaptic potential; Intracortical connectivity; Slice preparation (Komatsu, Y.) **442**, 359

Calcitonin gene-related peptide (CGRP); Substance P (SP); Intraepidermal nerve fibers; Immunocytochemistry (Alvarez, F.J.) 442, 391 Respiratory bulbospinal neuron; Antidromic latency; Amino acid; γ-Aminobutyric acid (GABA); Glycine; Glutamate; Homocysteate; Medulla (Grelot, L.) 443, 27

Arterial pressure; Bicuculline; Electromyographic activity; γ-Aminobutyric acid; Heart rate; Hypothalamus; Muscimol; Phrenic nerve (Waldrop, T.G.) 444, 84

Wheatgerm-agglutinated horseradish peroxidase (WGA-HRP); Transganglionic; Trigeminal nerve; Baroreceptor; Arteriovenous anastomosis (Onodera, S.) 444, 273

Calcitonin gene-related peptide; Spinal dorsal horn; Iontophoresis; Nociception; Neuropeptide; Synaptic transmission (Miletic, V.) 446, 169

Substance P; γ-Aminobutyric acid; Retina; Amacrine cell; Immunocytochemistry; Colocalization (Pourcho, R.G.) 447, 164

Anterograde tracing; Wheatgerm-agglutinated horseradish peroxidase (WGA-HRP); γ-Aminobutyric acid (GABA) immunocytochemistry; Inferior olive; Electron microscopy (De Zeeuw, C.I.) 447, 369

Kindling; Amygdala; 6-Hydroxydopamine; Microinfusion; Catecholamine (Uemura, S.) 448, 162

Fever; Preoptic area; Prostaglandin; Thromboxane; Prostaglandin I_2 -mimetic; Thromboxane A_2 -mimetic; Indomethacin (Gollman, H.M.) **449**, 281

γ-Aminobutyric acid (GABA); Laminar distribution; Dorsal lateral geniculate nucleus; Visual cortex; Superior colliculus (Kanno, S.) **451**, 172

Femoral-saphenous vein; Vascular afferent; Enteroceptor; Spinal cord; Interneuron (Yates, B.J.) 451, 285

Carotid body; Immunocytochemistry; Development; Neurotransmitter; Hypoxia (Scheibner, T.) **453**, 72

Headache; Thalamus; Intracranial vasculature; Referred pain (Davis, K.D.) 454, 89

Lateral geniculate nucleus X-cell; Y-cell; Nitrous oxide; Binocular interaction; Monocular paralysis (Schroeder, C.E.) **454**, 227

Glutamate; Asymmetric synapse; Somatic sensory cortex; Visual cortex; Immunocytochemistry (Defelipe, J.) 455, 162

Vertical optokinetic nystagmus; Visual cortex lesion; Accessory optic system; Lateral terminal nucleus (Grasse, K.L.) 455, 385

Y cell; X cell; W cell; Lateral geniculate nucleus; Visual response; Electroencephalogram synchronization; Electroencephalogram desynchronization; Inhibitory circuitry (Sawai, H.) **455**, 394

Cervical spinal cord; Forelimb; Renshaw cell; Recurrent inhibition (Hahne, M.) **456**, 188

Vomiting; Expulsion; Diaphragm; Esophagus; Vagal afferent (Miller, A.D.) **456**, 367

Motor cortex; Pyramidal tract neuron; Locomotion; Gait adjustment (Drew, T.) **457**, 181

Thalamus; Nucleus ventralis posteromedialis parvocellularis; Somatic sensation; Trigeminal nerve; Tongue (Nishikawa, Y.) **458**, 394

Ammon's horn; Hippocampus; Dentate gyrus; Supramammillary nucleus; Hypothalamus; Non-pyramidal neuron; Wheat germ-agglutinated horseradish peroxidase (Ino, T.) **460**, 173

Interneuron; Excitatory postsynaptic potential; Somatosensory cortex; Intracellular study; Horseradish peroxidase (Yamamoto, T.) **461**, 199

Nicotinamide adenine dinucleotide phosphate-diaphorase; Histochemistry; Cerebral white matter (Mizukawa, K.) 461, 274

Mechanosensitivity; Muscle spindle; pH; Proton pump; Sensory ending; Ammonia; Carbondioxide (Fukami, Y.) **463**, 140

Phaseolus vulgaris-leucoagglutinin; Interposed nucleus; Nucleo-cortical projection; Climbing fiber; Purkinje cell (Murakami, F.) **463**, 144

Rapid eye movement sleep; Pontine reticular formation; Carbachol; Cholinergic; Propranolol; Aminergic; Microinjection; Reciprocal interaction model (Denlinger, S.L.) 473, 116

Carbamazepine; Ethosuximide; Evoked potential; Amygdala kindling; Systemic penicillin epilepsy; Ventral lateral thalamus; Motor cortex; Sleep-waking cycle (Shouse, M.N.) 473, 372

Entopeduncular nucleus; Lateral habenular nucleus; Thalamus; Horseradish peroxidase conjugated to wheat germ agglutinin; Electron microscopy (Tokuno, H.) 474, 390

Thalamus; Nucleus ventralis posteromedialis; Periodontium; Somatic sensation (Yokota, T.) 475, 187

Dorsal spinocerebellar tract; Cerebellum; Rhythmic movement; Respiration (Hirai, N.) 475, 385

Cat central nervous system Nicotinamide adenine dinucleotide phosphate (NADPH) diaphorase; Histochemistry; Ultrastructure (Mizukawa, K.) 452, 286

Cat pyramidal tract cell

Conduction velocity; Axonal diameter; Soma size; Horseradish peroxidase staining (Sakai, H.) **460**, 1

Cat spinal cord

Post-tetanic potentiation; Primary afferent depolarization; Group Ia afferent; Intra-axonal recording (Lev-Tov, A.) 438, 328

Cat visual cortex

 α_1 -Adrenoceptor; α_2 -Adrenoceptor; β -Adrenoceptor; Autoradiography (Parkinson, D.) **457**, 70

Catalepsy

Quinolinic acid; SCH23390; Haloperidol; Kainic acid; Neuroleptic; Striatum (Calderon, S.F.) **450**, 403

Zona incerta-lateral hypothalamus; Ventromedial thalamic nucleus; Haloperidol; Bicuculline; γ-Aminobutyric acid-A receptor (Wardas, J.) **462**, 378

Cataplexy

 α_1 -Adrenoceptor, central; Prazosin; Rapid eye movement sleep; Narcolepsy (Mignot, E.) **444**, 184

Catecholamine

6-Hydroxydopamine; Arg-vasopressin; Blood pressure (Franklin, L.) 438, 295

Hemorrhage; Adrenocorticotropic hormone (ACTH); Renin; Arterial pressure; Baroreceptor reflex; Conscious rat (Darlington, D.N.) 439, 289

Corticotropin-releasing factor; Spontaneously hypertensive rat; Mean arterial pressure; Heart rate; Bombesin (Brown, M.R.) 441, 33

Thalamus; Kainic acid; Storage vesicle; Indoleamine; High-performance liquid chromatography; Electrochemical detection (Weil-Fugazza, J.) **444**, 374

Tetrahydrobiopterin; Serotonin; Guanosine triphosphate (GTP) cyclohydrolase; Disease model; Diaminopyrimidine (Suzuki, S.) 446, 1

Kindling; Amygdala; 6-Hydroxydopamine; Microinfusion; Cat (Uemura, S.) 448, 162

Magnetic field; Retina; Rat (Olcese, J.) 448, 325

Lateralization; Sensitization; Amphetamine; Stress; Psychosis; Dopamine; Adrenocorticotropin (LaHoste, G.J.) **453**, 381

Drinking; Blood pressure; Angiotensin II; Angiotensin-induced thirst; Angiotensin-induced pressor response (Bellin, S.I.) **456**, 9

Epinephrine; Norepinephrine; Vasopressin; Blood pressure; Conscious rabbit (Martin, S.M.) **457**, 192 Aplysia; Histofluorescence; Buccal ganglion (Rathouz, M.M.) 458, 170

Hypoglycemia; Cerebrospinal fluid; β -Endorphin; Adrenocorticotropic hormone; Cortisol; Insulin; Conscious dog (Radosevich, P.M.) **458**, 325

Caudate-putamen; Nucleus accumbens; Dopamine; Immunocytochemistry; Glia; Norepinephrine; Synapse (Aoki, C.) **459**, 205

Desensitization; Nicotinic receptor; Tachykinin; Substance P; Adrenal chromaffin cell; Secretion; Neuromodulation (Khalil, Z.) **459**, 282

Tachykinin; Substance P; Adrenal chromaffin cell; Secretion; Neuromodulation (Khalil, Z.) **459**, 289

Monoamine; Gastropod; Serotonin; Snail (Croll, R.P.) 460, 29

Cebus monkey; Immunohistochemistry; Non-human primate; Tyrosine hydroxylase (Kordower, J.H.) **461**, 221

Catecholamine content

Avian brain; Dopamine; Prefrontal cortex equivalent; Strain difference (Divac, I.) 444, 371

Catecholamine turnover

Monoamine; Steroid; Hypothalamus; Vocal control system; Zebra finch (Barclay, S.R.) **459**, 333

Catecholaminergic projection: A2 catecholamine cell group
Supraoptic nucleus; Neurosecretory

Supraoptic nucleus; Neurosecretory cell; Vasopressin cell; Nucleus tractus solitarii (Day, T.A.) **454**, 387

Catfish

Taste; Tactile; Somatotopy; Medulla; Facial lobe; Amino acid; Electrophysiology (Marui, T.) 446, 178

Cation

Tetracycline; Invertebrate; Vertebrate; Myelin; Aluminum (Pereyra, P.M.) **458**, 377

Spinal cord injury; Trauma; Eicosanoid; Lipoxygenase; Cyclo-oxygenase (Faden, A.I.) **463**, 63

Cation binding

Ruffini; Corpuscle; Free ending; Node of Ranvier; Schwann cell; Mechanoreceptor (Byers, M.R.) 461, 397

Cation-binding

Trigeminal perikaryon; Axon hillock; Stem axon; Node; Schwann cell (Byers, M.R.) **443**, 125

Caudal brainstem

Glucoprivic feeding; Fatty acid oxidation; 5-Thio-p-glucose; Methyl palmoxirate; Fourth ventricle; Metabolic control of food intake; Rat (Tordoff, M.G.) 445, 216

Caudal chemoceptive area

Central chemoreceptor; Ventral respiratory group; Intermediate

chemoceptive area; Nucleus paragigantocellularis lateralis; Peripheral chemoreceptor; Vascular nociceptor; Control of breathing (Arita, H.) 442, 1

Caudal spinal cord

Dorsal root; Sensory afferent; Amphibian spinal cord (Nordlander, R.H.) **440**, 391

Caudal ventrolateral medulla

Blood pressure; *N*-Methyl-D-aspartate; 2-Amino-5-phosphonovalerate; Excitatory amino acid; Push-pull perfusion; Rat (Kubo, T.) **451**, 366

Neuropeptide Y; Mean arterial pressure; Heart rate; A1 noradrenaline nucleus; Nucleus ambiguus; Wistar-Kyoto normotensive rats (Macrae, I.M.) 456, 1

Candate

Transplant; Dopamine; Adrenal medulla; Chromaffin cell; In vivo dialysis; Circling; Rat (Nishino, H.) **445**, 325

Carbon fiber electrode; KCl stimulation; Spreading depression; Ion-selective electrode; Substantia nigra; In vivo voltammetry (Kasser, R.J.) 475, 333

Caudate afferent

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Caudate mosaic; Nigrostriatal; Parkinson's disease; Degeneration (Turner, B.H.) 473, 60

Caudate mosaic

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Caudate afferent; Nigrostriatal; Parkinson's disease; Degeneration (Turner, B.H.) **473**, 60

Caudate nucleus

Suicide transport; Toxic lectin; Abrin; Modeccin; Volkensin; Substantia nigra; Parafascicular nucleus (Wiley, R.G.) 438, 145

Aging; Ultrastructure; Synaptic density; Synaptic apposition length; Cat (Levine, M.S.) **440**, 267

Dopamine uptake; Fast cyclic voltammetry; Nucleus accumbens; Electrical stimulation; Diffusion (Stamford, J.A.) 448, 381

△9-Tetrahydrocannabinol; Marijuana; Cannabinoid; Cannabis; Dopamine; 3,4-Dihydroxyphenylethylamine; Neostriatum; Rat; Potassium; In vivo electrochemistry; In vivo microdialysis; Brain reward (Ng Cheong Ton, J.M.) 451, 59

Carbon fibre microelectrode; Fast cyclic voltammetry; Electrical stimulation; Nucleus accumbens; Dopamine (Stamford, J.A.) **454**, 282

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; 1-Methyl-4-phenylpyridinium ion; Osmotic minipump; Monkey; Hemiparkinsonism; Substantia nigra pars compacta; Dopamine (Imai, H.) 474, 327

Caudate-putamen

Methylmercury; Noradrenaline; Serotonin; Dopamine; Cerebral cortex; Spinal cord; Cerebral palsy (O'Kusky, J.R.) **439**, 138

Amygdala; Naloxone; β -Noradrenergic antagonist; α -Noradrenergic antagonist; Inhibitory avoidance; Discrimination learning; Memory; Cortex (McGaugh, J.L.) **446,** 37

In vivo dopamine receptor labeling; Propylnorapomorphine N-n-; Dipping autoradiography; Dopamine receptor localization; Receptor, D₂-; N-Ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline; Heterogeneity of striatum (Loopuijt, L.D.) **456**, 263

Nucleus accumbens; Dopamine; Immunocytochemistry; Glia; Norepinephrine; Synapse; Catecholamine (Aoki, C.) **459**, 205

Cholecystokinin; Olfactory tubercle; Amphetamine; Haloperidol; Dopamine; 3-Methoxytyramine; Dihydroxyphenylacetic acid (Altar, C.A.) 460, 76

Caudate-putamen complex

Mediodorsal thalamic nucleus; Dopamine utilisation; Prefrontal cortex lesion; Ibotenate infusion (Jones, M.W.) 475, 8

CD-1 mice

Restraint; Stress-induced analgesia; Morphine; Naloxone; Analgesia; Tail flick; Circadian effect (Miller, D.B.) **473**, 327

Cebus monkey

Catecholamine; Immunohistochemistry; Non-human primate; Tyrosine hydroxylase (Kordower, J.H.) **461**, 221

Cell

Hippocampal; Tonic; Phasic; Theta-on; Cholinergics (Bland, B.H.) **440**, 167

Cingulate; Discharge; Hippocampal; Electroencephalogram; Modulation; Muscarinic; Nicotinic (Colom, L.V.) **460,** 329

Cell cortex

Microtubule; Neuron; Growth cone; Endocytosis; Taxol (Sinclair, G.I.) **450,** 60

Cell culture

Neuron; Neurofilament; Aluminum; Tangle; Immunocytochemistry; Rat brain hemisphere (Langui, D.) 438, 67

Schwann cell; Fetal nerve (Scarpini, E.) 440, 261

Calcium; Calcium channel; Excitotoxin; Glutamate; Neuroblastoma (Murphy, T.H.) 444, 325

Hypoglycemia; Dextrorphan; Levorphanol; Dextromethorphan; N-Methyl-p-aspartic acid (NMDA); Neurotoxicity; Cortex; Opioid (Monyer, H.) **446**, 144

Quinolinate; Kainate; Acetylcholinesterase; NADPH-diaphorase; Excitatory amino acid; Huntington's disease; Striatum (Koh, J.-Y.) 446, 374

Vasopressin cell; Phasic activity; Plateau potential; Refractory period; Potassium conductance (Legendre, P.) **457**, 386

Calcium; Depolarization; Glutamate; Neuroblastoma; Neurotoxicity; Quisqualate (Murphy, T.H.) **460**, 155

A-current; Neostriatum; Voltage-clamp (Surmeier, D.J.) 473, 187

Cell cycle

Astrocyte; Fibroblast growth factor; In vitro (Kniss, D.A.) 439, 281

Cell death

Acetylcholine; Chicken; Ciliary ganglion; Embryology; Sympathetic ganglion; Synaptic transmission; Trophic factor (Maderdrut, J.L.) 444, 189

Ischemia; Phosphorylation; Calcium-calmodulin-dependent protein kinase (Taft, W.C.) 447, 159

Cholinergic neuron; Retrograde degeneration; Axotomy; Choline acetyltransferase; Acetylcholinesterase (Lams, B.E.) 475, 401

Cell fusion

Adenylate cyclase; β-Adrenoceptor; Neuropeptide; Receptor-effector coupling; Membrane; Hybridization (Olasmaa, M.) **473**, 29

Cell lysis

Neural cell; Differentiation; Growth inhibition; Neurite loss (Notter, M.F.D.) 456, 254

Cell number

Reactive astrocyte; Proliferation; Quantitative analysis; [³H]Thymidine; Glial fibrillary acidic protein; Mouse (Miyake, T.) **451**, 133

Cell surface

Freeze-fracture; Colloidal gold; Attachment; Antigen; Cell surface attachment (CSAT) (Quick, D.C.) 440, 243

Cell surface antigen

Central nervous system-systemic lupus erythematosus; Brain reactive autoantibody; Neuroblastoma; Brain antigen; Autoimmunity (Hoffman, S.A.) 452, 358

Cell surface attachment (CSAT) Freeze-fracture; Colloidal gold; Cell surface; Attachment; Antigen (Quick, D.C.) 440, 243

Cell survival

Hippocampal lesion; Ciliary ganglion; Choline acetyltransferase activity; NG108-15 cell; Colchicine; Neurotrophic activity (Nakagawa, Y.) **439**, 11

Cell-cell interaction

Dysmyelinating mutant; Myelination; Neural cell adhesion molecule (Bhat, S.) **452**, 373

Central amygdala

Endorphin; Enkephalin; Naloxone; Stress ulcer (Ray, A.) 442, 195

Central amygdaloid nucleus

Neurotensin; Mammillary body; Passive avoidance behavior; Learning behavior; Rat (Shibata, K.) **443**, 117

Substance P; Lateral parabrachial area; Projection; Immunocytochemistry; Coexistence; Calcitonin gene related peptide; Double-staining method (Yamano, M.) 451, 179

Central benzodiazepine receptor Surgery; Peripheral benzodiazepine binding site; Ketamine; Flunitrazepam; PK 11195; Stress (Okun, F.) **458**, 31

Central cardiovascular control

Chemical stimulation; Chemical stimulation; Chemical stimulation; Medial frontal cortex; Rat (Ruit, K.G.) 457, 310

Central cervical nucleus

Spinocerebellar; Clarke's column; Cerebellum; Spinal cord (Tracey, D.J.) **453**, 129

Central chemoreceptor

Ventral respiratory group; Caudal chemoceptive area; Intermediate chemoceptive area; Nucleus paragigantocellularis lateralis; Peripheral chemoreceptor; Vascular nociceptor; Control of breathing (Arita, H.) 442, 1

Central dopaminergic system Schedule-induced polydipsia; Coping;

Amphetamine (Tazi, A.) **445**, 211

Central nervous system

Extracellular matrix; Immunohistochemistry; Brain segment; Monoclonal antibody (Rettig, W.J.) 438, 315

Nerve growth factor; Receptor; Development; Rat (Eckenstein, F.) 446, 149

Tumor necrosis factor; Interleukin-1β; Transforming growth factor-β; Angiotensin II; Food and water intake; Rat; Intracerebroventricular administration (Plata-Salamán, C.R.) 448, 106

Melanin concentrating hormone; α-Melanocyte-stimulating hormone; Immunocytochemistry; *Locusta* migratoria (Schoofs, L.) **450**, 202

Serotonin; 5-Hydroxyindoleacetic acid; Serotonin neurotoxin; Denervation

tool; Pigeon (Alesci, R.) 450, 259

Thyrotropin-releasing hormone; Thyrotropin-releasing hormone analog; Protein kinase C; 12-O-Tetradecanoylphorbol-13-acetate; 4-α-Phorbol; Hypoglycemia; Mouse (Amir, S.) **450**, 369

Gonadotropin releasing hormone; Receptor; Rat (Jennes, L.) 452, 156

Neuropeptide Y; Paraventricular hypothalamic nucleus; Gastric acid secretion; Microinjection; Peptide; Hypothalamus; Rat (Humphreys, G.A.) **456**, 241

Blood pressure; γ-Aminobutyric acid; Glutamate; Medulla oblongata (Gordon, F.J.) **457**, 251

Development; Excitatory amino acid; Glutamate; Hypoxia-ischemia; Neurotoxicity; *N*-Methyl-D-aspartate; Rat (McDonald, J.W.) **459**, 200

Cerebrospinal fluid pressure; Rat; Circadian pattern; Intracranial pressure (Starcevic, V.P.) **462**, 112

Basic fibroblast growth factor; Acidic fibroblast growth factor; Astrocyte; White matter; Angiogenesis; Regeneration (Ferrara, N.) 462, 223

Central nervous system reorganization

Neural plasticity; Sprouting; Age-at-lesion effect; Red nucleus; Motor cortex; Hemispherectomy (Villablanca, J.R.) 453, 17

Central nervous system-systemic lupus erythematosus

Brain reactive autoantibody; Neuroblastoma; Brain antigen; Cell surface antigen; Autoimmunity (Hoffman, S.A.) **452**, 358

Central neuron

Astroglia; Peripheral neuron; Detachment; Primary culture (Gilad, G.M.) 458, 249

Central nicotinic site

κ-Bungarotoxin; Neuronal nicotinic receptor; α-Bungarotoxin; Chick embryo; Muscle nicotinic receptor; L-Nicotine (Wolf, K.M.) **439**, 249

Central receptor

Vasopressin; Peptide; Autoradiography; Homogenate binding (Lawrence, J.A.M.) 446, 212

Central release

Vasopressin; Oxytocin; Push-pull perfusion; Osmotic stimulation; Septum; Dorsal hippocampus (Landgraf, R.) **457**, 219

Centrally mediated hypoglycemia

Insulin; Insulin analog; Insulin receptor; Protein kinase C; 12-O-Tetradecanoylphorbol-13-acetate; Polymyxin B; Psychosine; Mouse (Amir, S.) 450, 272

Centre median

Primate; Macaque; Parafascicular nucleus; Medial nucleus of the pallidum; Substantia nigra; Basal ganglia (François, C.) 473, 181

Cercus

Giant interneuron; Feedback; Sensory regulation; Cockroach (Goldstein, R.S.) 440, 366

Cerebellar cortex

Guanine nucleotide-binding protein; Islet-activating protein substrate; Hippocampus; Cerebral cortex; Second messenger system; Synapse (Terashima, T.) 442, 305

Climbing fiber; Motor learning (Lou, J.-S.) 445, 171

Cerebellar culture

Astrocyte; Synaptic density; Neuropil; Electron microscopy; Cytosine arabinoside (Meshul, C.K.) 441, 23

Cerebellar development

Bergmann glia; Methylazoxymethanol; Gliogenesis; External granular layer; Glial filament protein (GFP) (Hillman, D.E.) **447**, 353

Cerebellar flocculus

Middle zone; Medial vestibular nucleus; Target neuron of floccular inhibition; Relay neuron of vestibulo-ocular reflex; Eye movement (Sato, Y.) **446**, 225

Cerebellar granule cell

Neuronal culture; Stimulation-coupled transmitter release; Neuromodulation; Glutamate; Glycine; Glycine receptor; Cerebellum (Kingsbury, A.) 448, 46

Glutamate; Excitatory amino acid; N-Methyl-D-aspartic acid (NMDA) receptor; Neurotoxicity; Excitotoxicity; Neuron (Novelli, A.) 451, 205

Cerebellar intention tremor

Isometric contraction; Arm movement; Reversible cooling lesion (Flament, D.) **439**, 179

Cerebellar nuclei

Calcitonin gene-related peptide; Mossy fiber; Parallel fiber; Granule cell; Cerebellum; Pontine nuclei; Immunohistochemistry (Sugimoto, T.) **439**, 147

Cerebellar nucleus

Primate; Neuronal activity; Arm; Reach (MacKay, W.A.) 442, 240

Monoclonal antibody; Acetylcholinesterase; Cerebellum; Sagittal band; Development (Boegman, R.J.) **448**, 237

Cerebellar Purkinje cell

Estrogen; Glutamate; Pressure ejection; Neuromodulation (Smith, S.S.) 475, 272

Cerebellar receptor

Hippocampal receptor; Insulin-like growth factor-II; Autoradiography

(Smith, M.) 445, 241

Insulin-like growth factor II; Weaver mouse; Purkinje cell degeneration mouse (Mendelsohn, L.G.) 458, 361

Cerebellar vermis

Prepositus nucleus; Purkinje cell; Fastigial nucleus; Eye movement (Ohtsuka, K.) 455, 153

Cerebellum

Calcitonin gene-related peptide; Mossy fiber; Parallel fiber; Granule cell; Cerebellar nuclei; Pontine nuclei; Immunohistochemistry (Sugimoto, T.) 439, 147

Ectopic granule cell; Primary fissure; Plasticity; Rat (Berciano, M.T.) **439,** 169

Muscarinic cholinergic receptor; Pigeon brain; Basal ganglia; Telencephalon (Dietl, M.M.) **439**, 360

γ-Aminobutyric acid/benzodiazepine receptor; Pigeon brain; CI 218872; γ-Aminobutyric acid; Basal ganglia (Dietl, M.M.) **439**, 366

D-[³H]Aspartate; Glutamate; Autoradiography; Mossy fiber; Granule cell (Garthwaite, G.) **440**, 162

Intracellular recording; Ventrolateral thalamus (VL); Sensory input; Spinal cord; Sensorimotor cortex (Mackel, R.) **440**, 348

β-Bungarotoxin; Quantitative autoradiography; Rat brain; Hippocampus; Dendrotoxin; K⁺-channel (Pelchen-Matthews, A.) **441,** 127

Classical conditioning; Interpositus; Red nucleus; Electrical stimulation; Rabbit (Chapman, P.F.) 442, 97

Spreading depression; Migraine; Biomagnetism; Evoked magnetic field (Okada, Y.C.) **442**, 185

Superior colliculus; Mystacial vibrissa; Trigeminal; Climbing fiber response; Crus II (Akaike, T.) **442**, 373

Neurotoxicity; Somatostatin; Vasopressin; Barrel rotation; Convulsion; Pulmonary edema (Balaban, C.D.) 445, 117

N-Methyl-D-aspartic acid receptor; Phencyclidine receptor; Cortex; Norepinephrine; Release assay (Yi, S.-J.) 445, 147

Scrapie; Neurotransmitter; Glutamic acid decarboxylase; Adenosine receptor (Quinn, M.R.) **445**, 297

Cerebellar granule cell; Neuronal culture; Stimulation-coupled transmitter release; Neuromodulation; Glutamate; Glycine; Glycine receptor (Kingsbury, A.) 448, 46

Monoclonal antibody; Acetylcholinesterase; Cerebellar nucleus; Sagittal band; Development (Boegman, R.J.) 448, 237

Cultured neuron; Glutamate; Aspartate; Noradrenaline (Mori-Okamoto, J.) **448**, 259

Bromocriptine; Cerebral cortex; Glial cells; Hypothalamus; Neural cells; Pons-medulla; Prolactin; Monkey (Kumaran, B.) 450, 325

Glycine; γ-Aminobutyric acid; Immunocytochemistry; Colocalization; Rat (Ottersen, O.P.) **450**, 342

Dorsal paraflocculus; Climbing fiber; Receptive field (Robertson, L.T.) **452,** 97

Spinocerebellar; Clarke's column; Spinal cord; Central cervical nucleus (Tracey, D.J.) **453**, 129

Neuropeptide; Huntington's disease; Neuropeptide Y; Substance P (Beal, M.F.) **454**, 393

Lurcher mutant mouse; Spatial integration; Spontaneous alternation (Lalonde, R.) 455, 24

Nerve growth factor; Nerve growth factor receptor; Flocculonodular lobe; Purkinje cell; Colchicine; Immunoreactivity (Pioro, E.P.) **455,** 182

Adenosine deaminase; Purkinje cell; Purinergic neuromodulator; Immunohistochemistry (Nagy, J.I.) **457,** 21

Serotonin; Mutant mouse *pcd*; Purkinje cell; 5-Hydroxyindoleacetic acid (Ghetti, B.) **458**, 367

Glutamate receptor; Protein kinase C; Desensitization (Crepel, F.) **458**, 397

Buspirone; Ipsapirone; 8-Hydroxy-2-[*N*,*N*-dipropylamino]tetralin; Serotonin; Hippocampus; Sciatic nerve (Hiner, B.C.) **461**, 1

Potassium; Extracellular pH; Ion-selective microelectrode; Elasmobranch; Spreading depression (Rice, M.E.) 461, 328

Noradrenaline; Purkinje cell; Receptor specificity; α_2 -Adrenergic receptor; Pressure ejection (Parfitt, K.D.) **462**, 242

γ-Aminobutyric acid/Benzodiazepine receptor; Evolution; Radiohistochemistry; Immunohistochemistry (Schmitz, E.) 473, 314

Dorsal spinocerebellar tract; Rhythmic movement; Respiration; Cat (Hirai, N.) 475, 385

Cerebellum in oculo

Noradrenaline; Purkinje neuron; Brain transplantation; Adrenoceptor (Granholm, A.-C.E.) **459**, 256

Cerebral pCO₂

Adenosine; Theophylline; Dipyridamole; Cerebral blood flow; Cerebral pO₂; Rabbit (Puiroud, S.) **453**, 287

Cerebral pO₂

Adenosine; Theophylline; Dipyridamole; Cerebral blood flow; Cerebral pCO₂; Rabbit (Puiroud, S.) **453**, 287

Cerebral artery
Vasoactive intestinal peptide;
Neuropeptide Y; Co-existence;
Sympathectomy; Immunofluorescence
(Gibbins, I.L.) 444, 402

(Gibbins, I.L.) **444,** 402 Vasoactive intestinal polypeptide;

Pterygopalatine ganglion; Otic ganglion; Superior cervical ganglion; Immunohistochemistry; Dog (Uemura, Y.) 448, 98

Forskolin; Vasoactive intestinal polypeptide (VIP); Adenylate cyclase; Adenosine monophosphate, cyclic (Suzuki, Y.) 457, 241

Adrenergic; Serotoninergic; Peptidergic; Perivascular; Innervation; Development; Rat (Mione, M.C.) 460, 103

Neuropeptide Y; Subarachnoid hemorrhage; Rabbit; Cerebrospinal fluid (Abel, P.W.) **463**, 250

Neuropeptide Y; Rabbit; Cerebrospinal Fluid; Radioimmunoassay; Immunohistochemistry; High performance liquid chromatography (McDonald, J.K.) 463, 259

Femoral artery; Nifedipine; Bay K 8644; CGP 28392; Vascular tone; Noradrenaline release (Fernández-Alfonso, M.S.) 474, 147

Cerebral asymmetry

Brain lateralization; Protein phosphorylation; Protein kinase C; Rat cerebral hemisphere; Synaptosomal fraction (De Martinez, M.S.G.) 440, 386

Cerebral biopsy

Human temporal cortex; Glutaraldehyde; γ-Aminobutyrate; Immunocytochemistry; GABAergic nerve cell (Schiffmann, S.) 442, 270

Cerebral blood flow

Somatosensory evoked potential (SEP); Hypoxia; Thalamocortical conduction time (Coyer, P.E.) 441, 145

Adenosine; Theophylline; Dipyridamole; Cerebral pO₂; Cerebral pCO₂; Rabbit (Puiroud, S.) **453**, 287

Capillary recruitment; Cerebral circulation; Cerebrovascular function; Hypocapnia (Shockley, R.P.) **454**, 170

Chronic hypoglycemia; Hypoglycemia; Insulin; Rat; Iodoantipyrine (Bryan, R.M.) 475, 397

Cerebral blood vessel

Angiotensin-converting enzyme; Kininase II; Angiotensin; Bradykinin; Cerebrospinal fluid (Whalley, E.T.) 438, 1

Serotonin; Co-transmission; Immunohistochemistry; Perivascular nerve (Jackowski, A.) 443, 159

Cerebral capillary

Cholinergic innervation; Choline acetyltransferase; Acetylcholinesterase fiber; Neural control of cerebral circulation (Estrada, C.) 453, 275

Cerebral circulation

Capillary recruitment; Cerebrovascular function; Hypocapnia; Cerebral blood flow (Shockley, R.P.) **454**, 170

Cerebral cortex

Methylmercury; Noradrenaline; Serotonin; Dopamine; Spinal cord; Caudate-putamen; Cerebral palsy (O'Kusky, J.R.) **439**, 138

Monoamine innervation; Distribution; Quantification; Radioautography (Doucet, G.) 441, 233

Dopamine innervation; Neonatal 6-hydroxydopamine; N(2-chloro-ethyl)N-ethyl-2-bromo benzylamine hydrochloride (DSP-4) denervation; Quantification; Radioautography (Berger, B.) **441**, 260

Dopamine innervation; Immunocytochemistry; Ultrastructure; Synaptic relationship (Séguéla, P.) 442, 11

γ-Aminobutyric acid (GABA); Partial epilepsy; Remote lesion; Withdrawal; Rat model; Brain plasticity (Brailowsky, S.) 442, 175

Guanine nucleotide-binding protein; Islet-activating protein substrate; Hippocampus; Cerebellar cortex; Second messenger system; Synapse (Terashima, T.) 442, 305

Penicillin; Diffusion; Epilepsy model (Lehmenkühler, A.) 444, 181

Hippocampus; Hippocampal CA1; Area TE; Inferotemporal cortex; Monkey; Horseradish peroxidase (HRP) (Iwai, E.) 444, 397

Local oxygen tension; Local blood flow; Polarography; White matter; Hippocampus (Feng, Z.-C.) 445, 280

Adenosine; Benzodiazepine; Triazolam (O'Regan, M.H.) 445, 376

Transplantation; Neurite; Fluorescence histochemistry (Freed, W.J.) 446, 133

Somatostatin; Immunocytochemistry; Lizard; Reptile (Dávila, J.C.) 447, 52

Bromocriptine; Cerebellum; Glial cells; Hypothalamus; Neural cells; Pons-medulla; Prolactin; Monkey (Kumaran, B.) **450**, 325 Sleep; N-Methyl-D-aspartic acid (NMDA); 2-Amino-5-phosphonovaleric acid (2-APV); Thalamocortical (Armstrong-James, M.) **451**, 189

Serotonin; Receptor, 5-HT₂; Serotonergic axon; Dorsal raphe; Receptor binding; Immunocytochemistry; Autoradiography (Blue, M.E.) **453**, 315

Nerve growth factor; Basal nucleus; Neostriatum; Rat; Neuronal degeneration; Rat brain injury; Brain plasticity (Lorez, H.P.) **454**, 355

N-Methyl-D-aspartate antagonist; Spreading depression; Rat; Electric stimulation; Ion-sensitive microelectrode (Marrannes, R.) 457, 226

Reptile; Lizard; Hippocampus; Horseradish peroxidase; Connection; Synapse; Timm; *Podarcis hispanica* (Lopez-Garcia, C.) **463**, 205

Deoxyglucose; Autoradiography; Alcohol; Brain (Miller, M.W.) 474, 316

Cholinergic receptor; Muscarinic receptor subtype; Cyclic adenosine monophosphate; M₂ receptor; Rat brain; Forskolin (Anderson, D.J.) **475**, 28

Calcium; Calcium binding protein; Calbindin-28K; Alzheimer's disease; Senile dementia (Ichimiya, Y.) **475**, 156

Cerebral edema

Blood-brain barrier; Cerebral endothelia; Corticosteroid; Water (Olson, J.J.) **439**, 259

Cerebral endothelia

Blood-brain barrier; Cerebral edema; Corticosteroid; Water (Olson, J.J.) **439**, 259

Cerebral ganglion

Serotonin; Immunohistochemistry; Bilateral symmetry (Sukhdeo, S.C.) **463**, 57

Cerebral ischemia

Superoxide radical; Superoxide dismutase; Glutathione peroxidase; Rat brain (Chan, P.H.) 439, 388

α-Difluoromethylornithine; Ornithine decarboxylase; Polyamine metabolism; Putrescine; Rat (Paschen, W.) **453**, 9

Reperfusion; Spontaneously hypertensive rat (Sadoshima, S.) **454**, 238

Cerebral lateralization

Rodent; Neocortical ablation; Spatial bias; Stress-related hormone; Amphetamine; Sensitization (LaHoste, G.J.) 474, 296

Cerebral lesion

Corticorubral fiber; Sprouting; Red nucleus; Kitten; Phaseolus vulgaris leucoagglutinin (PHA-L)

(Murakami, F.) 447, 98

Cerebral metabolism

Locus ceruleus; Barrel receptor field; Vibrissa; 2-Deoxyglucose (Levin, B.E.) **443**, 261

Deoxyglucose; Ethanol (Eckardt, M.J.) 444, 53

Cerebral microvessel

Arginine vasopressin; Hippocampal slice; Pyramidal cell; Interneuron (Albeck, D.) **463**, 394

Cerebral palsy

Methylmercury, Noradrenaline; Serotonin; Dopamine; Cerebral cortex; Spinal cord; Caudate-putamen (O'Kusky, J.R.) 439, 138

Cerebral vascular innervation

Sympathetic innervation; Stellate ganglion; Basilar artery; Vertebral artery; Anterograde tracing; Wheatgerm-agglutinated horseradish peroxidase (WGA-HRP) histochemistry; Rat (Arbab, M.A.) 445, 175

Cerebral ventricle

Endogenous thyrotropin-releasing hormone; Passive immunization; Push-pull perfusion; Cardiovascular system; Conscious rat; Bleeding (Okuda, C.) 474, 399

Cerebral vessel

Immunohistochemistry; 5-Hydroxytryptamine; Noradrenaline; Coexistence; Sympathetic nerve; Superior cervical ganglion (Chang, J.-Y.) **438**, 237

Hypertension; Neuropeptide Y; Adrenergic; Perivascular nerve; Spontaneously hypertensive rat; Superior cervical ganglion (Dhital, K.K.) 444, 33

Cerebral white matter

Nicotinamide adenine dinucleotide phosphate-diaphorase; Histochemistry; Cat (Mizukawa, K.) **461**, 274

Cerebrospinal fluid

Angiotensin-converting enzyme; Kininase II; Angiotensin; Bradykinin; Cerebral blood vessel (Whalley, E.T.) 438, 1

Calcium; Hypocalcemia; Brain; Choroid plexus; Transport; Blood-brain barrier (Murphy, V.A.) 454, 315

Guanidino compound; Rabbit; Convulsion; Pentylenetetrazol (Hiramatsu, M.) **455**, 38

Endogenous anticonvulsant; Opioid peptide; Seizure arrest; Epilepsy (Tortella, F.C.) **456**, 139

L-Pyroglutamic acid; Huntington's disease; Neurotoxin hypothesis; Plasma; Brain (Uhlhaas, S.) 457, 196

Hypoglycemia; β -Endorphin;

Catecholamine; Adrenocorticotropic hormone; Cortisol; Insulin; Conscious dog (Radosevich, P.M.) **458**, 325

Adrenal medulla graft; Parkinson's disease; Microdialysis; Dopamine release; Striatum (Becker, J.B.) **462**, 401

Neuropeptide Y; Subarachnoid hemorrhage; Cerebral artery; Rabbit (Abel, P.W.) **463**, 250

Neuropeptide Y; Rabbit; Radioimmunoassay; Immunohistochemistry; High performance liquid chromatography; Cerebral artery (McDonald, J.K.) 463, 259

Enkephalin; Opioid peptide; Electroconvulsive shock; Neuroleptic drug; Neuropeptide; Schizophrenia (Iadarola, M.J.) 474, 75

Brain homogenate; Electronic osmometer; Colloid osmotic pressure; Oncotic pressure; Osmotic potential; Brain edema (Tomita, M.) 474, 165

Serotonin; Neurotoxicity; Amphetamine; 5-Hydroxyindoleacetic acid; (±)-3,4-Methylenedioxymethamphetamine (Ricaurte, G.A.) 474, 359

Cerebrospinal fluid absorption Venous capillary; Choroid plexus; Circumventricular organ; Horseradish peroxidase; Mouse (Hashimoto, P.H.) 440, 149

Cerebrospinal fluid flow Third cerebral ventricle; Osmoreception; Arginine-vasopressin

release (Eriksson, S.) 448, 121 °

Cerebrospinal fluid pressure
Rat; Circadian pattern; Central nervous

system; Intracranial pressure (Starcevic, V.P.) 462, 112 Cerebrovascular

Bradykinin; Headache; Thalamus; Trigeminal (Davis, K.D.) 446, 401

Cerebrovascular function Capillary recruitment; Cerebral circulation; Hypocapnia; Cerebral blood flow (Shockley, R.P.) **454**, 170

Cerebroventricle Angiotensin II; Angiotensin III; Amastatin; Bestatin; Rat (Dewey, A.L.) 448, 369

Cerebroventricular metabolism Aminopeptidase inhibitor; Amastatin; Bestatin; Angiotensin II; Angiotensin III; Drinking; Rat (Wright, J.W.) 441, 215

Cervical spinal cord Forelimb; Renshaw cell; Recurrent inhibition; Cat (Hahne, M.) 456, 188

Pain; Spinal cord; Dorsal horn;

Cutaneous afferent fiber (Schouenborg, J.) 439, 56

Nociceptor; Pain; Itch; Chemoreceptor; Neurophysiology; Ephapse; Gap junction; Hyperalgesia (Meyer, R.A.) 441, 81

Nerve pathophysiology; Nerve injury; Neuroma; Pain (Devor, M.) 446, 396

Unmyelinated fiber; Primary afferent; Lissauer's tract; Intraspinal sprouting; Nerve growth factor; Antibody to nerve growth factor (Hulsebosch, C.E.) 461, 322

C-flanking peptide of neuropeptide Y (C-PON)

Immunocytochemistry; NADPH-diaphorase; Enzyme histochemistry; Striatum; Rat (Villalba, R.M.) 462, 359

C-fos

Proto-oncogenes; Adult brain; Plasticity (Dragunow, M.) 440, 252

Injury: Regeneration (Dragunow, M.) 455, 295

CGP 28392

Cerebral artery; Femoral artery; Nifedipine; Bay K 8644; Vascular tone; Noradrenaline release (Fernández-Alfonso, M.S.) 474, 147

CGS 8216

Benzodiazepine; Learning; Memory; Flumazenil (Ro 15-1788) (Kumar, B.A.) **460**, 195.

Channel inactivation
Intermediate lobe cell: Calcium

Intermediate lobe cell; Calcium channel; Calcium current; Neurosecretion (Stanley, E.F.) 475, 64

Channel modification

Sodium channel; Squid axon; Voltage clamp; Pyrethroid; Octylguanidine (De Weille, J.R.) 445, 1

Characteristics

1-(2-(Diphenylmethoxy)-ethyl)-4-(3-phenylpropyl)Piperazine (GBR-12935); Dopamine uptake site; Human brain (Marcusson, J.) 457, 122

Charybdotoxin

Focal ischemia; Ischemic brain edema; Calcium-activated potassium channel (Tominaga, T.) **460**, 376

Chelator

Photoreceptor; Horizontal cell; Cone; Synaptic transmission; Ethylenediaminetetraacetic acid (EDTA); Ethyleneglycol-bis-(\$\mathcal{\textit{G}}\-\text{aminoethyl ether}\)-N,N,N',N',-tetraacetic acid (EGTA); Calcium; Magnesium (Normann, R.A.) 443, 95

Chemical microinjection

Locomotor activity; Mesencephalic locomotor region; Subthalamic locomotor region; Pedunculopontine nucleus; Zona incerta; Subthalamic nucleus; Electrical stimulation (Milner, K.L.) 452, 273

Chemical paralysis

Calcium-induced paralysis; Spinal norepinephrine; Sucrose-potassium phosphate-glyoxylic acid (SPG) histofluorescence; Monoamine; High-performance liquid chromatography (HPLC) (De la Torre, J.C.) 442, 297

Chemical stimulation

Hippocampus; Central cardiovascular control; Electrical stimulation; Medial frontal cortex; Rat (Ruit, K.G.) 457, 310

Chemoreception

Sheep: Response pattern: Epiglottis; Nucleus of the solitary tract; Off response; Superior laryngeal nerve; Upper airway (Sweazey, R.D.) 439, 195

Chemoreceptor

Nociceptor; Pain; Itch; C-fiber; Neurophysiology; Ephapse; Gap junction; Hyperalgesia (Meyer, R.A.) 441, 81

Nucleus tractus solitarii: Brainstem; Medulla; Visceral; Sensory (Claps, A.) 455, 123

Carotid body; Flow dependence; Flow interruption; Chemosensory excitation; Receptor gain (Alcayaga, J.) 455, 31

Chemoreceptor reflex

Substance P: Blood pressure control; Capsaicin; Nucleus tractus solitarii; Baroreceptor reflex (Takano, Y.) 445, 188

Chemosensory excitation

Carotid body; Chemoreceptor; Flow dependence: Flow interruption; Receptor gain (Alcayaga, J.) 455, 31

Chick

Dendritic spine; Passive avoidance training (Patel, S.N.) 449, 34

Dendritic spine; Avoidance training; Amnesia (Patel, S.N.) 463, 168

Chick brain

[³H]Muscimol binding; Quantitative autoradiography (Stewart, M.G.) **456**, 387

Chick ciliary ganglion neuron κ-Neurotoxin; Neuronal nicotinic receptor; Cockroach neuron; Voltage-clamp recording (Pinnock, R.D.) 458, 45

Chick development

Acetylcholinesterase; Retinal pigmented epithelium; Neural retina (Martelly, I.) 460, 205

Chick embryo

κ-Bungarotoxin; Neuronal nicotinic receptor; α-Bungarotoxin; Central nicotinic site; Muscle nicotinic receptor; L-Nicotine (Wolf, K.M.) 439, 249

Extracellular space; Development; Spinal cord (Sano, N.) 455, 324

Chick retina

Glutamate-GABA exchange; Culture (De Mello, M.C.F.) 443, 166

Retina; Serotonin; Amacrine cell; Bipolar cell; Ganglion cell; Kainic acid; 5,7-Dihydroxytryptamine (Millar, T.J.)

Acetylcholine; Cell death; Ciliary ganglion; Embryology; Sympathetic ganglion; Synaptic transmission; Trophic factor (Maderdrut, J.L.) 444, 189

Chicken retina

D₁-Dopamine receptor; Binding site; Cyclic adenosine monophosphate (cAMP); Development (Agui, T.) 452, 49

Chloral hydrate

Thyrotropin-releasing hormone; Aging; Thermoregulation; Rat (Amir, S.) 440, 181

Chlordiazepoxide

Brainstem; Benzodiazepine; Feeding; Palatability; γ-Aminobutyric acid (GABA) (Berridge, K.C.) 447, 262

Substance P; Valproic acid; Kainic acid; Strychnine; Morphine; Pain; Behavior; Spinal cord (Frenk, H.) 455, 240

Chloride channel

γ-Aminobutyric acid (GABA); GABA_A antagonist; Pyridazine derivative; Sensory ganglion; Chromaffin cell; Calcium current (Hamann, M.) 442, 287

γ-Aminobutyric acid (GABA); Alcohol toxicity; Chloride uptake; Brain vesicle (Suzdak, P.D.) 444, 340

Primary cultured spinal cord neuron; γ-Aminobutyric acid receptor; Benzodiazepine receptor; Development (Mehta, A.K.) 454, 156

Chloride flux

Benzodiazepine: Barbiturate: Chloride ion; Midazolam; Pentobarbital; γ-Aminobutyric acid; Rat brain (Yu, O.) 451, 376

Chloride influx

γ-Aminobutyric acid (GABA); Membrane vesicle; Benzodiazepine; β-Carboline (Malatynska, E.) 443, 395

Chloride ion

Benzodiazepine; Barbiturate; Midazolam; Pentobarbital; γ-Aminobutyric acid; Chloride flux; Rat brain (Yu, O.) 451, 376

Chloride ion permeability

Deiters' neuron; γ-Aminobutyric acid; Cytoplasmic side receptor (Rapallino, M.V.) 462, 350

Chloride uptake

γ-Aminobutyric acid (GABA); Alcohol toxicity; Brain vesicle; Chloride channel (Suzdak, P.D.) 444, 340

Chloride-dependent binding

2-Amino-4-phosphonobutyric acid; Glutamate uptake; Glutamate binding; Chloride-dependent uptake (Mitchell, C.K.) 459, 298

Chloride-dependent release

y-Aminobutyric acid; Taurine; Kainic acid; Retinal swelling (Pasantes-Morales, H.) 459, 120

Chloride-dependent uptake

2-Amino-4-phosphonobutyric acid; Glutamate uptake; Glutamate binding; Chloride-dependent binding (Mitchell, C.K.) 459, 298

p-Chlorophenylalanine

Rapid eye movement sleep; Insomnia; Acetylcholine; Carbachol; Pontine area (Drucker-Colin, R.) 462, 163

B-Chlornaltrexamine

 β -Endorphin; Periaqueductal gray; Pituitary; Mouse strain; Social stress; Analgesia; Naloxone (Külling, P.) 450, 237

Cholecystokinin

Sleep; Brain temperature; Feeding (Kapás, L.) 438, 155

Dopamine; Electrophysiology; Apomorphine; Neuromodulation; Midbrain (Freeman, A.S.) 439, 266

Lucifer yellow; Intracellular staining; Lamprey; Spinal cord (Ohta, Y.) 445, 400

Feeding behavior; Satiety; Osmotic minipump (Schick, R.R.) 448, 294

Brain receptor; Cholecystokinin A (CCK-A) receptor; Cholecystokinin B (CCK-B) receptor; Rat hippocampal slice; Single-unit activity; Extracellular recording (Böhme, G.A.) 451, 309

Dorsolateral striatum; Frontal cortical area (Meyer, D.K.) 452, 113

Caudate-putamen; Olfactory tubercle; Amphetamine; Haloperidol; Dopamine: 3-Methoxytyramine; Dihydroxyphenylacetic acid (Altar, C.A.) 460, 76

Dopamine; Coexistence; Locomotion; Endogenous; Neuropeptide (Crawley, J.N.) 473, 398

Receptor; Nervus vagus; Nodose ganglion; Nucleus tractus solitarii; Rat (Ladenheim, E.E.) 474, 125

Cholecystokinin A (CCK-A)

receptor

Cholecystokinin; Brain receptor; Cholecystokinin B (CCK-B) receptor; Rat hippocampal slice; Single-unit activity; Extracellular recording (Böhme, G.A.) 451, 309

Cholecystokinin antagonist

Lorglumide; Dopamine neuron; Nucleus accumbens; Haloperidol (Jiang, L.H.) 473, 165

Cholecystokinin B (CCK-B) receptor

Cholecystokinin; Brain receptor; Cholecystokinin A (CCK-A) receptor; Rat hippocampal slice; Single-unit activity; Extracellular recording (Böhme, G.A.) 451, 309

Cholecystokinin-A receptor Interpeduncular nucleus; Habenular nucleus (Hill, D.R.) 454, 101

Cholesterol

Filipin; Tomatin; Saponin; Calcium; Axolemma; Lipid domain; Extracellular matrix; Membrane-associated cytoskeleton; Cytoskeleton (Fields, R.D.) 443, 231

Acetylcholine synthesis; Acetylcholine release; Adrenal; Brain cortex; Surplus acetylcholine (Doležal, V.) 449, 244

Choline acetyltransferase

Cholinergic neurotoxin; Retina; Muscarinic receptor; Ethylcholine mustard aziridinium ion (AF64A); Retinal blood vessel (Estrada, C.) 439, 107

Immunohistochemistry; Alkaline phosphatase; Horseradish peroxidase; Trigeminal neuron; Calcitonin gene-related peptide (Batten, T.F.C.) 447, 314

Acetylcholine; Transmitter; Immunohistochemistry; Lateral line efferent; Goldfish (Danielson, P.D.) 448, 158

Cholinergic factor; Quiescent astrocyte; Cytosine arabinoside; Subcortical cholinergic cell culture; Glutamine synthetase (Patel, A.J.) 450, 378

Acetylcholine esterase; Acetylcholine; Kainic acid; Reticular formation (Jones, B.E.) 451, 13

Horseradish peroxidase-conjugated wheat germ agglutinin; Phaseolus vulgaris leucoagglutinin; Immunohistochemistry; Double labeling; Brainstem reticular formation; Sleep (Mitani, A.) 451, 397

Striatum; Neuropeptide Y; Acetylcholine; Kainic acid; Quinolinic acid; L-Glutamic acid; Decortication (Boegman, R.J.) 452, 219

Muscarinic acetylcholine receptor; Quantitative receptor autoradiograhy; Quinuclidinyl benzilate: Transmitter-receptor mismatch (Ernsberger, P.) 452, 336

Cholinergic innervation; Acetylcholinesterase fiber; Cerebral capillary; Neural control of cerebral circulation (Estrada, C.) 453, 275

Estradiol; Dexamethasone; Brain

region; Mechanism of action (Kaufman, H.) 453, 389

Acetylcholine; Cortical microvessel; Neurotransmitter release; γ-Aminobutyric acid; High-performance liquid chromatography; Electron microscopy; Immunocytochemistry (Arnerić, S.P.) **454,** 11

Thyrotrophin-releasing hormone; Wet-dog shake; Serotonin; Raphe neuron; Motoneuron (Fone, K.C.F.) **455**, 157

Spinal cord; Superior cervical ganglion; Neurospecificity; Tissue culture (Chalazonitis, A.) 458, 231

Tyrosine hydroxylase; Reticular formation; Paradoxical sleep; Wakefulness (Webster, H.H.) **458**, 285

Nerve growth factor; Ganglioside; Hippocampal serotonin (Lombardi, G.) **458**, 348

Cholinergic neuron; Retrograde degeneration; Axotomy; Cell death; Acetylcholinesterase (Lams, B.E.) **475**, 401

Choline acetyltransferase activity Hippocampal lesion; Cell survival; Ciliary ganglion; NG108-15 cell; Colchicine; Neurotrophic activity (Nakagawa, Y.) 439, 11

Nucleus basalis magnocellularis; Spatial memory; Place navigation task; Cross maze (Mayo, W.) **455**, 213

Thyrotrophin-releasing hormone; Indoleamine; Motoneuron; Bulbospinal raphe neuron; Peptide (Fone, K.C.F.) 460, 22

Choline acetyltransferase immunopositivity

Frontal cortex; Pyramidal cell; Rat (Nishimura, Y.) 440, 144

Choline chloride

Benztropine; Tris chloride; Sodium; Ouabain; Dopamine; Re-uptake; Striatum; Push-pull perfusion; Rat (Sirinathsinghji, D.J.S.) 438, 399

Choline transport

Blood-brain barrier; Aging (Mooradian, A.D.) 440, 328

Choline uptake

Noise; Repeated exposure; Frontal cortex; Hippocampus; Tolerance; Classical conditioning (Lai, H.) 442, 403

Inhibitor; Structure-activity relationship; Mouse brain synaptosome (Tamaru, M.) **473**, 205

Cholinergic

Nucleus tegmenti pedunculopontinus; Double labeling; Axonal projection (Goldsmith, M.) **445**, 386

Pterygopalatine ganglion; Rat; Guinea

pig; Neuropeptide Y; Acetylcholinesterase; Tyrosine hydroxylase; Small intensely fluorescent (SIF) cell; Coexistence (Kuwayama, Y.) **446**, 219

Concussion; Antimuscarinic; Experimental brain injury; Mechanical brain injury (Lyeth, B.G.) 448, 88

Tyrosine hydroxylase; Nucleus basalis magnocellularis; Acetylcholinesterase; Substantia nigra (Martinez-Murillo, R.) **451.** 227

Scopolamine; Experimental brain injury; Mechanical brain injury; Spinal cord injury (Lyeth, B.G.) **452**, 39

Nicotinamide adenine dinucleotide phosphatase-diaphorase, reduced; Human brainstem; Histochemistry (Nakamura, S.) 455, 144

Rapid eye movement sleep; Pontine reticular formation; Carbachol; Propranolol; Aminergic; Microinjection; Cat; Reciprocal interaction model (Denlinger, S.L.) **473**, 116

Muscarinic; Receptor;
³H-1-Quinuclidinylbenzilate-binding; Cohclea; Efferent; Autoradiography (Van Megen, Y.J.B.) **474**, 185

Cholinergic afferent

Alzheimer's disease; Amygdala; Somatostatin; Neuropeptide Y; Neuronal atrophy; Neuritic plaque (Unger, J.W.) **452**, 293

Cholinergic cortical transplant Nucleus basalis magnocellularis lesion; Spatial memory (Welner, S.A.) 463, 192

Cholinergic drug

Septum; Neuronal activity; Theta-hythm; Electrical stimulation (Brazhnik, E.S.) **451**, 1

Cholinergic factor

Quiescent astrocyte; Cytosine arabinoside; Choline acetyltransferase; Subcortical cholinergic cell culture; Glutamine synthetase (Patel, A.J.) **450**, 378

Cholinergic hypofunction

Acetylcholine; Ethylcholine mustard aziridinium ion; AF64A; Memory intracortical; Nucleus basalis; Animal model; Alzheimer's disease (Mouton, P.R.) 444, 104

Cholinergic innervation

Choline acetyltransferase; Acetylcholinesterase fiber; Cerebral capillary; Neural control of cerebral circulation (Estrada, C.) **453**, 275

Cholinergic marker

Local cerebral glucose utilization; Deoxyglucose; Nucleus basalis magnocellularis; Dementia; Autoradiography (Orzi, F.) **462**, 99 Cholinergic mechanism

Inescapable shock; Noradrenergic mechanism; Dopaminergic mechanism; Serotonergic mechanism; γ-Aminobutyric acidergic mechanism; Motor activity; Rat (Płaźnik, A.) 447, 122

Pedunculopontine nucleus; Mesencephalic locomotor region; Locomotor activity; Carbachol; Amphetamine; Nucleus accumbens; Rat (Brudzynski, S.M.) 451, 119

Neuronal transmission; Brain dialysis; Presynaptic inhibition; Hippocampus; Sensory input; Theta-rhythm (Herreras, O.) **461**, 303

Cholinergic neuron

Aging; Nucleus basalis magnocellularis; Neural plasticity (Stephens, P.H.) **448**, 320

Locomotor activity; Nucleus basalis magnocellularis; GABAergic drug; Enkephalin analog (Baud, P.) **452**, 203

Ethylcholine aziridinium ion; Cytotoxicity; Dopaminergic neuron; Primary rat brain culture (Amir, A.) **454,** 298

Graft; Unit activity; Microiontophoresis; Basal forebrain (Bassant, M.H.) **460**, 8

Sacral intermediolateral nucleus; Sacral parasympathetic preganglionic neuron; Adrenergic fiber; β-Galactosidase; Double-immunostaining method (Kohno, J.) **461**, 158

Retrograde degeneration; Axotomy; Cell death; Choline acetyltransferase; Acetylcholinesterase (Lams, B.E.) 475, 401

Cholinergic neurotoxin

Retina; Choline acetyltransferase; Muscarinic receptor; Ethylcholine mustard aziridinium ion (AF64A); Retinal blood vessel (Estrada, C.) 439, 107

AF64A; Memory; Working/episodic memory; Acetylcholine; Medial septum; Hippocampus (Chrobak, J.J.) 463, 107

Cholinergic pathway

Diagonal band; Limbic system; Medial septum; Nucleus basalis (Koliatsos, V.E.) **463**, 133

Cholinergic pharmacological agent Colchicine; Nucleus basalis; Radial-arm maze; Animal model of cognitive dysfunction (Tilson, H.A.) 438, 83

Cholinergic receptor

Vagal complex; Solitary nucleus; Area postrema; Emesis; Human brainstem (Hyde, T.M.) **447**, 287

Hippocampal slice (Segal, M.) 452, 79

Muscarinic receptor subtype; Cyclic adenosine monophosphate; M₂ receptor; Rat brain; Cerebral cortex;

Forskolin (Anderson, D.J.) 475, 28

Cholinergic stimulus

Prostaglandin; Thromboxane; PGE₂; Prostacyclin; PGD₂; PGF₂a; TXB₂ (Busija, D.W.) **439**, 122

Cholinergic system

Methylazoxymethanol acetate; Hebenula; Interpeduncular nucleus (Virgili, M.) **460**, 361

Cholinergic transmission

Vesical pelvic ganglia; 5-Hydroxytryptamine; Synaptic inhibition; 5-HT_{1A} receptor subtype (Nishimura, T.) **442**, 399

Cholinergic vasodilation

Rat; Cortical blood flow; Basal forebrain lesion; Pyrethroid insecticide (Lister, T.) **450**, 364

Cholinergics

Hippocampal; Tonic; Phasic; Theta-on; Cell (Bland, B.H.) 440, 167

Cholinesterase

Butyrylcholinesterase; Lateral geniculate nucleus; Tree shrew; Retinal projections (Horn, K.M.) 448, 386

Histochemistry; Peripheral nerve; Carbonic anhydrase; Nerve regeneration; Axotomy; Myelinated axon; Motor nerve fiber; Sensory nerve fiber (Riley, D.A.) **453**, 79

Cholinomimetic

Purine; Adenosine; Acetylcholine; Neuromodulator; Transmitter interaction (Brooks, P.A.) **458**, 106

Cholinotoxin (AF64A)

Aluminum accumulation; Rat brain; Regional difference; Parietal cortex; Hippocampus; Alzheimer's disease (Szerdahelyi, P.) 444, 356

Chopped tissue

Dopamine; Synaptosome; Uptake; Release; Striatum (Kristensen, E.W.) **461**, 44

Chorda tympani

Umami; Taste quality; Conditioned taste aversion; Glossopharyngeal nerve; Single fiber analysis (Yamamoto, T.) **451**, 147

Chorda tympani nerve

Amiloride; Taste; Single fiber; Ionic stimulus; Electrical stimulation; Rat (Ninomiya, Y.) 451, 319

Choroid

Muscarinic receptor; Retinal pigment epithelium; Free cytoplasmic calcium; Quin 2 (Friedman, Z.) 446, 11

Choroid plexus

Cerebrospinal fluid absorption; Venous capillary; Circumventricular organ; Horseradish peroxidase; Mouse (Hashimoto, P.H.) 440, 149

Blood-CSF barrier; Blood-brain barrier; Organic anion transport; Whole-body autoradiography (Kim, C.S.) 440, 216

Calcium; Hypocalcemia; Brain; Cerebrospinal fluid; Transport; Blood-brain barrier (Murphy, V.A.) **454,** 315

Chromaffin cell

γ-Aminobutyric acid (GABA); GABA_A antagonist; Pyridazine derivative; Sensory ganglion; Chloride channel; Calcium current (Hamann, M.) **442**, 287

Transplant; Dopamine; Adrenal medulla; Caudate; In vivo dialysis; Circling; Rat (Nishino, H.) 445, 325

Cryopreservation; Dymethyl sulfoxide; Tissue culture; Nerve growth factor; Tyrosine hydroxylase; Transplantation (Silani, V.) **454**, 383

Serotonin; Immunohistochemistry; Electron microscopy; High-performance liquid chromatography; Frog; Sympathetic regulation (Delarue, C.) **459**, 17

Adrenal medulla; Graft; Nerve growth factor; Parkinson's disease; Transplant (Pezzoli, G.) **459**, 398

Chromatographic characterization Enkephalin; Adrenal medulla; Explant; Proenkephalin; Depolarization (Inturrisi, C.E.) 448, 230

Chromatography

Gastrin releasing peptide; Retina; Radioimmunoassay; Immunohistochemistry (McKillop, J.M.) 447, 239

Chromatolysis

Axon reaction; Motor neuron; Nerve injury; Regeneration; Perikaryal response (Bowe, C.M.) **463**, 69

Chronic

Decerebrate; Rat; Nucleus tractus solitarii; Taste; Electrophysiology (Mark, G.P.) 443, 137

Flexor reflex; Arthritis; Tenotomy; Rat; Plasticity; Spinal cord (Wall, P.D.) 447, 215

Chronic benzodiazepine

γ-Aminobutyric acid; Dorsal raphe nucleus; Diazepam; Rat; Brain slice (Wilson, M.A.) 473, 198

Chronic cat

Caerulein; Haloperidol; Dopamine; Synergy; Hypothalamic defensive attack (Maeda, H.) **459**, 351

Chronic drug effect

Sensitization; Amphetamine; Dopamine; Nucleus accumbens; Dialysis; Dopamine release; Locomotion; Stereotyped behavior; Stimulant; Amphetamine psychosis; Neural plasticity (Robinson, T.E.) 462, 211

Chronic ethanol

Dentate gyrus; Basket cell; Astrocyte;

Granule cell; Short-sleep mice; Long-sleep mice (Scheetz, A.J.) **460**, 246

Chronic ethanol ingestion

Hippocampus; Dentate gyrus; Dendritic spine; Golgi stain (King, M.A.) **459**, 381

Chronic hypoglycemia

Cerebral blood flow; Hypoglycemia; Insulin; Rat; Iodoantipyrine (Bryan, R.M.) 475, 397

Chronic ischemic model

Middle cerebral artery; Neurological deficit; Motor coordination; Learning behavior; Rat (Yamamoto, M.) **452**, 323

Chronic naltrexone administration Norepinephrine; Dopamine; Serotonin (Sharma, T.R.) 442, 379

Chronic nicotine administration

Nicotine; 2-Deoxyglucose; Rat brain; Local cerebral glucose utilization; Nicotinic receptor; Locomotor activity (Grünwald, F.) **456**, 350

Chronic recording

Leupeptin; Long-term potentiation; Calpain (Staubli, U.) 444, 153

Chronic starvation

Acute starvation; β₂-Adrenergic receptor; Hypothalamus; Cortex; Lymphocyte (Lonati-Galligani, M.) **442**, 329

Chronic treatment

Clozapine; Prazosin; α_1 -Noradrenergic antagonist; Dopamine release; Striatum; Nucleus accumbens; In vivo voltammetry (Lane, R.F.) **460**, 398

Rat; Ethanol; Muscarinic binding site; Alcoholism model (Wahlström, G.) 474, 189

CI 218872

γ-Aminobutyric acid/benzodiazepine receptor; Pigeon brain; γ-Aminobutyric acid; Basal ganglia; Cerebellum (Dietl, M.M.) **439**, 366

Ciliary ganglion

Hippocampal lesion; Cell survival; Choline acetyltransferase activity; NG108-15 cell; Colchicine; Neurotrophic activity (Nakagawa, Y.) 439, 11

Edinger-Westphal nucleus; Anterior median nucleus; Parasympathetic nucleus; Fluorescent tracer; Nuclear yellow; Fast blue; Spinal cord; Double label (Burde, R.M.) 440, 177

Acetylcholine; Cell death; Chicken; Embryology; Sympathetic ganglion; Synaptic transmission; Trophic factor (Maderdrut, J.L.) 444, 189

Retrograde tracer; Fluorescent dye; Wheat germ agglutinin horseradish peroxidase; Parasympathetic outflow; Mesencephalon (Burde, R.M.) 463, 158

Ciliary neuron

Parasympathetic nervous system; Calcitonin gene-related peptide; Enkephalin; Neuropeptide Y; Vasoactive intestinal peptide (Stone, R.A.) 475, 389

Ciliary neurotrophic factor

Monoclonal antibody; Immunoparasympathectomy (Hendry, I.A.) 475, 160

Cingulate

Cell; Discharge; Hippocampal; Electroencephalogram; Modulation; Muscarinic; Nicotinic (Colom, L.V.) 460, 329

Cingulate gyrus

Vocalization; Primate; Frontal cortex; Isolation call (MacLean, P.D.) 450, 111

Circadian

Melatonin; Light; Pineal; Wavelength (Brainard, G.C.) **454**, 212

Avian; Suprachiasmatic nucleus; Periventricular preoptic nucleus; Ventral lateral geniculate nucleus; Lateral anterior nucleus (Cassone, V.M.) **459**, 178

Circadian effect

Restraint; Stress-induced analgesia; Morphine; Naloxone; Analgesia; Tail flick; CD-1 mice (Miller, D.B.) **473,** 327

Circadian hormone rhythm

Suprachiasmatic nucleus; Corticosterone; Serotonin; Ontogenesis (Bánky, Z.) 445, 222

Circadian pattern

Cerebrospinal fluid pressure; Rat; Central nervous system; Intracranial pressure (Starcevic, V.P.) **462**, 112

Circadian rhythm

Entrainment; Photoreceptor (Zatz, M.) 438, 199

Suprachiasmatic nucleus; Single unit activity; Metabolic activity; Hamster; In vitro (Shibata, S.) 438, 374

Triazolam; γ-Aminobutyric acid; Benzodiazepine antagonist; Benzodiazepine receptor (Van Reeth, O.) **444**, 333

Brain DNA synthesis; Sleep-waking cycle (Grassi Zucconi, G.) 447, 253

Entrainment; α_2 -Adrenergic receptor (Zatz, M.) **450**, 137

Entrainment; Photoreceptor; Adenosine monophosphate, cyclic (Zatz, M.) 453, 51

Phototransduction; G-proteins; Transducin; Rhodopsin; Entrainment (Zatz, M.) **453**, 63

Pentobarbital; Phase response curve; Mouse; Strain difference (Ebihara, S.) **454.** 404

Vasoactive intestinal polypeptide

antagonist; Rapid-eye-movement sleep; Peptide; Rat (Mirmiran, M.) 458, 192

Entrainment; Retinohypothalamic tract; Neuronal plasticity; Hamster; Geniculohypothalamic tract (Johnson, R.F.) **460**, 297

Retinohypothalamic tract; Geniculohypothalamic tract; Suprachiasmatic nucleus; Entrainment; Anterior hypothalamus (Johnson, R.F.) **462**, 301

Entrainment; Calcium channel (Zatz, M.) 463, 305

Brain slice; cAMP; Hypothalamus; Oscillator; Pacemaker; Phase-shift; Suprachiasmatic nuclei (Gillette, M.U.) 474, 348

Circadian rhythmicity

Pineal gland; Brattleboro rat; Melatonin synthesis; Serotonin-N-acetyltransferase; Long-Evans rat; Vasopressin (Schröder, H.) 459, 328

Circling

Benzodiazepine; Flurazepam; γ-Aminobutyric acid (GABA); Muscimol; Substantia nigra; Rotation; Tolerance (Tietz, E.I.) 438, 41

Collision method; Refractory period; Conduction velocity; Striatonigral pathway (Tehovnik, E.J.) **441**, 269

Transplant; Dopamine; Adrenal medulla; Chromaffin cell; Caudate; In vivo dialysis; Rat (Nishino, H.) **445**, 325

Circling behavior

Electrical stimulation; Striatum; Globus pallidus; Local cerebral glucose utilization; [¹⁴C]Deoxyglucose method (Aiko, Y.) **442**, 43

Dynorphin; Substance P; Combined effect; Intranigral injection; Dopamine turnover (Tan, D.-P.) **443**, 310

Nucleus tegmenti pedunculopontinus pars compacta; Nucleus accumbens; Kainic acid; Dopamine turnover; Acetylcholine (Niijima, K.) 451, 163

Circumvallate papilla

Von Ebner's gland; Autonomic nervous system; Tongue; Salivary gland; Taste (Gurkan, S.) 473, 127

Circumventricular organ

Cerebrospinal fluid absorption; Venous capillary; Choroid plexus; Horseradish peroxidase; Mouse (Hashimoto, P.H.) **440,** 149

Angiotensin II; Deoxycorticosterone acetate; Salt appetite; Angiotensin receptor (King, S.J.) 448, 140

Blood-brain barrier; Fluorescein; Gonadectomy; Rat; Sex difference (Martinez, J.L.) **450**, 81

Clarke's column

Spinocerebellar; Cerebellum; Spinal

cord; Central cervical nucleus (Tracey, D.J.) 453, 129

Classical conditioning

Cerebellum; Interpositus; Red nucleus; Electrical stimulation; Rabbit (Chapman, P.F.) 442, 97

Noise; Repeated exposure; Choline uptake; Frontal cortex; Hippocampus; Tolerance (Lai, H.) **442**, 403

Red nucleus; Nictitating membrane response; γ-Aminobutyric acid; Bicuculline methiodide; Picrotoxin (Haley, D.A.) **454**, 131

Ketamine anesthesia; Conditioned suppression; Retention; Rat (Edeline, J.-M.) **457**, 274

Climbing fiber

Cerebellar cortex; Motor learning (Lou, J.-S.) 445, 171

Dorsal paraflocculus; Cerebellum; Receptive field (Robertson, L.T.) **452,** 97

Phaseolus vulgaris-leucoagglutinin; Interposed nucleus; Nucleo-cortical projection; Purkinje cell; Cat (Murakami, F.) 463, 144

Climbing fiber response Cerebellum; Superior colliculus; Mystacial vibrissa; Trigeminal; Crus II

Clindamycin

(Akaike, T.) 442, 373

Sympathetic ganglion cell; Antibiotic; M-current; Hyperpolarizing afterpotential; Ganglion cell depolarization (Konopka, L.M.) 458, 269

Sympathetic ganglion; Antibiotic; Open channel blockade; Nicotinic receptor; Excitatory postsynaptic current (Konopka, L.M.) **458**, 278

Clonazepam

Photoaffinity labeling; Flunitrazepam; Ro 15-4513; Different benzodiazepine binding protein; Peptide mapping; Papin; Autoradiography (Sieghart, W.) **450**, 387

Benzodiazepine; Palatability; Sweet taste; Zolpidem; Fluid intake; Rat (Cooper, S.J.) **456**, 173

Clonidine

Clonidine-displacing substance; Medulla oblongata; Ventrolateral medulla; Receptor binding; p-[³H]Aminoclonidine; \alpha-Adrenergic receptor; Imidazole binding site (Ernsberger, P.) 441, 309

Visceral pain; Nociception; Pseudaffective reflex; Colorectal distension; Morphine; Visceromotor; Cardiovascular pressor (Ness, T.J.) **450**, 153

Clonidine-displacing substance Clonidine; Medulla oblongata; Ventrolateral medulla; Receptor binding; *p*-[³H]Aminoclonidine; α-Adrenergic receptor; Imidazole binding site (Ernsberger, P.) **441**, 309

Clozapine

Chronic treatment; Prazosin; α_1 -Noradrenergic antagonist; Dopamine release; Striatum; Nucleus accumbens; In vivo voltammetry (Lane, R.F.) **460**, 398

Co-action

Acetylcholine; Serotonin; Vasoactive intestinal peptide; Frog corticosteroidogenesis; Perifusion (Leboulenger, F.) **453**, 103

Co-culture

Norepinephrine; Sympathetic neuron; Heart cell; Nerve growth factor (Wakade, A.R.) 458, 115

Co-transmission

Cerebral blood vessel; Serotonin; Immunohistochemistry; Perivascular nerve (Jackowski, A.) 443, 159

Cobalt focus

Seizure; Epilepsy; Hippocampus; Neuron damage (Sugaya, E.) **459**, 196

Cocaine

Nociception; Flexion reflex; Analgesia; Rat (Pertovaara, A.) 438, 286

Functional anatomy; Octanoate; Heroin (Trusk, T.C.) 438, 61

Acetylcholine turnover; Hippocampus; Norepinephrine (Robinson, S.E.) **457,** 383

Cochlea

Aging; Presbycusis; Enkephalin; Dynorphin; Acetylcholine (Hoffman, D.W.) **460**, 366

Cochlear micromechanics

Selective attention; Evoked oto-acoustic emission; Olivo-cochlear efferent (Puel, J.-L.) 447, 380

Cochlear nucleus

Deoxyglucose; Pavlovian conditioning; Associative learning; Rabbit; Autoradiography (Harvey, J.A.) **449,** 213

Olivocochlear neuron; Anterograde label; Retrograde label (Robertson, D.) **462**, 47

Cockroach

Giant interneuron; Feedback; Sensory regulation; Cercus (Goldstein, R.S.) **440**, 366

Escape behavior; Giant interneuron; Lesion; Antenna (Comer, C.M.) **445**, 370

Cockroach neuron

κ-Neurotoxin; Neuronal nicotinic receptor; Chick ciliary ganglion neuron; Voltage-clamp recording (Pinnock, R.D.) 458, 45

Coelenterate

Neuropeptide; Neurotransmitter; Peptide isolation; Evolution (Graff, D.) 442, 354

Coexistence

Cerebral vessel; Immunohistochemistry; 5-Hydroxytryptamine; Noradrenaline; Sympathetic nerve; Superior cervical ganglion (Chang, J.-Y.) **438**, 237

Enkephalin; Serotonin; Spinal cord; Immunohistochemistry; Immunofluorescence; Cat (Tashiro, T.) **440**, 357

Sympathetic ganglion; Enkephalin; Neuropeptide Y; Subcellular fractionation; Vesicle (Bastiaensen, E.) **442,** 124

Retina; Amacrine cell; Enkephalin; Neurotensin; γ-Aminobutyric acid; Glycine (Watt, C.B.) **444**, 366

Vasoactive intestinal peptide; Neuropeptide Y; Sympathectomy; Cerebral artery; Immunofluorescence (Gibbins, I.L.) **444**, 402

Pterygopalatine ganglion; Rat; Guinea pig; Neuropeptide Y; Acetylcholinesterase; Cholinergic; Tyrosine hydroxylase; Small intensely fluorescent (SIF) cell (Kuwayama, Y.) **446**, 219

Substance P; Lateral parabrachial area; Central amygdaloid nucleus; Projection; Immunocytochemistry; Calcitonin gene related peptide; Double-staining method (Yamano, M.) **451**, 179

Neuropeptide Y; Adrenergic transmitter; Hypothalamus; Projection; Feeding (Sahu, A.) 457, 376

Retina; Amacrine cell; Enkephalin; Neurotensin; Glycine (Wu, S.M.) **458,** 195

Locus ceruleus; Vasopressin; Noradrenaline; Immunocytochemistry (Caffé, A.R.) **459**, 386

Galanin; Medial septal area; Nucleus basalis; Muscarinic receptor; Nicotinic receptor (Wenk, G.L.) **460**, 17

5-Hydroxytryptamine; Immunohistochemistry; Neurotransmitter; Nucleus raphe magnus; Rat (Millhorn, D.E.) **461,** 169

Dopamine; Cholecystokinin; Locomotion; Endogenous; Neuropeptide (Crawley, J.N.) 473, 398

Cohclea

Muscarinic; Cholinergic; Receptor; ³H-1-Quinuclidinylbenzilate-binding; Efferent; Autoradiography (Van Megen, Y.J.B.) 474, 185

Coherence function

Dorsal horn neuron; Cutaneous afferent; Random stimulation; Peristimulus time histogram (Kuipers, U.) **462**, 154

Medullary inspiratory neuron; Inspiratory nerve; Rhythm; Spectral analysis; Interval analysis (Christakos, C.N.) 463, 362

Coherence spectra

Phrenic; Recurrent laryngeal; Hypoglossal; Inspiratory neuron; Power spectra (Sica, A.L.) 440, 370

Colchicine

Nucleus basalis; Radial-arm maze; Cholinergic pharmacological agent; Animal model of cognitive dysfunction (Tilson, H.A.) 438, 83

Hippocampal lesion; Cell survival; Ciliary ganglion; Choline acetyltransferase activity; NG108-15 cell; Neurotrophic activity (Nakagawa, Y.) 439, 11

Corticotropin-releasing factor; Adrenalectomy; Axonal transport; Secretory activity (Berkenbosch, F.) 442, 312

Neurosecretory peptide; Intraneuronal transport; Golgi apparatus; Endoplasmic reticulum; Microtubule (Alonso, G.) **453**, 191

Nerve growth factor; Nerve growth factor receptor; Cerebellum; Flocculonodular lobe; Purkinje cell; Immunoreactivity (Pioro, E.P.) **455**, 182

Fetal hippocampal cell suspension; Radial arm maze; Motor activity (Tandon, P.) 473, 241

Cold neuron

Taste; Thermal sensitivity; Mechanoreceptive neuron; Solitary tract nucleus; Rat; Receptive field (Ogawa, H.) **454**, 321

Cold stability

Tubulin; Microtubule; Axon; Nervous system; Isoelectric focusing; Mouse (Binet, S.) **450**, 231

Cold stress

Corticotropin-releasing factor; Acoustic stress; Stomach; Gastric emptying; Motility; Mouse (Buéno, L.) 441, 1

Cold water swim

Adrenal denervation; Stress; Opioid; Non-opioid analgesia; Tail flick (Rochford, J.) 445, 404

Collagen

Entubulation repair; Peripheral nerve repair; Laminin; Peripheral nervous system; Rat (Madison, R.D.) 447, 325

Collagen type IV receptor Valproate; Glia; Adhesion; Heat shock; Teratogenesis (Martin, M.L.) **459,** 131

Collagenase

Frog muscle spindle; Decapsulation; Prolongation of spike duration; Aggregation of intramembrane particles (Fujitsuka, N.) 443, 243

Collateral sprouting

Reinnervation; Sudomotor axon; Sweat

gland; Age (Navarro, X.) 463, 174

Collision method

Circling; Refractory period; Conduction velocity; Striatonigral pathway (Tehovnik, E.J.) 441, 269

Colloid osmotic pressure

Brain homogenate; Electronic osmometer; Oncotic pressure; Osmotic potential; Brain edema; Cerebrospinal fluid (Tomita, M.) 474, 165

Colloidal gold

Freeze-fracture; Cell surface; Attachment; Antigen; Cell surface attachment (CSAT) (Quick, D.C.) 440, 243

Colocalization

Substance P; γ-Aminobutyric acid; Retina; Amacrine cell; Cat; Immunocytochemistry (Pourcho, R.G.) 447, 164

Glycine; y-Aminobutyric acid; Immunocytochemistry; Rat; Cerebellum (Ottersen, O.P.) 450, 342

Substance P; Enkephalin; Intraspinal neuron; Substantia gelatinosa; Anti-nociception (Senba, E.) 453, 110

Neuropeptide; Tyrosine hydroxylase; Ventral tegmental area; Immunohistochemistry (Seroogy, K.) 455, 88

Retina; Amacrine cell; γ-Aminobutyric acid; NADPH-diaphorase; Rabbit (Vaney, D.I.) 474, 380

Colorectal distension

Visceral pain; Nociception; Pseudaffective reflex; Morphine; Visceromotor; Cardiovascular pressor; Clonidine (Ness, T.J.) 450, 153

Columnar organization

Intracellular; Barrel cortex; Whisker; Excitatory postsynaptic potential; Inhibitory postsynaptic potential (Carvell, G.E.) 448, 186

Combined effect

Dynorphin; Substance P; Intranigral injection; Dopamine turnover; Circling behavior (Tan, D.-P.) 443, 310

Command neuron

Mauthner neuron; Reticulospinal system; Escape response; Lateralization (DiDomenico, R.) 473, 15

Command system

Locomotion; Descending pathway; Brainstem locomotor region; Lamprey (McClellan, A.D.) 457, 338

Commissural fiber

Corpus callosum; Acallosal brain; Probst's bundle; Mouse, ddN strain; Corticocortical fiber (Ozaki, H.S.) 441, 5

Competition study

Autoradiography; Oxytocin; Rat brain; Synthetic structural analogue; V₁ receptor; Vasopressin (Tribollet, E.)

442, 105

Competitive inhibitor

Glutamate; Quisqualate; Stizolobic acid; Crayfish neuromuscular junction (Shinozaki, H.) 451, 353

Complex environment

Multivariate statistics; Brain plasticity; Synapse morphology; Mitochondrion; Blood vessel (Sirevaag, A.M.) 441, 386

Complex partial seizure

Experimental epilepsy; Kainic acid; Microinjection; Amygdala; Spontaneous limbic seizure (Tanaka, S.) 463, 163

Complex-sound processing

Auditory cortex; Functional organization; Echolocation; Bat (Wong, D.) 453, 349

Computer microscope

Purkinje cell; Organotypic culture; Explantation age; Intracellular horseradish peroxidase; Quantitative morphology; Discriminant analysis (Calvet, M.-C.) 462, 321

Purkinje cell dendrite; Purkinje cell axon; Developing kitten cerebellum; Organotypic culture; Explantation age; Golgi preparation; Horseradish peroxidase preparation; Discriminant morphometric analysis (Calvet, M.-C.) 462, 334

Computer modelling

Topological analysis; Trichotomy; Random terminal branching; Random segmental branching; Vertex ratio; Purkinje cell (Sadler, M.) 474, 130

Computer reconstruction

Hippocampus; Pyramidal neuron; CA2; Septum; Horseradish peroxidase: Lamellar organization (Tamamaki, N.) **452**, 255

Computerized image processing Quantitative receptor autoradiography; Protein determination; Histological tecniques (Miller, J.A.) 447, 60

Computerized image processing method

Rat; Piriform cortex; Metabolic activity; Odor (Cattarelli, M.) 442, 180

Concentration clamp

Aplysia neuron; Edrophonium; Inward current; Sodium permeability; Internal perfusion (Oyama, Y.) 438, 95

Aplysia neuron; Edrophonium; Sodium current; Intracellular perfusion (Oyama, Y.) 463, 124

Concentration clamp technique Ca2+ current; Intracellular perfusion; Lidocaine; Sensory neuron; Voltage clamp (Oyama, Y.) 442, 223

Concussion

Cholinergic; Antimuscarinic: Experimental brain injury; Mechanical brain injury (Lyeth, B.G.) 448, 88

Acetylcholine; Head injury; Pons; Rat; Hippocampus; Amygdala; Thalamus (Saija, A.) 452, 303

Conditional cross-correlation

Connectivity diagram; Effective connectivity; Excitation; Inhibition; Multi-unit recording; Neural interaction; Shift predictor (Espinosa, I.E.) 450, 39

Conditional emotional response Regional cerebral glucose utilization; Conditioned fear; Aversive conditioning; Rat; Stress (Bryan, R.M.) 444, 17

Conditioned avoidance response Movement initiation; Reaction time; Nigrostriatal function; Age; Dopamine; Practice (MacRae, P.G.) 451, 139

Conditioned fear

Regional cerebral glucose utilization; Aversive conditioning; Conditional emotional response; Rat; Stress (Bryan, R.M.) 444, 17

Intracerebroventricular; Stress-induced analgesia; Freezing; Quaternary naltrexone; Endogenous opioid; Opioid antagonist; Pavlovian conditioning (Fanselow, M.S.) 444, 147

Conditioned medium

Astrocyte culture; Neuronal development; Insulin-like factor; Neurotrophic activity (Kadle, R.) **460**, 60

Conditioned suppression Ketamine anesthesia; Classical conditioning; Retention; Rat (Edeline, J.-M.) 457, 274

Conditioned taste aversion Umami; Taste quality; Chorda tympani; Glossopharyngeal nerve; Single fiber analysis (Yamamoto, T.) 451, 147

Interleukin-1; Lipopolysaccharide endotoxin; Rat (Tazi, A.) 473, 369

Conditioning

Cuneiform area; Plasticity; Glutamate; Defence (Mitchell, I.J.) 460, 394

Conditioning lesion

Axonal regeneration; Nerve transection; Nerve freeze; Sciatic nerve; Rat; Tenotomy; Neurotrophic factor (Bondoux-Jahan, M.) 449, 150

Nerve regeneration (Jenq, C.-B.) 457, 63

Conduction velocity

Feeding; Reward; Medial forebrain bundle; Connectivity; Refractory period (Gratton, A.) 438, 264

Circling; Collision method; Refractory period; Striatonigral pathway (Tehovnik, E.J.) 441, 269

Axonal diameter; Soma size; Cat

pyramidal tract cell; Horseradish peroxidase staining (Sakai, H.) 460, 1

Cone

Photoreceptor; Horizontal cell; Synaptic transmission; Ethylenediaminetetraacetic acid (EDTA); Ethyleneglycol-bis-(β-aminoethyl ether)-N,N,N',N',-tetraacetic acid (EGTA); Chelator; Calcium; Magnesium (Normann, R.A.) 443, 95

Connection

Reptile; Lizard; Cerebral cortex; Hippocampus; Horseradish peroxidase; Synapse; Timm; *Podarcis hispanica* (Lopez-Garcia, C.) **463**, 205

Connectivity

Feeding; Reward; Medical forebrain bundle; Refractory period (Gratton, A.) 438, 256

Feeding; Reward; Medial forebrain bundle; Conduction velocity; Refractory period (Gratton, A.) 438, 264

Connectivity diagram

Conditional cross-correlation; Effective connectivity; Excitation; Inhibition; Multi-unit recording; Neural interaction; Shift predictor (Espinosa, I.E.) **450**, 39

Conotoxin

Calcium channel; Electric organ; Transmitter release; Synaptosome; Nerve terminal; Neurosecretion (Ahmad, S.N.) **453**, 247

c -Conotoxin

Calcium channel; Autoradiography; Distribution; Rat; Brain (Takemura, M.) 451, 386

Calcium channel; Dihydropyridine; Protein kinase C; 12-O-Tetradecanoyl-phorbol- β acetate; Thyroliberin release; Hypothalamic neuron; Primary culture (Loudes, C.)

Calcium channel; Synaptosome; Dopamine release (Woodward, J.J.) 475, 141

Conscious dog

456, 324

Hypoglycemia; Cerebrospinal fluid; β-Endorphin; Catecholamine; Adrenocorticotropic hormone; Cortisol; Insulin (Radosevich, P.M.) **458**, 325

Conscious rabbit

Catecholamine; Epinephrine; Norepinephrine; Vasopressin; Blood pressure (Martin, S.M.) **457**, 192

Conscious rat

Hemorrhage; Adrenocorticotropic hormone (ACTH); Renin; Catecholamine; Arterial pressure; Baroreceptor reflex (Darlington, D.N.) 439, 289

Endogenous thyrotropin-releasing

hormone; Cerebral ventricle; Passive immunization; Push-pull perfusion; Cardiovascular system; Bleeding (Okuda, C.) **474**, 399

Content

Percoll; Synaptosome; Protein phosphorylation; Noradrenaline uptake; Release (Harrison, S.M.) **441**, 72

Control of breathing

Central chemoreceptor; Ventral respiratory group; Caudal chemoceptive area; Intermediate chemoceptive area; Nucleus paragigantocellularis lateralis; Peripheral chemoreceptor; Vascular nociceptor (Arita, H.) 442, 1

Convergent activation

L₄ neuron; Neck rotation; Muscle afferent; Propriospinal neuron (Yates, B.J.) **449**, 377

Convergent input

Nucleus paragigantocellularis lateralis; Cardiovascular control; Analgesia (Lovick, T.A.) **456**, 183

Converting enzyme inhibition

Vasopressin; Spontaneously hypertensive rat; Renin; 6-Hydroxydopamine (Sladek, C.D.) **445**, 39

Converting enzyme inhibitor

Angiotensin II; Basal heart rate; Baroreflex; Sympathetic nervous system; Captopril; Blood pressure regulation (Menani, J.V.) 446, 295

Convulsant

α-Keto-δ-guanidinovaleric acid; Hyperargininemia; γ-Aminobutyric acid-response; Glycine-response; Epileptogenicity; Primary dissociated neuronal cell culture (De Deyn, P.P.) 449, 54

Convulsion

Hippocampus; [NMe-Phe³-D-Pro⁴]-morphiceptin (PL017); Wet dog shake (Lee, P.H.K.) **441**, 381

Neurotoxicity; Cerebellum; Somatostatin; Vasopressin; Barrel rotation; Pulmonary edema (Balaban, C.D.) 445, 117

Alcohol; Brain metabolism; Ethanol withdrawal syndrome; Deoxyglucose; Kindling; Physical dependence; Rat (Clemmesen, L.) 453, 204

Guanidino compound; Cerebrospinal fluid; Rabbit; Pentylenetetrazol (Hiramatsu, M.) **455**, 38

Neurotoxicity; Neuropeptide; Barrel rotation; Diazepam (Balaban, C.D.) **458**, 91

Cooperativity

Long-term potentiation; Hippocampus; Association (Buzsaki, G.) 455, 192

Coping

Schedule-induced polydipsia; Central

dopaminergic system; Amphetamine (Tazi, A.) 445, 211

Copulatory mechanism

Hypothalamus; Sexual behavior; Masculine sexual arousal; Marmoset (Lloyd, S.A.C.) **463**, 317

Cord dorsum potential

Phrenic nerve afferent; Cardiac sympathetic nerve; Somatosympathetic reflex (Szulczyk, A.) 447, 109

Cornu ammonis area 1 population spike

Acidosis; Hippocampal slice; Hypoxia; Lactate (Schurr, A.) 438, 311

Coronal plane

Visual system; Dorsal lateral geniculate nucleus; γ-Aminobutyric acidergic neuron; Morphometry; 3-Dimensional reconstruction (Gabbott, P.L.A.) **438**, 379

Coronary constriction

Area postrema; Sympathetic nervous system; α-Adrenoceptor; β-Adrenoceptor; Ventricular tachyarrhythmias; Vagotomy (Gatti, P.J.) 448, 313

Corpus callosum

Sex difference; Early experience; Brain laterality; Rat (Berrebi, A.S.) 438, 216

Acallosal brain; Probst's bundle; Mouse, ddN strain; Corticocortical fiber; Commissural fiber (Ozaki, H.S.) 441, 5

Cat; Somatosensory cortex; Interhemispheric transfer; Receptive field; Mid-line fusion (Guillemot, J.-P.) 441, 221

Sex difference; Axon; Ultrastructure; Differential environment (Juraska, J.M.) **450**, 1

Corpus cardiacum

Insect; Locust; Calcium; Sodium-calcium exchange; Neuroendocrine; Adipokinetic hormone (Pannabecker, T.) 458, 180

Corpus striatum

Aging; Amphetamine; Dopamine; Tetrodotoxin (Dluzen, D.E.) 445, 354

Dopamine; D₂ receptor; Inositol phosphate; Polyphosphoinositide; Quinpirole (Pizzi, M.) **456**, 235

Dopamine release; Adrenaline release; Adrenal gland (Chang, G.D.) 463, 385

Corpuscle

Ruffini; Free ending; Node of Ranvier; Cation binding; Schwann cell; Mechanoreceptor (Byers, M.R.) **461,** 397

Cortex

Corticocortical connection; Area PG,7a (Neal, J.W.) 438, 343

Brain glucose metabolism; Inhibition; Thalamus; Electrical stimulation; Selective attention; Sensory processing; Thalamic reticular nucleus (Sharp, J.W.) 438, 357

Protein 36; Rat brain; Immunocytochemistry; Pyramidal cell; Two-dimensional gel electrophoresis (Fukuda, T.) **441**, 185

Acute starvation; Chronic starvation; β_2 -Adrenergic receptor; Hypothalamus; Lymphocyte (Lonati-Galligani, M.) **442**, 329

N-Methyl-D-aspartic acid receptor; Phencyclidine receptor; Cerebellum; Norepinephrine; Release assay (Yi, S.-J.) 445, 147

Acetylcholine turnover; Basal forebrain; Working memory; Carbachol (Robinson, S.E.) 445, 160

Neuropeptide Y; Somatostatin; Nicotinamide adenine dinucleotide phosphate (NADPH)-diaphorase; Striatum; Quinolinic acid; Rat (Boegman, R.J.) 445, 358

Amygdala; Naloxone; β -Noradrenergic antagonist; α -Noradrenergic antagonist; Inhibitory avoidance; Discrimination learning; Memory; Caudate-putamen (McGaugh, J.L.) **446**, 37

Hypoglycemia; Dextrorphan; Levorphanol; Dextromethorphan; N-Methyl-D-aspartic acid (NMDA); Neurotoxicity; Cell culture; Opioid (Monyer, H.) 446, 144

Substance P; Neurokinin A; Eledoisin; Neurokinin; Ontogeny; Receptor (Dam, T.-V.) **453**, 372

Bromodeoxyuridine; Immunohistochemistry; [³H]Thymidine; Autoradiography; Hippocampus; Dentate gyrus (Miller, M.W.) **457**, 44

Striatum; Microdialysis; Alzheimer's disease; Basal ganglia; Monoganglioside GM1 (Maysinger, D.) **461,** 355

Cortical auditory evoked potential Atropine sulfate; Auditory brainstem response; Brainstem auditory evoked potential; Rat (Church, M.W.) 456, 224

Cortical blood flow Rat; Basal forebrain lesion; Cholinergic vasodilation; Pyrethroid insecticide (Lister, T.) 450, 364

Cortical brain slice Somatostatin; Electrically evoked release; High pressure liquid chromatography characterization (Bonanno, G.) 447, 92

Cortical column
Integrated functional activity; Raphe nucleus; Serotonergic system; Serotonin head syndrome; Thalamocortical pathway; Extrapyramidal system (Cudennec, A.) 444, 227

Cortical kindling

Cysteamine; Seizure; Myoclonus; Somatostatin; Amygdaloid kindling (Takazawa, A.) 473, 99

Cortical lesion

Somatosensory cortex; Somatotopic mapping (Burton, H.) 448, 397

Cortical microvessel

Acetylcholine; Choline acetyltransferase; Neurotransmitter release; γ-Aminobutyric acid; High-performance liquid chromatography; Electron microscopy; Immunocytochemistry (Arnerić, S.P.) **454,** 11

Cortical plasticity

Somatosensory cortex; Hindlimb deafferentation; Sciatic nerve section; Laminar analysis (Dykes, R.W.) 449, 1

Cortical topography
Auditory cortex; Binaural cortical
neuron; Tonotopic organization
(Phillips, D.P.) 443, 281

Corticocortical connection Cortex; Area PG,7a (Neal, J.W.) 438, 343

Superior temporal sulcus; Inferior parietal lobule; Monkey (Neal, J.W.) 438, 351

Glutamate; Somatic sensory cortex; Immunocytochemistry; Monkey (Conti, F.) **462**, 148

Corticocortical fiber

Corpus callosum; Acallosal brain; Probst's bundle; Mouse, ddN strain; Commissural fiber (Ozaki, H.S.) 441, 5

Corticogeniculate activity Perigeniculate nucleus; Dorsal lateral geniculate nucleus; Acetylcholine; Barbiturate; Nicotinic receptor; Muscarinic receptor (Pape, H.-C.) 440, 79

Corticopretectal influence Pretectum; Rat; Vision (Molotchnikoff, S.) 446, 67

Corticorubral fiber

Sprouting; Cerebral lesion; Red nucleus; Kitten; Phaseolus vulgaris leucoagglutinin (PHA-L) (Murakami, F.) 447, 98

Corticospinal tract

Pyramidal tract; Unmyelinated axon; Anterograde tracing; Rat (Joosten, E.A.J.) 459, 173

Corticosteroid

Blood-brain barrier; Cerebral edema; Cerebral endothelia; Water (Olson, J.J.) **439**, 259

Corticosterone

Δ⁹-Tetrahydrocannabinol; Hippocampus; Morphometrics; Neuronal density; Glial reactivity; Behavior; Adrenocorticotropic hormone (ACTH) (Landfield, P.W.) **443**, 47 Suprachiasmatic nucleus; Circadian hormone rhythm; Serotonin; Ontogenesis (Bánky, Z.) 445, 222

Stress; Benzodiazepine; Diazepam; Sensitization; Pentylenetetrazole; Post-traumatic stress disorder (Antelman, S.M.) 445, 380

Benzodiazepine receptor; Adrenalectomy; Steroid; Hypophysectomy (Miller, L.G.) **446**, 314

5-Hydroxytryptamine; 5-Methoxy-N,N-dimethyltryptamine; Sex difference; Depression; Stress; Open field activity; Food intake (Haleem, D.J.) **458**, 339

Supine restraint stress; Noradrenaline turnover; 3-Methoxy-4-hydroxyphenylethyleneglycol sulfate; Rat brain region; Expression of aggression (Tsuda, A.) 474, 174

Corticosterone receptor Fixed ratio behavior; Hippocampus; Trimethyltin (Gerbec, E.N.) 460, 346

Corticostriatal pathway Opioid catalepsy; Striatum; Decortication; N-Methyl-D-aspartate receptor antagonist; Striatonigral GABAergic output (Consolo, S.) 449, 97

Excitatory amino acid; Decortication; Phospholipid methylation; Rat striatal synaptosome; Dopamine (Tacconi, M.T.) **461**, 194

Corticotropin-releasing factor Gonadotrophin-releasing hormone (GnRH); Medial preoptic area (MacLusky, N.J.) 439, 391

Acoustic stress; Cold stress; Stomach; Gastric emptying; Motility; Mouse (Buéno, L.) 441, 1

Spontaneously hypertensive rat; Catecholamine; Mean arterial pressure; Heart rate; Bombesin (Brown, M.R.) 441, 33

Adrenalectomy; Axonal transport; Colchicine; Secretory activity (Berkenbosch, F.) **442**, 312

Arterial pressure; Regional vascular resistance; Rat (Grosskreutz, C.L.) **442,** 363

Hypothalamus; Grooming behavior; Behavior-CRF (Krahn, D.D.) 443, 63

Iontophoresis; Glucocorticoid; Paraventricular nucleus; Feedback (Saphier, D.) **453**, 183

Brain cell culture; Hypothalamus; Receptor; Extrahypothalamic brain; Regulation (Kapcala, L.P.) **456**, 159

Immunoreactivity; Adrenocorticotropic hormone; Hypothalamus; Median eminence; Anisomycin; Stress (Haas, D.A.) **461**, 230 Corticotropin-releasing hormone Luteinizing hormone; Opioid; Tolerance; Rat (Nikolarakis, K.E.) **450.** 360

γ-Aminobutyric acid; Rat hypothalamus; Diazepam; Muscimol; Baclofen (Calogero, A.E.) **463**, 28

Corticotropin-releasing hormone antagonist

Freezing behavior; Stress response; Rat; Nociception (Kalin, N.H.) **457**, 130

Cortisol

Hypoglycemia; Cerebrospinal fluid; β -Endorphin; Catecholamine; Adrenocorticotropic hormone; Insulin; Conscious dog (Radosevich, P.M.) **458**, 325

Cotransport of Na⁺/Cl⁻

Frog taste cell; Intracellular receptor potential; Quinine; Active chloride secretion; Furosemide (Okada, Y.) **450**, 295

Crayfish

Horseradish peroxidase; Segmental lateral giant axon; Endo/exocytosis (Viancour, T.A.) 439, 211

Pentobarbital; Behavior; Tolerance; Facilitation; Synapse (Winegar, B.D.) **475,** 21

Crayfish neuromuscular junction Glutamate; Quisqualate; Stizolobic acid; Competitive inhibitor (Shinozaki, H.) 451, 353

Critical period

Long-term potentiation; Visual cortex; Current source density; Rat; In vitro (Perkins, IV, A.T.) 439, 222

Crossbridge

Actin; Axonal transport; Microtubule; Neurite; Cytoskeleton; Immunoelectron microscopy (Nagele, R.G.) 474, 279

Crossed extensor reflex

Benzodiazepine; Extracellular unit; Lateral vestibular nucleus; Intracranial microinjection; Iontophoresis (Kawasaki, K.) **461**, 282

Crossed olivocochlear bundle Temporary threshold shift; Binaural; Acoustic stimulation; Protection (Rajan, R.) 459, 241

Cross maze

Nucleus basalis magnocellularis; Choline-acetyltransferase activity; Spatial memory; Place navigation task (Mayo, W.) 455, 213

Cross-linking

Neuroblastoma cell; 125 I- β -Endorphin; μ -Opioid receptor; δ -Opioid receptor; Opioid peptide (Keren, O.) **440**, 280

Cross-temporal integration

Prefrontal cortex; Short-term memory; Sensory-motor integration; Monkey (Quintana, J.) **474**, 211

Crus II

Cerebellum; Superior colliculus; Mystacial vibrissa; Trigeminal; Climbing fiber response (Akaike, T.) **442**, 373

Cryofixed endothelium

Blood-brain barrier; Vesicular transport; Tight junction (Nagy, Z.) **440**, 315

Cryopreservation

Chromaffin cell; Dymethyl sulfoxide; Tissue culture; Nerve growth factor; Tyrosine hydroxylase; Transplantation (Silani, V.) **454**, 383

Neuronal cell; Tissue culture; Neuronspecific enolase; γ-Aminobutyric acid (Silani, V.) 473, 169

Culture

Enteric neuron; Glia; Fibroblast; Monoclonal antibody; Immunolabelling; Laminin (Bannerman, P.G.C.) **440**, 87

Purified enteric neuron; Glia; Monoclonal antibody; Antibody complement-mediated cytolysis; Cytosine arabinoside; Immunolabelling (Bannerman, P.G.C.) **440**, 99

Glutamate-GABA exchange; Chick retina (De Mello, M.C.F.) 443, 166

Angiotensin II; Spinal cord; Autoradiography; Receptor; Neuron; Glial cell (Simonnet, G.) **443**, 403

Cultured hippocampal neuron

Whole-cell voltage-clamp; L-Glutamate; Membrane permeability; Alkali metal cation; Calcium; Magnesium (Ozawa, S.) 443, 85

Cultured neuron

Cerebellum; Glutamate; Aspartate; Noradrenaline (Mori-Okamoto, J.) 448, 259

Cuneiform area

Plasticity; Glutamate; Defence; Conditioning (Mitchell, I.J.) **460**, 394

Current clamp

Inward current; Mouse; Taste cell; Potassium conductance; Voltage-clamp (Tonosaki, K.) 445, 363

Current source density

Long-term potentiation; Critical period; Visual cortex; Rat; In vitro (Perkins, IV, A.T.) 439, 222

Direct cortical response; Magnetoencephalography; Neocortex; Electrophysiology; Biomagnetism (Barth, D.S.) **450**, 280

Current-distance relation

Medial forebrain bundle; Dopamine cell; Refractory period (Yeomans, J.S.) **450**, 86

Cutaneous afferent

Dorsal horn neuron; Random stimulation; Peristimulus time histogram; Coherence function

(Kuipers, U.) 462, 154

Cutaneous afferent fiber

Pain; Spinal cord; Dorsal horn; C fiber (Schouenborg, J.) 439, 56

Cutaneous receptor

Nociceptor; Capsaicin; Desensitization of polymodal nociceptor (Szolcsanyi, J.) **446**, 262

Cutaneous stimulus

Antibody microprobe; Substance P (Duggan, A.W.) 451, 261

Cvanide

Carotid body; Potassium; Calcium; Dopamine; Acetylcholine; Sympathetic stimulation; Hypoxia (O'Regan, R.G.) **445**, 268

Cyanoimipramine

Serotonin uptake site; Autoradiography, quantitative (Kovachich, G.B.) **454**, 78

6-Cyano-7-nitroquinoxaline-2,3-dione

Hippocampus; Burst; Kainate; D-(-)-2-Amino-7-phosphonoheptanoic acid (Neuman, R.S.) 474, 201

Cyclic adenosine monophosphate Sialosyl cholesterol; Differentiation; Glioblast (Kato, T.) 438, 277

Hypothalamic luteinizing hormone-releasing hormone; Intracellular Ca²⁺; Prostaglandin E₂; Hypothalamic development; Female puberty (Ojeda, S.R.) **441**, 339

D₁-Receptor; 6-Hydroxydopamine lesion; Autoradiography (Ariano, M.A.) **443**, 204

Spinal cord; Development; Noradrenaline; Adrenoceptor; Uptake (Simmons, R.M.A.) **445**, 338

Norepinephrine; In vitro lateral hypothalamus; β -Receptor; α -Receptor; γ -Aminobutyric acid (Cheng, J.-T.) **446**, 90

Ovine pineal; β -Receptor; Vasoactive intestinal peptide; In vitro autoradiography; Adrenergic control (Morgan, P.J.) **447**, 279

Forskolin; γ-Aminobutyric acid release; Striatum; Neuron; Primary culture (Weiss, S.) **463**, 182

Cholinergic receptor; Muscarinic receptor subtype; M₂ receptor; Rat brain; Cerebral cortex; Forskolin (Anderson, D.J.) 475, 28

Cyclic adenosine monophosphate (cAMP)

Somatostatin; Growth

hormone-releasing factor (GRF); Adenohypophysis; Forskolin; Pertussis toxin (Schettini, G.) 439, 322

Frog muscle spindle; Intracellular Ca²⁺; Decapsulation; Encoding process; Quercetin (Sokabe, M.) **443**, 254

Spinal cord-sensory ganglion; Tissue culture; Adenylate cyclase; Opioid tolerance; Opioid receptor; Serotonin receptor; Pertussis toxin (Makman, M.H.) 445, 303

Magnetic field; Pineal gland; Rat (Rudolph, K.) 446, 159

Pentylenetetrazol; Molluscan neuron; Sodium current; Phosphodiesterase (McCrohan, C.R.) **452**, 21

D₁-Dopamine receptor; Binding site; Chicken retina; Development (Agui, T.) **452,** 49

Cyclic adenosine monophosphate (cyclic AMP)

Sodium current; Molluscan neuron; Molluscan feeding (McCrohan, C.R.) 438, 115

Cyclic adenosine monophosphate-dependent protein kinase Dorsal root ganglion neuron; Opioid modulation; Action potential duration; Intracellular dialysis (Chen, G.-G.) 462, 372

Cyclic AMP

Vasopressin; Noradrenaline; Superior cervical ganglion (Petit, P.) 440, 299

Noradrenaline; Phentolamine; Propranolol; 8-Phenyltheophylline; Rat cerebral cortex; Iron-induced epilepsy (Moriwaki, A.) 461, 190

Cyclic guanosine monophosphate (GMP)

Atrial natriuretic factor; Sodium nitroprusside; Hippocampus; Immunocytochemistry; Rat (De Vente, J.) 446, 387

Cyclo-oxygenase Spinal cord injury; Trauma; Eicosanoid; Lipoxygenase; Cation (Faden, A.I.) 463, 63

Cyclohexyladenosine, [³H] Adenosine A1 receptor; Presynaptic; Postsynaptic; Hippocampus; CA1 region (Deckert, J.) 446, 161

Cyclosporin A
Neural transplantation; Xenograft; T
cell subset; Blood-brain barrier
(Nakashima, H.) 475, 232

8-Cyclopentyl-1,3-dipropylxanthine Adenosine; Physiological modulation; A₁-Receptor antagonist; Adenosine deaminase; Ca²⁺ flux; Synaptic transmission; Rat hippocampal slice (Schubert, P.) **458**, 162

Cynomolgus monkey
Dopamine; Tyrosine hydroxylase;

Prefrontal cortex; Squirrel monkey (Lewis, D.A.) 449, 225

Cysteamine

Somatostatin-28; Vasopressin secretion; Paraventricular nucleus; Hemorrhage (Brown, M.R.) **452**, 212

Seizure; Myoclonus; Somatostatin; Amygdaloid kindling; Cortical kindling (Takazawa, A.) **473**, 99

L-Cysteine

Methylmercury; Blood-brain barrier; Transport; Rat (Aschner, M.) 462, 31

Apparent binding of [³H]glutathione; Temperature dependency; Regional distribution; Glutamate binding site (Ogita, K.) **463**, 37

Cytochalasin B

Glucose transporter; Rat brain; Autoradiography (Tucker, S.P.) **450**, 131

Cytochemistry

Purine nucleoside phosphorylase; Neuroglia; Rat brain; Guinea-pig brain; Technique (Van Reempts, J.) 462, 142

Cytochrome b

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP); 1-Methyl-4-phenyl-pyridinium (MMP+); Mitochondrial respiration; Striatum; Hippocampus (Sanchez-Ramos, J.R.) 443, 183

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Parkinson's disease; Dopamine; Striatum; Neurotoxicology; Potassium; 1-Methyl-4-phenylpyridinium (Hollinden, G.E.) 475, 283

Cytochrome oxidase histochemistry Optic lobe; Visual deprivation; Unilateral eye covering; Fly (Mimura, K.) 445, 228

Cytoplasmic side receptor Deiters' neuron; *γ*-Aminobutyric acid; Chloride ion permeability (Rapallino, M.V.) **462**, 350

Cytosine arabinoside

Purified enteric neuron; Glia; Culture; Monoclonal antibody; Antibody complement-mediated cytolysis; Immunolabelling (Bannerman, P.G.C.) 440, 99

Astrocyte; Synaptic density; Neuropil; Electron microscopy; Cerebellar culture (Meshul, C.K.) 441, 23

Cholinergic factor; Quiescent astrocyte; Choline acetyltransferase; Subcortical cholinergic cell culture; Glutamine synthetase (Patel, A.J.) **450**, 378

Cytoskeletal protein phosphorylation

Aluminum; Neurofilament; Microtubule-associated protein 2 (Johnson, G.V.W.) **456**, 95 Cytoskeleton

Filipin; Tomatin; Saponin; Calcium; Axolemma; Lipid domain; Extracellular matrix; Membrane-associated cytoskeleton; Cholesterol (Fields, R.D.) 443, 231

Hippocampus; Plasticity; Sprouting; Degeneration; Pathology (Seubert, P.) **459**, 226

Hippocampus; Plasticity; Sprouting; Degeneration; Pathology; Astrocyte; Spectrin (Ivy, G.) **459**, 233

Calcium; Calpain; Excitotoxicity; Neuropathology; Plasticity (Seubert, P.) **460**, 189

Actin; Crossbridge; Axonal transport; Microtubule; Neurite; Immunoelectron microscopy (Nagele, R.G.) 474, 279

Cytotoxicity

Ethylcholine aziridinium ion; Cholinergic neuron; Dopaminergic neuron; Primary rat brain culture (Amir, A.) **454**, 298

D

D₁ receptorDopamine receptor; D₂ receptor; In vitro; Autoradiography; Pigeon brain; Basal ganglia (Dietl, M.M.) **439**, 354

D₁-supersensitivity

Apomorphine-induced stereotypy; SKF 38393-induced grooming; Spiroperidol; Dopamine metabolite concentration (Gandolfi, O.) 455, 390

D, receptor

Dopamine receptor; D₁ receptor; In vitro; Autoradiography; Pigeon brain; Basal ganglia (Dietl, M.M.) **439**, 354

Dopamine; Inositol phosphate; Polyphosphoinositide; Corpus striatum; Quinpirole (Pizzi, M.) **456**, 235

Daily (24 h) rhythm
[125I]Iodopindolol; Pineal gland;
β-Adrenoceptor; Light-dark cycle;
Male rat (Gonzalez-Brito, A.) 438, 108

Deafferentation

Neurofilament; Phosphorylation; Axotomy; Regeneration; Alzheimer's disease (Shaw, G.) **460**, 227

Sympathetic ganglion; Hypertension, genetic; Neuropeptide receptor; Renin angiotensin system; Autoradiography (Pinto, J.E.B.) 475, 146

Decapitation

Pain; Ethics; Hippocampus; Neocortex; Electrocorticogram (Vanderwolf, C.H.) **451**, 340

Decapsulation

Frog muscle spindle; Collagenase; Prolongation of spike duration; Aggregation of intramembrane particles (Fujitsuka, N.) 443, 243

Frog muscle spindle; Cyclic adenosine monophosphate (cAMP); Intracellular Ca²⁺; Encoding process; Quercetin (Sokabe, M.) **443**, 254

Decerebrate

Chronic; Rat; Nucleus tractus solitarii; Taste; Electrophysiology (Mark, G.P.) **443**, 137

Decortication

Opioid catalepsy; Striatum; Corticostriatal pathway; N-Methyl-D-aspartate receptor antagonist; Striatonigral GABAergic output (Consolo, S.) **449**, 97

Striatum; Neuropeptide Y; Acetylcholine; Choline acetyltransferase; Kainic acid; Quinolinic acid; L-Glutamic acid (Boegman, R.J.) 452, 219

Corticostriatal pathway; Excitatory amino acid; Phospholipid methylation; Rat striatal synaptosome; Dopamine (Tacconi, M.T.) **461**, 194

Decrementing firing

Inspiratory neuron; Expiratory neuron; Augmenting firing; Ventral respiratory group; Distribution (Ezure, K.) **455.** 262

Deep cerebellar nucleus

γ-Aminobutyric acid; Aspartate; Immunohistochemistry; Rat (Kumoi, K.) **439**, 302

Horseradish peroxidase; Ventral paraflocculus; Afferent and efferent pathways; Superior colliculus (Gayer, N.S.) 449, 253

Defecation

Bulbar respiratory neuron; Pelvic nerve; Micturition; Parturition; Kölliker-Fuse (K-F) nucleus; Straining; Respiration (Fukuda, H.) 449, 157

Defense

Aggression; Midbrain periaqueductal grey region; Excitatory amino acid; D,L-Homocysteate; Aspartate; Kainate; Cat (Bandler, R.) 439, 95

Cuneiform area; Plasticity; Glutamate; Conditioning (Mitchell, I.J.) **460**, 394

Defense reaction

Hypertension; Midbrain periaqueductal grey; Subretrofacial nucleus; Rostral ventrolateral medulla; Excitatory amino acid; Blood pressure (Carrive, P.) 460, 339

Defense response

Raphe; Blood pressure; Hypothalamus; Periaqueductal gray; Intermediolateral horn (Haselton, J.R.) **453**, 176

Degeneration

Dendritic spine; Axospinous synaptic

junction; Structural alteration; Spiny stellate neuron; Thalamocortical; Somatosensory cortex (Benshalom, G.) **443**, 377

Hippocampus; Plasticity; Sprouting; Cytoskeleton; Pathology (Seubert, P.) **459**, 226

Hippocampus; Plasticity; Sprouting; Cytoskeleton; Pathology; Astrocyte; Spectrin (Ivy, G.) **459**, 233

Substantia nigra; Neostriatum; Glutamic acid decarboxylase; Immunocytochemistry; Striatonigral projection; \(\gamma \)-Aminobutyric acid; \(\gamma \)-Aminobutyric acid synapse (Nitsch, C.) 461, 127

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Caudate mosaic; Caudate afferent; Nigrostriatal; Parkinson's disease (Turner, B.H.) 473, 60

Dehydration

Autoradiography; Brattleboro rat; Dynorphin; k-Opiate receptor; Receptor down-regulation; Vasopressin (Brady, L.S.) **443**, 398

Dehydroepiandrosterone

Dehydroepiandrosterone sulfate; Hormone; Memory; Mouse; Retention; Steroid; Amnesia (Flood, J.F.) 447, 269

Dehydroepiandrosterone: Hormone

Dehydroepiandrosterone; Hormone; Memory; Mouse; Retention; Steroid; Amnesia (Flood, J.F.) **447**, 269

Deiters' neuron

 γ -Aminobutyric acid; Chloride ion permeability; Cytoplasmic side receptor (Rapallino, M.V.) **462**, 350

Dementia

Local cerebral glucose utilization; Cholinergic marker; Deoxyglucose; Nucleus basalis magnocellularis; Autoradiography (Orzi, F.) **462**, 99

Alzheimer's disease; Sporadic cerebral amyloid angiopathy; Hereditary cerebral hemorrhage with amyloidosis; Stroke; β -Protein; β -Amyloid disease (Coria, F.) **463**, 187

Demyelination

Mast cell; Protease; Experimental allergic neuritis; Myelin (Johnson, D.) **444,** 195

Ranvier's node; Axoglial junction; Wallerian degeneration; Freeze-fracturing; Optic nerve; Myelin; Axolemma (Hasegawa, M.) 452, 345

Axonal transport; T-Lymphocyte; Optic nerve; Multiple sclerosis; Semliki Forest virus (Jenkins, H.G.) **459**, 145

Experimental autoimmune encephalomyelitis; Inflammation; Rabbit; Visual evoked potential (Arezzo, J.C.) 462, 286

Dendrite

Dopaminergic; Hypothalamus;

Immunocytochemistry; Neonate; Tanycytic process (Piotte, M.) 439, 127

Alzheimer's disease; Tau; Meshwork; Senile plaque; Pyramidal cell; Sprouting (Ihara, Y.) **459**, 138

Dentate gyrus; Granule cell; Stereology; Neuronal plasticity; Alcohol; Rat (Cadete-Leite, A.) 473, 1

Microtubule; Microtubule polarity; Mitral cell neuron; Polarity; Mitral cell dendrite (Burton, P.R.) 473, 107

Dendrite shape

Epileptic activity; Pentylenetetrazol; Buccal ganglion; *Helix pomatia* (Altrup, U.) **456**, 401

Dendritic arborization

Carp; Retina; Amacrine cell; Ca²⁺-action potential; Postsynaptic potential; Reversal potential (Takahashi, K.-I.) **456**, 29

Dendritic cable property
Optic tectum; Field potential;
Monosynaptic excitatory postsynaptic
option (EDSP): Recurrent inhibition

potential (EPSP); Recurrent inhibition (Langdon, R.B.) 441, 299

Dendritic inhibition

Hippocampal slice; γ -Aminobutyric acid; GABA_B receptor; Pyramidal cell; CA3 (Janigro, D.) **453**, 265

Dendritic spine

Axospinous synaptic junction; Degeneration; Structural alteration; Spiny stellate neuron; Thalamocortical; Somatosensory cortex (Benshalom, G.) 443, 377

Passive avoidance training; Chick (Patel, S.N.) 449, 34

Long-term potentiation; Hippocampus; Synaptic modification; Membrane apposition surface area (Desmond, N.L.) **453**, 308

Chronic ethanol ingestion; Hippocampus; Dentate gyrus; Golgi stain (King, M.A.) **459**, 381

Avoidance training; Chick; Amnesia (Patel, S.N.) 463, 168

Dendritic typing

Masticatory motoneuron; Morphometric analysis; Intracellular horseradish peroxidase (Shigenaga, Y.) **461**, 238

Dendrotoxin

β-Bungarotoxin; Quantitative autoradiography; Rat brain; Hippocampus; Cerebellum; K⁺-channel (Pelchen-Matthews, A.) **441**, 127

Neurohypophysis; Vasopressin; Oxytocin; Potassium channel; 4-Aminopyridine (Bondy, C.A.) 453, 397

Denervation tool

Serotonin; 5-Hydroxyindoleacetic acid; Serotonin neurotoxin; Central nervous system; Pigeon (Alesci, R.) 450, 259

Dentate gyrus

Long-term potentiation; Hippocampus; Theta rhythm (Greenstein, Y.J.) **438**, 331

Long-term potentiation; θ-Rhythm; Hippocampus (Pavlides, C.) **439**, 383

Glycolipid; Ganglioside; α -Galactosyl, (α -fucosyl) G_{M1} ; Hippocampus; PC12; Monoclonal antibody (Suchy, S.F.) **440,** 25

Stereology; Disector; Granule cell; Morphometrics (West, M.J.) 448, 167

Zinc; Hippocampus; Epilepsy; El mouse (Fukahori, M.) 455, 381

Bromodeoxyuridine; Immunohistochemistry; [³H]Thymidine; Autoradiography; Cortex; Hippocampus (Miller, M.W.) **457**, 44

Chronic ethanol ingestion; Hippocampus; Dendritic spine; Golgi stain (King, M.A.) **459**, 381

Hippocampus; Rat; Opioid receptor; μ -Site; δ -Site; κ -Site (Plager, M.D.) **460**, 150

Ammon's horn; Hippocampus; Supramammillary nucleus; Hypothalamus; Non-pyramidal neuron; Cat; Wheat germ-agglutinated horseradish peroxidase (Ino, T.) 460, 173

Basket cell; Astrocyte; Chronic ethanol; Granule cell; Short-sleep mice; Long-sleep mice (Scheetz, A.J.) **460**, 246

Granule cell; Stereology; Dendrite; Neuronal plasticity; Alcohol; Rat (Cadete-Leite, A.) 473, 1

Long-term potentiation; Push-pull cannula; Extracellular protein; Learning and memory; Polyacrylamide gel electrophoresis (Fazeli, M.S.) 473, 51

Dentate mossy fiber

Epilepsy; Seizure; Sprouting; Hippocampus; Kainic acid (Cronin, J.) 474, 181

Deoxycorticosterone acetate

Kassinin; Tachykinin; Salt appetite; Sodium depletion; Renin; Rat (Massi, M.) 440, 232

Angiotensin II; Salt appetite; Circumventricular organ; Angiotensin receptor (King, S.J.) 448, 140

Deoxyglucose

Ethanol; Cerebral metabolism (Eckardt, M.J.) 444, 53

Cochlear nucleus; Pavlovian conditioning; Associative learning; Rabbit; Autoradiography (Harvey, J.A.) 449, 213

Alcohol; Brain metabolism;

Convulsion; Ethanol withdrawal syndrome; Kindling; Physical dependence; Rat (Clemmesen, L.) **453**, 204

1-Methyl-4-phenyl-1,2,3,6tetrahydropyridine; Substantia nigra; Inferior olive; Parkinsonism (Palombo, E.) **453**, 227

Spatial coding; Olfaction; Antennal lobe; Olfactory stimulation; Autoradiography (Rodrigues, V.) **453**, 299

Seizure; Amygdala; Limbic system; Status epilepticus (Handforth, A.) **460,** 94

Local cerebral glucose utilization; Cholinergic marker; Nucleus basalis magnocellularis; Dementia; Autoradiography (Orzi, F.) **462**, 99

Autoradiography; Alcohol; Brain; Cerebral cortex (Miller, M.W.) **474,** 316

2-Deoxyglucose

Diffuse light; Square-wave grating; Visual system (Rooney, B.J.) 439, 311

Locus ceruleus; Barrel receptor field; Vibrissa; Cerebral metabolism (Levin, B.E.) **443**, 261

Nicotine; Rat brain; Local cerebral glucose utilization; Nicotinic receptor; Chronic nicotine administration; Locomotor activity (Grünwald, F.) **456,** 350

Oxygen; Brain metabolism; Hyperoxia; Oxygen poisoning; Glucose utilization; Autoradiography (Torbati, D.) **459**, 187

Thyrotropin-releasing hormone; Anti-thyrotropin-releasing hormone antibody; Hyperglycemia; Mouse (Amir, S.) **462**, 160

2-Deoxyglucose autoradiography Opiate withdrawal; Fasciculus retroflexus; Interpeduncular nucleus; Behavioral withdrawal; Rat; Lesion (Cutlip, A.C.) 451, 54

2-Deoxyglucose, [¹⁴C]-Ca²⁺-dependent K⁺ channel; Apamin; Brain metabolism; Rat brain (Mourre, C.) **451**, 274

[14C]Deoxyglucose method Electrical stimulation; Striatum; Globus pallidus; Local cerebral glucose utilization; Circling behavior (Aiko, Y.) 442, 43

[¹⁴C]Deoxyglucose technique Benzodiazepine ligand; *N*-Methyl-β-carboline-3-carboxamide (FG 7142); Anxiety; Seizure; Glucose utilization (Pratt, J.A.) **475**, 218

DependenceOpiate; Tolerance; Gene regulation;
Striatum (Uhl, G.R.) **459**, 391

Depolarization

Enkephalin; Adrenal medulla; Explant:

Proenkephalin; Chromatographic characterization (Inturrisi, C.E.) **448**, 230

Calcium; Glutamate; Neuroblastoma; Neurotoxicity; Cell culture; Quisqualate (Murphy, T.H.) **460**, 155

Depolarizing afterpotential Estrogen; Medial nucleus of the amygdala; Genomic; Accommodation; Excitatory postsynaptic potential; Intracellular recording (Schiess, M.C.) 440, 380

Depression

Serotonin-2 (5-HT₂) binding site; [³H]Ketanserin binding; Human postmortem brain; Suicide; Antidepressant drug (Cheetham, S.C.) **443**, 272

5-Hydroxytryptamine; 5-Methoxy-N,N-dimethyltryptamine; Sex difference; Stress; Corticosterone; Open field activity; Food intake (Haleem, D.J.) **458**, 339

γ-Aminobutyric acid; Benzodiazepine binding site; Glutamic acid decarboxylase; Human postmortem brain; Suicide; Antidepressant drug (Cheetham, S.C.) **460**, 114

Deprivation

Bird; Neuron size; Plasticity; Visual system; Development (Herrmann, K.) **451**, 43

Dermorphin

μ-Opioid receptor; Analgesia; Dorsal horn; Opioid peptide (Sullivan, A.F.) **461,** 182

Descending command system Spinal cord regeneration; Locomotion; Spinal cord injury; Brainstem locomotor region; Lamprey (McClellan, A.D.) 448, 339

Descending control

Serotonin; Immunocytochemistry; Nucleus raphe magnus; Pain modulation; Ultrastructure; Periaqueductal gray (Lakos, S.) 443, 383

Descending inhibition

Medial hypothalamus; Dorsal horn neuron; Heat-evoked response; Tail-flick reflex; Stimulation-produced analgesia; Rat (Culhane, E.S.) 438, 137

Lateral reticular nucleus; Locus coeruleus/subcoeruleus; Dorsolateral funiculus; Stimulation-produced antinociception; Tonic descending inhibition (Janss, A.J.) 440, 109

Lateral hypothalamus; Excitatory amino acid; Serotonin; Stimulation-produced antinociception; Tail-flick reflex (Aimone, L.D.) **450**, 170

Morphine; Nociception; Brainstem; Glutamate; Spinal cord (Jones, S.L.)

460, 281

Descending pain suppression system

Pain; Analgesic effect; Parafascicular nucleus; Periaqueductal gray (Sakata, S.) 451, 85

Descending pathway

Locomotion; Command system; Brainstem locomotor region; Lamprey (McClellan, A.D.) 457, 338

Desensitization

Glutamate; Kainate; Quisqualate; Piriform cortex (Hori, N.) 457, 350

Glutamate receptor; Protein kinase C; Cerebellum (Crepel, F.) 458, 397

Nicotinic receptor; Tachykinin; Substance P; Adrenal chromaffin cell; Secretion; Catecholamine; Neuromodulation (Khalil, Z.) 459, 282

Desensitization of polymodal nociceptor

Nociceptor; Capsaicin; Cutaneous receptor (Szolcsanyi, J.) 446, 262

Desmethylimipramine

Autoradiography; Human brain; Suicide (Gross-Isseroff, R.) 456, 120

Detachment

Astroglia; Central neuron; Peripheral neuron; Primary culture (Gilad, G.M.) 458, 249

Deutocerebrum

Leptinotarsa decemlineata; Olfaction; Electrophysiology; Odor quality coding; Interneuron; Antennal lobe; Brain (De Jong, R.) 447, 10

Developing human brain

Nicotine; Nicotine receptor; Smoking (Cairns, N.J.) 475, 1

Developing kitten cerebellum

Purkinje cell dendrite; Purkinje cell axon; Organotypic culture; Explantation age; Golgi preparation; Horseradish peroxidase preparation; Computer microscope; Discriminant morphometric analysis (Calvet, M.-C.) 462, 334

Development Fever; Kitten (Olmstead, C.E.)

Spinal cord; Noradrenaline; Adrenoceptor; Cyclic adenosine monophosphate; Uptake (Simmons, R.M.A.) 445, 338

Nerve growth factor; Receptor; Central nervous system; Rat (Eckenstein, F.) 446, 149

Extrastriate cortex; Visual cortex; Lateral suprasylvian cortex (McCall, M.A.) 447, 67

Recovery of function; Visual cortex damage; Extrastriate cortex; Neural plasticity; Lateral suprasylvian cortex (Spear, P.D.) 447, 79

Aging; Nerve regeneration; Reinnervation; Sweat gland; Sudomotor axon (Navarro, X.) 447, 133

Monoclonal antibody; Acetylcholinesterase; Cerebellum; Cerebellar nucleus; Sagittal band (Boegman, R.J.) 448, 237

Microtubule-associated protein 2; Human fetal neocortex; Immunocytochemistry; Sensorimotor cortex; Prefrontal cortex; Interstitial neuron (Sims, K.B.) 449, 192

Estrogen; Female sexual behavior; Lordosis; Progestin receptor; Sexual differentiation; Rat (Williams, C.L.) 449, 403

Bird; Neuron size; Plasticity; Deprivation; Visual system (Herrmann, K.) 451, 43

D₁-Dopamine receptor; Binding site; Chicken retina; Cyclic adenosine monophosphate (cAMP) (Agui, T.) 452, 49

Carotid body; Immunocytochemistry; Cat; Neurotransmitter; Hypoxia (Scheibner, T.) 453, 72

Primary cultured spinal cord neuron; γ-Aminobutyric acid receptor; Benzodiazepine receptor; Chloride channel (Mehta, A.K.) 454, 156

Extracellular space; Spinal cord; Chick embryo (Sano, N.) 455, 324

Neurotensin(1-13); Nerve terminal; Principal olive; Neocerebellum; Human central nervous system (Mailleux, P.) **456**, 199

6-Phosphofructo-1-kinase; Brain; Glycolysis; Aging; Fructose-2,6-biphosphate; Metabolic regulation (Dunaway, G.A.) 456, 310

Tachykinin; Tachykinin binding site; Interpeduncular nucleus (Murray, M.)

Central nervous system; Excitatory amino acid; Glutamate; Hypoxia-ischemia; Neurotoxicity; N-Methyl-D-aspartate; Rat (McDonald, J.W.) 459, 200

Adrenergic; Serotoninergic; Peptidergic; Perivascular; Innervation; Cerebral artery; Rat (Mione, M.C.) **460**, 103

Olfactory bulb; Potassium ion; γ-Aminobutyric acid receptor (Math, F.) 461, 384

Hippocampus; N-Methyl-D-aspartic acid site; Quantitative autoradiography; Hippocampal membrane (Tremblay, E.) 461, 393

Nerve growth factor; Ultrastructural localization (Williams, R.) 463, 21

Organotypic tissue culture; Serotonin;

Substance P; Thyrotrophin-releasing hormone (Jonakait, G.M.) 473, 336

Neonatal treatment; Vasopressin; Vasopressin antagonist; Sexual behavior; Immunocytochemistry; Radioimmunoassay (Meyerson, B.J.) 473, 344

Down syndrome; Action potential; Tissue culture; Dorsal root ganglion; Neuron; Patch clamp; Trisomy 21 (Nieminen, K.) 474, 246

Parvalbumin; Calbindin; γ -Aminobutyric acid; Visual system; Zebra finch; Plasticity (Braun, K.) 475, 205

Dexamethasone

Glucocorticoid; Primate brain corticoid (Sapolsky, R.M.) 448, 182

Choline acetyltransferase; Estradiol; Brain region; Mechanism of action (Kaufman, H.) 453, 389

[3H]Dexamethasone

Glucocorticoid binding; Human cortex; Steroid receptor; Epilepsy (Sarrieau, A.) 442, 157

Dexoxadrol

Phencyclidine; Anticonvulsant; N-Methyl-D-aspartic acid; MK-801; Mouse (Leander, J.D.) 454, 368

Blood-brain barrier; Plasma volume; Brain; Capillary; Distribution volume; Inulin; Transferrin; Rat (Smith, Q.R.)

Dextromethorphan

Dextrorphan; Calcium channel; Calcium channel antagonist; 45Ca2+ uptake; Synaptosome; PC12 cell line (Carpenter, C.L.) 439, 372

Ischemia; N-Methyl-D-aspartic acid (NMDA); Neocortex; Striatum (George, C.P.) 440, 375

Hypoglycemia; Dextrorphan; Levorphanol; N-Methyl-D-aspartic acid (NMDA); Neurotoxicity; Cortex; Cell culture; Opioid (Monyer, H.) 446, 144

Dextrorphan

Dextromethorphan; Calcium channel; Calcium channel antagonist; 45Ca² uptake; Synaptosome; PC12 cell line (Carpenter, C.L.) 439, 372

Hypoglycemia; Levorphanol; Dextromethorphan; N-Methyl-D-aspartic acid (NMDA); Neurotoxicity; Cortex; Cell culture; Opioid (Monyer, H.) 446, 144

Diabetes

Streptozotocin; Axonal transport; Acetylcholinesterase; Peripheral neuropathy (Macioce, P.) 438, 291

Brain glucose uptake; C57BL/KsJ mouse; Nalmefene; Opiate antagonist (Garris, D.R.) 445, 262

Electroconvulsive shock; C57BL/6J

ob/ob mouse; C57BL/KsJ db/db mouse; Hyperglycemia; Weight; Body temperature (Nutt, D.J.) 448, 377

Retina; Diurnal rhythm; Dopamine; Tyrosine (Gibson, C.J.) 454, 60

Neuroaxonal dystrophy; Neuropeptide; Sympathetic; Neuropathy (Schmidt, R.E.) 458, 353

Diagonal band

Cholinergic pathway; Limbic system; Medial septum; Nucleus basalis (Koliatsos, V.E.) 463, 133

Dialysis

Dopamine; Dihydroxyphenylacetic acid; Homovanillic acid; 5-Hydroxyindoleacetic acid; Release; 6-Hydroxydopamine; Recovery of function; Amphetamine; Rotational behavior (Robinson, T.E.) 450, 209

Sensitization; Amphetamine; Dopamine; Nucleus accumbens; Dopamine release; Locomotion; Stereotyped behavior; Stimulant; Chronic drug effect; Amphetamine psychosis; Neural plasticity (Robinson, T.E.) 462, 211

Diaminopyrimidine

Tetrahydrobiopterin: Catecholamine: Serotonin; Guanosine triphosphate (GTP) cyclohydrolase; Disease model (Suzuki, S.) 446, 1

Diaphragm

Vomiting; Expulsion; Esophagus; Vagal afferent; Cat (Miller, A.D.) 456, 367

Diaschisis

Peripheral benzodiazepine receptor; Focal ischaemia; Neurotoxic lesion; Rat cerebral cortex; Striatum (Dubois, A.)

Diazepam

Stress; Benzodiazepine; Corticosterone; Sensitization; Pentylenetetrazole; Post-traumatic stress disorder (Antelman, S.M.) 445, 380

Aging; γ-Aminobutyric acid, binding site; Ethanol; Brain membrane (Komiskey, H.L.) 458, 37

Neurotoxicity; Neuropeptide; Convulsion; Barrel rotation (Balaban, C.D.) 458, 91

Corticotropin-releasing hormone; y-Aminobutyric acid; Rat hypothalamus; Muscimol; Baclofen (Calogero, A.E.) 463, 28

γ-Aminobutyric acid; Dorsal raphe nucleus; Chronic benzodiazepine; Rat; Brain slice (Wilson, M.A.) 473, 198

Diazepam-resistant (DR) mouse γ-Aminobutyric acid (GABA); Selective breeding; Benzodiazepine; t-Butylbicyclophosphorothionate (TBPS); Diazepam-sensitive (DS) mouse (Allan, A.M.) 452, 118

Diazepam-sensitive (DS) mouse γ-Aminobutyric acid (GABA); Selective breeding; Benzodiazepine;

t-Butylbicyclophosphorothionate (TBPS); Diazepam-resistant (DR) mouse (Allan, A.M.) 452, 118

Diclofenac sodium

Indomethacin; Prostaglandin; Paradoxical sleep; Rat; Sleep substance; Slow wave sleep (Naito, K.) 453, 329

Diet

Obesity; α_1 -Noradrenoceptor; Receptor, α_1 -; α_2 -Noradrenoceptor; Receptor, a_2 -; β -Noradrenoceptor; Receptor, β -; Dopamine receptor; Ventromedial hypothalamus; Dorsomedial hypothalamus; Insulin (Wilmot, C.A.) 453, 157

Tyrosine; Noradrenaline; Brain development; Petgnancy (Garabal, M.V.) 457, 330

Diethyl glutarate

Glutamic acid; Glutamic acid diethyl ester; Excitatory amino acid; Seizure; Homocysteine; Quisqualate (Freed, W.J.) 459, 157

Diethylstilbestrol

Sexual differentiation; Sexually dimorphic nucleus; Preoptic area; Rat brain (Tarttelin, M.F.) 456, 271

3,3-Diethylthiadicarboxyamineiodide

Astrocyte; Membrane potential; Potassium; Glutamate receptor; Kainate; Quisqualate; N-Methyl-D-aspartate (Enkvist, M.O.K.) 462, 67

Different benzodiazepine binding

Photoaffinity labeling; Flunitrazepam; Clonazepam; Ro 15-4513; Peptide mapping; Papin; Autoradiography (Sieghart, W.) 450, 387

Differential absorption

Neocortex; Film autoradiography; Loss of resolution; Radioactive label, Radioactive label, ¹²⁵I; Radioactive label, ¹⁴C (Lidow, M.S.) **459**, 105

Differential environment

Corpus callosum; Sex difference; Axon; Ultrastructure (Juraska, J.M.) 450, 1

Differentiation

Sialosyl cholesterol; Glioblast; Cyclic adenosine monophosphate (Kato, T.)

Neuronal cell clone; NG108-15; γ-Aminobutyric acid; Glutamic acid decarboxylase; Neurotransmitter; Pyridoxal 5'-phosphate (Searles, C.D.) 448, 373

Neural cell; Growth inhibition; Neurite loss; Cell lysis (Notter, M.F.D.) 456, 254

Rat brain cell culture; Astrocyte; Glial fibrillary acidic protein; Fetal calf

serum; Factor (Bologa, L.) 457, 295

Diffuse light

2-Deoxyglucose; Square-wave grating; Visual system (Rooney, B.J.) 439, 311

Penicillin; Cerebral cortex; Epilepsy model (Lehmenkühler, A.) 444, 181

Dopamine uptake; Fast cyclic voltammetry; Caudate nucleus; Nucleus accumbens; Electrical stimulation (Stamford, J.A.) 448, 381

α-Difluoromethylornithine

Cerebral ischemia; Ornithine decarboxylase; Polyamine metabolism; Putrescine; Rat (Paschen, W.) 453, 9

Digiscan

Striatum; Huntington's disease; Kainic acid; Neural transplant; Locomotor behavior (Giordano, M.) 446, 183

Dihydrokainate

Excitatory amino acid; L-Glutamate; Microdialysis; Lamprey spinal cord; Locomotion (Brodin, L.) 458, 166

Dihydropyridine

BAY K 8644; Nifedipine; Neurotransmitter metabolism; Calcium channel (Bolger, G.T.) 438, 101

Calcium channel; c -Conotoxin; Protein kinase C; 12-O-Tetradecanoyl-phorbol- β acetate; Thyroliberin release; Hypothalamic neuron; Primary culture (Loudes, C.) 456, 324

Adrenaline release; Noradrenaline release; Adrenal medulla; Calcium channel (Cárdenas, A.M.) 456, 364

3,4-Dihydroxybutanoic acid

γ-lactone 2,4,5-Trihydroxypentanoic acid γ-lactone; Lateral hypothalamic area; Ventromedial hypothalamic nucleus; Intracellular recording; Feeding regulation (Minami, T.) 462, 258

Endogenous organic acid; 2,4,5-Trihydroxypentanoic acid γ-lactone; Feeding modulation; Rat; Serum glucose; Insulin; 4-Butanolide (Sakata, T.) 473, 43

3,4-Dihydroxyphenylacetic acid Stress; Mouse; Genotype; Dopamine; Homovanillic acid; 3-Methoxytyramine; Brain area (Cabib, S.) 441, 153

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) 1-Methyl-4-phenylpyridine (MPP+); Dopamine; Benztropine; Ouabain; Calcium; EGTA; Push-pull perfusion; High-performance liquid chromatography; Parkinsonism; Neostriatum; Rat (Sirinathsinghji, D.J.S.) 443, 101

Ketamine anesthesia; Striatum; Dopamine turnover; Homovanillic acid; Rat (Koshikawa, N.) 444, 394 Dopamine; Homovanillic acid; 5-Hydroxyindoleacetic acid; Release; 6-Hydroxydopamine; Recovery of function; Amphetamine; Dialysis; Rotational behavior (Robinson, T.E.) **450**, 209

Cholecystokinin; Caudate-putamen; Olfactory tubercle; Amphetamine; Haloperidol; Dopamine; 3-Methoxytyramine (Altar, C.A.) **460,** 76

Dihydroxyphenylacetic acid/dopamine (DOPAC/DA) ratio

Dopaminergic mesencephalic neuron; Amygdala; Nucleus accumbens; Prefrontal cortex; p-Amphetamine; Locomotor activity (Simon, H.) 447, 335

Dihydroxyphenylalanine

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Uridine; Substantia nigra; Striatum (Pakkenberg, H.) 460, 146

D-Dihydroxyphenylalanine metabolism

Rotational behavior; L-Dihydroxyphenylalanine metabolism; D-Dihydroxyphenylalanine/ L-dihydroxyphenylalanine relationship (Karoum, F.) **440**, 190

D-Dihydroxyphenylalanine/ L-dihydroxyphenylalanine relationship

D-Dihydroxyphenylalanine metabolism; Rotational behavior; L-Dihydroxyphenylalanine metabolism (Karoum, F.) **440**, 190

L-Dihydroxyphenylalanine

Dopamine; Parkinsonism; Striatum; Release; Voltammetry (Keller, R.W.) 447, 191

Glutaraldehyde; Antibody; Rat brain; Substantia nigra; Locus ceruleus; Striatum; Enzyme-linked immunosorbent assay; Immunocytochemistry (Mons, N.) 451, 403

L-Dihydroxyphenylalanine metabolism

D-Dihydroxyphenylalanine metabolism; Rotational behavior; D-Dihydroxyphenylalanine/ L-dihydroxyphenylalanine relationship (Karoum, F.) **440**, 190

3,4-Dihydroxyphenylethylamine

Δ⁹-Tetrahydrocannabinol; Marijuana; Cannabinoid; Cannabis; Dopamine; Neostriatum; Caudate nucleus; Rat; Potassium; In vivo electrochemistry; In vivo microdialysis; Brain reward (Ng Cheong Ton, J.M.) **451**, 59

5,6-Dihydroxytryptamine

Micturition; Intrathecal injection; Capsaicin; N-Vanillylnonanamide; 6-Hydroxydopamine (Durant, P.A.C.) **451**, 301 5,7-Dihydroxytryptamine

Retina; Serotonin; Amacrine cell; Bipolar cell; Ganglion cell; Chicken; Kainic acid (Millar, T.J.) 439, 77

Integrated functional activity; Raphe nucleus; Serotonergic system; Electrolytic lesion (Cudennec, A.) **444,** 214

Diltiazem

Acetylcholine release; Neuromuscular transmission; Calcium channel; Verapamil; Nifedipine (Chang, C.C.) **454,** 332

3-Dimensional reconstruction

Visual system; Dorsal lateral geniculate nucleus; Coronal plane; γ-Aminobutyric acidergic neuron; Morphometry (Gabbott, P.L.A.) **438**, 379

Dioxadrol

PC12 cells; Potassium channel; Phencyclidine; Thienylphencylclidine; 1-(1-Phenylcyclohexyl)-3-Methylpiperidine; 4-Aminopyridine; Tetraethylammonium (Rogawski, M.A.) **456**, 38

Dipeptidylpeptidase IV activity Meissner corpuscle; Plasma membrane;

Modified Schwann cell (Dubový, P.) **461,** 186

Dipping autoradiography

In vivo dopamine receptor labeling; Propylnorapomorphine *N-n-*; Dopamine receptor localization; Receptor, D₂-; *N*-Ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline; Heterogeneity of striatum; Caudate-putamen (Loopuijt, L.D.) **456**, 263

Dipyridamole

Adenosine; Theophylline; Cerebral blood flow; Cerebral pO₂; Cerebral pCO₂; Rabbit (Puiroud, S.) **453**, 287

Direct cortical response

Current source-density; Magnetoencephalography; Neocortex; Electrophysiology; Biomagnetism (Barth, D.S.) **450**, 280

Discharge

Cingulate; Cell; Hippocampal; Electroencephalogram; Modulation; Muscarinic; Nicotinic (Colom, L.V.) 460, 329

Discharge pattern

Dopamine neuron; Substantia nigra; Extracellular recording; Apamin; Calcium-dependent potassium channel (Shepard, P.D.) 463, 380

Discriminant analysis

Rat; Hypothalamus; Locomotion; Exploration; Flight; Electrical brain stimulation; Mapping (Lammers, J.H.C.M.) **449**, 294

Rat; Hypothalamus; Aggression; Teeth-chattering; Social grooming; Electrical brain stimulation; Mapping (Lammers, J.H.C.M.) 449, 311

Purkinje cell; Organotypic culture; Explantation age; Intracellular horseradish peroxidase; Computer microscope; Quantitative morphology (Calvet, M.-C.) 462, 321

Discriminant morphometric analysis

Purkinje cell dendrite; Purkinje cell axon; Developing kitten cerebellum; Organotypic culture; Explantation age; Golgi preparation; Horseradish peroxidase preparation; Computer microscope (Calvet, M.-C.) 462, 334

Discrimination learning

Amygdala; Naloxone; β -Noradrenergic antagonist; α -Noradrenergic antagonist; Inhibitory avoidance; Memory; Caudate-putamen; Cortex (McGaugh, J.L.) **446**, 37

Disease model

Tetrahydrobiopterin; Catecholamine; Serotonin; Guanosine triphosphate (GTP) cyclohydrolase; Diaminopyrimidine (Suzuki, S.) **446**, 1

Disector

Stereology; Dentate gyrus; Granule cell; Morphometrics (West, M.J.) 448, 167

Disinhibition

Hippocampus; Septohippocampal projection; Intracellular recording; Inhibitory postsynaptic potential (IPSP) (Krnjević, K.) 438, 182

Acetylcholine; γ -Aminobutyric acid; Dorsolateral septum; Septohippocampal pathway (Hasuo, H.) **438**, 323

Hippocampus; Norepinephrine (Madison, D.V.) **442,** 131

Dissociated cell culture

Sensory vagus nerve; Nodose ganglion; Substance P; Nerve growth factor (MacLean, D.B.) **457**, 53

Dissociative anesthetic

Neuroprotection; N-Methyl-p-aspartic acid antagonist (Marcoux, F.W.) **452**, 329

Distribution

Monoamine innervation; Cerebral cortex; Quantification; Radioautography (Doucet, G.) **441**, 233

c -Conotoxin; Calcium channel; Autoradiography; Rat; Brain (Takemura, M.) **451**, 386

Inspiratory neuron; Expiratory neuron; Augmenting firing; Decrementing firing; Ventral respiratory group (Ezure, K.) **455**, 262

Distribution volume

Blood-brain barrier; Plasma volume; Brain; Capillary; Dextran; Inulin;

Transferrin; Rat (Smith, Q.R.) 462, 1

Dithiothreitol

Hippocampus; Radioprotectant; Intracellular recording (Tolliver, J.M.) **456,** 49

Diurnal rhythm

Retina; Dopamine; Tyrosine; Diabetes (Gibson, C.J.) 454, 60

Diurnal variation

Met-enkephalin; Kindling; Limbic system (Asai, M.) 442, 81

DNA intercalator

Nuclear estrogen receptor; Antiestrogen; Hypothalamus; Heparin (Etgen, A.M.) 452, 1

DNA synthesis

Regeneration; Peripheral nerve; Sciatic nerve; Protein synthesis; RNA synthesis; Schwann cell (Kanje, M.) 439, 116

Dog

Vasoactive intestinal polypeptide; Cerebral artery; Pterygopalatine ganglion; Otic ganglion; Superior cervical ganglion; Immunohistochemistry (Uemura, Y.) 448, 98

Domoic acid

Excitatory amino acid; Kainic acid; Acromelic acid; Rat; Spinal cord; Electrophysiology (Ishida, M.) 474, 386

Dopamine

Noradrenaline; Retinal ganglion cell; Adrenoceptor; Dopamine receptor; Neuroleptic (Robbins, J.) 438, 52

Neurotoxicity; 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP); 6-Hydroxydopamine; Parkinson's disease (Ricaurte, G.A.) **438**, 395

Benztropine; Tris chloride; Choline chloride; Sodium; Ouabain; Re-uptake; Striatum; Push-pull perfusion; Rat (Sirinathsinghji, D.J.S.) 438, 399

Intracranial dialysis; Oxytocin; Uric acid; Olfactory bulb; Substantia nigra; Parturition; Suckling; Sheep (Kendrick, K.M.) 439, 1

Aplysia; Calcium current; Serotonin; Forskolin (Lotshaw, D.P.) 439, 64

Methylmercury; Noradrenaline; Serotonin; Cerebral cortex; Spinal cord; Caudate-putamen; Cerebral palsy (O'Kusky, J.R.) **439**, 138

Cholecystokinin; Electrophysiology; Apomorphine; Neuromodulation; Midbrain (Freeman, A.S.) 439, 266

Stress; Mouse; Genotype; Dihydroxyphenylacetic acid; Homovanillic acid; 3-Methoxytyramine; Brain area (Cabib, S.) **441**, 153

Chronic naltrexone administration; Norepinephrine; Serotonin (Sharma, T.R.) 442, 379 Sexual behavior; cis-Flupenthixol; Apomorphine; Medial preoptic area; Rat; Male (Pehek, E.A.) 443, 70

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP); 1-Methyl-4-phenylpyridine (MPP+); 3,4-Dihydroxyphenylacetic acid (DOPAC); Benztropine; Ouabain; Calcium; EGTA; Push-pull perfusion; High-performance liquid chromatography; Parkinsonism; Neostriatum; Rat (Sirinathsinghji, D.J.S.) 443, 101

Rimorphin; Substantia nigra; Rotation; Opioid peptide; Prodynorphin; Dynorphin B; κ -Receptor; Opiate; Rat (Matsumoto, R.R.) **444**, 67

Gonadotropin release; Zona incerta; Incertohypothalamic tract (MacKenzie, F.J.) **444**, 75

Parkinson's disease; Globus pallidus; Unit activity; 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Passive movement; Joint rotation; Monkey (Filion, M.) 444, 165

Striatum; Norepinephrine; Arterial baroreceptor nerve; Cardiovascular regulation; Somatomotor/visceromotor integration (Alexander, N.) **444**, 320

Avian brain; Catecholamine content; Prefrontal cortex equivalent; Strain difference (Divac, I.) **444**, 371

Somatostatin; Substance P; Haloperidol; Long-term administration; Rat (Radke, J.M.) 445, 55

Herpes simplex virus; Mouse; Striatum; Encephalitis (Seegal, R.F.) **445**, 234

Carotid body; Potassium; Calcium; Acetylcholine; Sympathetic stimulation; Cyanide; Hypoxia (O'Regan, R.G.) **445**, 268

Transplant; Adrenal medulla; Chromaffin cell; Caudate; In vivo dialysis; Circling; Rat (Nishino, H.) 445, 325

Aging; Amphetamine; Corpus striatum; Tetrodotoxin (Dluzen, D.E.) **445,** 354

L-Dihydroxyphenylalanine; Parkinsonism; Striatum; Release; Voltammetry (Keller, R.W.) **447**, 191

Tyrosine hydroxylase; Prefrontal cortex; Cynomolgus monkey; Squirrel monkey (Lewis, D.A.) **449**, 225

Retina; Horizontal cell (Witkovsky, P.) 449, 332

Dihydroxyphenylacetic acid; Homovanillic acid; 5-Hydroxyindoleacetic acid; Release; 6-Hydroxydopamine; Recovery of function; Amphetamine; Dialysis; Rotational behavior (Robinson, T.E.) **450**, 209

△9-Tetrahydrocannabinol; Marijuana;

Cannabinoid; Cannabis; 3,4-Dihydroxyphenylethylamine; Neostriatum; Caudate nucleus; Rat; Potassium; In vivo electrochemistry; In vivo microdialysis; Brain reward (Ng Cheong Ton, J.M.) **451**, 59

Movement initiation; Reaction time; Conditioned avoidance response; Nigrostriatal function; Age; Practice (MacRae, P.G.) **451**, 139

Rabbit retina; Superfusion; Light; Nomifensine (Godley, B.F.) **452**, 393

Lateralization; Sensitization; Amphetamine; Stress; Psychosis; Catecholamine; Adrenocorticotropin (LaHoste, G.J.) **453**, 381

Punishment; Noradrenaline; Serotonin; Neurotransmitter turnover; Brain region (Miyauchi, T.) **454**, 40

Retina; Diurnal rhythm; Tyrosine; Diabetes (Gibson, C.J.) 454, 60

Carbon fibre microelectrode; Fast cyclic voltammetry; Electrical stimulation; Nucleus accumbens; Caudate nucleus (Stamford, J.A.) **454**, 282

Food deprivation; Medial prefrontal cortex; Rotational behavior; D-Amphetamine; Brain asymmetry (Carlson, J.N.) **454**, 373

Nicotine; Substantia nigra; Striatum; Lesion; Rat brain; Immunohistochemistry; Tyrosine hydroxylase; Image analysis; Protection; Quantitative receptor autoradiography (Janson, A.M.) **455**, 332

D₂ receptor; Inositol phosphate; Polyphosphoinositide; Corpus striatum; Quinpirole (Pizzi, M.) **456**, 235

Nigrotectal projection; Parkinsonism; Saccade; Rat (Takada, M.) 457, 165

Serotonin; Acetylcholine; Striatum; In vitro; 6-Hydroxydopamine; Release (Jackson, D.) **457**, 267

α-Melanocyte-stimulating hormone; Rat; Hypothalamus; Superfusion; Apomorphine; Flupenthixol (Tiligada, E.) **457**, 379

Rat neostriatum; Neuropeptide Y; Double immunostaining; Silver intensification; Electron microscope (Kubota, Y.) **458**, 389

Caudate-putamen; Nucleus accumbens; Immunocytochemistry; Glia; Norepinephrine; Synapse; Catecholamine (Aoki, C.) **459**, 205

Caerulein; Haloperidol; Synergy; Hypothalamic defensive attack; Chronic cat (Maeda, H.) **459**, 351

Cholecystokinin; Caudate-putamen; Olfactory tubercle; Amphetamine; Haloperidol; 3-Methoxytyramine; Dihydroxyphenylacetic acid (Altar, C.A.) 460, 76

Synaptosome; Chopped tissue; Uptake; Release; Striatum (Kristensen, E.W.) **461,** 44

Corticostriatal pathway; Excitatory amino acid; Decortication; Phospholipid methylation; Rat striatal synaptosome (Tacconi, M.T.) **461**, 194

1-Methyl-4-phenylpyridinium; 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Intracerebral infusion; Neurotoxicity; Substantia nigra (Gibb, W.R.G.) **461**, 361

Substantia nigra; Ventral tegmental area; Bursting; Medial prefrontal cortex; Anterior cingulate cortex; Low-threshold spike (Gariano, R.F.) 462, 194

Sensitization; Amphetamine; Nucleus accumbens; Dialysis; Dopamine release; Locomotion; Stereotyped behavior; Stimulant; Chronic drug effect; Amphetamine psychosis; Neural plasticity (Robinson, T.E.) 462, 211

Nucleus accumbens; Lateralization; Frontal cortex; Behavior (Starkstein, S.E.) 473, 74

In vivo microdialysis; Amphetamine; Striatum; Rotation; Asymmetry (Glick, S.D.) 473, 161

MnCl₂ toxicity; Striatum; Vitamin E; Lisuride; α-Methyltyrosine (Parenti, M.) **473**, 236

Neural conditioning action; Heterosynaptic potentiation; Long-term enhancement; Slow postsynaptic potential; Synaptic modulation; Synaptic plasticity; Sympathetic ganglion (Libet, B.) 473, 271

Striatum; Electrophysiology; 6-Hydroxydopamine; Behavioral recovery (Nisenbaum, E.S.) **473**, 389

Cholecystokinin; Coexistence; Locomotion; Endogenous; Neuropeptide (Crawley, J.N.) 473, 398

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; 1-Methyl-4-phenylpyridinium ion; Caudate nucleus; Osmotic minipump; Monkey; Hemiparkinsonism; Substantia nigra pars compacta (Imai, H.) **474**, 327

Serotonin; Prefrontal cortex; Neonatal lesion; Ventral tegmental area; Food hoarding; Open-field behavior; Sexual dimorphism (Kalsbeek, A.) 475, 80

Aromatic L-amino acid decarboxylase; Tyrosine hydroxylase; Serotonin; Spinal cord; Immunohistochemistry; Mouse; Rat (Nagatsu, I.) 475, 91

1-Methyl-4-phenyl-1,2,3,6-tetra-hydropyridine; Parkinson's disease; Striatum; Neurotoxicology; Potassium; Cytochrome *b*; 1-Methyl-4-phenyl-pyridinium (Hollinden, G.E.) **475**, 283

Frontal cortex; Antipsychotic drug; Homovanillic acid (Mefford, I.N.) **475**, 380

Dopamine autoreceptor

Striatum; Muscarinic; Aging (Joseph, J.A.) 454, 140

Striatum; Calcium; A23187; Inositoltrisphosphate; Muscarinic (Joseph, J.A.) **454**, 149

Adenosine receptor; Tyrosine hydroxylase; Rat striatum (Onali, P.) **456**, 302

Dopamine axon

Mazindol; 6-Hydroxydopamine; Acetylcholinesterase; Mesostriatum (O'Dell, S.J.) **460**, 402

Dopamine cell

Medial forebrain bundle; Refractory period; Current-distance relation (Yeomans, J.S.) **450**, 86

Dopamine D₁ receptor SCH 23390; Quantitative

autoradiography; Hippocampus; Putamen; Senile dementia (Cortés, R.) 475, 164

Dopamine D₂ receptor

In vivo labeling; High affinity agonist 205-502; Striatum; Pituitary (Closse, A.) **440**, 123

LY-141865; Nucleus accumbens (Hu, X.-T.) **444**, 389

Dopamine innervation

Cerebral cortex; Neonatal 6-hydroxydopamine; N(2-chloro-ethyl)N-ethyl-2-bromo benzylamine hydrochloride (DSP-4) denervation; Quantification; Radioautography (Berger, B.) 441, 260

Cerebral cortex; Immunocytochemistry; Ultrastructure; Synaptic relationship (Séguéla, P.) 442, 11

Dopamine metabolism

Stress; Prefrontal cortex; Voltammetry in vivo; Roman high-avoidance rat; Roman low-avoidance rat; Emotionality level (D'Angio, M.) **451,** 237

Dopamine metabolite concentration

D₁-supersensitivity; Apomorphine-induced stereotypy; SKF 38393-induced grooming; Spiroperidol (Gandolfi, O.) **455**, 390

Dopamine neuron

Substantia nigra; Extracellular recording; Discharge pattern; Apamin; Calcium-dependent potassium channel (Shepard, P.D.) **463**, 380

Cholecystokinin antagonist; Lorglumide; Nucleus accumbens; Haloperidol (Jiang, L.H.) 473, 165

Dopamine re-uptake

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Position emission tomography; Nomifensine; Raclopride (Leenders, K.L.) 445, 61

Dopamine receptor

Noradrenaline; Dopamine; Retinal ganglion cell; Adrenoceptor; Neuroleptic (Robbins, J.) 438, 52

D₁ receptor; D₂ receptor; In vitro; Autoradiography; Pigeon brain; Basal ganglia (Dietl, M.M.) **439**, 354

D₁-Dopamine receptor; Striatum; SCH-23390; Estrogen; Estrogen treatment (Hruska, R.E.) **442**, 349

Brain-stimulation reward; Nucleus accumbens; Reinforcement; SCH 23390; Sulpiride; Ventral tegmental area (Kurumiya, S.) 448, 1

Ethanol; Striatum; Adenylate cyclase (Lucchi, L.) 449, 347

Kindling; Nucleus accumbens; Receptor, -D₂ (Csernansky, J.G.) **449**, 357

Obesity; Diet; α_1 -Noradrenoceptor; Receptor, α_1 -; α_2 -Noradrenoceptor; Receptor, α_2 -; β -Noradrenoceptor; Receptor, β -; Ventromedial hypothalamus; Dorsomedial hypothalamus; Insulin (Wilmot, C.A.) **453**, 157

Neuroleptic;

Radioimmunocytochemistry; Quantitation; Striatum (Cruz, C.J.) **457**, 29

Neostriatum; Striatum; Brain transplantation; Kainic acid; Behavioral recovery; Locomotor activity (Deckel, A.W.) 474, 39

Dopamine receptor localization In vivo dopamine receptor labeling;

In vivo dopamine receptor labeling; Propylnorapomorphine N-n-; Dipping autoradiography; Receptor, D₂-; N-Ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline; Heterogeneity of striatum; Caudate-putamen (Loopuijt, L.D.) **456**, 263

Dopamine release

Brain dialysis; Tyrosine; Striatum; Nucleus accumbens (During, M.J.) **452**, 378

Clozapine; Chronic treatment; Prazosin; α_1 -Noradrenergic antagonist; Striatum; Nucleus accumbens; In vivo voltammetry (Lane, R.F.) **460**, 398

6-Hydroxydopamine lesion; Nigrostriatal bundle; Brain dialysis (Zhang, W.Q.) **461**, 335

Sensitization; Amphetamine; Dopamine; Nucleus accumbens; Dialysis; Locomotion; Stereotyped behavior; Stimulant; Chronic drug effect; Amphetamine psychosis; Neural plasticity (Robinson, T.E.) 462, 211

Adrenal medulla graft; Parkinson's disease; Microdialysis; Striatum; Cerebrospinal fluid (Becker, J.B.) **462**, 401

Adrenaline release; Adrenal gland; Corpus striatum (Chang, G.D.) **463**, 385

Synaptosome; Calcium; Fura-2 (Woodward, J.J.) 473, 91

Calcium channel; ϵ -Conotoxin; Synaptosome (Woodward, J.J.) **475**, 141

Dopamine turnover

Dynorphin; Substance P; Combined effect; Intranigral injection; Circling behavior (Tan, D.-P.) 443, 310

Ketamine anesthesia; Striatum; 3,4-Dihydroxyphenylacetic acid; Homovanillic acid; Rat (Koshikawa, N.) 444, 394

Circling behavior; Nucleus tegmenti pedunculopontinus pars compacta; Nucleus accumbens; Kainic acid; Acetylcholine (Niijima, K.) **451**, 163

Dopamine uptake

Fast cyclic voltammetry; Caudate nucleus; Nucleus accumbens; Electrical stimulation; Diffusion (Stamford, J.A.) 448, 381

Dopamine uptake site

1-(2-(Diphenylmethoxy)ethyl)-4-(3-phenylpropyl)Piperazine (GBR-12935); Characteristics; Human brain (Marcusson, J.) **457**, 122

Dopamine utilisation

Mediodorsal thalamic nucleus; Caudate-putamen complex; Prefrontal cortex lesion; Ibotenate infusion (Jones, M.W.) 475, 8

Dopamine β-hydroxylase Pineal gland; Enkephalin; Neuropeptide Y; Vasoactive intestinal polypeptide (Moore, R.Y.) **457**, 395

Antibody; Rat retina; Immunocytochemical staining; Interspecies cross-immunoreactivity; Radioenzymatic assay (Park, D.H.) 460, 352

Dopamine-induced inhibition

Molluscan neuron; Voltage-gated calcium current; Intracellular calcium; Voltage clamp; Intracellular dialysis (Chemeris, N.K.) 460, 142

Dopamine-stimulated adenylate cyclase

D₁-Dopamine receptor; Guanine nucleotide; [³H]SCH 23390; Retina; Striatum; Frontal cortex (De Keyser, J.) **443**, 77

Dopaminergic

Hypothalamus; Immunocytochemistry; Neonate; Dendrite; Tanycytic process (Piotte, M.) 439, 127

Dopaminergic mechanism

Inescapable shock; Noradrenergic mechanism; Serotonergic mechanism; Cholinergic mechanism; γ-Aminobutyric acidergic mechanism;

Motor activity; Rat (Płaźnik, A.) 447, 122

Dopaminergic mesencephalic neuron

Amygdala; Nucleus accumbens; Prefrontal cortex; Dihydroxyphenylacetic acid/dopamine (DOPAC/DA) ratio; p-Amphetamine; Locomotor activity (Simon, H.) 447, 335

Dopaminergic neuron

Ethylcholine aziridinium ion; Cholinergic neuron; Cytotoxicity; Primary rat brain culture (Amir, A.) **454**, 298

D₁-Dopamine receptor

Dopamine receptor; Striatum; SCH-23390; Estrogen; Estrogen treatment (Hruska, R.E.) 442, 349

Dopamine-stimulated adenylate cyclase; Guanine nucleotide; [³H]SCH 23390; Retina; Striatum; Frontal cortex (De Keyser, J.) **443**, 77

Binding site; Chicken retina; Cyclic adenosine monophosphate (cAMP); Development (Agui, T.) 452, 49

D₂-Dopaminergic receptorReaction time; Striatum (Wilcox, R.E.) **443,** 190

Dorsal bundle

Locus coeruleus; Nerve cell destruction; Neonatal rat (Kostrzewa, R.M.) 442, 321

Dorsal column nucleus

Somatosensory system; Spinal cord; Peripheral nerve; Transganglionic transport (Florence, S.L.) **452**, 388

Dorsal hippocampal formation Medial septum; Item recognition memory; Serial position curve; List learning (Kesner, R.P.) **454**, 219

Dorsal hippocampus

Vasopressin; Oxytocin; Central release; Push-pull perfusion; Osmotic stimulation; Septum (Landgraf, R.) **457**, 219

Dorsal horn

Pain; Spinal cord; Cutaneous afferent fiber; C fiber (Schouenborg, J.) 439, 56

Angiotensin II; Spinal cord; Motoneuron; Peptide; Receptor (White, S.R.) 441, 195

Opioid peptide; Messenger ribonucleic acid; Hyperalgesia; Inflammation; Dynorphin A(1-8) (Iadarola, M.J.) **455**, 205

Serotonin (5-HT); 5-HT receptor; Ionophoresis; Nociception (El-Yassir, N.) 456, 147

Dermorphin; μ -Opioid receptor; Analgesia; Opioid peptide (Sullivan, A.F.) **461**, 182

Voltammetry; 5-Hydroxyindole; Morphine; Trigeminal nucleus caudalis; Spinal cord (Rivot, J.P.) 463, 275

Dorsal horn neuron

Medial hypothalamus; Heat-evoked response; Tail-flick reflex; Descending inhibition; Stimulation-produced analgesia; Rat (Culhane, E.S.) 438, 137

Opioid; μ -Receptor; δ -Receptor; κ -Receptor; Antinociception (Fleetwood-Walker, S.M.) **451**, 213

Cutaneous afferent; Random stimulation; Peristimulus time histogram; Coherence function (Kuipers, U.) **462**, 154

Dorsal lateral geniculate nucleus Visual system; Coronal plane; γ-Aminobutyric acidergic neuron; Morphometry; 3-Dimensional reconstruction (Gabbott, P.L.A.) 438, 379

Perigeniculate nucleus; Acetylcholine; Barbiturate; Corticogeniculate activity; Nicotinic receptor; Muscarinic receptor (Pape, H.-C.) **440**, 79

γ-Aminobutyric acid (GABA); Laminar distribution; Visual cortex; Superior colliculus; Cat (Kanno, S.) **451**, 172

Retina; Ganglion cell; Superior colliculus; Soma size (Lugo-Garcia, N.) **454**, 67

Kainic acid; Retrograde axonal transport; Fluorescent dye; Visual cortex; Retina; Rat (Woodward, W.R.) **454**, 106

Dorsal motor nucleus

Thyrotropin-releasing hormone; Ulcer; Gastric acid (Hernandez, D.E.) **459**, 148

Dorsal motor nucleus of the vagus Fluoro-Gold; Retrograde axonal transport; Fluorescent dye; Peritoneum; Stomach; Vagus nerve (Yoshida, J.) 455, 1

Dorsal nucleus

Ammocoete; Medial nucleus; Lateral line nerve; Electroreception (Ronan, M.) 448, 173

Dorsal paraflocculus

Climbing fiber; Cerebellum; Receptive field (Robertson, L.T.) 452, 97

Dorsal raphe

Serotonin; Receptor, 5-HT₂; Serotonergic axon; Cerebral cortex; Receptor binding; Immunocytochemistry; Autoradiography (Blue, M.E.) **453**, 315

G protein; Pertussis toxin; Serotonin; Baclofen (Innis, R.B.) 459, 27

Dorsal raphe nucleus

Stimulation produced analgesia; Periaqueductal gray; Opiate; Acetylcholine; Analgesia; Pain; Behavior (Klatt, D.S.) 447, 246 γ-Aminobutyric acid; Chronic benzodiazepine; Diazepam; Rat; Brain slice (Wilson, M.A.) 473, 198

Dorsal reticulospinal tract

Somatostatin; Immunocytochemistry; Nucleus gigantocellularis; Nucleus raphe magnus (Bowker, R.M.) 447, 398

Dorsal root

Sensory afferent; Caudal spinal cord; Amphibian spinal cord (Nordlander, R.H.) 440, 391

Dorsal root ganglia

Primary sensory neuron; Axonal injury; Horseradish peroxidase; Neuronal labeling; Neuron metabolism; Nerve anastomosis (Peyronnard, J.M.) 443, 295

Muscle spindle; Anti-nerve growth factor (Laing, N.G.) 444, 351

Ca²⁺-ATPase; Peripheral nerve; Axon; Schwann cell; Myelin; Electron microscopic cytochemistry (Mata, M.) 445, 47

Adrenal gland; Autonomic nervous system; Sympathetic ganglion; Sympathetic preganglionic neuron (Strack, A.M.) 455, 187

GAP43; B50; F1; Nerve regeneration; Axonal transport (Bisby, M.A.) 458, 157

Ricinus communis agglutinin I; Sciatic nerve; Light microscopy (Aldskogius, H.) 461, 215

Down syndrome; Action potential; Tissue culture; Neuron; Patch clamp; Trisomy 21; Development (Nieminen, K.) 474, 246

Dorsal root ganglion cell

Membrane calcium conductance; Membrane potassium conductance; Opioid tolerance; Hyperexcitability (Crain, S.M.) 455, 99

Dorsal root ganglion neuron

Neurite growth; Neurite guidance; Grating; Microstructure; Growth cone; Serum-free culture; Nerve cell culture (Hirono, T.) 446, 189

Opioid modulation; Action potential duration; Cyclic adenosine monophosphate-dependent protein kinase; Intracellular dialysis (Chen, G.-G.) 462, 372

Dorsal root potential

Potassium; Spinal cord; In vitro central nervous system (CNS); Synaptic transmission; Segmental reflex; Dorsal root reflex (Czéh, G.) 446, 50

Dorsal root reflex

Potassium; Spinal cord; In vitro central nervous system (CNS); Synaptic transmission; Segmental reflex; Dorsal root potential (Čzéh, G.) 446, 50

Dorsal root regeneration

Grafted Pacinian corpuscle; Reinnervation; Electron microscopy; Rat (Zelená, J.) 438, 163

Dorsal spinocerebellar tract

Cerebellum; Rhythmic movement; Respiration; Cat (Hirai, N.) 475, 385

Dorsal tegmental field

Postural atonia; Apnea; Mesencephalic cat (Kawahara, K.) 473, 81

Postural atonia; Apnea; Nucleus reticularis pontis oralis (Kawahara, K.) 474, 403

Dorsal terminal accessory optic nucleus

Accessory optic system; Retinofugal pathway; Human visual system; Medial terminal accessory optic nucleus; Lateral terminal accessory optic nucleus; Interstitial nucleus of the superior fascicle, posterior fibers; p-Phenylene-diamine method; Oculomotor function (Fredericks, C.A.) 454, 116

Dorsal vagal nucleus

Somatic input; Vagal preganglionic neuron; Nucleus ambiguus; Nucleus tractus solitarius (Wang, Q.) 439, 350

γ-Aminobutyric acid; Rostral ventrolateral medulla; Somatic input; Bradycardia (Wang, Q.) 457, 367

Dorsolateral funiculus

Lateral reticular nucleus; Locus coeruleus/subcoeruleus; Descending inhibition; Stimulation-produced antinociception; Tonic descending inhibition (Janss, A.J.) 440, 109

Dorsolateral septum

Acetylcholine; γ-Aminobutyric acid; Disinhibition; Septohippocampal pathway (Hasuo, H.) 438, 323

Dorsolateral striatum

Cholecystokinin; Frontal cortical area (Meyer, D.K.) 452, 113

Dorsomedial hypothalamus

Obesity; Diet; α_1 -Noradrenoceptor; Receptor, α_1 -; α_2 -Noradrenoceptor; Receptor, α_2 -; β -Noradrenoceptor; Receptor, β -; Dopamine receptor; Ventromedial hypothalamus; Insulin (Wilmot, C.A.) 453, 157

Arcuate nucleus; Ventromedial hypothalamus; Immunoreactive dynorphin A; Immunoreactive dynorphin B; Hypothalamus; Pituitary gland; Radiofrequency lesion (Spampinato, S.) 463, 100

Double immunostaining

Rat neostriatum; Neuropeptide Y; Dopamine; Silver intensification; Electron microscope (Kubota, Y.) 458, 389

Double label

Edinger-Westphal nucleus; Anterior median nucleus; Parasympathetic

nucleus; Fluorescent tracer; Nuclear yellow; Fast blue; Ciliary ganglion; Spinal cord (Burde, R.M.) 440, 177

Double labeling

Nucleus tegmenti pedunculopontinus; Axonal projection; Cholinergic (Goldsmith, M.) 445, 386

Choline acetyltransferase; Horseradish peroxidase-conjugated wheat germ agglutinin; Phaseolus vulgaris leucoagglutinin; Immunohistochemistry; Brainstem

reticular formation; Sleep (Mitani, A.) 451, 397

Double mutation

Shiverer: Myelin deficient (mld); Myelin; Morphology (Inoue, Y.) 449, 271

Double-immunostaining method Sacral intermediolateral nucleus; Sacral parasympathetic preganglionic neuron; Adrenergic fiber; Cholinergic neuron; β -Galactosidase (Kohno, J.) **461,** 158

Double-label fluorescence Spinothalamic tract; Periaqueductal gray (Harmann, P.A.) 441, 87

Double-label immunocytochemistry Neuroanatomical tracing; *Phaseolus* vulgaris leucoagglutinin; Histamine; Histidine decarboxylase; Preoptic area; Hypothalamus (Wouterlood, F.G.)

Double-staining method

Substance P; Lateral parabrachial area; Central amygdaloid nucleus; Projection; Immunocytochemistry; Coexistence; Calcitonin gene related peptide (Yamano, M.) 451, 179

Down syndrome

Action potential; Tissue culture; Dorsal root ganglion; Neuron; Patch clamp; Trisomy 21; Development (Nieminen, K.) 474, 246

Aminopeptidase inhibitor; Amastatin; Bestatin; Angiotensin II; Angiotensin III; Cerebroventricular metabolism; Rat (Wright, J.W.) 441, 215

Angiotensin II; Angiotensin III; Tachyphylaxis; Rat (Quirk, W.S.) 452, 73

Blood pressure; Angiotensin II; Catecholamine; Angiotensin-induced thirst; Angiotensin-induced pressor response (Bellin, S.I.) 456, 9

Drug self-administration

Amphetamine; Morphine; Nucleus accumbens; Heroin; Reinstatement of drug taking; Priming (Stewart, J.) 457, 287

Dual labeling

Mesolimbic; Neuropeptide; Axo-axonic junction (Pickel, V.M.) 444, 247

Dual-immunocytochemistry Tyrosine hydroxylase; Substance P (Chang, H.T.) 448, 391

Dve coupling

Lucifer yellow; Hypothalamic slice; Intracellular recording (Yang, Q.Z.) 463, 47

Dve transfer

Gap junction; Gap junction antibody; Glia; Uncoupling (Dudek, F.E.) 439, 275

Dye-targeting

Unfocused laser lesioning; In vitro; Neuronal death (Madison, R.D.) 445, 101

Dymethyl sulfoxide

Chromaffin cell; Cryopreservation; Tissue culture; Nerve growth factor; Tyrosine hydroxylase; Transplantation (Silani, V.) 454, 383

Dynorphin

Genetic hypertension; Opioid peptide; β -Endorphin; Methionine-enkephalin; Brain region; Pituitary; Heart; Adrenal; Kidney (Bhargava, H.N.) 440, 333

Substance P; Combined effect; Intranigral injection; Dopamine turnover; Circling behavior (Tan, D.-P.) 443, 310

N-Methyl-D-Aspartate (NMDA); γ-D-Glutamylglycine; 2-Amino-5-phosphonovalerate (APV); Tail-flick reflex; Neurotoxicity (Caudle, R.M.) **443**, 329

Spinothalamic tract; Enkephalin; Vasoactive intestinal polypeptide; Lateral spinal nucleus; Lamina X (Nahin, R.L.) 443, 345

Autoradiography; Brattleboro rat; Dehydration; κ-Opiate receptor; Receptor down-regulation; Vasopressin (Brady, L.S.) 443, 398

Neurotensin binding; Rat brain; Rat uterus; L-156,903; Levocabastine; Autoradiography (Pettibone, D.J.) 457, 212

Neuropeptide; Substance P; Enkephalin; Striatal compartment (Gerfen, C.R.) 460, 161

Lateral spinal nucleus; Peptide; Substance P; Enkephalin; Somatostatin (Cliffer, K.D.) 460, 356

Cochlea; Aging; Presbycusis; Enkephalin; Acetylcholine (Hoffman, D.W.) 460, 366

Oxytocin; Vasopressin; Opioid receptor; κ-Opioid; Neurohypophysis; Presynaptic localization (Zhao, B.-G.)

Calcitonin gene-related peptide; Spinal cord; Rat; Immunocytochemistry; Nociception (Takahashi, O.) 475, 168

Dynorphin A

Thyrotropin releasing hormone; Substance P antagonist; Spinal cord injury (Martinez-Arizala, A.) 473, 385

Dynorphin A(1-8)

Opioid peptide; Messenger ribonucleic acid; Dorsal horn; Hyperalgesia; Inflammation (Iadarola, M.J.) 455, 205

Dynorphin A(1–13)

Opioid peptide; Water intake; Opioid receptor subtype; D-Ala²-NMePhe⁴-Gly(ol)-Enkephalin; [D-Pen², L-Pen⁵]Enkephalin; Hypothalamus; Paraventricular nucleus; Supraoptic nucleus (Ukai, M.) 459, 275

Dynorphin B

Rimorphin; Substantia nigra; Rotation; Opioid peptide; Prodynorphin; Dopamine; κ -Receptor; Opiate; Rat (Matsumoto, R.R.) 444, 67

Dysmyelinating mutant

Myelination; Neural cell adhesion molecule; Cell-cell interaction (Bhat, S.) 452, 373

 \mathbf{E}

Early experience

Corpus callosum; Sex difference; Brain iaterality; Rat (Berrebi, A.S.) 438, 216

Early phrenic motor unit

Late phrenic motor unit: Phrenic-to-phrenic reflex; Respiration; Spinal cord (Marlot, D.) 450, 373

Echolocation

Auditory cortex: Functional organization; Complex-sound processing; Bat (Wong, D.) 453, 349

Ectopic granule cell

Primary fissure; Cerebellum; Plasticity; Rat (Berciano, M.T.) 439, 169

Edematous cerebral cortex

Glucose metabolism; Thiamine-deficient rat; Pyrithiamine; Amino acid; Wernicke's encephalopathy (Takahashi, H.) 441, 202

Edinger-Westphal nucleus

Anterior median nucleus; Parasympathetic nucleus; Fluorescent tracer; Nuclear yellow; Fast blue; Ciliary ganglion; Spinal cord; Double label (Burde, R.M.) 440, 177

Edrophonium

Aplysia neuron; Inward current: Sodium permeability; Internal perfusion; Concentration clamp (Oyama, Y.) 438, 95

Aplysia neuron; Sodium current; Concentration clamp; Intracellular perfusion (Oyama, Y.) 463, 124

Effective connectivity

Connectivity diagram; Conditional cross-correlation; Excitation; Inhibition; Multi-unit recording; Neural interaction; Shift predictor (Espinosa, I.E.) **450**, 39

Muscarinic; Cholinergic; Receptor; ³H-1-Quinuclidinylbenzilate-binding; Cohclea; Autoradiography (Van Megen, Y.J.B.) 474, 185

Efferent connection

Phaseolus vulgaris leucoagglutinin; Fast blue; Ventral respiratory group inspiratory neuron; Phrenic motoneuron (Yamada, H.) 455, 283

Efferent projection

Parvocellular reticular nucleus; Mesencephalic trigeminal nucleus; Field potential; Rat (Jüch, P.J.W.) 462, 185

Egg laying Lymnaea; FMRFamide; Neurosecretory cell; Neuropeptide; Neurophysiology; Potassium conductance; Inhibition (Brussaard, A.B.) 447, 35

Egg-laying behavior

Mollusc; Neuroendocrine cell; Peptide; Neurotransmission (Ter Maat, A.)

EGTA

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP); 1-Methyl-4-phenylpyridine (MPP⁺); Dopamine; 3,4-Dihydroxyphenylacetic acid (DOPAC); Benztropine; Ouabain; Calcium; Push-pull perfusion; High-performance liquid chromatography; Parkinsonism; Neostriatum; Rat (Sirinathsinghji, D.J.S.) 443, 101

Afterhyperpolarization; BAPTA; Calcium-activated potassium conductance; Cadmium; Potassium channel blocker; Tetraethylammonium (Zhang, L.) 462, 174

Eicosanoid

Spinal cord injury; Trauma; Lipoxygenase; Cyclo-oxygenase; Cation (Faden, A.I.) 463, 63

Zinc; Hippocampus; Dentate gyrus; Epilepsy (Fukahori, M.) 455, 381

Elasmobranch

γ-Aminobutyric acid; Horizontal cell; Skate (Cohen, J.L.) 455, 366

Potassium; Extracellular pH: Ion-selective microelectrode; Cerebellum; Spreading depression (Rice, M.E.) 461, 328

Elasmobranch fish

Neuropeptide Y; Hypothalamus; Scyliorhinus; Immunohistochemistry; High-performance liquid chromatography; Radioimmunoassay (Vallarino, M.) 448, 67

Electric organ

Calcium channel; Conotoxin; Transmitter release; Synaptosome; Nerve terminal; Neurosecretion (Ahmad, S.N.) 453, 247

Synaptic terminal; Synaptic vesicle: Vesicle size; Vesicle density; Vesicle distribution; Particle distribution; Morphometric analysis (Fox, G.Q.)

Electric stimulation

N-Methyl-D-aspartate antagonist; Spreading depression; Cerebral cortex: Rat; Ion-sensitive microelectrode (Marrannes, R.) 457, 226

Electrical brain stimulation

Rat; Hypothalamus; Locomotion; Exploration; Flight; Discriminant analysis; Mapping (Lammers, J.H.C.M.) 449, 294

Rat; Hypothalamus; Aggression; Teeth-chattering; Social grooming; Discriminant analysis; Mapping (Lammers, J.H.C.M.) 449, 311

Electrical couplingGlial cell; Potassium; Gap junction; Retina; Müller cell (Mobbs, P.) 460, 235

Electrical kindling

Epilepsy; Seizure; Magnetic field, 60 Hz; Power-line frequency; Health effect; Rat (Ossenkopp, K.-P.) 442, 255

Electrical stimulation

Brain glucose metabolism; Inhibition; Thalamus; Cortex; Selective attention; Sensory processing; Thalamic reticular nucleus (Sharp, J.W.) 438, 357

Striatum; Globus pallidus; Local cerebral glucose utilization; [14C]Deoxyglucose method; Circling behavior (Aiko, Y.) **442**, 43

Classical conditioning; Cerebellum; Interpositus; Red nucleus; Rabbit (Chapman, P.F.) 442, 97

Hippocampus; Learning; Memory; Mouse (Roman, F.) 443, 149

Female monkey; Sexual behavior; Proceptivity; Hypothalamus (Koyama, Y.) 446, 199

Dopamine uptake; Fast cyclic voltammetry; Caudate nucleus; Nucleus accumbens; Diffusion (Stamford, J.A.) 448, 381

Isolated taste cell; Bullfrog; Whole-cell clamp; Membrane property; Action potential (Miyamoto, T.) 449, 369

Septum; Neuronal activity; Theta-hythm; Cholinergic drug (Brazhnik, E.S.) 451, 1

Amiloride; Taste; Single fiber; Chorda tympani nerve; Ionic stimulus; Rat (Ninomiya, Y.) 451, 319

Locomotor activity; Mesencephalic locomotor region; Subthalamic locomotor region; Pedunculopontine nucleus; Zona incerta; Subthalamic nucleus; Chemical microinjection (Milner, K.L.) 452, 273

Carbon fibre microelectrode; Fast cyclic voltammetry; Nucleus accumbens; Caudate nucleus; Dopamine (Stamford, J.A.) 454, 282

Hippocampus; Central cardiovascular control; Chemical stimulation; Medial frontal cortex; Rat (Ruit, K.G.) 457, 310

Vasopressin; Oxytocin; Push-pull perfusion: Septum: Paraventricular nucleus (Neumann, I.) 462, 181

Fastigial nucleus; Parabrachial nucleus; Blood pressure; Heart rate; Respiration; Autonomic nervous system; Cardiovascular system (Miura, M.) 473, 352

Electrically evoked release

Somatostatin; Cortical brain slice; High pressure liquid chromatography characterization (Bonanno, G.) 447, 92

Electroacupuncture

Endorphin; Naloxone; Analgesia; Tail flick; Spinal cord; Electrostimulation; Acupuncture (Pomeranz, B.) 452, 227

Analgesia; Naloxone; Endorphin; Spinal cord; Naltrexone; Nociceptive reflex; Acupuncture (Pomeranz, B.) 452, 232

Electrochemical detection

Thalamus; Kainic acid; Storage vesicle; Catecholamine; Indoleamine; High-performance liquid chromatography (Weil-Fugazza, J.) 444, 374

Electroconvulsive shock

C57BL/6J ob/ob mouse; C57BL/KsJ db/db mouse; Hyperglycemia; Weight; Body temperature; Diabetes (Nutt, D.J.) 448, 377

Enkephalin; Opioid peptide; Cerebrospinal fluid; Neuroleptic drug; Neuropeptide; Schizophrenia (Iadarola, M.J.) 474, 75

Electrocorticogram

Decapitation; Pain; Ethics; Hippocampus; Neocortex (Vanderwolf, C.H.) 451, 340

Electroencephalogram

Prostaglandin E₂; Sleep-wake activity; Temperature; Preoptic area; Microinjection; Electromyogram (Matsumura, H.) 444, 265

Cingulate; Cell; Discharge; Hippocampal; Modulation; Muscarinic; Nicotinic (Colom, L.V.) 460, 329

Electroencephalogram (EEG)

Olfactory pathway; Prepiriform cortex; Entorhinal cortex; Hippocampal formation; β Activity; $\hat{\theta}$ Rhytm;

Mutual information (Boeijinga, P.H.) 448, 272

Electroencephalogram desynchronization

Y cell; X cell; W cell; Lateral geniculate nucleus; Visual response; Electroencephalogram synchronization; Inhibitory circuitry; Cat (Sawai, H.) 455, 394

Electroencephalogram synchronization

Y cell; X cell; W cell; Lateral geniculate nucleus; Visual response; Electroencephalogram desynchronization; Inhibitory circuitry; Cat (Sawai, H.) 455, 394

Electrolytic lesion

Integrated functional activity; Raphe nucleus; Serotonergic system; 5,7-Dihydroxytryptamine (Cudennec, A.) 444, 214

Electrolytic ventral mesencephalic tegmentum lesion

Locomotor hyperactivity; Spontaneous alternation; Noradrenergic-dopaminergic

(NA-DA) interaction; Behavioral restoration; Receptor heteroregulation (Taghzouti, K.) 440, 172

Electromyogram

α-Motoneuron; Treadmill locomotion; Quadriceps femoris muscle; Locomotor drive potential; Walking (Glenn, L.L.) **439.** 396

Prostaglandin E₂; Sleep-wake activity; Temperature; Preoptic area; Microinjection; Electroencephalogram (Matsumura, H.) 444, 265

Electromyogram extensor Spinal cord; Vestibular; Locus ceruleus; Pontine reticular formation (Barnes, C.D.) 453, 32

Electromyographic activity

Arterial pressure; Bicuculline; Cat; γ-Aminobutyric acid; Heart rate; Hypothalamus; Muscimol; Phrenic nerve (Waldrop, T.G.) 444, 84

Electromyographic pattern Mechanical impedance; Arm movement (Simmons, R.W.) 473, 134

Electron microscope

Primary sensory neuron; Synaptic bouton; Intracellular staining; Horseradish peroxidase; Light microscope; Lamprey (Christenson, J.) 440.9

Transplant; Astrocyte; Microsphere; Fluorescence (Emmett, C.J.) 447, 223

Hippocampus; Lectin; Retrograde transport; Transplant (Seeley, P.J.) **449,** 177

Rat neostriatum; Neuropeptide Y; Dopamine; Double immunostaining; Silver intensification (Kubota, Y.) **458**, 389

Electron microscopic cytochemistry Ca²⁺-ATPase; Peripheral nerve; Axon; Dorsal root ganglia (DRG); Schwann cell; Myelin (Mata, M.) **445**, 47

Electron microscopic immunocytochemistry Galanin; Neuropeptide Y; Paraventricular nucleus (Sawchenko, P.E.) 474, 231

Electron microscopy

Dorsal root regeneration; Grafted Pacinian corpuscle; Reinnervation; Rat (Zelená, J.) 438, 163

Neuropeptide Y, Suprachiasmatic nucleus; Lateral geniculate nucleus; Immunocytochemistry; Rat (Ibata, Y.) **439,** 230

Astrocyte; Synaptic density; Neuropil; Cerebellar culture; Cytosine arabinoside (Meshul, C.K.) 441, 23

Percoll; Synaptosome; Homogeneity; Biochemical marker; Morphology (Dunkley, P.R.) **441**, 59

Anterograde tracing; Wheatgerm-agglutinated horseradish peroxidase (WGA-HRP); γ-Aminobutyric acid (GABA) immunocytochemistry; Inferior olive; Cat (De Zeeuw, C.I.) 447, 369

Adrenocorticotropic hormone; Arcuate nucleus; Gonadotropin release (Leranth, C.) **449**, 167

Acetylcholine; Cortical microvessel; Choline acetyltransferase; Neurotransmitter release; γ-Aminobutyric acid; High-performance liquid chromatography; Immunocytochemistry (Arnerić, S.P.) **454**, 11

Axoplasmic flow; Histocytochemistry; Ventral root; Spinal cord; Motor neuron; Ranvier's node; Initial axon segment (Berthold, C.-H.) **456**, 293

Serotonin; Immunohistochemistry; High-performance liquid chromatography; Chromaffin cell; Frog; Sympathetic regulation (Delarue, C.) **459**, 17

Immunohistochemistry; Tyrosine hydroxylase; Synaptic input; Bipolar cell (Hokoç, J.N.) **461**, 17

Plasticity; Retinal ganglion cell; Fluorescent dye; Rat (Chan, S.O.) **461**, 163

Light microscopy; Regenerating growth cone; Axonal tract tracing; Wheat germ-agglutinated horseradish peroxidase (Nothias, F.) **461**, 349

Horseradish peroxidase; Primary afferent; Vibrissa; Rat (Renehan, W.E.) **462**, 396

Rat; Tooth pulp axon; Pain; Capsaicin; Sympathectomy (Fried, K.) 463, 118

Principal abducens motor nucleus;

Synapse; Gap junction; *Varanus* exanthematicus (Wouterlood, F.G.) **463**, 198

Receptor; Benzodiazepine; Autoradiography; Superior colliculus (Pinard, R.) 474, 48

Entopeduncular nucleus; Lateral habenular nucleus; Thalamus; Horseradish peroxidase conjugated to wheat germ agglutinin; Cat (Tokuno, H.) 474, 390

Electronic osmometer

Brain homogenate; Colloid osmotic pressure; Oncotic pressure; Osmotic potential; Brain edema; Cerebrospinal fluid (Tomita, M.) 474, 165

Electrophoresis

Lateral hypothalamic area; Periaqueductal gray; Tail pinch; Glucose-sensitive neuron; Extracellular recording; Intracellular recording (Kai, Y.) **461**, 107

Electrophysiology

Respiration; Regeneration; Nerve transplant; Axotomy; Rat; Brainstem (Gauthier, P.) 438, 225

Cholecystokinin; Dopamine; Apomorphine; Neuromodulation; Midbrain (Freeman, A.S.) 439, 266

Decerebrate; Chronic; Rat; Nucleus tractus solitarii; Taste (Mark, G.P.) **443**, 137

Glia; Hippocampus; Primary culture; Barium action potential (Walz, W.) **443**, 321

Taste; Tactile; Somatotopy; Medulla; Facial lobe; Catfish; Amino acid (Marui, T.) 446, 178

Leptinotarsa decemlineata; Olfaction; Odor quality coding; Interneuron; Antennal lobe; Deutocerebrum; Brain (De Jong, R.) 447, 10

Leptinotarsa decemlineata; Olfaction; Odor quality coding; Receptor neuron; Suppression; Binary mixture (De Jong, R.) 447, 18

Direct cortical response; Current source-density; Magnetoencephalography; Neocortex; Biomagnetism (Barth, D.S.) 450, 280

Periaqueductal gray; Mesencephalic slice; Intracellular recording (Sánchez, D.) **455**, 166

Dopamine; Striatum; 6-Hydroxydopamine; Behavioral recovery (Nisenbaum, E.S.) **473**, 389

Excitatory amino acid; Kainic acid; Domoic acid; Acromelic acid; Rat; Spinal cord (Ishida, M.) 474, 386

Electroreception

Ammocoete; Dorsal nucleus; Medial nucleus; Lateral line nerve (Ronan, M.) 448, 173

Electroreceptor

Neurotransmitter; Glutamate; Kynurenate; Afferent synapse; Acousticolateralis receptor (Okano, K.) 457, 79

Afferent synapse; Acousticolateralis receptor; Postsynaptic potential; Postsynaptic receptor; Kynurenate; Transmitter (Okano, K.) 457, 89

Electroshock

Anticonvulsant; γ-Vinyl-GABA; Norepinephrine; Substantia nigra (Bonhaus, D.W.) **438**, 391

Electrostimulation

Endorphin; Naloxone; Electroacupuncture; Analgesia; Tail flick; Spinal cord; Acupuncture (Pomeranz, B.) **452**, 227

Electrotonus

Human axon; Potassium channel; Inward rectification; Threshold (Bostock, H.) 462, 354

Eledoisin

Substance P; Neurokinin A; Neurokinin; Ontogeny; Cortex; Receptor (Dam, T.-V.) **453**, 372

Embryology

Acetylcholine; Cell death; Chicken; Ciliary ganglion; Sympathetic ganglion; Synaptic transmission; Trophic factor (Maderdrut, J.L.) 444, 189

Emesis

Vagal complex; Cholinergic receptor; Solitary nucleus; Area postrema; Human brainstem (Hyde, T.M.) **447**, 287

Emetine

Giant miniature endplate potential (gMEPP); Spontaneous release; Calcium-independent release (Alkadhi, K.A.) 447, 293

Emotionality level

Stress; Prefrontal cortex; Dopamine metabolism; Voltammetry in vivo; Roman high-avoidance rat; Roman low-avoidance rat (D'Angio, M.) **451,** 237

Encephalitis

Herpes simplex virus; Mouse; Striatum; Dopamine (Seegal, R.F.) 445, 234

Encoding process

Frog muscle spindle; Cyclic adenosine monophosphate (cAMP); Intracellular Ca²⁺; Decapsulation; Quercetin (Sokabe, M.) **443**, 254

End plate potential

Miniature end plate potential; Postsynaptic potential; Quantum; Non-stationary Poisson distribution; Binomial release; *Navanax inermis*; Gastropod; Mollusc (Cappell, M.S.) 454, 244

Acetylcholine; Neuromuscular junction; Miniature endplate potential; Synaptic vesicle; AH5183 (Lupa, M.T.)

461, 118

Endo/exocytosis

Horseradish peroxidase; Segmental lateral giant axon; Crayfish (Viancour, T.A.) 439, 211

Endocytosis

Microtubule; Neuron; Growth cone; Taxol; Cell cortex (Sinclair, G.I.) **450**, 60

Endogenous

Dopamine; Cholecystokinin; Coexistence; Locomotion; Neuropeptide (Crawley, J.N.) **473**, 398

Endogenous anticonvulsant Opioid peptide; Seizure arrest; Epilepsy; Cerebrospinal fluid (Tortella, F.C.) **456**, 139

Endogenous bursting neuron Respiratory oscillator; Phase-response curve (PRC); Phase singularity; External intercostal nerve; Phrenic nerve; Phase-response surface (PRS) (Kitano, S.-i.) 439, 19

Endogenous glutamate Brain cortex; Calcium; Veratridine (Villanueva, S.) 461, 377

Endogenous opioid

Locus coeruleus; Noradrenaline; Naloxone; Stress; Single unit activity; Cat (Abercrombie, E.D.) 441, 362

Blood pressure regulation; Nalaxone methylbromide (Mosqueda-Garcia, R.) **442**, 119

Intracerebroventricular; Stress-induced analgesia; Freezing; Quaternary naltrexone; Opioid antagonist; Pavlovian conditioning; Conditioned fear (Fanselow, M.S.) 444, 147

Morphine; Testosterone; Luteinizing hormone; Follicle-stimulating hormone; Noradrenaline; Serotonin (Gabriel, S.M.) 447, 200

Endogenous opioid peptide Opiate receptor; Sweet preference; Naltrexone; Palatability; Mouse (Yirmiya, R.) 438, 339

Endogenous opioid system Opioid receptor; Cancer; Neuroblastoma; Neurotumor (Zagon, I.S.) 449, 80

Endogenous organic acid 3,4-Dihydroxybutanoic acid γ -lactone; 2,4,5-Trihydroxypentanoic acid γ -lactone; Feeding modulation; Rat; Serum glucose; Insulin; 4-Butanolide (Sakata, T.) **473**, 43

Endogenous pyrogen Acute phase response; Leukocytosis; Neutrophilia; Interleukin-1; Hypothalamus (Morimoto, A.) 475, 345

Endogenous thyrotropin-releasing hormone

Cerebral ventricle; Passive

immunization; Push-pull perfusion; Cardiovascular system; Conscious rat; Bleeding (Okuda, C.) 474, 399

Endoneurial capillary

Wallerian degeneration; Sciatic nerve; Permeability; Vascular space; Frog (Weerasuriya, A.) 445, 181

Peripheral nerve; Nerve crush; Nerve transection; Nerve ischemia; Permanent axotomy; Neovascularization; Nerve regeneration (Nukada, H.) **449**, 89

Endoplasmic reticulum

Neurosecretory peptide; Intraneuronal transport; Colchicine; Golgi apparatus; Microtubule (Alonso, G.) **453**, 191

Endorphin

Central amygdala; Enkephalin; Naloxone; Stress ulcer (Ray, A.) **442**, 195

Naloxone; Electroacupuncture; Analgesia; Tail flick; Spinal cord; Electrostimulation; Acupuncture (Pomeranz, B.) **452**, 227

Electroacupuncture; Analgesia; Naloxone; Spinal cord; Naltrexone; Nociceptive reflex; Acupuncture (Pomeranz, B.) **452**, 232

¹²⁵I-β-Endorphin

Neuroblastoma cell; Cross-linking; μ -Opioid receptor; δ -Opioid receptor; Opioid peptide (Keren, O.) **440**, 280

β-Endorphin

Genetic hypertension; Opioid peptide; Dynorphin; Methionine-enkephalin; Brain region; Pituitary; Heart; Adrenal; Kidney (Bhargava, H.N.) **440**, 333

Periaqueductal gray; Pituitary; Mouse strain; Social stress; Analgesia; Naloxone; β-Chlornaltrexamine (Külling, P.) **450**, 237

Opiate receptor; *Tetrahymena*; Naloxone; Phylogeny of receptors (O'Neill, J.B.) **450**, 303

Hypoglycemia; Cerebrospinal fluid; Catecholamine; Adrenocorticotropic hormone; Cortisol; Insulin; Conscious dog (Radosevich, P.M.) **458**, 325

Endotoxin

Interleukin-1; Fever mechanism; Organum vasculosum laminae terminalis (OVLT); Blood-brain barrier; Intravenous route; Intracerebroventricular route (Coceani, F.) 446, 245

Endplate

Acetylcholine receptor; Human extraocular muscle; Antigenic determinant; Myasthenia gravis; Anti-acetylcholine receptor antibody (Oda, K.) 449, 337

Endurance

Epilepsy; Kindling; Amygdala (Homan, R.W.) 447, 404

Energy metabolism

Hypoxia; Phosphoinositide; Free fatty acid; Triacylglycerol (Ikeda, M.) **459**, 344

Energy reserve

Brain; Seizure; Normoxemia; Newborn monkey (Fujikawa, D.G.) 454, 51

Enkephalin

Serotonin; Spinal cord; Coexistence; Immunohistochemistry; Immunofluorescence; Cat (Tashiro, T.) 440, 357

Sympathetic ganglion; Co-existence; Neuropeptide Y; Subcellular fractionation; Vesicle (Bastiaensen, E.) **442,** 124

Central amygdala; Endorphin; Naloxone; Stress ulcer (Ray, A.) 442, 195

Cardiovascular; Immunohistochemistry; Parabrachial nucleus; Nucleus tractus solitarii (Maley, B.E.) 442, 340

Immunocytochemistry; γ-Aminobutyric acid; Hypothalamus; Guinea pig (Beauvillain, J.C.) **443**, 315

Spinothalamic tract; Dynorphin; Vasoactive intestinal polypeptide; Lateral spinal nucleus; Lamina X (Nahin, R.L.) 443, 345

Retina; Amacrine cell; Neurotensin; γ-Aminobutyric acid; Glycine; Coexistence (Watt, C.B.) **444**, 366

Immunochemistry; Histocytochemistry; Staphylococcal protein A; Immunoenzyme technique; Neurotransmitter; Peptide; Tyrosine hydroxylase (Correa, F.M.A.) 448, 192

Adrenal medulla; Explant; Proenkephalin; Depolarization; Chromatographic characterization (Inturrisi, C.E.) 448, 230

Hypothalamus; Immunocytochemistry; α-Melanocyte-stimulating hormone; Metorphamide; Opiate; Peptide; Pro-opiomelanocortin; Zona incerta (Merchenthaler, I.) **452**, 87

Stress hyperglycemia; Tail pinch (Sanchez, R.) 452, 149

Substance P; Co-localization; Intraspinal neuron; Substantia gelatinosa; Anti-nociception (Senba, E.) **453**, 110

Adenosine deaminase; Immunohistochemistry; Septal nucleus; Habenula; Septohabenular projection; Purinergic neurotransmission (Staines, W.A.) 455, 72

Pineal gland; Neuropeptide Y; Vasoactive intestinal polypeptide; Dopamine-β-hydroxylase (Moore, R.Y.) **457**, 395

Retina; Amacrine cell; Neurotensin; Glycine; Coexistence (Wu, S.M.) 458, 195

Neuropeptide: Dynorphin: Substance P; Striatal compartment (Gerfen, C.R.) 460, 161

Lateral spinal nucleus; Peptide; Substance P; Dynorphin; Somatostatin (Cliffer, K.D.) **460**, 356

Cochlea; Aging; Presbycusis; Dynorphin; Acetylcholine (Hoffman, D.W.) 460, 366

Opioid peptide; Cerebrospinal fluid; Electroconvulsive shock; Neuroleptic drug; Neuropeptide; Schizophrenia (Iadarola, M.J.) 474, 75

Ciliary neuron; Parasympathetic nervous system; Calcitonin gene-related peptide; Neuropeptide Y; Vasoactive intestinal peptide (Stone, R.A.) 475, 389

D- Ala²-NMePhe⁴-Gly(ol)-Enkephalin

Opioid peptide; Water intake; Opioid receptor subtype; [D-Pen2, L-Pen5]-Enkephalin; Dynorphin A_{1-13} ; Hypothalamus; Paraventricular nucleus; Supraoptic nucleus (Ukai, M.) 459, 275

Enkephalin analog

Locomotor activity; Nucleus basalis magnocellularis; Cholinergic neuron; GABAergic drug (Baud, P.) 452, 203

Enkephalin convertase

Neuropeptide biosynthesis; Processing enzyme; Carboxypeptidase B-like; Carboxypeptidase H (Fricker, L.D.)

Enkephalin degradation Aminopeptidase; Inhibitor; Brain (Shimamura, M.) 445, 350

Enkephalin precursor

In situ hybridization; Nigrostriatal pathway; Messenger RNA (Normand, E.) 439, 39

[D-Ala²,D-Leu⁵]Enkephalin Brain opioid receptor; Receptor, δ-opioid (Tao, P.-L.) 462, 313

[D-Ala²,NMePhe⁴,Gly-ol⁵]-Enkephalin

Brain slice; Guinea pig; Hypothalamus; Lucifer yellow; µ-Opioid receptor (Charpak, S.) 450, 124

[D-Pen², L-Pen⁵]Enkephalin Opioid peptide; Water intake; Opioid receptor subtype: D-Ala²-NMePhe⁴-Gly(ol)-Enkephalin; Dynorphin A_{1-13} ; Hypothalamus; Paraventricular nucleus; Supraoptic nucleus (Ukai, M.) 459, 275

[D-Pen²,L-Pen⁵]Enkephalin Irradiation; Antinociception; Morphine (Raffa, R.B.) 447, 393

D-Ala²-Met⁵-Enkephalinamide Affective defense behavior; Bed nucleus of stria terminalis; Naloxone; Medial hypothalamus (Brutus, M.) 473, 147

[Met⁵]Enkephalin

Naloxone; Sympathetic ganglion; Transmitter release; Intracellular recording; Presynaptic facilitation; Presynaptic inhibition (Hirai, K.)

Enteric nervous system

2,5-Hexanedione; Neurofilament; Neuronal cytoskeleton; Autonomic nerve (Ferri, G.-L.) 444, 383

Guanosine triphosphate-binding regulatory protein; Islet-activating protein: Pertussis toxin; Superior cervical ganglion; Adrenal medulla (Terashima, T.) 455, 353

Enteric neuron

Glia; Fibroblast; Culture; Monoclonal antibody; Immunolabelling; Laminin (Bannerman, P.G.C.) 440, 87

Enteroceptor

Femoral-saphenous vein; Vascular afferent; Spinal cord; Interneuron; Cat (Yates, B.J.) 451, 285

Entopeduncular nucleus

Muscimol; Substantia nigra; Maximal electroshock seizure; Pilocarpine seizure (Hosford, D.A.) 462, 205

Lateral habenular nucleus; Thalamus; Horseradish peroxidase conjugated to wheat germ agglutinin; Electron microscopy; Cat (Tokuno, H.) 474, 390

Entorhinal cortex

Olfactory pathway; Prepiriform cortex; Hippocampal formation: Electroencephalogram (EEG); β Activity; θ Rhytm; Mutual information (Boeijinga, P.H.) 448, 272

 α -Aminobutyric acid antagonist; Epilepsy; N-Methyl-D-aspartate receptor (Jones, R.S.G.) 457, 113

Perseveration; Sprouting (Ramirez, J.J.) 459, 153

Entrainment

Circadian rhythm; Photoreceptor (Zatz, M.) 438, 199

Circadian rhythm; a2-Adrenergic receptor (Zatz, M.) 450, 137

Circadian rhythm; Photoreceptor; Adenosine monophosphate, cyclic (Zatz, M.) 453, 51

Circadian rhythm; Phototransduction; G-proteins; Transducin; Rhodopsin (Zatz, M.) 453, 63

Circadian rhythm; Retinohypothalamic tract; Neuronal plasticity; Hamster; Geniculohypothalamic tract (Johnson, R.F.) 460, 297

Retinohypothalamic tract: Geniculohypothalamic tract; Suprachiasmatic nucleus; Circadian rhythm; Anterior hypothalamus (Johnson, R.F.) 462, 301

Circadian rhythm; Calcium channel (Zatz, M.) 463, 305

Entubulation repair

Peripheral nerve repair; Collagen; Laminin; Peripheral nervous system; Rat (Madison, R.D.) 447, 325

Enucleation

Optic tectum; Teleost; Quantitative analysis (Peyrichoux, J.) 447, 299

Enzyme histochemistry

C-flanking peptide of neuropeptide Y (C-PON); Immunocytochemistry; NADPH-diaphorase; Striatum; Rat (Villalba, R.M.) 462, 359

Enzyme-linked immunosorbent

L-Dihydroxyphenylalanine; Glutaraldehyde; Antibody; Rat brain; Substantia nigra; Locus ceruleus; Striatum; Immunocytochemistry (Mons, N.) 451, 403

Ependymin

Learning; Memory; Goldfish brain protein; Shuttle-box training; Avoidance conditioning; Long-term memory; Extracellular glycoprotein (Piront, M.-L.) **442**, 53

Retinotectal projection; Optic nerve regeneration; Radial glia; Synaptic stabilization; Minipump infusion; Goldfish (Schmidt, J.T.) 446, 269

Ephapse

Nociceptor; Pain; Itch; Chemoreceptor; C-fiber; Neurophysiology; Gap junction; Hyperalgesia (Meyer, R.A.) 441, 81

Epidermal growth factor

Protein kinase C; Trophic factor; Neuron; Basic fibroblast growth factor; Neurite outgrowth (Morrison, R.S.) 473, 141

Epidermal growth factor (EGF)

Neuron; Astrocyte; Immunohistochemistry (Gómez-Pinilla, F.) 438, 385

Epiglottis

Sheep; Response pattern; Chemoreception; Nucleus of the solitary tract; Off response; Superior laryngeal nerve; Upper airway (Sweazey, R.D.) 439, 195

Taste; Larynx; Apnea (Dickman, J.D.) 450, 25

Epilepsy

Kainic acid; Hippocampus; Mossy fiber; Seizure; CA3 (Okazaki, M.M.) 440, 352

Glucocorticoid binding; Human cortex; Steroid receptor; [³H]Dexamethasone (Sarrieau, A.) **442**, 157

Electrical kindling; Seizure; Magnetic field, 60 Hz; Power-line frequency Health effect; Rat (Ossenkopp, K.-P.) 442, 255

Hippocampal slice preparation; Interictal bursting; GABAergic inhibition (Chamberlin, N.L.) 445, 12 Kainic acid; Seizure; Hippocampus; Mossy fiber; Vesicle; Quinoline; Toluene sulfanomide quinoline (TSQ); Zinc-containing neuron; Zinc (Frederickson, C.J.) 446, 383

Kindling; Amygdala; Endurance (Homan, R.W.) 447, 404

Kynurenic acid; Excitotoxin; Postmortem; Neurodegenerative disorder (Turski, W.A.) 454, 164

Kindling; Interictal spike; Amygdala; Pyriform cortex; Hippocampus (Racine, R.J.) **454**, 251

Kindling; Amygdala; Pyriform cortex; Septal area; Hippocampus; Lesion (Racine, R.J.) **454**, 264

Zinc; Hippocampus; Dentate gyrus; El mouse (Fukahori, M.) 455, 381

Endogenous anticonvulsant; Opioid peptide; Seizure arrest; Cerebrospinal fluid (Tortella, F.C.) **456**, 139

Entorhinal cortex; α-Aminobutyric acid antagonist; N-Methyl-D-aspartate receptor (Jones, R.S.G.) **457**, 113

Cobalt focus; Seizure; Hippocampus; Neuron damage (Sugaya, E.) 459, 196

Turtle; Hippocampus; Excitatory amino acid; *N*-Methyl-p-aspartic acid; *γ*-Aminobutyric acid (Larson-Prior, L.J.) **460**, 369

Pilocarpine; Non-steroidal anti-inflammatory drugs; Seizure; Brain damage (Ikonomidou-Turski, C.) **462,** 275

Hippocampus; Neuron death; Kainic acid; Glutamate; Glucocorticoid; Stress; Metyrapone (Stein, B.A.) **473**, 175

Pentylenetetrazol; Membrane current; Calcium; Snail neuron; Helix pomatia (Walden, J.) 473, 294

Hippocampus; Physiology; Sodium valproate; Post-tetanic potentiation; Bursting (Griffith, W.H.) **474**, 155

Seizure; Sprouting; Dentate mossy fiber; Hippocampus; Kainic acid (Cronin, J.) 474, 181

Vasoactive intestinal polypeptide; Somatostatin; γ-Aminobutyric acid; Immunoreactivity; Hippocampus; Epileptic mouse (King, J.T.) 475, 192

Epilepsy model

Penicillin; Diffusion; Cerebral cortex (Lehmenkühler, A.) 444, 181

Epilepsy, Electroencephalogram γ-Aminobutyric acid; Muscimol; 4,5,6,7-Tetrahydro-isoxazolo [5,4-c]pyridin 3-ol (THIP); Bicuculline; Intracerebral injection; Substantia nigra; Rat; Petit mal (Depaulis, A.) 448, 20

Epileptic activity

Pentylenetetrazol; Dendrite shape; Buccal ganglion; *Helix pomatia* (Altrup, U.) **456**, 401

Epileptic mouse

Vasoactive intestinal polypeptide; Somatostatin; γ-Aminobutyric acid; Immunoreactivity; Hippocampus; Epilepsy (King, J.T.) 475, 192

Epileptiform activity

Adenosine; Magnesium; Hippocampus; Presynaptic inhibition (Bartrup, J.T.) **463**, 374

Epileptiform bursting

4-Aminopyridine; Caffeine; Penicillin; Verapamil; L-Phenyl-isopropyladenosine (L-PIA); Hippocampus (Frank, C.) **441**, 393

Epileptogenesis

Kindling; Substantia nigra pars reticulata; Single-unit recording; γ-Aminobutyric acid; Glycine; Glutamate; Acetylcholine (Waszczak, B.L.) 455, 115

Epileptogenicity

A-Keto-δ-guanidinovaleric acid; Convulsant; Hyperargininemia; γ-Aminobutyric acid-response; Glycine-response; Primary dissociated neuronal cell culture (De Deyn, P.P.) 449, 54

Escape behavior

Giant interneuron; Lesion; Cockroach; Antenna (Comer, C.M.) 445, 370

Escape response

Mauthner neuron; Reticulospinal system; Command neuron; Lateralization (DiDomenico, R.) 473, 15

Esophagus

Vomiting; Expulsion; Diaphragm; Vagal afferent; Cat (Miller, A.D.) **456**, 367

Estradiol

Muscarinic receptor; Preoptic area; Hypothalamus; Estrous cycle; Sex differences; Rat (Olsen, K.L.) 448, 223

Thyrotropin-releasing hormone receptor; Prolactin; Thyronine; Hormone treatment; Pituitary; Retina; Superior cervical ganglia (Sharif, N.A.) **449**, 364

Testosterone; Aromatization; Primate; Hypothalamus; Amygdala; Preoptic area; Pituitary gland (Rees, H.D.) **452**, 28

Choline acetyltransferase; Dexamethasone; Brain region; Mechanism of action (Kaufman, H.) **453**, 389

Astrocyte; Glial fibrillary acidic

protein; Arcuate nucleus; Hippocampus; Globus pallidus; Testosterone; Sex difference; Immunocytochemistry (Garcia-Segura, L.M.) **456**, 357

Adrenaline; Hypothalamus; Luteinizing hormone; Luteinizing hormone-releasing hormone; Naloxone; Noradrenaline; Opioid; Progesterone (Crowley, W.R.) **461**, 314

Progestin receptor; Guinea pig; Immunocytochemistry; Sex steroid hormone; Hypothalamus (Blaustein, J.D.) **474**, 1

Estradiol binding site

Hypothalamus; Bethanechol; Atropine sulfate; Sex difference (Lauber, A.H.) 443, 21

Estrogen

Medial nucleus of the amygdala; Genomic; Accommodation; Excitatory postsynaptic potential; Depolarizing afterpotential; Intracellular recording (Schiess, M.C.) 440, 380

Dopamine receptor; D₁-Dopamine receptor; Striatum; SCH-23390; Estrogen treatment (Hruska, R.E.) **442**, 349

Oxytocin; Paraventricular; Lordosis; Sexual receptivity; Progesterone; Mounting; Medial preoptic area; Lateral subcommissural nucleus (Caldwell, J.D.) **446**, 236

Development; Female sexual behavior; Lordosis; Progestin receptor; Sexual differentiation; Rat (Williams, C.L.) 449, 403

Male primate; Sexual dimorphism; Gonadotropin-releasing hormone; Luteinizing hormone (Francis Pau, K.-Y.) **459**, 70

Glutamate; Cerebellar Purkinje cell; Pressure ejection; Neuromodulation (Smith, S.S.) 475, 272

Estrogen binding site

Neonatal androgenization; Rat; Ovulation; Lordosis; Bethanechol (Lauber, A.H.) **456**, 177

Estrogen receptor

Zebra finch; Hypothalamus; Song system; Aromatization inhibitor (Walters, M.J.) **459**, 37

Estrogen treatment

Dopamine receptor; D₁-Dopamine receptor; Striatum; SCH-23390; Estrogen (Hruska, R.E.) **442**, 349

Estrous cycle

Muscarinic receptor; Preoptic area; Hypothalamus; Estradiol; Sex differences; Rat (Olsen, K.L.) 448, 223

Acetylcholine; Pituitary (Egozi, Y.) 475, 376

Ethanol

Blood-brain barrier; Pentobarbital; Vascular permeability; Capillary ultrastructure (Stewart, P.A.) 443, 12

Luteinizing hormone-releasing hormone (LH-RH); Hypophyseal portal blood; Luteinizing hormone (LH); Follicle-stimulating hormone (Ching, M.) 443, 325

Deoxyglucose; Cerebral metabolism (Eckardt, M.J.) 444, 53

Aging; Hippocampus; Potassium conductance (Niesen, C.E.) 445, 137

γ-Aminobutyric acid; Substantia nigra; Synaptosome; γ -Vinyl γ -aminobutyric acid: γ-Aminobutyric acid turnover (Frye, G.D.) 449, 71

Dopamine receptor; Striatum; Adenylate cyclase (Lucchi, L.) 449, 347

Alcohol; γ-Aminobutyric acid; Glycine; Glutamate; Benzodiazepine (Celentano, J.J.) 455, 377

Aging; γ-Aminobutyric acid_A binding site; Diazepam; Brain membrane (Komiskey, H.L.) 458, 37

Intracellular calcium; Neurotransmitter; Release (Shah, J.) 474, 94

Rat; Muscarinic binding site; Chronic treatment; Alcoholism model (Wahlström, G.) 474, 189

Ethanol withdrawal syndrome

Alcohol; Brain metabolism; Convulsion; Deoxyglucose; Kindling; Physical dependence; Rat (Clemmesen, L.) 453, 204

Decapitation; Pain; Hippocampus; Neocortex; Electrocorticogram (Vanderwolf, C.H.) 451, 340

Ethosuximide

Carbamazepine; Evoked potential; Amygdala kindling; Systemic penicillin epilepsy; Ventral lateral thalamus; Motor cortex; Cat; Sleep-waking cycle (Shouse, M.N.) 473, 372

N-Ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline

In vivo dopamine receptor labeling; Propylnorapomorphine N-n-; Dipping autoradiography; Dopamine receptor localization; Receptor, D2-; Heterogeneity of striatum; Caudate-putamen (Loopuijt, L.D.) 456, 263

Ethylcholine aziridinium ion Cholinergic neuron; Cytotoxicity;

Dopaminergic neuron; Primary rat brain culture (Amir, A.) 454, 298

Ethylcholine mustard aziridinium

Acetylcholine; AF64A; Cholinergic hypofunction; Memory intracortical; Nucleus basalis; Animal model; Alzheimer's disease (Mouton, P.R.)

444, 104

Ethylcholine mustard aziridinium ion (AF64A)

Cholinergic neurotoxin; Retina; Choline acetyltransferase; Muscarinic receptor; Retinal blood vessel (Estrada, C.) 439, 107

Ethylenediaminetetraacetic acid

Photoreceptor; Horizontal cell; Cone; Synaptic transmission; Ethyleneglycol-bis- $(\beta$ -aminoethyl ether)-N, N, N', N',-tetraacetic acid (EGTA); Chelator; Calcium; Magnesium (Normann, R.A.) 443, 95

Ethyleneglycol-bis-(β -aminoethyl ether)-N,N,N',-tetraacetic acid (EGTA)

Photoreceptor; Horizontal cell; Cone; Synaptic transmission; Ethylenediaminetetraacetic acid (EDTA); Chelator; Calcium; Magnesium (Normann, R.A.) 443, 95

N(2-chloro-ethyl)N-ethyl-2-bromo benzylamine hydrochloride (DSP-4) denervation

Cerebral cortex; Dopamine innervation; Neonatal 6-hydroxydopamine; Quantification; Radioautography (Berger, B.) 441, 260

ETS proto-oncogene

Astrocytoma; Human brain cortex; Astrocyte (Amouyel, P.) 447, 149

Evoked activity

Hippocampal; Granule cell; Excitability; Hypoglycemia (Cox, D.W.G.) 440, 195

Evoked magnetic field

Spreading depression; Migraine; Cerebellum; Biomagnetism (Okada, Y.C.) 442, 185

Evoked network burst

Mast cell degranulating peptide (MCD); Ca 3; Hippocampal neuron; Spontaneous network burst; Long-lasting effect (Cherubini, E.)

Evoked oto-acoustic emission

Selective attention; Cochlear micromechanics; Olivo-cochlear efferent (Puel, J.-L.) 447, 380

Evoked potential

Auditory physiology; Hair cell; Non-linear analysis (Regan, D.)

Hippocampus; Kindling; Inhibitory control; Paired-pulse depression; Threshold population spike (Kamphuis, W.) 440, 205

Long-term potentiation; Pyriform cortex; Olfactory cortex; Olfactory bulb; Rat (Stripling, J.S.) 441, 281

Trigeminal ganglion; Sagittal sinus; Regional cerebral blood flow; Migraine (Lambert, G.A.) 453, 143

Facilitation: Motor tract; Motoneuron; Motor unit; Stimulation (Rossini, P.M.) **458.** 20

Carbamazepine; Ethosuximide; Amygdala kindling; Systemic penicillin epilepsy; Ventral lateral thalamus; Motor cortex; Cat; Sleep-waking cycle (Shouse, M.N.) 473, 372

Evolution

Neuropeptide: Neurotransmitter; Peptide isolation; Coelenterate (Graff, D.) 442, 354

γ-Aminobutyric acid (GABA)-benzodiazepine receptor; Photoaffinity labeling; Radiohistochemistry; Immunohistochemistry (Hebebrand, J.) 446, 251

Opiate receptor; Leech, Tetrahymena (Zipser, B.) 463, 296

γ-Aminobutyric acid/Benzodiazepine receptor; Cerebellum; Radiohistochemistry; Immunohistochemistry (Schmitz, E.) 473, 314

Excitability

Hippocampal; Granule cell; Evoked activity; Hypoglycemia (Cox, D.W.G.)

Presynaptic terminal; Low-threshold afferent; Inferior alveolar nerve; Phase-linked modulation; Mastication; Presynaptic inhibition; Presynaptic facilitation (Kurasawa, I.) 446, 113

Excitation

Connectivity diagram; Conditional cross-correlation; Effective connectivity; Inhibition; Multi-unit recording; Neural interaction; Shift predictor (Espinosa, I.E.) 450, 39

Excitatory amino acid

Defence; Aggression; Midbrain periaqueductal grey region; D,L-Homocysteate; Aspartate; Kainate; Cat (Bandler, R.) 439, 95

Synaptic potential; Supraoptic nucleus; Magnocellular neuroendocrine system (Gribkoff, V.K.) 442, 152

Phencyclidine; N-Methyl-D-aspartic acid; Glycine; Receptor (binding site); Glutamate (Thomas, J.W.) 442, 396

Glutamate receptor; Synaptic excitation; Voltage clamp (Dryer, S.E.) 443, 173

N-Methyl-D-aspartate; Sodium flux; MK-801 (Ransom, R.W.) 444, 25

Quinolinate; Kainate; Acetylcholinesterase; NADPH-diaphorase; Huntington's disease; Striatum; Cell culture (Koh, J.-Y.) 446, 374

Lateral hypothalamus; Serotonin; Stimulation-produced antinociception; Tail-flick reflex; Descending inhibition (Aimone, L.D.) 450, 170

Glutamate; N-Methyl-D-aspartic acid (NMDA) receptor; Neurotoxicity; Excitotoxicity; Cerebellar granule cell; Neuron (Novelli, A.) 451, 205

Blood pressure; Caudal ventrolateral medulla; N-Methyl-D-aspartate; 2-Amino-5-phosphonovalerate; Push-pull perfusion; Rat (Kubo, T.) **451**, 366

Oxygen consumption; Agonist; Antagonist; Hippocampal slice; Postsynaptic potential; Neuroexcitation; Neurotoxicity (Nishizaki, T.) 452, 11

Ca²⁺ withdrawal; Spontaneous release; Veratridine; Amino-oxyacetic acid (Minc-Golomb, D.) **457**, 205

L-Glutamate; Dihydrokainate; Microdialysis; Lamprey spinal cord; Locomotion (Brodin, L.) **458**, 166

Glutamic acid; Glutamic acid diethyl ester; Seizure; Homocysteine; Quisqualate; Diethyl glutarate (Freed, W.J.) **459**, 157

Central nervous system; Development; Glutamate; Hypoxia-ischemia; Neurotoxicity; N-Methyl-D-aspartate; Rat (McDonald, J.W.) **459**, 200

Defence reaction; Hypertension; Midbrain periaqueductal grey; Subretrofacial nucleus; Rostral ventrolateral medulla; Blood pressure (Carrive, P.) **460**, 339

Turtle; Hippocampus; N-Methyl-p-aspartic acid; γ-Aminobutyric acid; Epilepsy (Larson-Prior, L.J.) **460**, 369

Corticostriatal pathway; Decortication; Phospholipid methylation; Rat striatal synaptosome; Dopamine (Tacconi, M.T.) **461**, 194

Tiletamine; Myorelaxant action; Anticonvulsant action (Klockgether, T.) **461**, 343

Pons; Parabrachial nucleus; Locus ceruleus; Blood pressure (Ward, D.G.) **462**, 383

Glutamate; N-Methyl-D-aspartic acid; Quisqualate; Kainate; Stizolobic acid; Rat spinal cord (Ishida, M.) 473, 193

Kainic acid; Domoic acid; Acromelic acid; Rat; Spinal cord; Electrophysiology (Ishida, M.) 474, 386

Excitatory amino acid antagonist Purkinje neuron; Microiontophoresis; N-Methyl-D-aspartic acid; L-Homocysteic acid (Lee, M.) 456, 104

Excitatory amino acid binding site Human hippocampus; Aging; Senile dementia of the Alzheimer type; Mossy fiber plasticity (Represa, A.) 457, 355 Excitatory amino acid receptor γ-L-Glutamyl-L-aspartate; Memory; Mouse; Hippocampus (Ungerer, A.)

Mouse; Hippocampus (Ungerer, A.) 446, 205

Vestibular system; Hair cell; Afferent synapse (Soto, E.) **462**, 104

Excitatory neurotransmitter receptor

N-Methyl-D-aspartic acid; Phencyclidine; Lethality; Mouse (Leander, J.D.) **448**, 115

Excitatory postsynaptic current Sympathetic ganglion; Antibiotic; Open channel blockade; Nicotinic receptor; Clindamycin (Konopka, L.M.) 458, 278

Excitatory postsynaptic potential Estrogen; Medial nucleus of the amygdala; Genomic; Accommodation; Depolarizing afterpotential; Intracellular recording (Schiess, M.C.) 440, 380

Intracellular; Barrel cortex; Whisker; Inhibitory postsynaptic potential; Columnar organization (Carvell, G.E.) 448, 186

N-Methyl-D-aspartate; Serotonin; Neocortical neuron; Modulation (Reynolds, J.N.) **456**, 286

Interneuron; Somatosensory cortex; Intracellular study; Cat; Horseradish peroxidase (Yamamoto, T.) **461**, 199

Excitatory postsynaptic potential (EPSP)

Potentiation; Synaptic facilitation; Ia afferent; Motoneuron (Collins, III, W.F.) 442, 161

Excitatory synaptic transmission Spinal cord; μ -Opioid; δ -Opioid (Jeftinija, S.) **460**, 260

Excitotoxicity

Glutamate; Excitatory amino acid; N-Methyl-D-aspartic acid (NMDA) receptor; Neurotoxicity; Cerebellar granule cell; Neuron (Novelli, A.) 451, 205

Calcium; Calpain; Cytoskeleton; Neuropathology; Plasticity (Seubert, P.) **460**, 189

Excitotoxin

Calcium; Calcium channel; Cell culture; Glutamate; Neuroblastoma (Murphy, T.H.) 444, 325

Kynurenic acid; Postmortem; Epilepsy; Neurodegenerative disorder (Turski, W.A.) **454**, 164

Proline; Hippocampus; Quinolinic acid; Kynurenic acid; N-Methyl-p-aspartic acid; Hyperprolinemia (Nadler, J.V.) **456.** 168

Experimental allergic neuritis Mast cell; Demyelination; Protease; Myelin (Johnson, D.) 444, 195

Experimental autoimmune encephalomyelitis

Demyelination; Inflammation; Rabbit;

Visual evoked potential (Arezzo, J.C.) 462, 286

Experimental brain injury

Cholinergic; Concussion; Antimuscarinic; Mechanical brain injury (Lyeth, B.G.) 448, 88

Scopolamine; Cholinergic; Mechanical brain injury; Spinal cord injury (Lyeth, B.G.) **452**, 39

Experimental epilepsy
Rat: 6-Hydroxydonamine:

Rat; 6-Hydroxydopamine; Noradrenaline (Trottier, S.) 454, 308

Kainic acid; Microinjection; Amygdala; Spontaneous limbic seizure; Complex partial seizure (Tanaka, S.) 463, 163

Expiratory muscle

Bötzinger complex; Respiratory activity; Breathing pattern; L-Glutamate; DL-Homocysteic acid; Phrenic nerve activity (Bongianni, F.) **445**, 254

Expiratory neuron

Inspiratory neuron; Augmenting firing; Decrementing firing; Ventral respiratory group; Distribution (Ezure, K.) 455, 262

Explant

Enkephalin; Adrenal medulla; Proenkephalin; Depolarization; Chromatographic characterization (Inturrisi, C.E.) 448, 230

Explantation age

Purkinje cell; Organotypic culture; Intracellular horseradish peroxidase; Computer microscope; Quantitative morphology; Discriminant analysis (Calvet, M.-C.) 462, 321

Purkinje cell dendrite; Purkinje cell axon; Developing kitten cerebellum; Organotypic culture; Golgi preparation; Horseradish peroxidase preparation; Computer microscope; Discriminant morphometric analysis (Calvet, M.-C.) 462, 334

Exploration

Rat; Hypothalamus; Locomotion; Flight; Electrical brain stimulation; Discriminant analysis; Mapping (Lammers, J.H.C.M.) 449, 294

Expression of aggression

Supine restraint stress; Noradrenaline turnover; 3-Methoxy-4-hydroxy-phenylethyleneglycol sulfate; Rat brain region; Corticosterone (Tsuda, A.) 474, 174

Expulsion

Vomiting; Diaphragm; Esophagus; Vagal afferent; Cat (Miller, A.D.) **456,** 367

External granular layer

Cerebellar development; Bergmann glia; Methylazoxymethanol; Gliogenesis; Glial filament protein (GFP) (Hillman, D.E.) 447, 353

External intercostal nerve

Respiratory oscillator; Phase-response

curve (PRC); Phase singularity; Endogenous bursting neuron; Phrenic nerve; Phase-response surface (PRS) (Kitano, S.-i.) **439**, 19

Extracellular

Spreading depression; Leão's depression; Neuron damage; Potassium; Calcium (Kawasaki, K.) **457,** 322

Extracellular calcium

Histamine; H₁-Receptor; Phosphoinositide hydrolysis; Astrocyte; [³H]Mepyramine (Arbonés, L.) **450**, 144

Extracellular glycoprotein

Learning; Memory; Goldfish brain protein; Ependymin; Shuttle-box training; Avoidance conditioning; Long-term memory (Piront, M.-L.) 442, 53

Extracellular matrix

Central nervous system; Immunohistochemistry; Brain segment; Monoclonal antibody (Rettig, W.J.) 438, 315

Filipin; Tomatin; Saponin; Calcium; Axolemma; Lipid domain; Membraneassociated cytoskeleton; Cytoskeleton; Cholesterol (Fields, R.D.) 443, 231

Extracellular pH

Potassium; Ion-selective microelectrode; Elasmobranch; Cerebellum; Spreading depression (Rice, M.E.) 461, 328

Extracellular potassium

Spinal cord; Injury; Pain (Svoboda, J.) **458**, 97

Extracellular protein

Long-term potentiation; Push-pull cannula; Dentate gyrus; Learning and memory; Polyacrylamide gel electrophoresis (Fazeli, M.S.) 473, 51

Extracellular recording

Cholecystokinin; Brain receptor; Cholecystokinin A (CCK-A) receptor; Cholecystokinin B (CCK-B) receptor; Rat hippocampal slice; Single-unit activity (Böhme, G.A.) 451, 309

Hippocampal slice; Lead neurotoxicity; Paired-pulse stimulation (Altmann, L.) **455**, 254

Fornix stimulation; Lateral septum; Oxytocin; Synaptic uncoupling; Vasopressin (Raggenbass, M.) **459**, 60

Lateral hypothalamic area; Periaqueductal gray; Tail pinch; Electrophoresis; Glucose-sensitive neuron; Intracellular recording (Kai, Y.) 461, 107

Dopamine neuron; Substantia nigra; Discharge pattern; Apamin; Calcium-dependent potassium channel (Shepard, P.D.) **463**, 380

Extracellular space

Development; Spinal cord; Chick

embryo (Sano, N.) 455, 324

Extracellular unit

Benzodiazepine; Crossed extensor reflex; Lateral vestibular nucleus; Intracranial microinjection; Iontophoresis (Kawasaki, K.) 461, 282

Extrahypothalamic brain

Brain cell culture; Corticotropin-releasing factor (CRF); Hypothalamus; Receptor; Regulation (Kapcala, L.P.) **456**, 159

Extraocular

Abducens; Oculomotor; Lateral rectus; Afferent (Goldberg, S.J.) 443, 350

Mutant; Motor neuron; Muscle; Synapse (LaVail, J.H.) 463, 78

Extrapyramidal system

Integrated functional activity; Raphe nucleus; Cortical column; Serotonergic system; Serotonin head syndrome; Thalamocortical pathway (Cudennec, A.) 444, 227

Extrastriate cortex

Development; Visual cortex; Lateral suprasylvian cortex (McCall, M.A.) 447, 67

Recovery of function; Visual cortex damage; Neural plasticity; Development; Lateral suprasylvian cortex (Spear, P.D.) 447, 79

Eve blink conditioning

Afterhyperpolarization; Hippocampal neuron; Neuronal conditioning; Learned response; CA1 pyramidal cell (Disterhoft, J.F.) **462**, 118

Eye movement

Saccadic disorder; Frontal eye field; Superior colliculus (Keating, E.G.) **438**, 247

Abducens nucleus; Alert cat; Axotomized internuclear neuron; Oculomotor nucleus lesion (Delgado-García, J.M.) 443, 333

Cerebellar flocculus; Middle zone; Medial vestibular nucleus; Target neuron of floccular inhibition; Relay neuron of vestibulo-ocular reflex (Sato, Y.) 446, 225

Prepositus nucleus; Cerebellar vermis; Purkinje cell; Fastigial nucleus (Ohtsuka, K.) **455**, 153

F

F1 GAP43; B50; Nerve regeneration; Dorsal root ganglion; Axonal transport (Bisby, M.A.) 458, 157 Facet joint

Substance P; Neurofilament; Immunohistochemistry; Supraspinous ligament; Rabbit (El-Bohy, A.) **460,** 379

Facial lobe

Taste; Tactile; Somatotopy; Medulla; Catfish; Amino acid; Electrophysiology (Marui, T.) **446**, 178

Facilitation

Motor tract; Motoneuron; Evoked potential; Motor unit; Stimulation (Rossini, P.M.) **458**, 20

Pentobarbital; Crayfish; Behavior; Tolerance; Synapse (Winegar, B.D.) **475**, 21

Factor

Rat brain cell culture; Astrocyte; Glial fibrillary acidic protein; Fetal calf serum; Differentiation (Bologa, L.) **457**, 295

Fasciculus retroflexus

Opiate withdrawal; Interpeduncular nucleus; 2-Deoxyglucose autoradiography; Behavioral withdrawal; Rat; Lesion (Cutlip, A.C.) 451, 54

Fast axoplasmic transport

Axonal growth; Aging; Acetylcholinesterase; Phrenic nerve; Axonal microtubule (Inestrosa, N.C.) **441,** 331

Fast blue

Edinger-Westphal nucleus; Anterior median nucleus; Parasympathetic nucleus; Fluorescent tracer; Nuclear yellow; Ciliary ganglion; Spinal cord; Double label (Burde, R.M.) 440, 177

Phaseolus vulgaris leucoagglutinin; Ventral respiratory group inspiratory neuron; Phrenic motoneuron; Efferent connection (Yamada, H.) 455, 283

Fast cyclic voltammetry

Dopamine uptake; Caudate nucleus; Nucleus accumbens; Electrical stimulation; Diffusion (Stamford, J.A.) 448, 381

Carbon fibre microelectrode; Electrical stimulation; Nucleus accumbens; Caudate nucleus; Dopamine (Stamford, J.A.) 454, 282

Fast-twitch muscle

Soma size; Oxidative enzyme activity; Horseradish peroxidase; Motoneuron; Slow-twitch muscle; Rat (Ishihara, A.) 446, 195

Fastigial nucleus

Paramedian reticular nucleus; Intermediolateral nucleus; Carotid sinus nerve; Cardiovascular reflex pathway; Orthostatic reflex (Elisevich, K.) 452, 141

Prepositus nucleus; Cerebellar vermis; Purkinje cell; Eye movement (Ohtsuka, K.) 455, 153

Parabrachial nucleus; Electrical stimulation; Blood pressure; Heart rate; Respiration; Autonomic nervous system; Cardiovascular system (Miura, M.) 473, 352

Fatty acid oxidation

Glucoprivic feeding; 5-Thio-D-glucose; Methyl palmoxirate; Fourth ventricle; Metabolic control of food intake; Caudal brainstem; Rat (Tordoff, M.G.) 445, 216

Feedback

Giant interneuron; Sensory regulation; Cercus; Cockroach (Goldstein, R.S.)

Iontophoresis; Glucocorticoid; Paraventricular nucleus: Corticotropin-releasing factor (Saphier, D.) 453, 183

Glucocorticoid; Adrenocorticotropin; Paraventricular nucleus; Hippocampus (Kovács, K.J.) 474, 205

Cholecystokinin; Sleep; Brain temperature (Kapás, L.) 438, 155

Reward; Medical forebrain bundle; Refractory period; Connectivity (Gratton, A.) 438, 256

Reward; Medial forebrain bundle; Conduction velocity; Connectivity; Refractory period (Gratton, A.) 438, 264

Antihistamine; Histamine H₁-receptor; α-Fluoromethylhistidine; Ventromedial hypothalamus; Lateral hypothalamus; Paraventricular nucleus; Microinfusion (Sakata, T.) 441, 403

Brainstem; Benzodiazepine; Chlordiazepoxide (CDP); Palatability; γ-Aminobutyric acid (GABA) (Berridge, K.C.) 447, 262

Neuropeptide Y; Adrenergic transmitter; Coexistence; Hypothalamus; Projection (Sahu, A.) **457.** 376

Amphetamine; Lateral hypothalamus (Colle, L.) **459**, 356

Feeding behavior

Cholecystokinin; Satiety; Osmotic minipump (Schick, R.R.) 448, 294

Feeding modulation

Endogenous organic acid; 3,4-Dihydroxybutanoic acid γ -lactone; 2,4,5-Trihydroxypentanoic acid γ-lactone; Rat; Serum glucose; Insulin; 4-Butanolide (Sakata, T.) 473, 43

Feeding regulation

3,4-Dihydroxybutanoic acid γ -lactone; 2,4,5-Trihydroxypentanoic acid γ-lactone; Lateral hypothalamic area; Ventromedial hypothalamic nucleus; Intracellular recording (Minami, T.) 462, 258

Female

Neuron activity; Ventromedial hypothalamus; Medial preoptic area; Sexual behavior; Monkey (Aou, S.)

Female monkey

Sexual behavior; Proceptivity; Hypothalamus; Electrical stimulation (Koyama, Y.) 446, 199

Female puberty
Hypothalamic luteinizing hormone-releasing hormone; Intracellular Ca²⁺; Prostaglandin E₂; Cyclic adenosine monophosphate; Hypothalamic development (Ojeda, S.R.) 441, 339

Female sexual behavior

Development; Estrogen; Lordosis; Progestin receptor; Sexual differentiation; Rat (Williams, C.L.) **449**, 403

Femoral artery

Cerebral artery; Nifedipine; Bay K 8644; CGP 28392; Vascular tone; Noradrenaline release (Fernández-Alfonso, M.S.) 474, 147

Femoral-saphenous vein

Vascular afferent; Enteroceptor; Spinal cord; Interneuron; Cat (Yates, B.J.) **451**, 285

Vasopressin; Oxytocin; Vagal afferent; Nausea (Hawthorn, J.) 438, 193

Fetal calf serum

Rat brain cell culture; Astrocyte; Glial fibrillary acidic protein; Factor; Differentiation (Bologa, L.) 457, 295

Fetal hippocampal cell suspension Colchicine; Radial arm maze; Motor activity (Tandon, P.) 473, 241

Fetal nerve

Schwann cell; Cell culture (Scarpini, E.) 440, 261

Fetal rat

Spinal cord transection; Surgical mortality; Oligohydramnios (De Beer, F.C.) 454, 397

Supraoptic nucleus; Vasopressin; Gene regulation (Reppert, S.M.) 456, 392

Kitten; Development (Olmstead, C.E.) 442, 279

Preoptic area; Cat; Prostaglandin; Thromboxane; Prostaglandin I_2 -mimetic; Thromboxane A_2 -mimetic; Indomethacin (Gollman, H.M.) 449, 281

Interferon-a; Thermosensitive neuron; Naloxone: Sodium salicylate: Preoptic hypothalamus; Anterior hypothalamus; Hypothalamic slice (Nakashima, T.) 454, 361

Prostaglandin; Rat; Ventral septal area;

Kainic acid lesion (Martin, S.M.) 455, 196

Fever mechanism

Endotoxin; Interleukin-1; Organum vasculosum laminae terminalis (OVLT); Blood-brain barrier; Intravenous route; Intracerebroventricular route (Coceani, F.) 446, 245

Fiber count

Trochlear nerve; Abducens nerve; Myelinated axon; Unmyelinated axon; Size distribution (Hildebrand, C.) 453, 401

Fiber of passage

Phaseolus vulgaris leucoagglutinin; Anterograde transport (Cliffer, K.D.)

Fibroblast

Enteric neuron; Glia; Culture; Monoclonal antibody; Immunolabelling; Laminin (Bannerman, P.G.C.) 440, 87

Fibroblast growth factor Astrocyte; Cell cycle; In vitro

(Kniss, D.A.) 439, 281 **Fictive locomotion**

Spinal cord; Lamprey; Biological buffer; N-Hydroxyethylpiperazine-N-ethane sulfonic acid (HEPES) (Burton, N.R.) 440, 159

Field potential

Synaptic plasticity; Long-term potentiation; Hippocampal slice, CA₁ neuron; Protein kinase C (Reymann, K.G.) 440, 305

Optic tectum; Monosynaptic excitatory postsynaptic potential (EPSP): Recurrent inhibition; Dendritic cable property (Langdon, R.B.) 441, 299

Long-term potentiation; Anisomycin; Protein synthesis; Hippocampal CA1 in vitro (Frey, U.) 452, 57

Hippocampus; N-Methyl-D-aspartate; Long-term potentiation; 3-[(±)-2-Carboxypiperazin-4-yl]propyl-1-phosphonic acid; (+)-5-Methyl-10,11-dihydro-5Hdibenzo[a,d]cyclo-hepten-5,10-imine maleate; Synaptic transmission (Abraham, W.C.) 462, 40

Parvocellular reticular nucleus; Efferent projection; Mesencephalic trigeminal nucleus; Rat (Jüch, P.J.W.) 462, 185

Tomatin; Saponin; Calcium; Axolemma; Lipid domain; Extracellular matrix; Membrane-associated cytoskeleton; Cytoskeleton; Cholesterol (Fields, R.D.) 443, 231

Film autoradiography

Neocortex; Differential absorption;

Loss of resolution; Radioactive label, ³H; Radioactive label, ¹²⁵I; Radioactive label, ¹⁴C (Lidow, M.S.) **459**, 105

Fimbria-fornix transection

Serum-free culture; Transplantation; Septal neuron; Nerve growth factor (Hisanaga, K.) **475**, 349

Fine structure

Hypothalamo-neurohypophysial system; Regeneration; Leptomeninges; Neurophysin immunohistochemistry (Dellmann, H.-D.) **450**, 181

First somatosensory cortex

Second somatosensory cortex; Glutamic acid decarboxylase; γ-Aminobutyric acid; Immunocytochemistry; Monkey (Chudler, E.H.) **456**, 57

First-order neuron

Jaw opening reflex; Periodontium; Mesencephalic nucleus; Trigeminal nucleus (Aigouy, L.) **473**, 380

Fixed ratio behavior

Corticosterone receptor; Hippocampus; Trimethyltin (Gerbec, E.N.) **460**, 346

Flare

Axon reflex; Wheal; Sweating; Histamine; Substance P; Nicotine; Capsaicin (Izumi, H.) **449**, 328

Flexion reflex

Cocaine; Nociception; Analgesia; Rat (Pertovaara, A.) 438, 286

Flexor reflex

Arthritis; Tenotomy; Rat; Chronic; Plasticity; Spinal cord (Wall, P.D.) **447**, 215

Flight

Rat; Hypothalamus; Locomotion; Exploration; Electrical brain stimulation; Discriminant analysis; Mapping (Lammers, J.H.C.M.) 449, 294

Flocculonodular lobe

Nerve growth factor; Nerve growth factor receptor; Cerebellum; Purkinje cell; Colchicine; Immunoreactivity (Pioro, E.P.) 455, 182

Flow dependence

Carotid body; Chemoreceptor; Flow interruption; Chemosensory excitation; Receptor gain (Alcayaga, J.) 455, 31

Flow interruption

Carotid body; Chemoreceptor; Flow dependence; Chemosensory excitation; Receptor gain (Alcayaga, J.) 455, 31

Flow rate

Adenosine; Hippocampus; Non-synaptic; Brain slice (Fowler, J.C.) **463**, 368

Fluctuation analysis

Glutamate; Kainate; Quisqualate; N-Methyl-p-aspartate; Ion channel (Shingai, R.) 448, 198

Fluid intake

Benzodiazepine; Clonazepam;

Palatability; Sweet taste; Zolpidem; Rat (Cooper, S.J.) 456, 173

Flumazenil (Ro 15-1788)

Benzodiazepine; Learning; Memory; CGS 8216 (Kumar, B.A.) 460, 195

Flunitrazepam

Photoaffinity labeling; Clonazepam; Ro 15-4513; Different benzodiazepine binding protein; Peptide mapping; Papin; Autoradiography (Sieghart, W.) 450, 387

Surgery; Central benzodiazepine receptor; Peripheral benzodiazepine binding site; Ketamine; PK 11195; Stress (Okun, F.) **458**, 31

Flunitrazepam binding site

Purkinje cell degeneration; Weaver; Staggerer; Reeler (Rotter, A.) 444, 133

[3H]Flunitrazepam

Benzodiazepine receptor; Human brain; Parkinson's disease; Progressive supranuclear palsy; Glutamic acid decarboxylase (Maloteaux, J.-M.) 446, 321

Fluorescein

Blood-brain barrier; Circumventricular organ; Gonadectomy; Rat; Sex difference (Martinez, J.L.) **450**, 81

Fluorescence

Transplant; Astrocyte; Microsphere; Electron microscope (Emmett, C.J.) 447, 223

Fluorescence histochemistry Transplantation; Neurite; Cerebral cortex (Freed, W.J.) 446, 133

Fluorescence retrograde tracing Adenosine deaminase; Striatum; Hypothalamus; Substantia nigra; Tuberomammillary nucleus; Immunohistochemistry (Yamamoto, T.) 474, 112

Fluorescent calcium indicator Intracellular recording; Intracellular calcium concentration; Calcium; Fura-2; Myenteric neuron;

Calcium-dependent potassium conductance (Tatsumi, H.) **451**, 371

Fluorescent dye

Kainic acid; Dorsal lateral geniculate nucleus; Retrograde axonal transport; Visual cortex; Retina; Rat (Woodward, W.R.) 454, 106

Fluoro-Gold; Retrograde axonal transport; Peritoneum; Stomach; Vagus nerve; Dorsal motor nucleus of the vagus (Yoshida, J.) 455, 1

Plasticity; Retinal ganglion cell; Electron microscopy; Rat (Chan, S.O.) **461**, 163

Retrograde tracer; Wheat germ agglutinin horseradish peroxidase; Parasympathetic outflow; Mesencephalon; Ciliary ganglion (Burde, R.M.) 463, 158

Fluorescent labeling

Rhodamine-X-isothiocyanate; Rhodamine-B-isothiocyanate; Texas red; Lissamine rhodamine-B-sulfonyl chloride; Retrograde transport (Ogilvy, C.S.) 475, 244

Fluorescent tracer

Edinger-Westphal nucleus; Anterior median nucleus; Parasympathetic nucleus; Nuclear yellow; Fast blue; Ciliary ganglion; Spinal cord; Double label (Burde, R.M.) **440**, 177

Fluoro-Gold; Retrograde tracing; Locus coeruleus; Raphe; Substantia nigra; Nucleus basalis; Afferent pathway; Immunofluorescence; Rat (Pieribone, V.A.) 475, 259

Fluoro-Gold

Retrograde axonal transport; Fluorescent dye; Peritoneum; Stomach; Vagus nerve; Dorsal motor nucleus of the vagus (Yoshida, J.) 455, 1

Retrograde tracing; Fluorescent tracer; Locus coeruleus; Raphe; Substantia nigra; Nucleus basalis; Afferent pathway; Immunofluorescence; Rat (Pieribone, V.A.) 475, 259

α-Fluoromethylhistidine

Antihistamine; Histamine H₁-receptor; Feeding; Ventromedial hypothalamus; Lateral hypothalamus; Paraventricular nucleus; Microinfusion (Sakata, T.) **441**, 403

Flupenthixol

α-Melanocyte-stimulating hormone; Dopamine; Rat; Hypothalamus; Superfusion; Apomorphine (Tiligada, E.) **457**, 379

cis-Flupenthixol

Sexual behavior; Dopamine; Apomorphine; Medial preoptic area; Rat; Male (Pehek, E.A.) 443, 70

Flurazepam

Benzodiazepine; γ-Aminobutyric acid (GABA); Muscimol; Substantia nigra; Rotation; Circling; Tolerance (Tietz, E.I.) 438, 41

Benzodiazepine; Tolerance; Substantia nigra pars reticulata (Tyma, J.L.) 453, 344

Fly

Cytochrome oxidase histochemistry; Optic lobe; Visual deprivation; Unilateral eye covering (Mimura, K.) 445, 228

FMRFamide

Lymnaea; Neurosecretory cell; Egg laying; Neuropeptide; Neurophysiology; Potassium conductance; Inhibition (Brussaard, A.B.) 447, 35

Pineal organ; Retina; Nucleus nervus terminalis; Nucleus olfactoretinalis; Immunocytochemistry; Teleost fish (Ekström, P.) **460**, 68

Focal ischemia

Peripheral benzodiazepine receptor: Neurotoxic lesion: Diaschisis; Rat cerebral cortex; Striatum (Dubois, A.) 445, 77

Charybdotoxin: Ischemic brain edema: Calcium-activated potassium channel (Tominaga, T.) 460, 376

Follicle-stimulating hormone

Ethanol; Luteinizing hormone-releasing hormone (LH-RH); Hypophyseal portal blood; Luteinizing hormone (LH) (Ching, M.) 443, 325

Morphine; Testosterone; Luteinizing hormone; Noradrenaline; Serotonin; Endogenous opioid (Gabriel, S.M.) 447, 200

Follicle-stimulating hormone suppression

Analgesia;

3α-Hydroxy-4-pregnen-20-one; Steroid; y-Aminobutyric acid: Opiate: Calcium channel antagonist; Benzodiazepine; Naloxone; Verapamil; Nifedipine; Ro 15-1788; Picrotoxin; Bicuculline; Tyr-MIF-1; Morphine (Wiebe, J.P.) **461**, 150

Food and water intake

Tumor necrosis factor; Interleukin- 1β ; Transforming growth factor- β ; Angiotensin II; Rat; Central nervous system; Intracerebroventricular administration (Plata-Salamán, C.R.) 448, 106

Food deprivation

Medial prefrontal cortex: Dopamine: Rotational behavior; D-Amphetamine; Brain asymmetry (Carlson, J.N.)

Brain glucose utilization; Zucker rat; Genetic obesity; Hunger-motivated behavior (Tsujii, S.) 475, 371

Food hoarding

Dopamine; Serotonin; Prefrontal cortex; Neonatal lesion; Ventral tegmental area; Open-field behavior; Sexual dimorphism (Kalsbeek, A.) 475, 80

Food intake

Opioid; Opioid receptor; Water intake; Thermoregulation; Weight regulation; Naloxone (Millan, M.J.) 450, 247

5-Hydroxytryptamine; 5-Methoxy-*N*,*N*-dimethyltryptamine; Sex difference; Depression; Stress; Corticosterone; Open field activity (Haleem, D.J.) 458, 339

Forebrain

Idazoxan; α₂-Adrenoceptor; Hindbrain; Up-regulation (Yakubu, M.A.) 463, 289

Forelimb

Cervical spinal cord; Renshaw cell; Recurrent inhibition; Cat (Hahne, M.) **456**, 188

Formalin test

Pain: Anti-substance P anti-idiotypic antibody; Hot plate test; Mouse (Calvino, B.) 460, 389

Fornix stimulation

Extracellular recording; Lateral septum; Oxytocin; Synaptic uncoupling; Vasopressin (Raggenbass, M.) 459, 60

Forskolin

Aplysia; Calcium current; Serotonin; Dopamine (Lotshaw, D.P.) 439, 64

Somatostatin; Cyclic adenosine monophosphate (cAMP); Growth hormone-releasing factor (GRF); Adenohypophysis; Pertussis toxin (Schettini, G.) 439, 322

Cerebral artery; Vasoactive intestinal polypeptide (VIP); Adenylate cyclase; Adenosine monophosphate, cyclic (Suzuki, Y.) 457, 241

Cyclic adenosine monophosphate; γ-Aminobutyric acid release; Striatum; Neuron; Primary culture (Weiss, S.) 463, 182

Cholinergic receptor; Muscarinic receptor subtype; Cyclic adenosine monophosphate; M2 receptor; Rat brain; Cerebral cortex (Anderson, D.J.) 475, 28

Fourth ventricle

Glucoprivic feeding; Fatty acid oxidation; 5-Thio-p-glucose; Methyl palmoxirate; Metabolic control of food intake; Caudal brainstem; Rat (Tordoff, M.G.) 445, 216

Free cytoplasmic calcium

Muscarinic receptor; Retinal pigment epithelium; Choroid; Quin 2 (Friedman, Z.) 446, 11

Free ending

Ruffini; Corpuscle; Node of Ranvier; Cation binding; Schwann cell; Mechanoreceptor (Byers, M.R.) 461, 397

Free fatty acid

Hypoxia; Phosphoinositide; Triacylglycerol; Energy metabolism (Ikeda, M.) 459, 344

Freely moving rat

Amphetamine; Neostriatum; Single-unit activity (Gardiner, T.W.) 463, 268

Freeze-fracture

Colloidal gold; Cell surface; Attachment; Antigen; Cell surface attachment (CSAT) (Quick, D.C.) 440, 243

Axon; Membrane; Myelination (Waxman, S.G.) 453, 337

Freeze-fracturing

Ranvier's node; Axoglial junction; Wallerian degeneration; Demyelination; Optic nerve; Myelin; Axolemma (Hasegawa, M.) 452, 345

Freezer storage time

Canine brain tissue; Biogenic amine; Metabolite; Receptor (Faull, K.F.) 450, 225

Freezing

Intracerebroventricular; Stress-induced analgesia; Quaternary naltrexone; Endogenous opioid; Opioid antagonist; Pavlovian conditioning; Conditioned fear (Fanselow, M.S.) 444, 147

Freezing behavior

Corticotropin-releasing hormone antagonist; Stress response; Rat; Nociception (Kalin, N.H.) 457, 130

Frog

Wallerian degeneration; Sciatic nerve; Endoneurial capillary; Permeability; Vascular space (Weerasuriya, A.) 445, 181

Retina; Retinopetal fiber; Molluscan cardioexcitatory peptide (FMRFamide); Nervus terminalis; Lesion; Immunocytochemistry (Wirsig-Wiechmann, C.R.) 449, 116

Serotonin; Immunohistochemistry; Electron microscopy; High-performance liquid chromatography; Chromaffin cell; Sympathetic regulation (Delarue, C.) 459, 17

Peripheral nerve; Blood-nerve barrier; Perineurium; Calcium permeability; Perfusion (Wadhwani, K.C.) 462, 22

Stannous ion; Transmitter release; Motor nerve ending; Anti-curare action (Hattori, T.) 473, 157

Frog corticosteroidogenesis

Acetylcholine; Serotonin; Vasoactive intestinal peptide; Co-action; Perifusion (Leboulenger, F.) 453, 103

Frog muscle spindle

Decapsulation; Collagenase; Prolongation of spike duration; Aggregation of intramembrane particles (Fujitsuka, N.) 443, 243

Cyclic adenosine monophosphate (cAMP); Intracellular Ĉa² Decapsulation; Encoding process; Quercetin (Sokabe, M.) 443, 254

Frog taste cell

Intracellular receptor potential; Quinine; Active chloride secretion; Furosemide; Cotransport of Na⁺/Cl⁻ (Okada, Y.) 450, 295

Frontal cortex

Pyramidal cell; Choline acetyltransferase immunopositivity; Rat (Nishimura, Y.) 440, 144

Noise; Repeated exposure; Choline uptake; Hippocampus; Tolerance; Classical conditioning (Lai, H.) **442**, 403

D₁-Dopamine receptor; Dopamine-stimulated adenylate cyclase; Guanine nucleotide; [3H]SCH 23390; Retina; Striatum (De Keyser, J.) 443, 77

Vocalization; Primate; Cingulate gyrus; Isolation call (MacLean, P.D.) 450, 111

Histamine; High-performance liquid chromatography; Ibotenic acid; Intrahypothalamic pathway; Hippocampus (Niigawa, H.) 459, 183

Nucleus accumbens: Lateralization; Dopamine; Behavior (Starkstein, S.E.) 473, 74

Dopamine; Antipsychotic drug; Homovanillic acid (Mefford, I.N.) 475, 380

Frontal cortical area

Dorsolateral striatum; Cholecystokinin (Meyer, D.K.) 452, 113

Frontal eye field

Saccadic disorder; Eye movement; Superior colliculus (Keating, E.G.) 438, 247

Fructose-2,6-biphosphate

6-Phosphofructo-1-kinase; Brain; Glycolysis; Aging; Development; Metabolic regulation (Dunaway, G.A.) **456**, 310

Functional anatomy

Octanoate; Heroin; Čocaine (Trusk, T.C.) 438, 61

Functional organization

Auditory cortex; Complex-sound processing; Echolocation; Bat (Wong, D.) 453, 349

Functional recovery

Brain transplant; Hippocampus; Astrocyte; Trophic factor; Kainate (Kesslak, J.P.) 454, 347

Fura-2

Intracellular Ca2+; Bullfrog sympathetic ganglion cell (Nohmi, M.)

Intracellular recording; Intracellular calcium concentration; Calcium; Fluorescent calcium indicator; Myenteric neuron; Calcium-dependent potassium conductance (Tatsumi, H.) **451**, 371

Voltage-clamp; Guinea-pig; Submucous neuron; Intracellular calcium concentration; Calcium-dependent potassium current (Hirai, K.) 461, 367

Dopamine release; Synaptosome; Calcium (Woodward, J.J.) 473, 91

Furosemide

Frog taste cell; Intracellular receptor potential; Quinine; Active chloride secretion; Cotransport of Na⁺/Cl (Okada, Y.) 450, 295

GABA_A antagonist γ-Aminobutyric acid (GABA); Pyridazine derivative; Sensory ganglion; Chromaffin cell; Chloride channel; Calcium current (Hamann, M.) 442, 287

GABA_B

S1 cortex; Receptive field; Baclofen; Natural stimulation; Microiontophoresis (Kaneko, T.) 443, 360

GABA_B receptor

Hippocampal slice; γ -Aminobutyric acid; Dendritic inhibition; Pyramidal cell; CA3 (Janigro, D.) 453, 265

Gabaculine

Rat; Retina; γ-Aminobutyric acid; Immunocytochemistry; Müller cell (Cubells, J.F.) 458, 82

GABAergic drug

Locomotor activity; Nucleus basalis magnocellularis; Cholinergic neuron; Enkephalin analog (Baud, P.) 452, 203

GABAergic inhibition

Hippocampal slice preparation; Interictal bursting; Epilepsy (Chamberlin, N.L.) 445, 12

GABAergic nerve cell

Human temporal cortex; Cerebral biopsy; Glutaraldehyde; y-Aminobutyrate; Immunocytochemistry (Schiffmann, S.) 442, 270

Gait adjustment

Motor cortex; Pyramidal tract neuron; Locomotion; Cat (Drew, T.) 457, 181

Galactosylsphingosine

Twitcher mouse; Globoid cell leukodystrophy; Psychosine; Sciatic nerve (Tanaka, K.) 454, 340

α-Galactosyl, (α-fucosyl) G_{M1} Glycolipid; Ganglioside; Hippocampus; Dentate gyrus; PC12; Monoclonal antibody (Suchy, S.F.) 440, 25

β-Galactosidase

Sacral intermediolateral nucleus; Sacral parasympathetic preganglionic neuron; Adrenergic fiber; Cholinergic neuron; Double-immunostaining method (Kohno, J.) 461, 158

Galago

Middle temporal visual area; Area 18; Intrinsic connection (Cusick, C.G.) **458**, 383

Galanin

Renal vasodilatation (Gardiner, S.M.) 458, 179

Medial septal area; Nucleus basalis; Coexistence; Muscarinic receptor; Nicotinic receptor (Wenk, G.L.)

460, 17

Electron microscopic immunocytochemistry; Neuropeptide Y; Paraventricular nucleus (Sawchenko, P.E.) 474, 231

Ganglion cell

Retina; γ-Aminobutyric acid (GABA); Monoclonal antibody (Yu, B.C.) **439**, 376

Retina; Serotonin; Amacrine cell; Bipolar cell; Chicken; Kainic acid; 5,7-Dihydroxytryptamine (Millar, T.J.)

Retina; Superior colliculus; Dorsal lateral geniculate nucleus; Soma size (Lugo-Garcia, N.) 454, 67

Ganglion cell depolarization Sympathetic ganglion cell; Antibiotic; M-current; Hyperpolarizing afterpotential; Clindamycin (Konopka, L.M.) 458, 269

Ganglioside

Glycolipid; α -Galactosyl, (α -fucosyl) G_{M1}; Hippocampus; Dentate gyrus; PC12; Monoclonal antibody (Suchy, S.F.) 440, 25

Nerve growth factor; Vinblastine; GM1 ganglioside; Sympathectomy; Noradrenaline; Sympathetic nervous system; Newborn rat (Vantini, G.) 448, 252

Nerve growth factor; Hippocampal serotonin; Choline acetyltransferase (Lombardi, G.) 458, 348

Brain damage; Visual system; Retrograde degeneration; Lateral geniculate body (Sabel, B.A.) 459, 373

Astroglia; Neuron; Source of astroglial ganglioside (Byrne, M.C.) 461, 87

Astroglia (Sbaschnig-Agler, M.) **461**, 98

Schwann cell; Mitosis; Adenosine 3',5'-monophosphate (Sobue, G.) **474**, 287

Tetanus toxin; Tetanus toxin binding: Tetanus toxin internalization (Parton, R.G.) 475, 118

Gap junction

Gap junction antibody; Glia; Uncoupling; Dye transfer (Dudek, F.E.) 439, 275

Nociceptor; Pain; Itch; Chemoreceptor; C-fiber; Neurophysiology; Ephapse; Hyperalgesia (Meyer, R.A.) 441, 81

Glial cell; Potassium; Electrical coupling; Retina; Müller cell (Mobbs, P.) 460, 235

Principal abducens motor nucleus; Electron microscopy; Synapse; Varanus exanthematicus (Wouterlood, F.G.) **463**, 198

Gap junction antibody Gap junction; Glia; Uncoupling; Dye transfer (Dudek, F.E.) 439, 275

GAP43

B50; F1; Nerve regeneration; Dorsal root ganglion; Axonal transport (Bisby, M.A.) 458, 157

Gas chromatography/mass spectrometry

Microdialysis; Pharmacokinetics; Self-administration; Uptake (Nicolaysen, L.C.) 456, 317

Gastric acid

Thyrotropin-releasing hormone; Dorsal motor nucleus; Ulcer (Hernandez, D.E.) **459**, 148

Gastric acid secretion

Neuropeptide Y; Paraventricular hypothalamic nucleus; Microinjection; Peptide; Central nervous system; Hypothalamus; Rat (Humphreys, G.A.) 456, 241

Gastric emptying

Corticotropin-releasing factor; Acoustic stress; Cold stress; Stomach; Motility; Mouse (Buéno, L.) 441, 1

Gastrin-releasing peptide Bombesin; Gut peptide; Memory; Mouse; Retention (Flood, J.F.)

460, 314 Retina; Radioimmunoassay;

Retina; Radioimmunoassay; Immunohistochemistry; Chromatography (McKillop, J.M.) 447, 239

Gastropod

Miniature end plate potential; Postsynaptic potential; End plate potential; Quantum; Non-stationary Poisson distribution; Binomial release; Navanax inermis; Mollusc (Cappell, M.S.) 454, 244

Monoamine; Serotonin; Catecholamine; Snail (Croll, R.P.) **460**, 29

Gating mechanism

Neuronal transmission; Hippocampus; Theta-rhythm; Recurrent inhibition (Herreras, O.) **461**, 290

Gene expression

Axotomy; Neuronal gene; Nucleic acid hybridization; Tyrosine hydroxylase (Koo, E.H.) **449**, 361

Gene interaction

Shiverer; Jimpy; Myelin deficient; Myelin synthesis deficiency; Myelin morphology (Billings-Gagliardi, S.) **455**, 271

Shiverer; Myelin-deficient; Quaking; Myelin morphology (Wolf, M.K.) **461**, 257

Gene regulation

Supraoptic nucleus; Vasopressin; Fetus (Reppert, S.M.) **456**, 392

Opiate; Tolerance; Dependence; Striatum (Uhl, G.R.) 459, 391

Genetic difference

Stress-induced analgesia; Opiate receptor; Naloxone; Hypothermia (Marek, P.) 447, 188

Genetic hypertension

Opioid peptide; β-Endorphin; Dynorphin; Methionine-enkephalin; Brain region; Pituitary; Heart; Adrenal; Kidney (Bhargava, H.N.) **440,** 333

Genetic obesity

Brain glucose utilization; Zucker rat; Food deprivation; Hunger-motivated behavior (Tsujii, S.) 475, 371

Genetically obese Zucker rat Somatostatin; Hypothalamus (DonCarlos, L.L.) 458, 372

Geniculohypothalamic tract Circadian rhythm; Entrainment; Retinohypothalamic tract; Neuronal plasticity; Hamster (Johnson, R.F.) 460, 297

Retinohypothalamic tract; Suprachiasmatic nucleus; Circadian rhythm; Entrainment; Anterior hypothalamus (Johnson, R.F.) **462**, 301

Genomic

Estrogen; Medial nucleus of the amygdala; Accommodation; Excitatory postsynaptic potential; Depolarizing afterpotential; Intracellular recording (Schiess, M.C.) 440, 380

Genotype

Stress; Mouse; Dopamine; Dihydroxyphenylacetic acid; Homovanillic acid; 3-Methoxytyramine; Brain area (Cabib, S.) 441, 153

GH secretory pattern

Growth hormone (GH); Somatostatin; GH-releasing factor (GRF); Antiserum to rat GRF; a-Methyl-p-tyrosine (Sugihara, H.) 475, 128

GH-releasing factor (GRF)

Growth hormone (GH); Somatostatin; GH secretory pattern; Antiserum to rat GRF; α-Methyl-p-tyrosine (Sugihara, H.) 475, 128

Giant interneuron

Feedback; Sensory regulation; Cercus; Cockroach (Goldstein, R.S.) 440, 366

Escape behavior; Lesion; Cockroach; Antenna (Comer, C.M.) 445, 370

Giant miniature endplate potential (gMEPP)

Spontaneous release; Calcium-independent release; Emetine (Alkadhi, K.A.) **447**, 293

Glia

Gap junction; Gap junction antibody; Uncoupling; Dye transfer (Dudek, F.E.) **439**, 275

Enteric neuron; Fibroblast; Culture; Monoclonal antibody; Immunolabelling; Laminin (Bannerman, P.G.C.) 440, 87 Purified enteric neuron; Culture; Monoclonal antibody; Antibody complement-mediated cytolysis; Cytosine arabinoside; Immunolabelling (Bannerman, P.G.C.) 440, 99

Opioid receptor; Naloxone; Opioid agonist; Neuron; Brain culture (Maderspach, K.) 441, 41

Hippocampus; Primary culture; Electrophysiology; Barium action potential (Walz, W.) **443**, 321

Glutamate dehydrogenase; Glutamate; Mitochondrion (Madl, J.E.) 452, 396

Astrocyte; Glutamate dehydrogenase; Glutamine synthetase; Glutaminase; Glutamate; Ammonia; α-Ketoglutarate (Kaneko, T.) **457**, 160

Valproate; Adhesion; Collagen type IV receptor; Heat shock; Teratogenesis (Martin, M.L.) **459**, 131

Caudate-putamen; Nucleus accumbens; Dopamine; Immunocytochemistry; Norepinephrine; Synapse; Catecholamine (Aoki, C.) **459**, 205

Glia limitans

Brain stab wound; Basal lamina; Meninx; Regeneration (Carbonell, A.L.) 439, 337

Glial cell

Angiotensin II; Spinal cord; Culture; Autoradiography; Receptor; Neuron (Simonnet, G.) 443, 403

Potassium; Electrical coupling; Gap junction; Retina; Müller cell (Mobbs, P.) **460**, 235

Glial cells

Bromocriptine; Cerebellum; Cerebral cortex; Hypothalamus; Neural cells; Pons-medulla; Prolactin; Monkey (Kumaran, B.) **450**, 325

Glial fibrillary acid protein Brain injury; Reactive astrocyte proliferation; Newborn rat; Immunocytochemistry; Autoradiography (Janeczko, K.) 456, 280

Glial fibrillary acidic protein Reactive astrocyte; Cell number; Proliferation; Quantitative analysis; [³H]Thymidine; Mouse (Miyake, T.) **451**, 133

Astrocyte; Arcuate nucleus; Hippocampus; Globus pallidus; Estradiol; Testosterone; Sex difference; Immunocytochemistry (Garcia-Segura, L.M.) **456**, 357

Rat brain cell culture; Astrocyte; Fetal calf serum; Factor; Differentiation (Bologa, L.) 457, 295

Alzheimer's disease; Visual cortex; Gliosis; Senile plaque; Neurofibrillary tangle (Beach, T.G.) **463**, 357

Glial filament protein (GFP)
Cerebellar development; Bergmann

glia; Methylazoxymethanol; Gliogenesis; External granular layer (Hillman, D.E.) **447**, 353

Glial growth factor from bovine pituitary

Astrocyte; Bromodeoxyuridine; Human; Mitogen; Platelet-derived growth factor; Phorbol ester; Tissue culture (Yong, V.W.) 444, 59

Glial reactivity

Δ⁹-Tetrahydrocannabinol; Hippocampus; Morphometrics; Neuronal density; Behavior; Corticosterone; Adrenocorticotropic hormone (ACTH) (Landfield, P.W.) **443**, 47

Glioblast

Sialosyl cholesterol; Differentiation; Cyclic adenosine monophosphate (Kato, T.) **438**, 277

Gliogenesis

Cerebellar development; Bergmann glia; Methylazoxymethanol; External granular layer; Glial filament protein (GFP) (Hillman, D.E.) 447, 353

Gliosis

Alzheimer's disease; Visual cortex; Senile plaque; Neurofibrillary tangle; Glial fibrillary acidic protein (Beach, T.G.) **463**, 357

Globoid cell leukodystrophy

Twitcher mouse;

Galactosylsphingosine; Psychosine; Sciatic nerve (Tanaka, K.) 454, 340

Twitcher mouse; Bone marrow transplantation; Peripheral nerve; Remyelination (Kondo, A.) **460**, 178

Globus pallidus

Electrical stimulation; Striatum; Local cerebral glucose utilization; [14C]Deoxyglucose method; Circling behavior (Aiko, Y.) **442**, 43

Subthalamic nucleus; Striatum; Nucleus tegmenti pedunculopontinus pars compacta; Substantia nigra; Retrograde double labeling; Rat (Takada, M.) **442,** 72

Parkinson's disease; Unit activity; 1-Methyl-4-phenyl-1,2,3,6-tetra-hydropyridine; Dopamine; Passive movement; Joint rotation; Monkey (Filion, M.) 444, 165

Astrocyte; Glial fibrillary acidic protein; Arcuate nucleus; Hippocampus; Estradiol; Testosterone; Sex difference; Immunocytochemistry (Garcia-Segura, L.M.) 456, 357

Glossopharyngeal nerve

Umami; Taste quality; Conditioned taste aversion; Chorda tympani; Single fiber analysis (Yamamoto, T.) 451, 147

Glucagon

Thyrotropin-releasing hormone; Thyrotropin-releasing hormone analog; Hyperglycemia; Hypophysectomy; Mouse (Amir, S.) 455, 201

Glucocorticoid

Primate brain corticoid; Dexamethasone (Sapolsky, R.M.) 448, 182

Adrenocorticosteroid receptor; Mineralocorticoid; Steroid binding; Receptor stability (Luttge, W.G.) 453, 41

Iontophoresis; Paraventricular nucleus; Corticotropin-releasing factor; Feedback (Saphier, D.) **453**, 183

Hippocampus; Glucocorticoid toxicity; Kainic acid; 3-Acetylpyridine (Sapolsky, R.M.) **453**, 367

Gonadal steroid; Adrenal steroid; Sprouting; Hippocampus; Neurotrophic (Scheff, S.W.) **457**, 246

Epilepsy; Hippocampus; Neuron death; Kainic acid; Glutamate; Stress; Metyrapone (Stein, B.A.) 473, 175

Feedback; Adrenocorticotropin; Paraventricular nucleus; Hippocampus (Kovács, K.J.) **474**, 205

Glucocorticoid binding

Glucocorticoid receptor; Progesterone; Adrenocorticosteroid; Antiglucocorticoid (Chou, Y.-C.) **440**, 67

Human cortex; Steroid receptor; [³H]Dexamethasone; Epilepsy (Sarrieau, A.) **442**, 157

Glucocorticoid receptor

Glucocorticoid binding; Progesterone; Adrenocorticosteroid; Antiglucocorticoid (Chou, Y.-C.) **440,** 67

Hippocampus; Stress; Rat (Meaney, M.J.) 445, 198

Glucocorticoid toxicity

Glucocorticoid; Hippocampus; Kainic acid; 3-Acetylpyridine (Sapolsky, R.M.) 453, 367

Glucoprivic feeding

Fatty acid oxidation; 5-Thio-D-glucose; Methyl palmoxirate; Fourth ventricle; Metabolic control of food intake; Caudal brainstem; Rat (Tordoff, M.G.) 445, 216

Glucose consumption

Stress; N-Methyl-D-aspartate-receptor; Hippocampus; Lactate (Schasfoort, E.M.C.) 475, 58

Glucose metabolism

Edematous cerebral cortex; Thiamine-deficient rat; Pyrithiamine; Amino acid; Wernicke's encephalopathy (Takahashi, H.) **441,** 202

Glucose transporter

Cytochalasin B; Rat brain; Autoradiography (Tucker, S.P.) **450**, 131 Glucose utilization

Oxygen; Brain metabolism; Hyperoxia; Oxygen poisoning; Autoradiography; 2-Deoxyglucose (Torbati, D.) **459**, 187

Benzodiazepine ligand; N-Methyl-\(\beta\)-carboline-3-carboxamide (FG 7142); Anxiety; Seizure; [\(^{14}\)C]Deoxyglucose technique (Pratt, J.A.) 475, 218

Glucose-sensitive neuron

Lateral hypothalamic area; Periaqueductal gray; Tail pinch; Electrophoresis; Extracellular recording; Intracellular recording (Kai, Y.) **461**, 107

β-Glucuronidase

Sialic acid; Receptor; Astrocyte; C6 glioma (Jenkins, H.G.) 462, 265

Glutamate

Cerebellum; D-[³H]Aspartate; Autoradiography; Mossy fiber; Granule cell (Garthwaite, G.) **440**, 162

Quisqualate receptor; Brain; Postsynaptic density; Synaptic vesicle; Aspartic acid (Villanueva, S.) 440, 363

Microdialysis; Oxytocin; Aspartate; γ-Aminobutyric acid (GABA); Olfactory bulb; Vaginocervical stimulation; Sheep (Kendrick, K.M.) **442**, 171

Kindling; Hippocampus; Neurotransmitter release; Amino acid; Kainic acid (Geula, C.) 442, 368

Phencyclidine; N-Methyl-D-aspartic acid; Excitatory amino acid; Glycine; Receptor (binding site) (Thomas, J.W.) 442, 396

Respiratory bulbospinal neuron; Antidromic latency; Amino acid; γ-Aminobutyric acid (GABA); Glycine; Homocysteate; Medulla; Cat (Grelot, L.) 443, 27

Calcium; Calcium channel; Cell culture; Excitotoxin; Neuroblastoma (Murphy, T.H.) 444, 325

Startle; Amino acid antagonist; Lateral lemniscus (Spiera, R.F.) 445, 130

Norepinephrine; Lateral hypothalamus; γ-Aminobutyric acid; Acetylcholine; Neuromodulation (Sessler, F.M.) **446**, 77

Cerebellar granule cell; Neuronal culture; Stimulation-coupled transmitter release; Neuromodulation; Glycine; Glycine receptor; Cerebellum (Kingsbury, A.) 448, 46

Kainate; Quisqualate; N-Methyl-D-aspartate; Fluctuation analysis; Ion channel (Shingai, R.) 448, 198

Cultured neuron; Cerebellum; Aspartate; Noradrenaline (Mori-Okamoto, J.) 448, 259

Somatosensory cortex; Hindlimb

deafferentation; Sciatic nerve section; Acetylcholine (Lamour, Y.) 449, 18

Excitatory amino acid; N-Methyl-D-aspartic acid (NMDA) receptor; Neurotoxicity; Excitotoxicity; Cerebellar granule cell; Neuron (Novelli, A.) 451, 205

Quisqualate; Stizolobic acid; Competitive inhibitor; Crayfish neuromuscular junction (Shinozaki, H.)

Glutamate dehydrogenase; Mitochondrion; Glia (Madl, J.E.) **452**, 396

N-Methyl-D-aspartic acid receptor; Terminal; Alzheimer's disease (Cowburn, R.) 452, 403

Kindling; Substantia nigra pars reticulata; Single-unit recording; Epileptogenesis; γ -Aminobutyric acid; Glycine; Acetylcholine (Waszczak, B.L.) 455, 115

Asymmetric synapse; Somatic sensory cortex; Visual cortex; Cat; Immunocytochemistry (Defelipe, J.)

Ethanol; Alcohol; γ-Aminobutyric acid; Glycine; Benzodiazepine (Celentano, J.J.) 455, 377

Oxygen radical; Reperfusion injury; Glutamine synthetase (Schor, N.F.) 456, 17

Neurotransmitter; Kynurenate; Afferent synapse; Acousticolateralis receptor; Electroreceptor (Okano, K.) 457, 79

Glia; Astrocyte; Glutamate dehydrogenase; Glutamine synthetase; Glutaminase; Ammonia; α-Ketoglutarate (Kaneko, T.) 457, 160

Blood pressure; Central nervous system; γ-Aminobutyric acid; Medulla oblongata (Gordon, F.J.) 457, 251

Desensitization; Kainate; Quisqualate; Piriform cortex (Hori, N.) 457, 350

Glutamic acid diethyl ester; Excitatory amino acid; Seizure; Homocysteine; Quisqualate; Diethyl glutarate (Freed, W.J.) 459, 157

Central nervous system; Development; Excitatory amino acid; Hypoxia-ischemia; Neurotoxicity; N-Methyl-D-aspartate; Rat (McDonald, J.W.) 459, 200

Calcium; Depolarization; Neuroblastoma; Neurotoxicity; Cell culture; Quisqualate (Murphy, T.H.) 460, 155

Morphine; Descending inhibition; Nociception; Brainstem; Spinal cord (Jones, S.L.) 460, 281

Cuneiform area; Plasticity; Defence; Conditioning (Mitchell, I.J.) 460, 394

D-Aspartate; N-(1-[2-Thienyl]cyclohexyl)piperidine; Alzheimer's disease; Brain (Simpson, M.D.C.) 462, 76

Cortico-cortical connection; Somatic sensory cortex; Immunocytochemistry; Monkey (Conti, F.) 462, 148

Epilepsy; Hippocampus; Neuron death; Kainic acid; Glucocorticoid; Stress; Metyrapone (Stein, B.A.) 473, 175

N-Methyl-D-aspartic acid; Quisqualate; Kainate; Stizolobic acid; Excitatory amino acid; Rat spinal cord (Ishida, M.) 473, 193

N-Acetylaspartylglutamate (NAAG); γ-Aminobutyric acid (GABA); Neuropeptide; Amphibian; Biosynthesis; Synaptic release (Williamson, L.C.) 475, 151

Estrogen; Cerebellar Purkinje cell; Pressure ejection; Neuromodulation (Smith, S.S.) 475, 272

Aspartate; Quisqualate; Kainate; N-Methyl-D-aspartate; Turtle cerebellum; Spreading depression; Ion-selective microelectrode (Lauritzen, M.) 475, 317

L-Glutamate

Cultured hippocampal neuron; Whole-cell voltage-clamp; Membrane permeability; Alkali metal cation; Calcium; Magnesium (Ozawa, S.) 443, 85

Bötzinger complex; Respiratory activity; Breathing pattern; DL-Homocysteic acid; Phrenic nerve activity; Expiratory muscle (Bongianni, F.) 445, 254

Striatum; Neuropeptide Y; Acetylcholine; Choline acetyltransferase; Kainic acid; Quinolinic acid; Decortication (Boegman, R.J.) 452, 219

Substance P; Capsaicin; Kainic acid; Picrotoxin; Strychnine; Morphine; Pain; Behavior; Spinal cord (Frenk, H.) 455, 223

Substance P; Strychnine; Kainic acid; Morphine; Analgesia; Pain; Behavior; Spinal cord (Bossut, D.) 455, 232

Cardiovascular; Neurotransmitter; Brain slice; Medulla (Miller, B.D.) **456**, 333

Excitatory amino acid; Dihydrokainate; Microdialysis; Lamprey spinal cord; Locomotion (Brodin, L.) 458, 166

Zona incerta; Hypothalamus; Subthalamic nucleus; Cardiovascular control; Autonomic nervous system; Autoradiography (Spencer, S.E.) 458, 72

Glutamate binding

2-Amino-4-phosphonobutyric acid; Glutamate uptake; Chloride-dependent uptake; Chloride-dependent binding (Mitchell, C.K.) 459, 298

Glutamate binding site Apparent binding of [3H]glutathione; L-Cysteine; Temperature dependency; Regional distribution (Ogita, K.) 463, 37

Glutamate dehydrogenase Glutamate; Mitochondrion; Glia (Madl, J.E.) 452, 396

Glia; Astrocyte; Glutamine synthetase; Glutaminase; Glutamate; Ammonia; α-Ketoglutarate (Kaneko, T.) 457, 160

Glutamate receptor Excitatory amino acid; Synaptic excitation; Voltage clamp (Dryer, S.E.) **443.** 173

Argiotoxin; Locust muscle; Non-competitive antagonism (Budd, T.) 448, 30

Isolated postsynaptic density; Hippocampus; Protein composition; Protein phosphorylation; γ-Aminobutyric acid receptor; Voltage-sensitive calcium channel; Calmodulin (Wu, K.) 457, 98

Protein kinase C; Desensitization; Cerebellum (Crepel, F.) 458, 397

Astrocyte; 3,3-Diethylthiadicarboxyamineiodide; Membrane potential; Potassium; Kainate; Quisqualate; N-Methyl-D-aspartate (Enkvist, M.O.K.) 462, 67

Glutamate uptake 2-Amino-4-phosphonobutyric acid; Glutamate binding; Chloride-dependent uptake; Chloride-dependent binding (Mitchell, C.K.) 459, 298

Glutamate-GABA exchange Chick retina; Culture (De Mello, M.C.F.) 443, 166

Glutamic acid decarboxylase Scrapie; Neurotransmitter; Cerebellum; Adenosine receptor (Quinn, M.R.) 445, 297

Benzodiazepine receptor; Human brain; Parkinson's disease; Progressive supranuclear palsy; [³H]Flunitrazepam (Maloteaux, J.-M.) **446**, 321

Neuronal cell clone; NG108-15; γ-Aminobutyric acid; Neurotransmitter; Differentiation; Pyridoxal 5'-phosphate (Searles, C.D.) 448, 373

First somatosensory cortex; Second somatosensory cortex; γ-Aminobutyric acid; Immunocytochemistry; Monkey (Chudler, E.H.) 456, 57

γ-Aminobutyric acid; Immunocytochemistry; Inhibition; Local circuit neuron; Relay cell; Reptile; Thalamus (Pritz, M.B.) 457, 154

γ-Aminobutyric acid; Inhibition; Motor cortex; Mouse (Solberg, Y.) **459**, 168

γ-Aminobutyric acid; Benzodiazepine binding site; Human postmortem brain; Suicide; Depression; Antidepressant drug (Cheetham, S.C.) **460**, 114

Substantia nigra; Neostriatum; Immunocytochemistry; Striatonigral projection; γ-Aminobutyric acid; γ-Aminobutyric acid synapse; Degeneration (Nitsch, C.) **461**, 127

Immunocytochemistry; γ-Aminobutyric acid; Somatosensory cortex; Rat (Spreafico, R.) **474,** 192

Glutamic acid decarboxylase (GAD) immunoreactivity
Rat neostriatum; Medium-spiny
projection neuron (Kita, H.) 447, 346

Glutamic acid diethyl ester Glutamic acid; Excitatory amino acid; Seizure; Homocysteine; Quisqualate; Diethyl glutarate (Freed, W.J.) **459**, 157

Glutaminase

Glia; Astrocyte; Glutamate dehydrogenase; Glutamine synthetase; Glutamate; Ammonia; α-Ketoglutarate (Kaneko, T.) **457**, 160

Glutamine synthetase

Cholinergic factor; Quiescent astrocyte; Cytosine arabinoside; Choline acetyltransferase; Subcortical cholinergic cell culture (Patel, A.J.) **450**, 378

Oxygen radical; Reperfusion injury; Glutamate (Schor, N.F.) **456**, 17

Glia; Astrocyte; Glutamate dehydrogenase; Glutaminase; Glutamate; Ammonia; α-Ketoglutarate (Kaneko, T.) **457**, 160

γ-L-Glutamyl-L-aspartate

Memory; Mouse; Excitatory amino acid receptor; Hippocampus (Ungerer, A.) **446**, 205

γ-D-Glutamylglycine

Dynorphin; N-Methyl-D-Aspartate (NMDA); 2-Amino-5-phosphonovalerate (APV); Tail-flick reflex; Neurotoxicity (Caudle, R.M.) 443, 329

Glutaraldehyde

Human temporal cortex; Cerebral biopsy; γ-Aminobutyrate; Immunocytochemistry; GABAergic nerve cell (Schiffmann, S.) 442, 270

L-Dihydroxyphenylalanine; Antibody; Rat brain; Substantia nigra; Locus ceruleus; Striatum; Enzyme-linked immunosorbent assay; Immunocytochemistry (Mons, N.) **451.** 403

Glutathione peroxidase

Superoxide radical; Superoxide dismutase; Cerebral ischemia; Rat brain (Chan, P.H.) 439, 388

γ-Glutamyl transpeptidase

Kainic acid lesion; Surgical CA3 axotomy; Hippocampal formation (Šťastný, F.) **462**, 56

Glycine

Inhibitory spinal interneuron; Strychnine-sensitive inhibitory postsynaptic potential (IPSP); Lamprey; Spinal cord; Locomotion; Pattern generator (Buchanan, J.T.) 438, 404

Anti-glycine antibody; Immunocytochemistry; Glycinergic neuron; Auditory pathway; Vestibular ganglion (Aoki, E.) **442**, 63

Phencyclidine; N-Methyl-D-aspartic acid; Excitatory amino acid; Receptor (binding site); Glutamate (Thomas, J.W.) 442, 396

Respiratory bulbospinal neuron; Antidromic latency; Amino acid; γ-Aminobutyric acid (GABA); Glutamate; Homocysteate; Medulla; Cat (Grelot, L.) 443, 27

Retina; Amacrine cell; Enkephalin; Neurotensin; γ-Aminobutyric acid; Coexistence (Watt, C.B.) **444**, 366

Cerebellar granule cell; Neuronal culture; Stimulation-coupled transmitter release; Neuromodulation; Glutamate; Glycine receptor; Cerebellum (Kingsbury, A.) 448, 46

γ-Aminobutyric acid; Immunocytochemistry; Colocalization; Rat; Cerebellum (Ottersen, O.P.) **450**, 342

Kindling; Substantia nigra pars reticulata; Single-unit recording; Epileptogenesis; γ-Aminobutyric acid; Glutamate; Acetylcholine (Waszczak, B.L.) 455, 115

Ethanol; Alcohol; γ-Aminobutyric acid; Glutamate; Benzodiazepine (Celentano, J.J.) **455**, 377

Retina; Amacrine cell; Enkephalin; Neurotensin; Coexistence (Wu, S.M.) 458, 195

Substantia nigra zona compacta; Potassium; Voltage clamp; Slice; Rat (Mercuri, N.B.) **462**, 199

Glycine receptor

Cerebellar granule cell; Neuronal culture; Stimulation-coupled transmitter release; Neuromodulation; Glutamate; Glycine; Cerebellum (Kingsbury, A.) 448, 46

Glycine-response

α-Keto-δ-guanidinovaleric acid; Convulsant; Hyperargininemia; γ-Aminobutyric acid-response; Epileptogenicity; Primary dissociated neuronal cell culture (De Deyn, P.P.) 449, 54

Glycinergic neuron

Glycine; Anti-glycine antibody;

Immunocytochemistry; Auditory pathway; Vestibular ganglion (Aoki, E.) 442, 63

Glycolipid

Ganglioside; α-Galactosyl, (α-fucosyl) G_{M1}; Hippocampus; Dentate gyrus; PC12; Monoclonal antibody (Suchy, S.F.) **440**, 25

Glycolysis

6-Phosphofructo-1-kinase; Brain; Aging; Development; Fructose-2,6-biphosphate; Metabolic regulation (Dunaway, G.A.) **456,** 310

Glycoprotein

Monoclonal antibody; Synaptic membrane; Postsynaptic density (Hill, I.E.) **461**, 27

GM1 ganglioside

Nerve growth factor; Vinblastine; Ganglioside; Sympathectomy; Noradrenaline; Sympathetic nervous system; Newborn rat (Vantini, G.) 448, 252

Goldfish

Retinotectal projection; Optic nerve regeneration; Ependymin; Radial glia; Synaptic stabilization; Minipump infusion (Schmidt, J.T.) 446, 269

Acetylcholine; Transmitter; Immunohistochemistry; Lateral line efferent; Choline acetyltransferase (Danielson, P.D.) 448, 158

Visual pathway; Regeneration; Axonal guidance (Airhart, M.J.) 460, 383

Retina; Visual pathway; Monoclonal antibody (Sharma, S.C.) 473, 359

Goldfish brain protein

Learning; Memory; Ependymin; Shuttle-box training; Avoidance conditioning; Long-term memory; Extracellular glycoprotein (Piront, M.-L.) 442, 53

Goldfish optic nerve

Neurite-promoting factor; Human fetal neuron (Finklestein, S.P.) 448, 346

Golgi apparatus

Neurosecretory peptide; Intraneuronal transport; Colchicine; Endoplasmic reticulum; Microtubule (Alonso, G.) **453**, 191

Golgi preparation

Purkinje cell dendrite; Purkinje cell axon; Developing kitten cerebellum; Organotypic culture; Explantation age; Horseradish peroxidase preparation; Computer microscope; Discriminant morphometric analysis (Calvet, M.-C.) 462, 334

Golgi stain

Chronic ethanol ingestion; Hippocampus; Dentate gyrus; Dendritic spine (King, M.A.) **459**, 381

Gonadal steroid

Adrenal steroid; Sprouting; Hippocampus; Neurotrophic; Glucocorticoid (Scheff, S.W.) 457, 246

Gonadectomy

Blood-brain barrier; Circumventricular organ; Fluorescein; Rat; Sex difference (Martinez, J.L.) **450**, 81

Gonadotropin release

Dopamine; Žona incerta; Incertohypothalamic tract (MacKenzie, F.J.) 444, 75

Adrenocorticotropic hormone; Arcuate nucleus; Electron microscopy (Leranth, C.) **449**, 167

Gonadotropin-releasing hormone Corticotrophin-releasing factor (CRF);

Corticotrophin-releasing factor (CRF); Medial preoptic area (MacLusky, N.J.) **439,** 391

Transplant; hpg Mouse; Reproduction (Silverman, A.-J.) 443, 267

Vasoactive intestinal peptide; Noradrenergic; Luteinizing hormone; 6-Hydroxydopamine; Pulsatile (Alexander, M.J.) **445**, 247

Receptor; Central nervous system; Rat (Jennes, L.) 452, 156

Male primate; Sexual dimorphism; Luteinizing hormone; Estrogen (Francis Pau, K.-Y.) **459**, 70

G protein

Somatostatin; AtT-20 pituitary cell; Adrenocorticotropic hormone (ACTH) secretion; Potassium channel; Pertussis toxin (Pennefather, P.S.) 444, 346

Circadian rhythm; Phototransduction; Transducin; Rhodopsin; Entrainment (Zatz, M.) **453**, 63

Neuronal muscarinic acetylcholine receptor; Phosphoinositide hydrolysis (Martin, J.M.) **454**, 370

Pertussis toxin; Serotonin; Dorsal raphe; Baclofen (Innis, R.B.) 459, 27

Graft

Adrenal medulla; Chromaffin cell; Nerve growth factor; Parkinson's disease; Transplant (Pezzoli, G.) **459**, 398

Unit activity; Microiontophoresis; Basal forebrain; Cholinergic neuron (Bassant, M.H.) **460**, 8

Grafted Pacinian corpuscle

Dorsal root regeneration; Reinnervation; Electron microscopy; Rat (Zelená, J.) 438, 163

Granule cell

Calcitonin gene-related peptide; Mossy fiber; Parallel fiber; Cerebellar nuclei; Cerebellum; Pontine nuclei; Immunohistochemistry (Sugimoto, T.) 439, 147

Cerebellum; D-[3H]Aspartate; Glutamate; Autoradiography; Mossy fiber (Garthwaite, G.) 440, 162

Hippocampal; Evoked activity; Excitability; Hypoglycemia (Cox, D.W.G.) **440**, 195

Stereology; Disector; Dentate gyrus; Morphometrics (West, M.J.) 448, 167

Dentate gyrus; Basket cell; Astrocyte; Chronic ethanol; Short-sleep mice; Long-sleep mice (Scheetz, A.J.) **460,** 246

Dentate gyrus; Stereology; Dendrite; Neuronal plasticity; Alcohol; Rat (Cadete-Leite, A.) 473, 1

Grating

Neurite growth; Neurite guidance; Microstructure; Growth cone; Serum-free culture; Dorsal root ganglion neuron; Nerve cell culture (Hirono, T.) 446, 189

Grayanotoxin

Sodium channel inactivation; Squid giant axon; Pyrethroid; Tetramethrin; Sodium current (Takeda, K.) 448, 308

Great auricular nerve

Horseradish peroxidase (HRP); Afferent fiber; Transganglionic transport (Liu, D.) **445**, 205

Grooming behavior

Corticotropin-releasing factor (CRF); Hypothalamus; Behavior-CRF (Krahn, D.D.) 443, 63

Group Ia afferent

Post-tetanic potentiation; Primary afferent depolarization; Intra-axonal recording; Cat spinal cord (Lev-Tov, A.) 438, 328

Growth

Astrocyte; Heparin; Thymidine incorporation; Inhibition (Robertson, P.L.) 447, 341

Peripheral nerve; Regeneration; Schwann cell factor; Adhesion; Migration (Le Beau, J.M.) **459**, 93

Growth cone

Histamine; Tuberomammillary nucleus; Organotypic culture; Hypothalamus; Immunohistochemistry; Hippocampus (Reiner, P.B.) **442**, 166

Neurite growth; Neurite guidance; Grating; Microstructure; Serum-free culture; Dorsal root ganglion neuron; Nerve cell culture (Hirono, T.) **446**, 189

Microtubule; Neuron; Endocytosis; Taxol; Cell cortex (Sinclair, G.I.) **450,** 60

Growth hormone

Prolactin; Lactation; Morphine; Opiate; Sensitivity (Callahan, P.) **442**, 214

Somatostatin; Periventricular nucleus; Immunoneutralization (Kaler, L.W.) **447**, 384

Somatostatin; GH-releasing factor

(GRF); GH secretory pattern; Antiserum to rat GRF; α-Methyl-p-tyrosine (Sugihara, H.) 475, 128

Nerve regeneration; Sciatic nerve; Somatomedin; Insulin-like growth factor; Rat (Kanje, M.) 475, 254

Growth hormone-releasing factor (GRF)

Somatostatin; Cyclic adenosine monophosphate (cAMP); Adenohypophysis; Forskolin; Pertussis toxin (Schettini, G.) 439, 322

Growth inhibition

Neural cell; Differentiation; Neurite loss; Cell lysis (Notter, M.F.D.) **456**, 254

Guanethidine

Sympathetic nervous system; Prevertebral ganglia; Paravertebral ganglia; Nerve growth factor; 6-Hydroxydopamine (Schmidt, R.E.) 460, 214

Guanethidine sulfate

Autonomic neuropathy; Adrenergic neuropathy (Zochodne, D.W.) 461, 10

Guanidino compound

Cerebrospinal fluid; Rabbit; Convulsion; Pentylenetetrazol (Hiramatsu, M.) 455, 38

Guanine nucleotide

D₁-Dopamine receptor; Dopamine-stimulated adenylate cyclase; [³H]SCH 23390; Retina; Striatum; Frontal cortex (De Keyser, J.) **443**, 77

Guanine nucleotide-binding protein Islet-activating protein substrate; Hippocampus; Cerebral cortex; Cerebellar cortex; Second messenger system; Synapse (Terashima, T.)

442, 305

Guanosine triphosphate (GTP) cyclohydrolase

Tetrahydrobiopterin; Catecholamine; Serotonin; Disease model; Diaminopyrimidine (Suzuki, S.) **446**, 1

Guanosine triphosphate-binding regulatory protein

Islet-activating protein; Pertussis toxin; Enteric nervous system; Superior cervical ganglion; Adrenal medulla (Terashima, T.) 455, 353

Guidance channel

Axonal regeneration; Nerve transection; Permeable tube; Neurotropism (Aebischer, P.) **454**, 179

Guinea pig

Sex difference; α_1 -Receptor; α_2 -Receptor; Quantitative autoradiography; Ventromedial hypothalamic nucleus; Preoptic area; Medial amygdaloid nucleus (Johnson, A.E.) **442**, 205

Immunocytochemistry; γ-Aminobutyric

acid; Enkephalin; Hypothalamus (Beauvillain, J.C.) 443, 315

Pterygopalatine ganglion; Rat; Neuropeptide Y; Acetylcholinesterase; Cholinergic; Tyrosine hydroxylase; Small intensely fluorescent (SIF) cell; Coexistence (Kuwayama, Y.) 446, 219

Brain slice:

[D-Ala²,NMePhe⁴,Gly-ol⁵]Enkephalin; Hypothalamus; Lucifer yellow; μ -Opioid receptor (Charpak, S.) **450**, 124

Voltage-clamp; Submucous neuron; Intracellular calcium concentration; Fura-2; Calcium-dependent potassium current (Hirai, K.) 461, 367

Progestin receptor; Immunocytochemistry; Sex steroid hormone; Estradiol; Hypothalamus (Blaustein, J.D.) 474, 1

Guinea pig brain

Androgen receptor; Sex difference; Noradrenergic transmission (Ahdieh, H.B.) **456**, 275

Purine nucleoside phosphorylase; Neuroglia; Cytochemistry; Rat brain; Technique (Van Reempts, J.) **462**, 142

Guinea pig ileum

Mesenteric nerve stimulation (MNS); Myenteric neuron; Substance P (Takaki, M.) 442, 351

Guinea pig myenteric neuron Muscarinic receptor; Neuropeptide; Autoradiography; Immunocytochemistry (Buckley, N.J.) 445, 152

Gut peptide

Bombesin; Gastrin-releasing peptide; Memory; Mouse; Retention (Flood, J.F.) **460**, 314

H

Habenula

Adenosine deaminase; Enkephalin; Immunohistochemistry; Septal nucleus; Septohabenular projection; Purinergic neurotransmission (Staines, W.A.) 455, 72

Methylazoxymethanol acetate; Interpeduncular nucleus; Cholinergic system (Virgili, M.) **460**, 361

Habenula projection

Phaseolus vulgaris leucoagglutinin (PHA-L); Anterograde axonal tracing; Rat brain; Thalamus; Midbrain (Araki, M.) 441, 319

Habenular nucleus

Cholecystokinin-A receptor; Interpeduncular nucleus (Hill, D.R.) **454**, 101

Hair cell

Auditory physiology; Evoked potential; Non-linear analysis (Regan, D.) **438,** 363

Vestibular system; Afferent synapse; Excitatory amino acid receptor (Soto, E.) **462**, 104

Haloperidol

Somatostatin; Substance P; Long-term administration; Dopamine; Rat (Radke, J.M.) **445**, 55

Quinolinic acid; Catalepsy; SCH23390; Kainic acid; Neuroleptic; Striatum (Calderon, S.F.) **450**, 403

Caerulein; Dopamine; Synergy; Hypothalamic defensive attack; Chronic cat (Maeda, H.) 459, 351

Cholecystokinin; Caudate-putamen; Olfactory tubercle; Amphetamine; Dopamine; 3-Methoxytyramine; Dihydroxyphenylacetic acid (Altar, C.A.) 460, 76

Zona incerta-lateral hypothalamus; Ventromedial thalamic nucleus; Catalepsy; Bicuculline; γ-Aminobutyric acid-A receptor (Wardas, J.) **462**, 378

Cholecystokinin antagonist; Lorglumide; Dopamine neuron; Nucleus accumbens (Jiang, L.H.) 473, 165

Hamster

Suprachiasmatic nucleus; Circadian rhythm; Single unit activity; Metabolic activity; In vitro (Shibata, S.) 438, 374

Nucleus tractus solitarii; Taste; Parabrachial nucleus; Horseradish peroxidase; Autoradiography (Travers, J.B.) **457**, 1

Circadian rhythm; Entrainment; Retinohypothalamic tract; Neuronal plasticity; Geniculohypothalamic tract (Johnson, R.F.) **460**, 297

Visual system; Lateral geniculate body; Optic tract; Retinal projection; Axon terminal (Erzurumlu, R.S.) **461**, 175

Hand muscle unit

Motor unit recruitment; Voluntary contraction (Oishi, K.) 458, 261

Handedness

Immune system; Lymphocyte responsiveness (Neveu, P.J.) 457, 392

Head injury

Acetylcholine; Concussion; Pons; Rat; Hippocampus; Amygdala; Thalamus (Saija, A.) **452**, 303

Headache

Bradykinin; Cerebrovascular; Thalamus; Trigeminal (Davis, K.D.) **446**, 401 Thalamus; Intracranial vasculature; Referred pain; Cat (Davis, K.D.) **454.** 89

Health effect

Epilepsy; Electrical kindling; Seizure; Magnetic field, 60 Hz; Power-line frequency; Rat (Ossenkopp, K.-P.) 442, 255

Heart

Genetic hypertension; Opioid peptide; β-Endorphin; Dynorphin; Methionine-enkephalin; Brain region; Pituitary; Adrenal; Kidney (Bhargava, H.N.) **440**, 333

Muscarinic cholinergic receptor; Heterogeneity; Rat cerebral cortex; Ileum; Himbacine (Wang, J.-x.) **446,** 155

Heart cell

Norepinephrine; Sympathetic neuron; Co-culture; Nerve growth factor (Wakade, A.R.) 458, 115

Heart conduction system Neurofilament; Neural crest (Gorza, L.) 457, 360

Heart rate

Corticotropin-releasing factor; Spontaneously hypertensive rat; Catecholamine; Mean arterial pressure; Bombesin (Brown, M.R.) 441, 33

Learning; Neuronal plasticity; Prefrontal cortex; Rabbit; Limbic system (Gibbs, C.M.) **442**, 86

Arterial pressure; Bicuculline; Cat; Electromyographic activity; γ -Aminobutyric acid; Hypothalamus; Muscimol; Phrenic nerve (Waldrop, T.G.) **444**, 84

 γ_2 -Melanocyte-stimulating hormone; Anteroventral third ventricle; Blood pressure; Sympathetic nervous system (Callahan, M.F.) **444**, 177

AFDX-116; Blood pressure; cis-Methyldioxolane; Muscarinic receptor; Receptor, M₁; McN-A343; Pirenzepine; Wistar rat (Sundaram, K.) 449, 141

Neuropeptide Y; Caudal ventrolateral medulla; Mean arterial pressure; A1 noradrenaline nucleus; Nucleus ambiguus; Wistar-Kyoto normotensive rats (Macrae, I.M.) 456, 1

Fastigial nucleus; Parabrachial nucleus; Electrical stimulation; Blood pressure; Respiration; Autonomic nervous system; Cardiovascular system (Miura, M.) 473, 352

Heat shock

Valproate; Glia; Adhesion; Collagen type IV receptor; Teratogenesis (Martin, M.L.) **459**, 131

Heat-evoked response

Medial hypothalamus; Dorsal horn neuron; Tail-flick reflex; Descending inhibition; Stimulation-produced analgesia; Rat (Culhane, E.S.) 438, 137 Helix pomatia

Epileptic activity; Pentylenetetrazol; Dendrite shape; Buccal ganglion (Altrup, U.) **456**, 401

Epilepsy; Pentylenetetrazol; Membrane current; Calcium; Snail neuron (Walden, J.) **473**, 294

Hemidecortication

Movement; Kennard doctrine; Motor cortex; Skilled reaching; Neonatal cortex lesion; Plasticity; Skilled forelimb reaching; Sparing of function (Whishaw, I.Q.) 451, 97

Hemiparkinsonism

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; 1-Methyl-4-phenylpyridinium ion; Caudate nucleus; Osmotic minipump; Monkey; Substantia nigra pars compacta; Dopamine (Imai, H.) 474, 327

Hemispherectomy

Central nervous system reorganization; Neural plasticity; Sprouting; Age-at-lesion effect; Red nucleus; Motor cortex (Villablanca, J.R.) **453,** 17

Hemorrhage

Adrenocorticotropic hormone (ACTH); Renin; Catecholamine; Arterial pressure; Baroreceptor reflex; Conscious rat (Darlington, D.N.) **439**, 289

Microdialysis; Blood pressure; Noradrenaline; 3-Methoxy-4-hydroxyphenylethyleneglycol (MHPG); Serotonin; Uric acid; Supraoptic nucleus; Rat (Kendrick, K.M.) 440, 402

Somatostatin-28; Vasopressin secretion; Cysteamine; Paraventricular nucleus (Brown, M.R.) **452**, 212

Heparin

Astrocyte; Thymidine incorporation; Growth; Inhibition (Robertson, P.L.) **447**, 341

Nuclear estrogen receptor; Antiestrogen; Hypothalamus; DNA intercalator (Etgen, A.M.) 452, 1

Hereditary cerebral hemorrhage with amyloidosis

Alzheimer's disease; Sporadic cerebral amyloid angiopathy; Dementia; Stroke; β -Protein; β -Amyloid disease (Coria, F.) **463**, 187

Heroin

Functional anatomy; Octanoate; Cocaine (Trusk, T.C.) 438, 61

Amphetamine; Morphine; Nucleus accumbens; Reinstatement of drug taking; Priming; Drug self-administration (Stewart, J.) **457**, 287

Herpes simplex encephalitis

Anticonvulsant; Herpes simplex virus; Immunocytochemistry; Neurovirulence; Seizure disorder (Schlitt, M.) **440**, 293

Herpes simplex virus

Anticonvulsant; Herpes simplex encephalitis; Immunocytochemistry; Neurovirulence; Seizure disorder (Schlitt, M.) 440, 293

Mouse; Striatum; Dopamine; Encephalitis (Seegal, R.F.) 445, 234

Heterogeneity

Muscarinic cholinergic receptor; Rat cerebral cortex; Heart; Ileum; Himbacine (Wang, J.-x.) 446, 155

Heterogeneity of striatum

In vivo dopamine receptor labeling; Propylnorapomorphine *N-n-*; Dipping autoradiography; Dopamine receptor localization; Receptor, D₂-; *N*-Ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline; Caudate-putamen (Loopuijt, L.D.) **456**, 263

Heterosynaptic interaction

Long-term potentiation; Postsynaptic potential; Negative cooperativity; Hippocampus; CA1 region; Medial septum; In vivo (Xie, X.) 445, 367

Heterosynaptic potentiation

Neural conditioning action; Long-term enhancement; Slow postsynaptic potential; Synaptic modulation; Synaptic plasticity; Sympathetic ganglion; Dopamine (Libet, B.) 473, 271

Hexamminecobaltic chloride

Identified neuron; Intracellular staining; Ultrastructure; Mitochondrion; Synapse; Insect ocellus (Littlewood, P.M.H.) 445, 165

2,5-Hexanedione

Neurofilament; Neuronal cytoskeleton; Autonomic nerve; Enteric nervous system (Ferri, G.-L.) 444, 383

Neuropathy; Neurofilament (Lapadula, D.M.) 458, 123

Hibernation

Vasoactive intestinal polypeptide; Thermoregulation; Anterior hypothalamic area (Laemle, L.K.) 441, 398

High-affinity agonist 205-502 Dopamine D₂ receptor; In vivo

labeling; Striatum; Pituitary (Closse, A.) 440, 123

High-performance liquid chromatography

Calcium-induced paralysis; Chemical paralysis; Spinal norepinephrine; Sucrose-potassium phosphate-glyoxylic acid (SPG) histofluorescence; Monoamine (De la Torre, J.C.) 442, 297

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP); 1-Methyl-4-phenylpyridine (MPP⁺); Dopamine; 3,4-Dihydroxyphenylacetic acid (DOPAC); Benztropine; Ouabain; Calcium; EGTA; Push-pull perfusion; Parkinsonism; Neostriatum; Rat (Sirinathsinghji, D.J.S.) 443, 101

Thalamus; Kainic acid; Storage vesicle; Catecholamine; Indoleamine; Electrochemical detection (Weil-Fugazza, J.) 444, 374

Neuropeptide Y; Hypothalamus; Elasmobranch fish; Scyliorhinus; Immunohistochemistry; Radioimmunoassay (Vallarino, M.) 448, 67

Acetylcholine; Cortical microvessel; Choline acetyltransferase; Neurotransmitter release; γ-Aminobutyric acid; Electron microscopy; Immunocytochemistry (Arnerić, S.P.) **454**, 11

Thyrotropin-releasing hormone (TRH); Precursor; Rat; Hypothalamus; Olfactory lobe; Radioimmunoassay (Wu, P.) **456**, 22

Serotonin; Immunohistochemistry; Electron microscopy; Chromaffin cell; Frog; Sympathetic regulation (Delarue, C.) **459**, 17

Histamine; Ibotenic acid; Intrahypothalamic pathway; Frontal cortex; Hippocampus (Niigawa, H.) **459**, 183

Neuropeptide Y; Rabbit; Cerebrospinal Fluid; Radioimmunoassay; Immunohistochemistry; Cerebral artery (McDonald, J.K.) **463**, 259

High-pressure liquid chromatography

Transplantation; Serotonin; Hippocampus; Raphe; Horseradish peroxidase; Immunocytochemistry (Zhou, F.C.) **450**, 51

High pressure liquid chromatography characterization Somatostatin; Electrically evoked release; Cortical brain slice (Bonanno, G.) 447, 92

High-voltage electron microscopy Synapse; E-PTA-stained synapse; Perforated synapse; Rat frontal cortex (Igarashi, H.) 473, 365

Himbacine

Muscarinic cholinergic receptor; Heterogeneity; Rat cerebral cortex; Heart; Ileum (Wang, J.-x.) 446, 155

Hindbrain

Idazoxan; α_2 -Adrenoceptor; Forebrain; Up-regulation (Yakubu, M.A.) **463**, 289

Hindlimb deafferentation

Somatosensory cortex; Sciatic nerve section; Cortical plasticity; Laminar analysis (Dykes, R.W.) 449, 1

Somatosensory cortex; Sciatic nerve section; Glutamic acid; Acetylcholine (Lamour, Y.) 449, 18

Hippocampal

Tonic; Phasic; Theta-on; Cell; Cholinergics (Bland, B.H.) 440, 167

Granule cell; Evoked activity; Excitability; Hypoglycemia (Cox, D.W.G.) **440**, 195

Cingulate; Cell; Discharge; Electroencephalogram; Modulation; Muscarinic; Nicotinic (Colom, L.V.) **460,** 329

Hippocampal CA1

Hippocampus; Cerebral cortex; Area TE; Inferotemporal cortex; Monkey; Horseradish peroxidase (HRP) (Iwai, E.) 444, 397

Hippocampal CA1 in vitro

Long-term potentiation; Anisomycin; Protein synthesis; Field potential (Frey, U.) **452**, 57

Hippocampal formation

Olfactory pathway; Prepiriform cortex; Entorhinal cortex; Electroencephalogram (EEG); β Activity; θ Rhytm; Mutual information (Boeijinga, P.H.) **448**, 272

Kainic acid lesion; Surgical CA3 axotomy; γ -Glutamyl transpeptidase (Šťastný, F.) **462**, 56

Hippocampal graft

Serotonin neuron; Raphe neuron (Daszuta, A.) 458, 1

Hippocampal lesion

Cell survival; Ciliary ganglion; Choline acetyltransferase activity; NG108-15 cell; Colchicine; Neurotrophic activity (Nakagawa, Y.) 439, 11

Hippocampal membrane

Hippocampus; Development; *N*-Methyl-D-aspartic acid site; Quantitative autoradiography (Tremblay, E.) **461**, 393

Hippocampal neuron

Mast cell degranulating peptide (MCD); Ca 3; Spontaneous network burst; Evoked network burst; Long-lasting effect (Cherubini, E.) 445, 91

N-Methyl-D-aspartate; Trypsin; Kainate; Quisqualate; Pyriform cortex (Allen, C.N.) 458, 147

Afterhyperpolarization; Neuronal conditioning; Learned response; Eye

blink conditioning; CA1 pyramidal cell (Disterhoft, J.F.) **462**, 118

Hippocampal receptor

Cerebellar receptor; Insulin-like growth factor-II; Autoradiography (Smith, M.) **445**, 241

Hippocampal serotonin

Nerve growth factor; Ganglioside; Choline acetyltransferase (Lombardi, G.) 458, 348

Hippocampal slice

Acidosis; Cornu ammonis area 1 population spike; Hypoxia; Lactate (Schurr, A.) **438**, 311

Calcium; Long-term potentiation (Mulkeen, D.) 447, 234

Intracellular; Carbachol; θ -Rhythm (Bland, B.H.) **447**, 364

Oxygen consumption; Excitatory amino acid; Agonist; Antagonist; Postsynaptic potential; Neuroexcitation; Neurotoxicity (Nishizaki, T.) 452, 11

Cholinergic receptor (Segal, M.) 452, 79

γ-Aminobutyric acid; Dendritic inhibition; GABA_B receptor; Pyramidal cell; CA3 (Janigro, D.) **453**, 265

CA1; Hypoxia; Neuronal Injury; In vitro (Fairchild, M.D.) 453, 357

CA1; Calcium; Long-term potentiation; *N*-Methyl-D-aspartic acid; 2-Amino-5-phosphonovalerate (Melchers, B.P.C.) **454**, 1

Carbachol; θ Rhythm; Nicotine; Neurotransmitter (Konopacki, J.) **455**, 110

Lead neurotoxicity; Extracellular recording; Paired-pulse stimulation (Altmann, L.) **455**, 254

Magnetic field; Magnetoencephalogram; Neural modeling; SQUID (Tesche, C.D.) **462**, 190

Arginine vasopressin; Pyramidal cell; Interneuron; Cerebral microvessel (Albeck, D.) **463**, 394

CA1 pyramidal cell; Temperature sensitivity; Immature nervous system (Shen, K.-f.) 475, 305

Hippocampal slice preparation Interictal bursting; Epilepsy; GABAergic inhibition (Chamberlin, N.L.) 445, 12

Hippocampal slice, CA₁ neuron Synaptic plasticity; Long-term potentiation; Field potential; Protein kinase C (Reymann, K.G.) 440, 305

Hippocampus

Septohippocampal projection; Disinhibition; Intracellular recording; Inhibitory postsynaptic potential (IPSP) (Krnjević, K.) 438, 182 Long-term potentiation; Dentate gyrus; Theta rhythm (Greenstein, Y.J.) **438**, 331

Long-term potentiation; θ-Rhythm; Dentate gyrus (Pavlides, C.) **439**, 383

Glycolipid; Ganglioside; α -Galactosyl, (α -fucosyl) G_{M1} ; Dentate gyrus; PC12; Monoclonal antibody (Suchy, S.F.) **440**, 25

Kindling; Evoked potential; Inhibitory control; Paired-pulse depression; Threshold population spike (Kamphuis, W.) **440**, 205

Kainic acid; Epilepsy; Mossy fiber; Seizure; CA3 (Okazaki, M.M.) **440,** 352

Long-term potentiation; N-Methyl-D-aspartate; θ -Rhythm; CA_1 ; Synaptic plasticity (Larson, J.) **441**, 111

β-Bungarotoxin; Quantitative autoradiography; Rat brain; Cerebellum; Dendrotoxin; K⁺-channel (Pelchen-Matthews, A.) **441**, 127

[NMe-Phe³-D-Pro⁴]morphiceptin (PL017); Convulsion; Wet dog shake (Lee, P.H.K.) **441**, 381

4-Aminopyridine; Caffeine; Penicillin; Verapamil; L-Phenyl-isopropyladenosine (L-PIA); Epileptiform bursting (Frank, C.) **441**, 393

Norepinephrine; Disinhibition (Madison, D.V.) 442, 131

Histamine; Tuberomammillary nucleus; Organotypic culture; Growth cone; Hypothalamus; Immunohistochemistry (Reiner, P.B.) 442, 166

Guanine nucleotide-binding protein; Islet-activating protein substrate; Cerebral cortex; Cerebellar cortex; Second messenger system; Synapse (Terashima, T.) 442, 305

4-(3-Phosphonopropyl)2-piperazine-Carboxylic acid (CPP); cis-4-(Phosphonomethyl)2-piperidine-Carboxylic acid (CGS 19755); Motor activity; Stroke model; N-Methyl-D-aspartic acid antagonist (Boast, C.A.) 442, 345

Kindling; Glutamate; Neurotransmitter release; Amino acid; Kainic acid (Geula, C.) **442**, 368

Noise; Repeated exposure; Choline uptake; Frontal cortex; Tolerance; Classical conditioning (Lai, H.) **442**, 403

Δ⁹-Tetrahydrocannabinol; Morphometrics; Neuronal density; Glial reactivity; Behavior; Corticosterone; Adrenocorticotropic hormone (ACTH) (Landfield, P.W.) 443, 47

Electrical stimulation; Learning; Memory; Mouse (Roman, F.) 443, 149 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP); 1-Methyl-4-phenyl-pyridinium (MMP+); Mitochondrial respiration; Cytochrome-b; Striatum (Sanchez-Ramos, J.R.) **443**, 183

Glia; Primary culture; Electrophysiology; Barium action potential (Walz, W.) **443**, 321

Cholinotoxin (AF64A); Aluminum accumulation; Rat brain; Regional difference; Parietal cortex; Alzheimer's disease (Szerdahelyi, P.) 444, 356

Hippocampal CA1; Cerebral cortex; Area TE; Inferotemporal cortex; Monkey; Horseradish peroxidase (HRP) (Iwai, E.) 444, 397

Ethanol; Aging; Potassium conductance (Niesen, C.E.) 445, 137

Glucocorticoid receptor; Stress; Rat (Meaney, M.J.) 445, 198

Local oxygen tension; Local blood flow; Polarography; Cerebral cortex; White matter (Feng, Z.-C.) 445, 280

Long-term potentiation; Heterosynaptic interaction; Postsynaptic potential; Negative cooperativity; CA1 region; Medial septum; In vivo (Xie, X.) **445.** 367

Adenosine A1 receptor; Cyclohexyladenosine, [³H]; Presynaptic; Postsynaptic; CA1 region (Deckert, J.) **446**, 161

γ-L-Glutamyl-L-aspartate; Memory; Mouse; Excitatory amino acid receptor (Ungerer, A.) 446, 205

Kainic acid; Seizure; Mossy fiber; Vesicle; Quinoline; Toluene sulfanomide quinoline (TSQ); Epilepsy; Zinc-containing neuron; Zinc (Frederickson, C.J.) 446, 383

Atrial natriuretic factor; Sodium nitroprusside; Cyclic guanosine monophosphate (GMP); Immunocytochemistry; Rat (De Vente, J.) 446, 387

Somatostatin; Hyperpolarization; CA1 pyramidal neuron (Watson, T.W.J.) **448**, 40

Lateral geniculate nucleus; Thalamus; γ -Aminobutyric acid; Baclofen; Inhibitory postsynaptic potential, GABA_A; Inhibitory postsynaptic potential, GABA_B (Soltesz, I.) 448, 351

Electron microscope; Lectin; Retrograde transport; Transplant (Seeley, P.J.) **449**, 177

Kainic acid; Zinc; Timm staining; Mossy fiber (Théorêt, Y.) 449, 341

Transplantation; Serotonin; Raphe; Horseradish peroxidase; Immunocytochemistry; High-pressure liquid chromatography (Zhou, F.C.) 450, 51

Alzheimer type dementia; Muscarinic cholinergic receptor; Neuritic (senile) plaque; Neurofibrillary tangle (Probst, A.) **450**, 190

Alzheimer's disease; Alz-50 antibody; Perforant pathway (Hyman, B.T.) **450,** 392

Brain slice; Carbachol; Theta; Topography; CA3c generator (Konopacki, J.) **451**, 33

Decapitation; Pain; Ethics; Neocortex; Electrocorticogram (Vanderwolf, C.H.) **451,** 340

Pyramidal neuron; CA2; Septum; Horseradish peroxidase; Lamellar organization; Computer reconstruction (Tamamaki, N.) **452**, 255

Acetylcholine; Concussion; Head injury; Pons; Rat; Amygdala; Thalamus (Saija, A.) **452**, 303

Nicotine; γ-Aminobutyric acid; Mouse; CA1; Population spike (Freund, R.K.) **453**, 215

Acetylcholine; Serotonin; Septum; Spatial learning; Locomotor activity (Nilsson, O.G.) **453**, 235

Kindling; Permanence; CA3; Potassium; Stimulus train-induced bursting (Bragdon, A.C.) **453**, 257

Long-term potentiation; Synaptic modification; Membrane apposition surface area; Dendritic spine (Desmond, N.L.) 453, 308

Glucocorticoid; Glucocorticoid toxicity; Kainic acid; 3-Acetylpyridine (Sapolsky, R.M.) **453**, 367

Epilepsy; Kindling; Interictal spike; Amygdala; Pyriform cortex (Racine, R.J.) **454**, 251

Epilepsy; Kindling; Amygdala; Pyriform cortex; Septal area; Lesion (Racine, R.J.) **454**, 264

Brain dialysis; Calcium; Quinolinic acid; Neurodegeneration; Seizure (Vezzani, A.) **454**, 289

Functional recovery; Brain transplant; Astrocyte; Trophic factor; Kainate (Kesslak, J.P.) **454**, 347

Long-term potentiation; Association; Cooperativity (Buzsàki, G.) **455**, 192

Zinc; Dentate gyrus; Epilepsy; El mouse (Fukahori, M.) 455, 381

Dithiothreitol; Radioprotectant; Intracellular recording (Tolliver, J.M.) **456**, 49

Slice; Long-term potentiation; Calcium; *N*-Methyl-D-aspartate (Huang, Y.-Y.) **456,** 88

Proline; Excitotoxin; Quinolinic acid; Kynurenic acid; N-Methyl-p-aspartic acid; Hyperprolinemia (Nadler, J.V.)

456, 168

Neural transplantation; Human fetus; Septum; Acetylcholinesterase; Immunization (Nilsson, O.G.) **456**, 193

Astrocyte; Glial fibrillary acidic protein; Arcuate nucleus; Globus pallidus; Estradiol; Testosterone; Sex difference; Immunocytochemistry (Garcia-Segura, L.M.) **456**, 357

Bromodeoxyuridine; Immunohistochemistry; [³H]Thymidine; Autoradiography; Cortex; Dentate gyrus (Miller, M.W.) 457, 44

Isolated postsynaptic density; Protein composition; Protein phosphorylation; Glutamate receptor; γ-Aminobutyric acid receptor; Voltage-sensitive calcium channel; Calmodulin (Wu, K.) **457**, 98

Gonadal steroid; Adrenal steroid; Sprouting; Neurotrophic; Glucocorticoid (Scheff, S.W.) 457, 246

Central cardiovascular control; Electrical stimulation; Chemical stimulation; Medial frontal cortex; Rat (Ruit, K.G.) 457, 310

Cocaine; Acetylcholine turnover; Norepinephrine (Robinson, S.E.) **457**, 383

Adenosine receptor; Autoradiography; Ischemia; Kainate (Onodera, H.) **458**, 212

Histamine; High-performance liquid chromatography; Ibotenic acid; Intrahypothalamic pathway; Frontal cortex (Niigawa, H.) **459**, 183

Short-term potentiation; Tetanus (Anwyl, R.) 459, 192

Cobalt focus; Seizure; Epilepsy; Neuron damage (Sugaya, E.) **459**, 196

Plasticity; Sprouting; Degeneration; Cytoskeleton; Pathology (Seubert, P.) **459**, 226

Plasticity; Sprouting; Degeneration; Cytoskeleton; Pathology; Astrocyte; Spectrin (Ivy, G.) **459**, 233

Chronic ethanol ingestion; Dentate gyrus; Dendritic spine; Golgi stain (King, M.A.) 459, 381

Dentate gyrus; Rat; Opioid receptor; μ -Site; δ -Site; κ -Site (Plager, M.D.) **460,** 150

Ammon's horn; Dentate gyrus; Supramammillary nucleus; Hypothalamus; Non-pyramidal neuron; Cat; Wheat germ-agglutinated horseradish peroxidase (Ino, T.) 460, 173

Corticosterone receptor; Fixed ratio behavior; Trimethyltin (Gerbec, E.N.) **460**, 346

Turtle; Excitatory amino acid; *N*-Methyl-D-aspartic acid;

γ-Aminobutyric acid; Epilepsy (Larson-Prior, L.J.) **460**, 369

Buspirone; Ipsapirone; 8-Hydroxy-2-[N,N-dipropylamino]-tetralin; Serotonin; Cerebellum; Sciatic nerve (Hiner, B.C.) **461**, 1

Neuronal transmission; Gating mechanism; Theta-rhythm; Recurrent inhibition (Herreras, O.) **461**, 290

Neuronal transmission; Brain dialysis; Presynaptic inhibition; Cholinergic mechanism; Sensory input; Theta-rhythm (Herreras, O.) **461**, 303

Long-term potentiation; Synaptic plasticity; Calmodulin; Protein kinase C; Second messenger; Calmidazolium; K-252b; Protein phosphorylation (Reymann, K.G.) 461, 388

Development; N-Methyl-D-aspartic acid site; Quantitative autoradiography; Hippocampal membrane (Tremblay, E.) **461**, 393

N-Methyl-D-aspartate; Long-term potentiation; 3-[(±)-2-Carboxypiperazin-4-yl]-propyl-1-phosphonic acid; (+)-5-Methyl-10,11-dihydro-5H-dibenzo[a,d]cyclo-hepten-5,10-imine maleate; Field potential; Synaptic transmission (Abraham, W.C.) 462, 40

Kindling; Amygdala; MK-801; N-Methyl-D-aspartate; Anticonvulsant (Gilbert, M.E.) **463**, 90

AF64A; Cholinergic neurotoxin; Memory; Working/episodic memory; Acetylcholine; Medial septum (Chrobak, J.J.) 463, 107

Reptile; Lizard; Cerebral cortex; Horseradish peroxidase; Connection; Synapse; Timm; *Podarcis hispanica* (Lopez-Garcia, C.) **463**, 205

Adenosine; Non-synaptic; Brain slice; Flow rate (Fowler, J.C.) **463**, 368

Adenosine; Magnesium; Presynaptic inhibition; Epileptiform activity (Bartrup, J.T.) **463**, 374

Epilepsy; Neuron death; Kainic acid; Glutamate; Glucocorticoid; Stress; Metyrapone (Stein, B.A.) 473, 175

Physiology; Sodium valproate; Epilepsy; Post-tetanic potentiation; Bursting (Griffith, W.H.) 474, 155

Epilepsy; Seizure; Sprouting; Dentate mossy fiber; Kainic acid (Cronin, J.) **474,** 181

Burst; Kainate; 6-Cyano-7-nitroquinoxaline-2,3-dione; D-(-)-2-Amino-7-phosphonoheptanoic acid (Neuman, R.S.) **474**, 201

Glucocorticoid; Feedback; Adrenocorticotropin; Paraventricular nucleus (Kovács, K.J.) 474, 205

Noradrenaline; Microdialysis; Release;

In vivo; Neurotoxin; Tetrodotoxin (Kalén, P.) 474, 374

 α_2 -Adrenoceptor; Noradrenaline; Idazoxan; Microiontophoresis; Pyramidal neuron (Curet, O.) **475**, 35

Stress; *N*-Methyl-D-aspartate-receptor; Lactate; Glucose consumption (Schasfoort, E.M.C.) **475**, 58

Dopamine D1 receptor; SCH 23390; Quantitative autoradiography; Putamen; Senile dementia (Cortés, R.) 475, 164

Partial seizure; Kindling; Transfer; Premotor cortex; Basal ganglia (Ono, K.) 475, 182

Vasoactive intestinal polypeptide; Somatostatin; γ -Aminobutyric acid; Immunoreactivity; Epileptic mouse; Epilepsy (King, J.T.) **475**, 192

Histamine

Immunocytochemistry; Histaminergic fiber; Histidine decarboxylase; Median eminence; Hypophysis; Rat (Inagaki, N.) 439, 402

Tuberomammillary nucleus; Organotypic culture; Growth cone; Hypothalamus; Immunohistochemistry; Hippocampus (Reiner, P.B.) **442**, 166

Axon reflex; Flare; Wheal; Sweating; Substance P; Nicotine; Capsaicin (Izumi, H.) **449**, 328

H₁-Receptor; Phosphoinositide hydrolysis; Astrocyte; [³H]Mepyramine; Extracellular calcium (Arbonés, L.) **450**, 144

Neuroanatomical tracing; *Phaseolus vulgaris* leucoagglutinin; Double-label immunocytochemistry; Histidine decarboxylase; Preoptic area; Hypothalamus (Wouterlood, F.G.) **455**, 170

High-performance liquid chromatography; Ibotenic acid; Intrahypothalamic pathway; Frontal cortex; Hippocampus (Niigawa, H.) **459**, 183

Histamine H₁-receptor Antihistamine; Feeding; α-Fluoromethylhistidine; Ventromedial hypothalamus; Lateral hypothalamus; Paraventricular nucleus; Microinfusion (Sakata, T.) **441**, 403

Histaminergic fiber

Immunocytochemistry; Histidine decarboxylase; Histamine; Median eminence; Hypophysis; Rat (Inagaki, N.) 439, 402

Histidine decarboxylase

Immunocytochemistry; Histaminergic fiber; Histamine; Median eminence; Hypophysis; Rat (Inagaki, N.) 439, 402

Neuroanatomical tracing; *Phaseolus vulgaris* leucoagglutinin; Double-label immunocytochemistry; Histamine;

Preoptic area; Hypothalamus (Wouterlood, F.G.) 455, 170

Histidyl-proline diketopiperazine (cyclo(His-Pro))

Receptor binding; Ventromedial hypothalamic nucleus (VMH); Lesion; Somatostatin (Ogawa, N.) 451, 115

Histochemistry

Nicotinamide adenine dinucleotide phosphate (NADPH) diaphorase; Ultrastructure; Cat central nervous system (Mizukawa, K.) 452, 286

Peripheral nerve; Carbonic anhydrase; Cholinesterase; Nerve regeneration; Axotomy; Myelinated axon; Motor nerve fiber; Sensory nerve fiber (Riley, D.A.) 453, 79

Nicotinamide adenine dinucleotide phosphatase-diaphorase, reduced; Human brainstem; Cholinergic (Nakamura, S.) 455, 144

Nicotinamide adenine dinucleotide phosphate-diaphorase; Cerebral white matter; Cat (Mizukawa, K.) **461**, 274

Histocytochemistry

Immunochemistry; Štaphylococcal protein A; Immunoenzyme technique; Neurotransmitter; Peptide; Enkephalin; Tyrosine hydroxylase (Correa, F.M.A.) 448, 192

Axoplasmic flow; Electron microscopy; Ventral root; Spinal cord; Motor neuron; Ranvier's node; Initial axon segment (Berthold, C.-H.) **456**, 293

Histofluorescence

Catecholamine; Aplysia; Buccal ganglion (Rathouz, M.M.) 458, 170

Histological tecniques

Quantitative receptor autoradiography; Protein determination; Computerized image processing (Miller, J.A.) 447, 60

Histopathology

Spinal cord injury; Trauma; Thyrotropin-releasing hormone (TRH) analog; Neurological recovery; Somatosensory-evoked response (Faden, A.I.) 448, 287

Homocysteate

Respiratory bulbospinal neuron; Antidromic latency; Amino acid; γ-Aminobutyric acid (GABA); Glycine; Glutamate; Medulla; Cat (Grelot, L.) 443, 27

D,L-Homocysteate

Defence; Aggression; Midbrain periaqueductal grey region; Excitatory amino acid; Aspartate; Kainate; Cat (Bandler, R.) 439, 95

L-Homocysteate

Uptake; (\pm) - β -Parachlorophenyl-glutamate; N-Methyl-D-aspartate; Neocortex; Intracellular recording; In vitro (Zeise, M.L.) **443**, 373

DL-Homocysteic acid Bötzinger complex; Respiratory activity; Breathing pattern; L-Glutamate; Phrenic nerve activity; Expiratory muscle (Bongianni, F.) 445, 254

L-Homocysteic acid

Purkinje neuron; Microiontophoresis; N-Methyl-D-aspartic acid; Excitatory amino acid antagonist (Lee, M.) **456**, 104

Homocysteine

Glutamic acid; Glutamic acid diethyl ester; Excitatory amino acid; Seizure; Quisqualate; Diethyl glutarate (Freed, W.J.) **459**, 157

Homogenate binding

Vasopressin; Central receptor; Peptide; Autoradiography (Lawrence, J.A.M.) 446, 212

Homogeneity

Percoll; Synaptosome; Biochemical marker; Electron microscopy; Morphology (Dunkley, P.R.) 441, 59

Homovanillic acid

Stress; Mouse; Genotype; Dopamine; Dihydroxyphenylacetic acid; 3-Methoxytyramine; Brain area (Cabib, S.) **441**, 153

Ketamine anesthesia; Striatum; Dopamine turnover; 3,4-Dihydroxyphenylacetic acid; Rat (Koshikawa, N.) 444, 394

Dopamine; Dihydroxyphenylacetic acid; 5-Hydroxyindoleacetic acid; Release; 6-Hydroxydopamine; Recovery of function; Amphetamine; Dialysis; Rotational behavior (Robinson, T.E.) **450**, 209

Dopamine; Frontal cortex; Antipsychotic drug (Mefford, I.N.) 475, 380

Horizontal cell

Photoreceptor; Cone; Synaptic transmission; Ethylenediaminetetra-acetic acid (EDTA); Ethyleneglycol-bis-(\$\beta\$-acetic acid (EGTA); Chelator; Calcium; Magnesium (Normann, R.A.) **443**, 95

Retina; Vision; Adaptation (Malchow, R.P.) 443, 222

Retina; Dopamine (Witkovsky, P.) 449, 332

Retina; Melatonin; Intracellular recording; Larval tiger salamander (Wiechmann, A.F.) **453**, 377

γ-Aminobutyric acid; Elasmobranch; Skate (Cohen, J.L.) **455**, 366

Hormone

Dehydroepiandrosterone; Dehydroepiandrosterone sulfate; Memory; Mouse; Retention; Steroid; Amnesia (Flood, J.F.) 447, 269

Hormone treatment

Thyrotropin-releasing hormone

receptor; Prolactin; Estradiol; Thyronine; Pituitary; Retina; Superior cervical ganglia (Sharif, N.A.) 449, 364

Horseradish peroxidase

Segmental lateral giant axon; Crayfish; Endo/exocytosis (Viancour, T.A.) **439,** 211

Primary sensory neuron; Synaptic bouton; Intracellular staining; Light microscope; Electron microscope; Lamprey (Christenson, J.) 440, 9

Cerebrospinal fluid absorption; Venous capillary; Choroid plexus; Circumventricular organ; Mouse (Hashimoto, P.H.) **440**, 149

Primary sensory neuron; Axonal injury; Dorsal root ganglion; Neuronal labeling; Neuron metabolism; Nerve anastomosis (Peyronnard, J.M.) 443, 295

Hippocampus; Hippocampal CA1; Cerebral cortex; Area TE; Inferotemporal cortex; Monkey (Iwai, E.) 444, 397

Great auricular nerve; Afferent fiber; Transganglionic transport (Liu, D.) 445, 205

Soma size; Oxidative enzyme activity; Motoneuron; Fast-twitch muscle; Slow-twitch muscle; Rat (Ishihara, A.) **446**, 195

Area postrema; Vasopressin; Urine output; Urine osmolality; Urine sodium excretion (Iovino, M.) 447, 178

Immunohistochemistry; Alkaline phosphatase; Trigeminal neuron; Choline acetyltransferase; Calcitonin gene-related peptide (Batten, T.F.C.) 447, 314

Adrenaline; Immunocytochemistry; Retrograde transport (Milner, T.A.) **448,** 205

Mesencephalic neuron; Periodontal ligament; Intra-axonal injection (Shigenaga, Y.) 448, 331

Neural control of respiration; Phrenic motor column; Neuroanatomy; Synaptic terminal; Axon collateral (Dick, T.E.) **449**, 201

Ventral paraflocculus; Afferent and efferent pathways; Superior colliculus; Deep cerebellar nucleus (Gayer, N.S.) **449**, 253

Transplantation; Serotonin; Hippocampus; Raphe; Immunocytochemistry; High-pressure liquid chromatography (Zhou, F.C.) **450,** 51

Somatotopic organization; Palatine afferent (Arvidsson, J.) 451, 197

Hippocampus; Pyramidal neuron; CA2; Septum; Lamellar organization;

Computer reconstruction (Tamamaki, N.) 452, 255

Wheatgerm agglutinin conjugate; Transneuronal transport; Tooth pulp afferent neuron (Turner, D.F.) **452**, 381

Nucleus tractus solitarii; Taste; Parabrachial nucleus; Hamster; Autoradiography (Travers, J.B.) 457, 1

Subthalamic nucleus; Primary somatosensory cortex; Secondary somatosensory nuclei; Wheat germ-agglutinated horseradish peroxidase; Rat (Canteras, N.S.) 458, 53

Interneuron; Excitatory postsynaptic potential; Somatosensory cortex; Intracellular study; Cat (Yamamoto, T.) **461**, 199

Electron microscopy; Primary afferent; Vibrissa; Rat (Renehan, W.E.) **462,** 396

Reptile; Lizard; Cerebral cortex; Hippocampus; Connection; Synapse; Timm; *Podarcis hispanica* (Lopez-Garcia, C.) **463**, 205

Horseradish peroxidase conjugated to wheat germ agglutinin

Choline acetyltransferase; *Phaseolus vulgaris* leucoagglutinin; Immunohistochemistry; Double labeling; Brainstem reticular formation; Sleep (Mitani, A.) **451**, 397

Entopeduncular nucleus; Lateral habenular nucleus; Thalamus; Electron microscopy; Cat (Tokuno, H.) **474**, 390

Horseradish peroxidase preparation

Purkinje cell dendrite; Purkinje cell axon; Developing kitten cerebellum; Organotypic culture; Explantation age; Golgi preparation; Computer microscope; Discriminant morphometric analysis (Calvet, M.-C.) 462, 334

Horseradish peroxidase staining Conduction velocity; Axonal diameter; Soma size; Cat pyramidal tract cell (Sakai, H.) 460, 1

Hot plate test

Pain; Anti-substance P anti-idiotypic antibody; Formalin test; Mouse (Calvino, B.) 460, 389

H-reflex

Agonist facilitation; Antagonist inhibition; Ankle dorsiflexion; Man (Kasai, T.) **447**, 389

5-HT receptor

Serotonin (5-HT); Ionophoresis; Nociception; Dorsal horn (El-Yassir, N.) **456**, 147

Human

Spinal cord; Serotonin; 5-Hydroxyindoleacetic acid;

Norepinephrine (Lacković, Z.) 443, 199

Antibody; Bovine; Monkey; Retina; Insulin receptor; Localization; Immunocytochemistry; Immunoelectron microscopy (Rodrigues, M.) **443**, 389

Astrocyte; Bromodeoxyuridine; Glial growth factor from bovine pituitary; Mitogen; Platelet-derived growth factor; Phorbol ester; Tissue culture (Yong, V.W.) 444, 59

Audio-motor reflex; Periodontal reflex; Masseter muscle; Masticatory motor control (Van der Glas, H.W.) 444, 284

Blindness; Positron emission tomography; Binocular deprivation; Visual cortex (Wanet-Defalque, M.-C.) **446.** 369

Muscular pain; Peripheral conditioning stimulation; Transcutaneous electrical nerve stimulation; Intramuscular electrical nerve stimulation; Vibration; Pain-inhibitory mechanism (Duranti, R.) 452, 66

Somatostatin; Amygdala; Alzheimer's disease; Immunohistochemistry; Basal forebrain (Mufson, E.J.) **453**, 117

Hypothalamus; Tyrosine hydroxylase; Vasopressin; Oxytocin (Li, Y.W.) **461,** 75

Human axon

Potassium channel; Inward rectification; Threshold; Electrotonus (Bostock, H.) **462**, 354

Human brain

Adrenergic receptor; Suicide; Quantitative autoradiography (Biegon, A.) 442, 199

Benzodiazepine receptor; Parkinson's disease; Progressive supranuclear palsy; Glutamic acid decarboxylase; [³H]Flunitrazepam (Maloteaux, J.-M.) **446.** 321

Sodium (Na⁺) channel; Saxitoxin; Tetrodotoxin; Quantitative autoradiography; Rat brain (Mourre, C.) **448**, 128

Alzheimer's disease; Protein kinase C; Neuronal degeneration; Phorbol ester; Phosphorylation (Cole, G.) **452**, 165

Desmethylimipramine; Autoradiography; Suicide (Gross-Isseroff, R.) **456**, 120

Leukotriene C_4 ; Leukotriene D_4 ; Leukotriene E_4 ; Prostaglandin $F_{2\alpha}$ (Simmet, T.) **456**, 344

1-(2-(Diphenylmethoxy)-ethyl)-4-(3-phenylpropyl)Piperazine (GBR-12935); Dopamine uptake site; Characteristics (Marcusson, J.) **457,** 122

α₂-Adrenoceptor; [³H]UK-14304; Autoradiography; Membrane binding (Pazos, A.) 475, 361

Human brain cortex

ETS proto-oncogene; Astrocytoma; Astrocyte (Amouyel, P.) **447**, 149

Human brainstem

Vagal complex; Cholinergic receptor; Solitary nucleus; Area postrema; Emesis (Hyde, T.M.) 447, 287

Nicotinamide adenine dinucleotide phosphatase-diaphorase, reduced; Histochemistry; Cholinergic (Nakamura, S.) 455, 144

Human central nervous system

Neurotensin(1–13); Nerve terminal; Principal olive; Neocerebellum; Development (Mailleux, P.) **456**, 199

Human cerebellum

Substance P; Immunofluorescence (Del Fiacco, M.) 446, 173

Human cortex

Glucocorticoid binding; Steroid receptor; [³H]Dexamethasone; Epilepsy (Sarrieau, A.) **442**, 157

Human extraocular muscle

Acetylcholine receptor; Endplate; Antigenic determinant; Myasthenia gravis; Anti-acetylcholine receptor antibody (Oda, K.) **449**, 337

Human fetal neocortex

Microtubule-associated protein 2; Development; Immunocytochemistry; Sensorimotor cortex; Prefrontal cortex; Interstitial neuron (Sims, K.B.) **449.** 192

Human fetal neuron

Neurite-promoting factor; Goldfish optic nerve (Finklestein, S.P.) 448, 346

Human fetus

Neural transplantation; Septum; Hippocampus; Acetylcholinesterase; Immunization (Nilsson, O.G.) **456**, 193

Human hippocampus

Aging; Senile dementia of the Alzheimer type; Excitatory aminoacid binding site; Mossy fiber plasticity (Represa, A.) 457, 355

Human neuroblastoma

Muscarinic receptor; Pertussis toxin; Phosphatidylinositol hydrolysis; SH-SY5Y cell line (Mei, L.) 447, 360

Neurotransmitter receptor; Adenylate cyclase; Inhibitory coupling; Receptor desensitization (Olasmaa, M.) 475, 291

Human olfactory bulb

Neuropeptide Y; Anterior olfactory nucleus; Interstitial neuron; Immunocytochemistry (Ohm, T.G.) 451, 295

Human postmortem brain

Serotonin-2 (5-HT₂) binding site; [³H]Ketanserin binding; Suicide; Depression; Antidepressant drug (Cheetham, S.C.) **443**, 272

γ-Aminobutyric acid; Benzodiazepine

binding site; Glutamic acid decarboxylase; Suicide; Depression; Antidepressant drug (Cheetham, S.C.) **460**, 114

Human temporal cortex

Cerebral biopsy; Glutaraldehyde; γ-Aminobutyrate; Immunocytochemistry; GABAergic nerve cell (Schiffmann, S.) 442, 270

Human visual system

Accessory optic system; Retinofugal pathway; Medial terminal accessory optic nucleus; Lateral terminal accessory optic nucleus; Dorsal terminal accessory optic nucleus; Interstitial nucleus of the superior fascicle, posterior fibers; p-Phenylene-diamine method; Oculomotor function (Fredericks, C.A.) 454, 116

Hunger-motivated behavior Brain glucose utilization; Zucker rat; Genetic obesity; Food deprivation

(Tsujii, S.) 475, 371

Huntington's disease Striatum; Kainic acid; Neural transplant; Locomotor behavior; Digiscan (Giordano, M.) 446, 183

Quinolinate; Kainate; Acetylcholinesterase; NADPH-diaphorase; Excitatory amino acid; Striatum; Cell culture (Koh, J.-Y.) 446, 374

Neuropeptide; Cerebellum; Neuropeptide Y; Substance P (Beal, M.F.) **454**, 393

L-Pyroglutamic acid; Neurotoxin hypothesis; Plasma; Cerebrospinal fluid; Brain (Uhlhaas, S.) **457**, 196

Striatal transplant; Muscarinic cholinergic receptor; Kainic acid; Behavioral recovery; Locomotor activity; Spontaneous alternation (Deckel, A.W.) 474, 27

Hybridization

Adenylate cyclase; β-Adrenoceptor; Neuropeptide; Receptor–effector coupling; Cell fusion; Membrane (Olasmaa, M.) 473, 29

Hydrocephalus

Spontaneous hypertension; Renal hypertension; Brain ventricle; Captopril; Spontaneously hypertensive rat; Intraventricular pressure (Ritter, S.) 450, 354

Hydrodynamics

Tubulin; Macromolecular complex; Polymerization; Postsynaptic density (LeVine, III, H.) **439**, 47

3α-Hydroxy-4-pregnen-20-one

Analgesia; Follicle stimulating hormone suppression; Steroid; γ-Aminobutyric acid; Opiate; Calcium channel antagonist; Benzodiazepine; Naloxone; Verapamil; Nifedipine; Ro 15-1788; Picrotoxin; Bicuculline; Tyr-MIF-1;

Morphine (Wiebe, J.P.) 461, 150

5-Hydroxyindole

Nucleus raphe magnus; Morphine; Voltammetry; Spinal cord (Rivot, J.P.) **446**, 333

Voltammetry; Morphine; Trigeminal nucleus caudalis; Dorsal horn; Spinal cord (Rivot, J.P.) **463**, 275

5-Hydroxyindoleacetic acid Spinal cord; Human; Serotonin; Norepinephrine (Lacković, Z.) 443, 199

Dopamine; Dihydroxyphenylacetic acid; Homovanillic acid; Release; 6-Hydroxydopamine; Recovery of function; Amphetamine; Dialysis; Rotational behavior (Robinson, T.E.) **450,** 209

Serotonin; Serotonin neurotoxin; Denervation tool; Central nervous system; Pigeon (Alesci, R.) **450**, 259

Serotonin; Cerebellum; Mutant mouse pcd; Purkinje cell (Ghetti, B.) 458, 367

Serotonin; Neurotoxicity; Amphetamine; Cerebrospinal fluid; (±)-3,4-Methylenedioxymethamphetamine (Ricaurte, G.A.) **474,** 359

3β-Hydroxysteroid dehydrogenase Retina; Steroid metabolism; 5α-Reductase (Lanthier, A.) **463**, 403

5-Hydroxytryptamine

Cerebral vessel; Immunohistochemistry; Noradrenaline; Coexistence; Sympathetic nerve; Superior cervical ganglion (Chang, J.-Y.) 438, 237

Neurotoxin; Nociception; Serotonin agonist; Receptor supersensitivity; Mouse (Eide, P.K.) 440, 42

Vesical pelvic ganglia; Cholinergic transmission; Synaptic inhibition; 5-HT_{1A} receptor subtype (Nishimura, T.) **442**, 399

Intrathecal; Noradrenaline; Posterior raphe nuclear complex; Antinociception; Rat (Clatworthy, A.) **455**, 300

Synaptosome; Serotonin; Volatile anesthetics; Ketamine; Narcotic (Martin, D.C.) 455, 360

5-Methoxy-N,N-dimethyltryptamine; Sex difference; Depression; Stress; Corticosterone; Open field activity; Food intake (Haleem, D.J.) 458, 339

Coexistence; Immunohistochemistry; Neurotransmitter; Nucleus raphe magnus; Rat (Millhorn, D.E.) **461**, 169

6-Hydroxydopamine

Catecholamine; Arg-vasopressin; Blood pressure (Franklin, L.) 438, 295

Dopamine; Neurotoxicity; 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP); Parkinson's disease (Ricaurte, G.A.) 438, 395

Locus ceruleus; Noradrenaline; Olfaction; Olfactory bulb; Castration; Psychophysics (Doty, R.L.) **444**, 95

Vasopressin; Spontaneously hypertensive rat; Renin; Converting enzyme inhibition (Sladek, C.D.) **445**, 39

Vasoactive intestinal peptide; Noradrenergic; Gonadotropin-releasing hormone; Luteinizing hormone; Pulsatile (Alexander, M.J.) 445, 247

Kindling; Amygdala; Microinfusion; Catecholamine; Cat (Uemura, S.) **448**, 162

Dopamine; Dihydroxyphenylacetic acid; Homovanillic acid; 5-Hydroxyindoleacetic acid; Release; Recovery of function; Amphetamine; Dialysis; Rotational behavior (Robinson, T.E.) **450**, 209

Rotation; Amphetamine; Apomorphine; Striatum; Lateralization (Glick, S.D.) **450**, 334

Micturition; Intrathecal injection; Capsaicin; *N*-Vanillylnonanamide; 5,6-Dihydroxytryptamine (Durant, P.A.C.) **451**, 301

Apomorphine; Stereotyped pecking; Nucleus basalis; Pigeon (Lindenblatt, U.) **453**, 1

Experimental epilepsy; Rat; Noradrenaline (Trottier, S.) **454**, 308

Serotonin; Acetylcholine; Dopamine; Striatum; In vitro; Release (Jackson, D.) **457**, 267

Sympathetic nervous system; Prevertebral ganglia; Paravertebral ganglia; Guanethidine; Nerve growth factor (Schmidt, R.E.) **460**, 214

Mazindol; Dopamine axon; Acetylcholinesterase; Mesostriatum (O'Dell, S.J.) **460**, 402

Dopamine; Striatum; Electrophysiology; Behavioral recovery (Nisenbaum, E.S.) **473**, 389

 α -Adrenoceptor; β -Adrenoceptor; Noradrenaline; Rat dorsal hippocampus; Pyramidal neuron; Locus ceruleus (Curet, O.) **475**, 47

6-Hydroxydopamine lesion D₁-Receptor; Cyclic adenosine monophosphate; Autoradiography (Ariano, M.A.) **443**, 204

Nigrostriatal bundle; Dopamine release; Brain dialysis (Zhang, W.Q.) **461**, 335

8-Hydroxy-2-[N,N-dipropylamino]-tetralin

Buspirone; Ipsapirone; Serotonin; Hippocampus; Čerebellum; Sciatic nerve (Hiner, B.C.) 461, 1

N-Hydroxyethylpiperazine-N-ethane sulfonic acid (HEPES)

Fictive locomotion; Spinal cord; Lamprey; Biological buffer (Burton, N.R.) **440**, 159

Hyperactivity

Animal model; Learning deficit; Memory deficit; Open field; Passive avoidance; Recent memory disturbance; T-maze; Senescence accelerated mouse (Yagi, H.) 474, 86

Borna disease; Neurotransmitter; Neuronal transcript; Limbic system dysfunction; Aggression (Lipkin, W.I.) 475, 366

Hyperalgesia

Nociceptor; Pain; Itch; Chemoreceptor; C-fiber; Neurophysiology; Ephapse; Gap junction (Meyer, R.A.) 441, 81

Nociceptor; Pain; Sensitization; Unmyelinated fiber; Axon reflex (Meyer, R.A.) 441, 168

Antinociception; Bicuculline; γ-Aminobutyric acid; Nucleus raphe magnus; Nucleus reticularis gigantocellularis pars alpha; 4,5,6,7-Tetrahydroisoxazolo[5,4-c]-pyridin-3-ol (Drower, E.J.) **450**, 316

Opioid peptide; Messenger ribonucleic acid; Dorsal horn; Inflammation; Dynorphin A(1-8) (Iadarola, M.J.) **455**, 205

Pain; Bradykinin; Noradrenaline; Arachidonic acid; SC-19220; Prostaglandin antagonist; Analgesia (Taiwo, Y.O.) **458**, 402

Hyperargininemia

 α -Keto- δ -guanidinovaleric acid; Convulsant; γ -Aminobutyric acid-response; Glycine-response; Epileptogenicity; Primary dissociated neuronal cell culture (De Deyn, P.P.) **449**, 54

Hyperbaric oxygenation Peripheral nerve; Hypoxia; Blood-nerve barrier; Rat (Schmelzer, J.D.) 473, 321

Hyperexcitability

Dorsal root ganglion cell; Membrane calcium conductance; Membrane potassium conductance; Opioid tolerance (Crain, S.M.) 455, 99

Hyperglycemia

Electroconvulsive shock; C57BL/6J ob/ob mouse; C57BL/KsJ db/db mouse; Weight; Body temperature; Diabetes (Nutt, D.J.) 448, 377

Thyrotropin-releasing hormone; Thyrotropin-releasing hormone analog; Glucagon; Hypophysectomy; Mouse (Amir, S.) **455**, 201

Thyrotropin-releasing hormone; Anti-thyrotropin-releasing hormone antibody; 2-Deoxyglucose; Mouse (Amir, S.) **462**, 160 Hyperoxia

Oxygen; Brain metabolism; Oxygen poisoning; Glucose utilization; Autoradiography; 2-Deoxyglucose (Torbati, D.) **459**, 187

Hyperpolarization

Somatostatin; Hippocampus; CA1 pyramidal neuron (Watson, T.W.J.) 448, 40

Accommodation; A-current; Cadmium; Pars compacta neuron; Substantia nigra (Fujimura, K.) 475, 177

Hyperpolarizing afterpotential Sympathetic ganglion cell; Antibiotic; M-current; Ganglion cell depolarization; Clindamycin (Konopka, L.M.) 458, 269

Hyperpolarizing pulse

Primary sensory neuron; Touch; Pressure; Nociception; Lamprey (Christenson, J.) 440, 1

Hyperprolinemia

Proline; Hippocampus; Excitotoxin; Quinolinic acid; Kynurenic acid; N-Methyl-D-aspartic acid (Nadler, J.V.) **456**, 168

Hypertension

α₁-Adrenergic receptor; Photoaffinity;
 Hypothalamus; Neuronal culture
 (Bottiglieri, D.F.) 439, 187

Anteroventral third ventricle; Nucleus tractus solitarius; Vasopressin; Blood pressure; Hypothalamus (Catelli, J.M.) **439**, 330

Neuropeptide Y; Adrenergic; Cerebral vessel; Perivascular nerve; Spontaneously hypertensive rat; Superior cervical ganglion (Dhital, K.K.) 444, 33

 α_2 -Adrenoceptor; Hypothalamus; Spontaneously hypertensive rat; Salt sensitivity; Calcium (Klangkalya, B.) **451,** 77

Defence reaction; Midbrain periaqueductal grey; Subretrofacial nucleus; Rostral ventrolateral medulla; Excitatory amino acid; Blood pressure (Carrive, P.) **460**, 339

Autoradiography; Brain nucleus; Renin angiotensin system; Angiotensin converting enzyme; Receptor; Atriopeptin; Atrial natriuretic factor (Nazarali, A.J.) 475, 134

Hypertension, genetic

Sympathetic ganglion; Deafferentation; Neuropeptide receptor; Renin angiotensin system; Autoradiography (Pinto, J.E.B.) 475, 146

Hypocalcemia

Calcium; Brain; Cerebrospinal fluid; Choroid plexus; Transport; Blood-brain barrier (Murphy, V.A.) **454,** 315

Hypocapnia

Capillary recruitment; Cerebral

circulation; Cerebrovascular function; Cerebral blood flow (Shockley, R.P.) **454,** 170

Hypoglossal

Phrenic; Recurrent laryngeal; Inspiratory neuron; Power spectra; Coherence spectra (Sica, A.L.) 440, 370

Hypoglossal afferent

Lingual reflex; Tongue proprioception (Zapata, P.) 445, 19

Hypoglossal motor nucleus

Medullary swallowing interneuron (unitary activity); Parvocellular reticular formation; Retrograde transport of horseradish peroxidase; Sheep (Amri, M.) 441, 119

Hypoglycemia

Hippocampal; Granule cell; Evoked activity; Excitability (Cox, D.W.G.) **440**, 195

Dextrorphan; Levorphanol; Dextromethorphan; N-Methyl-D-aspartic acid (NMDA); Neurotoxicity; Cortex; Cell culture; Opioid (Monyer, H.) 446, 144

Thyrotropin-releasing hormone; Thyrotropin-releasing hormone analog; Protein kinase C; 12-O-Tetradecanoylphorbol-13-acetate; 4-a-Phorbol; Central nervous system; Mouse (Amir, S.) 450, 369

Cerebrospinal fluid; β -Endorphin; Catecholamine; Adrenocorticotropic hormone; Cortisol; Insulin; Conscious dog (Radosevich, P.M.) **458**, 325

Cerebral blood flow; Chronic hypoglycemia; Insulin; Rat; Iodoantipyrine (Bryan, R.M.) 475, 397

Hypophyseal portal blood

Ethanol; Luteinizing hormone-releasing hormone (LH-RH); Luteinizing hormone (LH); Follicle-stimulating hormone (Ching, M.) 443, 325

Hypophysectomy

Benzodiazepine receptor; Adrenalectomy; Steroid; Corticosterone (Miller, L.G.) **446**, 314

Thyrotropin-releasing hormone; Thyrotropin-releasing hormone analog; Glucagon; Hyperglycemia; Mouse (Amir, S.) **455**, 201

Hypophysis

Immunocytochemistry; Histaminergic fiber; Histidine decarboxylase; Histamine; Median eminence; Rat (Inagaki, N.) 439, 402

Hypothalamic defensive attack Caerulein; Haloperidol; Dopamine; Synergy; Chronic cat (Maeda, H.) 459, 351

Hypothalamic development

Hypothalamic luteinizing hormone-releasing hormone; Intracellular Ca²⁺; Prostaglandin E₂; Cyclic adenosine monophosphate; Female puberty (Ojeda, S.R.) **441**, 339

Hypothalamic knife cut

Luteinizing hormone; Luteinizing hormone releasing hormone; Neuronal sprouting (Phelps, C.P.) **454**, 188

Hypothalamic luteinizing hormone-releasing hormone
Intracellular Ca²⁺; Prostaglandin E₂;
Cyclic adenosine monophosphate;
Hypothalamic development; Female puberty (Ojeda, S.R.) 441, 339

Hypothalamic neuron

Calcium channel; Dihydropyridine; c -Conotoxin; Protein kinase C; 12-O-Tetradecanoyl-phorbol-β acetate; Thyroliberin release; Primary culture (Loudes, C.) **456**, 324

Hypothalamic slice

Interferon-α; Thermosensitive neuron; Naloxone; Sodium salicylate; Preoptic hypothalamus; Anterior hypothalamus; Fever (Nakashima, T.) **454**, 361

Dye coupling; Lucifer yellow; Intracellular recording (Yang, Q.Z.) 463, 47

Hypothalamic temperature

Sulcal prefrontal cortex; Scrotal skin temperature; Thermoregulation (Shibata, M.) 443, 37

Hypothalamic transection

Locus coeruleus; Medial preoptic nucleus; Luteinizing hormone (LH); Luteinizing hormone-releasing hormone (LH-RH); Stimulation; Locus coeruleus decussation (Gitler, M.S.) 447, 205

Hypothalamo-neurohypophysial system

Regeneration; Leptomeninges; Fine structure; Neurophysin immunohistochemistry (Dellmann, H.-D.) **450**, 181

Hypothalamus

Motor cortex; Intracellular recording; Monkey; Intracranial self-stimulation; Afterhyperpolarization (Aou, S.) **439,** 31

Dopaminergic; Immunocytochemistry; Neonate; Dendrite; Tanycytic process (Piotte, M.) 439, 127

 α_1 -Adrenergic receptor; Hypertension; Photoaffinity; Neuronal culture (Bottiglieri, D.F.) **439**, 187

Anteroventral third ventricle; Nucleus tractus solitarius; Hypertension; Vasopressin; Blood pressure (Catelli, J.M.) 439, 330

Aromatase; 5α-Reductase; 5β-Reductase; Testosterone; Brain development; Sex dimorphism (Schumacher, M.) 441, 98

Periventricular nucleus; Somatostatin neuron; Serotoninergic terminal; Synaptic connection (Kiss, J.) **442**, 23 Histamine; Tuberomammillary nucleus; Organotypic culture; Growth cone; Immunohistochemistry; Hippocampus (Reiner, P.B.) 442, 166

Acute starvation; Chronic starvation; β_2 -Adrenergic receptor; Cortex; Lymphocyte (Lonati-Galligani, M.) **442**, 329

Estradiol binding site; Bethanechol; Atropine sulfate; Sex difference (Lauber, A.H.) 443, 21

Corticotropin-releasing factor (CRF); Grooming behavior; Behavior-CRF (Krahn, D.D.) 443, 63

Immunocytochemistry; γ-Aminobutyric acid; Enkephalin; Guinea pig (Beauvillain, J.C.) **443**, 315

Arterial pressure; Bicuculline; Cat; Electromyographic activity; γ-Aminobutyric acid; Heart rate; Muscimol; Phrenic nerve (Waldrop, T.G.) **444**, 84

Female monkey; Sexual behavior; Proceptivity; Electrical stimulation (Koyama, Y.) **446**, 199

γ-Aminobutyric acid (GABA); γ-Aminobutyric acid antiserum; Immunohistochemistry; Rat; Pituitary gland (Sakaue, M.) **446**, 343

Neuropeptide Y; Elasmobranch fish; *Scyliorhinus*; Immunohistochemistry; High-performance liquid chromatography; Radioimmunoassay (Vallarino, M.) **448**, 67

Muscarinic receptor; Preoptic area; Estrous cycle; Estradiol; Sex differences; Rat (Olsen, K.L.) 448, 223

Rat; Locomotion; Exploration; Flight; Electrical brain stimulation; Discriminant analysis; Mapping (Lammers, J.H.C.M.) 449, 294

Rat; Aggression; Teeth-chattering; Social grooming; Electrical brain stimulation; Discriminant analysis; Mapping (Lammers, J.H.C.M.) 449, 311

Brain slice; [D-Ala²,NMePhe⁴,Gly-ol⁵]Enkephalin; Guinea pig; Lucifer yellow; μ-Opioid receptor (Charpak, S.) **450**, 124

Bromocriptine; Cerebellum; Cerebral cortex; Glial cells; Neural cells; Pons-medulla; Prolactin; Monkey (Kumaran, B.) 450, 325

Luteinizing hormone-releasing hormone; Morphine; Opioid neuron; Naloxone (Mehmanesh, H.) **451**, 69

 α_2 -Adrenoceptor; Hypertension; Spontaneously hypertensive rat; Salt sensitivity; Calcium (Klangkalya, B.) **451**, 77

Luteinizing hormone-releasing hormone (LH-RH); Messenger RNA (mRNA); Testosterone; RNA-blot hybridization (Park, Y.) 451, 255

Tract tracing; Steroid autoradiography; Limbic system; Ventromedial nucleus; Medial amygdala; Reproduction (Akesson, T.R.) **451**, 381

Nuclear estrogen receptor; Antiestrogen; Heparin; DNA intercalator (Etgen, A.M.) 452, 1

Testosterone; Estradiol; Aromatization; Primate; Amygdala; Preoptic area; Pituitary gland (Rees, H.D.) **452**, 28

Enkephalin; Immunocytochemistry; α -Melanocyte-stimulating hormone; Metorphamide; Opiate; Peptide; Pro-opiomelanocortin; Zona incerta (Merchenthaler, I.) **452**, 87

Raphe; Blood pressure; Defense response; Periaqueductal gray; Intermediolateral horn (Haselton, J.R.) **453,** 176

Neuroanatomical tracing; *Phaseolus vulgaris* leucoagglutinin; Double-label immunocytochemistry; Histamine; Histidine decarboxylase; Preoptic area (Wouterlood, F.G.) **455**, 170

Thyrotropin-releasing hormone (TRH); Precursor; Rat; Olfactory lobe; Radioimmunoassay; High-performance liquid chromatography (HPLC) (Wu, P.) **456**, 22

Brain cell culture; Corticotropin-releasing factor (CRF); Receptor; Extrahypothalamic brain; Regulation (Kapcala, L.P.) **456**, 159

Neuropeptide Y; Paraventricular hypothalamic nucleus; Gastric acid secretion; Microinjection; Peptide; Central nervous system; Rat (Humphreys, G.A.) **456**, 241

Neuropeptide Y; Adrenergic transmitter; Coexistence; Projection; Feeding (Sahu, A.) 457, 376

α-Melanocyte-stimulating hormone; Dopamine; Rat; Superfusion; Apomorphine; Flupenthixol (Tiligada, E.) **457**, 379

Zona incerta; Subthalamic nucleus; Cardiovascular control; Autonomic nervous system; L-Glutamate; Autoradiography (Spencer, S.E.) 458, 72

Stress; Oxytocin; Vasopressin; Pituitary; Pons-medulla; Spinal cord (Miaskowski, C.) **458**, 137

Genetically obese Zucker rat; Somatostatin (DonCarlos, L.L.) 458, 372

Estrogen receptor; Zebra finch; Song system; Aromatization inhibitor (Walters, M.J.) **459**, 37

Opioid peptide; Water intake; Opioid receptor subtype; D-Ala²-NMePhe⁴-Gly(ol)-Enkephalin; D-Pen², L-Pen⁵]Enkephalin;

Dynorphin A₁₋₁₃; Paraventricular nucleus; Supraoptic nucleus (Ukai, M.) **459**, 275

Monoamine; Catecholamine turnover; Steroid; Vocal control system; Zebra finch (Barclay, S.R.) **459**, 333

Ammon's horn; Hippocampus; Dentate gyrus; Supramammillary nucleus; Non-pyramidal neuron; Cat; Wheat germ-agglutinated horseradish peroxidase (Ino, T.) **460**, 173

Human; Tyrosine hydroxylase; Vasopressin; Oxytocin (Li, Y.W.) **461,** 75

Corticotropin-releasing factor; Immunoreactivity; Adrenocorticotropic hormone; Median eminence; Anisomycin; Stress (Haas, D.A.) **461,** 230

Adrenaline; Estradiol; Luteinizing hormone; Luteinizing hormone-releasing hormone; Naloxone; Noradrenaline; Opioid; Progesterone (Crowley, W.R.) **461**, 314

Interleukin-2; Monoclonal antibody; Neuronal discharge (Bindoni, M.) **462,** 10

Arcuate nucleus; Dorsomedial hypothalamus; Ventromedial hypothalamus; Immunoreactive dynorphin A; Immunoreactive dynorphin B; Pituitary gland; Radiofrequency lesion (Spampinato, S.) **463**, 100

Sexual behavior; Masculine sexual arousal; Copulatory mechanism; Marmoset (Lloyd, S.A.C.) 463, 317

Progestin receptor; Guinea pig; Immunocytochemistry; Sex steroid hormone; Estradiol (Blaustein, J.D.) 474, 1

Adenosine deaminase; Striatum; Substantia nigra; Tuberomammillary nucleus; Immunohistochemistry; Fluorescence retrograde tracing (Yamamoto, T.) **474**, 112

Brain slice; cAMP; Circadian rhythm; Oscillator; Pacemaker; Phase-shift; Suprachiasmatic nuclei (Gillette, M.U.) 474, 348

Acute phase response; Leukocytosis; Neutrophilia; Endogenous pyrogen; Interleukin-1 (Morimoto, A.) 475, 345

Hypothermia

Stress-induced analgesia; Genetic difference; Opiate receptor; Naloxone (Marek, P.) 447, 188

Hypothyroidism

Pineal; Thyroxine 5'-deiodinase; Rat; Rhythm; β-Adrenergic (Murakami, M.) 438, 366

Hypoxia

Acidosis; Cornu ammonis area 1 population spike; Hippocampal slice;

Lactate (Schurr, A.) 438, 311

Cerebral blood flow (CBF); Somatosensory evoked potential (SEP); Thalamocortical conduction time (Coyer, P.E.) **441**, 145

Carotid body; Potassium; Calcium; Dopamine; Acetylcholine; Sympathetic stimulation; Cyanide (O'Regan, R.G.) **445**, 268

Carotid body; Immunocytochemistry; Development; Cat; Neurotransmitter (Scheibner, T.) **453**, 72

Hippocampal slice; CA1; Neuronal Injury; In vitro (Fairchild, M.D.) **453**, 357

Phosphoinositide; Free fatty acid; Triacylglycerol; Energy metabolism (Ikeda, M.) **459**, 344

Isolated spinal cord; Synaptic transmission; Adenosine; Neonatal rat (Lloyd, H.G.E.) **462**, 391

Hyperbaric oxygenation; Peripheral nerve; Blood-nerve barrier; Rat (Schmelzer, J.D.) 473, 321

Hypoxia-ischemia

Central nervous system; Development; Excitatory amino acid; Glutamate; Neurotoxicity; N-Methyl-D-aspartate; Rat (McDonald, J.W.) 459, 200

I

Ia afferent

Excitatory postsynaptic potential (EPSP); Potentiation; Synaptic facilitation; Motoneuron (Collins, III, W.F.) **442**, 161

Ibotenate infusion

Mediodorsal thalamic nucleus; Caudate-putamen complex; Dopamine utilisation; Prefrontal cortex lesion (Jones, M.W.) 475, 8

Ibotenic acid

Histamine; High-performance liquid chromatography; Intrahypothalamic pathway; Frontal cortex; Hippocampus (Niigawa, H.) **459**, 183

IBZM

[125I]3-Iodobenzamide; In vivo binding; Receptor D₂; Single photon emission computerized tomography; LY-171555; YM-09151-2; Neuroleptic (Singhaniyom, W.) **453**, 393

Idazoxan

 α_2 -Adrenoceptor; Forebrain; Hindbrain; Up-regulation (Yakubu, M.A.) **463**, 289

 α_2 -Adrenoceptor; Hippocampus;

Noradrenaline; Microiontophoresis; Pyramidal neuron (Curet, O.) 475, 35

Identified neuron

Intracellular staining; Hexamminecobaltic chloride; Ultrastructure; Mitochondrion; Synapse; Insect ocellus (Littlewood, P.M.H.) 445, 165

Ileum

Muscarinic cholinergic receptor; Heterogeneity; Rat cerebral cortex; Heart; Himbacine (Wang, J.-x.) 446, 155

Image analysis

Nicotine; Dopamine; Substantia nigra; Striatum; Lesion; Rat brain; Immunohistochemistry; Tyrosine hydroxylase; Protection; Quantitative receptor autoradiography (Janson, A.M.) 455, 332

Imidazole binding site

Clonidine; Clonidine-displacing substance; Medulla oblongata; Ventrolateral medulla; Receptor binding; *p*-[³H]Aminoclonidine; *a*-Adrenergic receptor (Ernsberger, P.) **441.** 309

Iminodipropionitrile

Spasmodic dyskinesia; Serotonin; Striatum; Nucleus accumbens; Brainstem (Cadet, J.L.) 456, 371

Immature nervous system

Hippocampal slice; CA1 pyramidal cell; Temperature sensitivity (Shen, K.-f.) 475, 305

Immune system

Lymphocyte responsiveness; Handedness (Neveu, P.J.) 457, 392

Immunization

Neural transplantation; Human fetus; Septum; Hippocampus; Acetylcholinesterase (Nilsson, O.G.) **456,** 193

Immunochemistry

Histocytochemistry; Staphylococcal protein A; Immunoenzyme technique; Neurotransmitter; Peptide; Enkephalin; Tyrosine hydroxylase (Correa, F.M.A.) 448, 192

Immunocytochemical staining

Dopamine β -hydroxylase; Antibody; Rat retina; Interspecies cross-immunoreactivity; Radioenzymatic assay (Park, D.H.) **460**, 352

Immunocytochemistry

Neuron; Cell culture; Neurofilament; Aluminum; Tangle; Rat brain hemisphere (Langui, D.) 438, 67

Carnosine; Olfactory bulb; Neurotransmitter; Rat (Sakai, M.) 438, 335

Dopaminergic; Hypothalamus; Neonate; Dendrite; Tanycytic process (Piotte, M.) **439**, 127 Mouse; Rat; Somatosensory cortex; Barrel; Vibrissa; Anti-γ-aminobutyric acid (anti-GABA) serum (Chmielowska, J.) **439**, 155

Neuropeptide Y, Suprachiasmatic nucleus; Lateral geniculate nucleus; Electron microscopy; Rat (Ibata, Y.) **439**, 230

Histaminergic fiber; Histidine decarboxylase; Histamine; Median eminence; Hypophysis; Rat (Inagaki, N.) 439, 402

Calcitonin gene-related peptide; Calcitonin; Vagus nerve; Myelinated nerve; Unmyelinated nerve (Kakudo, K.) **440**, 153

β-Nerve growth factor; Receptor (Dawbarn, D.) **440**, 185

Anticonvulsant; Herpes simplex encephalitis; Herpes simplex virus; Neurovirulence; Seizure disorder (Schlitt, M.) 440, 293

Protein 36; Rat brain; Pyramidal cell; Cortex; Two-dimensional gel electrophoresis (Fukuda, T.) 441, 185

Cerebral cortex; Dopamine innervation; Ultrastructure; Synaptic relationship (Séguéla, P.) 442, 11

Glycine; Anti-glycine antibody; Glycinergic neuron; Auditory pathway; Vestibular ganglion (Aoki, E.) **442**, 63

Calbindin-27 kDa; Pineal transducer; Retinal cone; Calcium (Roman, A.) 442, 33

Human temporal cortex; Cerebral biopsy; Glutaraldehyde; γ-Aminobutyrate; GABAergic nerve cell (Schiffmann, S.) **442**, 270

Calcitonin gene-related peptide (CGRP); Substance P (SP); Cat; Intraepidermal nerve fibers (Alvarez, F.J.) **442**, 391

γ-Aminobutyric acid; Enkephalin; Hypothalamus; Guinea pig (Beauvillain, J.C.) **443**, 315

Serotonin; Nucleus raphe magnus; Pain modulation; Descending control; Ultrastructure; Periaqueductal gray (Lakos, S.) 443, 383

Antibody; Bovine; Monkey; Human; Retina; Insulin receptor; Localization; Immunoelectron microscopy (Rodrigues, M.) **443**, 389

Muscarinic receptor; Guinea pig myenteric neuron; Neuropeptide; Autoradiography (Buckley, N.J.) 445, 152

Atrial natriuretic factor; Sodium nitroprusside; Cyclic guanosine monophosphate (GMP); Hippocampus; Rat (De Vente, J.) 446, 387

Somatostatin; Cerebral cortex; Lizard; Reptile (Dávila, J.C.) 447, 52

Substance P; γ-Aminobutyric acid; Retina; Amacrine cell; Cat; Colocalization (Pourcho, R.G.) **447**, 164

Somatostatin; Dorsal reticulospinal tract; Nucleus gigantocellularis; Nucleus raphe magnus (Bowker, R.M.) **447**, 398

Adrenaline; Horseradish peroxidase; Retrograde transport (Milner, T.A.) **448**, 205

Retina; Retinopetal fiber; Molluscan cardioexcitatory peptide (FMRFamide); Frog; Nervus terminalis; Lesion (Wirsig-Wiechmann, C.R.) 449, 116

Microtubule-associated protein 2; Human fetal neocortex; Development; Sensorimotor cortex; Prefrontal cortex; Interstitial neuron (Sims, K.B.) **449**, 192

Transplantation; Serotonin; Hippocampus; Raphe; Horseradish peroxidase; High-pressure liquid chromatography (Zhou, F.C.) **450**, 51

Serotonin; Spinal cord; Traumatic injury; Paraplegia (Faden, A.I.) **450**, 94

Melanin concentrating hormone; α-Melanocyte-stimulating hormone; Central nervous system; *Locusta* migratoria (Schoofs, L.) **450**, 202

Glycine; γ -Aminobutyric acid; Colocalization; Rat; Cerebellum (Ottersen, O.P.) **450**, 342

Substance P; Lateral parabrachial area; Central amygdaloid nucleus; Projection; Coexistence; Calcitonin gene related peptide; Double-staining method (Yamano, M.) **451,** 179

Neuropeptide Y; Human olfactory bulb; Anterior olfactory nucleus; Interstitial neuron (Ohm, T.G.) **451**, 295

L-Dihydroxyphenylalanine; Glutaraldehyde; Antibody; Rat brain; Substantia nigra; Locus ceruleus; Striatum; Enzyme-linked immunosorbent assay (Mons, N.) 451, 403

Enkephalin; Hypothalamus; α-Melanocyte-stimulating hormone; Metorphamide; Opiate; Peptide; Pro-opiomelanocortin; Zona incerta (Merchenthaler, I.) **452**, 87

Protein kinase; Synaptic membrane glycoprotein; Tissue culture; Synaptosome; Rat brain; Synaptic differentiation; Two-dimensional, renaturing gel electrophoresis; Western blotting (Lasher, R.S.) 452, 184

Calcium binding protein; Basal ganglia; Caiman crocodilus (Brauth, S.E.) **452**, 367

Carotid body; Development; Cat; Neurotransmitter; Hypoxia (Scheibner, T.) **453**, 72

Serotonin; Receptor, 5-HT₂; Serotonergic axon; Dorsal raphe; Cerebral cortex; Receptor binding; Autoradiography (Blue, M.E.) **453**, 315

Acetylcholine; Cortical microvessel; Choline acetyltransferase; Neurotransmitter release; γ-Aminobutyric acid; High-performance liquid chromatography; Electron microscopy (Arnerić, S.P.) 454, 11

Neuron specific enolase; Alzheimer's disease (Allen, S.J.) 454, 275

Glutamate; Asymmetric synapse; Somatic sensory cortex; Visual cortex; Cat (Defelipe, J.) **455**, 162

First somatosensory cortex; Second somatosensory cortex; Glutamic acid decarboxylase; γ-Aminobutyric acid; Monkey (Chudler, E.H.) **456**, 57

Brain injury; Reactive astrocyte proliferation; Newborn rat; Glial fibrillary acid protein; Autoradiography (Janeczko, K.) **456**, 280

Astrocyte; Glial fibrillary acidic protein; Arcuate nucleus; Hippocampus; Globus pallidus; Estradiol; Testosterone; Sex difference (Garcia-Segura, L.M.) 456, 357

Neurofilament protein; Purkinje cell; Monoclonal antibody (Langley, O.K.) **457,** 12

γ-Aminobutyric acid; Glutamic acid decarboxylase; Inhibition; Local circuit neuron; Relay cell; Reptile; Thalamus (Pritz, M.B.) 457, 154

Rat; Retina; γ-Aminobutyric acid; Gabaculine; Müller cell (Cubells, J.F.) **458**, 82

Caudate-putamen; Nucleus accumbens; Dopamine; Glia; Norepinephrine; Synapse; Catecholamine (Aoki, C.) **459**, 205

Nucleus of the tractus solitarius; Phenylethanolamine N-methyltransferase; Parabrachial nucleus; Adrenaline (Kawai, Y.) **459**, 369

Locus ceruleus; Vasopressin; Noradrenaline; Coexistence (Caffé, A.R.) **459**, 386

FMRFamide; Pineal organ; Retina; Nucleus nervus terminalis; Nucleus olfactoretinalis; Teleost fish (Ekström, P.) **460**, 68

Periaqueductal gray; Thyrotropin-releasing hormone; Prohormone; Neuropeptide (Van den Bergh, P.) **461**, 53

Substantia nigra; Neostriatum;

Glutamic acid decarboxylase; Striatonigral projection; γ-Aminobutyric acid; γ-Aminobutyric acid synapse; Degeneration (Nitsch, C.) **461**, 127

Optic gland; Phe-Met-Arg-Phe-NH₂; Mollusca; *Sepia officinalis* (Le Gall, S.) **462,** 83

Glutamate; Cortico-cortical connection; Somatic sensory cortex; Monkey (Conti, F.) **462**, 148

Auditory system; Spiral ganglion; T II neuron; Neurofilament subunits; Rat (Romand, R.) 462, 167

C-flanking peptide of neuropeptide Y (C-PON); NADPH-diaphorase; Enzyme histochemistry; Striatum; Rat (Villalba, R.M.) 462, 359

Neonatal treatment; Vasopressin; Vasopressin antagonist; Sexual behavior; Development; Radioimmunoassay (Meyerson, B.J.) 473, 344

Progestin receptor; Guinea pig; Sex steroid hormone; Estradiol; Hypothalamus (Blaustein, J.D.) 474, 1

γ-Aminobutyric acid; Glutamic acid decarboxylase; Somatosensory cortex; Rat (Spreafico, R.) 474, 192

Motor neurone disease; Neurofilament triplet protein; Neuropeptide; Onuf's nucleus; Radioimmunoassay; Sacral spinal cord (Gibson, S.J.) 474, 255

Vasopressin; Accurel; Binding site; Blood vessel; Brattleboro rat; Blood-brain barrier (Van Zwieten, E.J.) 474, 369

Dynorphin; Calcitonin gene-related peptide; Spinal cord; Rat; Nociception (Takahashi, O.) 475, 168

Calmodulin; Peripheral nerve; Axon; Schwann cell; Schmidt-Lanterman cleft (Mata, M.) 475, 297

Schizophrenia; Alzheimer's disease; Neurofilament; Phosphorylation; Neuronal tangle (Poltorak, M.) 475, 328

Immunoelectron microscopy Antibody; Bovine; Monkey; Human; Retina; Insulin receptor; Localization; Immunocytochemistry (Rodrigues, M.) 443, 389

Actin; Crossbridge; Axonal transport; Microtubule; Neurite; Cytoskeleton (Nagele, R.G.) 474, 279

Immunoenzyme technique Immunochemistry; Histocytochemistry; Staphylococcal protein A; Neurotransmitter; Peptide; Enkephalin; Tyrosine hydroxylase (Correa, F.M.A.) 448, 192

Immunofluorescence

Enkephalin; Serotonin; Spinal cord; Coexistence; Immunohistochemistry;

Cat (Tashiro, T.) 440, 357

Vasoactive intestinal peptide; Neuropeptide Y; Co-existence; Sympathectomy; Cerebral artery (Gibbins, I.L.) 444, 402

Human cerebellum; Substance P (Del Fiacco, M.) 446, 173

Fluoro-Gold; Retrograde tracing; Fluorescent tracer; Locus coeruleus; Raphe; Substantia nigra; Nucleus basalis; Afferent pathway; Rat (Pieribone, V.A.) 475, 259

Immunoglobulin

Wallerian degeneration; Myelin phagocytosis; Monocyte; Bursectomy; Nerve edema (Hann, P.G.) **451**, 126

Immunohistochemistry

Cerebral vessel; 5-Hydroxytryptamine; Noradrenaline; Coexistence; Sympathetic nerve; Superior cervical ganglion (Chang, J.-Y.) 438, 237

Extracellular matrix; Central nervous system; Brain segment; Monoclonal antibody (Rettig, W.J.) 438, 315

Epidermal growth factor (EGF); Neuron; Astrocyte (Gómez-Pinilla, F.) **438**, 385

Calcitonin gene-related peptide; Mossy fiber; Parallel fiber; Granule cell; Cerebellar nuclei; Cerebellum; Pontine nuclei (Sugimoto, T.) 439, 147

γ-Aminobutyric acid; Aspartate; Deep cerebellar nucleus; Rat (Kumoi, K.) **439**, 302

Enkephalin; Serotonin; Spinal cord; Coexistence; Immunofluorescence; Cat (Tashiro, T.) **440**, 357

Opsin; Visinin; Phosphodiesterase; Pineal organ; Lamprey (Kuo, C.-H.) **442**, 147

Histamine; Tuberomammillary nucleus; Organotypic culture; Growth cone; Hypothalamus; Hippocampus (Reiner, P.B.) 442, 166

Cardiovascular; Enkephalin; Parabrachial nucleus; Nucleus tractus solitarii (Maley, B.E.) **442**, 340

Cerebral blood vessel; Serotonin; Co-transmission; Perivascular nerve (Jackowski, A.) **443**, 159

Serotonin; Raphe nucleus; Neuronal transplantation; Subcommissural organ (Ueda, S.) **444**, 361

γ-Aminobutyric acid (GABA)-benzodiazepine receptor; Evolution; Photoaffinity labeling; Radiohistochemistry (Hebebrand, J.) 446, 251

γ-Aminobutyric acid (GABA); γ-Aminobutyric acid antiserum; Rat; Hypothalamus; Pituitary gland (Sakaue, M.) **446**, 343

Calcitonin gene-related peptide;

Vestibular end-organ; Rat (Tanaka, M.) 447, 175

Neuropeptide; Periglomerular cell; Accessory olfactory bulb; Olfaction (Tsuruo, Y.) **447**, 183

Gastrin releasing peptide; Retina; Radioimmunoassay; Chromatography (McKillop, J.M.) 447, 239

Alkaline phosphatase; Horseradish peroxidase; Trigeminal neuron; Choline acetyltransferase; Calcitonin gene-related peptide (Batten, T.F.C.) 447, 314

Neuropeptide Y; Hypothalamus; Elasmobranch fish; Scyliorhinus; High-performance liquid chromatography; Radioimmunoassay (Vallarino, M.) **448**, 67

Vasoactive intestinal polypeptide; Cerebral artery; Pterygopalatine ganglion; Otic ganglion; Superior cervical ganglion; Dog (Uemura, Y.) 448, 98

Acetylcholine; Transmitter; Lateral line efferent; Choline acetyltransferase; Goldfish (Danielson, P.D.) 448, 158

Teleost; Spinal cord; Supramedullary neuron; Neuropeptide (Benedetti, I.) **449,** 373

Choline acetyltransferase; Horseradish peroxidase-conjugated wheat germ agglutinin; *Phaseolus vulgaris* leucoagglutinin; Double labeling; Brainstem reticular formation; Sleep (Mitani, A.) **451**, 397

Somatostatin; Amygdala; Human; Alzheimer's disease; Basal forebrain (Mufson, E.J.) **453**, 117

Basal ganglia; γ-Aminobutyric acid; Squirrel monkey; Amino acid (Smith, Y.) **453**, 353

Calcitonin gene-related peptide; Substance P; Meissner's corpuscle; Rat (Ishida-Yamamoto, A.) **453**, 362

Adenosine deaminase; Enkephalin; Septal nucleus; Habenula; Septohabenular projection; Purinergic neurotransmission (Staines, W.A.) 455, 72

Neuropeptide; Tyrosine hydroxylase; Colocalization; Ventral tegmental area (Seroogy, K.) **455**, 88

Nicotine; Dopamine; Substantia nigra; Striatum; Lesion; Rat brain; Tyrosine hydroxylase; Image analysis; Protection; Quantitative receptor autoradiography (Janson, A.M.) 455, 332

Subparafascicular nucleus; Neocortex; Spinal cord; All dopamine cell group; Retrograde fluorescent labeling; Rat (Takada, M.) 455, 346

Adenosine deaminase; Purkinje cell; Cerebellum; Purinergic

neuromodulator (Nagy, J.I.) 457, 21

Bromodeoxyuridine; [³H]Thymidine; Autoradiography; Cortex; Hippocampus; Dentate gyrus (Miller, M.W.) **457**, 44

Serotonin; Electron microscopy; High-performance liquid chromatography; Chromaffin cell; Frog; Sympathetic regulation (Delarue, C.) **459**, 17

Substance P; Neurofilament; Facet joint; Supraspinous ligament; Rabbit (El-Bohy, A.) **460**, 379

Electron microscopy; Tyrosine hydroxylase; Synaptic input; Bipolar cell (Hokoç, J.N.) **461**, 17

5-Hydroxytryptamine; Coexistence; Neurotransmitter; Nucleus raphe magnus; Rat (Millhorn, D.E.) **461**, 169

Catecholamine; Cebus monkey; Non-human primate; Tyrosine hydroxylase (Kordower, J.H.) **461**, 221

Serotonin; Cerebral ganglion; Bilateral symmetry (Sukhdeo, S.C.) **463**, 57

Neuropeptide; Calcitonin gene-related peptide; Receptor binding site; Motor system; Sensory system; Autonomic system; Rat (Kruger, L.) 463, 223

Neuropeptide Y; Rabbit; Cerebrospinal Fluid; Radioimmunoassay; High performance liquid chromatography; Cerebral artery (McDonald, J.K.) 463, 259

γ-Aminobutyric acid/Benzodiazepine receptor; Cerebellum; Evolution; Radiohistochemistry (Schmitz, E.) **473**, 314

Adenosine deaminase; Striatum; Hypothalamus; Substantia nigra; Tuberomammillary nucleus; Fluorescence retrograde tracing (Yamamoto, T.) **474**, 112

Aromatic L-amino acid decarboxylase; Tyrosine hydroxylase; Dopamine; Serotonin; Spinal cord; Mouse; Rat (Nagatsu, I.) 475, 91

Immunohistology

Alzheimer's disease; Amyloid; Monoclonal antibody; Secondary amyloidosis; Novel protein; Western blotting (Yamashita, T.) 474, 309

Immunolabeling

Enteric neuron; Glia; Fibroblast; Culture; Monoclonal antibody; Laminin (Bannerman, P.G.C.) 440, 87

Purified enteric neuron; Glia; Culture; Monoclonal antibody; Antibody complement-mediated cytolysis; Cytosine arabinoside (Bannerman, P.G.C.) 440, 99

Immunomodulation

T-cell mitogenesis; Lateralization (Barnéoud, P.) 474, 394

Immunoneutralization

Somatostatin; Growth hormone; Periventricular nucleus (Kaler, L.W.) 447, 384

Immunoparasympathectomy Monoclonal antibody; Ciliary

neurotrophic factor (Hendry, I.A.) 475, 160

Immunoperoxidase

Monoclonal antibody; Thy 1 antigen; OX7; Axonal transport (LaRocca, C.D.) 449, 381

Immunoreactive dynorphin A

Arcuate nucleus; Dorsomedial hypothalamus; Ventromedial hypothalamus; Immunoreactive dynorphin B; Hypothalamus; Pituitary gland; Radiofrequency lesion (Spampinato, S.) 463, 100

Immunoreactive dynorphin B

Arcuate nucleus; Dorsomedial hypothalamus; Ventromedial hypothalamus; Immunoreactive dynorphin A; Hypothalamus; Pituitary gland; Radiofrequency lesion (Spampinato, S.) 463, 100

Immunoreactivity

Nerve growth factor; Nerve growth factor receptor; Cerebellum; Flocculonodular lobe; Purkinje cell; Colchicine (Pioro, E.P.) 455, 182

Corticotropin-releasing factor: Adrenocorticotropic hormone; Hypothalamus; Median eminence; Anisomycin; Stress (Haas, D.A.) **461**, 230

Vasoactive intestinal polypeptide; Somatostatin; γ -Aminobutyric acid; Hippocampus; Epileptic mouse; Epilepsy (King, J.T.) 475, 192

In situ hybridization

Enkephalin precursor; Nigrostriatal pathway; Messenger RNA (Normand, E.) 439, 39

Axon reaction; Tubulin; Neuronal plasticity; Axonal sprouting (Pearson, R.C.A.) 463, 245

In vitro

Suprachiasmatic nucleus; Circadian rhythm; Single unit activity; Metabolic activity; Hamster (Shibata, S.) 438, 374

Long-term potentiation; Critical period; Visual cortex; Current source density; Rat (Perkins, IV, A.T.)

Astrocyte; Cell cycle; Fibroblast growth factor (Kniss, D.A.) 439, 281

Dopamine receptor; D₁ receptor; D₂ receptor; Autoradiography; Pigeon brain; Basal ganglia (Dietl, M.M.) 439, 354

L-Homocysteate; Uptake; (\pm) - β -Parachlorophenylglutamate; N-Methyl-D-aspartate; Neocortex; Intracellular recording (Zeise, M.L.) 443, 373

Unfocused laser lesioning; Dye-targeting; Neuronal death (Madison, R.D.) 445, 101

Luteinizing hormone-releasing hormone (LH-RH); Puberty; Noradrenaline; Rat (Clough, R.W.)

Hippocampal slice; CA1; Hypoxia; Neuronal İnjury (Fairchild, M.D.) 453, 357

Serotonin; Acetylcholine; Dopamine; Striatum; 6-Hydroxydopamine; Release (Jackson, D.) 457, 267

Rat; Osmosensitive neuron; Subfornical organ; Synaptic blockade (Sibbald, J.R.) 461, 205

In vitro autoradiography

Cyclic adenosine monophosphate; Ovine pineal; β -Receptor; Vasoactive intestinal peptide; Adrenergic control (Morgan, P.J.) 447, 279

In vitro central nervous system (CNS)

Potassium; Spinal cord; Synaptic transmission; Segmental reflex; Dorsal root reflex; Dorsal root potential (Czéh, G.) 446, 50

In vitro lateral hypothalamus Norepinephrine; Cyclic adenosine monophosphate; β -Receptor; α -Receptor; γ -Aminobutyric acid (Cheng, J.-T.) 446, 90

Long-term potentiation; Heterosynaptic interaction; Postsynaptic potential; Negative cooperativity; Hippocampus; CA1 region; Medial septum (Xie, X.) 445, 367

Noradrenaline; Hippocampus; Microdialysis; Release; Neurotoxin; Tetrodotoxin (Kalén, P.) 474, 374

In vivo binding

[125] 3-Iodobenzamide; D₂ Receptor; Single photon emission computerized tomography; LY-171555; YM-09151-2; Neuroleptic; IBZM (Singhaniyom, W.) 453, 393

In vivo dialysis

Transplant; Dopamine; Adrenal medulla; Chromaffin cell; Caudate; Circling; Rat (Nishino, H.) 445, 325

In vivo dopamine receptor labeling Propylnorapomorphine N-n-; Dipping autoradiography; Dopamine receptor localization; Receptor, D2-; N-Ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline; Heterogeneity of striatum; Caudate-putamen (Loopuijt, L.D.) 456, 263

In vivo electrochemistry

 Δ^9 -Tetrahydrocannabinol; Marijuana; Cannabinoid; Cannabis; Dopamine; 3,4-Dihydroxyphenylethylamine; Neostriatum; Caudate nucleus; Rat;

Potassium; In vivo microdialysis; Brain reward (Ng Cheong Ton, J.M.) 451, 59

In vivo labeling

Dopamine D₂ receptor; High affinity agonist 205-502; Striatum; Pituitary (Closse, A.) 440, 123

In vivo microdialysis

△9-Tetrahydrocannabinol; Marijuana; Cannabinoid; Cannabis; Dopamine; 3,4-Dihydroxyphenylethylamine; Neostriatum; Caudate nucleus; Rat; Potassium; In vivo electrochemistry Brain reward (Ng Cheong Ton, J.M.) 451.59

Amphetamine; Dopamine; Striatum; Rotation; Asymmetry (Glick, S.D.) 473, 161

In vivo voltammetry

Clozapine; Chronic treatment; Prazosin; α_1 -Noradrenergic antagonist; Dopamine release; Striatum; Nucleus accumbens (Lane, R.F.) 460, 398

Carbon fiber electrode; KCl stimulation; Spreading depression; Ion-selective electrode; Caudate; Substantia nigra (Kasser, R.J.) **475**, 333

Incertohypothalamic tract

Gonadotropin release; Dopamine; Zona incerta (MacKenzie, F.J.) 444, 75

Indoleamine

Thalamus; Kainic acid; Storage vesicle; Catecholamine; High-performance liquid chromatography; Electrochemical detection (Weil-Fugazza, J.) 444, 374

Thyrotrophin-releasing hormone; Choline acetyltransferase activity; Motoneuron; Bulbospinal raphe neuron; Peptide (Fone, K.C.F.) 460, 22

Indomethacin

Fever; Preoptic area; Cat; Prostaglandin; Thromboxane; Prostaglandin I₂-mimetic; Thromboxane A₂-mimetic (Gollman, H.M.) 449, 281

Diclofenac sodium; Prostaglandin; Paradoxical sleep; Rat; Sleep substance; Slow wave sleep (Naito, K.) 453, 329

Inescapable shock

Noradrenergic mechanism; Dopaminergic mechanism; Serotonergic mechanism; Cholinergic mechanism; γ-Aminobutyric acidergic mechanism; Motor activity; Rat (Płaźnik, A.) 447, 122

Inferior alveolar nerve

Excitability; Presynaptic terminal; Low-threshold afferent; Phase-linked modulation; Mastication; Presynaptic inhibition; Presynaptic facilitation (Kurasawa, I.) 446, 113

Inferior colliculus

Visual cell; Visual midbrain; Visual

system; Tectum; Audiovisual integration (Mascetti, G.G.) 442, 387

Spatial sensitivity; Bat; Sound localization (Schlegel, P.A.) 456, 127

Auditory pathway; Superior olivary nuclei; Insectivora; Mole; Wheat germ-agglutinin horseradish peroxidase; Adaptation; Binaural hearing (Kudo, M.) **463**, 352

Inferior olive

Anterograde tracing; Wheatgerm-agglutinated horseradish peroxidase (WGA-HRP); γ-Aminobutyric acid (GABA) immunocytochemistry; Electron microscopy; Cat (De Zeeuw, C.I.) 447, 369

Deoxyglucose; 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Substantia nigra; Parkinsonism (Palombo, E.) **453**, 227

Inferior parietal lobule

Corticocortical connection; Superior temporal sulcus; Monkey (Neal, J.W.) 438, 351

Inferotemporal cortex

Hippocampus; Hippocampal CA1; Cerebral cortex; Area TE; Monkey; Horseradish peroxidase (HRP) (Iwai, E.) 444, 397

Inflammation

Opioid peptide; Messenger ribonucleic acid; Dorsal horn; Hyperalgesia; Dynorphin A(1-8) (Iadarola, M.J.) **455**, 205

Demyelination; Experimental autoimmune encephalomyelitis; Rabbit; Visual evoked potential (Arezzo, J.C.) **462**, 286

Inhibition

Brain glucose metabolism; Thalamus; Cortex; Electrical stimulation; Selective attention; Sensory processing; Thalamic reticular nucleus (Sharp, J.W.) 438, 357

Lymnaea; FMRFamide; Neurosecretory cell; Egg laying; Neuropeptide; Neurophysiology; Potassium conductance (Brussaard, A.B.) 447, 35

Astrocyte; Heparin; Thymidine incorporation; Growth (Robertson, P.L.) **447**, 341

Connectivity diagram; Conditional cross-correlation; Effective connectivity; Excitation; Multi-unit recording; Neural interaction; Shift predictor (Espinosa, I.E.) 450, 39

γ-Aminobutyric acid; Glutamic acid decarboxylase; Immunocytochemistry; Local circuit neuron; Relay cell; Reptile; Thalamus (Pritz, M.B.) **457**, 154

γ-Aminobutyric acid; Glutamic acid decarboxylase; Motor cortex; Mouse (Solberg, Y.) **459**, 168

Inhibitor

Aminopeptidase; Enkephalin degradation; Brain (Shimamura, M.) 445, 350

Choline uptake; Structure-activity relationship; Mouse brain synaptosome (Tamaru, M.) 473, 205

Inhibitory avoidance

Amygdala; Naloxone; β -Noradrenergic antagonist; α -Noradrenergic antagonist; Discrimination learning; Memory; Caudate-putamen; Cortex (McGaugh, J.L.) **446**, 37

Inhibitory circuitry

Y cell; X cell; W cell; Lateral geniculate nucleus; Visual response; Electroencephalogram synchronization; Electroencephalogram desynchronization; Cat (Sawai, H.) 455, 394

Inhibitory control

Hippocampus; Kindling; Evoked potential; Paired-pulse depression; Threshold population spike (Kamphuis, W.) 440, 205

Inhibitory coupling

Human neuroblastoma; Neurotransmitter receptor; Adenylate cyclase; Receptor desensitization (Olasmaa, M.) 475, 291

Inhibitory postsynaptic potential Hippocampus; Septohippocampal projection; Disinhibition; Intracellular recording (Krnjević, K.) 438, 182

Intracellular; Barrel cortex; Whisker; Excitatory postsynaptic potential; Columnar organization (Carvell, G.E.) 448, 186

Inhibitory postsynaptic potential, GABA

Lateral geniculate nucleus; Thalamus; Hippocampus; γ-Aminobutyric acid; Baclofen; Inhibitory postsynaptic potential, GABA_B (Soltesz, I.) **448**, 351

Inhibitory postsynaptic potential, GABA_p

Lateral geniculate nucleus; Thalamus; Hippocampus; γ-Aminobutyric acid; Baclofen; Inhibitory postsynaptic potential, GABA_A (Soltesz, I.) **448**, 351

Inhibitory postsynaptic response Apamin; Ca²⁺-dependent K⁺ current; Afterhyperpolarization; Neocortex; Intracellular injection; Voltage clamp (Szente, M.B.) **461**, 64

Inhibitory spinal interneuron
Glycine: Strychnine-sensitive inhib

Glycine; Strychnine-sensitive inhibitory postsynaptic potential (IPSP); Lamprey; Spinal cord; Locomotion; Pattern generator (Buchanan, J.T.) 438, 404

Initial axon segment

Axoplasmic flow; Histocytochemistry;

Electron microscopy; Ventral root; Spinal cord; Motor neuron; Ranvier's node (Berthold, C.-H.) **456**, 293

Injury

Peripheral nerve; Axon reaction; Transglutaminase (Tetzlaff, W.) **445**, 142

C-fos; Regeneration (Dragunow, M.) 455, 295

Extracellular potassium; Spinal cord; Pain (Svoboda, J.) 458, 97

Inner plexiform layer

Visual cortex ablation; Plasticity; Retinal ganglion cell (Rowe, M.H.) **439**, 345

Innervation

Adrenergic; Serotoninergic; Peptidergic; Perivascular; Cerebral artery; Development; Rat (Mione, M.C.) 460, 103

Inositol phosphate

Dopamine; D₂ receptor; Polyphosphoinositide; Corpus striatum; Quinpirole (Pizzi, M.) **456**, 235

Inositol phospholipid hydrolysis Neuropeptide Y; Neuropeptide (Hinson, J.) 446, 379

Inositoltrisphosphate

Striatum; Calcium; A23187; Dopamine autoreceptor; Muscarinic (Joseph, J.A.) **454**, 149

Insect

Bicuculline; Acetylcholine; γ-Aminobutyric acid; Nicotine; Muscarine; Receptor; Locust (Benson, J.A.) 458, 65

Locust; Calcium; Sodium-calcium exchange; Neuroendocrine; Corpus cardiacum; Adipokinetic hormone (Pannabecker, T.) **458**, 180

Insect ocellus

Identified neuron; Intracellular staining; Hexamminecobaltic chloride; Ultrastructure; Mitochondrion; Synapse (Littlewood, P.M.H.) 445, 165

Insecticide

Pyrethroid; Sodium channel; Batrachotoxin; Batrachotoxinin A 20-α-benzoate (Lombet, A.) **459**, 44

Insectivora

Auditory pathway; Superior olivary nuclei; Inferior colliculus; Mole; Wheat germ-agglutinin horseradish peroxidase; Adaptation; Binaural hearing (Kudo, M.) 463, 352

Insomnia

Rapid eye movement sleep; Acetylcholine; Carbachol; p-Chlorophenylalanine; Pontine area (Drucker-Colín, R.) **462**, 163

Inspiration

Neural control of respiration; Spike-triggered averaging; Axonal mapping; Bulbospinal tract; Phrenic motoneuron (Dick, T.E.) 454, 31

Inspiratory nerve

Medullary inspiratory neuron; Rhythm; Spectral analysis; Coherence function; Interval analysis (Christakos, C.N.) 463, 362

Inspiratory neuron

Phrenic; Recurrent laryngeal; Hypoglossal; Power spectra; Coherence spectra (Sica, A.L.) **440**, 370

Expiratory neuron; Augmenting firing; Decrementing firing; Ventral respiratory group; Distribution (Ezure, K.) **455**, 262

Insulir

Insulin analog; Insulin receptor; Protein kinase C; 12-O-Tetradecanoylphorbol-13-acetate; Polymyxin B; Psychosine; Centrally mediated hypoglycemia; Mouse (Amir, S.) **450**, 272

Obesity; Diet; α_1 -Noradrenoceptor; Receptor, α_1 -; α_2 -Noradrenoceptor; Receptor, α_2 -; β -Noradrenoceptor; Receptor, β -; Dopamine receptor; Ventromedial hypothalamus; Dorsomedial hypothalamus (Wilmot, C.A.) **453**, 157

Hypoglycemia; Cerebrospinal fluid; β -Endorphin; Catecholamine; Adrenocorticotropic hormone; Cortisol; Conscious dog (Radosevich, P.M.) **458**, 325

Regional cerebral blood flow; Regional cerebral glucose utilization (Duckrow, R.B.) **462**, 363

Endogenous organic acid; 3,4-Dihydroxybutanoic acid γ -lactone; 2,4,5-Trihydroxypentanoic acid γ -lactone; Feeding modulation; Rat; Serum glucose; 4-Butanolide (Sakata, T.) 473, 43

Cerebral blood flow; Chronic hypoglycemia; Hypoglycemia; Rat; Iodoantipyrine (Bryan, R.M.) 475, 397

Insulin analog

Insulin; Insulin receptor; Protein kinase C; 12-O-Tetradecanoylphorbol-13-acetate; Polymyxin B; Psychosine; Centrally mediated hypoglycemia; Mouse (Amir, S.) **450**, 272

Insulin receptor Neural-derived cell (Ota, A.) 443, 1

Antibody; Bovine; Monkey; Human; Retina; Localization; Immunocytochemistry; Immunoelectron microscopy (Rodrigues, M.) 443, 389

Insulin; Insulin analog; Protein kinase C; 12-O-Tetradecanoylphorbol-13-acetate; Polymyxin B; Psychosine; Centrally mediated hypoglycemia; Mouse (Amir, S.) 450, 272

Insulin-like factor

Astrocyte culture; Conditioned medium; Neuronal development; Neurotrophic activity (Kadle, R.) **460,** 60

Insulin-like growth factor

Nerve regeneration; Sciatic nerve; Growth hormone; Somatomedin; Rat (Kanje, M.) 475, 254

Insulin-like growth factor I
Quantitative autoradiography; Brain;

Quantitative autoradiography; Brain Rat; Receptor (Bohannon, N.J.) 444, 205

Insulin-like growth factor II

Hippocampal receptor; Cerebellar receptor; Autoradiography (Smith, M.) 445, 241

Cerebellar receptor; Weaver mouse; Purkinje cell degeneration mouse (Mendelsohn, L.G.) **458**, 361

Integrated functional activity

Raphe nucleus; Serotonergic system; 5,7-Dihydroxytryptamine; Electrolytic lesion (Cudennec, A.) 444, 214

Raphe nucleus; Cortical column; Serotonergic system; Serotonin head syndrome; Thalamocortical pathway; Extrapyramidal system (Cudennec, A.) 444, 227

Interferon-a

Thermosensitive neuron; Naloxone; Sodium salicylate; Preoptic hypothalamus; Anterior hypothalamus; Hypothalamic slice; Fever (Nakashima, T.) **454**, 361

Interhemispheric connectivity

Main olfactory bulb; Pars externa system of the anterior olfactory nucleus; Wheat-germ agglutinated horseradish peroxidase; Primate (Reyher, C.K.H.) **457**, 169

Interhemispheric transfer

Corpus callosum; Cat; Somatosensory cortex; Receptive field; Mid-line fusion (Guillemot, J.-P.) 441, 221

Interictal bursting

Hippocampal slice preparation; Epilepsy; GABAergic inhibition (Chamberlin, N.L.) 445, 12

Interictal spike

Epilepsy; Kindling; Amygdala; Pyriform cortex; Hippocampus (Racine, R.J.) **454**, 251

Interleukin-1

Endotoxin; Fever mechanism; Organum vasculosum laminae terminalis (OVLT); Blood-brain barrier; Intravenous route; Intracerebroventricular route (Coceani, F.) 446, 245

Lipopolysaccharide endotoxin; Conditioned taste aversion; Rat (Tazi, A.) 473, 369 Acute phase response; Leukocytosis; Neutrophilia; Endogenous pyrogen; Hypothalamus (Morimoto, A.) **475**, 345

Interleukin-1ß

Tumor necrosis factor; Transforming growth factor- β ; Angiotensin II; Food and water intake; Rat; Central nervous system; Intracerebroventricular administration (Plata-Salamán, C.R.) 448, 106

Interleukin-2

Hypothalamus; Monoclonal antibody; Neuronal discharge (Bindoni, M.) **462**, 10

Intermediate chemoceptive area Central chemoreceptor; Ventral respiratory group; Caudal chemocep-

respiratory group; Caudal chemoceptive area; Nucleus paragigantocellularis lateralis; Peripheral chemoreceptor; Vascular nociceptor; Control of breathing (Arita, H.) 442, 1

Intermediate lobe cell

Calcium channel; Calcium current; Neurosecretion; Channel inactivation (Stanley, E.F.) 475, 64

Intermediolateral horn

Raphe; Blood pressure; Defense response; Hypothalamus; Periaqueductal gray (Haselton, J.R.) **453**, 176

Intermediolateral nucleus

Paramedian reticular nucleus; Carotid sinus nerve; Fastigial nucleus; Cardiovascular reflex pathway; Orthostatic reflex (Elisevich, K.) **452**, 141

Internal perfusion

Aplysia neuron; Edrophonium; Inward current; Sodium permeability; Concentration clamp (Oyama, Y.) 438, 95

Interneuron

Leptinotarsa decemlineata; Olfaction; Electrophysiology; Odor quality coding; Antennal lobe; Deutocerebrum; Brain (De Jong, R.) 447, 10

Femoral-saphenous vein; Vascular afferent; Enteroceptor; Spinal cord; Cat (Yates, B.J.) 451, 285

Excitatory postsynaptic potential; Somatosensory cortex; Intracellular study; Cat; Horseradish peroxidase (Yamamoto, T.) **461,** 199

Arginine vasopressin; Hippocampal slice; Pyramidal cell; Cerebral microvessel (Albeck, D.) **463**, 394

Interneuronal receptor

Sympathetic ganglion; Slow synaptic potential; M₁-muscarinic action; Postganglionic receptor; McN-A-343; AF-102B (Mochida, S.) **455**, 9

Interpeduncular nucleus Opiate withdrawal; Fasciculus retroflexus; 2-Deoxyglucose autoradiography; Behavioral withdrawal; Rat; Lesion (Cutlip, A.C.) 451, 54

Cholecystokinin-A receptor; Habenular nucleus (Hill, D.R.) **454**, 101

Tachykinin; Tachykinin binding site; Development (Murray, M.) 459, 76

Methylazoxymethanol acetate; Hebenula; Cholinergic system (Virgili, M.) **460**, 361

Interposed nucleus

Phaseolus vulgaris-leucoagglutinin; Nucleo-cortical projection; Climbing fiber; Purkinje cell; Cat (Murakami, F.) 463, 144

Interpositus

Classical conditioning; Cerebellum; Red nucleus; Electrical stimulation; Rabbit (Chapman, P.F.) 442, 97

Interspecies cross-immunoreactivity Dopamine β -hydroxylase; Antibody; Rat retina; Immunocytochemical staining; Radioenzymatic assay (Park, D.H.) **460**, 352

Interstitial neuron

Microtubule-associated protein 2; Human fetal neocortex; Development; Immunocytochemistry; Sensorimotor cortex; Prefrontal cortex (Sims, K.B.) **449**, 192

Neuropeptide Y; Human olfactory bulb; Anterior olfactory nucleus; Immunocytochemistry (Ohm, T.G.) **451**, 295

Interstitial nucleus of the superior fascicle, posterior fibers

Accessory optic system; Retinofugal pathway; Human visual system; Medial terminal accessory optic nucleus; Lateral terminal accessory optic nucleus; Dorsal terminal accessory optic nucleus; *p*-Phenylene-diamine method; Oculomotor function (Fredericks, C.A.) **454**, 116

Interval analysis

Medullary inspiratory neuron; Inspiratory nerve; Rhythm; Spectral analysis; Coherence function (Christakos, C.N.) **463**, 362

Intra-axonal injection

Mesencephalic neuron; Periodontal ligament; Horseradish peroxidase (Shigenaga, Y.) 448, 331

Intra-axonal injection of horseradish peroxidase (HRP) Mesencephalic trigeminal neuron (Shigenaga, Y.) 445, 392

Intra-axonal recording

Post-tetanic potentiation; Primary afferent depolarization; Group Ia afferent; Cat spinal cord (Lev-Tov, A.) 438, 328

Intracellular

Carbachol; θ -Rhythm; Hippocampal

slice (Bland, B.H.) 447, 364

Barrel cortex; Whisker; Excitatory postsynaptic potential; Inhibitory postsynaptic potential; Columnar organization (Carvell, G.E.) 448, 186

Intracellular Ca2+

Bullfrog sympathetic ganglion cell; Fura-2 (Nohmi, M.) 438, 175

Hypothalamic luteinizing hormone-releasing hormone; Prostaglandin E₂; Cyclic adenosine monophosphate; Hypothalamic development; Female puberty (Ojeda, S.R.) **441**, 339

Frog muscle spindle; Cyclic adenosine monophosphate (cAMP); Decapsulation; Encoding process; Quercetin (Sokabe, M.) 443, 254

Intracellular calcium

Molluscan neuron; Voltage-gated calcium current; Dopamine-induced inhibition; Voltage clamp; Intracellular dialysis (Chemeris, N.K.) **460**, 142

Ethanol; Neurotransmitter; Release (Shah, J.) 474, 94

Intracellular calcium concentration Intracellular recording; Calcium; Fura-2; Fluorescent calcium indicator; Myenteric neuron; Calcium-dependent potassium conductance (Tatsumi, H.) 451, 371

Voltage-clamp; Guinea-pig; Submucous neuron; Fura-2; Calcium-dependent potassium current (Hirai, K.) **461**, 367

Intracellular dialysis

Molluscan neuron; Voltage-gated calcium current; Dopamine-induced inhibition; Intracellular calcium; Voltage clamp (Chemeris, N.K.) **460**, 142

Dorsal root ganglion neuron; Opioid modulation; Action potential duration; Cyclic adenosine monophosphate-dependent protein kinase (Chen, G.-G.) **462**, 372

Intracellular horseradish peroxidase

Masticatory motoneuron; Dendritic typing; Morphometric analysis (Shigenaga, Y.) 461, 238

Purkinje cell; Organotypic culture; Explantation age; Computer microscope; Quantitative morphology; Discriminant analysis (Calvet, M.-C.) 462, 321

Intracellular HRP injection

Trigeminal nucleus oralis; Axonal trajectory; Trigeminal motor nucleus (Shigenaga, Y.) **461,** 143

Intracellular injection

Protein kinase C; Phorbol ester; Motor cortex; Postsynaptic current; Voltage clamp (Baranyi, A.) 440, 341

Apamin; Ca²⁺-dependent K⁺ current:

Inhibitory postsynaptic response; Afterhyperpolarization; Neocortex; Voltage clamp (Szente, M.B.) **461**, 64

Intracellular organelle

Calcium buffering; Ion-sensitive electrode; Arsenazo III; Molluscan neuron (Levy, S.) **474,** 333

Intracellular perfusion

Ca²⁺ current; Ĉoncentration clamp technique; Lidocaine; Sensory neuron; Voltage clamp (Oyama, Y.) **442**, 223

Aplysia neuron; Edrophonium; Sodium current; Concentration clamp (Oyama, Y.) 463, 124

Intracellular pH

Substitution of sodium; Leech neuron (Deitmer, J.W.) 462, 233

Intracellular receptor potential Frog taste cell; Quinine; Active chloride secretion; Furosemide; Cotransport of Na⁺/Cl⁻ (Okada, Y.)

Intracellular recording

450, 295

Baclofen; γ-Aminobutyric acid (GABA); γ-Aminobutyric acid-B receptor (GABA_B receptor); Potassium conductance; Locus ceruleus (Osmanović, S.S.) 438, 124

Hippocampus; Septohippocampal projection; Disinhibition; Inhibitory postsynaptic potential (IPSP) (Krnjević, K.) **438**, 182

Motor cortex; Hypothalamus; Monkey; Intracranial self-stimulation; Afterhyperpolarization (Aou, S.) **439**, 31

Ventrolateral thalamus (VL); Cerebellum; Sensory input; Spinal cord; Sensorimotor cortex (Mackel, R.) 440, 348

Estrogen; Medial nucleus of the amygdala; Genomic; Accommodation; Excitatory postsynaptic potential; Depolarizing afterpotential (Schiess, M.C.) 440, 380

Rostral ventrolateral medulla; Pacemaker neuron; Reticulospinal neuron; Basal sympathetic tone; Rat (Sun, M.-K.) 442, 229

L-Homocysteate; Uptake; (±)-β-Parachlorophenylglutamate; N-Methyl-D-aspartate; Neocortex; In vitro (Zeise, M.L.) **443**, 373

Brain slice; Lucifer yellow injection; Opioid peptide; Receptor characterization (Wuarin, J.-P.) 445, 289

[Met⁵]Enkephalin; Naloxone; Sympathetic ganglion; Transmitter release; Presynaptic facilitation; Presynaptic inhibition (Hirai, K.) 448, 299

Intracellular calcium concentration;

Calcium; Fura-2; Fluorescent calcium indicator; Myenteric neuron; Calcium-dependent potassium conductance (Tatsumi, H.) 451, 371

Retina; Melatonin; Horizontal cell; Larval tiger salamander (Wiechmann, A.F.) 453, 377

Periaqueductal gray; Electrophysiology; Mesencephalic slice (Sánchez, D.) 455, 166

Dithiothreitol; Hippocampus; Radioprotectant (Tolliver, J.M.) 456, 49

Striate cortex; Slice preparation; Layer I; Kynurenate; Synaptic potential (Nakajima, S.) 457, 176

Bursting neuron; Visual cortex; Brain Slice (Montoro, R.J.) 460, 168

Lateral hypothalamic area; Periaqueductal gray; Tail pinch; Electrophoresis; Glucose-sensitive neuron; Extracellular recording (Kai, Y.) 461, 107

3,4-Dihydroxybutanoic acid γ -lactone; 2,4,5-Trihydroxypentanoic acid γ-lactone; Lateral hypothalamic area; Ventromedial hypothalamic nucleus; Feeding regulation (Minami, T.) 462, 258

Dye coupling; Lucifer yellow; Hypothalamic slice (Yang, Q.Z.) 463, 47

Intracellular staining

Primary sensory neuron; Synaptic bouton; Horseradish peroxidase; Light microscope; Electron microscope; Lamprey (Christenson, J.) 440, 9

Identified neuron; Hexamminecobaltic chloride; Ultrastructure; Mitochondrion; Synapse; Insect ocellus (Littlewood, P.M.H.) 445, 165

Cholecystokinin; Lucifer yellow; Lamprey; Spinal cord (Ohta, Y.) 445, 400

Intracellular study

Interneuron; Excitatory postsynaptic potential; Somatosensory cortex; Cat; Horseradish peroxidase (Yamamoto, T.) 461, 199

Intracellularly stored calcium

Potassium current; Adenosine monophosphate, cyclic; Protein kinase, cAMP-dependent; Snail neuron; Protein kinase inhibitor (Onozuka, M.) 473, 401

Intracerebral administration

Oxytocin receptor; Morphine tolerance; Oxytocin antagonist (Sarnyai, Z.) 463, 294

Intracerebral infusion

1-Methyl-4-phenylpyridinium; 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Neurotoxicity; Substantia nigra; Dopamine

(Gibb, W.R.G.) 461, 361

Intracerebral injection

γ-Aminobutyric acid; Muscimol; 4,5,6,7-Tetrahydro-isoxazolo [5,4-c]pyridin 3-ol (THIP); Bicuculline; Epilepsy, Electroencephalogram; Substantia nigra; Rat; Petit mal (Depaulis, A.) 448, 20

Intracerebral microinjection

Antinociception; Morphine; Substantia nigra; Naloxone; Pain; Analgesia (Baumeister, A.A.) 447, 116

Intracerebroventricular

Stress-induced analgesia; Freezing; Quaternary naltrexone; Endogenous opioid; Opioid antagonist; Pavlovian conditioning; Conditioned fear (Fanselow, M.S.) 444, 147

Sarthran; Receptor antagonist; Blood pressure; Angiotensin; Spontaneously hypertensive rat (Jensen, L.L.) 448, 359

Angiotensin II; Angiotensin III; [Sar¹]Angiotensin II; Amastatin; Bestatin; Blood pressure; Rat (Sullivan, M.J.) 456, 249

Intracerebroventricular administration

Tumor necrosis factor: Interleukin- 1β : Transforming growth factor- β ; Angiotensin II; Food and water intake; Rat; Central nervous system (Plata-Salamán, C.R.) 448, 106

Intracerebroventricular route

Endotoxin; Interleukin-1; Fever mechanism; Organum vasculosum laminae terminalis (OVLT); Blood-brain barrier; Intravenous route (Coceani, F.) 446, 245

Intracortical connectivity

Visual cortex; Spike-triggered averaging; Unitary postsynaptic potential; Slice preparation; Cat (Komatsu, Y.) 442, 359

Intracranial dialysis

Oxytocin; Dopamine; Uric acid; Olfactory bulb; Substantia nigra; Parturition; Suckling; Sheep (Kendrick, K.M.) 439, 1

Intracranial haemorrhage

Acoustic stress; Motion disorder; Resistance to hypoxia (Ryasina, T.V.)

Intracranial microinjection

Benzodiazepine; Crossed extensor reflex; Extracellular unit; Lateral vestibular nucleus; Iontophoresis (Kawasaki, K.) 461, 282

Intracranial pressure Cerebrospinal fluid pressure; Rat; Circadian pattern; Central nervous system (Starcevic, V.P.) 462, 112

Intracranial self-stimulation Motor cortex; Hypothalamus; Intracellular recording; Monkey; Afterhyperpolarization (Aou, S.) 439, 31

Caffeine; Reinforcement threshold; Tolerance; Withdrawal (Mumford, G.K.) 459, 163

Striatum; Stimulation; Voltammetry; Model; Uptake (Nicolaysen, L.C.) 460, 50

Intracranial vasculature

Headache; Thalamus; Referred pain; Cat (Davis, K.D.) 454, 89

Intraepidermal nerve fibers Calcitonin gene-related peptide (CGRP); Substance P (SP); Cat; Immunocytochemistry (Alvarez, F.J.) 442, 391

Intrahypothalamic pathway

Histamine; High-performance liquid chromatography; Ibotenic acid; Frontal cortex; Hippocampus (Niigawa, H.) **459**, 183

Intramuscular electrical nerve stimulation

Muscular pain; Peripheral conditioning stimulation; Transcutaneous electrical nerve stimulation; Vibration; Human; Pain-inhibitory mechanism (Duranti, R.) 452, 66

Intraneuronal transport

Neurosecretory peptide; Colchicine; Golgi apparatus; Endoplasmic reticulum; Microtubule (Alonso, G.) 453, 191

Intranigral injection

Dynorphin; Substance P; Combined effect; Dopamine turnover; Circling behavior (Tan, D.-P.) 443, 310

Intraspinal neuron

Substance P; Enkephalin; Co-localization; Substantia gelatinosa; Anti-nociception (Senba, E.) 453, 110

Intraspinal sprouting

Unmyelinated fiber; Primary afferent; Lissauer's tract; Nerve growth factor; Antibody to nerve growth factor; C-fiber (Hulsebosch, C.E.) 461, 322

Intrathecal

Noradrenaline; 5-Hydroxytryptamine; Posterior raphe nuclear complex; Antinociception; Rat (Clatworthy, A.) 455, 300

Substance P antagonist; Tail flick; Nociception; Spinal cord; Rat (Cridland, R.A.) 462, 15

Intrathecal injection

Substance P; Opioid peptide; Passive immunization; Aversive behavior; Mouse (Sakurada, T.) 442, 191

Micturition; Capsaicin; N-Vanillylnonanamide; 6-Hydroxydopamine; 5,6-Dihydroxytryptamine (Durant, P.A.C.) 451, 301

Pain; Antinociception; Spinal cord;

Somatostatin; Antiserum; Adjuvant arthritis (Ohno, H.) 474, 197

Intravenous route

Endotoxin; Interleukin-1; Fever mechanism; Organum vasculosum laminae terminalis (OVLT); Blood-brain barrier; Intracerebroventricular route (Coceani, F.) 446, 245

Intraventricular injection

Kindling; Basolateral amygdala; Anti-nerve growth factor serum (Funabashi, T.) **458**, 132

Intraventricular pressure

Spontaneous hypertension; Renal hypertension; Brain ventricle; Captopril; Hydrocephalus; Spontaneously hypertensive rat (Ritter, S.) **450**, 354

Intrinsic connection

Middle temporal visual area; Area 18; Galago (Cusick, C.G.) **458**, 383

Inulin

Blood-brain barrier; Plasma volume; Brain; Capillary; Distribution volume; Dextran; Transferrin; Rat (Smith, Q.R.) 462, 1

Invertebrate

Tetracycline; Vertebrate; Myelin; Cation; Aluminum (Pereyra, P.M.) **458**, 377

Inward current

Aplysia neuron; Edrophonium; Sodium permeability; Internal perfusion; Concentration clamp (Oyama, Y.) 438, 95

Current-clamp; Mouse; Taste cell; Potassium conductance; Voltage-clamp (Tonosaki, K.) **445**, 363

Inward rectification

Human axon; Potassium channel; Threshold; Electrotonus (Bostock, H.) **462**, 354

Iodoantipyrine

Cerebral blood flow; Chronic hypoglycemia; Hypoglycemia; Insulin; Rat (Bryan, R.M.) **475**, 397

[125I]3-Iodobenzamide

In vivo binding; D₂ Receptor; Single photon emission computerized tomography; LY-171555; YM-09151-2; Neuroleptic; IBZM (Singhaniyom, W.) **453**, 393

[125] Iodopindolol

Pineal gland; Daily (24 h) rhythm; β-Adrenoceptor; Light-dark cycle; Male rat (Gonzalez-Brito, A.) 438, 108

Ion channel

Serotonin; Serotonin-3 (5-HT₃) receptor; Neuroblastoma-glioma hybrid cell (Reiser, G.) **443**, 338

Glutamate; Kainate; Quisqualate; *N*-Methyl-D-aspartate; Fluctuation analysis (Shingai, R.) **448**, 198

Ion-selective electrode

Carbon fiber electrode; KCl stimulation; Spreading depression; Caudate; Substantia nigra; In vivo voltammetry (Kasser, R.J.) 475, 333

Ion-selective microelectrode

Potassium; Extracellular pH; Elasmobranch; Cerebellum; Spreading depression (Rice, M.E.) **461**, 328

Adenosine; Synaptosome; Neuromodulation; K⁺-conductance; Lipophilic ions; Ionic mechanism (Michaelis, M.L.) **473**, 249

Glutamate; Aspartate; Quisqualate; Kainate; N-Methyl-D-aspartate; Turtle cerebellum; Spreading depression (Lauritzen, M.) 475, 317

Ion-sensitive electrode

Calcium buffering; Arsenazo III; Molluscan neuron; Intracellular organelle (Levy, S.) **474**, 333

Ion-sensitive microelectrode

Olfactory bulb; Potassium (Khayari, A.) 457, 188

N-Methyl-D-aspartate antagonist; Spreading depression; Cerebral cortex; Rat; Electric stimulation (Marrannes, R.) **457**, 226

Ionic channel

MCD peptide receptor; Ontogenesis; Rat brain; Seizure; Autoradiography (Mourre, C.) 446, 106

Ionic mechanism

Adenosine; Synaptosome; Neuromodulation; K⁺-conductance; Lipophilic ions; Ion-selective microelectrode (Michaelis, M.L.) **473**, 249

Ionic stimulus

Amiloride; Taste; Single fiber; Chorda tympani nerve; Electrical stimulation; Rat (Ninomiya, Y.) **451**, 319

Iontophoresis

Calcitonin gene-related peptide; Spinal dorsal horn; Nociception; Neuropeptide; Synaptic transmission; Cat (Miletic, V.) 446, 169

Glucocorticoid; Paraventricular nucleus; Corticotropin-releasing factor; Feedback (Saphier, D.) **453**, 183

Serotonin (5-HT); 5-HT receptor; Nociception; Dorsal horn (El-Yassir, N.) **456**, 147

Benzodiazepine; Crossed extensor reflex; Extracellular unit; Lateral vestibular nucleus; Intracranial microinjection (Kawasaki, K.) **461**, 282

Ipsapirone

Buspirone; 8-Hydroxy-2-[N,N-dipropylamino]-tetralin; Serotonin; Hippocampus; Cerebellum; Sciatic nerve (Hiner, B.C.) **461**, 1

Iron-induced epilepsy

Cyclic AMP; Noradrenaline;

Phentolamine; Propranolol; 8-Phenyltheophylline; Rat cerebral cortex (Moriwaki, A.) **461**, 190

Irradiation

Antinociception; Morphine; [D-Pen²,L-Pen⁵]Enkephalin (Raffa, R.B.) **447**, 393

Ischemia

Dextromethorphan; N-Methyl-D-aspartic acid (NMDA); Neocortex; Striatum (George, C.P.) **440**, 375

Peripheral nerve; Blood vessel; Blood flow; Vasa nervorum; Carbon dioxide; Peripheral neuropathy; Mononeuritis; Regulation; Laser Doppler flowmetry (Rechthand, E.) **446**, 61

Phosphorylation; Cell death; Calcium-calmodulin-dependent protein kinase (Taft, W.C.) **447**, 159

Adenosine receptor; Autoradiography; Hippocampus; Kainate (Onodera, H.) **458**, 212

Ischemic brain edema

Charybdotoxin; Focal ischemia; Calcium-activated potassium channel (Tominaga, T.) **460**, 376

Islet-activating protein

Guanosine triphosphate-binding regulatory protein; Pertussis toxin; Enteric nervous system; Superior cervical ganglion; Adrenal medulla (Terashima, T.) 455, 353

Islet-activating protein substrate Guanine nucleotide-binding protein; Hippocampus; Cerebral cortex; Cerebellar cortex; Second messenger system; Synapse (Terashima, T.) 442, 305

Isoelectric focusing

Tubulin; Cold stability; Microtubule; Axon; Nervous system; Mouse (Binet, S.) **450**, 231

Isolated frog labyrinth

Synaptic transmission; Calcium; Barium; K⁺-channel blocker (Rossi, M.L.) **452**, 312

Isolated postsynaptic density

Hippocampus; Protein composition; Protein phosphorylation; Glutamate receptor; γ-Aminobutyric acid receptor; Voltage-sensitive calcium channel; Calmodulin (Wu, K.) 457, 98

Isolated spinal cord

Hypoxia; Synaptic transmission; Adenosine; Neonatal rat (Lloyd, H.G.E.) **462**, 391

Isolated taste cell

Bullfrog; Whole-cell clamp; Membrane property; Electrical stimulation; Action potential (Miyamoto, T.) **449**, 369

Isolation call

Vocalization; Primate; Frontal cortex; Cingulate gyrus (MacLean, P.D.)

450, 111

Isometric contraction

Cerebellar intention tremor; Arm movement; Reversible cooling lesion (Flament, D.) 439, 179

Isoproterenol

Adrenal medulla; β-Adrenergic receptor; Epinephrine; Lactation; Norepinephrine; Oxytocin; Propranolol (Song, S.-L.) **457**, 303

Pineal gland; Melatonin; N-Acetyltransferase activity; Syrian hamster (Gonzalez-Brito, A.) **475**, 393

Itch

Nociceptor; Pain; Chemoreceptor; C-fiber; Neurophysiology; Ephapse; Gap junction; Hyperalgesia (Meyer, R.A.) 441, 81

Item recognition memory

Medial septum; Dorsal hippocampal formation; Serial position curve; List learning (Kesner, R.P.) **454**, 219

J

Jaw opening reflex

Periodontium; First-order neuron; Mesencephalic nucleus; Trigeminal nucleus (Aigouy, L.) **473**, 380

Jimpy

Shiverer; Myelin deficient; Myelin synthesis deficiency; Gene interaction; Myelin morphology (Billings-Gagliardi, S.) 455, 271

Joint afferent

Motor unit; Motoneuron excitability (Baxendale, R.H.) 453, 150

Joint rotation

Parkinson's disease; Globus pallidus; Unit activity; 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Dopamine; Passive movement; Monkey (Filion, M.) 444, 165



K-252b

Long-term potentiation; Hippocampus; Synaptic plasticity; Calmodulin; Protein kinase C; Second messenger; Calmidazolium; Protein phosphorylation (Reymann, K.G.) **461,** 388

Kainate

Defence; Aggression; Midbrain periaqueductal grey region; Excitatory amino acid; D,L-Homocysteate; Aspartate; Cat (Bandler, R.) 439, 95

Quinolinate; Acetylcholinesterase; NADPH-diaphorase; Excitatory amino acid; Huntington's disease; Striatum; Cell culture (Koh, J.-Y.) **446**, 374

Glutamate; Quisqualate; N-Methyl-p-aspartate; Fluctuation analysis; Ion channel (Shingai, R.) 448, 198

Functional recovery; Brain transplant; Hippocampus; Astrocyte; Trophic factor (Kesslak, J.P.) **454**, 347

Desensitization; Glutamate; Quisqualate; Piriform cortex (Hori, N.) 457, 350

N-Methyl-p-aspartate; Trypsin; Hippocampal neuron; Quisqualate; Pyriform cortex (Allen, C.N.) **458**, 147

Adenosine receptor; Autoradiography; Hippocampus; Ischemia (Onodera, H.) **458**, 212

CA₃ hippocampal neuron; Burst; Anoxia; Magnesium; N-Methyl-D-aspartate; Potassium; N-Methyl-D-aspartate antagonist (Neuman, R.) **459**, 265

Astrocyte;

3,3-Diethylthiadicarboxyamineiodide; Membrane potential; Potassium; Glutamate receptor; Quisqualate; N-Methyl-D-aspartate (Enkvist, M.O.K.) 462, 67

Glutamate; N-Methyl-D-aspartic acid; Quisqualate; Stizolobic acid; Excitatory amino acid; Rat spinal cord (Ishida, M.) **473**, 193

Hippocampus; Burst; 6-Cyano-7-nitroquinoxaline-2,3-dione; D-(-)-2-Amino-7-phosphonoheptanoic acid (Neuman, R.S.) 474, 201

Glutamate; Aspartate; Quisqualate; *N*-Methyl-D-aspartate; Turtle cerebellum; Spreading depression; Ion-selective microelectrode (Lauritzen, M.) **475**, 317

Kainic acid

Retina; Serotonin; Amacrine cell; Bipolar cell; Ganglion cell; Chicken; 5,7-Dihydroxytryptamine (Millar, T.J.) 439, 77

Hippocampus; Epilepsy; Mossy fiber; Seizure; CA3 (Okazaki, M.M.) **440,** 352

Kindling; Glutamate; Hippocampus; Neurotransmitter release; Amino acid (Geula, C.) **442**, 368

Thalamus; Storage vesicle; Catecholamine; Indoleamine; High-performance liquid chromatography; Electrochemical detection (Weil-Fugazza, J.) 444, 374

Striatum; Huntington's disease; Neural transplant; Locomotor behavior; Digiscan (Giordano, M.) 446, 183

Seizure; Hippocampus; Mossy fiber; Vesicle; Quinoline; Toluene sulfanomide quinoline (TSQ); Epilepsy; Zinc-containing neuron; Zinc (Frederickson, C.J.) 446, 383

Zinc; Timm staining; Hippocampus; Mossy fiber (Théorêt, Y.) 449, 341

Lesions of nucleus basalis; Acetylcholinesterase molecular form; Alzheimer's disease; Presynaptic acetylcholinesterase; Neurotoxic lesion (Bisso, G.M.) 449, 391

Quinolinic acid; Catalepsy; SCH23390; Haloperidol; Neuroleptic; Striatum (Calderon, S.F.) **450**, 403

Acetylcholine esterase; Choline acetyltransferase; Acetylcholine; Reticular formation (Jones, B.E.) **451**, 13

Circling behavior; Nucleus tegmenti pedunculopontinus pars compacta; Nucleus accumbens; Dopamine turnover; Acetylcholine (Niijima, K.) **451**, 163

Striatum; Neuropeptide Y; Acetylcholine; Choline acetyltransferase; Quinolinic acid; L-Glutamic acid; Decortication (Boegman, R.J.) 452, 219

Glucocorticoid; Hippocampus; Glucocorticoid toxicity; 3-Acetylpyridine (Sapolsky, R.M.) **453**, 367

Dorsal lateral geniculate nucleus; Retrograde axonal transport; Fluorescent dye; Visual cortex; Retina; Rat (Woodward, W.R.) **454**, 106

Substance P; Capsaicin; Picrotoxin; Strychnine; Morphine; L-Glutamic acid; Pain; Behavior; Spinal cord (Frenk, H.) 455, 223

Substance P; Strychnine; L-Glutamic acid; Morphine; Analgesia; Pain; Behavior; Spinal cord (Bossut, D.) 455, 232

Substance P; Valproic acid; Strychnine; Morphine; Pain; Behavior; Spinal cord; Chlordiazepoxide (Frenk, H.) **455**, 240

2-Amino-5-phosphonovalerate, [D-Pro²,D-Trp^{7,9}]-substance P; Substance P; Behavior; Pain; Analgesia; Strychnine; Morphine (Bossut, D.) **455**, 247

γ-Aminobutyric acid; Taurine; Chloride-dependent release; Retinal swelling (Pasantes-Morales, H.) **459**, 120

Experimental epilepsy; Microinjection; Amygdala; Spontaneous limbic seizure; Complex partial seizure (Tanaka, S.)

463, 163

Epilepsy; Hippocampus; Neuron death; Glutamate; Glucocorticoid; Stress; Metyrapone (Stein, B.A.) 473, 175

Striatal transplant; Muscarinic cholinergic receptor; Behavioral recovery; Huntington's disease; Locomotor activity; Spontaneous alternation (Deckel, A.W.) 474, 27

Excitatory amino acid; Domoic acid; Acromelic acid; Rat; Spinal cord; Electrophysiology (Ishida, M.) 474, 386

Neostriatum; Striatum; Brain transplantation; Dopamine receptor; Behavioral recovery; Locomotor activity (Deckel, A.W.) 474, 39

Epilepsy; Seizure; Sprouting; Dentate mossy fiber; Hippocampus (Cronin, J.) **474,** 181

Kainic acid lesion

Prostaglandin; Rat; Ventral septal area; Fever (Martin, S.M.) 455, 196

Surgical CA3 axotomy; γ -Glutamyl transpeptidase; Hippocampal formation (Šťastný, F.) **462**, 56

Kassinin

Tachykinin; Salt appetite; Sodium depletion; Deoxycorticosterone acetate; Renin; Rat (Massi, M.) **440**, 232

K-channel

A-channel; Potassium channel; Myelinated axon; Node of Ranvier (Gordon, T.R.) 447, 1

K+-channel

β-Bungarotoxin; Quantitative autoradiography; Rat brain; Hippocampus; Cerebellum; Dendrotoxin (Pelchen-Matthews, A.) **441**, 127

K+-channel blocker

Isolated frog labyrinth; Synaptic transmission; Calcium; Barium (Rossi, M.L.) **452**, 312

K⁺-conductance

Adenosine; Synaptosome; Neuromodulation; Lipophilic ions; Ion-selective microelectrode; Ionic mechanism (Michaelis, M.L.) 473, 249

KCl stimulation

Carbon fiber electrode; Spreading depression; Ion-selective electrode; Caudate; Substantia nigra; In vivo voltammetry (Kasser, R.J.) 475, 333

Kennard doctrine

Hemidecortication; Movement; Motor cortex; Skilled reaching; Neonatal cortex lesion; Plasticity; Skilled forelimb reaching; Sparing of function (Whishaw, I.Q.) 451, 97

Ketamine

Synaptosome; Serotonin; 5-Hydroxytryptamine; Volatile anesthetics; Narcotic (Martin, D.C.) **455**, 360 Surgery; Central benzodiazepine receptor; Peripheral benzodiazepine binding site; Flunitrazepam; PK 11195; Stress (Okun, F.) **458**, 31

Ketamine anesthesia

Striatum; Dopamine turnover; 3,4-Dihydroxyphenylacetic acid; Homovanillic acid; Rat (Koshikawa, N.) **444**, 394

Classical conditioning; Conditioned suppression; Retention; Rat (Edeline, J.-M.) **457**, 274

[3H]Ketanserin binding

Serotonin-2 (5-HT₂) binding site; Human postmortem brain; Suicide; Depression; Antidepressant drug (Cheetham, S.C.) **443**, 272

$\alpha\text{-}Keto\text{-}\delta\text{-}guanidinovaleric} \ acid$

Convulsant; Hyperargininemia; γ -Aminobutyric acid-response; Glycine-response; Epileptogenicity; Primary dissociated neuronal cell culture (De Deyn, P.P.) **449**, 54

α-Ketoglutarate

Glia; Astrocyte; Glutamate dehydrogenase; Glutamine synthetase; Glutaminase; Glutamate; Ammonia (Kaneko, T.) **457**, 160

Kidnev

Genetic hypertension; Opioid peptide; β -Endorphin; Dynorphin; Methionine-enkephalin; Brain region; Pituitary; Heart; Adrenal (Bhargava, H.N.) **440**, 333

Kindling

Hippocampus; Evoked potential; Inhibitory control; Paired-pulse depression; Threshold population spike (Kamphuis, W.) **440**, 205

Met-enkephalin; Diurnal variation; Limbic system (Asai, M.) 442, 81

γ-Aminobutyric acid (GABA) receptor; Benzodiazepine receptor; Sensorimotor cortex; Receptor autoradiography (Santori, E.M.) **442**, 261

Glutamate; Hippocampus; Neurotransmitter release; Amino acid; Kainic acid (Geula, C.) **442**, 368

Epilepsy; Amygdala; Endurance (Homan, R.W.) 447, 404

Amygdala; 6-Hydroxydopamine; Microinfusion; Catecholamine; Cat (Uemura, S.) 448, 162

Sleep; Memory; Aging; Rat; Seizure (Stone, W.S.) 449, 135

Nucleus accumbens; Receptor, -D₂; Dopamine receptor (Csernansky, J.G.) **449**, 357

Alcohol; Brain metabolism; Convulsion; Ethanol withdrawal syndrome; Deoxyglucose; Physical dependence; Rat (Clemmesen, L.) 453, 204 Permanence; Hippocampus; CA3; Potassium; Stimulus train-induced bursting (Bragdon, A.C.) **453**, 257

Epilepsy; Interictal spike; Amygdala; Pyriform cortex; Hippocampus (Racine, R.J.) **454**, 251

Epilepsy; Amygdala; Pyriform cortex; Septal area; Hippocampus; Lesion (Racine, R.J.) **454**, 264

Substantia nigra pars reticulata; Single-unit recording; Epileptogenesis; γ-Aminobutyric acid; Glycine; Glutamate; Acetylcholine (Waszczak, B.L.) 455, 115

Basolateral amygdala; Anti-nerve growth factor serum; Intraventricular injection (Funabashi, T.) **458**, 132

MK-801; N-Methyl-p-aspartate receptor; Non-competitive antagonist; Rat (Sato, K.) 463, 12

Amygdala; Hippocampus; MK-801; *N*-Methyl-p-aspartate; Anticonvulsant (Gilbert, M.E.) **463**, 90

Brattleboro rat; Anterior neocortex; Vasopressin (Weller, K.L.) 463, 390

Partial seizure; Transfer; Premotor cortex; Hippocampus; Basal ganglia (Ono, K.) 475, 182

Kininase II

Angiotensin-converting enzyme; Angiotensin; Bradykinin; Cerebrospinal fluid; Cerebral blood vessel (Whalley, E.T.) 438, 1

Angiotensin-converting enzyme inhibitor; Brain transport; Quantitative autoradiography; Peptidase; Axonal transport; Striatonigral pathway (Aiso, M.) 447, 195

Kitten

Fever; Development (Olmstead, C.E.) 442, 279

Corticorubral fiber; Sprouting; Cerebral lesion; Red nucleus; Phaseolus vulgaris leucoagglutinin (PHA-L) (Murakami, F.) **447**, 98

Knife cut

Self-stimulation; Medial forebrain bundle; Rate-frequency data; Path neuron; Rat (Waraczynski, M.A.) 438, 8

Kölliker-Fuse (K-F) nucleus Bulbar respiratory neuron; Pelvic nerve; Defecation; Micturition; Parturition; Straining; Respiration (Fukuda, H.) 449, 157

Kynurenate

Neurotransmitter; Glutamate; Afferent synapse; Acousticolateralis receptor; Electroreceptor (Okano, K.) **457**, 79

Afferent synapse; Acousticolateralis receptor; Electroreceptor; Postsynaptic potential; Postsynaptic receptor; Transmitter (Okano, K.) 457, 89

Striate cortex; Slice preparation; Layer I; Intracellular recording; Synaptic potential (Nakajima, S.) **457**, 176

Kynurenic acid

Excitotoxin; Postmortem; Epilepsy; Neurodegenerative disorder (Turski, W.A.) **454**, 164

Proline; Hippocampus; Excitotoxin; Quinolinic acid; *N*-Methyl-p-aspartic acid; Hyperprolinemia (Nadler, J.V.) **456**, 168

L

L-156,903

Neurotensin binding; Rat brain; Rat uterus; Dynorphin; Levocabastine; Autoradiography (Pettibone, D.J.) **457**, 212

Labyrinthectomy

Vestibular compensation; Medial vestibular nucleus; Neuronal plasticity (Smith, P.F.) 444, 295

Vestibular compensation; Medial vestibular nucleus; Neuronal plasticity (Smith, P.F.) 444, 308

Lactate

Acidosis; Cornu ammonis area 1 population spike; Hippocampal slice; Hypoxia (Schurr, A.) **438**, 311

Stress; N-Methyl-D-aspartate-receptor; Hippocampus; Glucose consumption (Schasfoort, E.M.C.) 475, 58

Lactation

Prolactin; Growth hormone; Morphine; Opiate; Sensitivity (Callahan, P.) **442**, 214

Adrenal medulla; β-Adrenergic receptor; Epinephrine; Isoproterenol; Norepinephrine; Oxytocin; Propranolol (Song, S.-L.) **457**, 303

Lamellar organization

Hippocampus; Pyramidal neuron; CA2; Septum; Horseradish peroxidase; Computer reconstruction (Tamamaki, N.) **452**, 255

Lamina X

Spinothalamic tract; Dynorphin; Enkephalin; Vasoactive intestinal polypeptide; Lateral spinal nucleus (Nahin, R.L.) **443**, 345

Laminar analysis

Somatosensory cortex; Hindlimb deafferentation; Sciatic nerve section; Cortical plasticity (Dykes, R.W.) 449, 1

Laminar distribution

γ-Aminobutyric acid (GABA); Dorsal lateral geniculate nucleus; Visual

cortex; Superior colliculus; Cat (Kanno, S.) 451, 172

Laminin

Enteric neuron; Glia; Fibroblast; Culture; Monoclonal antibody; Immunolabelling (Bannerman, P.G.C.) **440**, 87

Entubulation repair; Peripheral nerve repair; Collagen; Peripheral nervous system; Rat (Madison, R.D.) 447, 325

Lamprey

Inhibitory spinal interneuron; Glycine; Strychnine-sensitive inhibitory postsynaptic potential (IPSP); Spinal cord; Locomotion; Pattern generator (Buchanan, J.T.) 438, 404

Primary sensory neuron; Touch; Pressure; Nociception; Hyperpolarizing pulse (Christenson, J.) **440**, 1

Primary sensory neuron; Synaptic bouton; Intracellular staining; Horseradish peroxidase; Light microscope; Electron microscope (Christenson, J.) **440**, 9

Opsin; Visinin; Phosphodiesterase; Pineal organ; Immunohistochemistry (Kuo, C.-H.) **442**, 147

Cholecystokinin; Lucifer yellow; Intracellular staining; Spinal cord (Ohta, Y.) 445, 400

Spinal cord regeneration; Locomotion; Spinal cord injury; Descending command system; Brainstem locomotor region (McClellan, A.D.) 448, 339

Locomotion; Command system; Descending pathway; Brainstem locomotor region (McClellan, A.D.) **457**, 338

Lamprey spinal cord

Excitatory amino acid; L-Glutamate; Dihydrokainate; Microdialysis; Locomotion (Brodin, L.) 458, 166

Schmidt-Lanterman cleft

Calmodulin; Peripheral nerve; Axon; Schwann cell; Immunocytochemistry (Mata, M.) 475, 297

Large neuron

Progressive supranuclear palsy; Alzheimer's disease; Senile dementia; Neostriatum; Morphometry (Oyanagi, K.) 458, 218

Larval tiger salamander

Retina; Melatonin; Intracellular recording; Horizontal cell (Wiechmann, A.F.) **453**, 377

Larynx

Taste; Epiglottis; Apnea (Dickman, J.D.) 450, 25

Laser Doppler flowmetry

Peripheral nerve; Blood vessel; Blood flow; Vasa nervorum; Carbon dioxide; Peripheral neuropathy; Mononeuritis; Ischemia; Regulation (Rechthand, E.) 446, 61 Late phrenic motor unit

Early phrenic motor unit; Phrenic-to-phrenic reflex; Respiration; Spinal cord (Marlot, D.) **450**, 373

Lateral anterior nucleus

Avian; Circadian; Suprachiasmatic nucleus; Periventricular preoptic nucleus; Ventral lateral geniculate nucleus (Cassone, V.M.) **459**, 178

Lateral geniculate body Ganglioside; Brain damage; Visual

system; Retrograde degeneration (Sabel, B.A.) **459**, 373

Visual system; Optic tract; Retinal projection; Axon terminal; Hamster (Erzurumlu, R.S.) 461, 175

Lateral geniculate nucleus

Neuropeptide Y, Suprachiasmatic nucleus; Immunocytochemistry; Electron microscopy; Rat (Ibata, Y.) 439, 230

Thalamic reticular cell; Lateral posterior nucleus; Visual cortex; Rat (Sumitomo, I.) 446, 354

Thalamus; Hippocampus; γ-Aminobutyric acid; Baclofen; Inhibitory postsynaptic potential, GABA_A; Inhibitory postsynaptic potential, GABA_B (Soltesz, I.) **448**, 351

Butyrylcholinesterase; Cholinesterase; Tree shrew; Retinal projections (Horn, K.M.) 448, 386

Y cell; X cell; W cell; Visual response; Electroencephalogram synchronization; Electroencephalogram desynchronization; Inhibitory circuitry; Cat (Sawai, H.) **455**, 394

Ponto-geniculo-occipital wave; Acetylcholine; Peribrachial area; Nicotinic mechanism; Rapid eye movement sleep (Hu, B.) 473, 394

Lateral geniculate nucleus X-cell Y-cell; Nitrous oxide; Cat; Binocular interaction; Monocular paralysis (Schroeder, C.E.) **454**, 227

Lateral habenular nucleus

Entopeduncular nucleus; Thalamus; Horseradish peroxidase conjugated to wheat germ agglutinin; Electron microscopy; Cat (Tokuno, H.) 474, 390

Lateral hypothalamic area Zona incerta; Subfornical organ; Neural connection; Osmotic stimulation (Tanaka, J.) 456, 397

Periaqueductal gray; Tail pinch; Electrophoresis; Glucose-sensitive neuron; Extracellular recording; Intracellular recording (Kai, Y.) **461**, 107

3,4-Dihydroxybutanoic acid γ -lactone; 2,4,5-Trihydroxypentanoic acid γ -lactone; Ventromedial hypothalamic nucleus; Intracellular recording; Feeding regulation (Minami, T.) **462**, 258

Lateral hypothalamus

Antihistamine; Histamine H₁-receptor; Feeding; α-Fluoromethylhistidine; Ventromedial hypothalamus; Paraventricular nucleus; Microinfusion (Sakata, T.) **441**, 403

Norepinephrine; γ-Aminobutyric acid; Acetylcholine; Glutamate; Neuromodulation (Sessler, F.M.) **446.** 77

Excitatory amino acid; Serotonin; Stimulation-produced antinociception; Tail-flick reflex; Descending inhibition (Aimone, L.D.) **450**, 170

Amphetamine; Feeding (Colle, L.) 459, 356

Naltrexone; Brain stimulation reward; Nucleus accumbens; Ventral tegmental area (West, T.E.G.) **462**, 126

Lateral lemniscus

Startle; Glutamate; Amino acid antagonist (Spiera, R.F.) 445, 130

Lateral line efferent

Acetylcholine; Transmitter; Immunohistochemistry; Choline acetyltransferase; Goldfish (Danielson, P.D.) 448, 158

Lateral line nerve

Ammocoete; Dorsal nucleus; Medial nucleus; Electroreception (Ronan, M.) **448**, 173

Lateral parabrachial area

Substance P; Central amygdaloid nucleus; Projection; Immunocytochemistry; Coexistence; Calcitonin gene related peptide; Double-staining method (Yamano, M.) **451**, 179

Lateral posterior nucleus

Thalamic reticular cell; Lateral geniculate nucleus; Visual cortex; Rat (Sumitomo, I.) 446, 354

Lateral rectus

Abducens; Oculomotor; Extraocular; Afferent (Goldberg, S.J.) 443, 350

Lateral reticular nucleus

Locus coeruleus/subcoeruleus; Dorsolateral funiculus; Descending inhibition; Stimulation-produced antinociception; Tonic descending inhibition (Janss, A.J.) 440, 109

Lateral septum

Vasopressin; Social memory; Androgen-dependent behavior (Dantzer, R.) **457**, 143

Extracellular recording; Fornix stimulation; Oxytocin; Synaptic uncoupling; Vasopressin (Raggenbass, M.) 459, 60

Lateral spinal nucleus

Spinothalamic tract; Dynorphin; Enkephalin; Vasoactive intestinal polypeptide; Lamina X (Nahin, R.L.) **443**, 345 Peptide; Substance P; Enkephalin; Dynorphin; Somatostatin (Cliffer, K.D.) **460**, 356

Lateral subcommissural nucleus

Oxytocin; Paraventricular; Lordosis; Sexual receptivity; Estrogen; Progesterone; Mounting; Medial preoptic area (Caldwell, J.D.) 446, 236

Lateral suprasylvian cortex

Extrastriate cortex; Development; Visual cortex (McCall, M.A.) 447, 67

Recovery of function; Visual cortex damage; Extrastriate cortex; Neural plasticity; Development (Spear, P.D.) **447**, 79

Lateral terminal accessory optic nucleus

Accessory optic system; Retinofugal pathway; Human visual system; Medial terminal accessory optic nucleus; Dorsal terminal accessory optic nucleus; Interstitial nucleus of the superior fascicle, posterior fibers; p-Phenylene-diamine method; Oculomotor function (Fredericks, C.A.) 454, 116

Lateral terminal nucleus

Vertical optokinetic nystagmus; Visual cortex lesion; Accessory optic system; Cat (Grasse, K.L.) 455, 385

Lateral vestibular nucleus

Benzodiazepine; Crossed extensor reflex; Extracellular unit; Intracranial microinjection; Iontophoresis (Kawasaki, K.) **461**, 282

Lateralization

Rotation; Amphetamine; Apomorphine; 6-Hydroxydopamine; Striatum (Glick, S.D.) **450**, 334

Sensitization; Amphetamine; Stress; Psychosis; Dopamine; Catecholamine; Adrenocorticotropin (LaHoste, G.J.) **453**, 381

Rotation; Amphetamine; Apomorphine; Striatum; Receptor,

D₁-; Receptor, D₂-; Asymmetry; N-Methylspiperone; SCH-23390 (Glick, S.D.) **455**, 43

Mauthner neuron; Reticulospinal system; Escape response; Command neuron (DiDomenico, R.) 473, 15

Nucleus accumbens; Frontal cortex; Dopamine; Behavior (Starkstein, S.E.) 473, 74

Immunomodulation; T-cell mitogenesis (Barnéoud, P.) 474, 394

Layer I

Striate cortex; Slice preparation; Kynurenate; Intracellular recording; Synaptic potential (Nakajima, S.) 457, 176

Lead neurotoxicity

Hippocampal slice; Extracellular recording; Paired-pulse stimulation (Altmann, L.) 455, 254

Leão's depression

Spreading depression; Neuron damage; Potassium; Extracellular; Calcium (Kawasaki, K.) **457**, 322

Learned response

Afterhyperpolarization; Hippocampal neuron; Neuronal conditioning; Eye blink conditioning; CA1 pyramidal cell (Disterhoft, J.F.) **462**, 118

Learning

Memory; Goldfish brain protein; Ependymin; Shuttle-box training; Avoidance conditioning; Long-term memory; Extracellular glycoprotein (Piront, M.-L.) 442, 53

Neuronal plasticity; Prefrontal cortex; Rabbit; Limbic system; Heart rate (Gibbs, C.M.) **442**, 86

Hippocampus; Electrical stimulation; Memory; Mouse (Roman, F.) 443, 149

Vertical limb of diagonal band of Broca; Acetylcholine; Pilocarpine; Marmoset (Ridley, R.M.) **456**, 71

Benzodiazepine; Memory; CGS 8216; Flumazenil (Ro 15-1788) (Kumar, B.A.) 460, 195

Learning and memory

Long-term potentiation; Push-pull cannula; Extracellular protein; Dentate gyrus; Polyacrylamide gel electrophoresis (Fazeli, M.S.) 473, 51

Nucleus basalis magnocellularis lesion; Sympathetic nervous system; Neuronal reorganization (Harrell, L.E.) **474**, 353

Learning behavior

Neurotensin; Mammillary body; Passive avoidance behavior; Central amygdaloid nucleus; Rat (Shibata, K.) 443, 117

Middle cerebral artery; Neurological deficit; Motor coordination; Chronic ischemic model; Rat (Yamamoto, M.) **452**, 323

Learning deficit

Animal model; Hyperactivity; Memory deficit; Open field; Passive avoidance; Recent memory disturbance; T-maze; Senescence accelerated mouse (Yagi, H.) 474, 86

Lectin

Electron microscope; Hippocampus; Retrograde transport; Transplant (Seeley, P.J.) 449, 177

Leech neuron

Intracellular pH; Substitution of sodium (Deitmer, J.W.) 462, 233

Leech, Tetrahymena

Opiate receptor; Evolution (Zipser, B.) 463, 296

Leptinotarsa decemlineata

Olfaction; Electrophysiology; Odor quality coding; Interneuron; Antennal lobe; Deutocerebrum; Brain (De Jong, R.) 447, 10

Olfaction; Electrophysiology; Odor quality coding; Receptor neuron; Suppression; Binary mixture (De Jong, R.) 447, 18

Leptomeninges

Hypothalamo-neurohypophysial system; Regeneration; Fine structure; Neurophysin immunohistochemistry (Dellmann, H.-D.) 450, 181

Lesion

Escape behavior; Giant interneuron; Cockroach; Antenna (Comer, C.M.)

Retina; Retinopetal fiber; Molluscan cardioexcitatory peptide (FMRFamide); Frog; Nervus terminalis; Immunocytochemistry (Wirsig-Wiechmann, C.R.) 449, 116

Opiate withdrawal; Fasciculus retroflexus; Interpeduncular nucleus; 2-Deoxyglucose autoradiography; Behavioral withdrawal; Rat (Cutlip, A.C.) 451, 54

Histidyl-proline diketopiperazine (cyclo(His-Pro)); Receptor binding; Ventromedial hypothalamic nucleus (VMH); Somatostatin (Ogawa, N.) **451**, 115

Epilepsy; Kindling; Amygdala; Pyriform cortex; Septal area; Hippocampus (Racine, R.J.) 454, 264

Nicotine; Dopamine; Substantia nigra; Striatum; Rat brain; Immunohistochemistry; Tyrosine hydroxylase; Image analysis; Protection; Quantitative receptor autoradiography (Janson, A.M.) **455**, 332

Lesion-induced synaptic reorganization

Medial amygdaloid nucleus; Accessory olfactory bulb; Phaseolus vulgaris leucoagglutinin (PHA-L); Rat (Ichikawa, M.) 451, 248

Lesions of nucleus basalis

Acetylcholinesterase molecular form; Kainic acid; Alzheimer's disease; Presynaptic acetylcholinesterase; Neurotoxic lesion (Bisso, G.M.) 449, 391

N-Methyl-D-aspartic acid; Phencyclidine; Excitatory neurotransmitter receptor; Mouse (Leander, J.D.) 448, 115

Leucine

Axonal tract tracing; Wheatgerm agglutinated horseradish peroxidase; Autoradiography; Somesthetic pathway (Nothias, F.) 447, 169

Leukocytosis

Acute phase response; Neutrophilia; Endogenous pyrogen; Interleukin-1; Hypothalamus (Morimoto, A.)

475, 345

Leukotriene C₄ Human brain; Leukotriene D₄; Leukotriene E₄; Prostaglandin F_{2α} (Simmet, T.) 456, 344

Leukotriene D₄

Human brain; Leukotriene C₄; Leukotriene E_4 ; Prostaglandin $F_{2\alpha}$ (Simmet, T.) **456**, 344

Leukotriene E4

Human brain; Leukotriene C₄; Leukotriene D_4 ; Prostaglandin $F_{2\alpha}$ (Simmet, T.) **456**, 344

Long-term potentiation; Calpain; Chronic recording (Staubli, U.) 444, 153

Levocabastine

Neurotensin binding; Rat brain; Rat uterus; Dynorphin; L-156,903; Autoradiography (Pettibone, D.J.) 457, 212

Levorphanol

Hypoglycemia; Dextrorphan; Dextromethorphan; N-Methyl-D-aspartic acid (NMDA); Neurotoxicity; Cortex; Cell culture; Opioid (Monyer, H.) 446, 144

Lewy body

Parkinson's disease; Monoclonal antibody; Neuronal degeneration (Hirsch, E.) 441, 139

Lidocaine

Ca²⁺ current; Concentration clamp technique; Intracellular perfusion; Sensory neuron; Voltage clamp (Oyama, Y.) 442, 223

Rabbit retina; Dopamine; Superfusion; Nomifensine (Godley, B.F.) 452, 393

Melatonin; Pineal; Wavelength; Circadian (Brainard, G.C.) 454, 212

Light effect

Rat; Biological rhythm; Autoradiography (Pauly, J.R.) 452, 105

Light microscope

Primary sensory neuron; Synaptic bouton; Intracellular staining; Horseradish peroxidase; Electron microscope; Lamprey (Christenson, J.) 440, 9

Light microscopy
Auditory system; Anterograde degeneration; Nerve fiber; Myelin (Hoeffding, V.) 449, 104

Ricinus communis agglutinin I; Dorsal root ganglion; Sciatic nerve (Aldskogius, H.) 461, 215

Electron microscopy; Regenerating growth cone; Axonal tract tracing; Wheat germ-agglutinated horseradish peroxidase (Nothias, F.) 461, 349

Monoamine; Neural development (Nothias, F.) 463, 341

Light-dark cycle

[125] Ilodopindolol; Pineal gland; Daily (24 h) rhythm; β -Adrenoceptor; Male rat (Gonzalez-Brito, A.) 438, 108

Limbic system

Met-enkephalin; Kindling; Diurnal variation (Asai, M.) 442, 81

Learning; Neuronal plasticity; Prefrontal cortex; Rabbit; Heart rate (Gibbs, C.M.) 442, 86

Parabrachial nucleus; Nucleus raphe magnus; Nociception; Autoradiography (Holstege, G.) 447, 154

Tract tracing; Steroid autoradiography; Hypothalamus; Ventromedial nucleus; Medial amygdala; Reproduction (Akesson, T.R.) 451, 381

Deoxyglucose; Seizure; Amygdala; Status epilepticus (Handforth, A.) 460, 94

Cholinergic pathway; Diagonal band; Medial septum; Nucleus basalis (Koliatsos, V.E.) 463, 133

Limbic system dysfunction

Borna disease; Neurotransmitter; Neuronal transcript; Aggression; Hyperactivity (Lipkin, W.I.) 475, 366

Lingual reflex

Hypoglossal afferent; Tongue proprioception (Zapata, P.) 445, 19

Lipid domain

Filipin; Tomatin; Saponin; Calcium; Axolemma; Extracellular matrix; Membrane-associated cytoskeleton; Cytoskeleton; Cholesterol (Fields, R.D.) 443, 231

Lipid peroxidation

Arachidonic acid; Vasogenic edema; 21-Aminosteroid (Hall, E.D.) 451, 350

Lipophilic ions

Adenosine; Synaptosome; Neuromodulation; K⁺-conductance; Ion-selective microelectrode; Ionic mechanism (Michaelis, M.L.) 473, 249

Lipopolysaccharide endotoxin Interleukin-1; Conditioned taste aversion; Rat (Tazi, A.) 473, 369

Lipoxygenase

Spinal cord injury; Trauma; Eicosanoid; Cyclo-oxygenase; Cation (Faden, A.I.) 463, 63

Lissamine rhodamine-B-sulfonyl chloride

Rhodamine-X-isothiocyanate; Rhodamine-B-isothiocyanate; Texas red; Retrograde transport; Fluorescent labeling (Ogilvy, C.S.) 475, 244

Lissauer's tract

Unmyelinated fiber; Primary afferent; Intraspinal sprouting; Nerve growth factor; Antibody to nerve growth factor; C-fiber (Hulsebosch, C.E.) 461, 322

List learning

Medial septum; Dorsal hippocampal formation; Item recognition memory; Serial position curve (Kesner, R.P.) **454**, 219

Lisuride

MnCl₂ toxicity; Dopamine; Striatum; Vitamin E; α -Methyltyrosine (Parenti, M.) **473**, 236

Lithium

Muscarinic acetylcholine receptor; Receptor regulation; Neuroblastoma cell (Liles, W.C.) **439**, 88

Lizard

Somatostatin; Immunocytochemistry; Cerebral cortex; Reptile (Dávila, J.C.) **447,** 52

Reptile; Cerebral cortex; Hippocampus; Horseradish peroxidase; Connection; Synapse; Timm; *Podarcis hispanica* (Lopez-Garcia, C.) **463**, 205

L₄ neuron

Convergent activation; Neck rotation; Muscle afferent; Propriospinal neuron (Yates, B.J.) **449**, 377

Lobster

p-Tyramine; M-Tyramine; β-Phenylethylamine; Tryptamine; Nerve cord; Aromatic-L-amino acid decarboxylase inhibition (Juorio, A.V.) 444, 380

Proctolin; Stretch-induced release; Oval organ (Pasztor, V.M.) **458**, 199

Local blood flow

Local oxygen tension; Polarography; Cerebral cortex; White matter; Hippocampus (Feng, Z.-C.) 445, 280

Local cerebral blood flow

Blood-brain barrier; Autoregulation; Monoamine oxidase inhibitor (Lasbennes, F.) **454**, 205

Local cerebral glucose utilization Electrical stimulation; Striatum; Globus

pallidus; [14C]Deoxyglucose method; Circling behavior (Aiko, Y.) **442**, 43 Nicotine; 2-Deoxyglucose; Rat brain;

Nicotine; 2-Deoxyglucose; Rat brain; Nicotinic receptor; Chronic nicotine administration; Locomotor activity (Grünwald, F.) **456**, 350

Cholinergic marker; Deoxyglucose; Nucleus basalis magnocellularis; Dementia; Autoradiography (Orzi, F.) **462,** 99

Local circuit neuron

γ-Aminobutyric acid; Glutamic acid decarboxylase; Immunocytochemistry; Inhibition; Relay cell; Reptile; Thalamus (Pritz, M.B.) 457, 154

Local oxygen tension

Local blood flow; Polarography; Cerebral cortex; White matter; Hippocampus (Feng, Z.-C.) 445, 280

Localization

Antibody; Bovine; Monkey; Human;

Retina; Insulin receptor; Immunocytochemistry; Immunoelectron microscopy (Rodrigues, M.) **443**, 389

Locomotion

Inhibitory spinal interneuron; Glycine; Strychnine-sensitive inhibitory postsynaptic potential (IPSP); Lamprey; Spinal cord; Pattern generator (Buchanan, J.T.) 438, 404

Spinal cord regeneration; Spinal cord injury; Descending command system; Brainstem locomotor region; Lamprey (McClellan, A.D.) 448, 339

Rat; Hypothalamus; Exploration; Flight; Electrical brain stimulation; Discriminant analysis; Mapping (Lammers, J.H.C.M.) **449**, 294

Motor cortex; Pyramidal tract neuron; Gait adjustment; Cat (Drew, T.) **457**, 181

Command system; Descending pathway; Brainstem locomotor region; Lamprey (McClellan, A.D.) **457**, 338

Excitatory amino acid; L-Glutamate; Dihydrokainate; Microdialysis; Lamprey spinal cord (Brodin, L.) **458,** 166

Sensitization; Amphetamine; Dopamine; Nucleus accumbens; Dialysis; Dopamine release; Stereotyped behavior; Stimulant; Chronic drug effect; Amphetamine psychosis; Neural plasticity (Robinson, T.E.) **462**, 211

Dopamine; Cholecystokinin; Coexistence; Endogenous; Neuropeptide (Crawley, J.N.) 473, 398

Locomotor activity

Nucleus accumbens; Substantia innominata; Carbachol; Rat (Austin, M.C.) 441, 209

Dopaminergic mesencephalic neuron; Amygdala; Nucleus accumbens; Prefrontal cortex; Dihydroxyphenylacetic acid/dopamine (DOPAC/DA) ratio; D-Amphetamine (Simon, H.) 447, 335

Pedunculopontine nucleus; Mesencephalic locomotor region; Carbachol; Amphetamine; Nucleus accumbens; Cholinergic mechanism; Rat (Brudzynski, S.M.) 451, 119

Apomorphine; Presynaptic dopamine autoreceptor; Naltrexone; Water intake; Rat (Ukai, M.) 451, 357

Nucleus basalis magnocellularis; Cholinergic neuron; GABAergic drug; Enkephalin analog (Baud, P.) **452**, 203

Mesencephalic locomotor region; Subthalamic locomotor region; Pedunculopontine nucleus; Zona incerta; Subthalamic nucleus; Chemical microinjection; Electrical stimulation (Milner, K.L.) 452, 273 Acetylcholine; Serotonin; Septum; Hippocampus; Spatial learning (Nilsson, O.G.) **453**, 235

Nicotine; 2-Deoxyglucose; Rat brain; Local cerebral glucose utilization; Nicotinic receptor; Chronic nicotine administration (Grünwald, F.) **456**, 350

Striatal transplant; Muscarinic cholinergic receptor; Kainic acid; Behavioral recovery; Huntington's disease; Spontaneous alternation (Deckel, A.W.) 474, 27

Neostriatum; Striatum; Brain transplantation; Kainic acid; Dopamine receptor; Behavioral recovery (Deckel, A.W.) 474, 39

Locomotor behavior

Striatum; Huntington's disease; Kainic acid; Neural transplant; Digiscan (Giordano, M.) 446, 183

Locomotor drive potential

a-Motoneuron; Treadmill locomotion; Quadriceps femoris muscle; Walking; Electromyogram (Glenn, L.L.) 439, 396

Locomotor hyperactivity

Electrolytic ventral mesencephalic tegmentum lesion; Spontaneous alternation; Noradrenergic-dopaminergic (NA-DA) interaction; Behavioral restoration; Receptor heteroregulation (Taghzouti, K.) 440, 172

Locus ceruleus

Baclofen; γ-Aminobutyric acid (GABA); γ-Aminobutyric acid-B receptor (GABA_B receptor); Potassium conductance; Intracellular recording (Osmanović, S.S.) 438, 124

Noradrenaline; Attention; Memory (Sara, S.J.) 438, 299

Serotonin; Raphe system; Ovulation; Luteinizing hormone (LH) (Morello, H.) 440, 227

Noradrenaline; Endogenous opioid; Naloxone; Stress; Single unit activity; Cat (Abercrombie, E.D.) **441**, 362 Dorsal bundle; Nerve cell destruction; Neonatal rat (Kostrzewa, R.M.) **442**, 321

Barrel receptor field; Vibrissa; Cerebral metabolism; 2-Deoxyglucose (Levin, B.E.) **443**, 261

Noradrenaline; 6-Hydroxydopamine; Olfaction; Olfactory bulb; Castration; Psychophysics (Doty, R.L.) **444**, 95

Medial preoptic nucleus; Luteinizing hormone (LH); Luteinizing hormone-releasing hormone (LH-RH); Stimulation; Hypothalamic transection; Locus coeruleus decussation (Gitler, M.S.) 447, 205

Neuronal transplant; Noradrenaline; Aging; Memory (Collier, T.J.) 448, 77 L-Dihydroxyphenylalanine; Glutaraldehyde; Antibody; Rat brain; Substantia nigra; Striatum; Enzyme-linked immunosorbent assay; Immunocytochemistry (Mons, N.) 451, 403

Spinal cord; Vestibular; Electromyogram extensor; Pontine reticular formation (Barnes, C.D.) 453, 32

Vasopressin; Noradrenaline; Immunocytochemistry; Coexistence (Caffé, A.R.) **459**, 386

Pons; Parabrachial nucleus; Blood pressure; Excitatory amino acid (Ward, D.G.) **462**, 383

Spinal cord; Phentolamine; Noradrenaline; Brain graft (Henschen, A.F.) 474, 66

α-Adrenoceptor; β-Adrenoceptor; Noradrenaline; Rat dorsal hippocampus; Pyramidal neuron; 6-Hydroxydopamine (Curet, O.) 475. 47

Fluoro-Gold; Retrograde tracing; Fluorescent tracer; Raphe; Substantia nigra; Nucleus basalis; Afferent pathway; Immunofluorescence; Rat (Pieribone, V.A.) 475, 259

Locus ceruleus decussation

Locus coeruleus; Medial preoptic nucleus; Luteinizing hormone (LH); Luteinizing hormone-releasing hormone (LH-RH); Stimulation; Hypothalamic transection (Gitler, M.S.) 447, 205

Locus ceruleus/subceruleus

Lateral reticular nucleus; Dorsolateral funiculus; Descending inhibition; Stimulation-produced antinociception; Tonic descending inhibition (Janss, A.J.) 440, 109

Locusta migratoria

Melanin concentrating hormone; α-Melanocyte-stimulating hormone; Immunocytochemistry; Central nervous system (Schoofs, L.) **450**, 202

Locust

Bicuculline; Acetylcholine; γ-Aminobutyric acid; Nicotine; Muscarine; Receptor; Insect (Benson, J.A.) 458, 65

Insect; Calcium; Sodium-calcium exchange; Neuroendocrine; Corpus cardiacum; Adipokinetic hormone (Pannabecker, T.) 458, 180

Locust muscle

Glutamate receptor; Argiotoxin; Non-competitive antagonism (Budd, T.) **448**, 30

Argiotoxin₆₃₆; Quisqualate-sensitive glutamate receptor channel; Non-competitive antagonism (Kerry, C.J.) **459**, 312

Long-Evans rat

Pineal gland; Brattleboro rat; Melatonin synthesis; Circadian rhythmicity; Serotonin-N-acetyltransferase; Vasopressin (Schröder, H.) **459**, 328

Long-lasting effect

Mast cell degranulating peptide (MCD); Ca 3; Hippocampal neuron; Spontaneous network burst; Evoked network burst (Cherubini, E.) 445, 91

Long-sleep mice

Dentate gyrus; Basket cell; Astrocyte; Chronic ethanol; Granule cell; Short-sleep mice (Scheetz, A.J.) 460, 246

Long-term administration

Somatostatin; Substance P; Haloperidol; Dopamine; Rat (Radke, J.M.) **445**, 55

Long-term enhancement

Neural conditioning action; Heterosynaptic potentiation; Slow postsynaptic potential; Synaptic modulation; Synaptic plasticity; Sympathetic ganglion; Dopamine (Libet, B.) **473**, 271

Long-term memory

Learning; Memory; Goldfish brain protein; Ependymin; Shuttle-box training; Avoidance conditioning; Extracellular glycoprotein (Piront, M.-L.) 442, 53

Long-term potentiation

Hippocampus; Dentate gyrus; Theta rhythm (Greenstein, Y.J.) 438, 331

Critical period; Visual cortex; Current source density; Rat; In vitro (Perkins, IV, A.T.) 439, 222

θ-Rhythm; Hippocampus; Dentate gyrus (Pavlides, C.) **439**, 383

Synaptic plasticity; Hippocampal slice, CA₁ neuron; Field potential; Protein kinase C (Reymann, K.G.) **440**, 305

N-Methyl-D-aspartate; θ-Rhythm; Hippocampus; CA₁; Synaptic plasticity (Larson, J.) **441**, 111

Pyriform cortex; Olfactory cortex; Olfactory bulb; Evoked potential; Rat (Stripling, J.S.) **441**, 281

Leupeptin; Calpain; Chronic recording (Staubli, U.) 444, 153

Heterosynaptic interaction; Postsynaptic potential; Negative cooperativity; Hippocampus; CA1 region; Medial septum; In vivo (Xie, X.) **445**, 367

Hippocampal slice; Calcium (Mulkeen, D.) 447, 234

Opioid peptide; Perforant path; Naloxone; Push-pull perfusion (Bramham, C.R.) **449**, 352

Anisomycin; Protein synthesis; Hippocampal CA1 in vitro; Field potential (Frey, U.) 452, 57

Hippocampus; Synaptic modification; Membrane apposition surface area; Dendritic spine (Desmond, N.L.) **453**, 308

Hippocampal slice; CA1; Calcium; *N*-Methyl-p-aspartic acid; 2-Amino-5-phosphonovalerate (Melchers, B.P.C.) **454**, 1

Hippocampus; Association; Cooperativity (Buzsàki, G.) 455, 192

Hippocampus; Slice; Calcium; *N*-Methyl-D-aspartate (Huang, Y.-Y.) **456,** 88

N-Methyl-D-aspartate; Protein kinase C; Protein F1 (Linden, D.J.) **458**, 142

Hippocampus; Synaptic plasticity; Calmodulin; Protein kinase C; Second messenger; Calmidazolium; K-252b; Protein phosphorylation (Reymann, K.G.) 461, 388

Hippocampus; N-Methyl-D-aspartate; 3-[(±)-2-Carboxypiperazin -4-yl]-propyl-1-phosphonic acid; (+)-5-Methyl -10,11-dihydro-5H-dibenzo[a,d]cyclo-hepten-5,10-imine maleate; Field potential; Synaptic transmission (Abraham, W.C.) 462, 40

Push-pull cannula; Extracellular protein; Dentate gyrus; Learning and memory; Polyacrylamide gel electrophoresis (Fazeli, M.S.) 473, 51

Lordosis

Luteinizing hormone-releasing hormone (LH-RH) fragment; Ventromedial hypothalamus; Medial preoptic area; Midbrain central gray; Microinfusion (Dudley, C.A.) 441, 161

Oxytocin; Paraventricular; Sexual receptivity; Estrogen; Progesterone; Mounting; Medial preoptic area; Lateral subcommissural nucleus (Caldwell, J.D.) 446, 236

Development; Estrogen; Female sexual behavior; Progestin receptor; Sexual differentiation; Rat (Williams, C.L.) **449**, 403

Neonatal androgenization; Rat; Ovulation; Bethanechol; Estrogen binding site (Lauber, A.H.) **456**, 177

Ventromedial nucleus; Progesterone action; Rough endoplasmic reticulum (Meisel, R.L.) **463**, 153

Lorglumide

Cholecystokinin antagonist; Dopamine neuron; Nucleus accumbens; Haloperidol (Jiang, L.H.) 473, 165

Loss of resolution

Neocortex; Film autoradiography; Differential absorption; Radioactive label, ³H; Radioactive label, ¹²⁵I; Radioactive label, ¹⁴C (Lidow, M.S.) **459**, 105

Low-threshold afferent

Excitability; Presynaptic terminal; Inferior alveolar nerve; Phase-linked modulation; Mastication; Presynaptic inhibition; Presynaptic facilitation (Kurasawa, I.) 446, 113

Low-threshold spike

Dopamine; Substantia nigra; Ventral tegmental area; Bursting; Medial prefrontal cortex; Anterior cingulate cortex (Gariano, R.F.) **462**, 194

Lucifer yellow

Cholecystokinin; Intracellular staining; Lamprey; Spinal cord (Ohta, Y.) **445**, 400

Brain slice;

[D-Ala²,NMePhe⁴,Gly-ol⁵]Enkephalin; Guinea pig; Hypothalamus; μ-Opioid receptor (Charpak, S.) **450**, 124

Dye coupling; Hypothalamic slice; Intracellular recording (Yang, Q.Z.) **463**, 47

Lucifer yellow injection

Brain slice; Intracellular recording; Opioid peptide; Receptor characterization (Wuarin, J.-P.) **445,** 289

Lurcher mutant mouse

Cerebellum; Spatial integration; Spontaneous alternation (Lalonde, R.) **455,** 24

Luteinizing hormone

Serotonin; Locus ceruleus; Raphe system; Ovulation (Morello, H.) 440, 227

Vasoactive intestinal peptide (VIP); Secretin; Peptide histidine isoleucine amide (PHI); Medial preoptic area; Microinjection; Prolactin; Ovariectomized rat (Akema, T.) 441, 367

Ethanol; Luteinizing hormone-releasing hormone (LH-RH); Hypophyseal portal blood; Follicle-stimulating hormone (Ching, M.) 443, 325

Vasoactive intestinal peptide; Noradrenergic; Gonadotropin-releasing hormone; 6-Hydroxydopamine; Pulsatile (Alexander, M.J.) **445**, 247

Morphine; Testosterone; Follicle-stimulating hormone; Noradrenaline; Serotonin; Endogenous opioid (Gabriel, S.M.) 447, 200

Locus coeruleus; Medial preoptic nucleus; Luteinizing hormone-releasing hormone (LH-RH); Stimulation; Hypothalamic transection; Locus coeruleus decussation (Gitler, M.S.) 447, 205

Corticotropin-releasing hormone; Opioid; Tolerance; Rat (Nikolarakis, K.E.) **450**, 360

Luteinizing hormone-releasing hormone; Ovariectomy; Rat (King, J.C.) **452**, 127

Luteinizing hormone releasing hormone; Neuronal sprouting; Hypothalamic knife cut (Phelps, C.P.) **454**, 188

Male primate; Sexual dimorphism; Gonadotropin-releasing hormone; Estrogen (Francis Pau, K.-Y.) **459**, 70

Adrenaline; Estradiol; Hypothalamus; Luteinizing hormone-releasing hormone; Naloxone; Noradrenaline; Opioid; Progesterone (Crowley, W.R.) **461**, 314

Luteinizing hormone-releasing hormone (LH-RH)

Ethanol; Hypophyseal portal blood; Luteinizing hormone (LH); Follicle-stimulating hormone (Ching, M.) **443**, 325

Puberty; Noradrenaline; In vitro; Rat (Clough, R.W.) 446, 121

Locus coeruleus; Medial preoptic nucleus; Luteinizing hormone (LH); Stimulation; Hypothalamic transection; Locus coeruleus decussation (Gitler, M.S.) 447, 205

Hypothalamus; Morphine; Opioid neuron; Naloxone (Mehmanesh, H.) **451,** 69

Messenger RNA (mRNA); Testosterone; Hypothalamus; RNA-blot hybridization (Park, Y.) **451.** 255

Luteinizing hormone; Neuronal sprouting; Hypothalamic knife cut (Phelps, C.P.) **454**, 188

Luteinizing hormone; Ovariectomy; Rat (King, J.C.) 452, 127

Adrenaline; Estradiol; Hypothalamus; Luteinizing hormone; Naloxone; Noradrenaline; Opioid; Progesterone (Crowley, W.R.) **461**, 314

Luteinizing hormone-releasing hormone (LH-RH) fragment

Lordosis; Ventromedial hypothalamus; Medial preoptic area; Midbrain central gray; Microinfusion (Dudley, C.A.) 441, 161

LY-141865

Dopamine D₂ receptor; Nucleus accumbens (Hu, X.-T.) **444**, 389

LY-171555

[¹²⁵I]3-Iodobenzamide; In vivo binding; D₂ Receptor; Single photon emission computerized tomography; YM-09151-2; Neuroleptic; IBZM (Singhaniyom, W.) **453**, 393

Lymnaea

FMRFamide; Neurosecretory cell; Egg laying; Neuropeptide; Neurophysiology; Potassium conductance; Inhibition (Brussaard, A.B.) 447, 35

Lymphocyte

Acute starvation; Chronic starvation;

 β_2 -Adrenergic receptor; Hypothalamus; Cortex (Lonati-Galligani, M.) **442**, 329

Lymphocyte responsiveness Immune system; Handedness (Neveu, P.J.) **457**, 392

T-Lymphocyte

Axonal transport; Demyelination; Optic nerve; Multiple sclerosis; Semliki Forest virus (Jenkins, H.G.) **459**, 145

M

M₁-muscarinic action

Sympathetic ganglion; Slow synaptic potential; Interneuronal receptor; Postganglionic receptor; McN-A-343; AF-102B (Mochida, S.) **455**, 9

M₂ receptor

Cholinergic receptor; Muscarinic receptor subtype; Cyclic adenosine monophosphate; Rat brain; Cerebral cortex; Forskolin (Anderson, D.J.) 475, 28

Macaque

Primate; Centre médian; Parafascicular nucleus; Medial nucleus of the pallidum; Substantia nigra; Basal ganglia (François, C.) **473**, 181

Macromolecular complex Tubulin; Hydrodynamics; Polymerization; Postsynaptic density (LeVine, III, H.) 439, 47

Magnesium

Cultured hippocampal neuron; Whole-cell voltage-clamp; L-Glutamate; Membrane permeability; Alkali metal cation; Calcium (Ozawa, S.) **443**, 85

Photoreceptor; Horizontal cell; Cone; Synaptic transmission; Ethylenediaminetetraacetic acid (EDTA); Ethyleneglycol-bis-(\(\beta\)-minoethyl ether)-\(N,N,N',N',-\) tetraacetic acid (EGTA); Chelator; Calcium (Normann, R.A.) **443**, 95

CA₃ hippocampal neuron; Burst; Anoxia; Kainate; N-Methyl-D-aspartate; Potassium; N-Methyl-D-aspartate antagonist (Neuman, R.) **459**, 265

Thyrotropin-releasing hormone; Brain injury; Nuclear magnetic resonance (Vink, R.) 460, 184

Adenosine; Hippocampus; Presynaptic inhibition; Epileptiform activity

(Bartrup, J.T.) 463, 374

Magnetic field

Cyclic adenosine monophosphate (cAMP); Pineal gland; Rat (Rudolph, K.) 446, 159

Catecholamine; Retina; Rat (Olcese, J.) 448, 325

Hippocampal slice: Magnetoencephalogram; Neural modeling; SQUID (Tesche, C.D.) 462, 190

Magnetic field, 60 Hz

Epilepsy; Electrical kindling; Seizure; Power-line frequency; Health effect; Rat (Ossenkopp, K.-P.) 442, 255

Magnetoencephalogram

Magnetic field; Hippocampal slice; Neural modeling; SQUID (Tesche, C.D.) 462, 190

Magnetoencephalography

Direct cortical response; Current source-density; Neocortex; Electrophysiology; Biomagnetism (Barth, D.S.) 450, 280

Magnocellular neuroendocrine system

Excitatory amino acid; Synaptic potential; Supraoptic nucleus (Gribkoff, V.K.) 442, 152

Main olfactory bulb

Pars externa system of the anterior olfactory nucleus; Interhemispheric connectivity; Wheat-germ agglutinated horseradish peroxidase; Primate (Reyher, C.K.H.) 457, 169

Sexual behavior; Dopamine; cis-Flupenthixol; Apomorphine; Medial preoptic area; Rat (Pehek, E.A.) 443, 70

Male primate Sexual dimorphism; Gonadotropin-releasing hormone; Luteinizing hormone; Estrogen (Francis Pau, K.-Y.) 459, 70

Male rat

[125] Iodopindolol; Pineal gland; Daily (24 h) rhythm; β -Adrenoceptor; Light-dark cycle (Gonzalez-Brito, A.) **438**, 108

Mammillary body

Neurotensin; Passive avoidance behavior; Central amygdaloid nucleus; Learning behavior; Rat (Shibata, K.) 443, 117

Man

Agonist facilitation; Antagonist inhibition; H-reflex; Ankle dorsiflexion (Kasai, T.) 447, 389

Mapping

Rat; Hypothalamus; Locomotion; Exploration; Flight; Electrical brain stimulation; Discriminant analysis (Lammers, J.H.C.M.) 449, 294

Rat; Hypothalamus; Aggression; Teeth-chattering; Social grooming; Electrical brain stimulation; Discriminant analysis (Lammers, J.H.C.M.) 449, 311

△9-Tetrahydrocannabinol: Cannabinoid; Cannabis; Dopamine; 3,4-Dihydroxyphenylethylamine; Neostriatum; Caudate nucleus; Rat; Potassium; In vivo electrochemistry; In vivo microdialysis; Brain reward (Ng Cheong Ton, J.M.) 451, 59

Marmoset

Vertical limb of diagonal band of Broca; Acetylcholine; Pilocarpine; Learning (Ridley, R.M.) **456**, 71

Hypothalamus: Sexual behavior: Masculine sexual arousal; Copulatory mechanism (Lloyd, S.A.C.) 463, 317

Masculine sexual arousal

Hypothalamus; Sexual behavior; Copulatory mechanism; Marmoset (Lloyd, S.A.C.) 463, 317

Masseter muscle

Audio-motor reflex; Periodontal reflex; Human; Masticatory motor control (Van der Glas, H.W.) 444, 284

Mast cell

Demyelination; Protease; Experimental allergic neuritis; Myelin (Johnson, D.)

Mast cell degranulating peptide (MCD)

Ca 3; Hippocampal neuron; Spontaneous network burst; Evoked network burst; Long-lasting effect (Cherubini, E.) 445, 91

Mastication

Excitability; Presynaptic terminal; Low-threshold afferent; Inferior alveolar nerve; Phase-linked modulation; Presynaptic inhibition; Presynaptic facilitation (Kurasawa, I.) 446, 113

Masticatory motoneuron

Dendritic typing; Morphometric analysis; Intracellular horseradish peroxidase (Shigenaga, Y.) 461, 238

Masticatory motor control

Audio-motor reflex; Periodontal reflex; Masseter muscle; Human (Van der Glas, H.W.) 444, 284

Maturation

Tissue culture; Superior colliculus; Target specificity; Transplantation (Harvey, A.R.) 462, 89

Mauthner neuron

Reticulospinal system; Escape response; Command neuron; Lateralization (DiDomenico, R.) 473, 15

Maximal electric shock

Anticonvulsant; Stereoselectivity; Mouse (Kohn, H.) 457, 371

Maximal electroshock seizure Muscimol; Entopeduncular nucleus: Substantia nigra; Pilocarpine seizure

(Hosford, D.A.) 462, 205

Mazindol

Dopamine axon; 6-Hydroxydopamine; Acetylcholinesterase; Mesostriatum (O'Dell, S.J.) 460, 402

MCD peptide receptor

Ionic channel; Ontogenesis; Rat brain; Seizure; Autoradiography (Mourre, C.) 446, 106

McN-A343

AFDX-116; Blood pressure: cis-Methyldioxolane; Heart rate; Muscarinic receptor; Receptor, M1; Pirenzepine; Wistar rat (Sundaram, K.) 449, 141

McN-A-343

Sympathetic ganglion; Slow synaptic potential; M₁-muscarinic action; Interneuronal receptor; Postganglionic receptor; AF-102B (Mochida, S.) **455**, 9

M-current

Sympathetic ganglion cell; Antibiotic; Hyperpolarizing afterpotential; Ganglion cell depolarization; Clindamycin (Konopka, L.M.) 458, 269

Mean arterial pressure

Corticotropin-releasing factor; Spontaneously hypertensive rat; Catecholamine; Heart rate; Bombesin (Brown, M.R.) 441, 33

Neuropeptide Y; Caudal ventrolateral medulla; Heart rate; A1 noradrenaline nucleus; Nucleus ambiguus; Wistar-Kyoto normotensive rats (Macrae, I.M.) 456, 1

Mechanical brain injury

Cholinergic; Concussion; Antimuscarinic; Experimental brain injury (Lyeth, B.G.) 448, 88

Scopolamine; Cholinergic; Experimental brain injury; Spinal cord injury (Lyeth, B.G.) 452, 39

Mechanical impedance

Arm movement; Electromyographic pattern (Simmons, R.W.) 473, 134

Mechanism of action

Choline acetyltransferase; Estradiol; Dexamethasone; Brain region (Kaufman, H.) 453, 389

Mechanoreceptive neuron

Taste; Thermal sensitivity; Cold neuron; Solitary tract nucleus; Rat; Receptive field (Ogawa, H.) 454, 321

Mechanoreceptor

Ruffini; Corpuscle; Free ending; Node of Ranvier; Cation binding; Schwann cell (Byers, M.R.) 461, 397

Mechanosensitivity

Cat; Muscle spindle; pH; Proton pump; Sensory ending; Ammonia; Carbondioxide (Fukami, Y.) 463, 140

Medial amygdala

Tract tracing; Steroid autoradiography; Hypothalamus; Limbic system; Ventromedial nucleus; Reproduction (Akesson, T.R.) 451, 381

Medial amygdaloid nucleus

Sex difference; α_1 -Receptor; α_2 -Receptor; Quantitative autoradiography; Ventromedial hypothalamic nucleus; Preoptic area; Guinea pig (Johnson, A.E.) **442**, 205

Lesion-induced synaptic reorganization; Accessory olfactory bulb; *Phaseolus vulgaris* leucoagglutinin (PHA-L); Rat (Ichikawa, M.) **451**, 248

Medial forebrain bundle

Self-stimulation; Knife cut; Rate-frequency data; Path neuron; Rat (Waraczynski, M.A.) 438, 8

Feeding; Reward; Conduction velocity; Connectivity; Refractory period (Gratton, A.) 438, 264

Dopamine cell; Refractory period; Current-distance relation (Yeomans, J.S.) **450**, 86

Medial frontal cortex

Hippocampus; Central cardiovascular control; Electrical stimulation; Chemical stimulation; Rat (Ruit, K.G.) **457**, 310

Medial hypothalamus

Dorsal horn neuron; Heat-evoked response; Tail-flick reflex; Descending inhibition; Stimulation-produced analgesia; Rat (Culhane, E.S.) 438, 137

Affective defense behavior; Bed nucleus of stria terminalis; D-Ala²-Met⁵-Enkephalinamide; Naloxone (Brutus, M.) **473**, 147

Medial nucleus

Ammocoete; Dorsal nucleus; Lateral line nerve; Electroreception (Ronan, M.) **448**, 173

Medial nucleus of the amygdala Estrogen; Genomic; Accommodation; Excitatory postsynaptic potential; Depolarizing afterpotential; Intracellular recording (Schiess, M.C.)

440, 380

Medial nucleus of the pallidum Primate; Macaque; Centre médian; Parafascicular nucleus; Substantia

Parafascicular nucleus; Substantia nigra; Basal ganglia (François, C.) **473**, 181

Medial prefrontal cortex

Food deprivation; Dopamine; Rotational behavior; D-Amphetamine; Brain asymmetry (Carlson, J.N.) **454.** 373

Dopamine; Substantia nigra; Ventral tegmental area; Bursting; Anterior cingulate cortex; Low-threshold spike (Gariano, R.F.) **462**, 194

Medial preoptic area

Corticotrophin-releasing factor (CRF);

Gonadotrophin-releasing hormone (GnRH) (MacLusky, N.J.) 439, 391

Lordosis; Luteinizing hormone-releasing hormone (LH-RH) fragment; Ventromedial hypothalamus; Midbrain central gray; Microinfusion (Dudley, C.A.) 441, 161

Vasoactive intestinal peptide (VIP); Secretin; Peptide histidine isoleucine amide (PHI); Microinjection; Luteinizing hormone; Prolactin; Ovariectomized rat (Akema, T.) 441, 367

Sexual behavior; Dopamine; cis-Flupenthixol; Apomorphine; Rat; Male (Pehek, E.A.) 443, 70

Oxytocin; Paraventricular; Lordosis; Sexual receptivity; Estrogen; Progesterone; Mounting; Lateral subcommissural nucleus (Caldwell, J.D.) 446, 236

Neuron activity; Ventromedial hypothalamus; Female; Sexual behavior; Monkey (Aou, S.) **455**, 65

Medial preoptic nucleus

Locus coeruleus; Luteinizing hormone (LH); Luteinizing hormone-releasing hormone (LH-RH); Stimulation; Hypothalamic transection; Locus coeruleus decussation (Gitler, M.S.) 447, 205

Medial septal area

Galanin; Nucleus basalis; Coexistence; Muscarinic receptor; Nicotinic receptor (Wenk, G.L.) **460**, 17

Medial septum

Long-term potentiation; Heterosynaptic interaction; Postsynaptic potential; Negative cooperativity; Hippocampus; CA1 region; In vivo (Xie, X.) 445, 367

Dorsal hippocampal formation; Item recognition memory; Serial position curve; List learning (Kesner, R.P.) **454**, 219

AF64A; Cholinergic neurotoxin; Memory; Working/episodic memory; Acetylcholine; Hippocampus (Chrobak, J.J.) **463**, 107

Cholinergic pathway; Diagonal band; Limbic system; Nucleus basalis (Koliatsos, V.E.) **463**, 133

Medial terminal accessory optic nucleus

Accessory optic system; Retinofugal pathway; Human visual system; Lateral terminal accessory optic nucleus; Dorsal terminal accessory optic nucleus; Interstitial nucleus of the superior fascicle, posterior fibers; p-Phenylene-diamine method; Oculomotor function (Fredericks, C.A.) 454, 116

Medial thalamus

μ-Receptor; κ-Receptor; Analgesia; Reward (Carr, K.D.) **441**, 173

Medial vestibular nucleus

Vestibular compensation; Labyrinthectomy; Neuronal plasticity (Smith, P.F.) **444**, 295

Vestibular compensation; Labyrinthectomy; Neuronal plasticity (Smith, P.F.) **444**, 308

Cerebellar flocculus; Middle zone; Target neuron of floccular inhibition; Relay neuron of vestibulo-ocular reflex; Eye movement (Sato, Y.) **446**, 225

Median eminence

Immunocytochemistry; Histaminergic fiber; Histidine decarboxylase; Histamine; Hypophysis; Rat (Inagaki, N.) 439, 402

Tyrosine hydroxylase mass; Tyrosine hydroxylase activity; Sodium chloride ingestion; Superior cervical ganglion (Wang, P.S.) **446**, 363

Corticotropin-releasing factor; Immunoreactivity; Adrenocorticotropic hormone; Hypothalamus; Anisomycin; Stress (Haas, D.A.) **461**, 230

Median preoptic nucleus Subfornical organ; Paraventricular nucleus; Vasopressin neuron (Tanaka, J.) **461**, 403

Medical forebrain bundle Feeding; Reward; Refractory period; Connectivity (Gratton, A.) 438, 256

Mediodorsal thalamic nucleus Caudate-putamen complex; Dopamine utilisation; Prefrontal cortex lesion; Ibotenate infusion (Jones, M.W.)

Medium spiny I neuron Parkinson's disease; Striatum; Neurodegenerative disease; Basal ganglia (McNeill, T.H.) 455, 148

Medium-spiny projection neuron Rat neostriatum; Glutamate decarboxylase (GAD) immunoreactivity (Kita, H.) 447, 346

Medulla

Respiratory bulbospinal neuron; Antidromic latency; Amino acid; γ-Aminobutyric acid (GABA); Glycine; Glutamate; Homocysteate; Cat (Grelot, L.) 443, 27

Vagus; Antinociception; Pain; Cardiovascular (Randich, A.) 445, 68

Taste; Tactile; Somatotopy; Facial lobe; Catfish; Amino acid; Electrophysiology (Marui, T.) **446**, 178

Chemoreceptor; Nucleus tractus solitarii; Brainstem; Visceral; Sensory (Claps, A.) 455, 123

Baroreceptor; Visceral; Sensory; Brainstem; Nucleus tractus solitarii (Torrealba, F.) **455**, 134

Cardiovascular; Neurotransmitter; L-Glutamate; Brain slice (Miller, B.D.) **456**, 333

Acoustic startle; Reticular formation: Pons; Prepulse inhibition (Wu, M.-F.) 457, 399

Medulla oblongata

Clonidine; Clonidine-displacing substance; Ventrolateral medulla; Receptor binding: $p-[^3H]$ Aminoclonidine; α -Adrenergic receptor; Imidazole binding site (Ernsberger, P.) 441, 309

Nodose ganglion; Nucleus tractus solitarii; Pulmonary receptor: Respiration; Spike-triggered averaging; Vagus nerve (Kubin, L.) 443, 215

Blood pressure; Central nervous system; y-Aminobutyric acid; Glutamate (Gordon, F.J.) 457, 251

Medullary inspiratory neuron Inspiratory nerve; Rhythm; Spectral analysis; Coherence function; Interval analysis (Christakos, C.N.) 463, 362

Medullary swallowing interneuron (unitary activity)

Hypoglossal motor nucleus: Parvocellular reticular formation; Retrograde transport of horseradish peroxidase; Sheep (Amri, M.) 441, 119

Medullospinal sympathetic neuron Antidromic mapping; Axonal branching; Spike-triggered averaging; Sympathetic nerve discharge (Barman, S.M.) 441, 371

Medullospinal sympathoexcitatory

Rostral ventrolateral medulla; Pacemaker activity; Vasomotor center (Sun, M.-K.) 438, 23

Neuropeptide: Neurotransmitter (Grimmelikhuijzen, C.J.P.) 475, 198

Meissner's corpuscle

Calcitonin gene-related peptide; Substance P; Immunohistochemistry; Rat (Ishida-Yamamoto, A.) 453, 362

Dipeptidylpeptidase IV activity; Plasma membrane; Modified Schwann cell (Dubový, P.) 461, 186

Melanin concentrating hormone α-Melanocyte-stimulating hormone; Immunocytochemistry; Čentral nervous system; Locusta migratoria (Schoofs, L.) 450, 202

α-Melanocyte-stimulating hormone Melanin concentrating hormone; Immunocytochemistry; Central nervous system; Locusta migratoria (Schoofs, L.) 450, 202

Enkephalin; Hypothalamus; Immunocytochemistry; Metorphamide; Opiate; Peptide; Pro-opiomelanocortin; Zona incerta (Merchenthaler, I.) 452, 87

Dopamine; Rat; Hypothalamus; Superfusion; Apomorphine;

Flupenthixol (Tiligada, E.) 457, 379

γ₂-Melanocyte-stimulating hormone Anteroventral third ventricle; Blood pressure; Heart rate; Sympathetic nervous system (Callahan, M.F.) 444, 177

Melatonin

Pineal; Rat; Serotonin N-acetyltransferase; Adrenal; Pituitary; Stress; Saline injection (Troiani, M.E.) **450**, 18

Retina: Intracellular recording: Horizontal cell; Larval tiger salamander (Wiechmann, A.F.) 453, 377

Light; Pineal; Wavelength; Circadian (Brainard, G.C.) 454, 212

Pineal gland; Pyridoxine deficiency; Aromatic amino acid decarboxylase; Serotonin; Rat (Viswanathan, M.)

Pineal gland; N-Acetyltransferase activity; Isoproterenol; Syrian hamster (Gonzalez-Brito, A.) 475, 393

Melatonin synthesis

Pineal gland; Brattleboro rat; Circadian rhythmicity; Serotonin-N-acetyltransferase; Long-Evans rat; Vasopressin (Schröder, H.) 459, 328

Membrane

Axon; Freeze-fracture; Myelination (Waxman, S.G.) 453, 337

Adenylate cyclase; β -Adrenoceptor; Neuropeptide; Receptor-effector coupling; Cell fusion; Hybridization (Olasmaa, M.) 473, 29

Membrane apposition surface area Long-term potentiation; Hippocampus; Synaptic modification; Dendritic spine (Desmond, N.L.) 453, 308

Membrane binding $α_2$ -Adrenoceptor; [3 H]UK-14304; Autoradiography; Human brain (Pazos, A.) 475, 361

Membrane calcium conductance Dorsal root ganglion cell; Membrane potassium conductance; Opioid tolerance; Hyperexcitability (Crain, S.M.) 455, 99

Membrane current

Epilepsy; Pentylenetetrazol; Calcium; Snail neuron; Helix pomatia (Walden, J.) 473, 294

Membrane permeability

Cultured hippocampal neuron; Whole-cell voltage-clamp; L-Glutamate; Alkali metal cation; Calcium; Magnesium (Ozawa, S.) 443, 85

Membrane potassium conductance Dorsal root ganglion cell; Membrane calcium conductance; Opioid tolerance; Hyperexcitability (Crain, S.M.) 455, 99

Membrane potential Astrocyte;

3.3-Diethylthiadicarboxyamineiodide: Potassium; Glutamate receptor; Kainate; Quisqualate; N-Methyl-D-aspartate (Enkvist, M.O.K.) 462, 67

Membrane property

Isolated taste cell; Bullfrog; Whole-cell clamp; Electrical stimulation; Action potential (Miyamoto, T.) 449, 369

Membrane vesicle

γ-Aminobutyric acid (GABA); Chloride influx; Benzodiazepine; β -Carboline (Malatynska, E.) 443, 395

Membrane-associated cytoskeleton Filipin; Tomatin; Saponin; Calcium; Axolemma; Lipid domain; Extracellular matrix; Cytoskeleton; Cholesterol (Fields, R.D.) 443, 231

Membranous organelle

Proteolysis; Thiolprotease inhibitor; Axon terminal; Anterograde-retrograde conversion; Tubulovesicular organelle (Sahenk, Z.)

Memory

Locus ceruleus; Noradrenaline; Attention (Sara, S.J.) 438, 299

Learning; Goldfish brain protein; Ependymin; Shuttle-box training; Avoidance conditioning; Long-term memory; Extracellular glycoprotein (Piront, M.-L.) 442, 53

Hippocampus; Electrical stimulation; Learning; Mouse (Roman, F.) 443, 149

Amygdala; Naloxone; β -Noradrenergic antagonist; α-Noradrenergic antagonist; Inhibitory avoidance; Discrimination learning; Caudate-putamen; Cortex (McGaugh, J.L.) 446, 37

γ-L-Glutamyl-L-aspartate; Mouse; Excitatory amino acid receptor; Hippocampus (Ungerer, A.) 446, 205

Dehydroepiandrosterone; Dehydroepiandrosterone sulfate; Hormone; Mouse; Retention; Steroid; Amnesia (Flood, J.F.) 447, 269

Neuronal transplant; Noradrenaline; Aging; Locus ceruleus (Collier, T.J.) 448, 77

Aging; Mouse; Retention; Steroid; Adrenal (Flood, J.F.) 448, 178

Kindling; Sleep; Aging; Rat; Seizure (Stone, W.S.) 449, 135

Benzodiazepine; Learning; CGS 8216; Flumazenil (Ro 15-1788) (Kumar, B.A.) 460, 195

Bombesin; Gastrin-releasing peptide; Gut peptide; Mouse; Retention (Flood, J.F.) 460, 314

AF64A; Cholinergic neurotoxin; Working/episodic memory; Acetylcholine; Medial septum; Hippocampus (Chrobak, J.J.) 463, 107 Memory deficit

Animal model; Hyperactivity; Learning deficit; Open field; Passive avoidance; Recent memory disturbance; T-maze; Senescence accelerated mouse (Yagi, H.) 474, 86

Memory intracortical

Acetylcholine; Ethylcholine mustard aziridinium ion; AF64A; Cholinergic hypofunction; Nucleus basalis; Animal model; Alzheimer's disease (Mouton, P.R.) 444, 104

Meninx

Brain stab wound; Basal lamina; Glia limitans; Regeneration (Carbonell, A.L.) 439, 337

[3H]Mepyramine

Histamine; H₁-Receptor; Phosphoinositide hydrolysis; Astrocyte; Extracellular calcium (Arbonés, L.) **450**, 144

Mesencephalic cat

Dorsal tegmental field; Postural atonia; Apnea (Kawahara, K.) 473, 81

Mesencephalic locomotor region Pedunculopontine nucleus; Locomotor activity; Carbachol; Amphetamine; Nucleus accumbens; Cholinergic mechanism; Rat (Brudzynski, S.M.) 451, 119

Locomotor activity; Subthalamic locomotor region; Pedunculopontine nucleus; Zona incerta; Subthalamic nucleus; Chemical microinjection; Electrical stimulation (Milner, K.L.) **452**, 273

Mesencephalic neuron

Periodontal ligament; Intra-axonal injection; Horseradish peroxidase (Shigenaga, Y.) 448, 331

Mesencephalic nucleus

Jaw opening reflex; Periodontium; First-order neuron; Trigeminal nucleus (Aigouy, L.) 473, 380

Mesencephalic slice

Periaqueductal gray; Electrophysiology; Intracellular recording (Sánchez, D.) **455**, 166

Mesencephalic trigeminal neuron Intra-axonal injection of horseradish peroxidase (HRP) (Shigenaga, Y.) **445**, 392

Mesencephalic trigeminal nucleus Parvocellular reticular nucleus; Efferent projection; Field potential; Rat (Jüch, P.J.W.) 462, 185

Mesencephalon

Retrograde tracer; Fluorescent dye; Wheat germ agglutinin horseradish peroxidase; Parasympathetic outflow; Ciliary ganglion (Burde, R.M.) 463, 158

Mesenteric nerve stimulation (MNS)

Myenteric neuron; Guinea pig ileum;

Substance P (Takaki, M.) 442, 351

Meshwork

Alzheimer's disease; Tau; Senile plaque; Pyramidal cell; Dendrite; Sprouting (Ihara, Y.) **459**, 138

Mesolimbic

Neuropeptide; Axo-axonic junction; Dual labeling (Pickel, V.M.) 444, 247

Mesostriatum

Mazindol; Dopamine axon; 6-Hydroxydopamine; Acetylcholinesterase (O'Dell, S.J.) **460**, 402

Messenger ribonucleic acid

Opioid peptide; Dorsal horn; Hyperalgesia; Inflammation; Dynorphin A(1-8) (Iadarola, M.J.) **455,** 205

Messenger RNA

In situ hybridization; Enkephalin precursor; Nigrostriatal pathway (Normand, E.) **439**, 39

Luteinizing hormone-releasing hormone (LH-RH); Testosterone; Hypothalamus; RNA-blot hybridization (Park, Y.) **451**, 255

Met-enkephalin

Genetic hypertension; Opioid peptide; β-Endorphin; Dynorphin; Brain region; Pituitary; Heart; Adrenal; Kidney (Bhargava, H.N.) **440**, 333

Kindling; Diurnal variation; Limbic system (Asai, M.) 442, 81

Metabolic activity

Suprachiasmatic nucleus; Circadian rhythm; Single unit activity; Hamster; In vitro (Shibata, S.) 438, 374

Rat; Piriform cortex; Odor; Computerized image processing method (Cattarelli, M.) 442, 180

Metabolic control of food intake Glucoprivic feeding; Fatty acid oxidation; 5-Thio-p-glucose; Methyl palmoxirate; Fourth ventricle; Caudal brainstem; Rat (Tordoff, M.G.) 445, 216

Metabolic regulation

6-Phosphofructo-1-kinase; Brain; Glycolysis; Aging; Development; Fructose-2,6-biphosphate (Dunaway, G.A.) 456, 310

Metabolite

Canine brain tissue; Freezer storage time; Biogenic amine; Receptor (Faull, K.F.) **450**, 225

Methamphetamine

Substance P-like immunoreactivity; Substance P receptor number; Behavioral sensitization; Schizophrenia (Ujike, H.) **453**, 136

3-Methoxy-4-hydroxyphenylethyleneglycol (MHPG) Microdialysis; Hemorrhage; Blood pressure; Noradrenaline; Serotonin; Uric acid; Supraoptic nucleus; Rat (Kendrick, K.M.) **440**, 402

3-Methoxy-4-hydroxyphenylethyleneglycol sulfate

Supine restraint stress; Noradrenaline turnover; Rat brain region; Corticosterone; Expression of aggression (Tsuda, A.) **474**, 174

3-Methoxytyramine

Stress; Mouse; Genotype; Dopamine; Dihydroxyphenylacetic acid; Homovanillic acid; Brain area (Cabib, S.) **441**, 153

Cholecystokinin; Caudate-putamen; Olfactory tubercle; Amphetamine; Haloperidol; Dopamine; Dihydroxyphenylacetic acid (Altar, C.A.) **460**, 76

5-Methoxy-N,N-dimethyltryptamine 5-Hydroxytryptamine; Sex difference; Depression; Stress; Corticosterone; Open field activity; Food intake (Haleem, D.J.) 458, 339

(+)-5-Methyl-10,11-dihydro-5H-dibenzo[a,d]cyclo-hepten-5,10-imine maleate

Hippocampus; N-Methyl-D-aspartate; Long-term potentiation; 3-[(±)-2-Carboxypiperazin-4-yl]propyl-1-phosphonic acid; Field potential; Synaptic transmission (Abraham, W.C.) 462, 40

Methyl palmoxirate

Glucoprivic feeding; Fatty acid oxidation; 5-Thio-p-glucose; Fourth ventricle; Metabolic control of food intake; Caudal brainstem; Rat (Tordoff, M.G.) 445, 216

Methylazoxymethanol

Cerebellar development; Bergmann glia; Gliogenesis; External granular layer; Glial filament protein (GFP) (Hillman, D.E.) 447, 353

Methylazoxymethanol acetate Hebenula; Interpeduncular nucleus; Cholinergic system (Virgili, M.) 460, 361

Methylenedioxymethamphetamine Neurotoxicity; Serotonin; Antinociception; Morphine (Nencini, P.) 457, 136

3,4-Methylenedioxymethamphetamine

Serotonin; Neurotoxicity; Amphetamine; Primate (Ricaurte, G.A.) 446, 165

3,4-Methylenedioxymethylamphetamine

Amphetamine analog; Serotonin; Neurotoxicity; Route of administration (Finnegan, K.T.) 447, 141

(±)-3,4-Methylenedioxymethamphetamine

Serotonin; Neurotoxicity; Amphetamine; Cerebrospinal fluid; 5-Hydroxyindoleacetic acid (Ricaurte, G.A.) 474, 359

Methylmercury

Noradrenaline; Serotonin; Dopamine; Cerebral cortex; Spinal cord; Caudate-putamen; Cerebral palsy (O'Kusky, J.R.) 439, 138

L-Cysteine; Blood-brain barrier; Transport; Rat (Aschner, M.) 462, 31

Methylnaloxone

Aversion; Withdrawal; Place conditioning; Morphine dependence (Hand, T.H.) 474, 364

1-(1-Phenylcyclohexyl)-

3-Methylpiperidine PC12 cells; Potassium channel; Phencyclidine; Thienylphencylclidine; Dioxadrol; 4-Aminopyridine; Tetraethylammonium (Rogawski, M.A.) 456, 38

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine

Parkinson's disease; Globus pallidus; Unit activity; Dopamine; Passive movement; Joint rotation; Monkey (Filion, M.) 444, 165

Position emission tomography; Nomifensine: Dopamine re-uptake: Raclopride (Leenders, K.L.) 445, 61

Serotonin; Tryptophan hydroxylase; Mouse (Fukuda, H.) 449, 399

Deoxyglucose; Substantia nigra; Inferior olive; Parkinsonism (Palombo, E.) 453, 227

Uridine; Substantia nigra; Striatum; Dihydroxyphenylalanine (Pakkenberg, H.) 460, 146

1-Methyl-4-phenylpyridinium; Intracerebral infusion; Neurotoxicity; Substantia nigra; Dopamine (Gibb, W.R.G.) 461, 361

Caudate mosaic; Caudate afferent; Nigrostriatal: Parkinson's disease: Degeneration (Turner, B.H.) 473, 60

1-Methyl-4-phenylpyridinium ion; Caudate nucleus; Osmotic minipump; Monkey; Hemiparkinsonism; Substantia nigra pars compacta; Dopamine (Imai, H.) 474, 327

Parkinson's disease; Dopamine; Striatum; Neurotoxicology; Potassium; Cytochrome b: 1-Methyl-4-phenylpyridinium (Hollinden, G.E.) 475, 283

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) Dopamine; Neurotoxicity;

6-Hydroxydopamine; Parkinson's disease (Ricaurte, G.A.) 438, 395

1-Methyl-4-phenylpyridine (MPP⁺); Dopamine; 3,4-Dihydroxyphenylacetic acid (DOPAC); Benztropine; Ouabain;

Calcium; EGTA; Push-pull perfusion; High-performance liquid chromatography; Parkinsonism: Neostriatum; Rat (Sirinathsinghji, D.J.S.) 443, 101

1-Methyl-4-phenyl-pyridinium (MMP+); Mitochondrial respiration; Cytochrome-b; Striatum; Hippocampus (Sanchez-Ramos, J.R.) 443, 183

1-Methyl-4-phenyl-pyridinium (MMP+)

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP); Mitochondrial respiration; Cytochrome-b; Striatum; Hippocampus (Sanchez-Ramos, J.R.) 443, 183

1-Methyl-4-phenylpyridine (MPP⁺) 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP); Dopamine: 3,4-Dihydroxyphenylacetic acid (DOPAC); Benztropine; Ouabain; Calcium; EGTA; Push-pull perfusion; High-performance liquid chromatography; Parkinsonism; Neostriatum; Rat (Sirinathsinghji, D.J.S.) 443, 101

1-Methyl-4-phenylpyridinium 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Intracerebral infusion; Neurotoxicity; Substantia nigra; Dopamine (Gibb, W.R.G.) 461, 361

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Parkinson's disease; Dopamine; Striatum; Neurotoxicology; Potassium; Cytochrome b (Hollinden, G.E.) 475, 283

1-Methyl-4-phenylpyridinium ion 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Caudate nucleus; Osmotic minipump; Monkey; Hemiparkinsonism; Substantia nigra pars compacta; Dopamine (Imai, H.) 474, 327

cis-Methyldioxolane

AFDX-116; Blood pressure; Heart rate; Muscarinic receptor; Receptor, M₁; McN-A343; Pirenzepine; Wistar rat (Sundaram, K.) 449, 141

N-Methyl-D-aspartate Ischemia; Dextromethorphan; Neocortex; Striatum (George, C.P.) 440, 375

Long-term potentiation; θ -Rhythm; Hippocampus; CA₁; Synaptic plasticity (Larson, J.) **441**, 111

Phencyclidine; Excitatory amino acid; Glycine; Receptor (binding site): Glutamate (Thomas, J.W.) 442, 396

Dynorphin; γ-D-Glutamylglycine; 2-Amino-5-phosphonovalerate (APV); Tail-flick reflex; Neurotoxicity (Caudle, R.M.) 443, 329

L-Homocysteate; Uptake; (\pm) -β-Parachlorophenylglutamate; Neocortex; Intracellular recording; In vitro (Zeise, M.L.) 443, 373

Sodium flux; MK-801; Excitator-yamino acid (Ransom, R.W.) 444, 25

Phencyclidine; Excitatory neurotransmitter receptor; Lethality; Mouse (Leander, J.D.) 448, 115

Hypoglycemia; Dextrorphan; Levorphanol; Dextromethorphan; Neurotoxicity; Cortex; Cell culture; Opioid (Monyer, H.) 446, 144

Glutamate; Kainate; Quisqualate; Fluctuation analysis; Ion channel (Shingai, R.) 448, 198

Sleep; Cerebral cortex: 2-Amino-5-phosphonovaleric acid (2-APV); Thalamocortical (Armstrong-James, M.) 451, 189

Blood pressure; Caudal ventrolateral medulla: 2-Amino-5-phosphonovalerate; Excitatory amino acid; Push-pull perfusion; Rat (Kubo, T.) 451, 366

Hippocampal slice; CA1; Calcium; Long-term potentiation; 2-Amino-5-phosphonovalerate (Melchers, B.P.C.) 454, 1

Phencyclidine; Anticonvulsant; Dexoxadrol; MK-801; Mouse (Leander, J.D.) 454, 368

Hippocampus; Slice; Long-term potentiation; Calcium (Huang, Y.-Y.) 456, 88

Purkinje neuron; Microiontophoresis; L-Homocysteic acid; Excitatory amino acid antagonist (Lee, M.) 456, 104

Proline; Hippocampus; Excitotoxin; Quinolinic acid; Kynurenic acid; Hyperprolinemia (Nadler, J.V.) **456**, 168

Serotonin; Neocortical neuron; Excitatory postsynaptic potential; Modulation (Reynolds, J.N.) 456, 286

Protein kinase C; Protein F1; Long-term potentiation (Linden, D.J.) 458, 142

Trypsin; Hippocampal neuron; Kainate; Quisqualate; Pyriform cortex (Allen, C.N.) 458, 147

Central nervous system; Development; Excitatory amino acid; Glutamate; Hypoxia-ischemia; Neurotoxicity; Rat (McDonald, J.W.) 459, 200

CA₃ hippocampal neuron; Burst; Anoxia; Kainate; Magnesium; Potassium; N-Methyl-D-aspartate antagonist (Neuman, R.) 459, 265

Turtle; Hippocampus; Excitatory amino acid; γ-Aminobutyric acid; Epilepsy (Larson-Prior, L.J.) 460, 369

Hippocampus; Long-term potentiation;

3-[(±)-2-Carboxypiperazin-4-yl]-propyl-1-phosphonic acid; (+)-5-Methyl-10,11-dihydro-5H-dibenzo[a,d]cyclo-hepten-5,10-imine maleate; Field potential; Synaptic transmission (Abraham, W.C.) 462, 40

Astrocyte:

3,3-Diethylthiadicarboxyamineiodide; Membrane potential; Potassium; Glutamate receptor; Kainate; Quisqualate (Enkvist, M.O.K.) 462, 67

Kindling; Amygdala; Hippocampus; MK-801; Anticonvulsant (Gilbert, M.E.) **463**, 90

Glutamate; Quisqualate; Kainate; Stizolobic acid; Excitatory amino acid; Rat spinal cord (Ishida, M.) 473, 193

Glutamate; Aspartate; Quisqualate; Kainate; Turtle cerebellum; Spreading depression; Ion-selective microelectrode (Lauritzen, M.) 475, 317

N-Methyl-p-aspartate antagonist Spreading depression; Cerebral cortex; Rat; Electric stimulation; Ion-sensitive microelectrode (Marrannes, R.) 457, 226

CA₃ hippocampal neuron; Burst; Anoxia; Kainate; Magnesium; N-Methyl-p-aspartate; Potassium (Neuman, R.) **459**, 265

N-Methyl-D-aspartate receptor Phencyclidine receptor; Cerebellum; Cortex; Norepinephrine; Release assay (Yi, S.-J.) 445, 147

Glutamate; Terminal; Alzheimer's disease (Cowburn, R.) 452, 403

Glutamate; Excitatory amino acid; Neurotoxicity; Excitotoxicity; Cerebellar granule cell; Neuron (Novelli, A.) 451, 205

Entorhinal cortex; α -Aminobutyric acid antagonist; Epilepsy (Jones, R.S.G.) **457**, 113

MK-801; Non-competitive antagonist; Kindling; Rat (Sato, K.) 463, 12

Stress; Hippocampus; Lactate; Glucose consumption (Schasfoort, E.M.C.) **475**, 58

N-Methyl-D-aspartate receptor antagonist

4-(3-Phosphonopropyl)2-piperazine-Carboxylic acid (CPP); cis-4-(Phosphonomethyl)2-piperidine-Carboxylic acid (CGS 19755); Hippocampus; Motor activity; Stroke model (Boast, C.A.) 442, 345

Opioid catalepsy; Striatum; Corticostriatal pathway; Decortication; Striatonigral GABAergic output (Consolo, S.) **449**, 97

Dissociative anesthetic; Neuroprotection (Marcoux, F.W.) **452,** 329 θ Rhythm; Phase shift; Septohippocampal system; Place learning; Spectral analysis (Leung, L.-W.S.) 463, 148

N-Methyl-n-aspartate site Hippocampus; Development; Quantitative autoradiography; Hippocampal membrane (Tremblay, E.) 461, 393

N-Methyl-β-carboline-3-carboxamide (FG 7142)

Benzodiazepine ligand; Anxiety; Seizure; [14C]Deoxyglucose technique; Glucose utilization (Pratt, J.A.) 475, 218

N-Methylspiperone

Rotation; Amphetamine; Apomorphine; Striatum; Receptor, D₁-; Receptor, D₂-; Asymmetry; Lateralization; SCH-23390 (Glick, S.D.) **455**, 43

α-Methyl-p-tyrosine

Growth hormone (GH); Somatostatin; GH-releasing factor (GRF); GH secretory pattern; Antiserum to rat GRF (Sugihara, H.) 475, 128

α-Methyldihydroxyphenylalanine Blood pressure; α_2 -Adrenoceptor; β -Adrenoceptor; Nucleus tractus solitarii (Tung, C.-S.) **456**, 64

α-Methyltyrosine

MnCl₂ toxicity; Dopamine; Striatum; Vitamin E; Lisuride (Parenti, M.) **473**, 236

Metorphamide

Enkephalin; Hypothalamus; Immunocytochemistry; \(\alpha\)-Melanocyte-stimulating hormone; Opiate; Peptide; Pro-opiomelanocortin; Zona incerta (Merchenthaler, I.) 452, 87

Metyrapone

Epilepsy; Hippocampus; Neuron death; Kainic acid; Glutamate; Glucocorticoid; Stress (Stein, B.A.) 473, 175

Microdialysis

Hemorrhage; Blood pressure; Noradrenaline; 3-Methoxy-4-hydroxyphenylethyleneglycol (MHPG); Serotonin; Uric acid; Supraoptic nucleus; Rat (Kendrick, K.M.) 440, 402

Oxytocin; Aspartate; γ-Aminobutyric acid (GABA); Glutamate; Olfactory bulb; Vaginocervical stimulation; Sheep (Kendrick, K.M.) 442, 171

Gas chromatography/mass spectrometry; Pharmacokinetics; Self-administration; Uptake (Nicolaysen, L.C.) **456**, 317

Excitatory amino acid; L-Glutamate;

Dihydrokainate; Lamprey spinal cord; Locomotion (Brodin, L.) 458, 166

β-Adrenoceptor; Brain cAMP efflux; Noradrenaline (Egawa, M.) **458**, 303

Cortex; Striatum; Alzheimer's disease; Basal ganglia; Monoganglioside GM1 (Maysinger, D.) **461**, 355

Adrenal medulla graft; Parkinson's disease; Dopamine release; Striatum; Cerebrospinal fluid (Becker, J.B.) **462**, 401

Noradrenaline; Hippocampus; Release; In vivo; Neurotoxin; Tetrodotoxin (Kalén, P.) **474**, 374

Microinfusion

Lordosis; Luteinizing hormone-releasing hormone (LH-RH) fragment; Ventromedial hypothalamus; Medial preoptic area; Midbrain central gray (Dudley, C.A.) 441, 161

Antihistamine; Histamine H₁-receptor; Feeding; α-Fluoromethylhistidine; Ventromedial hypothalamus; Lateral hypothalamus; Paraventricular nucleus (Sakata, T.) **441**, 403

Kindling; Amygdala; 6-Hydroxydopamine; Catecholamine; Cat (Uemura, S.) 448, 162

Microinjection

Vasoactive intestinal peptide (VIP); Secretin; Peptide histidine isoleucine amide (PHI); Medial preoptic area; Luteinizing hormone; Prolactin; Ovariectomized rat (Akema, T.) 441, 367

Prostaglandin E₂; Sleep-wake activity; Temperature; Preoptic area; Electroencephalogram; Electromyogram (Matsumura, H.) **444,** 265

Neuropeptide Y; Paraventricular hypothalamic nucleus; Gastric acid secretion; Peptide; Central nervous system; Hypothalamus; Rat (Humphreys, G.A.) **456**, 241

Experimental epilepsy; Kainic acid; Amygdala; Spontaneous limbic seizure; Complex partial seizure (Tanaka, S.) 463, 163

Rapid eye movement sleep; Pontine reticular formation; Carbachol; Cholinergic; Propranolol; Aminergic; Cat; Reciprocal interaction model (Denlinger, S.L.) 473, 116

Microiontophoresis

S1 cortex; Receptive field; Baclofen; GABA_B; Natural stimulation (Kaneko, T.) **443**, 360

Acetylcholine; Muscarinic receptor subtype; Muscarinic agonist;

Pirenzepine; Rat (Rascol, O.) 446, 303

Purkinje neuron; N-Methyl-D-aspartic acid; L-Homocysteic acid; Excitatory amino acid antagonist (Lee, M.) **456**, 104

Graft; Unit activity; Basal forebrain; Cholinergic neuron (Bassant, M.H.) **460.** 8

 α_2 -Adrenoceptor; Hippocampus; Noradrenaline; Idazoxan; Pyramidal neuron (Curet, O.) **475**, 35

Micropressure injection

Angiotensin II-sensitive neuron; Organum vasculosum lamina terminalis; Spontaneously hypertensive rat; Wistar-Kyoto rat; Brain; Slice technique (Nelson, D.O.) 444, 46

Microsphere

Transplant; Astrocyte; Fluorescence; Electron microscope (Emmett, C.J.) **447**, 223

Microstructure

Neurite growth; Neurite guidance; Grating; Growth cone; Serum-free culture; Dorsal root ganglion neuron; Nerve cell culture (Hirono, T.) **446**, 189

Microtubule

Neuron; Growth cone; Endocytosis; Taxol; Cell cortex (Sinclair, G.I.) **450**, 60

Tubulin; Cold stability; Axon; Nervous system; Isoelectric focusing; Mouse (Binet, S.) **450**, 231

Neurosecretory peptide; Intraneuronal transport; Colchicine; Golgi apparatus; Endoplasmic reticulum (Alonso, G.) **453**, 191

Dendrite; Microtubule polarity; Mitral cell neuron; Polarity; Mitral cell dendrite (Burton, P.R.) 473, 107

Actin; Crossbridge; Axonal transport; Neurite; Cytoskeleton; Immunoelectron microscopy (Nagele, R.G.) 474, 279

Microtubule polarity

Dendrite; Microtubule; Mitral cell neuron; Polarity; Mitral cell dendrite (Burton, P.R.) 473, 107

Microtubule-associated protein 2 Human fetal neocortex; Development; Immunocytochemistry; Sensorimotor cortex; Prefrontal cortex; Interstitial neuron (Sims, K.B.) 449, 192

Aluminum; Cytoskeletal protein phosphorylation; Neurofilament (Johnson, G.V.W.) **456**, 95

Micturition

Bulbar respiratory neuron; Pelvic nerve; Defecation; Parturition; Kölliker-Fuse (K-F) nucleus; Straining; Respiration (Fukuda, H.) 449, 157

Intrathecal injection; Capsaicin; N-Vanillylnonanamide; 6-Hydroxydopamine;

5,6-Dihydroxytryptamine (Durant, P.A.C.) 451, 301

Micturition reflex

4-Aminopyridine; Urinary bladder; Rat; Capsaicin-sensitive sensory neuron; Bladder voiding cycle (Maggi, C.A.) 449, 61

Mid-line fusion

Corpus callosum; Cat; Somatosensory cortex; Interhemispheric transfer; Receptive field (Guillemot, J.-P.) 441, 221

Midazolam

Benzodiazepine; Barbiturate; Chloride ion; Pentobarbital; γ-Aminobutyric acid; Chloride flux; Rat brain (Yu, O.) **451**, 376

Midbrain

Cholecystokinin; Dopamine; Electrophysiology; Apomorphine; Neuromodulation (Freeman, A.S.) 439, 266

Habenula projection; *Phaseolus* vulgaris leucoagglutinin (PHA-L); Anterograde axonal tracing; Rat brain; Thalamus (Araki, M.) **441**, 319

Stimulation-produced analgesia; Periaqueductal gray matter; Superior colliculus; Tegmentum; Blood pressure; Analgesia; Rat (Depaulis, A.) 451, 326

Midbrain central gray

Lordosis; Luteinizing hormone-releasing hormone (LH-RH) fragment; Ventromedial hypothalamus; Medial preoptic area; Microinfusion (Dudley, C.A.) 441, 161

Midbrain periaqueductal gray Defence reaction; Hypertension; Subretrofacial nucleus; Rostral ventrolateral medulla; Excitatory amino acid; Blood pressure (Carrive, P.) 460, 339

Midbrain periaqueductal gray region

Defence; Aggression; Excitatory amino acid; D.L-Homocysteate; Aspartate; Kainate; Cat (Bandler, R.) 439, 95

Middle cerebral artery Neurological deficit; Motor coordination; Learning behavior; Chronic ischemic model; Rat (Yamamoto, M.) 452, 323

Middle temporal visual area Area 18; Intrinsic connection; Galago (Cusick, C.G.) 458, 383

Middle zone

Cerebellar flocculus; Medial vestibular nucleus; Target neuron of floccular inhibition; Relay neuron of vestibulo-ocular reflex; Eye movement (Sato, Y.) 446, 225

Migraine

Spreading depression; Cerebellum; Biomagnetism; Evoked magnetic field (Okada, Y.C.) 442, 185

Trigeminal ganglion; Sagittal sinus; Regional cerebral blood flow; Evoked potential (Lambert, G.A.) **453**, 143

Migration

Peripheral nerve; Regeneration; Schwann cell factor; Growth; Adhesion (Le Beau, J.M.) **459**, 93

Mineralocorticoid

Adrenocorticosteroid receptor; Glucocorticoid; Steroid binding; Receptor stability (Luttge, W.G.) **453.** 41

Miniature end plate potential

Postsynaptic potential; End plate potential; Quantum; Non-stationary Poisson distribution; Binomial release; *Navanax inermis*; Gastropod; Mollusc (Cappell, M.S.) **454**, 244

Acetylcholine; Neuromuscular junction; End plate potential; Synaptic vesicle; AH5183 (Lupa, M.T.) **461**, 118

Minipump infusion

Retinotectal projection; Optic nerve regeneration; Ependymin; Radial glia; Synaptic stabilization; Goldfish (Schmidt, J.T.) **446**, 269

Mitochondrial respiration

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP); 1-Methyl-4-phenyl-pyridinium (MMP+); Cytochrome-*b*; Striatum; Hippocampus (Sanchez-Ramos, J.R.) **443**, 183

Mitochondrion

Multivariate statistics; Brain plasticity; Synapse morphology; Complex environment; Blood vessel (Sirevaag, A.M.) 441, 386

Identified neuron; Intracellular staining; Hexamminecobaltic chloride; Ultrastructure; Synapse; Insect ocellus (Littlewood, P.M.H.) 445, 165

Glutamate dehydrogenase; Glutamate; Glia (Madl, J.E.) **452,** 396

Mitogen

Astrocyte; Bromodeoxyuridine; Glial growth factor from bovine pituitary; Human; Platelet-derived growth factor; Phorbol ester; Tissue culture (Yong, V.W.) 444, 59

Mitosis

Nerve regeneration; Rat sciatic nerve; Thymidine; Schwann cell (Sjöberg, J.) **453**, 221

Ganglioside; Schwann cell; Adenosine 3',5'-monophosphate (Sobue, G.) 474, 287

Mitral cell dendrite

Dendrite; Microtubule; Microtubule polarity; Mitral cell neuron; Polarity (Burton, P.R.) 473, 107

Mitral cell neuron

Dendrite; Microtubule; Microtubule polarity; Polarity; Mitral cell dendrite

(Burton, P.R.) 473, 107

MK-771

Thyrotropin-releasing hormone; Wet-dog shake; Atropine; Scopolamine (Sills, M.A.) **453**, 385

MK-801

N-Methyl-D-aspartate; Sodium flux; Excitatory amino acid (Ransom, R.W.) **444,** 25

Phencyclidine; Anticonvulsant; *N*-Methyl-D-aspartic acid; Dexoxadrol; Mouse (Leander, J.D.) **454**, 368

N-Methyl-D-aspartate receptor; Non-competitive antagonist; Kindling; Rat (Sato, K.) **463**, 12

Kindling; Amygdala; Hippocampus; *N*-Methyl-D-aspartate; Anticonvulsant (Gilbert, M.E.) **463**, 90

MnCl₂ toxicity

Dopamine; Striatum; Vitamin E; Lisuride; α-Methyltyrosine (Parenti, M.) **473**, 236

Modeccin

Suicide transport; Toxic lectin; Abrin; Volkensin; Caudate nucleus; Substantia nigra; Parafascicular nucleus (Wiley, R.G.) 438, 145

Model

γ-Aminobutyric acid; Transport; Brain particle (Liron, Z.) **444**, 119

Striatum; Stimulation; Intracranial self-stimulation; Voltammetry; Uptake (Nicolaysen, L.C.) **460**, 50

Modified Schwann cell

Meissner corpuscle; Dipeptidylpeptidase IV activity; Plasma membrane (Dubový, P.) **461,** 186

Modulation

N-Methyl-p-aspartate; Serotonin; Neocortical neuron; Excitatory postsynaptic potential (Reynolds, J.N.) **456**, 286

Cingulate; Cell; Discharge; Hippocampal; Electroencephalogram; Muscarinic; Nicotinic (Colom, L.V.) **460**, 329

Mole

Auditory pathway; Superior olivary nuclei; Inferior colliculus; Insectivora; Wheat germ-agglutinin horseradish peroxidase; Adaptation; Binaural hearing (Kudo, M.) 463, 352

Mollusc

Egg-laying behavior; Neuroendocrine cell; Peptide; Neurotransmission (Ter Maat, A.) 438, 77

Miniature end plate potential; Postsynaptic potential; End plate potential; Quantum; Non-stationary Poisson distribution; Binomial release; Navanax inermis; Gastropod (Cappell, M.S.) **454**, 244

Mollusca

Optic gland; Phe-Met-Arg-Phe-NH₂;

Immunocytochemistry; Sepia officinalis (Le Gall, S.) 462, 83

Molluscan cardioexcitatory peptide (FMRFamide)

Retina; Retinopetal fiber; Frog; Nervus terminalis; Lesion; Immunocytochemistry (Wirsig-Wiechmann, C.R.) **449**, 116

Molluscan feeding

Cyclic adenosine monophosphate (cyclic AMP); Sodium current; Molluscan neuron (McCrohan, C.R.) 438, 115

Molluscan neuron

Cyclic adenosine monophosphate (cyclic AMP); Sodium current; Molluscan feeding (McCrohan, C.R.) 438, 115

Cyclic adenosine monophosphate (cAMP); Pentylenetetrazol; Sodium current; Phosphodiesterase (McCrohan, C.R.) **452**, 21

Voltage-gated calcium current; Dopamine-induced inhibition; Intracellular calcium; Voltage clamp; Intracellular dialysis (Chemeris, N.K.) 460, 142

Calcium buffering; Ion-sensitive electrode; Arsenazo III; Intracellular organelle (Levy, S.) 474, 333

Monkey

Corticocortical connection; Superior temporal sulcus; Inferior parietal lobule (Neal, J.W.) 438, 351

Motor cortex; Hypothalamus; Intracellular recording; Intracranial self-stimulation; Afterhyperpolarization (Aou, S.) 439, 31

Motoneuron; Sternocleidomastoid; Trapezius; Spinal accessory (Jenny, A.) **441,** 352

Antibody; Bovine; Human; Retina; Insulin receptor; Localization; Immunocytochemistry; Immunoelectron microscopy (Rodrigues, M.) 443, 389

Parkinson's disease; Globus pallidus; Unit activity; 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Dopamine; Passive movement; Joint rotation (Filion, M.) 444, 165

Hippocampus; Hippocampal CA1; Cerebral cortex; Area TE; Inferotemporal cortex; Horseradish peroxidase (HRP) (Iwai, E.) 444, 397

Bromocriptine; Cerebellum; Cerebral cortex; Glial cells; Hypothalamus; Neural cells; Pons-medulla; Prolactin (Kumaran, B.) **450**, 325

Neuron activity; Ventromedial hypothalamus; Medial preoptic area; Female; Sexual behavior (Aou, S.) **455**, 65

First somatosensory cortex; Second

somatosensory cortex; Glutamic acid decarboxylase; γ-Aminobutyric acid; Immunocytochemistry (Chudler, E.H.) **456**, 57

Glutamate; Cortico-cortical connection; Somatic sensory cortex; Immunocytochemistry (Conti, F.) **462**, 148

Optokinetic nystagmus; Optokinetic after-nystagmus; Nucleus of optic tract (Kato, I.) 474, 16

Prefrontal cortex; Short-term memory; Cross-temporal integration; Sensory-motor integration (Quintana, J.) **474**, 211

Prefrontal cortex; Behavioral significance; Stimulus evaluation; Attention; Motivation (Yajeya, J.) 474, 222

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; 1-Methyl-4-phenylpyridinium ion; Caudate nucleus; Osmotic minipump; Hemiparkinsonism; Substantia nigra pars compacta; Dopamine (Imai, H.) 474, 327

Monoamine

Calcium-induced paralysis; Chemical paralysis; Spinal norepinephrine; Sucrose-potassium phosphate-glyoxylic acid (SPG) histofluorescence; High-performance liquid chromatography (HPLC) (De la Torre, J.C.) 442, 297

Catecholamine turnover; Steroid; Hypothalamus; Vocal control system; Zebra finch (Barclay, S.R.) **459**, 333

Gastropod; Serotonin; Catecholamine; Snail (Croll, R.P.) 460, 29

Light microscopy; Neural development (Nothias, F.) 463, 341

Monoamine innervation Cerebral cortex; Distribution;

Cerebral cortex; Distribution; Quantification; Radioautography (Doucet, G.) **441**, 233

Monoamine oxidase inhibitor Local cerebral blood flow; Blood-brain barrier; Autoregulation (Lasbennes, F.) **454**, 205

Monoclonal antibody

Extracellular matrix; Čentral nervous system; Immunohistochemistry; Brain segment (Rettig, W.J.) 438, 315

Retina; Ganglion cell; γ-Aminobutyric acid (GABA) (Yu, B.C.) 439, 376

Glycolipid; Ganglioside; α-Galactosyl, (α-fucosyl) G_{M1}; Hippocampus; Dentate gyrus; PC12 (Suchy, S.F.) **440**, 25

Enteric neuron; Glia; Fibroblast; Culture; Immunolabelling; Laminin (Bannerman, P.G.C.) 440, 87

Purified enteric neuron; Glia; Culture; Antibody complement-mediated

cytolysis; Cytosine arabinoside; Immunolabelling (Bannerman, P.G.C.)

Lewy body; Parkinson's disease: Neuronal degeneration (Hirsch, E.) 441, 139

Acetylcholinesterase; Cerebellum; Cerebellar nucleus; Sagittal band; Development (Boegman, R.J.)

Thy 1 antigen; OX7; Axonal transport; Immunoperoxidase (LaRocca, C.D.) 449, 381

Neurofilament protein; Purkinje cell: Immunocytochemistry (Langley, O.K.)

Glycoprotein; Synaptic membrane; Postsynaptic density (Hill, I.E.) 461, 27

Interleukin-2; Hypothalamus; Neuronal discharge (Bindoni, M.) 462, 10

Retina; Visual pathway; Goldfish (Sharma, S.C.) 473, 359

Alzheimer's disease: Amyloid: Secondary amyloidosis; Novel protein; Immunohistology; Western blotting (Yamashita, T.) 474, 309

Ciliary neurotrophic factor; Immunoparasympathectomy (Hendry, I.A.) 475, 160

Monocular paralysis

Lateral geniculate nucleus X-cell; Y-cell; Nitrous oxide; Cat; Binocular interaction (Schroeder, C.E.) 454, 227

Monocyte

Wallerian degeneration; Myelin phagocytosis; Immunoglobulin; Bursectomy; Nerve edema (Hann, P.G.) 451, 126

Monoganglioside GM1

Cortex; Striatum; Microdialysis; Alzheimer's disease; Basal ganglia (Maysinger, D.) 461, 355

Mononeuritis

Peripheral nerve; Blood vessel; Blood flow; Vasa nervorum; Carbon dioxide; Peripheral neuropathy; Ischemia; Regulation; Laser Doppler flowmetry (Rechthand, E.) 446, 61

Monosynaptic excitatory postsynaptic potential (EPSP)
Optic tectum; Field potential;
Recurrent inhibition; Dendritic cable

property (Langdon, R.B.) 441, 299

[NMe-Phe³-p-Pro⁴]morphiceptin

Hippocampus; Convulsion; Wet dog shake (Lee, P.H.K.) 441, 381

Morphine

Prolactin; Growth hormone; Lactation; Opiate; Sensitivity (Callahan, P.) 442, 214

Mouse neuroblastoma cell; Calcium channel (Lorentz, M.) 445, 157

5-Hydroxyindole; Nucleus raphe magnus; Voltammetry; Spinal cord (Rivot, J.P.) 446, 333

Antinociception; Substantia nigra; Naloxone; Intracerebral microinjection; Pain; Analgesia (Baumeister, A.A.) 447, 116

Testosterone; Luteinizing hormone; Follicle-stimulating hormone; Noradrenaline; Serotonin; Endogenous opioid (Gabriel, S.M.) 447, 200

Irradiation; Antinociception; [D-Pen²,L-Pen⁵]Enkephalin (Raffa, R.B.) 447, 393

Visceral pain; Nociception; Pseudaffective reflex: Colorectal distension; Visceromotor; Cardiovascular pressor; Clonidine (Ness, T.J.) 450, 153

Opioid; μ -Agonist; δ -Agonist; κ -Agonist; Ventral tegmental area; Rotation (Jenck, F.) 450, 387

Hypothalamus; Luteinizing hormone-releasing hormone; Opioid neuron; Naloxone (Mehmanesh, H.)

Substance P; Capsaicin; Kainic acid; Picrotoxin; Strychnine; L-Glutamic acid; Pain; Behavior; Spinal cord (Frenk, H.) 455, 223

Substance P; Strychnine; Kainic acid; L-Glutamic acid; Analgesia; Pain; Behavior; Spinal cord (Bossut, D.)

Substance P; Valproic acid; Kainic acid; Strychnine; Pain; Behavior; Spinal cord; Chlordiazepoxide (Frenk, H.) 455, 240

2-Amino-5-phosphonovalerate, [D-Pro²,D-Trp^{7,9}]-substance P; Substance P; Behavior; Pain; Analgesia; Strychnine; Kainic acid (Bossut, D.) 455, 247

Methylenedioxymethamphetamine; Neurotoxicity; Serotonin; Antinociception (Nencini, P.) 457, 136

Amphetamine; Nucleus accumbens; Heroin; Reinstatement of drug taking; Priming: Drug self-administration (Stewart, J.) 457, 287

Descending inhibition; Nociception; Brainstem; Glutamate; Spinal cord (Jones, S.L.) 460, 281

Analgesia; 3a-Hydroxy-4-pregnen-20-one; Follicle stimulating hormone suppression; Steroid; γ-Aminobutyric acid; Opiate; Calcium channel antagonist; Benzodiazepine; Naloxone; Verapamil; Nifedipine; Ro 15-1788; Picrotoxin; Bicuculline; Tyr-MIF-1 (Wiebe, J.P.) 461, 150

Voltammetry; 5-Hydroxyindole; Trigeminal nucleus caudalis; Dorsal horn; Spinal cord (Rivot, J.P.) 463, 275 Restraint: Stress-induced analgesia: Naloxone; Analgesia; Tail flick; Circadian effect; CD-1 mice (Miller, D.B.) 473, 327

Morphine dependence

Aversion; Withdrawal; Methylnaloxone; Place conditioning (Hand, T.H.) 474, 364

Morphine tolerance

Oxytocin receptor; Intracerebral administration; Oxytocin antagonist (Sarnyai, Z.) 463, 294

Morphology

Percoll; Synaptosome; Homogeneity; Biochemical marker; Electron microscopy (Dunkley, P.R.) 441, 59

Shiverer: Myelin deficient (mld); Myelin; Double mutation (Inoue, Y.) 449, 271

Acetylcholinesterase; Ageing; Neostriatum (Altavista, M.C.) 455, 177

Morphometric analysis

Masticatory motoneuron; Dendritic typing; Intracellular horseradish peroxidase (Shigenaga, Y.) 461, 238

Synaptic terminal: Synaptic vesicle: Vesicle size; Vesicle density; Vesicle distribution; Particle distribution; Electric organ (Fox, G.Q.) 475, 103

Morphometrics

△9-Tetrahydrocannabinol; Hippocampus; Neuronal density; Glial reactivity; Behavior; Corticosterone; Adrenocorticotropic hormone (ACTH) (Landfield, P.W.) 443, 47

Stereology; Disector; Dentate gyrus; Granule cell (West, M.J.) 448, 167

Morphometry

Visual system; Dorsal lateral geniculate nucleus; Coronal plane; γ -Aminobutyric acidergic neuron; 3-Dimensional reconstruction (Gabbott, P.L.A.) 438, 379

Progressive supranuclear palsy; Alzheimer's disease; Senile dementia; Neostriatum; Large neuron (Oyanagi, K.) 458, 218

Mossy fiber

Calcitonin gene-related peptide; Parallel fiber; Granule cell; Cerebellar nuclei; Cerebellum; Pontine nuclei; Immunohistochemistry (Sugimoto, T.) 439, 147

Cerebellum; D-[3H]Aspartate; Glutamate; Autoradiography; Granule cell (Garthwaite, G.) 440, 162

Kainic acid; Hippocampus; Epilepsy; Seizure; CA3 (Okazaki, M.M.) 440, 352

Kainic acid; Seizure; Hippocampus; Vesicle; Quinoline; Toluene sulfanomide quinoline (TSQ); Epilepsy; Zinc-containing neuron; Zinc (Frederickson, C.J.) 446, 383

Kainic acid; Zinc; Timm staining; Hippocampus (Théorêt, Y.) 449, 341

Mossy fiber plasticity

Human hippocampus; Aging; Senile dementia of the Alzheimer type; Excitatory aminoacid binding site (Represa, A.) 457, 355

Motility

Corticotropin-releasing factor; Acoustic stress; Cold stress; Stomach; Gastric emptying; Mouse (Buéno, L.) 441, 1

Motion disorder

Acoustic stress; Intracranial haemorrhage; Resistance to hypoxia (Ryasina, T.V.) 473, 153

Motivation

Prefrontal cortex; Behavioral significance; Stimulus evaluation; Attention; Monkey (Yajeya, J.) **474,** 222

Motoneuron

Angiotensin II; Spinal cord; Dorsal horn; Peptide; Receptor (White, S.R.) **441**, 195

Sternocleidomastoid; Trapezius; Spinal accessory; Monkey (Jenny, A.) **441.** 352

Excitatory postsynaptic potential (EPSP); Potentiation; Synaptic facilitation; Ia afferent (Collins, III, W.F.) 442, 161

Soma size; Oxidative enzyme activity; Horseradish peroxidase; Fast-twitch muscle; Slow-twitch muscle; Rat (Ishihara, A.) **446**, 195

Thyrotrophin-releasing hormone; Wet-dog shake; Choline acetyltransferase; Serotonin; Raphe neuron (Fone, K.C.F.) **455**, 157

Axoplasmic flow; Histocytochemistry; Electron microscopy; Ventral root; Spinal cord; Ranvier's node; Initial axon segment (Berthold, C.-H.) **456**, 293

Facilitation; Motor tract; Evoked potential; Motor unit; Stimulation (Rossini, P.M.) 458, 20

Thyrotrophin-releasing hormone; Indoleamine; Choline acetyltransferase activity; Bulbospinal raphe neuron; Peptide (Fone, K.C.F.) **460**, 22

Axon reaction; Chromatolysis; Nerve injury; Regeneration; Perikaryal response (Bowe, C.M.) **463**, 69

Mutant; Extraocular; Muscle; Synapse (LaVail, J.H.) 463, 78

Motoneuron disease

Immunocytochemistry; Neurofilament triplet protein; Neuropeptide; Onuf's nucleus; Radioimmunoassay; Sacral spinal cord (Gibson, S.J.) 474, 255

Motoneuron excitability Joint afferent; Motor unit (Baxendale, R.H.) 453, 150

a-Motoneuron

Treadmill locomotion; Quadriceps femoris muscle; Locomotor drive potential; Walking; Electromyogram (Glenn, L.L.) 439, 396

Motor activity

4-(3-Phosphonopropyl)-2-piperazine-Carboxylic acid (CPP); cis-4-(Phosphonomethyl)-2-piperidine-Carboxylic acid (CGS 19755); Hippocampus; Stroke model; N-Methyl-p-aspartic acid antagonist (Boast, C.A.) 442, 345

Inescapable shock; Noradrenergic mechanism; Dopaminergic mechanism; Serotonergic mechanism; Cholinergic mechanism; γ-Aminobutyric acidergic mechanism; Rat (Płaźnik, A.) 447, 122

Reticulata neuron; Striatum; Amphetamine; Apomorphine (Olds, M.E.) **452**, 237

Colchicine; Fetal hippocampal cell suspension; Radial arm maze (Tandon, P.) **473**, 241

Motor behavior

Pulvinar; Unit activity; Sensory response; Awake monkey (Magariños-Ascone, C.) 445, 30

Motor coordination

Middle cerebral artery; Neurological deficit; Learning behavior; Chronic ischemic model; Rat (Yamamoto, M.) **452.** 323

Motor cortex

Hypothalamus; Intracellular recording; Monkey; Intracranial self-stimulation; Afterhyperpolarization (Aou, S.) **439**, 31

Protein kinase C; Phorbol ester; Postsynaptic current; Voltage clamp; Intracellular injection (Baranyi, A.) **440**, 341

Hemidecortication; Movement; Kennard doctrine; Skilled reaching; Neonatal cortex lesion; Plasticity; Skilled forelimb reaching; Sparing of function (Whishaw, I.Q.) **451**, 97

Central nervous system reorganization; Neural plasticity; Sprouting; Age-at-lesion effect; Red nucleus; Hemispherectomy (Villablanca, J.R.) 453, 17

Pyramidal tract neuron; Locomotion; Gait adjustment; Cat (Drew, T.) **457,** 181

γ-Aminobutyric acid; Glutamic acid decarboxylase; Inhibition; Mouse (Solberg, Y.) **459**, 168

Carbamazepine; Ethosuximide; Evoked potential; Amygdala kindling; Systemic penicillin epilepsy; Ventral lateral thalamus; Cat; Sleep-waking cycle (Shouse, M.N.) 473, 372

Motor learning

Cerebellar cortex; Climbing fiber

(Lou, J.-S.) 445, 171

Motor nerve ending

Stannous ion; Transmitter release; Anti-curare action; Frog (Hattori, T.) 473, 157

Motor nerve fiber

Histochemistry; Peripheral nerve; Carbonic anhydrase; Cholinesterase; Nerve regeneration; Axotomy; Myelinated axon; Sensory nerve fiber (Riley, D.A.) 453, 79

Motor planning

Parkinson's disease; Reaction time; Akinesia (Rogers, M.W.) 438, 271

Motor suppression

Vasopressin; Analgesia; Neuropeptide; Pain (Thurston, C.L.) 463, 1

Motor system

Neuropeptide; Calcitonin gene-related peptide; Immunohistochemistry; Receptor binding site; Sensory system; Autonomic system; Rat (Kruger, L.) 463, 223

Motor thalamus

γ-Aminobutyric acid (GABA) receptor; Benzodiazepine receptor; Basal ganglia output; Quantitative receptor autoradiography (Kultas-Ilinsky, K.) 459, 1

Motor tract

Facilitation; Motoneuron; Evoked potential; Motor unit; Stimulation (Rossini, P.M.) **458**, 20

Motor unit

Joint afferent; Motoneuron excitability (Baxendale, R.H.) 453, 150

Facilitation; Motor tract; Motoneuron; Evoked potential; Stimulation (Rossini, P.M.) 458, 20

Motor unit recruitment

Voluntary contraction; Hand muscle unit (Oishi, K.) 458, 261

Mounting

Oxytocin; Paraventricular; Lordosis; Sexual receptivity; Estrogen; Progesterone; Medial preoptic area; Lateral subcommissural nucleus (Caldwell, J.D.) 446, 236

Mouse

Opiate receptor; Sweet preference; Naltrexone; Endogenous opioid peptide; Palatability (Yirmiya, R.) 438, 339

Rat; Somatosensory cortex; Barrel; Vibrissa; Anti-y-aminobutyric acid (anti-GABA) serum; Immunocytochemistry (Chmielowska, J.) 439, 155

5-Hydroxytryptamine; Neurotoxin; Nociception; Serotonin agonist; Receptor supersensitivity (Eide, P.K.) 440, 42 Cerebrospinal fluid absorption; Venous capillary; Choroid plexus; Circumventricular organ; Horseradish peroxidase (Hashimoto, P.H.) 440, 149

Corticotropin-releasing factor; Acoustic stress; Cold stress; Stomach; Gastric emptying; Motility (Buéno, L.) 441, 1

Stress; Genotype; Dopamine; Dihydroxyphenylacetic acid; Homovanillic acid; 3-Methoxytyramine; Brain area (Cabib, S.) **441**, 153

Substance P; Opioid peptide; Passive immunization; Aversive behavior; Intrathecal injection (Sakurada, T.) **442**, 191

Hippocampus; Electrical stimulation; Learning; Memory (Roman, F.) **443**, 149

Herpes simplex virus; Striatum; Dopamine; Encephalitis (Seegal, R.F.) **445**, 234

Current-clamp; Inward current; Taste cell; Potassium conductance; Voltage-clamp (Tonosaki, K.) 445, 363

γ-L-Glutamyl-L-aspartate; Memory; Excitatory amino acid receptor; Hippocampus (Ungerer, A.) **446**, 205

Dehydroepiandrosterone; Dehydroepiandrosterone sulfate; Hormone; Memory; Retention; Steroid; Amnesia (Flood, J.F.) 447, 269

N-Methyl-D-aspartic acid; Phencyclidine; Excitatory neurotransmitter receptor; Lethality (Leander, J.D.) 448, 115

Aging; Memory; Retention; Steroid; Adrenal (Flood, J.F.) 448, 178

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Serotonin; Tryptophan hydroxylase (Fukuda, H.) **449**, 399

Tubulin; Cold stability; Microtubule; Axon; Nervous system; Isoelectric focusing (Binet, S.) 450, 231

Insulin; Insulin analog; Insulin receptor; Protein kinase C; 12-O-Tetradecanoylphorbol-13-acetate; Polymyxin B; Psychosine; Centrally mediated hypoglycemia (Amir, S.) 450, 272

Thyrotropin-releasing hormone; Thyrotropin-releasing hormone analog; Protein kinase C; 12-O-Tetradecanoylphorbol-13-acetate; 4-\alpha-Phorbol; Central nervous system; Hypoglycemia (Amir, S.) 450, 369

Reactive astrocyte; Cell number; Proliferation; Quantitative analysis; [³H]Thymidine; Glial fibrillary acidic protein (Miyake, T.) **451**, 133

Nicotine; γ-Aminobutyric acid; Hippocampus; CA1; Population spike (Freund, R.K.) **453**, 215

Phencyclidine; Anticonvulsant;

N-Methyl-D-aspartic acid; Dexoxadrol; MK-801 (Leander, J.D.) **454**, 368

Pentobarbital; Circadian rhythm; Phase response curve; Strain difference (Ebihara, S.) **454**, 404

Thyrotropin-releasing hormone; Thyrotropin-releasing hormone analog; Glucagon; Hyperglycemia; Hypophysectomy (Amir, S.) **455**, 201

Anticonvulsant; Stereoselectivity; Maximal electric shock (Kohn, H.) **457**, 371

γ-Aminobutyric acid; Glutamic acid decarboxylase; Inhibition; Motor cortex (Solberg, Y.) **459**, 168

Bombesin; Gastrin-releasing peptide; Gut peptide; Memory; Retention (Flood, J.F.) **460**, 314

Pain; Anti-substance P anti-idiotypic antibody; Hot plate test; Formalin test (Calvino, B.) **460**, 389

Thyrotropin-releasing hormone; Anti-thyrotropin-releasing hormone antibody; 2-Deoxyglucose; Hyperglycemia (Amir, S.) **462**, 160

Aromatic L-amino acid decarboxylase; Tyrosine hydroxylase; Dopamine; Serotonin; Spinal cord; Immunohistochemistry; Rat (Nagatsu, I.) 475, 91

hpg Mouse

Gonadotropin-releasing hormone (GnRH); Transplant; Reproduction (Silverman, A.-J.) 443, 267

Mouse brain synaptosome Choline uptake; Inhibitor; Structure-activity relationship (Tamaru, M.) 473, 205

Mouse neuroblastoma cell Morphine; Calcium channel (Lorentz, M.) 445, 157

Mouse strain

β-Endorphin; Periaqueductal gray; Pituitary; Social stress; Analgesia; Naloxone; β-Chlornaltrexamine (Külling, P.) **450**, 237

Mouse, ddN strain

Corpus callosum; Acallosal brain; Probst's bundle; Corticocortical fiber; Commissural fiber (Ozaki, H.S.) 441, 5

Movement

Hemidecortication; Kennard doctrine; Motor cortex; Skilled reaching; Neonatal cortex lesion; Plasticity; Skilled forelimb reaching; Sparing of function (Whishaw, I.Q.) **451**, 97

Movement control

Perturbation; Arm movement (Soechting, J.F.) 451, 390

Movement initiation

Reaction time; Conditioned avoidance response; Nigrostriatal function; Age; Dopamine; Practice (MacRae, P.G.) **451,** 139

Müller cell

Rat; Retina; γ-Aminobutyric acid; Gabaculine; Immunocytochemistry (Cubells, J.F.) **458**, 82

Glial cell; Potassium; Electrical coupling; Gap junction; Retina (Mobbs, P.) **460**, 235

Multi-unit recording

Connectivity diagram; Conditional cross-correlation; Effective connectivity; Excitation; Inhibition; Neural interaction; Shift predictor (Espinosa, I.E.) **450**, 39

Multiple sclerosis

Axonal transport; T-Lymphocyte; Demyelination; Optic nerve; Semliki Forest virus (Jenkins, H.G.) 459, 145

Multistability

Respiratory rhythm; Biologic oscillator; Sleep; Wakefulness; Arousal (Vibert, J.-F.) **448**, 403

Multivariate statistics

Brain plasticity; Synapse morphology; Complex environment; Mitochondrion; Blood vessel (Sirevaag, A.M.) 441, 386

Muscarine

Bicuculline; Acetylcholine; γ-Aminobutyric acid; Nicotine; Receptor; Insect; Locust (Benson, J.A.) **458**, 65

Muscarinic

Striatum; Dopamine autoreceptor; Aging (Joseph, J.A.) 454, 140

Striatum; Calcium; A23187; Inositoltrisphosphate; Dopamine autoreceptor (Joseph, J.A.) 454, 149

Cingulate; Cell; Discharge; Hippocampal; Electroencephalogram; Modulation; Nicotinic (Colom, L.V.) **460,** 329

Cholinergic; Receptor;
³H-1-Quinuclidinylbenzilate-binding; Cohclea; Efferent; Autoradiography (Van Megen, Y.J.B.) **474**, 185

Muscarinic acetylcholine receptor Lithium; Receptor regulation; Neuroblastoma cell (Liles, W.C.) 439, 88

Choline acetyltransferase; Quantitative receptor autoradiograhy; Quinuclidinyl benzilate; Transmitter-receptor mismatch (Ernsberger, P.) 452, 336

Muscarinic agonist

Acetylcholine; Muscarinic receptor subtype; Pirenzepine; Rat; Microiontophoresis (Rascol, O.) **446**, 303

Muscarinic binding site

Rat; Ethanol; Chronic treatment; Alcoholism model (Wahlström, G.) 474, 189

Muscarinic cholinergic receptor Pigeon brain; Basal ganglia; Telencephalon; Cerebellum (Dietl, M.M.) 439, 360

Heterogeneity; Rat cerebral cortex; Heart; Ileum; Himbacine (Wang, J.-x.) 446, 155

Alzheimer type dementia; Hippocampus; Neuritic (senile) plaque; Neurofibrillary tangle (Probst, A.) **450**, 190

Striatal transplant; Kainic acid; Behavioral recovery; Huntington's disease; Locomotor activity; Spontaneous alternation (Deckel, A.W.) 474, 27

Muscarinic hyperpolarization Soman; Acetylcholine esterase inhibitor; Bladder; Parasympathetic neuron; Nicotinic depolarization (Kumamoto, E.) 458, 151

Muscarinic receptor

Cholinergic neurotoxin; Retina; Choline acetyltransferase; Ethylcholine mustard aziridinium ion (AF64A); Retinal blood vessel (Estrada, C.) 439, 107

Perigeniculate nucleus; Dorsal lateral geniculate nucleus; Acetylcholine; Barbiturate; Corticogeniculate activity; Nicotinic receptor (Pape, H.-C.) **440,** 79

Guinea pig myenteric neuron; Neuropeptide; Autoradiography; Immunocytochemistry (Buckley, N.J.) **445,** 152

Retinal pigment epithelium; Choroid; Free cytoplasmic calcium; Quin 2 (Friedman, Z.) 446, 11

Pertussis toxin; Phosphatidylinositol hydrolysis; SH-SY5Y cell line; Human neuroblastoma (Mei, L.) 447, 360

Preoptic area; Hypothalamus; Estrous cycle; Estradiol; Sex differences; Rat (Olsen, K.L.) 448, 223

AFDX-116; Blood pressure; cis-Methyldioxolane; Heart rate; Receptor, M₁; McN-A343; Pirenzepine; Wistar rat (Sundaram, K.) **449**, 141

Galanin; Medial septal area; Nucleus basalis; Coexistence; Nicotinic receptor (Wenk, G.L.) **460,** 17

Muscarinic receptor subtype

Acetylcholine; Muscarinic agonist; Pirenzepine; Rat; Microiontophoresis (Rascol, O.) **446**, 303

Cholinergic receptor; Cyclic adenosine monophosphate; M₂ receptor; Rat brain; Cerebral cortex; Forskolin (Anderson, D.J.) 475, 28

Muscimol

Benzodiazepine; Flurazepam; γ-Aminobutyric acid (GABA); Substantia nigra; Rotation; Circling; Tolerance (Tietz, E.I.) 438, 41

Arterial pressure; Bicuculline; Cat;

Electromyographic activity; γ-Aminobutyric acid; Heart rate; Hypothalamus; Phrenic nerve (Waldrop, T.G.) 444, 84

γ-Aminobutyric acid; 4,5,6,7-Tetrahydro-isoxazolo [5,4-c]pyridin 3-ol (THIP); Bicuculline; Intracerebral injection; Epilepsy, Electroencephalogram; Substantia nigra; Rat; Petit mal (Depaulis, A.) 448, 20

Entopeduncular nucleus; Substantia nigra; Maximal electroshock seizure; Pilocarpine seizure (Hosford, D.A.) **462**, 205

Corticotropin-releasing hormone; γ-Aminobutyric acid; Rat hypothalamus; Diazepam; Baclofen (Calogero, A.E.) 463, 28

[³H]Muscimol binding Quantitative autoradiography; Chick brain (Stewart, M.G.) **456**, 387

[³H]Muscimol binding site Weaver; Reeler; Purkinje cell degeneration; Staggerer (Rotter, A.) 439, 236

Muscle

Mutant; Extraocular; Motor neuron; Synapse (LaVail, J.H.) 463, 78

Muscle afferent

Muscle fatigue; Reflex inhibition; Synergist (Hayward, L.) 440, 199

L₄ neuron; Convergent activation; Neck rotation; Propriospinal neuron (Yates, B.J.) **449**, 377

Muscle fatigue

Reflex inhibition; Synergist; Muscle afferent (Hayward, L.) 440, 199

Muscle nicotinic receptor

κ-Bungarotoxin; Neuronal nicotinic receptor; α-Bungarotoxin; Chick embryo; Central nicotinic site; L-Nicotine (Wolf, K.M.) **439**, 249

Muscle spindle

Anti-nerve growth factor; Dorsal root ganglion (Laing, N.G.) 444, 351

Reinnervation; Sensory function; Nerve crush (Scott, J.J.A.) 461, 381

Cat; Mechanosensitivity; pH; Proton pump; Sensory ending; Ammonia; Carbondioxide (Fukami, Y.) **463**, 140

Muscular dystrophy

Nerve growth factor assay; PC12 cell; Submandibular gland (Sano, M.) **459**, 404

Muscular pain

Peripheral conditioning stimulation; Transcutaneous electrical nerve stimulation; Intramuscular electrical nerve stimulation; Vibration; Human; Pain-inhibitory mechanism (Duranti, R.) **452**, 66

Mutant

Extraocular; Motor neuron; Muscle;

Synapse (LaVail, J.H.) 463, 78

Mutant mouse pcd

Serotonin; Cerebellum; Purkinje cell; 5-Hydroxyindoleacetic acid (Ghetti, B.) **458**, 367

Mutual information

Olfactory pathway; Prepiriform cortex; Entorhinal cortex; Hippocampal formation; Electroencephalogram (EEG); β Activity; θ Rhytm (Boeijinga, P.H.) 448, 272

Myasthenia gravis

Acetylcholine receptor; Human extraocular muscle; Endplate; Antigenic determinant; Anti-acetylcholine receptor antibody (Oda, K.) 449, 337

Myelin

Mast cell; Demyelination; Protease; Experimental allergic neuritis (Johnson, D.) 444, 195

Ca²⁺-ATPase; Peripheral nerve; Axon; Dorsal root ganglia (DRG); Schwann cell; Electron microscopic cytochemistry (Mata, M.) **445**, 47

Auditory system; Light microscopy; Anterograde degeneration; Nerve fiber (Hoeffding, V.) 449, 104

Shiverer: Myelin deficient (mld); Double mutation; Morphology (Inoue, Y.) 449, 271

Ranvier's node; Axoglial junction; Wallerian degeneration; Demyelination; Freeze-fracturing; Optic nerve; Axolemma (Hasegawa, M.) 452, 345

Tetracycline; Invertebrate; Vertebrate; Cation; Aluminum (Pereyra, P.M.) **458,** 377

Myelin basic protein

Myelin-associated glycoprotein; P0 protein; Myelin protein; Peripheral nervous system; Remyelination; Nerve regeneration; Animal model (Willison, H.J.) 444, 10

Myelin deficient

Shiverer; Jimpy; Myelin synthesis deficiency; Gene interaction; Myelin morphology (Billings-Gagliardi, S.) **455**, 271

Myelin morphology

Shiverer; Jimpy; Myelin deficient; Myelin synthesis deficiency; Gene interaction (Billings-Gagliardi, S.) **455**, 271

Shiverer; Myelin-deficient; Quaking; Gene interaction (Wolf, M.K.) **461**, 257

Myelin phagocytosis

Wallerian degeneration; Monocyte; Immunoglobulin; Bursectomy; Nerve edema (Hann, P.G.) 451, 126

Myelin protein

Myelin-associated glycoprotein; P0

protein; Myelin basic protein; Peripheral nervous system; Remyelination; Nerve regeneration; Animal model (Willison, H.J.) 444, 10

Myelin synthesis deficiency Shiverer; Jimpy; Myelin deficient; Gene interaction: Myelin morphology

Gene interaction; Myelin morphology (Billings-Gagliardi, S.) 455, 271

Myelin-associated glycoprotein P0 protein; Myelin basic protein; Myelin protein; Peripheral nervous system; Remyelination; Nerve regeneration; Animal model (Willison, H.J.) 444, 10

Myelin-deficient

Shiverer; Quaking; Gene interaction; Myelin morphology (Wolf, M.K.) **461,** 257

Myelinated axon

A-channel; K-channel; Potassium channel; Node of Ranvier (Gordon, T.R.) 447, 1

Trochlear nerve; Abducens nerve; Unmyelinated axon; Fibre count; Size distribution (Hildebrand, C.) **453**, 401

Histochemistry; Peripheral nerve; Carbonic anhydrase; Cholinesterase; Nerve regeneration; Axotomy; Motor nerve fiber; Sensory nerve fiber (Riley, D.A.) 453, 79

Myelinated nerve

Calcitonin gene-related peptide; Calcitonin; Vagus nerve; Immunocytochemistry; Unmyelinated nerve (Kakudo, K.) **440**, 153

Myelination

Dysmyelinating mutant; Neural cell adhesion molecule; Cell-cell interaction (Bhat, S.) **452**, 373

Axon; Freeze-fracture; Membrane (Waxman, S.G.) 453, 337

Myenteric neuron

Mesenteric nerve stimulation (MNS); Guinea pig ileum; Substance P (Takaki, M.) **442**, 351

Intracellular recording; Intracellular calcium concentration; Calcium; Fura-2; Fluorescent calcium indicator; Calcium-dependent potassium conductance (Tatsumi, H.) **451**, 371

Myoclonus

Cysteamine; Seizure; Somatostatin; Amygdaloid kindling; Cortical kindling (Takazawa, A.) 473, 99

Myorelaxant action

Tiletamine; Excitatory amino acid; Anticonvulsant action (Klockgether, T.) 461, 343

Mystacial vibrissa

Cerebellum; Superior colliculus; Trigeminal; Climbing fiber response; Crus II (Akaike, T.) **442**, 373

N

NaCl

Temperature dependence; Taste nerve response; Amiloride; Receptor potential; Rat; Anion influence (Nakamura, M.) 444, 159

NADPH-diaphorase

Quinolinate; Kainate; Acetylcholinesterase; Excitatory amino acid; Huntington's disease; Striatum; Cell culture (Koh, J.-Y.) **446**, 374

C-flanking peptide of neuropeptide Y (C-PON); Immunocytochemistry; Enzyme histochemistry; Striatum; Rat (Villalba, R.M.) 462, 359

Retina; Amacrine cell; γ-Aminobutyric acid; Colocalization; Rabbit (Vaney, D.I.) **474,** 380

Nalaxone methylbromide

Blood pressure regulation; Endogenous opioid (Mosqueda-Garcia, R.) 442, 119

Nalmefene

Diabetes; Brain glucose uptake; C57BL/KsJ mouse; Opiate antagonist (Garris, D.R.) 445, 262

Naloxonazine

Opiate; Analgesia (Bodnar, R.J.) 447, 25

Naloxone

Opioid receptor; Opioid agonist; Glia; Neuron; Brain culture (Maderspach, K.) 441, 41

Locus coeruleus; Noradrenaline; Endogenous opioid; Stress; Single unit activity; Cat (Abercrombie, E.D.) 441, 362

Central amygdala; Endorphin; Enkephalin; Stress ulcer (Ray, A.) 442, 195

Amygdala; β -Noradrenergic antagonist; α -Noradrenergic antagonist; Inhibitory avoidance; Discrimination learning; Memory; Caudate-putamen; Cortex (McGaugh, J.L.) **446,** 37

Antinociception; Morphine; Substantia nigra; Intracerebral microinjection; Pain; Analgesia (Baumeister, A.A.) **447**, 116

Stress-induced analgesia; Genetic difference; Opiate receptor; Hypothermia (Marek, P.) 447, 188

[Met⁵]Enkephalin; Sympathetic ganglion; Transmitter release; Intracellular recording; Presynaptic facilitation; Presynaptic inhibition (Hirai, K.) **448**, 299

Long-term potentiation; Opioid peptide; Perforant path; Push-pull perfusion (Bramham, C.R.) 449, 352

 β -Endorphin; Periaqueductal gray;

Pituitary; Mouse strain; Social stress; Analgesia; β -Chlornaltrexamine (Külling, P.) **450**, 237

Opioid; Opioid receptor; Food intake; Water intake; Thermoregulation; Weight regulation (Millan, M.J.) **450,** 247

Opiate receptor; *Tetrahymena*; β-Endorphin; Phylogeny of receptors (O'Neill, J.B.) **450**, 303

Hypothalamus; Luteinizing hormone-releasing hormone; Morphine; Opioid neuron (Mehmanesh, H.) **451**, 69

Endorphin; Electroacupuncture; Analgesia; Tail flick; Spinal cord; Electrostimulation; Acupuncture (Pomeranz, B.) **452**, 227

Electroacupuncture; Analgesia; Endorphin; Spinal cord; Naltrexone; Nociceptive reflex; Acupuncture (Pomeranz, B.) **452**, 232

Interferon- α ; Thermosensitive neuron; Sodium salicylate; Preoptic hypothalamus; Anterior hypothalamus; Hypothalamic slice; Fever (Nakashima, T.) **454**, 361

Analgesia; 3α -Hydroxy-4-pregnen-20-one; Follicle stimulating hormone suppression; Steroid; γ -Aminobutyric acid; Opiate; Calcium channel antagonist; Benzodiazepine; Verapamil; Nifedipine; Ro 15-1788; Picrotoxin; Bicuculline; Tyr-MIF-1; Morphine (Wiebe, J.P.) **461**, 150

Adrenaline; Estradiol; Hypothalamus; Luteinizing hormone; Luteinizing hormone-releasing hormone; Noradrenaline; Opioid; Progesterone (Crowley, W.R.) 461, 314

Affective defense behavior; Bed nucleus of stria terminalis; D-Ala²-Met⁵-Enkephalinamide; Medial hypothalamus (Brutus, M.) **473**, 147

Restraint; Stress-induced analgesia; Morphine; Analgesia; Tail flick; Circadian effect; CD-1 mice (Miller, D.B.) 473, 327

Naltrexone

Opiate receptor; Sweet preference; Endogenous opioid peptide; Palatability; Mouse (Yirmiya, R.) 438, 339

Apomorphine; Presynaptic dopamine autoreceptor; Water intake; Locomotor activity; Rat (Ukai, M.) 451, 357

Electroacupuncture; Analgesia; Naloxone; Endorphin; Spinal cord; Nociceptive reflex; Acupuncture (Pomeranz, B.) **452**, 232

Brain stimulation reward; Nucleus accumbens; Ventral tegmental area; Lateral hypothalamus (West, T.E.G.) **462**, 126

Narcolepsy

 α_1 -Adrenoceptor, central; Prazosin; Rapid eye movement sleep; Cataplexy (Mignot, E.) **444**, 184

Narcotic

Synaptosome; Serotonin; 5-Hydroxytryptamine; Volatile anesthetics; Ketamine (Martin, D.C.) **455,** 360

Narcotic antagonist drug

Nitrous oxide; Analgesia; Phenylquinone; Abdominal constriction; Opioid receptor subtype (Quock, R.M.) 440, 35

Natural stimulation

S1 cortex; Receptive field; Baclofen; GABA_B; Microiontophoresis (Kaneko, T.) **443**, 360

Nausea

Vasopressin; Oxytocin; Vagal afferent; Ferret (Hawthorn, J.) 438, 193

Navanax inermis

Miniature end plate potential; Postsynaptic potential; End plate potential; Quantum; Non-stationary Poisson distribution; Binomial release; Gastropod; Mollusc (Cappell, M.S.) 454, 244

Neck rotation

L₄ neuron; Convergent activation; Muscle afferent; Propriospinal neuron (Yates, B.J.) **449**, 377

Negative cooperativity

Long-term potentiation; Heterosynaptic interaction; Postsynaptic potential; Hippocampus; CA1 region; Medial septum; In vivo (Xie, X.) 445, 367

Neocerebellum

Neurotensin(1-13); Nerve terminal; Principal olive; Human central nervous system; Development (Mailleux, P.) **456**, 199

Neocortex

Ischemia; Dextromethorphan; *N*-Methyl-D-aspartic acid (NMDA); Striatum (George, C.P.) **440**, 375

L-Homocysteate; Uptake; (±)-β-Parachlorophenylglutamate; N-Methyl-D-aspartate; Intracellular recording; In vitro (Zeise, M.L.) 443, 373

Transplant; Basal nucleus; Plasticity; Regeneration (Höhmann, C.F.) 448, 53

Direct cortical response; Current source-density; Magnetoencephalography; Electrophysiology; Biomagnetism (Barth, D.S.) **450**, 280

Decapitation; Pain; Ethics; Hippocampus; Electrocorticogram (Vanderwolf, C.H.) **451**, 340

Subparafascicular nucleus; Spinal cord; All dopamine cell group; Retrograde fluorescent labeling; Immunohistochemistry; Rat (Takada, M.) 455, 346

Film autoradiography; Differential absorption; Loss of resolution; Radioactive label, ³H; Radioactive label, ¹²⁵I; Radioactive label, ¹⁴C (Lidow, M.S.) **459**, 105

Apamin; Ca²⁺-dependent K⁺ current; Inhibitory postsynaptic response; Afterhyperpolarization; Intracellular injection; Voltage clamp (Szente, M.B.) **461**, 64

Neocortical ablation

Cerebral lateralization; Rodent; Spatial bias; Stress-related hormone; Amphetamine; Sensitization (LaHoste, G.J.) **474**, 296

Neocortical neuron

N-Methyl-p-aspartate; Serotonin; Excitatory postsynaptic potential; Modulation (Reynolds, J.N.) **456**, 286

Neonatal 6-hydroxydopamine

Cerebral cortex; Dopamine innervation; N(2-chloro-ethyl)N-ethyl-2-bromo benzylamine hydrochloride (DSP-4) denervation; Quantification; Radioautography (Berger, B.) 441, 260

Neonatal androgenization

Rat; Ovulation; Lordosis; Bethanechol; Estrogen binding site (Lauber, A.H.) **456,** 177

Neonatal cortex lesion

Hemidecortication; Movement; Kennard doctrine; Motor cortex; Skilled reaching; Plasticity; Skilled forelimb reaching; Sparing of function (Whishaw, I.Q.) 451, 97

Neonatal lesion

Dopamine; Serotonin; Prefrontal cortex; Ventral tegmental area; Food hoarding; Open-field behavior; Sexual dimorphism (Kalsbeek, A.) 475, 80

Neonatal rat

Dorsal bundle; Locus coeruleus; Nerve cell destruction (Kostrzewa, R.M.) **442,** 321

Hypoxia; Isolated spinal cord; Synaptic transmission; Adenosine (Lloyd, H.G.E.) **462**, 391

Neonatal treatment

Vasopressin; Vasopressin antagonist; Sexual behavior; Development; Immunocytochemistry; Radioimmunoassay (Meyerson, B.J.) 473, 344

Neonate

Dopaminergic; Hypothalamus; Immunocytochemistry; Dendrite; Tanycytic process (Piotte, M.) 439, 127

Neostriatum

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP); 1-Methyl-4-phenylpyridine (MPP+); Dopamine; 3,4-Dihydroxyphenylacetic acid (DOPAC); Benztropine; Ouabain; Calcium; EGTA; Push-pull perfusion; High-performance liquid chromatography; Parkinsonism; Rat (Sirinathsinghji, D.J.S.) 443, 101

A⁹-Tetrahydrocannabinol; Marijuana; Cannabinoid; Cannabis; Dopamine; 3,4-Dihydroxyphenylethylamine; Caudate nucleus; Rat; Potassium; In vivo electrochemistry; In vivo microdialysis; Brain reward (Ng Cheong Ton, J.M.) **451**, 59

Nerve growth factor; Cerebral cortex; Basal nucleus; Rat; Neuronal degeneration; Rat brain injury; Brain plasticity (Lorez, H.P.) 454, 355

Acetylcholinesterase; Ageing; Morphology (Altavista, M.C.) 455, 177

Progressive supranuclear palsy; Alzheimer's disease; Senile dementia; Large neuron; Morphometry (Oyanagi, K.) 458, 218

Substantia nigra; Glutamic acid decarboxylase; Immunocytochemistry; Striatonigral projection; γ -Aminobutyric acid; γ -Aminobutyric acid synapse; Degeneration (Nitsch, C.) **461**, 127

Amphetamine; Freely moving rat; Single-unit activity (Gardiner, T.W.) **463.** 268

A-current; Voltage-clamp; Cell culture (Surmeier, D.J.) 473, 187

Striatum; Brain transplantation; Kainic acid; Dopamine receptor; Behavioral recovery; Locomotor activity (Deckel, A.W.) 474, 39

Neovascularization

Peripheral nerve; Nerve crush; Nerve transection; Nerve ischemia; Permanent axotomy; Endoneurial capillary; Nerve regeneration (Nukada, H.) 449, 89

Nerve anastomosis

Primary sensory neuron; Axonal injury; Horseradish peroxidase; Dorsal root ganglion; Neuronal labeling; Neuron metabolism (Peyronnard, J.M.) **443**, 295

Nerve cell culture

Neurite growth; Neurite guidance; Grating; Microstructure; Growth cone; Serum-free culture; Dorsal root ganglion neuron (Hirono, T.) **446**, 189

Nerve cell degeneration Neurotoxicity; Parkinsonism; Substantia nigra; Aging (Forno, L.S.) 448, 150

Nerve cell destruction

Dorsal bundle; Locus coeruleus; Neonatal rat (Kostrzewa, R.M.) 442, 321

Nerve cord

p-Tyramine; M-Tyramine; β -Phenylethylamine; Tryptamine; Lobster; Aromatic-L-amino acid

decarboxylase inhibition (Juorio, A.V.) 444, 380

Nerve crush

Peripheral nerve; Nerve transection; Nerve ischemia; Permanent axotomy; Endoneurial capillary; Neovascularization; Nerve regeneration (Nukada, H.) **449**, 89

Muscle spindle; Reinnervation; Sensory function (Scott, J.J.A.) 461, 381

Nerve development

Olfaction; Amitriptyline; Nerve growth; Olfactory receptor (Farbman, A.I.) 457, 281

Nerve edema

Wallerian degeneration; Myelin phagocytosis; Monocyte; Immunoglobulin; Bursectomy (Hann, P.G.) **451**, 126

Nerve fiber

Auditory system; Light microscopy; Anterograde degeneration; Myelin (Hoeffding, V.) **449**, 104

Nerve freeze

Conditioning lesion; Axonal regeneration; Nerve transection; Sciatic nerve; Rat; Tenotomy; Neurotrophic factor (Bondoux-Jahan, M.) 449, 150

Nerve growth

Olfaction; Amitriptyline; Nerve development; Olfactory receptor (Farbman, A.I.) **457**, 281

Nerve growth factor

Receptor; Development; Central nervous system; Rat (Eckenstein, F.) 446, 149

Vinblastine; Ganglioside; GM1 ganglioside; Sympathectomy; Noradrenaline; Sympathetic nervous system; Newborn rat (Vantini, G.) 448, 252

Cerebral cortex; Basal nucleus; Neostriatum; Rat; Neuronal degeneration; Rat brain injury; Brain plasticity (Lorez, H.P.) 454, 355

Chromaffin cell; Cryopreservation; Dymethyl sulfoxide; Tissue culture; Tyrosine hydroxylase; Transplantation (Silani, V.) **454**, 383

Nerve growth factor receptor; Cerebellum; Flocculonodular lobe; Purkinje cell; Colchicine; Immunoreactivity (Pioro, E.P.) **455**, 182

Sensory vagus nerve; Nodose ganglion; Dissociated cell culture; Substance P (MacLean, D.B.) **457**, 53

Norepinephrine; Sympathetic neuron; Co-culture; Heart cell (Wakade, A.R.) 458, 115

Ganglioside; Hippocampal serotonin; Choline acetyltransferase (Lombardi, G.) **458**, 348

Adrenal medulla; Chromaffin cell;

Graft; Parkinson's disease; Transplant (Pezzoli, G.) 459, 398

Sympathetic nervous system; Prevertebral ganglia; Paravertebral ganglia; Guanethidine; 6-Hydroxydopamine (Schmidt, R.E.) 460, 214

Unmyelinated fiber; Primary afferent; Lissauer's tract; Intraspinal sprouting; Antibody to nerve growth factor; C-fiber (Hulsebosch, C.E.) **461**, 322

Development; Ultrastructural localization (Williams, R.) 463, 21

Serum-free culture; Transplantation; Septal neuron; Fimbria-fornix transection (Hisanaga, K.) 475, 349

β-Nerve growth factor Receptor; Immunocytochemistry (Dawbarn, D.) **440**, 185

Nerve growth factor assay PC12 cell; Submandibular gland; Muscular dystrophy (Sano, M.) **459**, 404

Nerve growth factor receptor Aging; Basal forebrain; Neuronal death (Koh, S.) 440, 396

Nerve growth factor; Cerebellum; Flocculonodular lobe; Purkinje cell; Colchicine; Immunoreactivity (Pioro, E.P.) **455**, 182

Nerve injury

C-fiber; Nerve pathophysiology; Neuroma; Pain (Devor, M.) 446, 396

Axon reaction; Chromatolysis; Motor neuron; Regeneration; Perikaryal response (Bowe, C.M.) **463**, 69

Nerve ischemia

Peripheral nerve; Nerve crush; Nerve transection; Permanent axotomy; Endoneurial capillary; Neovascularization; Nerve regeneration (Nukada, H.) 449, 89

Nerve pathophysiology C-fiber; Nerve injury; Neuroma; Pain (Devor, M.) **446**, 396

Nerve regeneration

Myelin-associated glycoprotein; P0 protein; Myelin basic protein; Myelin protein; Peripheral nervous system; Remyelination; Animal model (Willison, H.J.) 444, 10

Aging; Development; Reinnervation; Sweat gland; Sudomotor axon (Navarro, X.) **447**, 133

Peripheral nerve; Nerve crush; Nerve transection; Nerve ischemia; Permanent axotomy; Endoneurial capillary; Neovascularization (Nukada, H.) 449, 89

Rat sciatic nerve; Thymidine; Schwann cell; Mitosis (Sjöberg, J.) 453, 221

Histochemistry; Peripheral nerve; Carbonic anhydrase; Cholinesterase; Axotomy; Myelinated axon; Motor nerve fiber; Sensory nerve fiber (Riley, D.A.) **453**, 79

Conditioning lesion (Jenq, C.-B.) **457**, 63

GAP43; B50; F1; Dorsal root ganglion; Axonal transport (Bisby, M.A.) **458**, 157

Sciatic nerve; Growth hormone; Somatomedin; Insulin-like growth factor; Rat (Kanje, M.) 475, 254

Nerve sprouting

Neuromuscular junction; Botulinum toxin; Axon length (Pestronk, A.) 463, 218

Nerve terminal

Synaptic vesicle; Neuromuscular junction; Synapse; Synaptic transmission; Quantal release (Smith, D.O.) **447**, 145

Calcium channel; Conotoxin; Electric organ; Transmitter release; Synaptosome; Neurosecretion (Ahmad, S.N.) **453**, 247

Neurotensin(1-13); Principal olive; Neocerebellum; Human central nervous system; Development (Mailleux, P.) **456**, 199

Nerve transection

Peripheral nerve; Nerve crush; Nerve ischemia; Permanent axotomy; Endoneurial capillary; Neovascularization; Nerve regeneration (Nukada, H.) **449**, 89

Conditioning lesion; Axonal regeneration; Nerve freeze; Sciatic nerve; Rat; Tenotomy; Neurotrophic factor (Bondoux-Jahan, M.) 449, 150

Guidance channel; Axonal regeneration; Permeable tube; Neurotropism (Aebischer, P.) **454**, 179

Nerve transplant

Respiration; Regeneration; Axotomy; Rat; Electrophysiology; Brainstem (Gauthier, P.) 438, 225

Nervous system

Tubulin; Cold stability; Microtubule; Axon; Isoelectric focusing; Mouse (Binet, S.) **450**, 231

Nervus terminalis

Retina; Retinopetal fiber; Molluscan cardioexcitatory peptide (FMRFamide); Frog; Lesion; Immunocytochemistry (Wirsig-Wiechmann, C.R.) 449, 116

Nervus vagus

Cholecystokinin; Receptor; Nodose ganglion; Nucleus tractus solitarii; Rat (Ladenheim, E.E.) 474, 125

Neural cell

Differentiation; Growth inhibition; Neurite loss; Cell lysis (Notter, M.F.D.) **456**, 254 Neural cell adhesion molecule

Dysmyelinating mutant; Myelination; Cell-cell interaction (Bhat, S.) **452,** 373

Neural cells

Bromocriptine; Cerebellum; Cerebral cortex; Glial cells; Hypothalamus; Pons-medulla; Prolactin; Monkey (Kumaran, B.) **450**, 325

Neural conditioning action

Heterosynaptic potentiation; Long-term enhancement; Slow postsynaptic potential; Synaptic modulation; Synaptic plasticity; Sympathetic ganglion; Dopamine (Libet, B.) **473,** 271

Neural connection

Lateral hypothalamic area; Zona incerta; Subfornical organ; Osmotic stimulation (Tanaka, J.) **456**, 397

Neural control of cerebral circulation

Cholinergic innervation; Choline acetyltransferase; Acetylcholinesterase fiber; Cerebral capillary (Estrada, C.) **453**, 275

Neural control of respiration

Phrenic motor column; Horseradish peroxidase; Neuroanatomy; Synaptic terminal; Axon collateral (Dick, T.E.) **449**, 201

Spike-triggered averaging; Axonal mapping; Bulbospinal tract; Phrenic motoneuron; Inspiration (Dick, T.E.) **454,** 31

Neural crest

Neurofilament; Heart conduction system (Gorza, L.) 457, 360

Neural development

Monoamine; Light microscopy (Nothias, F.) 463, 341

Neural interaction

Connectivity diagram; Conditional cross-correlation; Effective connectivity; Excitation; Inhibition; Multi-unit recording; Shift predictor (Espinosa, I.E.) **450**, 39

Neural modeling

Magnetic field; Hippocampal slice; Magnetoencephalogram; SQUID (Tesche, C.D.) **462**, 190

Neural plasticity

Recovery of function; Visual cortex damage; Extrastriate cortex; Development; Lateral suprasylvian cortex (Spear, P.D.) 447, 79

Aging; Nucleus basalis magnocellularis; Cholinergic neuron (Stephens, P.H.) **448**, 320

Central nervous system reorganization; Sprouting; Age-at-lesion effect; Red nucleus; Motor cortex; Hemispherectomy (Villablanca, J.R.) **453**, 17

Sensitization; Amphetamine;

Dopamine; Nucleus accumbens; Dialysis; Dopamine release; Locomotion; Stereotyped behavior; Stimulant; Chronic drug effect; Amphetamine psychosis (Robinson, T.E.) 462, 211

Neural retina

Acetylcholinesterase; Chick development; Retinal pigmented epithelium (Martelly, I.) 460, 205

Neural transplant

Striatum; Huntington's disease; Kainic acid; Locomotor behavior; Digiscan (Giordano, M.) **446**, 183

Neural transplantation

Human fetus; Septum; Hippocampus; Acetylcholinesterase; Immunization (Nilsson, O.G.) **456**, 193

Xenograft; Cyclosporin A; T cell subset; Blood-brain barrier (Nakashima, H.) 475, 232

Neural-derived cell

Insulin receptor (Ota, A.) 443, 1

Neurite

Transplantation; Fluorescence histochemistry; Cerebral cortex (Freed, W.J.) **446**, 133

Actin; Crossbridge; Axonal transport; Microtubule; Cytoskeleton; Immunoelectron microscopy (Nagele, R.G.) 474, 279

Neurite growth

Neurite guidance; Grating; Microstructure; Growth cone; Serum-free culture; Dorsal root ganglion neuron; Nerve cell culture (Hirono, T.) 446, 189

Neurite guidance

Neurite growth; Grating; Microstructure; Growth cone; Serum-free culture; Dorsal root ganglion neuron; Nerve cell culture (Hirono, T.) **446**, 189

Neurite loss

Neural cell; Differentiation; Growth inhibition; Cell lysis (Notter, M.F.D.) **456,** 254

Neurite outgrowth

Protein kinase C; Trophic factor; Neuron; Basic fibroblast growth factor; Epidermal growth factor (Morrison, R.S.) 473, 141

Neurite-promoting factor

Goldfish optic nerve; Human fetal neuron (Finklestein, S.P.) 448, 346

Neuritic (senile) plaque

Alzheimer type dementia; Hippocampus; Muscarinic cholinergic receptor; Neurofibrillary tangle (Probst, A.) **450**, 190

Neuritic plaque

Alzheimer's disease; Amygdala; Somatostatin; Neuropeptide Y; Neuronal atrophy; Cholinergic afferent (Unger, J.W.) 452, 293 Neuroanatomical tracing

Phaseolus vulgaris leucoagglutinin; Double-label immunocytochemistry; Histamine; Histidine decarboxylase; Preoptic area; Hypothalamus (Wouterlood, F.G.) 455, 170

Neuroanatomy

Neural control of respiration; Phrenic motor column; Horseradish peroxidase; Synaptic terminal; Axon collateral (Dick, T.E.) **449**, 201

Neuroaxonal dystrophy

Diabetes; Neuropeptide; Sympathetic; Neuropathy (Schmidt, R.E.) 458, 353

Neuroblastoma

Calcium; Calcium channel; Cell culture; Excitotoxin; Glutamate (Murphy, T.H.) 444, 325

Opioid receptor; Endogenous opioid system; Cancer; Neurotumor (Zagon, I.S.) 449, 80

Central nervous system-systemic lupus erythematosus; Brain reactive autoantibody; Brain antigen; Cell surface antigen; Autoimmunity (Hoffman, S.A.) 452, 358

Calcium; Depolarization; Glutamate; Neurotoxicity; Cell culture; Quisqualate (Murphy, T.H.) **460**, 155

Neuroblastoma cell

Lithium; Muscarinic acetylcholine receptor; Receptor regulation (Liles, W.C.) **439**, 88

Cross-linking; $^{125}\text{I-}\beta\text{-Endorphin};$ $\mu\text{-Opioid receptor};$ $\delta\text{-Opioid receptor};$ Opioid peptide (Keren, O.) **440**, 280

Neuroblastoma-glioma hybrid cell Serotonin; Serotonin-3 (5-HT₃) receptor; Ion channel (Reiser, G.) 443, 338

Neurodegeneration

Brain dialysis; Calcium; Hippocampus; Quinolinic acid; Seizure (Vezzani, A.) **454,** 289

Neurodegenerative disease

Parkinson's disease; Striatum; Medium spiny I neuron; Basal ganglia (McNeill, T.H.) **455**, 148

Neurodegenerative disorder

Kynurenic acid; Excitotoxin; Postmortem; Epilepsy (Turski, W.A.) **454**, 164

Neuroendocrine

Insect; Locust; Calcium; Sodium-calcium exchange; Corpus cardiacum; Adipokinetic hormone (Pannabecker, T.) **458**, 180

Neuroendocrine cell

Mollusc; Egg-laying behavior; Peptide; Neurotransmission (Ter Maat, A.) 438, 77

Neuroexcitation

Oxygen consumption; Excitatory amino acid; Agonist; Antagonist;

Hippocampal slice; Postsynaptic potential; Neurotoxicity (Nishizaki, T.) **452,** 11

Neurofibrillary tangle

Alzheimer type dementia; Hippocampus; Muscarinic cholinergic receptor; Neuritic (senile) plaque (Probst, A.) **450**, 190

Alzheimer's disease; Visual cortex; Gliosis; Senile plaque; Glial fibrillary acidic protein (Beach, T.G.) 463, 357

Neurofilament

Neuron; Cell culture; Aluminum; Tangle; Immunocytochemistry; Rat brain hemisphere (Langui, D.) **438**, 67

2,5-Hexanedione; Neuronal cytoskeleton; Autonomic nerve; Enteric nervous system (Ferri, G.-L.) 444, 383

Aluminum; Cytoskeletal protein phosphorylation; Microtubule-associated protein 2 (Johnson, G.V.W.) **456**, 95

Heart conduction system; Neural crest (Gorza, L.) 457, 360

2,5-Hexanedione; Neuropathy (Lapadula, D.M.) 458, 123

Axonal transport; Tubulin; Presynaptic terminal (Garner, J.A.) 458, 309

Phosphorylation; Axotomy; Deafferentation; Regeneration; Alzheimer's disease (Shaw, G.) **460,** 227

Substance P; Immunohistochemistry; Facet joint; Supraspinous ligament; Rabbit (El-Bohy, A.) **460**, 379

Immunocytochemistry; Schizophrenia; Alzheimer's disease; Phosphorylation; Neuronal tangle (Poltorak, M.) **475**, 328

Neurofilament protein

Purkinje cell; Monoclonal antibody; Immunocytochemistry (Langley, O.K.) **457**, 12

Neurofilament subunits

Auditory system; Spiral ganglion; T II neuron; Immunocytochemistry; Rat (Romand, R.) 462, 167

Neurofilament triplet protein

Immunocytochemistry; Motor neurone disease; Neuropeptide; Onuf's nucleus; Radioimmunoassay; Sacral spinal cord (Gibson, S.J.) 474, 255

Neurogenic inflammation

Calcitonin gene-related peptide; Axonal sprouting; Sensory receptor (Taylor, P.E.) 461, 371

Neuroglia

Purine nucleoside phosphorylase; Cytochemistry; Rat brain; Guinea-pig brain; Technique (Van Reempts, J.) 462, 142 Neurohypophysis

Vasopressin; Oxytocin; Potassium channel; 4-Aminopyridine; Dendrotoxin (Bondy, C.A.) 453, 397

Oxytocin; Vasopressin; Opioid receptor; κ-Opioid; Dynorphin; Presynaptic localization (Zhao, B.-G.) **462**, 62

Neurokinin

Substance P; Neurokinin A; Eledoisin; Ontogeny; Cortex; Receptor (Dam, T.-V.) 453, 372

Neurokinin A

Substance P; Eledoisin; Neurokinin; Ontogeny; Cortex; Receptor (Dam, T.-V.) **453**, 372

Neuroleptic

Noradrenaline; Dopamine; Retinal ganglion cell; Adrenoceptor; Dopamine receptor (Robbins, J.) 438, 52

Quinolinic acid; Catalepsy; SCH23390; Haloperidol; Kainic acid; Striatum (Calderon, S.F.) **450**, 403

[125I]3-Iodobenzamide; In vivo binding; D₂ Receptor; Single photon emission computerized tomography; LY-171555; YM-09151-2; IBZM (Singhaniyom, W.) **453**, 393

Radioimmunocytochemistry; Quantitation; Striatum; Dopamine receptor (Cruz, C.J.) **457**, 29

Neuroleptic drug

Enkephalin; Opioid peptide; Cerebrospinal fluid; Electroconvulsive shock; Neuropeptide; Schizophrenia (Iadarola, M.J.) **474,** 75

Neurological deficit

Middle cerebral artery; Motor coordination; Learning behavior; Chronic ischemic model; Rat (Yamamoto, M.) 452, 323

Neurological recovery

Spinal cord injury; Trauma; Thyrotropin-releasing hormone (TRH) analog; Somatosensory-evoked response; Histopathology (Faden, A.I.) 448, 287

Neuroma

C-fiber; Nerve pathophysiology; Nerve injury; Pain (Devor, M.) 446, 396

Neuromodulation

Cholecystokinin; Dopamine; Electrophysiology; Apomorphine; Midbrain (Freeman, A.S.) 439, 266

Norepinephrine; Lateral hypothalamus; γ -Aminobutyric acid; Acetylcholine; Glutamate (Sessler, F.M.) **446**, 77

Cerebellar granule cell; Neuronal culture; Stimulation-coupled transmitter release; Glutamate; Glycine; Glycine receptor; Cerebellum (Kingsbury, A.) 448, 46

Desensitization; Nicotinic receptor; Tachykinin; Substance P; Adrenal chromaffin cell; Secretion; Catecholamine (Khalil, Z.) 459, 282

Tachykinin; Substance P; Adrenal chromaffin cell; Secretion; Catecholamine (Khalil, Z.) 459, 289

Adenosine; Synaptosome; K⁺-conductance; Lipophilic ions; Ion-selective microelectrode; Ionic mechanism (Michaelis, M.L.) **473**, 249

Estrogen; Glutamate; Cerebellar Purkinje cell; Pressure ejection (Smith, S.S.) **475**, 272

Neuromodulator

Purine; Adenosine; Acetylcholine; Cholinomimetic; Transmitter interaction (Brooks, P.A.) **458**, 106

Neuromuscular junction Quantal transmission; Transmitter release (Vautrin, J.) 438, 304

Synaptic vesicle; Nerve terminal; Synapse; Synaptic transmission; Quantal release (Smith, D.O.) **447**, 145

Acetylcholine; Miniature endplate potential; End plate potential; Synaptic vesicle; AH5183 (Lupa, M.T.) **461**, 118

Acetylcholine receptor; α -Bungarotoxin; Receptor synthesis (Ramsay, D.A.) **462**, 134

Nerve sprouting; Botulinum toxin; Axon length (Pestronk, A.) 463, 218

Neuromuscular transmission Acetylcholine release; Calcium channel; Verapamil; Diltiazem; Nifedipine (Chang, C.C.) **454**, 332

Neuron

Cell culture; Neurofilament; Aluminum; Tangle; Immunocytochemistry; Rat brain hemisphere (Langui, D.) 438, 67

Epidermal growth factor (EGF); Astrocyte; Immunohistochemistry (Gómez-Pinilla, F.) 438, 385

Receptive field; Somatosensory cortex; Anesthesia; Cat; Rat (Dykes, R.) **440,** 133

Opioid receptor; Naloxone; Opioid agonist; Glia; Brain culture (Maderspach, K.) 441, 41

Angiotensin II; Spinal cord; Culture; Autoradiography; Receptor; Glial cell (Simonnet, G.) **443**, 403

Microtubule; Growth cone; Endocytosis; Taxol; Cell cortex (Sinclair, G.I.) **450**, 60

Somatostatin; Primary culture; Vasoactive intestinal peptide; Adenylate cyclase; Calcium; Phorbol ester (Tapia-Arancibia, L.) **450**, 101

Glutamate; Excitatory amino acid; N-Methyl-p-aspartic acid (NMDA) receptor; Neurotoxicity; Excitotoxicity; Cerebellar granule cell (Novelli, A.) 451, 205

Substance P receptor; Superior cervical ganglion; Tissue culture; Autoradiography; Rat (James, S.) 458, 205

Ganglioside; Astroglia; Source of astroglial ganglioside (Byrne, M.C.) **461,** 87

Forskolin; Cyclic adenosine monophosphate; γ-Aminobutyric acid release; Striatum; Primary culture (Weiss, S.) **463**, 182

Protein kinase C; Trophic factor; Basic fibroblast growth factor; Epidermal growth factor; Neurite outgrowth (Morrison, R.S.) 473, 141

Down syndrome; Action potential; Tissue culture; Dorsal root ganglion; Patch clamp; Trisomy 21; Development (Nieminen, K.) 474, 246

Neuron activity

Ventromedial hypothalamus; Medial preoptic area; Female; Sexual behavior; Monkey (Aou, S.) **455**, 65

Neuron damage

Spreading depression; Leão's depression; Potassium; Extracellular; Calcium (Kawasaki, K.) **457**, 322

Cobalt focus; Seizure; Epilepsy; Hippocampus (Sugaya, E.) **459**, 196

Neuron death

Epilepsy; Hippocampus; Kainic acid; Glutamate; Glucocorticoid; Stress; Metyrapone (Stein, B.A.) 473, 175

Neuron metabolism

Primary sensory neuron; Axonal injury; Horseradish peroxidase; Dorsal root ganglion; Neuronal labeling; Nerve anastomosis (Peyronnard, J.M.) **443**, 295

Neuron shrinkage

Olfactory bulb; Bicuculline (Tasaki, I.) **475**, 173

Neuron size

Bird; Plasticity; Deprivation; Visual system; Development (Herrmann, K.) **451,** 43

Neuron-specific enolase

Alzheimer's disease; Immunocytochemistry (Allen, S.J.) 454, 275

Neuronal cell; Cryopreservation; Tissue culture; γ-Aminobutyric acid (Silani, V.) 473, 169

Neuronal activity

Primate; Cerebellar nucleus; Arm; Reach (MacKay, W.A.) 442, 240

Septum; Theta-hythm; Cholinergic drug; Electrical stimulation (Brazhnik, E.S.) **451**, 1

Neuronal atrophy

Alzheimer's disease; Amygdala; Somatostatin; Neuropeptide Y; Neuritic plaque; Cholinergic afferent (Unger, J.W.) 452, 293 Neuronal cell

Cryopreservation; Tissue culture; Neuron-specific enolase; γ-Aminobutyric acid (Silani, V.) **473,** 169

Neuronal cell clone

NG108-15; γ-Aminobutyric acid; Glutamic acid decarboxylase; Neurotransmitter; Differentiation; Pyridoxal 5'-phosphate (Searles, C.D.) **448**, 373

Neuronal conditioning

Afterhyperpolarization; Hippocampal neuron; Learned response; Eye blink conditioning; CA1 pyramidal cell (Disterhoft, J.F.) **462**, 118

Neuronal culture

 α_1 -Adrenergic receptor; Hypertension; Photoaffinity; Hypothalamus (Bottiglieri, D.F.) **439**, 187

Cerebellar granule cell; Stimulation-coupled transmitter release; Neuromodulation; Glutamate; Glycine; Glycine receptor; Cerebellum (Kingsbury, A.) 448, 46

Neuronal cytoskeleton

2,5-Hexanedione; Neurofilament; Autonomic nerve; Enteric nervous system (Ferri, G.-L.) 444, 383

Neuronal death

Aging; Nerve growth factor (NGF) receptor; Basal forebrain (Koh, S.) **440,** 396

Unfocused laser lesioning; Dye-targeting; In vitro (Madison, R.D.) 445, 101

Neuronal degeneration

Lewy body; Parkinson's disease; Monoclonal antibody (Hirsch, E.) **441,** 139

Alzheimer's disease; Protein kinase C; Phorbol ester; Phosphorylation; Human brain (Cole, G.) **452**, 165

Nerve growth factor; Cerebral cortex; Basal nucleus; Neostriatum; Rat; Rat brain injury; Brain plasticity (Lorez, H.P.) 454, 355

Neuronal density

Δ⁹-Tetrahydrocannabinol; Hippocampus; Morphometrics; Glial reactivity; Behavior; Corticosterone; Adrenocorticotropic hormone (ACTH) (Landfield, P.W.) **443**, 47

Neuronal development

Astrocyte culture; Conditioned medium; Insulin-like factor; Neurotrophic activity (Kadle, R.) **460**, 60

Neuronal discharge

Interleukin-2; Hypothalamus; Monoclonal antibody (Bindoni, M.) **462**, 10

Neuronal gene

Axotomy; Gene expression; Nucleic acid hybridization; Tyrosine

hydroxylase (Koo, E.H.) 449, 361

Neuronal injury

Spreading depression (Nedergaard, M.) 449, 395

Hippocampal slice; CA1; Hypoxia; In vitro (Fairchild, M.D.) 453, 357

Neuronal labeling

Primary sensory neuron; Axonal injury; Horseradish peroxidase; Dorsal root ganglion; Neuron metabolism; Nerve anastomosis (Peyronnard, J.M.) **443**, 295

Neuronal muscarinic acetylcholine receptor

G protein; Phosphoinositide hydrolysis (Martin, J.M.) 454, 370

Neuronal nicotinic receptor

 κ -Bungarotoxin; α -Bungarotoxin; Chick embryo; Central nicotinic site; Muscle nicotinic receptor; L-Nicotine (Wolf, K.M.) **439**, 249

κ-Neurotoxin; Cockroach neuron; Chick ciliary ganglion neuron; Voltage-clamp recording (Pinnock, R.D.) **458**, 45

Neuronal plasticity

Learning; Prefrontal cortex; Rabbit; Limbic system; Heart rate (Gibbs, C.M.) 442, 86

Vestibular compensation; Medial vestibular nucleus; Labyrinthectomy (Smith, P.F.) 444, 295

Vestibular compensation; Medial vestibular nucleus; Labyrinthectomy (Smith, P.F.) 444, 308

Circadian rhythm; Entrainment; Retinohypothalamic tract; Hamster; Geniculohypothalamic tract (Johnson, R.F.) **460**, 297

Axon reaction; Tubulin; In situ hybridization; Axonal sprouting (Pearson, R.C.A.) **463**, 245

Dentate gyrus; Granule cell; Stereology; Dendrite; Alcohol; Rat (Cadete-Leite, A.) 473, 1

Neuronal reorganization

Nucleus basalis magnocellularis lesion; Learning/memory; Sympathetic nervous system (Harrell, L.E.) **474**, 353

Neuronal sprouting

Luteinizing hormone; Luteinizing hormone releasing hormone; Hypothalamic knife cut (Phelps, C.P.) **454**, 188

Neuronal tangle

Immunocytochemistry; Schizophrenia; Alzheimer's disease; Neurofilament; Phosphorylation (Poltorak, M.) 475, 328

Neuronal transcript

Borna disease; Neurotransmitter;

Limbic system dysfunction; Aggression; Hyperactivity (Lipkin, W.I.) 475, 366

Neuronal transmission

Gating mechanism; Hippocampus; Theta-rhythm; Recurrent inhibition (Herreras, O.) **461**, 290

Brain dialysis; Presynaptic inhibition; Cholinergic mechanism; Hippocampus; Sensory input; Theta-rhythm (Herreras, O.) **461**, 303

Neuronal transplant

Noradrenaline; Aging; Memory; Locus ceruleus (Collier, T.J.) 448, 77

Neuronal transplantation

Serotonin; Raphe nucleus; Immunohistochemistry; Subcommissural organ (Ueda, S.) 444, 361

Neuropathology

Calcium; Calpain; Cytoskeleton; Excitotoxicity; Plasticity (Seubert, P.) 460, 189

Neuropathy

Acrylamide; Retrograde transport; Axonal transport; Sciatic nerve; Neurotoxin; Neurotoxicology; Axonopathy (Moretto, A.) 440, 18

2,5-Hexanedione; Neurofilament (Lapadula, D.M.) 458, 123

Diabetes; Neuroaxonal dystrophy; Neuropeptide; Sympathetic (Schmidt, R.E.) **458**, 353

Neuropeptide

Neurotransmitter; Peptide isolation; Evolution; Coelenterate (Graff, D.) 442, 354

Mesolimbic; Axo-axonic junction; Dual labeling (Pickel, V.M.) 444, 247

Muscarinic receptor; Guinea pig myenteric neuron; Autoradiography; Immunocytochemistry (Buckley, N.J.) **445,** 152

Calcitonin gene-related peptide; Spinal dorsal horn; Iontophoresis; Nociception; Synaptic transmission; Cat (Miletic, V.) **446**, 169

Neuropeptide Y; Inositol phospholipid hydrolysis (Hinson, J.) 446, 379

Lymnaea; FMRFamide; Neurosecretory cell; Egg laying; Neurophysiology; Potassium conductance; Inhibition (Brussaard, A.B.) **447**, 35

Periglomerular cell; Accessory olfactory bulb; Olfaction; Immunohistochemistry (Tsuruo, Y.) **447**, 183

Immunohistochemistry; Teleost; Spinal cord; Supramedullary neuron (Benedetti, I.) **449**, 373

Cerebellum; Huntington's disease; Neuropeptide Y; Substance P (Beal, M.F.) **454**, 393

Tyrosine hydroxylase; Colocalization;

Ventral tegmental area; Immunohistochemistry (Seroogy, K.) 455, 88

N-Acetylaspartylglutamate; Acidic amino acid; Synaptic vesicle; Amphibian; Amacrine; Bipolar; Photoreceptor (Williamson, L.C.) **456**, 375

Neurotoxicity; Convulsion; Barrel rotation; Diazepam (Balaban, C.D.) **458,** 91

Diabetes; Neuroaxonal dystrophy; Sympathetic; Neuropathy (Schmidt, R.E.) 458, 353

Dynorphin; Substance P; Enkephalin; Striatal compartment (Gerfen, C.R.) **460**, 161

Periaqueductal gray; Thyrotropin-releasing hormone; Prohormone; Immunocytochemistry (Van den Bergh, P.) **461**, 53

Vasopressin; Analgesia; Motor suppression; Pain (Thurston, C.L.) **463**, 1

Calcitonin gene-related peptide; Immunohistochemistry; Receptor binding site; Motor system; Sensory system; Autonomic system; Rat (Kruger, L.) 463, 223

Adenylate cyclase; β -Adrenoceptor; Receptor-effector coupling; Cell fusion; Membrane; Hybridization (Olasmaa, M.) **473**, 29

Dopamine; Cholecystokinin; Coexistence; Locomotion; Endogenous (Crawley, J.N.) 473, 398

Immunocytochemistry; Motor neurone disease; Neurofilament triplet protein; Onuf's nucleus; Radioimmunoassay; Sacral spinal cord (Gibson, S.J.) 474, 255

Enkephalin; Opioid peptide; Cerebrospinal fluid; Electroconvulsive shock; Neuroleptic drug; Schizophrenia (Iadarola, M.J.) **474**, 75

N-Acetylaspartylglutamate (NAAG); Glutamate; γ-Aminobutyric acid (GABA); Amphibian; Biosynthesis; Synaptic release (Williamson, L.C.) 475, 151

Neurotransmitter; Medusa (Grimmelikhuijzen, C.J.P.) 475, 198

Neuropeptide biosynthesis

Processing enzyme; Carboxypeptidase B-like; Enkephalin convertase; Carboxypeptidase H (Fricker, L.D.) **453**, 281

Neuropeptide receptor

Sympathetic ganglion; Deafferentation; Hypertension, genetic; Renin angiotensin system; Autoradiography (Pinto, J.E.B.) 475, 146

Neuropeptide Y

Sympathetic ganglion; Co-existence;

Enkephalin; Subcellular fractionation; Vesicle (Bastiaensen, E.) 442, 124

Hypertension; Adrenergic; Cerebral vessel; Perivascular nerve; Spontaneously hypertensive rat; Superior cervical ganglion (Dhital, K.K.) 444, 33

Vasoactive intestinal peptide; Co-existence; Sympathectomy; Cerebral artery; Immunofluorescence (Gibbins, I.L.) 444, 402

Somatostatin; Nicotinamide adenine dinucleotide phosphate (NADPH)-diaphorase; Striatum; Cortex; Quinolinic acid; Rat (Boegman, R.J.) 445, 358

Pterygopalatine ganglion; Rat; Guinea pig; Acetylcholinesterase; Cholinergic; Tyrosine hydroxylase; Small intensely fluorescent (SIF) cell; Coexistence (Kuwayama, Y.) 446, 219

Neuropeptide; Inositol phospholipid hydrolysis (Hinson, J.) 446, 379

Hypothalamus; Elasmobranch fish; *Scyliorhinus*; Immunohistochemistry; High-performance liquid chromatography; Radioimmunoassay (Vallarino, M.) **448**, 67

Human olfactory bulb; Anterior olfactory nucleus; Interstitial neuron; Immunocytochemistry (Ohm, T.G.) **451,** 295

Striatum; Acetylcholine; Choline acetyltransferase; Kainic acid; Quinolinic acid; L-Glutamic acid; Decortication (Boegman, R.J.) 452, 219

Alzheimer's disease; Amygdala; Somatostatin; Neuronal atrophy; Neuritic plaque; Cholinergic afferent (Unger, J.W.) **452**, 293

Neuropeptide; Cerebellum; Huntington's disease; Substance P (Beal, M.F.) **454**, 393

Caudal ventrolateral medulla; Mean arterial pressure; Heart rate; A1 noradrenaline nucleus; Nucleus ambiguus; Wistar-Kyoto normotensive rats (Macrae, I.M.) 456, 1

Paraventricular hypothalamic nucleus; Gastric acid secretion; Microinjection; Peptide; Central nervous system; Hypothalamus; Rat (Humphreys, G.A.) 456, 241

Adrenergic transmitter; Coexistence; Hypothalamus; Projection; Feeding (Sahu, A.) **457**, 376

Pineal gland; Enkephalin; Vasoactive intestinal polypeptide; Dopamine-β-hydroxylase (Moore, R.Y.) **457**, 395

Rat neostriatum; Dopamine; Double immunostaining; Silver intensification;

Electron microscope (Kubota, Y.) 458, 389

Subarachnoid hemorrhage; Cerebral artery; Rabbit; Cerebrospinal fluid (Abel, P.W.) 463, 250

Rabbit; Cerebrospinal Fluid; Radioimmunoassay; Immunohistochemistry; High performance liquid chromatography; Cerebral artery (McDonald, J.K.) 463, 259

Galanin; Electron microscopic immunocytochemistry; Paraventricular nucleus (Sawchenko, P.E.) **474**, 231

Ciliary neuron; Parasympathetic nervous system; Calcitonin gene-related peptide; Enkephalin; Vasoactive intestinal peptide (Stone, R.A.) 475, 389

Neuropeptide Y, Suprachiasmatic nucleus

Lateral geniculate nucleus; Immunocytochemistry; Electron microscopy; Rat (Ibata, Y.) 439, 230

Neurophysin immunohistochemistry

Hypothalamo-neurohypophysial system; Regeneration; Leptomeninges; Fine structure (Dellmann, H.-D.) **450,** 181

Neurophysiology

Nociceptor; Pain; Itch; Chemoreceptor; C-fiber; Ephapse; Gap junction; Hyperalgesia (Meyer, R.A.) 441, 81

Lymnaea; FMRFamide; Neurosecretory cell; Egg laying; Neuropeptide; Potassium conductance; Inhibition (Brussaard, A.B.) 447, 35

Vision; Audition; Orientation; Behavior (Stein, B.E.) 448, 355

Neuropil

Astrocyte; Synaptic density; Electron microscopy; Cerebellar culture; Cytosine arabinoside (Meshul, C.K.) 441, 23

Neuroprotection

Dissociative anesthetic; *N*-Methyl-D-aspartic acid antagonist (Marcoux, F.W.) **452**, 329

Neurosecretion

Calcium channel; Conotoxin; Electric organ; Transmitter release; Synaptosome; Nerve terminal (Ahmad, S.N.) **453**, 247

Intermediate lobe cell; Calcium channel; Calcium current; Channel inactivation (Stanley, E.F.) 475, 64

Neurosecretory cell

Lymnaea; FMRFamide; Egg laying; Neuropeptide; Neurophysiology; Potassium conductance; Inhibition (Brussaard, A.B.) 447, 35

Supraoptic nucleus; Vasopressin cell; Nucleus tractus solitarii;

Catecholaminergic projection: A2 catecholamine cell group (Day, T.A.) **454.** 387

Neurosecretory peptide

Intraneuronal transport; Colchicine; Golgi apparatus; Endoplasmic reticulum; Microtubule (Alonso, G.) **453**, 191

Neurospecificity

Spinal cord; Superior cervical ganglion; Choline acetyltransferase; Tissue culture (Chalazonitis, A.) **458**, 231

Neurotensin

Ventrolateral medulla; Serotonin; Substance P; Somatostatin; Cardiovascular regulation (Ciriello, J.) **440,** 53

Mammillary body; Passive avoidance behavior; Central amygdaloid nucleus; Learning behavior; Rat (Shibata, K.) 443, 117

Retina; Amacrine cell; Enkephalin; γ-Aminobutyric acid; Glycine; Coexistence (Watt, C.B.) **444**, 366

Retina; Amacrine cell; Enkephalin; Glycine; Coexistence (Wu, S.M.) 458, 195

Neurotensin binding

Rat brain; Rat uterus; Dynorphin; L-156,903; Levocabastine; Autoradiography (Pettibone, D.J.) **457**, 212

Neurotensin(1-13)

Nerve terminal; Principal olive; Neocerebellum; Human central nervous system; Development (Mailleux, P.) **456**, 199

Neurotoxic lesion

Peripheral benzodiazepine receptor; Focal ischaemia; Diaschisis; Rat cerebral cortex; Striatum (Dubois, A.) 445, 77

Lesions of nucleus basalis; Acetylcholinesterase molecular form; Kainic acid; Alzheimer's disease; Presynaptic acetylcholinesterase (Bisso, G.M.) **449**, 391

Neurotoxicity

Dopamine; 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP); 6-Hydroxydopamine; Parkinson's disease (Ricaurte, G.A.) **438**, 395

Dynorphin; N-Methyl-D-Aspartate (NMDA); γ-D-Glutamylglycine; 2-Amino-5-phosphonovalerate (APV); Tail-flick reflex (Caudle, R.M.) **443**, 329

Cerebellum; Somatostatin; Vasopressin; Barrel rotation; Convulsion; Pulmonary edema (Balaban, C.D.) **445**, 117

Hypoglycemia; Dextrorphan; Levorphanol; Dextromethorphan; N-Methyl-D-aspartic acid (NMDA); Cortex; Cell culture; Opioid (Monyer, H.) 446, 144

Serotonin; Amphetamine; Primate; 3,4-Methylenedioxymethamphetamine (Ricaurte, G.A.) **446**, 165

3,4-Methylenedioxymethylamphetamine; Amphetamine analog; Serotonin; Route of administration (Finnegan, K.T.) **447**, 141

Parkinsonism; Substantia nigra; Nerve cell degeneration; Aging (Forno, L.S.) 448, 150

Glutamate; Excitatory amino acid; *N*-Methyl-p-aspartic acid (NMDA) receptor; Excitotoxicity; Cerebellar granule cell; Neuron (Novelli, A.) **451**, 205

Oxygen consumption; Excitatory amino acid; Agonist; Antagonist; Hippocampal slice; Postsynaptic potential; Neuroexcitation (Nishizaki, T.) 452, 11

Methylenedioxymethamphetamine; Serotonin; Antinociception; Morphine (Nencini, P.) **457**, 136

Neuropeptide; Convulsion; Barrel rotation; Diazepam (Balaban, C.D.) **458**, 91

Central nervous system; Development; Excitatory amino acid; Glutamate; Hypoxia-ischemia; *N*-Methyl-D-aspartate; Rat (McDonald, J.W.) **459**, 200

Calcium; Depolarization; Glutamate; Neuroblastoma; Cell culture; Quisqualate (Murphy, T.H.) **460**, 155

1-Methyl-4-phenylpyridinium; 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Intracerebral infusion; Substantia nigra; Dopamine (Gibb, W.R.G.) **461**, 361

Raphe nucleus; Serotoninergic axon; Amphetamine derivative (Fritschy, J.-M.) **473**, 261

Serotonin; Amphetamine; Cerebrospinal fluid; 5-Hydroxyindoleacetic acid; (±)-3,4-Methylenedioxymethamphetamine (Ricaurte, G.A.) 474, 359

Neurotoxicology

Acrylamide; Retrograde transport; Axonal transport; Sciatic nerve; Neurotoxin; Axonopathy; Neuropathy (Moretto, A.) 440, 18

1-Methyl-4-phenyl-1,2,3,6-tetra-hydropyridine; Parkinson's disease; Dopamine; Striatum; Potassium; Cytochrome *b*; 1-Methyl-4-phenyl-pyridinium (Hollinden, G.E.) **475**, 283

Neurotoxin

Acrylamide; Retrograde transport; Axonal transport; Sciatic nerve; Neurotoxicology; Axonopathy; Neuropathy (Moretto, A.) 440, 18 5-Hydroxytryptamine; Nociception; Serotonin agonist; Receptor supersensitivity; Mouse (Eide, P.K.) 440, 42

Noradrenaline; Hippocampus; Microdialysis; Release; In vivo; Tetrodotoxin (Kalén, P.) 474, 374

Neurotoxin hypothesis

L-Pyroglutamic acid; Huntington's disease; Plasma; Cerebrospinal fluid; Brain (Uhlhaas, S.) 457, 196

Neurotransmission

Mollusc; Egg-laying behavior; Neuroendocrine cell; Peptide (Ter Maat, A.) **438**, 77

Neurotransmitter

Carnosine; Olfactory bulb; Immunocytochemistry; Rat (Sakai, M.) 438, 335

Neuropeptide; Peptide isolation; Evolution; Coelenterate (Graff, D.) **442**, 354

Scrapie; Cerebellum; Glutamic acid decarboxylase; Adenosine receptor (Quinn, M.R.) 445, 297

Immunochemistry; Histocytochemistry; Staphylococcal protein A; Immunoenzyme technique; Peptide; Enkephalin; Tyrosine hydroxylase (Correa, F.M.A.) 448, 192

Neuronal cell clone; NG108-15; γ-Aminobutyric acid; Glutamic acid decarboxylase; Differentiation; Pyridoxal 5'-phosphate (Searles, C.D.) 448, 373

Somatostatin; Virus (Lipkin, W.I.) 451, 333

Carotid body; Immunocytochemistry; Development; Cat; Hypoxia (Scheibner, T.) **453**, 72

Hippocampal slice; Carbachol; θ Rhythm; Nicotine (Konopacki, J.) **455**, 110

Cardiovascular; L-Glutamate; Brain slice; Medulla (Miller, B.D.) 456, 333

Glutamate; Kynurenate; Afferent synapse; Acousticolateralis receptor; Electroreceptor (Okano, K.) **457**, 79

5-Hydroxytryptamine; Coexistence; Immunohistochemistry; Nucleus raphe magnus; Rat (Millhorn, D.E.) 461, 169

Ethanol; Intracellular calcium; Release (Shah, J.) 474, 94

Neuropeptide; Medusa (Grimmelikhuijzen, C.J.P.) 475, 198

Borna disease; Neuronal transcript; Limbic system dysfunction; Aggression; Hyperactivity (Lipkin, W.I.) 475, 366

Neurotransmitter colocalization Retina; Amacrine cell; Acetylcholine; γ-Aminobutyric acid; Rabbit (Vaney, D.I.) 438, 369 Neurotransmitter metabolism

BAY K 8644; Nifedipine; Dihydropyridine; Calcium channel (Bolger, G.T.) 438, 101

Neurotransmitter receptor

Human neuroblastoma; Adenylate cyclase; Inhibitory coupling; Receptor desensitization (Olasmaa, M.) 475, 291

Neurotransmitter release

Kindling; Glutamate; Hippocampus; Amino acid; Kainic acid (Geula, C.) **442,** 368

Acetylcholine; Cortical microvessel; Choline acetyltransferase; γ-Aminobutyric acid; High-performance liquid chromatography; Electron microscopy; Immunocytochemistry (Arnerić, S.P.) **454,** 11

Neurotransmitter turnover

Punishment; Noradrenaline; Dopamine; Serotonin; Brain region (Miyauchi, T.) **454**, 40

Neurotrophic

Gonadal steroid; Adrenal steroid; Sprouting; Hippocampus; Glucocorticoid (Scheff, S.W.) 457, 246

Neurotrophic activity

Hippocampal lesion; Cell survival; Ciliary ganglion; Choline acetyltransferase activity; NG108-15 cell; Colchicine (Nakagawa, Y.) 439, 11

Astrocyte culture; Conditioned medium; Neuronal development; Insulin-like factor (Kadle, R.) **460**, 60

Neurotrophic factor

Conditioning lesion; Axonal regeneration; Nerve transection; Nerve freeze; Sciatic nerve; Rat; Tenotomy (Bondoux-Jahan, M.) 449, 150

Neurotropism

Guidance channel; Axonal regeneration; Nerve transection; Permeable tube (Aebischer, P.) **454**, 179

Neurotumor

Opioid receptor; Endogenous opioid system; Cancer; Neuroblastoma (Zagon, I.S.) 449, 80

Neurovirulence

Anticonvulsant; Herpes simplex encephalitis; Herpes simplex virus; Immunocytochemistry; Seizure disorder (Schlitt, M.) 440, 293

κ-Neurotoxin

Neuronal nicotinic receptor; Cockroach neuron; Chick ciliary ganglion neuron; Voltage-clamp recording (Pinnock, R.D.) **458**, 45

Neutrophilia

Acute phase response; Leukocytosis; Endogenous pyrogen; Interleukin-1; Hypothalamus (Morimoto, A.) 475, 345

Newborn monkey

Brain; Seizure; Energy reserve; Normoxemia (Fujikawa, D.G.) **454,** 51

Newborn rat

Respiratory rhythm; Primary oscillator; Rostral ventrolateral medulla; Brainstem in vitro (Onimaru, H.) **445**, 314

Nerve growth factor; Vinblastine; Ganglioside; GM1 ganglioside; Sympathectomy; Noradrenaline; Sympathetic nervous system (Vantini, G.) 448, 252

Brain injury; Reactive astrocyte proliferation; Glial fibrillary acid protein; Immunocytochemistry; Autoradiography (Janeczko, K.) **456,** 280

NG108-15

Neuronal cell clone; γ-Aminobutyric acid; Glutamic acid decarboxylase; Neurotransmitter; Differentiation; Pyridoxal 5'-phosphate (Searles, C.D.) 448, 373

NG108-15 cell

Hippocampal lesion; Cell survival; Ciliary ganglion; Choline acetyltransferase activity; Colchicine; Neurotrophic activity (Nakagawa, Y.) 439, 11

Nicotinamide adenine dinucleotide phosphatase-diaphorase, reduced Human brainstem; Histochemistry; Cholinergic (Nakamura, S.) 455, 144

Nicotinamide adenine dinucleotide phosphate (NADPH) diaphorase Histochemistry; Ultrastructure; Cat central nervous system (Mizukawa, K.) 452, 286

Nicotinamide adenine dinucleotide phosphate (NADPH)-diaphorase Neuropeptide Y; Somatostatin; Striatum; Cortex; Quinolinic acid; Rat (Boegman, R.J.) 445, 358

Nicotinamide adenine dinucleotide phosphate diaphorase histochemistry

Olfactory bulb development; Short-axon cell; Sensory deprivation (Croul-Ottman, C.E.) **460**, 323

Nicotinamide adenine dinucleotide phosphate-diaphorase Histochemistry; Cerebral white matter;

Histochemistry; Cerebral white mat Cat (Mizukawa, K.) **461,** 274

Nicotine

Axon reflex; Flare; Wheal; Sweating; Histamine; Substance P; Capsaicin (Izumi, H.) 449, 328

γ-Aminobutyric acid; Hippocampus; Mouse; CA1; Population spike (Freund, R.K.) **453**, 215

Hippocampal slice; Carbachol; θ Rhythm; Neurotransmitter (Konopacki, J.) 455, 110

Dopamine; Substantia nigra; Striatum;

Lesion; Rat brain; Immunohistochemistry; Tyrosine hydroxylase; Image analysis; Protection; Quantitative receptor autoradiography (Janson, A.M.) **455**, 332

2-Deoxyglucose; Rat brain; Local cerebral glucose utilization; Nicotinic receptor; Chronic nicotine administration; Locomotor activity (Grünwald, F.) 456, 350

Bicuculline; Acetylcholine; γ-Aminobutyric acid; Muscarine; Receptor; Insect; Locust (Benson, J.A.) 458, 65

Developing human brain; Nicotine receptor; Smoking (Cairns, N.J.) 475, 1

L-Nicotine

κ-Bungarotoxin; Neuronal nicotinic receptor; α-Bungarotoxin; Chick embryo; Central nicotinic site; Muscle nicotinic receptor (Wolf, K.M.) **439**, 249

Nicotinic

Cingulate; Cell; Discharge; Hippocampal; Electroencephalogram; Modulation; Muscarinic (Colom, L.V.) **460,** 329

Nicotinic depolarization

Soman; Acetylcholine esterase inhibitor; Bladder; Parasympathetic neuron; Muscarinic hyperpolarization (Kumamoto, E.) 458, 151

Nicotinic mechanism

Ponto-geniculo-occipital wave; Acetylcholine; Lateral geniculate nucleus; Peribrachial area; Rapid eye movement sleep (Hu, B.) **473**, 394

Nicotinic receptor

Perigeniculate nucleus; Dorsal lateral geniculate nucleus; Acetylcholine; Barbiturate; Corticogeniculate activity; Muscarinic receptor (Pape, H.-C.) 440. 79

Nicotine; 2-Deoxyglucose; Rat brain; Local cerebral glucose utilization; Chronic nicotine administration; Locomotor activity (Grünwald, F.) **456**, 350

Sympathetic ganglion; Antibiotic; Open channel blockade; Clindamycin; Excitatory postsynaptic current (Konopka, L.M.) 458, 278

Desensitization; Tachykinin; Substance P; Adrenal chromaffin cell; Secretion; Catecholamine; Neuromodulation (Khalil, Z.) **459**, 282

Galanin; Medial septal area; Nucleus basalis; Coexistence; Muscarinic receptor (Wenk, G.L.) 460, 17

Nicotine; Developing human brain; Smoking (Cairns, N.J.) 475, 1

Nictitating membrane response Red nucleus; γ -Aminobutyric acid; Classical conditioning; Bicuculline

methiodide; Picrotoxin (Haley, D.A.) 454, 131

Nifedipine

BAY K 8644; Neurotransmitter metabolism; Dihydropyridine; Calcium channel (Bolger, G.T.) 438, 101

Acetylcholine release; Neuromuscular transmission; Calcium channel; Verapamil; Diltiazem (Chang, C.C.) **454,** 332

Analgesia; 3α -Hydroxy-4-pregnen-20-one; Follicle stimulating hormone suppression; Steroid; γ -Aminobutyric acid; Opiate; Calcium channel antagonist; Benzodiazepine; Naloxone; Verapamil; Ro 15-1788; Picrotoxin; Bicuculline; Tyr-MIF-1; Morphine (Wiebe, J.P.) **461**, 150

Cerebral artery; Femoral artery; Bay K 8644; CGP 28392; Vascular tone; Noradrenaline release (Fernández-Alfonso, M.S.) 474, 147

Nigrostriatal

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Caudate mosaic; Caudate afferent; Parkinson's disease; Degeneration (Turner, B.H.) **473**, 60

Nigrostriatal bundle

6-Hydroxydopamine lesion; Dopamine release; Brain dialysis (Zhang, W.Q.) **461,** 335

Nigrostriatal function

Movement initiation; Reaction time; Conditioned avoidance response; Age; Dopamine; Practice (MacRae, P.G.) **451,** 139

Nigrostriatal pathway

In situ hybridization; Enkephalin precursor; Messenger RNA (Normand, E.) **439**, 39

Nigrotectal projection

Dopamine; Parkinsonism; Saccade; Rat (Takada, M.) 457, 165

Nitrous oxide

Analgesia; Phenylquinone; Abdominal constriction; Narcotic antagonist drug; Opioid receptor subtype (Quock, R.M.) 440, 35

Lateral geniculate nucleus X-cell; Y-cell; Cat; Binocular interaction; Monocular paralysis (Schroeder, C.E.) **454,** 227

Nociception

Cocaine; Flexion reflex; Analgesia; Rat (Pertovaara, A.) 438, 286

Primary sensory neuron; Touch; Pressure; Hyperpolarizing pulse; Lamprey (Christenson, J.) **440**, 1

5-Hydroxytryptamine; Neurotoxin; Serotonin agonist; Receptor supersensitivity; Mouse (Eide, P.K.) **440**, 42

Calcitonin gene-related peptide; Spinal dorsal horn; Iontophoresis;

Neuropeptide; Synaptic transmission; Cat (Miletic, V.) 446, 169

Vagal afferent; Pain modulation; Tail flick reflex; Spinal opioid receptor (Ren, K.) 446, 285

Parabrachial nucleus; Nucleus raphe magnus; Autoradiography; Limbic system (Holstege, G.) **447**, 154

Trigeminal sensory complex; Ventrobasal thalamic neuron; Orofacial receptive field; Tractotomy; Rat (Dallel, R.) 448, 7

Visceral pain; Pseudaffective reflex; Colorectal distension; Morphine; Visceromotor; Cardiovascular pressor; Clonidine (Ness, T.J.) **450**, 153

Serotonin (5-HT); 5-HT receptor; Ionophoresis; Dorsal horn (El-Yassir, N.) **456**, 147

Corticotropin-releasing hormone antagonist; Freezing behavior; Stress response; Rat (Kalin, N.H.) 457, 130

Thalamus; Nucleus submedius; Rat (Dostrovsky, J.O.) 460, 269

Morphine; Descending inhibition; Brainstem; Glutamate; Spinal cord (Jones, S.L.) **460**, 281

Substance P antagonist; Tail flick; Intrathecal; Spinal cord; Rat (Cridland, R.A.) **462**, 15

Dynorphin; Calcitonin gene-related peptide; Spinal cord; Rat; Immunocytochemistry (Takahashi, O.) **475**, 168

Nociceptive neuron

Somatosensory cortex; Noxious thermal stimulation; Pain (Kenshalo, D.R.) **454,** 378

Nociceptive reflex

Electroacupuncture; Analgesia; Naloxone; Endorphin; Spinal cord; Naltrexone; Acupuncture (Pomeranz, B.) **452**, 232

Nociceptive response Tonic immobility; Analgesia (Fleischmann, A.) 455, 49

Nociceptor

Pain; Itch; Chemoreceptor; C-fiber; Neurophysiology; Ephapse; Gap junction; Hyperalgesia (Meyer, R.A.) 441, 81

Hyperalgesia; Pain; Sensitization; Unmyelinated fiber; Axon reflex (Meyer, R.A.) **441**, 168

Capsaicin; Cutaneous receptor; Desensitization of polymodal nociceptor (Szolcsanyi, J.) 446, 262

Node

Cation-binding; Trigeminal perikaryon; Axon hillock; Stem axon; Schwann cell (Byers, M.R.) **443**, 125

Node of Ranvier

A-channel; K-channel; Potassium

channel; Myelinated axon (Gordon, T.R.) 447, 1

Ruffini; Corpuscle; Free ending; Cation binding; Schwann cell; Mechanoreceptor (Byers, M.R.) **461**, 397

Nodose ganglion

Medulla oblongata; Nucleus tractus solitarii; Pulmonary receptor; Respiration; Spike-triggered averaging; Vagus nerve (Kubin, L.) 443, 215

Sensory vagus nerve; Dissociated cell culture; Substance P; Nerve growth factor (MacLean, D.B.) **457**, 53

Cholecystokinin; Receptor; Nervus vagus; Nucleus tractus solitarii; Rat (Ladenheim, E.E.) 474, 125

Nodulus

Vestibular nucleus; Perihypoglossal nucleus; Reciprocal connections; Wheatgerm agglutinin-horseradish peroxidase complex (Walberg, F.) **449**, 47

Noise

Repeated exposure; Choline uptake; Frontal cortex; Hippocampus; Tolerance; Classical conditioning (Lai, H.) 442, 403

Nomifensine

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Position emission tomography; Dopamine re-uptake; Raclopride (Leenders, K.L.) **445**, 61

Rabbit retina; Dopamine; Superfusion; Light (Godley, B.F.) 452, 393

Non-competitive antagonism Glutamate receptor; Argiotoxin; Locust muscle (Budd, T.) 448, 30

Argiotoxin₆₃₆; Quisqualate-sensitive glutamate receptor channel; Locust muscle (Kerry, C.J.) **459**, 312

Non-competitive antagonist MK-801; *N*-Methyl-D-aspartate receptor; Kindling; Rat (Sato, K.) **463**, 12

Non-human primate

Catecholamine; Cebus monkey; Immunohistochemistry; Tyrosine hydroxylase (Kordower, J.H.) **461**, 221

Non-linear analysis

Auditory physiology; Evoked potential; Hair cell (Regan, D.) 438, 363

Non-opioid analgesia

Cold water swim; Adrenal denervation; Stress; Opioid; Tail flick (Rochford, J.) 445, 404

Non-pyramidal neuron

Ammon's horn; Hippocampus; Dentate gyrus; Supramammillary nucleus; Hypothalamus; Cat; Wheat germ-agglutinated horseradish peroxidase (Ino, T.) 460, 173

Non-stationary Poisson distribution Miniature end plate potential;

Postsynaptic potential; End plate potential; Quantum; Binomial release; *Navanax inermis*; Gastropod; Mollusc (Cappell, M.S.) **454**, 244

Non-steroidal anti-inflammatory drugs

Pilocarpine; Seizure; Epilepsy; Brain damage (Ikonomidou-Turski, C.) **462,** 275

Non-synaptic

Adenosine; Hippocampus; Brain slice; Flow rate (Fowler, J.C.) 463, 368

Nor-binaltorphimine

Pregnancy; Opioid analgesia; κ -Receptor; Spinal cord (Sander, H.W.) **474**, 343

Noradrenaline

Dopamine; Retinal ganglion cell; Adrenoceptor; Dopamine receptor; Neuroleptic (Robbins, J.) 438, 52

Cerebral vessel; Immunohistochemistry; 5-Hydroxytryptamine; Coexistence; Sympathetic nerve; Superior cervical ganglion (Chang, J.-Y.) 438, 237

Locus ceruleus; Attention; Memory (Sara, S.J.) 438, 299

Anticonvulsant; Electroshock; γ-Vinyl-GABA; Substantia nigra (Bonhaus, D.W.) **438**, 391

Methylmercury; Serotonin; Dopamine; Cerebral cortex; Spinal cord; Caudate-putamen; Cerebral palsy (O'Kusky, J.R.) **439**, 138

Vasopressin; Cyclic AMP; Superior cervical ganglion (Petit, P.) 440, 299

Microdialysis; Hemorrhage; Blood pressure; 3-Methoxy-4-hydroxyphenylethyleneglycol (MHPG); Serotonin; Uric acid; Supraoptic nucleus; Rat (Kendrick, K.M.) 440, 402

Locus coeruleus; Endogenous opioid; Naloxone; Stress; Single unit activity; Cat (Abercrombie, E.D.) 441, 362

Hippocampus; Disinhibition (Madison, D.V.) 442, 131

Chronic naltrexone administration; Dopamine; Serotonin (Sharma, T.R.) **442**, 379

Spinal cord; Human; Serotonin; 5-Hydroxyindoleacetic acid (Lacković, Z.) **443**, 199

Locus ceruleus; 6-Hydroxydopamine; Olfaction; Olfactory bulb; Castration; Psychophysics (Doty, R.L.) **444**, 95

Striatum; Dopamine; Arterial baroreceptor nerve; Cardiovascular regulation; Somatomotor/visceromotor integration (Alexander, N.) 444, 320

N-Methyl-D-aspartic acid receptor; Phencyclidine receptor; Cerebellum; Cortex; Release assay (Yi, S.-J.) 445, 147

Spinal cord; Development; Adrenoceptor; Cyclic adenosine monophosphate; Uptake (Simmons, R.M.A.) 445, 338

Lateral hypothalamus; γ-Aminobutyric acid; Acetylcholine; Glutamate; Neuromodulation (Sessler, F.M.) **446,** 77

In vitro lateral hypothalamus; Cyclic adenosine monophosphate; β -Receptor; α -Receptor; γ -Aminobutyric acid (Cheng, J.-T.) **446**, 90

Luteinizing hormone-releasing hormone (LH-RH); Puberty; In vitro; Rat (Clough, R.W.) 446, 121

Morphine; Testosterone; Luteinizing hormone; Follicle-stimulating hormone; Serotonin; Endogenous opioid (Gabriel, S.M.) 447, 200

Neuronal transplant; Aging; Memory; Locus ceruleus (Collier, T.J.) 448, 77

Nerve growth factor; Vinblastine; Ganglioside; GM1 ganglioside; Sympathectomy; Sympathetic nervous system; Newborn rat (Vantini, G.) 448, 252

Cultured neuron; Cerebellum; Glutamate; Aspartate (Mori-Okamoto, J.) 448, 259

Punishment; Dopamine; Serotonin; Neurotransmitter turnover; Brain region (Miyauchi, T.) **454**, 40

Experimental epilepsy; Rat; 6-Hydroxydopamine (Trottier, S.) **454**, 308

Intrathecal; 5-Hydroxytryptamine; Posterior raphe nuclear complex; Antinociception; Rat (Clatworthy, A.) **455,** 300

Catecholamine; Epinephrine; Vasopressin; Blood pressure; Conscious rabbit (Martin, S.M.) **457**, 192

Adrenal medulla; β-Adrenergic receptor; Epinephrine; Isoproterenol; Lactation; Oxytocin; Propranolol (Song, S.-L.) **457**, 303

Tyrosine; Brain development; Petgnancy; Diet (Garabal, M.V.) **457**, 330

Cocaine; Acetylcholine turnover; Hippocampus (Robinson, S.E.) **457**, 383

Sympathetic neuron; Co-culture; Heart cell; Nerve growth factor (Wakade, A.R.) **458**, 115

β-Adrenoceptor; Brain cAMP efflux; Microdialysis (Egawa, M.) **458**, 303

Pain; Hyperalgesia; Bradykinin; Arachidonic acid; SC-19220; Prostaglandin antagonist; Analgesia (Taiwo, Y.O.) **458**, 402 Serotonin; Predictable shock; Unpredictable shock (Adell, A.) 459, 54

Caudate-putamen: Nucleus accumbens: Dopamine; Immunocytochemistry; Glia; Synapse; Catecholamine (Aoki, C.) **459**, 205

Purkinje neuron; Cerebellum in oculo; Brain transplantation; Adrenoceptor (Granholm, A.-C.E.) 459, 256

Locus ceruleus; Vasopressin; Immunocytochemistry; Coexistence (Caffé, A.R.) 459, 386

Cyclic AMP; Phentolamine; Propranolol; 8-Phenyltheophylline; Rat cerebral cortex; Iron-induced epilepsy (Moriwaki, A.) 461, 190

Adrenaline; Estradiol; Hypothalamus; Luteinizing hormone; Luteinizing hormone-releasing hormone; Naloxone; Opioid; Progesterone (Crowley, W.R.) 461, 314

Cerebellum; Purkinje cell; Receptor specificity; α_2 -Adrenergic receptor; Pressure ejection (Parfitt, K.D.) 462, 242

Locus ceruleus; Spinal cord; Phentolamine; Brain graft (Henschen, A.F.) 474, 66

Hippocampus; Microdialysis; Release; In vivo; Neurotoxin; Tetrodotoxin (Kalén, P.) 474, 374

 α_2 -Adrenoceptor; Hippocampus; Idazoxan; Microiontophoresis; Pyramidal neuron (Curet, O.) 475, 35

 α -Adrenoceptor; β -Adrenoceptor; Rat dorsal hippocampus; Pyramidal neuron; Locus ceruleus; 6-Hydroxydopamine (Curet, O.) 475, 47

Noradrenaline release

Adrenaline release; Adrenal medulla; Dihydropyridine; Calcium channel (Cárdenas, A.M.) 456, 364

Cerebral artery; Femoral artery; Nifedipine; Bay K 8644; CGP 28392; Vascular tone (Fernández-Alfonso, M.S.) 474, 147

Noradrenaline turnover

Supine restraint stress; 3-Methoxy-4-hydroxyphenylethyleneglycol sulfate; Rat brain region; Corticosterone; Expression of aggression (Tsuda, A.) 474, 174

Noradrenaline uptake

Percoll; Synaptosome; Protein phosphorylation; Release; Content (Harrison, S.M.) 441, 72

Noradrenergic

Oestrogen; Progesterone; Perivascular; Serotonin-like immunoreactivity; Basilar artery; Rabbit (Dhall, U.)

Vasoactive intestinal peptide; Gonadotropin-releasing hormone; Luteinizing hormone; 6-Hydroxydopamine; Pulsatile (Alexander, M.J.) 445, 247

Noradrenergic mechanism

Inescapable shock; Dopaminergic mechanism; Serotonergic mechanism; Cholinergic mechanism; ν-Aminobutyric acidergic mechanism; Motor activity; Rat (Płaźnik, A.) 447, 122

Noradrenergic transmission Androgen receptor; Sex difference;

Guinea pig brain (Ahdieh, H.B.) 456, 275

Noradrenergic-dopaminergic (NA-DA) interaction

Electrolytic ventral mesencephalic tegmentum lesion; Locomotor hyperactivity; Spontaneous alternation; Behavioral restoration; Receptor heteroregulation (Taghzouti, K.) 440, 172

α-Noradrenergic antagonist

Amygdala; Naloxone; β -Noradrenergic antagonist; Inhibitory avoidance; Discrimination learning; Memory; Caudate-putamen; Cortex (McGaugh, J.L.) 446, 37

 α_1 -Noradrenergic antagonist

Clozapine; Chronic treatment; Prazosin; Dopamine release; Striatum; Nucleus accumbens: In vivo voltammetry (Lane, R.F.) 460, 398

 α_1 -Noradrenoceptor Obesity; Diet; Receptor, α_1 -; α_2 -Noradrenoceptor; Receptor, α_2 -; β -Noradrenoceptor; Receptor, β -Dopamine receptor; Ventromedial hypothalamus; Dorsomedial hypothalamus; Insulin (Wilmot, C.A.) 453, 157

α₂-Noradrenoceptor

Obesity; Diet; α_1 -Noradrenoceptor; Receptor, a_1 -; Receptor, a_2 -; β -Noradrenoceptor; Receptor, β -; Dopamine receptor; Ventromedial hypothalamus; Dorsomedial hypothalamus; Insulin (Wilmot, C.A.) 453, 157

β-Noradrenergic antagonist

Amygdala; Naloxone; α-Noradrenergic antagonist; Inhibitory avoidance: Discrimination learning; Memory; Caudate-putamen; Cortex (McGaugh, J.L.) 446, 37

β-Noradrenoceptor

Obesity; Diet; α_1 -Noradrenoceptor; Receptor, α_1 -; α_2 -Noradrenoceptor; Receptor, α_2 -; Receptor, β -; Dopamine receptor; Ventromedial hypothalamus; Dorsomedial hypothalamus; Insulin (Wilmot, C.A.) 453, 157

Normoxemia

Brain; Seizure; Energy reserve; Newborn monkey (Fujikawa, D.G.) 454, 51

Novel protein

Alzheimer's disease; Amyloid; Monoclonal antibody; Secondary amyloidosis; Immunohistology; Western blotting (Yamashita, T.) 474, 309

Noxious thermal stimulation Somatosensory cortex; Nociceptive neuron; Pain (Kenshalo, D.R.) 454, 378

Nuclear estrogen receptor Antiestrogen; Hypothalamus; Heparin; DNA intercalator (Etgen, A.M.) 452, 1

Nuclear magnetic resonance Thyrotropin-releasing hormone; Magnesium; Brain injury (Vink, R.) 460, 184

Nuclear yellow Edinger-Westphal nucleus; Anterior median nucleus; Parasympathetic nucleus; Fluorescent tracer; Fast blue; Ciliary ganglion; Spinal cord; Double label (Burde, R.M.) 440, 177

Nucleic acid hybridization Axotomy; Gene expression; Neuronal gene; Tyrosine hydroxylase (Koo, E.H.) 449, 361

Nucleo-cortical projection Phaseolus vulgaris-leucoagglutinin; Interposed nucleus; Climbing fiber; Purkinje cell; Cat (Murakami, F.) **463**, 144

Nucleus accumbens

Substantia innominata; Carbachol; Locomotor activity; Rat (Austin, M.C.) 441, 209

Dopamine D₂ receptor; LY-141865 (Hu, X.-T.) **444**, 389

Dopaminergic mesencephalic neuron; Amygdala; Prefrontal cortex; Dihydroxyphenylacetic acid/dopamine (DOPAC/DA) ratio; D-Amphetamine; Locomotor activity (Simon, H.) 447, 335

Brain-stimulation reward; Dopamine receptor; Reinforcement; SCH 23390; Sulpiride; Ventral tegmental area (Kurumiya, S.) 448, 1

Dopamine uptake; Fast cyclic voltammetry; Caudate nucleus; Electrical stimulation; Diffusion (Stamford, J.A.) 448, 381

Kindling; Receptor, -D2; Dopamine receptor (Csernansky, J.G.) 449, 357

Pedunculopontine nucleus; Mesencephalic locomotor region; Locomotor activity; Carbachol; Amphetamine; Cholinergic mechanism; Rat (Brudzynski, S.M.) 451, 119

Circling behavior; Nucleus tegmenti pedunculopontinus pars compacta; Kainic acid; Dopamine turnover: Acetylcholine (Niijima, K.) 451, 163

Brain dialysis; Dopamine release;

Tyrosine; Striatum (During, M.J.) 452, 378

Carbon fibre microelectrode; Fast cyclic voltammetry; Electrical stimulation; Caudate nucleus; Dopamine (Stamford, J.A.) **454**, 282

Iminodipropionitrile; Spasmodic dyskinesia; Serotonin; Striatum; Brainstem (Cadet, J.L.) **456**, 371

Amphetamine; Morphine; Heroin; Reinstatement of drug taking; Priming; Drug self-administration (Stewart, J.) **457**, 287

Caudate-putamen; Dopamine; Immunocytochemistry; Glia; Norepinephrine; Synapse; Catecholamine (Aoki, C.) **459**, 205

Amphetamine; Brain stimulation reward; Self-stimulation (Colle, L.M.) **459**, 361

Clozapine; Chronic treatment; Prazosin; α₁-Noradrenergic antagonist; Dopamine release; Striatum; In vivo voltammetry (Lane, R.F.) **460**, 398

Naltrexone; Brain stimulation reward; Ventral tegmental area; Lateral hypothalamus (West, T.E.G.) **462**, 126

Sensitization; Amphetamine; Dopamine; Dialysis; Dopamine release; Locomotion; Stereotyped behavior; Stimulant; Chronic drug effect; Amphetamine psychosis; Neural plasticity (Robinson, T.E.) 462, 211

Cholecystokinin antagonist; Lorglumide; Dopamine neuron; Haloperidol (Jiang, L.H.) 473, 165

Lateralization; Frontal cortex; Dopamine; Behavior (Starkstein, S.E.) 473, 74

Nucleus ambiguus

Somatic input; Vagal preganglionic neuron; Dorsal vagal nucleus; Nucleus tractus solitarius (Wang, Q.) **439**, 350

Neuropeptide Y; Caudal ventrolateral medulia; Mean arterial pressure; Heart rate; A1 noradrenaline nucleus; Wistar-Kyoto normotensive rats (Macrae, I.M.) 456, 1

Nucleus basalis

Colchicine; Radial-arm maze; Cholinergic pharmacological agent; Animal model of cognitive dysfunction (Tilson, H.A.) 438, 83

Acetylcholine; Ethylcholine mustard aziridinium ion; AF64A; Cholinergic hypofunction; Memory intracortical; Animal model; Alzheimer's disease (Mouton, P.R.) 444, 104

Apomorphine; 6-Hydroxydopamine; Stereotyped pecking; Pigeon (Lindenblatt, U.) **453**, 1

Galanin; Medial septal area;

Coexistence; Muscarinic receptor; Nicotinic receptor (Wenk, G.L.) **460,** 17

Cholinergic pathway; Diagonal band; Limbic system; Medial septum (Koliatsos, V.E.) **463**, 133

Fluoro-Gold; Retrograde tracing; Fluorescent tracer; Locus coeruleus; Raphe; Substantia nigra; Afferent pathway; Immunofluorescence; Rat (Pieribone, V.A.) 475, 259

Nucleus basalis magnocellularis Aging; Cholinergic neuron;

Neural plasticity (Stephens, P.H.) 448, 320

Tyrosine hydroxylase; Cholinergic; Acetylcholinesterase; Substantia nigra (Martinez-Murillo, R.) 451, 227

Locomotor activity; Cholinergic neuron; GABAergic drug; Enkephalin analog (Baud, P.) **452**, 203

Choline-acetyltransferase activity; Spatial memory; Place navigation task; Cross maze (Mayo, W.) **455**, 213

Local cerebral glucose utilization; Cholinergic marker; Deoxyglucose; Dementia; Autoradiography (Orzi, F.) 462, 99

Nucleus basalis magnocellularis lesion

Cholinergic cortical transplant; Spatial memory (Welner, S.A.) 463, 192

Learning/memory; Sympathetic nervous system; Neuronal reorganization (Harrell, L.E.) **474**, 353

Nucleus cuneiformis

Analgesia; Pain modulation (Zemlan, F.P.) **453**, 89

Nucleus gigantocellularis

Somatostatin; Dorsal reticulospinal tract; Immunocytochemistry; Nucleus raphe magnus (Bowker, R.M.) 447, 398

Nucleus nervus terminalis

FMRFamide; Pineal organ; Retina; Nucleus olfactoretinalis; Immunocytochemistry; Teleost fish (Ekström, P.) **460**, 68

Nucleus of optic tract

Optokinetic nystagmus; Optokinetic after-nystagmus; Monkey (Kato, I.) 474, 16

Nucleus olfactoretinalis

FMRFamide; Pineal organ; Retina; Nucleus nervus terminalis; Immunocytochemistry; Teleost fish (Ekström, P.) **460**, 68

Nucleus paragigantocellularis lateralis

Central chemoreceptor; Ventral respiratory group; Caudal chemoceptive area; Intermediate chemoceptive area; Peripheral chemoreceptor; Vascular nociceptor;

Control of breathing (Arita, H.) 442, 1

Convergent input; Cardiovascular control; Analgesia (Lovick, T.A.) **456**, 183

Nucleus raphe magnus

Serotonin; Immunocytochemistry; Pain modulation; Descending control; Ultrastructure; Periaqueductal gray (Lakos, S.) 443, 383

5-Hydroxyindole; Morphine; Voltammetry; Spinal cord (Rivot, J.P.) **446,** 333

Parabrachial nucleus; Nociception; Autoradiography; Limbic system (Holstege, G.) 447, 154

Somatostatin; Dorsal reticulospinal tract; Immunocytochemistry; Nucleus gigantocellularis (Bowker, R.M.) 447, 398

Antinociception; Bicuculline; γ-Aminobutyric acid; Hyperalgesia; Nucleus reticularis gigantocellularis pars alpha; 4,5,6,7-Tetrahydroisoxazolo[5,4-c]pyridin-3-ol (Drower, E.J.) **450**, 316

5-Hydroxytryptamine; Coexistence; Immunohistochemistry; Neurotransmitter; Rat (Millhorn, D.E.) **461**, 169

Nucleus reticularis gigantocellularis Reticular formation; Anterograde tracing; Phaseolus vulgaris leucoagglutinin; Reticular ascending projection; Reticulo-spinal projection; Reticulo-reticular connection (Matsuyama, K.) 460, 124

Nucleus reticularis gigantocellularis pars alpha

Antinociception; Bicuculline; γ-Aminobutyric acid; Hyperalgesia; Nucleus raphe magnus; 4,5,6,7-Tetrahydroisoxazolo-[5,4-c]pyridin-3-ol (Drower, E.J.) **450**, 316

Nucleus reticularis pontis oralis Postural atonia; Apnea; Dorsal tegmental field (Kawahara, K.) 474, 403

Nucleus submedius Thalamus; Nociception; Rat (Dostrovsky, J.O.) **460**, 269

Nucleus tegmenti pedunculopontinus

Double labeling; Axonal projection; Cholinergic (Goldsmith, M.) 445, 386

Turning behavior; Output pathway; Substantia nigra reticulata; Superior colliculus; Nucleus ventralis lateralis/nucleus ventralis medialis complex (Motles, E.) 473, 65

Nucleus tegmenti pedunculopontinus pars compacta Subthalamic nucleus; Striatum; Globus pallidus; Substantia nigra; Retrograde double labeling; Rat (Takada, M.) 442, 72 Circling behavior; Nucleus accumbens; Kainic acid; Dopamine turnover; Acetylcholine (Niijima, K.) **451**, 163

Nucleus tractus solitarii Sheep; Response pattern; Chemoreception; Epiglottis; Off response; Superior laryngeal nerve; Upper airway (Sweazey, R.D.) 439, 195

Anteroventral third ventricle; Hypertension; Vasopressin; Blood pressure; Hypothalamus (Catelli, J.M.) **439**, 330

Somatic input; Vagal preganglionic neuron; Dorsal vagal nucleus; Nucleus ambiguus (Wang, Q.) **439**, 350

Cardiovascular; Enkephalin; Immunohistochemistry; Parabrachial nucleus (Maley, B.E.) **442**, 340

Decerebrate; Chronic; Rat; Taste; Electrophysiology (Mark, G.P.) **443**, 137

Medulla oblongata; Nodose ganglion; Pulmonary receptor; Respiration; Spike-triggered averaging; Vagus nerve (Kubin, L.) **443**, 215

Substance P; Blood pressure control; Capsaicin; Baroreceptor reflex; Chemoreceptor reflex (Takano, Y.) **445**, 188

Arg-vasopressin; Brain phosphoinositide; Vasopressin receptor (Moratalla, R.) **450**, 398

Supraoptic nucleus; Neurosecretory cell; Vasopressin cell; Catecholaminergic projection: A2 catecholamine cell group (Day, T.A.) **454,** 387

Chemoreceptor; Brainstem; Medulla; Visceral; Sensory (Claps, A.) 455, 123

Baroreceptor; Visceral; Sensory; Brainstem; Medulla (Torrealba, F.) **455**, 134

Blood pressure; α -Methyldihydroxyphenylalanine; α_2 -Adrenoceptor; β -Adrenoceptor (Tung, C.-S.) **456**, 64

Taste; Parabrachial nucleus; Hamster; Horseradish peroxidase; Autoradiography (Travers, J.B.) 457, 1

Phenylethanolamine N-methyltransferase; Parabrachial nucleus; Adrenaline; Immunocytochemistry (Kawai, Y.) **459**, 369

Baroreceptor reflex; Aortic nerve; Ventrolateral medulla; Rabbit (Wang, Q.) 473, 227

Cholecystokinin; Receptor; Nervus vagus; Nodose ganglion; Rat (Ladenheim, E.E.) 474, 125

Nucleus ventralis lateralis/nucleus ventralis medialis complex Turning behavior; Output pathway;

Substantia nigra reticulata; Superior colliculus; Nucleus tegmenti pedunculopontinus (Motles, E.) 473, 65

Nucleus ventralis posteromedialis Thalamus; Periodontium; Somatic sensation; Cat (Yokota, T.) 475, 187

Nucleus ventralis posteromedialis parvocellularis

Thalamus; Somatic sensation; Trigeminal nerve; Tongue; Cat (Nishikawa, Y.) **458**, 394



Obesity

Diet; α_1 -Noradrenoceptor; Receptor, α_1 -; α_2 -Noradrenoceptor; Receptor, α_2 -; β -Noradrenoceptor; Receptor, β -; Dopamine receptor; Ventromedial hypothalamus; Dorsomedial hypothalamus; Insulin (Wilmot, C.A.) **453**, 157

Octanoate

Functional anatomy; Heroin; Cocaine (Trusk, T.C.) 438, 61

Octylguanidine

Sodium channel; Squid axon; Voltage clamp; Pyrethroid; Channel modification (De Weille, J.R.) 445, 1

Oculomotor

Abducens; Extraocular; Lateral rectus; Afferent (Goldberg, S.J.) **443**, 350

Oculomotor function

Accessory optic system; Retinofugal pathway; Human visual system; Medial terminal accessory optic nucleus; Lateral terminal accessory optic nucleus; Dorsal terminal accessory optic nucleus; Interstitial nucleus of the superior fascicle, posterior fibers; p-Phenylene-diamine method (Fredericks, C.A.) 454, 116

Oculomotor nucleus lesion

Abducens nucleus; Alert cat; Eye movement; Axotomized internuclear neuron (Delgado-García, J.M.) 443, 333

Odor

Rat; Piriform cortex; Metabolic activity; Computerized image processing method (Cattarelli, M.) 442, 180

Odor quality coding

Leptinotarsa decemlineata; Olfaction; Electrophysiology; Interneuron; Antennal lobe; Deutocerebrum; Brain (De Jong, R.) 447, 10 Leptinotarsa decemlineata; Olfaction; Electrophysiology; Receptor neuron; Suppression; Binary mixture (De Jong, R.) 447, 18

Oestrogen

Progesterone; Perivascular; Noradrenergic; Serotonin-like immunoreactivity; Basilar artery; Rabbit (Dhall, U.) **442**, 335

Off response

Sheep; Response pattern; Chemoreception; Epiglottis; Nucleus of the solitary tract; Superior laryngeal nerve; Upper airway (Sweazey, R.D.) 439, 195

Olfaction

Locus ceruleus; Noradrenaline; 6-Hydroxydopamine; Olfactory bulb; Castration; Psychophysics (Doty, R.L.) 444, 95

Leptinotarsa decemlineata; Electrophysiology; Odor quality coding; Interneuron; Antennal lobe; Deutocerebrum; Brain (De Jong, R.) 447, 10

Leptinotarsa decemlineata; Electrophysiology; Odor quality coding; Receptor neuron; Suppression; Binary mixture (De Jong, R.) 447, 18

Neuropeptide; Periglomerular cell; Accessory olfactory bulb; Immunohistochemistry (Tsuruo, Y.) 447, 183

Spatial coding; Antennal lobe; Olfactory stimulation; Deoxyglucose; Autoradiography (Rodrigues, V.) **453**, 299

Amitriptyline; Nerve growth; Nerve development; Olfactory receptor (Farbman, A.I.) **457**, 281

Olfactory bulb

Carnosine; Immunocytochemistry; Neurotransmitter; Rat (Sakai, M.) 438, 335

Intracranial dialysis; Oxytocin; Dopamine; Uric acid; Substantia nigra; Parturition; Suckling; Sheep (Kendrick, K.M.) 439, 1

Long-term potentiation; Pyriform cortex; Olfactory cortex; Evoked potential; Rat (Stripling, J.S.) **441**, 281

Microdialysis; Oxytocin; Aspartate; γ-Aminobutyric acid (GABA); Glutamate; Vaginocervical stimulation; Sheep (Kendrick, K.M.) 442, 171

Locus ceruleus; Noradrenaline; 6-Hydroxydopamine; Olfaction; Castration; Psychophysics (Doty, R.L.) 444, 95

Tyrosine hydroxylase; γ-Aminobutyric acid (GABA); Transneuronal regulation; Phenotypic expression (Baker, H.) **450**, 69

Potassium; Ion-sensitive microelectrode

(Khayari, A.) 457, 188

Development; Potassium ion; γ-Aminobutyric acid receptor (Math, F.) **461**, 384

Neuron shrinkage; Bicuculline (Tasaki, I.) 475, 173

Olfactory bulb development Nicotinamide adenine dinucleotide phosphate diaphorase histochemistry; Short-axon cell; Sensory deprivation (Croul-Ottman, C.E.) 460, 323

Olfactory cortex

Long-term potentiation; Pyriform cortex; Olfactory bulb; Evoked potential; Rat (Stripling, J.S.) **441**, 281

Olfactory lobe

Thyrotropin-releasing hormone (TRH); Precursor; Rat; Hypothalamus; Radioimmunoassay; High-performance liquid chromatography (HPLC) (Wu, P.) **456**, 22

Olfactory marker protein Olfactory neuron; Transplantation (Monti Graziadei, A.G.) 455, 401

Olfactory neuron

Olfactory marker protein; Transplantation (Monti Graziadei, A.G.) 455, 401

Olfactory pathway

Prepiriform cortex; Entorhinal cortex; Hippocampal formation; Electroencephalogram (EEG); β Activity; θ Rhytm; Mutual information (Boeijinga, P.H.) 448, 272

Olfactory receptor

Olfaction; Amitriptyline; Nerve growth; Nerve development (Farbman, A.I.) 457, 281

Olfactory stimulation

Spatial coding; Olfaction; Antennal lobe; Deoxyglucose; Autoradiography (Rodrigues, V.) **453**, 299

Olfactory tubercle

Cholecystokinin; Caudate-putamen; Amphetamine; Haloperidol; Dopamine; 3-Methoxytyramine; Dihydroxyphenylacetic acid (Altar, C.A.) 460, 76

Oligodendrocyte

Biotin; Carbonic anhydrase; Acetyl-coenzyme A carboxylase; Pyruvate carboxylase (LeVine, S.M.) 444, 199

Oligohydramnios

Fetal rat; Spinal cord transection; Surgical mortality (De Beer, F.C.) **454**, 397

Olivocochlear efferent

Selective attention; Cochlear micromechanics; Evoked oto-acoustic emission (Puel, J.-L.) **447**, 380

Olivocochlear neuron

Cochlear nucleus; Anterograde label;

Retrograde label (Robertson, D.) 462, 47

Oncotic pressure

Brain homogenate; Electronic osmometer; Colloid osmotic pressure; Osmotic potential; Brain edema; Cerebrospinal fluid (Tomita, M.) **474**, 165

Ontogenesis

Suprachiasmatic nucleus; Circadian hormone rhythm; Corticosterone; Serotonin (Bánky, Z.) 445, 222

MCD peptide receptor; Ionic channel; Rat brain; Seizure; Autoradiography (Mourre, C.) 446, 106

Ontogenetic adaptation of dendritic spine genesis

Pyramidal neuron spine of motor cortex; Pyramidal neuron spine of visual cortex; Undernutrition; Spine genesis; Brain development (Gundappa, G.) 456, 205

Ontogeny

Substance P; Neurokinin A; Eledoisin; Neurokinin; Cortex; Receptor (Dam, T.-V.) 453, 372

Onuf's nucleus

Immunocytochemistry; Motor neurone disease; Neurofilament triplet protein; Neuropeptide; Radioimmunoassay; Sacral spinal cord (Gibson, S.J.) **474**, 255

Open channel blockade

Sympathetic ganglion; Antibiotic; Nicotinic receptor; Clindamycin; Excitatory postsynaptic current (Konopka, L.M.) 458, 278

Open field

Animal model; Hyperactivity; Learning deficit; Memory deficit; Passive avoidance; Recent memory disturbance; T-maze; Senescence accelerated mouse (Yagi, H.) 474, 86

Open field activity

5-Hydroxytryptamine; 5-Methoxy-N,N-dimethyltryptamine; Sex difference; Depression; Stress; Corticosterone; Food intake (Haleem, D.J.) 458, 339

Open field behavior

Dopamine; Serotonin; Prefrontal cortex; Neonatal lesion; Ventral tegmental area; Food hoarding; Sexual dimorphism (Kalsbeek, A.) 475, 80

Oniate

Prolactin; Growth hormone; Lactation; Morphine; Sensitivity (Callahan, P.) 442, 214

Rimorphin; Substantia nigra; Rotation; Opioid peptide; Prodynorphin; Dynorphin B; Dopamine; κ-Receptor; Rat (Matsumoto, R.R.) 444, 67

Analgesia; Naloxonazine (Bodnar, R.J.) 447, 25

Stimulation produced analgesia; Dorsal

raphe nucleus; Periaqueductal gray; Acetylcholine; Analgesia; Pain; Behavior (Klatt, D.S.) **447**, 246

Enkephalin; Hypothalamus; Immunocytochemistry; α-Melanocyte-stimulating hormone; Metorphamide; Peptide; Pro-opiomelanocortin; Zona incerta (Merchenthaler, I.) **452**, 87

Tolerance; Dependence; Gene regulation; Striatum (Uhl, G.R.) **459**, 391

Analgesia;

 3α -Hydroxy-4-pregnen-20-one; Follicle stimulating hormone suppression; Steroid; γ -Aminobutyric acid; Calcium channel antagonist; Benzodiazepine; Naloxone; Verapamil; Nifedipine; Ro 15-1788; Picrotoxin; Bicuculline; Tyr-MIF-1; Morphine (Wiebe, J.P.) 461, 150

Opiate antagonist

Diabetes; Brain glucose uptake; C57BL/KsJ mouse; Nalmefene (Garris, D.R.) 445, 262

Opiate peptide

Adrenal medulla; Second messenger; Preproenkephalin mRNA (La Gamma, E.F.) 441, 292

Opiate receptor

Sweet preference; Naltrexone; Endogenous opioid peptide; Palatability; Mouse (Yirmiya, R.) 438, 339

Stress-induced analgesia; Genetic difference; Naloxone; Hypothermia (Marek, P.) 447, 188

Tetrahymena; β-Endorphin; Naloxone; Phylogeny of receptors (O'Neill, J.B.) **450**, 303

Leech, *Tetrahymena*; Evolution (Zipser, B.) **463**, 296

 κ -Opiate receptor

Autoradiography; Brattleboro rat; Dehydration; Dynorphin; Receptor down-regulation; Vasopressin (Brady, L.S.) 443, 398

Opiate system

Rhesus monkey; Pituitary-adrenal activation; Separation (Kalin, N.H.) 440, 288

Opiate withdrawal

Fasciculus retroflexus; Interpeduncular nucleus; 2-Deoxyglucose autoradiography; Behavioral withdrawal; Rat; Lesion (Cutlip, A.C.) 451, 54

Opioid

Cold water swim; Adrenal denervation; Stress; Non-opioid analgesia; Tail flick (Rochford, J.) 445, 404

Hypoglycemia; Dextrorphan; Levorphanol; Dextromethorphan; N-Methyl-D-aspartic acid (NMDA); Neurotoxicity; Cortex; Cell culture (Monyer, H.) **446**, 144

Opioid receptor; Food intake; Water intake; Thermoregulation; Weight regulation; Naloxone (Millan, M.J.) **450,** 247

Corticotropin-releasing hormone; Luteinizing hormone; Tolerance; Rat (Nikolarakis, K.E.) **450**, 360

Morphine; μ -Agonist; δ -Agonist; κ -Agonist; Ventral tegmental area; Rotation (Jenck, F.) **450**, 387

Dorsal horn neuron; μ -Receptor; δ -Receptor; κ -Receptor; Antinociception (Fleetwood-Walker, S.M.) **451**, 213

Adrenaline; Estradiol; Hypothalamus; Luteinizing hormone; Luteinizing hormone-releasing hormone; Naloxone; Noradrenaline; Progesterone (Crowley, W.R.) **461**, 314

Opioid agonist

Opioid receptor; Naloxone; Glia; Neuron; Brain culture (Maderspach, K.) **441**, 41

Opioid analgesia

Pregnancy; κ-Receptor; Nor-binaltorphimine; Spinal cord (Sander, H.W.) 474, 343

Opioid antagonist

Infracerebroventricular; Stress-induced analgesia; Freezing; Quaternary naltrexone; Endogenous opioid; Pavlovian conditioning; Conditioned fear (Fanselow, M.S.) **444**, 147

Opioid catalepsy

Striatum; Corticostriatal pathway; Decortication; N-Methyl-D-aspartate receptor antagonist; Striatonigral GABAergic output (Consolo, S.) 449, 97

Opioid modulation

Dorsal root ganglion neuron; Action potential duration; Cyclic adenosine monophosphate-dependent protein kinase; Intracellular dialysis (Chen, G.-G.) **462**, 372

Opioid neuron

Hypothalamus; Luteinizing hormone-releasing hormone; Morphine; Naloxone (Mehmanesh, H.) 451, 69

Opioid peptide

Neuroblastoma cell; Cross-linking; ¹²⁵I-β-Endorphin; μ-Opioid receptor; δ-Opioid receptor (Keren, O.) **440**, 280

Genetic hypertension; β -Endorphin; Dynorphin; Methionine-enkephalin; Brain region; Pituitary; Heart; Adrenal; Kidney (Bhargava, H.N.) **440**, 333

Substance P; Passive immunization; Aversive behavior; Intrathecal injection; Mouse (Sakurada, T.) 442, 191 Rimorphin; Substantia nigra; Rotation; Prodynorphin; Dynorphin B; Dopamine; κ-Receptor; Opiate; Rat (Matsumoto, R.R.) 444, 67

Brain slice; Intracellular recording; Lucifer yellow injection; Receptor characterization (Wuarin, J.-P.) **445**, 289

Long-term potentiation; Perforant path; Naloxone; Push-pull perfusion (Bramham, C.R.) **449**, 352

Messenger ribonucleic acid; Dorsal horn; Hyperalgesia; Inflammation; Dynorphin A(1–8) (Iadarola, M.J.) **455**, 205

Endogenous anticonvulsant; Seizure arrest; Epilepsy; Cerebrospinal fluid (Tortella, F.C.) **456**, 139

Water intake; Opioid receptor subtype; D-Ala²-NMePhe³-Gly(ol)-Enkephalin; Dynorphin A₁₋₁₃; Hypothalamus; Paraventricular nucleus; Supraoptic nucleus (Ukai, M.) **459**, 275

Dermorphin; μ-Opioid receptor; Analgesia; Dorsal horn (Sullivan, A.F.) **461,** 182

Enkephalin; Cerebrospinal fluid; Electroconvulsive shock; Neuroleptic drug; Neuropeptide; Schizophrenia (Iadarola, M.J.) **474**, 75

Opioid receptor

Naloxone; Opioid agonist; Glia; Neuron; Brain culture (Maderspach, K.) **441**, 41

Spinal cord-sensory ganglion; Tissue culture; Adenylate cyclase; Cyclic adenosine monophosphate (cAMP); Opioid tolerance; Serotonin receptor; Pertussis toxin (Makman, M.H.) **445**, 303

Endogenous opioid system; Cancer; Neuroblastoma; Neurotumor (Zagon, I.S.) **449**, 80

Opioid; Food intake; Water intake; Thermoregulation; Weight regulation; Naloxone (Millan, M.J.) **450**, 247

Primary afferent; Antidromic activity; Substance P release; Synovial fluid; Peripheral afferent terminal (Yaksh, T.L.) **458**, 319

Hippocampus; Dentate gyrus; Rat; μ -Site; δ -Site; κ -Site (Plager, M.D.) **460**, 150

Oxytocin; Vasopressin; κ -Opioid; Dynorphin; Neurohypophysis; Presynaptic localization (Zhao, B.-G.) **462**, 62

δ-Opioid

Spinal cord; μ-Opioid; Excitatory synaptic transmission (Jeftinija, S.) **460**, 260

κ-Opioid

Oxytocin; Vasopressin; Opioid

receptor; Dynorphin; Neurohypophysis; Presynaptic localization (Zhao, B.-G.) **462**, 62

μ-Opioid

Spinal cord; δ -Opioid; Excitatory synaptic transmission (Jeftinija, S.) **460**, 260

δ-Opioid receptor

Neuroblastoma cell; Cross-linking; ¹²⁵I-β-Endorphin; μ-Opioid receptor; Opioid peptide (Keren, O.) **440**, 280

μ-Opioid receptor

Neuroblastoma cell; Cross-linking; 125 I- β -Endorphin; δ -Opioid receptor; Opioid peptide (Keren, O.) **440**, 280

Brain slice

[D-Ala²,NMePhe⁴,Gly-ol⁵]Enkephalin; Guinea pig; Hypothalamus; Lucifer yellow (Charpak, S.) **450**, 124

Dermorphin; Analgesia; Dorsal horn; Opioid peptide (Sullivan, A.F.) **461,** 182

Opioid receptor subtype

Nitrous oxide; Analgesia; Phenylquinone; Abdominal constriction; Narcotic antagonist drug (Quock, R.M.) 440, 35

Opioid peptide; Water intake; D-Ala²-NMePhe⁴-Gly(ol)-Enkephalin; D-Pen², L-Pen⁵]Enkephalin; Dynorphin A₁₋₁₃; Hypothalamus; Paraventricular nucleus; Supraoptic nucleus (Ukai, M.) **459**, 275

Opioid tolerance

Spinal cord-sensory ganglion; Tissue culture; Adenylate cyclase; Cyclic adenosine monophosphate (cAMP); Opioid receptor; Serotonin receptor; Pertussis toxin (Makman, M.H.) 445, 303

Dorsal root ganglion cell; Membrane calcium conductance; Membrane potassium conductance; Hyperexcitability (Crain, S.M.) 455, 99

Opsin

Visinin; Phosphodiesterase; Pineal organ; Lamprey; Immunohistochemistry (Kuo, C.-H.) **442**, 147

Optic gland

Phe-Met-Arg-Phe-NH₂; Immunocytochemistry; Mollusca; *Sepia* officinalis (Le Gall, S.) **462**, 83

Optic lobe

Cytochrome oxidase histochemistry; Visual deprivation; Unilateral eye covering; Fly (Mimura, K.) 445, 228

Optic nerve

Ranvier's node; Axoglial junction; Wallerian degeneration; Demyelination; Freeze-fracturing; Myelin; Axolemma (Hasegawa, M.) 452, 345

Axonal transport; T-Lymphocyte; Demyelination; Multiple sclerosis;

Semliki Forest virus (Jenkins, H.G.) 459, 145

Optic nerve regeneration

Retinotectal projection; Ependymin; Radial glia; Synaptic stabilization; Minipump infusion; Goldfish (Schmidt, J.T.) **446**, 269

Optic tectum

Field potential; Monosynaptic excitatory postsynaptic potential (EPSP); Recurrent inhibition; Dendritic cable property (Langdon, R.B.) 441, 299

Enucleation; Teleost; Quantitative analysis (Peyrichoux, J.) 447, 299

Optic tract

Visual system; Lateral geniculate body; Retinal projection; Axon terminal; Hamster (Erzurumlu, R.S.) 461, 175

Optokinetic after-nystagmus Optokinetic nystagmus; Nucleus of optic tract; Monkey (Kato, I.) 474, 16

Optokinetic nystagmus

Optokinetic after-nystagmus; Nucleus of optic tract; Monkey (Kato, I.) **474,** 16

Organelle motion

Axon; Axonal transport; Video microscopy (Smith, R.S.) 446, 26

Organic anion transport

Choroid plexus; Blood-CSF barrier; Blood-brain barrier; Whole-body autoradiography (Kim, C.S.) 440, 216

Organotypic culture

Histamine; Tuberomammillary nucleus; Growth cone; Hypothalamus; Immunohistochemistry; Hippocampus (Reiner, P.B.) 442, 166

Purkinje cell; Explantation age; Intracellular horseradish peroxidase; Computer microscope; Quantitative morphology; Discriminant analysis (Calvet, M.-C.) 462, 321

Purkinje cell dendrite; Purkinje cell axon; Developing kitten cerebellum; Explantation age; Golgi preparation; Horseradish peroxidase preparation; Computer microscope; Discriminant morphometric analysis (Calvet, M.-C.) 462, 334

Organotypic tissue culture

Serotonin; Substance P; Thyrotrophin-releasing hormone; Development (Jonakait, G.M.) 473, 336

Organum vasculosum laminae terminalis

Angiotensin II-sensitive neuron; Spontaneously hypertensive rat; Wistar-Kyoto rat; Brain; Slice technique; Micropressure injection (Nelson, D.O.) 444, 46

Endotoxin; Interleukin-1; Fever

mechanism; Blood-brain barrier; Intravenous route; Intracerebroventricular route (Coceani, F.) **446**, 245

Orientation

Vision; Audition; Neurophysiology; Behavior (Stein, B.E.) 448, 355

Orientation selectivity

Area 21; Posteromedial lateral suprasylvian area; Area 19; Suprasylvian cortex; Vision (Mizobe, K.) 438, 307

Ornithine decarboxylase

Cerebral ischemia; α-Difluoromethylornithine; Polyamine metabolism; Putrescine; Rat (Paschen, W.) **453**, 9

Orofacial receptive field

Trigeminal sensory complex; Nociception; Ventrobasal thalamic neuron; Tractotomy; Rat (Dallel, R.) 448, 7

Orthostatic reflex

Paramedian reticular nucleus; Intermediolateral nucleus; Carotid sinus nerve; Fastigial nucleus; Cardiovascular reflex pathway (Elisevich, K.) 452, 141

Oscillator

Brain slice; cAMP; Circadian rhythm; Hypothalamus; Pacemaker; Phase-shift; Suprachiasmatic nuclei (Gillette, M.U.) **474,** 348

Osmoreception

Third cerebral ventricle; Cerebrospinal fluid flow; Arginine-vasopressin release (Eriksson, S.) **448**, 121

Osmosensitive neuron

Rat; Subfornical organ; In vitro; Synaptic blockade (Sibbald, J.R.) **461**, 205

Osmotic minipump

Cholecystokinin; Feeding behavior; Satiety (Schick, R.R.) 448, 294

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; 1-Methyl-4-phenylpyridinium ion; Caudate nucleus; Monkey; Hemiparkinsonism; Substantia nigra pars compacta; Dopamine (Imai, H.) **474**, 327

Osmotic potential

Brain homogenate; Electronic osmometer; Colloid osmotic pressure; Oncotic pressure; Brain edema; Cerebrospinal fluid (Tomita, M.) 474, 165

Osmotic stimulation

Lateral hypothalamic area; Zona incerta; Subfornical organ; Neural connection (Tanaka, J.) **456**, 397

Vasopressin; Oxytocin; Central release; Push-pull perfusion; Septum; Dorsal hippocampus (Landgraf, R.) **457**, 219

Otic ganglion

Vasoactive intestinal polypeptide;

Cerebral artery; Pterygopalatine ganglion; Superior cervical ganglion; Immunohistochemistry; Dog (Uemura, Y.) **448**, 98

Ouabain

Benztropine; Tris chloride; Choline chloride; Sodium; Dopamine; Re-uptake; Striatum; Push-pull perfusion; Rat (Sirinathsinghji, D.J.S.) 438, 399

1-Methyl-4-phenyl-1,2,3,6-tetra-hydropyridine (MPTP);
1-Methyl-4-phenylpyridine (MPP+);
Dopamine; 3,4-Dihydroxyphenylacetic acid (DOPAC); Benztropine; Calcium; EGTA; Push-pull perfusion;
High-performance liquid chromatography; Parkinsonism;
Neostriatum; Rat (Sirinathsinghji, D.J.S.) 443, 101

Output pathway

Turning behavior; Substantia nigra reticulata; Superior colliculus; Nucleus ventralis lateralis/nucleus ventralis medialis complex; Nucleus tegmenti pedunculopontinus (Motles, E.) 473, 65

Oval organ

Proctolin; Stretch-induced release; Lobster (Pasztor, V.M.) 458, 199

Ovariectomized rat

Vasoactive intestinal peptide (VIP); Secretin; Peptide histidine isoleucine amide (PHI); Medial preoptic area; Microinjection; Luteinizing hormone; Prolactin (Akema, T.) 441, 367

Ovariectomy

Luteinizing hormone-releasing hormone; Luteinizing hormone; Rat (King, J.C.) **452**, 127

Ovine pineal

Cyclic adenosine monophosphate; β-Receptor; Vasoactive intestinal peptide; In vitro autoradiography; Adrenergic control (Morgan, P.J.) 447, 279

Ovulation

Serotonin; Locus ceruleus; Raphe system; Luteinizing hormone (LH) (Morello, H.) 440, 227

Neonatal androgenization; Rat; Lordosis; Bethanechol; Estrogen binding site (Lauber, A.H.) **456**, 177

OX7

Monoclonal antibody; Thy 1 antigen; Axonal transport; Immunoperoxidase (LaRocca, C.D.) **449**, 381

Oxidative enzyme activity

Soma size; Horseradish peroxidase; Motoneuron; Fast-twitch muscle; Slow-twitch muscle; Rat (Ishihara, A.) 446, 195

Oxygen

Brain metabolism; Hyperoxia; Oxygen poisoning; Glucose utilization; Autoradiography; 2-Deoxyglucose

(Torbati, D.) 459, 187

Oxygen consumption

Excitatory amino acid; Agonist; Antagonist; Hippocampal slice; Postsynaptic potential; Neuroexcitation; Neurotoxicity (Nishizaki, T.) 452, 11

Oxygen poisoning

Oxygen; Brain metabolism; Hyperoxia; Glucose utilization; Autoradiography; 2-Deoxyglucose (Torbati, D.) 459, 187

Oxygen radical

Reperfusion injury; Glutamate; Glutamine synthetase (Schor, N.F.) **456,** 17

Oxytocin

Vasopressin; Vagal afferent; Nausea; Ferret (Hawthorn, J.) 438, 193

Intracranial dialysis; Dopamine; Uric acid; Olfactory bulb; Substantia nigra; Parturition; Suckling; Sheep (Kendrick, K.M.) 439, 1

Autoradiography; Competition study; Rat brain; Synthetic structural analogue; V₁ receptor; Vasopressin (Tribollet, E.) **442**, 105

Microdialysis; Aspartate; γ-Aminobutyric acid (GABA); Glutamate; Olfactory bulb; Vaginocervical stimulation; Sheep (Kendrick, K.M.) 442, 171

Paraventricular; Lordosis; Sexual receptivity; Estrogen; Progesterone; Mounting; Medial preoptic area; Lateral subcommissural nucleus (Caldwell, J.D.) 446, 236

Neurohypophysis; Vasopressin; Potassium channel; 4-Aminopyridine; Dendrotoxin (Bondy, C.A.) 453, 397

Vasopressin; Central release; Push-pull perfusion; Osmotic stimulation; Septum; Dorsal hippocampus (Landgraf, R.) **457**, 219

Adrenal medulla; β-Adrenergic receptor; Epinephrine; Isoproterenol; Lactation; Norepinephrine; Propranolol (Song, S.-L.) **457**, 303

Stress; Vasopressin; Pituitary; Hypothalamus; Pons-medulla; Spinal cord (Miaskowski, C.) **458**, 137

Extracellular recording; Fornix stimulation; Lateral septum; Synaptic uncoupling; Vasopressin (Raggenbass, M.) 459, 60

Human; Hypothalamus; Tyrosine hydroxylase; Vasopressin (Li, Y.W.) **461.** 75

Vasopressin; Push-pull perfusion; Septum; Paraventricular nucleus; Electrical stimulation (Neumann, I.) 462. 181

Vasopressin; Opioid receptor; κ -Opioid; Dynorphin; Neurohypophysis; Presynaptic

localization (Zhao, B.-G.) 462, 62

Oxytocin antagonist

Oxytocin receptor; Morphine tolerance; Intracerebral administration (Sarnyai, Z.) **463**, 294

Oxytocin innervation

Aging; Vasopressin innervation; Testosterone; Sex steroid; Plasticity in senescence; Rat (Goudsmit, E.) 473, 306

Oxytocin receptor

Morphine tolerance; Intracerebral administration; Oxytocin antagonist (Sarnyai, Z.) 463, 294

P

Pacemaker

Brain slice; cAMP; Circadian rhythm; Hypothalamus; Oscillator; Phase-shift; Suprachiasmatic nuclei (Gillette, M.U.) 474, 348

Pacemaker activity

Rostral ventrolateral medulla; Medullospinal sympathoexcitatory neuron; Vasomotor center (Sun, M.-K.) 438, 23

Pacemaker neuron

Rostral ventrolateral medulla; Reticulospinal neuron; Basal sympathetic tone; Intracellular recording; Rat (Sun, M.-K.) **442**, 229

Rostral ventrolateral medulla; Reticulospinal neuron; Basal sympathetic tone; C₁ adrenergic cell (Sun, M.-K.) **451**, 345

Pain

Spinal cord; Dorsal horn; Cutaneous afferent fiber; C fiber (Schouenborg, J.) **439**, 56

Nociceptor; Itch; Chemoreceptor; C-fiber; Neurophysiology; Ephapse; Gap junction; Hyperalgesia (Meyer, R.A.) **441**, 81

Hyperalgesia; Nociceptor; Sensitization; Unmyelinated fiber; Axon reflex (Meyer, R.A.) 441, 168

Vagus; Medulla; Antinociception; Cardiovascular (Randich, A.) 445, 68

C-fiber; Nerve pathophysiology; Nerve injury; Neuroma (Devor, M.) 446, 396

Antinociception; Morphine; Substantia nigra; Naloxone; Intracerebral microinjection; Analgesia (Baumeister, A.A.) 447, 116

Stimulation produced analgesia; Dorsal raphe nucleus; Periaqueductal gray; Opiate; Acetylcholine; Analgesia;

Behavior (Klatt, D.S.) 447, 246

Analgesic effect; Parafascicular nucleus; Periaqueductal gray; Descending pain suppression system (Sakata, S.) **451**, 85

Decapitation; Ethics; Hippocampus; Neocortex; Electrocorticogram (Vanderwolf, C.H.) **451**, 340

Somatosensory cortex; Nociceptive neuron; Noxious thermal stimulation (Kenshalo, D.R.) **454**, 378

Substance P; Capsaicin; Kainic acid; Picrotoxin; Strychnine; Morphine; L-Glutamic acid; Behavior; Spinal cord (Frenk, H.) **455**, 223

Substance P; Strychnine; Kainic acid; L-Glutamic acid; Morphine; Analgesia; Behavior; Spinal cord (Bossut, D.) 455, 232

Substance P; Valproic acid; Kainic acid; Strychnine; Morphine; Behavior; Spinal cord; Chlordiazepoxide (Frenk, H.) 455, 240

2-Amino-5-phosphonovalerate, [D-Pro²,D-Trp^{7,9}]-substance P; Substance P; Behavior; Analgesia; Strychnine; Kainic acid; Morphine (Bossut, D.) **455**, 247

Extracellular potassium; Spinal cord; Injury (Svoboda, J.) **458**, 97

Hyperalgesia; Bradykinin; Noradrenaline; Arachidonic acid; SC-19220; Prostaglandin antagonist; Analgesia (Taiwo, Y.O.) **458**, 402

Anti-substance P anti-idiotypic antibody; Hot plate test; Formalin test; Mouse (Calvino, B.) **460**, 389

Vasopressin; Analgesia; Motor suppression; Neuropeptide (Thurston, C.L.) 463, 1

Rat; Tooth pulp axon; Capsaicin; Sympathectomy; Electron microscopy (Fried, K.) **463**, 118

Antinociception; Spinal cord; Somatostatin; Antiserum; Intrathecal injection; Adjuvant arthritis (Ohno, H.) 474, 197

Pain inhibitory mechanism Muscular pain; Peripheral conditioning

Muscular pain; Peripheral conditioning stimulation; Transcutaneous electrical nerve stimulation; Intramuscular electrical nerve stimulation; Vibration; Human (Duranti, R.) **452**, 66

Pain modulation

Serotonin; Immunocytochemistry; Nucleus raphe magnus; Descending control; Ultrastructure; Periaqueductal gray (Lakos, S.) **443**, 383

Vagal afferent; Tail flick reflex; Nociception; Spinal opioid receptor (Ren, K.) **446**, 285

Analgesia; Nucleus cuneiformis (Zemlan, F.P.) 453, 89

Paired-pulse depression

Hippocampus; Kindling; Evoked potential; Inhibitory control; Threshold population spike (Kamphuis, W.) **440**, 205

Paired-pulse stimulation

Hippocampal slice; Lead neurotoxicity; Extracellular recording (Altmann, L.) 455, 254

Palatability

Opiate receptor; Sweet preference; Naltrexone; Endogenous opioid peptide; Mouse (Yirmiya, R.) 438, 339

Brainstem; Benzodiazepine; Chlordiazepoxide (CDP); Feeding; γ-Aminobutyric acid (GABA) (Berridge, K.C.) 447, 262

Benzodiazepine; Clonazepam; Sweet taste; Zolpidem; Fluid intake; Rat (Cooper, S.J.) **456**, 173

Palatine afferent

Horseradish peroxidase; Somatotopic organization (Arvidsson, J.) 451, 197

Papin

Photoaffinity labeling; Flunitrazepam; Clonazepam; Ro 15-4513; Different benzodiazepine binding protein; Peptide mapping; Autoradiography (Sieghart, W.) **450**, 387

Parabrachial nucleus

Cardiovascular; Enkephalin; Immunohistochemistry; Nucleus tractus solitarii (Maley, B.E.) **442**, 340

Nucleus raphe magnus; Nociception; Autoradiography; Limbic system (Holstege, G.) 447, 154

Nucleus tractus solitarii; Taste; Hamster; Horseradish peroxidase; Autoradiography (Travers, J.B.) 457, 1

Nucleus of the tractus solitarius; Phenylethanolamine N-methyltransferase; Adrenaline; Immunocytochemistry (Kawai, Y.) 459 369

Pons; Locus ceruleus; Blood pressure; Excitatory amino acid (Ward, D.G.) **462,** 383

Fastigial nucleus; Electrical stimulation; Blood pressure; Heart rate; Respiration; Autonomic nervous system; Cardiovascular system (Miura, M.) 473, 352

(±)-β-Parachlorophenylglutamate L-Homocysteate; Uptake; N-Methyl-D-aspartate; Neocortex; Intracellular recording; In vitro (Zeise, M.L.) 443, 373

Paradoxical sleep

Diclofenac sodium; Indomethacin; Prostaglandin; Rat; Sleep substance; Slow wave sleep (Naito, K.) **453**, 329

Choline acetyltransferase; Tyrosine hydroxylase; Reticular formation; Wakefulness (Webster, H.H.) **458**, 285

Paradoxical sleep without atonia

Thermoregulation; Sleep; Brainstem (Amini-Sereshki, L.) 450, 9

Parafascicular nucleus

Suicide transport; Toxic lectin; Abrin; Modeccin; Volkensin; Caudate nucleus; Substantia nigra (Wiley, R.G.) 438, 145

Pain; Analgesic effect; Periaqueductal gray; Descending pain suppression system (Sakata, S.) 451, 85

Primate; Macaque; Centre médian; Medial nucleus of the pallidum; Substantia nigra; Basal ganglia (François, C.) 473, 181

Parallel fiber

Calcitonin gene-related peptide; Mossy fiber; Granule cell; Cerebellar nuclei; Cerebellum; Pontine nuclei; Immunohistochemistry (Sugimoto, T.) 439, 147

Paramedian reticular nucleus

Intermediolateral nucleus; Carotid sinus nerve; Fastigial nucleus; Cardiovascular reflex pathway; Orthostatic reflex (Elisevich, K.) **452**, 141

Paraplegia

Serotonin; Immunocytochemistry; Spinal cord; Traumatic injury (Faden, A.I.) **450**, 94

Parasympathetic nervous system

Ciliary neuron; Calcitonin gene-related peptide; Enkephalin; Neuropeptide Y; Vasoactive intestinal peptide (Stone, R.A.) 475, 389

Parasympathetic neuron

Soman; Acetylcholine esterase inhibitor; Bladder; Nicotinic depolarization; Muscarinic hyperpolarization (Kumamoto, E.) 458, 151

Parasympathetic nucleus

Edinger-Westphal nucleus; Anterior median nucleus; Fluorescent tracer; Nuclear yellow; Fast blue; Ciliary ganglion; Spinal cord; Double label (Burde, R.M.) 440, 177

Parasympathetic outflow

Retrograde tracer; Fluorescent dye; Wheat germ agglutinin horseradish peroxidase; Mesencephalon; Ciliary ganglion (Burde, R.M.) 463, 158

Paraventricular

Oxytocin; Lordosis; Sexual receptivity; Estrogen; Progesterone; Mounting; Medial preoptic area; Lateral subcommissural nucleus (Caldwell, J.D.) 446, 236

Paraventricular hypothalamic nucleus

Neuropeptide Y; Gastric acid secretion; Microinjection; Peptide; Central nervous system; Hypothalamus; Rat (Humphreys, G.A.) 456, 241

Paraventricular nucleus

Antihistamine; Histamine H₁-receptor; Feeding; α-Fluoromethylhistidine; Ventromedial hypothalamus; Lateral hypothalamus; Microinfusion (Sakata, T.) **441**, 403

Somatostatin-28; Vasopressin secretion; Cysteamine; Hemorrhage (Brown, M.R.) **452**, 212

Iontophoresis; Glucocorticoid; Corticotropin-releasing factor; Feedback (Saphier, D.) **453**, 183

Spinal cord; Antidromic response; Vagal afferent (Lovick, T.A.) 454, 123

Opioid peptide; Water intake; Opioid receptor subtype; D-Ala²-NMePhe⁴-Gly(ol)-Enkephalin; Dynorphin A₁₋₁₃; Hypothalamus; Supraoptic nucleus (Ukai, M.) **459**, 275

Subfornical organ; Median preoptic nucleus; Vasopressin neuron (Tanaka, J.) **461**, 403

Vasopressin; Oxytocin; Push-pull perfusion; Septum; Electrical stimulation (Neumann, I.) **462**, 181

Glucocorticoid; Feedback; Adrenocorticotropin; Hippocampus (Kovács, K.J.) **474,** 205

Galanin; Electron microscopic immunocytochemistry; Neuropeptide Y (Sawchenko, P.E.) **474**, 231

Paravertebral ganglia

Sympathetic nervous system; Prevertebral ganglia; Guanethidine; Nerve growth factor; 6-Hydroxydopamine (Schmidt, R.E.) 460, 214

Parietal cortex

Cholinotoxin (AF64A); Aluminum accumulation; Rat brain; Regional difference; Hippocampus; Alzheimer's disease (Szerdahelyi, P.) 444, 356

Parkinson's disease

Reaction time; Akinesia; Motor planning (Rogers, M.W.) 438, 271

Dopamine; Neurotoxicity; 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP); 6-Hydroxydopamine (Ricaurte, G.A.) 438, 395

Lewy body; Monoclonal antibody; Neuronal degeneration (Hirsch, E.) **441**, 139

Globus pallidus; Unit activity; 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Dopamine; Passive movement; Joint rotation; Monkey (Filion, M.) 444, 165

Benzodiazepine receptor; Human brain; Progressive supranuclear palsy; Glutamic acid decarboxylase; [³H]Flunitrazepam (Maloteaux, J.-M.) **446**, 321

Striatum; Medium spiny I neuron; Neurodegenerative disease; Basal ganglia (McNeill, T.H.) **455**, 148

Adrenal medulla; Chromaffin cell; Graft; Nerve growth factor; Transplant (Pezzoli, G.) **459**, 398

Adrenal medulla graft; Microdialysis; Dopamine release; Striatum; Cerebrospinal fluid (Becker, J.B.) **462**, 401

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Caudate mosaic; Caudate afferent; Nigrostriatal; Degeneration (Turner, B.H.) **473**, 60

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Dopamine; Striatum; Neurotoxicology; Potassium; Cytochrome *b*; 1-Methyl-4-phenylpyridinium (Hollinden, G.E.) **475**, 283

Parkinsonism

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP); 1-Methyl-4-phenylpyridine (MPP⁺); Dopamine; 3,4-Dihydroxyphenylacetic acid (DOPAC); Benztropine; Ouabain; Calcium; EGTA; Push-pull perfusion; High-performance liquid chromatography; Neostriatum; Rat (Sirinathsinghji, D.J.S.) 443, 101

L-Dihydroxyphenylalanine; Dopamine; Striatum; Release; Voltammetry (Keller, R.W.) 447, 191

Neurotoxicity; Substantia nigra; Nerve cell degeneration; Aging (Forno, L.S.) **448**, 150

Deoxyglucose; 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Substantia nigra; Inferior olive (Palombo, E.) **453**, 227

Nigrotectal projection; Dopamine; Saccade; Rat (Takada, M.) 457, 165

Pars compacta neuron

Accommodation; Hyperpolarization; A-current; Cadmium; Substantia nigra (Fujimura, K.) 475, 177

Pars externa system of the anterior olfactory nucleus

Main olfactory bulb; Interhemispheric connectivity; Wheat-germ agglutinated horseradish peroxidase; Primate (Reyher, C.K.H.) 457, 169

Partial epilepsy

γ-Aminobutyric acid (GABA); Remote lesion; Withdrawal; Cerebral cortex; Rat model; Brain plasticity (Brailowsky, S.) **442**, 175

Partial seizure

Kindling; Transfer; Premotor cortex; Hippocampus; Basal ganglia (Ono, K.) 475, 182

Particle distribution

Synaptic terminal; Synaptic vesicle; Vesicle size; Vesicle density; Vesicle distribution; Morphometric analysis; Electric organ (Fox, G.Q.) 475, 103

Parturition

Intracranial dialysis; Oxytocin; Dopamine; Uric acid; Olfactory bulb; Substantia nigra; Suckling; Sheep (Kendrick, K.M.) 439, 1

Bulbar respiratory neuron; Pelvic nerve; Defecation; Micturition; Kölliker-Fuse (K-F) nucleus; Straining; Respiration (Fukuda, H.) **449**, 157

Parvalbumin

Development; Calbindin; γ-Aminobutyric acid; Visual system; Zebra finch; Plasticity (Braun, K.) 475, 205

Parvocellular reticular formation Medullary swallowing interneuron

(unitary activity); Hypoglossal motor nucleus; Retrograde transport of horseradish peroxidase; Sheep (Amri, M.) 441, 119

Parvocellular reticular nucleus Efferent projection; Mesencephalic trigeminal nucleus; Field potential; Rat (Jüch, P.J.W.) 462, 185

Passive avoidance

Animal model; Hyperactivity; Learning deficit; Memory deficit; Open field; Recent memory disturbance; T-maze; Senescence accelerated mouse (Yagi, H.) 474, 86

Passive avoidance behavior Neurotensin; Mammillary body;

Neurotensin; Mammillary body; Central amygdaloid nucleus; Learning behavior; Rat (Shibata, K.) **443**, 117

Passive avoidance training Dendritic spine; Chick (Patel, S.N.) 449, 34

Passive immunization

Substance P; Opioid peptide; Aversive behavior; Intrathecal injection; Mouse (Sakurada, T.) **442**, 191

Endogenous thyrotropin-releasing hormone; Cerebral ventricle; Push-pull perfusion; Cardiovascular system; Conscious rat; Bleeding (Okuda, C.) **474,** 399

Passive movement

Parkinson's disease; Globus pallidus; Unit activity; 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Dopamine; Joint rotation; Monkey (Filion, M.) 444, 165

Patch clamp

Down syndrome; Action potential; Tissue culture; Dorsal root ganglion; Neuron; Trisomy 21; Development (Nieminen, K.) 474, 246

Path neuron

Self-stimulation; Knife cut; Medial forebrain bundle; Rate-frequency data; Rat (Waraczynski, M.A.) 438, 8

Pathology

Hippocampus; Plasticity; Sprouting; Degeneration; Cytoskeleton (Seubert, P.) **459**, 226 Hippocampus; Plasticity; Sprouting; Degeneration; Cytoskeleton; Astrocyte; Spectrin (Ivy, G.) **459**, 233

Pattern generator

Inhibitory spinal interneuron; Glycine; Strychnine-sensitive inhibitory postsynaptic potential (IPSP); Lamprey; Spinal cord; Locomotion (Buchanan, J.T.) 438, 404

Paylovian conditioning

Intracerebroventricular; Stress-induced analgesia; Freezing; Quaternary naltrexone; Endogenous opioid; Opioid antagonist; Conditioned fear (Fanselow, M.S.) 444, 147

Cochlear nucleus; Deoxyglucose; Associative learning; Rabbit; Autoradiography (Harvey, J.A.) **449**, 213

PC12

Glycolipid; Ganglioside; α -Galactosyl, (α -fucosyl) G_{M1} , Hippocampus; Dentate gyrus; Monoclonal antibody (Suchy, S.F.) **440**, 25

PC12 cell

Nerve growth factor assay; Submandibular gland; Muscular dystrophy (Sano, M.) **459**, 404

PC12 cell line

Dextromethorphan; Dextrorphan; Calcium channel; Calcium channel antagonist; ⁴⁵Ca²⁺ uptake; Synaptosome (Carpenter, C.L.) **439**, 372

PC12 cells

Potassium channel; Phencyclidine; Thienylphencylclidine; Dioxadrol; 1-(1-Phenylcyclohexyl)-3-Methylpiperidine; 4-Aminopyridine; Tetraethylammonium (Rogawski, M.A.) **456**, 38

Pedunculopontine nucleus

Mesencephalic locomotor region; Locomotor activity; Carbachol; Amphetamine; Nucleus accumbens; Cholinergic mechanism; Rat (Brudzynski, S.M.) 451, 119

Locomotor activity; Mesencephalic locomotor region; Subthalamic locomotor region; Zona incerta; Subthalamic nucleus; Chemical microinjection; Electrical stimulation (Milner, K.L.) 452, 273

Pelvic ganglion

Calcitonin gene-related peptide; Sacral parasympathetic nucleus; Sympathetic preganglionic neuron; Rat (Senba, E.) 449, 386

Pelvic nerve

Bulbar respiratory neuron; Defecation; Micturition; Parturition; Kölliker-Fuse (K-F) nucleus; Straining; Respiration (Fukuda, H.) 449, 157

Penicillin

4-Aminopyridine; Caffeine; Verapamil; L-Phenyl-isopropyladenosine (L-PIA);

Epileptiform bursting; Hippocampus (Frank, C.) 441, 393

Diffusion; Cerebral cortex; Epilepsy model (Lehmenkühler, A.) 444, 181

Pentobarbital

Blood-brain barrier; Ethanol; Vascular permeability; Capillary ultrastructure (Stewart, P.A.) 443, 12

Benzodiazepine; Barbiturate; Chloride ion; Midazolam; γ-Aminobutyric acid; Chloride flux; Rat brain (Yu, O.) **451,** 376

Circadian rhythm; Phase response curve; Mouse; Strain difference (Ebihara, S.) **454**, 404

Crayfish; Behavior; Tolerance; Facilitation; Synapse (Winegar, B.D.) **475**, 21

Pentylenetetrazol

Cyclic adenosine monophosphate (cAMP); Molluscan neuron; Sodium current; Phosphodiesterase (McCrohan, C.R.) **452**, 21

Guanidino compound; Cerebrospinal fluid; Rabbit; Convulsion (Hiramatsu, M.) **455**, 38

Epileptic activity; Dendrite shape; Buccal ganglion; *Helix pomatia* (Altrup, U.) **456**, 401

Epilepsy; Membrane current; Calcium; Snail neuron; Helix pomatia (Walden, J.) 473, 294

Pentylenetetrazole

Stress; Benzodiazepine; Diazepam; Corticosterone; Sensitization; Post-traumatic stress disorder (Antelman, S.M.) 445, 380

Peptidase

Angiotensin-converting enzyme inhibitor; Kininase II; Brain transport; Quantitative autoradiography; Axonal transport; Striatonigral pathway (Aiso, M.) 447, 195

Peptide

Mollusc; Egg-laying behavior; Neuroendocrine cell; Neurotransmission (Ter Maat, A.) 438, 77

Angiotensin II; Spinal cord; Motoneuron; Dorsal horn; Receptor (White, S.R.) 441, 195

Vasopressin; Central receptor; Autoradiography; Homogenate binding (Lawrence, J.A.M.) 446, 212

Immunochemistry; Histocytochemistry; Staphylococcal protein A; Immunoenzyme technique; Neurotransmitter; Enkephalin; Tyrosine hydroxylase (Correa, F.M.A.) 448, 192

Enkephalin; Hypothalamus; Immunocytochemistry; α-Melanocyte-stimulating hormone; Metorphamide; Opiate; Pro-opiomelanocortin; Zona incerta (Merchenthaler, I.) 452, 87

Neuropeptide Y; Paraventricular hypothalamic nucleus; Gastric acid secretion; Microinjection; Central nervous system; Hypothalamus; Rat (Humphreys, G.A.) **456**, 241

Vasoactive intestinal polypeptide antagonist; Rapid-eye-movement sleep; Rat; Circadian rhythm (Mirmiran, M.) 458, 192

Thyrotrophin-releasing hormone; Indoleamine; Choline acetyltransferase activity; Motoneuron; Bulbospinal raphe neuron (Fone, K.C.F.) **460**, 22

Lateral spinal nucleus; Substance P; Enkephalin; Dynorphin; Somatostatin (Cliffer, K.D.) **460**, 356

Peptide histidine isoleucine amide (PHI)

Vasoactive intestinal peptide (VIP); Secretin; Medial preoptic area; Microinjection; Luteinizing hormone; Prolactin; Ovariectomized rat (Akema, T.) **441**, 367

Peptide isolation

Neuropeptide; Neurotransmitter; Evolution; Coelenterate (Graff, D.) 442. 354

Peptide mapping

Photoaffinity labeling; Flunitrazepam; Clonazepam; Ro 15-4513; Different benzodiazepine binding protein; Papin; Autoradiography (Sieghart, W.) **450**, 387

Peptidergic

Adrenergic; Serotoninergic; Perivascular; Innervation; Cerebral artery; Development; Rat (Mione, M.C.) 460, 103

Peptidergic neuron

Calcium; Adenosine monophosphate, cyclic; Arsenazo; *Aplysia*; Afterdischarge (Woolum, J.C.) **444**, 1

Percoll

Synaptosome; Homogeneity; Biochemical marker; Electron microscopy; Morphology (Dunkley, P.R.) **441**, 59

Synaptosome; Protein phosphorylation; Noradrenaline uptake; Release; Content (Harrison, S.M.) **441,** 72

Perforant path

Long-term potentiation; Opioid peptide; Naloxone; Push-pull perfusion (Bramham, C.R.) 449, 352

Adenosine receptor; Presynaptic (Dragunow, M.) 462, 252

Perforant pathway

Alzheimer's disease; Alz-50 antibody; Hippocampus (Hyman, B.T.) **450**, 392

Perforated synapse

Synapse; E-PTA-stained synapse; Rat frontal cortex; High-voltage electron

microscopy (Igarashi, H.) 473, 365

Perfusion

Peripheral nerve; Blood-nerve barrier; Perineurium; Calcium permeability; Frog (Wadhwani, K.C.) **462**, 22

Periaqueductal gray

Spinothalamic tract; Double-label fluorescence (Harmann, P.A.) 441, 87

Serotonin; Immunocytochemistry; Nucleus raphe magnus; Pain modulation; Descending control; Ultrastructure (Lakos, S.) **443**, 383

Stimulation produced analgesia; Dorsal raphe nucleus; Opiate; Acetylcholine; Analgesia; Pain; Behavior (Klatt, D.S.) 447, 246

 β -Endorphin; Pituitary; Mouse strain; Social stress; Analgesia; Naloxone; β -Chlornaltrexamine (Külling, P.) **450**, 237

Pain; Analgesic effect; Parafascicular nucleus; Descending pain suppression system (Sakata, S.) 451, 85

Raphe; Blood pressure; Defense response; Hypothalamus; Intermediolateral horn (Haselton, J.R.) **453**, 176

Electrophysiology; Mesencephalic slice; Intracellular recording (Sánchez, D.) **455,** 166

Thyrotropin-releasing hormone; Prohormone; Neuropeptide; Immunocytochemistry (Van den Bergh, P.) **461**, 53

Lateral hypothalamic area; Tail pinch; Electrophoresis; Glucose-sensitive neuron; Extracellular recording; Intracellular recording (Kai, Y.) **461**, 107

Autoradiography; Substance P binding site; Substance P immunoreactive neuron (Liu, R.P.C.) 475, 73

Periaqueductal gray matter Stimulation-produced analgesia; Superior colliculus; Tegmentum; Midbrain; Blood pressure; Analgesia; Rat (Depaulis, A.) 451, 326

Peribrachial area

Ponto-geniculo-occipital wave; Acetylcholine; Lateral geniculate nucleus; Nicotinic mechanism; Rapid eye movement sleep (Hu, B.) 473, 394

Perifusion

Acetylcholine; Serotonin; Vasoactive intestinal peptide; Frog corticosteroidogenesis; Co-action (Leboulenger, F.) **453**, 103

Perigeniculate nucleus

Dorsal lateral geniculate nucleus; Acetylcholine; Barbiturate; Corticogeniculate activity; Nicotinic receptor; Muscarinic receptor (Pape, H.-C.) 440, 79

Periglomerular cell

Neuropeptide; Accessory olfactory bulb; Olfaction; Immunohistochemistry (Tsuruo, Y.) 447, 183

Perihypoglossal nucleus

Vestibular nucleus; Nodulus; Reciprocal connections; Wheatgerm agglutinin-horseradish peroxidase complex (Walberg, F.) 449, 47

Perikaryal response Axon reaction; Chromatolysis; Motor neuron; Nerve injury; Regeneration (Bowe, C.M.) 463, 69

Perineurium

Peripheral nerve; Blood-nerve barrier; Calcium permeability; Perfusion; Frog (Wadhwani, K.C.) 462, 22

Periodontal ligament

Mesencephalic neuron; Intra-axonal injection; Horseradish peroxidase (Shigenaga, Y.) 448, 331

Periodontal reflex

Audio-motor reflex; Masseter muscle; Human; Masticatory motor control (Van der Glas, H.W.) 444, 284

Periodontium

Jaw opening reflex; First-order neuron; Mesencephalic nucleus; Trigeminal nucleus (Aigouy, L.) 473, 380

Thalamus; Nucleus ventralis posteromedialis; Somatic sensation; Cat (Yokota, T.) 475, 187

Peripheral afferent terminal

Primary afferent; Antidromic activity; Substance P release; Synovial fluid; Opioid receptor (Yaksh, T.L.) 458, 319

Peripheral benzodiazepine binding site

Surgery; Central benzodiazepine receptor; Ketamine; Flunitrazepam; PK 11195; Stress (Okun, F.) 458, 31

Peripheral benzodiazepine receptor Focal ischaemia; Neurotoxic lesion; Diaschisis; Rat cerebral cortex; Striatum (Dubois, A.) 445, 77

Peripheral chemoreceptor

Central chemoreceptor; Ventral respiratory group; Caudal chemoceptive area; Intermediate chemoceptive area; Nucleus paragigantocellularis lateralis; Vascular nociceptor; Control of breathing (Arita, H.) 442, 1

Peripheral conditioning stimulation

Muscular pain; Transcutaneous electrical nerve stimulation; Intramuscular electrical nerve stimulation; Vibration; Human; Pain-inhibitory mechanism (Duranti, R.) 452, 66

Peripheral nerve

Regeneration; Sciatic nerve; Protein synthesis; RNA synthesis; DNA synthesis; Schwann cell (Kanje, M.)

439, 116

Ca2+-ATPase; Axon; Dorsal root ganglia (DRG); Schwann cell; Myelin; Electron microscopic cytochemistry (Mata, M.) 445, 47

Injury; Axon reaction; Transglutaminase (Tetzlaff, W.) 445, 142

Blood vessel; Blood flow; Vasa nervorum; Carbon dioxide; Peripheral neuropathy; Mononeuritis; Ischemia; Regulation; Laser Doppler flowmetry (Rechthand, E.) 446, 61

Nerve crush; Nerve transection; Nerve ischemia; Permanent axotomy; Endoneurial capillary; Neovascularization; Nerve regeneration (Nukada, H.) 449, 89

Somatosensory system; Dorsal column nucleus; Spinal cord; Transganglionic transport (Florence, S.L.) 452, 388

Histochemistry; Carbonic anhydrase; Cholinesterase; Nerve regeneration; Axotomy; Myelinated axon; Motor nerve fiber; Sensory nerve fiber (Riley, D.A.) 453, 79

Regeneration; Schwann cell factor; Growth; Adhesion; Migration (Le Beau, J.M.) **459**, 93

Globoid cell leukodystrophy; Twitcher mouse; Bone marrow transplantation; Remyelination (Kondo, A.) 460, 178

Blood-nerve barrier; Perineurium; Calcium permeability; Perfusion; Frog (Wadhwani, K.C.) 462, 22

Hyperbaric oxygenation; Hypoxia; Blood-nerve barrier; Rat (Schmelzer, J.D.) 473, 321

Calmodulin; Axon; Schwann cell; Immunocytochemistry; Schmidt-Lanterman cleft (Mata, M.) 475, 297

Peripheral nerve repair

Entubulation repair; Collagen; Laminin; Peripheral nervous system; Rat (Madison, R.D.) 447, 325

Peripheral nervous system

Myelin-associated glycoprotein; P0 protein; Myelin basic protein; Myelin protein; Remyelination; Nerve regeneration; Animal model (Willison, H.J.) 444, 10

Entubulation repair; Peripheral nerve repair; Collagen; Laminin; Rat (Madison, R.D.) 447, 325

Peripheral neuron

Astroglia; Central neuron; Detachment; Primary culture (Gilad, G.M.) 458, 249

Peripheral neuropathy

Diabetes; Streptozotocin; Axonal transport; Acetylcholinesterase (Macioce, P.) 438, 291

Peripheral nerve; Blood vessel; Blood flow; Vasa nervorum; Carbon dioxide; Mononeuritis; Ischemia; Regulation; Laser Doppler flowmetry (Rechthand, E.) 446, 61

Peristimulus time histogram Dorsal horn neuron; Cutaneous afferent; Random stimulation; Coherence function (Kuipers, U.) 462, 154

Peritoneum

Fluoro-Gold; Retrograde axonal transport; Fluorescent dye; Stomach; Vagus nerve; Dorsal motor nucleus of the vagus (Yoshida, J.) 455, 1

Perivascular

Oestrogen: Progesterone: Noradrenergic; Serotonin-like immunoreactivity; Basilar artery; Rabbit (Dhall, U.) 442, 335

Adrenergic; Serotoninergic; Peptidergic; Innervation; Cerebral artery; Development; Rat (Mione, M.C.) 460, 103

Perivascular nerve

Cerebral blood vessel; Serotonin; Co-transmission; Immunohistochemistry (Jackowski, A.) 443, 159

Hypertension; Neuropeptide Y; Adrenergic; Cerebral vessel; Spontaneously hypertensive rat; Superior cervical ganglion (Dhital, K.K.) 444, 33

Periventricular nucleus

Somatostatin neuron; Serotoninergic terminal; Hypothalamus; Synaptic connection (Kiss, J.) 442, 23

Somatostatin; Growth hormone; Immunoneutralization (Kaler, L.W.) 447, 384

Periventricular preoptic nucleus Avian; Circadian; Suprachiasmatic nucleus; Ventral lateral geniculate nucleus; Lateral anterior nucleus (Cassone, V.M.) 459, 178

Permanence

Kindling; Hippocampus; CA3; Potassium; Stimulus train-induced bursting (Bragdon, A.C.) 453, 257

Permanent axotomy

Peripheral nerve; Nerve crush; Nerve transection; Nerve ischemia; Endoneurial capillary; Neovascularization; Nerve regeneration (Nukada, H.) 449, 89

Permeability

Wallerian degeneration; Sciatic nerve; Endoneurial capillary; Vascular space; Frog (Weerasuriya, A.) 445, 181

Permeable tube

Guidance channel; Axonal regeneration; Nerve transection; Neurotropism (Aebischer, P.) **454**, 179

Perseveration

Entorhinal cortex; Sprouting (Ramirez, J.J.) 459, 153

Perturbation

Movement control; Arm movement (Soechting, J.F.) 451, 390

Pertussis toxin

Somatostatin; Cyclic adenosine monophosphate (cAMP); Growth hormone-releasing factor (GRF); Adenohypophysis; Forskolin (Schettini, G.) 439, 322

Somatostatin; AtT-20 pituitary cell; Adrenocorticotropic hormone (ACTH) secretion; Potassium channel; G-protein (Pennefather, P.S.) 444, 346

Spinal cord-sensory ganglion; Tissue culture; Adenylate cyclase; Cyclic adenosine monophosphate (cAMP); Opioid tolerance; Opioid receptor; Serotonin receptor (Makman, M.H.) 445, 303

Muscarinic receptor; Phosphatidylinositol hydrolysis; SH-SY5Y cell line; Human neuroblastoma (Mei, L.) 447, 360

Guanosine triphosphate-binding regulatory protein; Islet-activating protein; Enteric nervous system; Superior cervical ganglion; Adrenal medulla (Terashima, T.) 455, 353

G protein; Serotonin; Dorsal raphe; Baclofen (Innis, R.B.) 459, 27

Petit mal

 γ -Aminobutyric acid; Muscimol; 4,5,6,7-Tetrahydro-isoxazolo [5,4-c]pyridin 3-ol (THIP); Bicuculline; Intracerebral injection; Epilepsy, Electroencephalogram; Substantia nigra; Rat (Depaulis, A.) 448, 20

Cholinergic stimulus; Prostaglandin; Thromboxane; PGE₂; Prostacyclin; PGF_{2a}; TXB₂ (Busija, D.W.) **439**, 122

PGE.

Cholinergic stimulus; Prostaglandin; Thromboxane; Prostacyclin; PGD2; PGF_{2a}; TXB₂ (Busija, D.W.) **439**, 122

PGF_{2α} Cholinergic stimulus; Prostaglandin; Thromboxane; PGE₂; Prostacyclin; PGD₂; TXB₂ (Busija, D.W.) 439, 122

Cat; Mechanosensitivity; Muscle spindle; Proton pump; Sensory ending; Ammonia; Carbondioxide (Fukami, Y.) 463, 140

Phaclofen

Baclofen-induced suppression; Visually evoked response; Striate cortex (Baumfalk, U.) 463, 398

Pharmacokinetics

Microdialysis; Gas chromatography/mass spectrometry; Self-administration; Uptake (Nicolaysen, L.C.) 456, 317

Phase response curve

Pentobarbital; Circadian rhythm: Mouse; Strain difference (Ebihara, S.) 454, 404

Phase shift

N-Methyl-D-aspartate receptor antagonist; θ Rhythm; Septohippocampal system; Place learning; Spectral analysis (Leung, L.-W.S.) **463,** 148

Brain slice; cAMP; Circadian rhythm; Hypothalamus; Oscillator; Pacemaker; Suprachiasmatic nuclei (Gillette, M.U.) **474**, 348

Phase singularity

Respiratory oscillator; Phase-response curve (PRC); Endogenous bursting neuron; External intercostal nerve; Phrenic nerve; Phase-response surface (PRS) (Kitano, S.-i.) 439, 19

Phase-linked modulation

Excitability; Presynaptic terminal; Low-threshold afferent; Inferior alveolar nerve; Mastication; Presynaptic inhibition; Presynaptic facilitation (Kurasawa, I.) 446, 113

Phaseolus vulgaris leucoagglutinin Habenula projection; Anterograde axonal tracing; Rat brain; Thalamus; Midbrain (Araki, M.) 441, 319

Corticorubral fiber; Sprouting; Cerebral lesion; Red nucleus; Kitten (Murakami, F.) 447, 98

Lesion-induced synaptic reorganization; Medial amygdaloid nucleus; Accessory olfactory bulb; Rat (Ichikawa, M.) 451, 248

Nucleus reticularis gigantocellularis; Reticular formation; Anterograde tracing; Reticular ascending projection; Reticulo-spinal projection; Reticulo-reticular connection (Matsuyama, K.) 460, 124

Choline acetyltransferase; Horseradish peroxidase-conjugated wheat germ agglutinin; Immunohistochemistry; Double labeling; Brainstem reticular formation; Sleep (Mitani, A.) 451, 397

Neuroanatomical tracing; Double-label immunocytochemistry; Histamine; Histidine decarboxylase; Preoptic area; Hypothalamus (Wouterlood, F.G.)

Fast blue; Ventral respiratory group inspiratory neuron; Phrenic motoneuron; Efferent connection (Yamada, H.) 455, 283

Anterograde transport; Fiber of passage (Cliffer, K.D.) 458, 185 Interposed nucleus; Nucleo-cortical projection; Climbing fiber; Purkinje cell; Cat (Murakami, F.) 463, 144

Phase-response curve (PRC)

Respiratory oscillator; Phase singularity; Endogenous bursting neuron; External intercostal nerve; Phrenic nerve: Phase-response surface (PRS) (Kitano, S.-i.) 439, 19

Phase-response surface (PRS) Respiratory oscillator; Phase-response

curve (PRC); Phase singularity; Endogenous bursting neuron; External intercostal nerve; Phrenic nerve (Kitano, S.-i.) 439, 19

Phasic

Hippocampal; Tonic; Theta-on; Cell; Cholinergics (Bland, B.H.) 440, 167

Phasic activity

Vasopressin cell; Plateau potential; Refractory period; Potassium conductance; Cell culture (Legendre, P.) 457, 386

Phasic hyperpolarization

Burst discharge; Rebound excitation; Ventrobasal relay neuron; Rat (Sumitomo, I.) 447, 376

Phe-Met-Arg-Phe-NH₂
Optic gland; Immunocytochemistry; Mollusca; Sepia officinalis (Le Gall, S.) **462**, 83

Phencyclidine

N-Methyl-D-aspartic acid; Excitatory amino acid; Glycine; Receptor (binding site); Glutamate (Thomas, J.W.) 442, 396

N-Methyl-D-aspartic acid; Excitatory neurotransmitter receptor; Lethality; Mouse (Leander, J.D.) 448, 115

Anticonvulsant; N-Methyl-D-aspartic acid; Dexoxadrol; MK-801; Mouse (Leander, J.D.) 454, 368

PC12 cells; Potassium channel; Thienylphencylclidine; Dioxadrol; Methylpiperidine 1-(1-Phenylcyclohexyl)-3-; 4-Aminopyridine; Tetraethylammonium (Rogawski, M.A.) **456**, 38

Phencyclidine receptor

N-Methyl-D-aspartic acid receptor; Cerebellum; Cortex; Norepinephrine; Release assay (Yi, S.-J.) 445, 147

Phenotypic expression

Olfactory bulb; Tyrosine hydroxylase; γ-Aminobutyric acid (GABA); Transneuronal regulation (Baker, H.) 450, 69

Phentolamine

Cyclic AMP; Noradrenaline;

Propranolol; 8-Phenyltheophylline; Rat cerebral cortex; Iron-induced epilepsy (Moriwaki, A.) **461**, 190

Locus ceruleus; Spinal cord; Noradrenaline; Brain graft (Henschen, A.F.) 474, 66

p-Phenylene-diamine method

Accessory optic system; Retinofugal pathway; Human visual system; Medial terminal accessory optic nucleus; Lateral terminal accessory optic nucleus; Dorsal terminal accessory optic nucleus; Interstitial nucleus of the superior fascicle, posterior fibers; Oculomotor function (Fredericks, C.A.) 454, 116

Phenylethanolamine N-methyltransferase

Nucleus of the tractus solitarius; Parabrachial nucleus; Adrenaline; Immunocytochemistry (Kawai, Y.) **459**, 369

β-Phenylethylamine

p-Tyramine; M-Tyramine; Tryptamine; Lobster; Nerve cord; Aromatic-L-amino acid decarboxylase inhibition (Juorio, A.V.) 444, 380

L-Phenyl-isopropyladenosine (L-PIA)

4-Aminopyridine; Caffeine; Penicillin; Verapamil; Epileptiform bursting; Hippocampus (Frank, C.) 441, 393

Phenylquinone

Nitrous oxide; Analgesia; Abdominal constriction; Narcotic antagonist drug; Opioid receptor subtype (Quock, R.M.) 440, 35

8-Phenyltheophylline

Cyclic AMP; Noradrenaline; Phentolamine; Propranolol; Rat cerebral cortex; Iron-induced epilepsy (Moriwaki, A.) 461, 190

Phorbol ester

Protein kinase C; Motor cortex; Postsynaptic current; Voltage clamp; Intracellular injection (Baranyi, A.) **440**, 341

Astrocyte; Bromodeoxyuridine; Glial growth factor from bovine pituitary; Human; Mitogen; Platelet-derived growth factor; Tissue culture (Yong, V.W.) 444, 59

Somatostatin; Primary culture; Neuron; Vasoactive intestinal peptide; Adenylate cyclase; Calcium (Tapia-Arancibia, L.) 450, 101

Baclofen; Receptor, GABA_B; Adenosine monophosphate, cyclic; Protein kinase C (Scherer, R.W.) **451,** 361

Alzheimer's disease; Protein kinase C; Neuronal degeneration; Phosphorylation; Human brain (Cole, G.) **452**, 165

4-α-Phorbol

Thyrotropin-releasing hormone;

Thyrotropin-releasing hormone analog; Protein kinase C; 12-O-Tetradecanoylphorbol-13-acetate; Central nervous system; Hypoglycemia; Mouse (Amir, S.) **450**, 369

Phosphatidylinositol hydrolysis Muscarinic receptor; Pertussis toxin; SH-SY5Y cell line; Human neuroblastoma (Mei, L.) 447, 360

Phosphodiesterase

Opsin; Visinin; Pineal organ; Lamprey; Immunohistochemistry (Kuo, C.-H.) **442**, 147

Cyclic adenosine monophosphate (cAMP); Pentylenetetrazol; Molluscan neuron; Sodium current (McCrohan, C.R.) **452**, 21

Phosphoinositide

Hypoxia; Free fatty acid; Triacylglycerol; Energy metabolism (Ikeda, M.) **459**, 344

Phosphoinositide hydrolysis Histamine; H₁-Receptor; Astrocyte; [³H]Mepyramine; Extracellular calcium (Arbonés, L.) **450**, 144

Neuronal muscarinic acetylcholine receptor; G protein (Martin, J.M.) **454,** 370

Phospholipid methylation

Corticostriatal pathway; Excitatory amino acid; Decortication; Rat striatal synaptosome; Dopamine (Tacconi, M.T.) 461, 194

Phosphorylation

Ischemia; Cell death; Calcium-calmodulin-dependent protein kinase (Taft, W.C.) 447, 159

Alzheimer's disease; Protein kinase C; Neuronal degeneration; Phorbol ester; Human brain (Cole, G.) **452**, 165

Neurofilament; Axotomy; Deafferentation; Regeneration; Alzheimer's disease (Shaw, G.) 460, 227

Immunocytochemistry; Schizophrenia; Alzheimer's disease; Neurofilament; Neuronal tangle (Poltorak, M.) **475,** 328

6-Phosphofructo-1-kinase

Brain; Glycolysis; Aging; Development; Fructose-2,6-biphosphate; Metabolic regulation (Dunaway, G.A.) **456**, 310

Photoaffinity

 α_1 -Adrenergic receptor; Hypertension; Hypothalamus; Neuronal culture (Bottiglieri, D.F.) **439**, 187

Photoaffinity labeling

γ-Aminobutyric acid (GABA)-benzodiazepine receptor; Evolution; Radiohistochemistry; Immunohistochemistry (Hebebrand, J.) 446, 251

Flunitrazepam; Clonazepam; Ro

15-4513; Different benzodiazepine binding protein; Peptide mapping; Papin; Autoradiography (Sieghart, W.) **450**, 387

Photoreceptor

Circadian rhythm; Entrainment (Zatz, M.) 438, 199

Horizontal cell; Cone; Synaptic transmission; Ethylenediaminetetra-acetic acid (EDTA); Ethyleneglycol-bis-(β -aminoethyl ether)-N,N,N, -tetraacetic acid (EGTA); Chelator; Calcium; Magnesium (Normann, R.A.) 443, 95

Circadian rhythm; Entrainment; Adenosine monophosphate, cyclic (Zatz, M.) 453, 51

N-Acetylaspartylglutamate; Acidic amino acid; Neuropeptide; Synaptic vesicle; Amphibian; Amacrine; Bipolar (Williamson, L.C.) **456**, 375

Phototransduction

Circadian rhythm; G-proteins; Transducin; Rhodopsin; Entrainment (Zatz, M.) **453**, 63

Phrenic

Recurrent laryngeal; Hypoglossal; Inspiratory neuron; Power spectra; Coherence spectra (Sica, A.L.) **440**, 370

Phrenic motoneuron

Neural control of respiration; Spike-triggered averaging; Axonal mapping; Bulbospinal tract; Inspiration (Dick, T.E.) **454**, 31

Phaseolus vulgaris leucoagglutinin; Fast blue; Ventral respiratory group inspiratory neuron; Efferent connection (Yamada, H.) **455**, 283

Phrenic motor column

Neural control of respiration; Horseradish peroxidase; Neuroanatomy; Synaptic terminal; Axon collateral (Dick, T.E.) 449, 201

Phrenic nerve

Respiratory oscillator; Phase-response curve (PRC); Phase singularity; Endogenous bursting neuron; External intercostal nerve; Phase-response surface (PRS) (Kitano, S.-i.) 439, 19

Fast axoplasmic transport; Axonal growth; Aging; Acetylcholinesterase; Axonal microtubule (Inestrosa, N.C.) 441, 331

Arterial pressure; Bicuculline; Cat; Electromyographic activity; γ-Aminobutyric acid; Heart rate; Hypothalamus; Muscimol (Waldrop, T.G.) **444**, 84

Phrenic nerve activity

Bötzinger complex; Respiratory activity; Breathing pattern; L-Glutamate; DL-Homocysteic acid; Expiratory muscle (Bongianni, F.) 445, 254

Phrenic nerve afferent

Cord dorsum potential; Cardiac sympathetic nerve; Somatosympathetic reflex (Szulczyk, A.) 447, 109

Phrenic-to-phrenic reflex

Early phrenic motor unit; Late phrenic motor unit; Respiration; Spinal cord (Marlot, D.) 450, 373

Phylogeny of receptors

Opiate receptor; *Tetrahymena*; β-Endorphin; Naloxone (O'Neill, J.B.) **450**, 303

Physical dependence

Alcohol; Brain metabolism; Convulsion; Ethanol withdrawal syndrome; Deoxyglucose; Kindling; Rat (Clemmesen, L.) **453**, 204

Physiological modulation

Adenosine; A₁-Receptor antagonist; 8-Cyclopentyl-1,3-dipropylxanthine; Adenosine deaminase; Ca²⁺ flux; Synaptic transmission; Rat hippocampal slice (Schubert, P.) **458.** 162

Physiology

Hippocampus; Sodium valproate; Epilepsy; Post-tetanic potentiation; Bursting (Griffith, W.H.) 474, 155

Picrotoxin

Red nucleus; Nictitating membrane response; γ-Aminobutyric acid; Classical conditioning; Bicuculline methiodide (Haley, D.A.) **454**, 131

Substance P; Capsaicin; Kainic acid; Strychnine; Morphine; L-Glutamic acid; Pain; Behavior; Spinal cord (Frenk, H.) 455, 223

Analgesia;

3α-Hydroxy-4-pregnen-20-one; Follicle stimulating hormone suppression; Steroid; γ-Aminobutyric acid; Opiate; Calcium channel antagonist; Benzodiazepine; Naloxone; Verapamil; Nifedipine; Ro 15-1788; Bicuculline; Tyr-MIF-1; Morphine (Wiebe, J.P.) **461**, 150

Pigeon

Serotonin; 5-Hydroxyindoleacetic acid; Serotonin neurotoxin; Denervation tool; Central nervous system (Alesci, R.) **450**, 259

Apomorphine; 6-Hydroxydopamine; Stereotyped pecking; Nucleus basalis (Lindenblatt, U.) **453**, 1

Pigeon brain

Dopamine receptor; D_1 receptor; D_2 receptor; In vitro; Autoradiography; Basal ganglia (Dietl, M.M.) 439, 354

Muscarinic cholinergic receptor; Basal ganglia; Telencephalon; Cerebellum (Dietl, M.M.) **439**, 360

γ-Aminobutyric acid/benzodiazepine receptor; CI 218872; γ-Aminobutyric acid; Basal ganglia; Cerebellum (Dietl, M.M.) 439, 366

Pilocarpine

Vertical limb of diagonal band of Broca; Acetylcholine; Learning; Marmoset (Ridley, R.M.) 456, 71

Non-steroidal anti-inflammatory drugs; Seizure; Epilepsy; Brain damage (Ikonomidou-Turski, C.) **462**, 275

Pilocarpine seizure

Muscimol; Entopeduncular nucleus; Substantia nigra; Maximal electroshock seizure (Hosford, D.A.) **462**, 205

Pineal

Thyroxine 5'-deiodinase; Rat; Hypothyroidism; Rhythm; β -Adrenergic (Murakami, M.) **438**, 366

Rat; Melatonin; Serotonin N-acetyltransferase; Adrenal; Pituitary; Stress; Saline injection (Troiani, M.E.) **450**, 18

Melatonin; Light; Wavelength; Circadian (Brainard, G.C.) 454, 212

Pineal gland

[125I]Iodopindolol; Daily (24 h) rhythm; β-Adrenoceptor; Light-dark cycle; Male rat (Gonzalez-Brito, A.) 438, 108

Magnetic field; Cyclic adenosine monophosphate (cAMP); Rat (Rudolph, K.) **446**, 159

Enkephalin; Neuropeptide Y; Vasoactive intestinal polypeptide; Dopamine-β-hydroxylase (Moore, R.Y.) **457**, 395

Brattleboro rat; Melatonin synthesis; Circadian rhythmicity; Serotonin-N-acetyltransferase; Long-Evans rat; Vasopressin (Schröder, H.) **459**, 328

Pyridoxine deficiency; Aromatic amino acid decarboxylase; Serotonin; Melatonin; Rat (Viswanathan, M.) 473, 37

Melatonin; N-Acetyltransferase activity; Isoproterenol; Syrian hamster (Gonzalez-Brito, A.) 475, 393

Pineal organ

Opsin; Visinin; Phosphodiesterase; Lamprey; Immunohistochemistry (Kuo, C.-H.) **442**, 147

FMRFamide; Retina; Nucleus nervus terminalis; Nucleus olfactoretinalis; Immunocytochemistry; Teleost fish (Ekström, P.) **460**, 68

Pineal transducer

Calbindin-27 kDa; Retinal cone; Calcium; Immunocytochemistry (Roman, A.) **442**, 33

1-(2-(Diphenylmethoxy)-ethyl)-4-(3-phenylpropyl)Piperazine (GBR-12935)

Dopamine uptake site; Characteristics; Human brain (Marcusson, J.) 457, 122

Pirenzepine

Acetylcholine; Muscarinic receptor subtype; Muscarinic agonist; Rat; Microiontophoresis (Rascol, O.) **446,** 303

AFDX-116; Blood pressure; cis-Methyldioxolane; Heart rate; Muscarinic receptor; Receptor, M₁; McN-A343; Wistar rat (Sundaram, K.) **449**, 141

Piriform cortex

Rat; Metabolic activity; Odor; Computerized image processing method (Cattarelli, M.) 442, 180

Desensitization; Glutamate; Kainate; Quisqualate (Hori, N.) 457, 350

Pituitary

Dopamine D₂ receptor; In vivo labeling; High affinity agonist 205-502; Striatum (Closse, A.) **440**, 123

Genetic hypertension; Opioid peptide; β-Endorphin; Dynorphin; Methionine-enkephalin; Brain region; Heart; Adrenal; Kidney (Bhargava, H.N.) **440**, 333

Thyrotropin-releasing hormone receptor; Prolactin; Estradiol; Thyronine; Hormone treatment; Retina; Superior cervical ganglia (Sharif, N.A.) **449**, 364

Pineal; Rat; Melatonin; Serotonin N-acetyltransferase; Adrenal; Stress; Saline injection (Troiani, M.E.) **450**, 18

β-Endorphin; Periaqueductal gray; Mouse strain; Social stress; Analgesia; Naloxone; β-Chlornaltrexamine (Külling, P.) **450**, 237

Stress; Oxytocin; Vasopressin; Hypothalamus; Pons-medulla; Spinal cord (Miaskowski, C.) **458**, 137

Acetylcholine; Estrous cycle (Egozi, Y.) 475, 376

Pituitary gland

γ-Aminobutyric acid (GABA); γ-Aminobutyric acid antiserum; Immunohistochemistry; Rat; Hypothalamus (Sakaue, M.) **446**, 343

Testosterone; Estradiol; Aromatization; Primate; Hypothalamus; Amygdala; Preoptic area (Rees, H.D.) 452, 28

Arcuate nucleus; Dorsomedial hypothalamus; Ventromedial hypothalamus; Immunoreactive dynorphin A; Immunoreactive dynorphin B; Hypothalamus; Radiofrequency lesion (Spampinato, S.) 463, 100

Pituitary-adrenal activation Rhesus monkey; Opiate system; Separation (Kalin, N.H.) 440, 288

PK 11195

Surgery; Central benzodiazepine receptor; Peripheral benzodiazepine binding site; Ketamine; Flunitrazepam;

Stress (Okun, F.) 458, 31

Place conditioning

Aversion; Withdrawal; Methylnaloxone; Morphine dependence (Hand, T.H.) **474**, 364

Place learning

N-Methyl-D-aspartate receptor antagonist; θ Rhythm; Phase shift; Septohippocampal system; Spectral analysis (Leung, L.-W.S.) 463, 148

Place navigation task

Nucleus basalis magnocellularis; Choline-acetyltransferase activity; Spatial memory; Cross maze (Mayo, W.) **455**, 213

Plasma

L-Pyroglutamic acid; Huntington's disease; Neurotoxin hypothesis; Cerebrospinal fluid; Brain (Uhlhaas, S.) 457, 196

Plasma membrane

Meissner corpuscle; Dipeptidylpeptidase IV activity; Modified Schwann cell (Dubový, P.) **461**, 186

Plasma volume

Blood-brain barrier; Brain; Capillary; Distribution volume; Dextran; Inulin; Transferrin; Rat (Smith, Q.R.) **462**, 1

Plasticity

Ectopic granule cell; Primary fissure; Cerebellum; Rat (Berciano, M.T.) 439, 169

Visual cortex ablation; Inner plexiform layer; Retinal ganglion cell (Rowe, M.H.) **439**, 345

Proto-oncogenes; C-fos; Adult brain (Dragunow, M.) 440, 252

Flexor reflex; Arthritis; Tenotomy; Rat; Chronic; Spinal cord (Wall, P.D.) 447, 215

Neocortex; Transplant; Basal nucleus; Regeneration (Höhmann, C.F.) 448, 53

Bird; Neuron size; Deprivation; Visual system; Development (Herrmann, K.) **451,** 43

Hemidecortication; Movement; Kennard doctrine; Motor cortex; Skilled reaching; Neonatal cortex lesion; Skilled forelimb reaching; Sparing of function (Whishaw, I.Q.) 451, 97

Hippocampus; Sprouting; Degeneration; Cytoskeleton; Pathology (Seubert, P.) **459**, 226

Hippocampus; Sprouting; Degeneration; Cytoskeleton; Pathology; Astrocyte; Spectrin (Ivy, G.) **459**, 233

Calcium; Calpain; Cytoskeleton; Excitotoxicity; Neuropathology (Seubert, P.) 460, 189

Cuneiform area; Glutamate; Defence; Conditioning (Mitchell, I.J.) 460, 394 Retinal ganglion cell; Fluorescent dye; Electron microscopy; Rat (Chan, S.O.) **461,** 163

Development; Parvalbumin; Calbindin; γ-Aminobutyric acid; Visual system; Zebra finch (Braun, K.) 475, 205

Plasticity in senescence

Aging; Vasopressin innervation; Oxytocin innervation; Testosterone; Sex steroid; Rat (Goudsmit, E.) 473, 306

Plateau potential

Vasopressin cell; Phasic activity; Refractory period; Potassium conductance; Cell culture (Legendre, P.) 457, 386

Platelet-derived growth factor

Astrocyte; Bromodeoxyuridine; Glial growth factor from bovine pituitary; Human; Mitogen; Phorbol ester; Tissue culture (Yong, V.W.) 444, 59

Podarcis hispanica

Reptile; Lizard; Cerebral cortex; Hippocampus; Horseradish peroxidase; Connection; Synapse; Timm (Lopez-Garcia, C.) 463, 205

Polarity

Dendrite; Microtubule; Microtubule polarity; Mitral cell neuron; Mitral cell dendrite (Burton, P.R.) **473**, 107

Polarography

Local oxygen tension; Local blood flow; Cerebral cortex; White matter; Hippocampus (Feng, Z.-C.) 445, 280

Polyacrylamide gel electrophoresis Long-term potentiation; Push-pull cannula; Extracellular protein; Dentate gyrus; Learning and memory (Fazeli, M.S.) 473, 51

Polyamine metabolism

Cerebral ischemia; α-Difluoromethylornithine; Ornithine decarboxylase; Putrescine; Rat (Paschen, W.) **453**, 9

Polymer capsule

Transplant; Xenograft; Tissue reaction (Aebischer, P.) 448, 364

Polymerization

Tubulin; Hydrodynamics; Macromolecular complex; Postsynaptic density (LeVine, III, H.) **439**, 47

Polymyxin B

Insulin; Insulin analog; Insulin receptor; Protein kinase C; 12-O-Tetradecanoylphorbol-13-acetate; Psychosine; Centrally mediated hypoglycemia; Mouse (Amir, S.) 450, 272

Polyphosphoinositide

Dopamine; D₂ receptor; Inositol phosphate; Corpus striatum; Quinpirole (Pizzi, M.) **456**, 235

Pons

Acetylcholine; Concussion; Head injury; Rat; Hippocampus; Amygdala;

Thalamus (Saija, A.) 452, 303

Acoustic startle; Reticular formation; Medulla; Prepulse inhibition (Wu, M.-F.) 457, 399

Parabrachial nucleus; Locus ceruleus; Blood pressure; Excitatory amino acid (Ward, D.G.) **462**, 383

Pons-medulla

Bromocriptine; Cerebellum; Cerebral cortex; Glial cells; Hypothalamus; Neural cells; Prolactin; Monkey (Kumaran, B.) **450**, 325

Stress; Oxytocin; Vasopressin; Pituitary; Hypothalamus; Spinal cord (Miaskowski, C.) **458**, 137

Pontine area

Rapid eye movement sleep; Insomnia; Acetylcholine; Carbachol; p-Chlorophenylalanine (Drucker-Colín, R.) 462, 163

Pontine nuclei

Calcitonin gene-related peptide; Mossy fiber; Parallel fiber; Granule cell; Cerebellar nuclei; Cerebellum; Immunohistochemistry (Sugimoto, T.) 439, 147

Pontine reticular formation Spinal cord; Vestibular; Electromyogram extensor: Locus

Electromyogram extensor; Locus ceruleus (Barnes, C.D.) 453, 32

Rapid eye movement sleep; Carbachol; Cholinergic; Propranolol; Aminergic; Microinjection; Cat; Reciprocal interaction model (Denlinger, S.L.) 473, 116

Ponto-geniculo-occipital wave Acetylcholine; Lateral geniculate nucleus; Peribrachial area; Nicotinic mechanism; Rapid eye movement sleep (Hu, B.) 473, 394

Population spike

Nicotine; γ-Aminobutyric acid; Hippocampus; Mouse; CA1 (Freund, R.K.) **453**, 215

Positron emission tomography 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Nomifensine; Dopamine re-uptake; Raclopride (Leenders, K.L.) 445, 61

Blindness; Human; Binocular deprivation; Visual cortex (Wanet-Defalque, M.-C.) 446, 369

Post-tetanic potentiation

Primary afferent depolarization; Group Ia afferent; Intra-axonal recording; Cat spinal cord (Lev-Tov, A.) 438, 328

Hippocampus; Physiology; Sodium valproate; Epilepsy; Bursting (Griffith, W.H.) 474, 155

Post-traumatic stress disorder Stress; Benzodiazepine; Diazepam; Corticosterone; Sensitization; Pentylenetetrazole (Antelman, S.M.) 445, 380

Posterior raphe nuclear complex Intrathecal; Noradrenaline; 5-Hydroxytryptamine; Antinociception; Rat (Clatworthy, A.) 455, 300

Posterior thalamic complex Barrelfield; Somatosensory cortex; Vibrissa (Koralek, K.-A.) 463, 346

Posteromedial lateral suprasylvian

Area 21; Area 19; Suprasylvian cortex: Vision; Orientation selectivity (Mizobe, K.) 438, 307

Postganglionic receptor

Sympathetic ganglion; Slow synaptic potential; M₁-muscarinic action; Interneuronal receptor; McN-A-343; AF-102B (Mochida, S.) 455, 9

Postmortem

Kynurenic acid; Excitotoxin; Epilepsy; Neurodegenerative disorder (Turski, W.A.) 454, 164

Postsynaptic

Adenosine A1 receptor; Cyclohexyladenosine, [3H]; Presynaptic; Hippocampus; CA1 region (Deckert, J.) 446, 161

Postsynaptic current

Protein kinase C; Phorbol ester; Motor cortex; Voltage clamp; Intracellular injection (Baranyi, A.) 440, 341

Postsynaptic density

Tubulin; Hydrodynamics; Macromolecular complex; Polymerization (LeVine, III, H.)

Quisqualate receptor; Brain; Synaptic vesicle; Glutamic acid; Aspartic acid (Villanueva, S.) 440, 363

Glycoprotein; Monoclonal antibody; Synaptic membrane (Hill, I.E.) 461, 27

Postsynaptic potential

Long-term potentiation; Heterosynaptic interaction; Negative cooperativity; Hippocampus; CA1 region; Medial septum; In vivo (Xie, X.) 445, 367

Oxygen consumption; Excitatory amino acid; Agonist; Antagonist; Hippocampal slice; Neuroexcitation; Neurotoxicity (Nishizaki, T.) 452, 11

Miniature end plate potential; End plate potential; Quantum; Non-stationary Poisson distribution; Binomial release; Navanax inermis; Gastropod; Mollusc (Cappell, M.S.)

Carp; Retina; Amacrine cell; Ca²⁴-action potential; Dendritic arborization; Reversal potential (Takahashi, K.-I.) 456, 29

Afferent synapse; Acousticolateralis receptor; Electroreceptor; Postsynaptic receptor; Kynurenate; Transmitter (Okano, K.) 457, 89

Postsynaptic receptor

Afferent synapse; Acousticolateralis receptor; Electroreceptor; Postsynaptic potential; Kynurenate; Transmitter (Okano, K.) 457, 89

Postural atonia

Dorsal tegmental field; Apnea; Mesencephalic cat (Kawahara, K.)

Apnea; Dorsal tegmental field; Nucleus reticularis pontis oralis (Kawahara, K.) **474**, 403

Potassium

Carotid body; Calcium; Dopamine; Acetylcholine; Sympathetic stimulation; Cyanide; Hypoxia (O'Regan, R.G.) 445, 268

Spinal cord; In vitro central nervous system (CNS); Synaptic transmission; Segmental reflex; Dorsal root reflex; Dorsal root potential (Czéh, G.) 446, 50

 Δ^9 -Tetrahydrocannabinol; Marijuana; Cannabinoid; Cannabis; Dopamine; 3,4-Dihydroxyphenylethylamine; Neostriatum; Caudate nucleus; Rat; In vivo electrochemistry; In vivo microdialysis; Brain reward (Ng Cheong Ton, J.M.) 451, 59

Kindling; Permanence; Hippocampus; CA3; Stimulus train-induced bursting (Bragdon, A.C.) 453, 257

Olfactory bulb; Ion-sensitive microelectrode (Khayari, A.) 457, 188

Spreading depression; Leão's depression; Neuron damage; Extracellular; Calcium (Kawasaki, K.) 457, 322

CA₃ hippocampal neuron; Burst; Anoxia; Kainate; Magnesium; N-Methyl-D-aspartate; N-Methyl-D-aspartate antagonist (Neuman, R.) 459, 265

Glial cell; Electrical coupling; Gap junction; Retina; Müller cell (Mobbs, P.) 460, 235

Extracellular pH; Ion-selective microelectrode; Elasmobranch; Cerebellum; Spreading depression (Rice, M.E.) 461, 328

Astrocyte; 3,3-Diethylthiadicarboxyamineiodide; Membrane potential; Glutamate receptor; Kainate; Quisqualate; N-Methyl-D-aspartate (Enkvist, M.O.K.) 462, 67

Glycine; Substantia nigra zona compacta; Voltage clamp; Slice; Rat (Mercuri, N.B.) 462, 199

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Parkinson's disease; Dopamine; Striatum; Neurotoxicology; Cytochrome b; 1-Methyl-4-phenylpyridinium (Hollinden, G.E.) 475, 283

Potassium channel

Somatostatin; AtT-20 pituitary cell; Adrenocorticotropic hormone (ACTH) secretion; Pertussis toxin; G-protein (Pennefather, P.S.) 444, 346

A-channel; K-channel; Myelinated axon; Node of Ranvier (Gordon, T.R.) 447, 1

Neurohypophysis; Vasopressin; Oxytocin; 4-Aminopyridine; Dendrotoxin (Bondy, C.A.) 453, 397

PC12 cells; Phencyclidine; Thienylphencylclidine; Dioxadrol; Methylpiperidine 1-(1-Phenylcyclohexyl)-3-; 4-Aminopyridine; Tetraethylammonium (Rogawski, M.A.) 456, 38

Human axon; Inward rectification; Threshold; Electrotonus (Bostock, H.) 462, 354

Potassium channel blocker

Afterhyperpolarization; BAPTA; Calcium-activated potassium conductance; Cadmium; EGTA; Tetraethylammonium (Zhang, L.) 462, 174

Potassium conductance

Baclofen; γ-Aminobutyric acid (GABA); γ-Aminobutyric acid-B receptor (GABA_B receptor); Locus ceruleus; Intracellular recording (Osmanović, S.S.) 438, 124

Ethanol; Aging; Hippocampus (Niesen, C.E.) 445, 137

Current-clamp; Inward current; Mouse; Taste cell; Voltage-clamp (Tonosaki, K.) **445**, 363

Lymnaea; FMRFamide; Neurosecretory cell; Egg laying; Neuropeptide; Neurophysiology; Inhibition (Brussaard, A.B.) 447, 35

Vasopressin cell; Phasic activity; Plateau potential; Refractory period; Cell culture (Legendre, P.) 457, 386

Potassium current

Adenosine monophosphate, cyclic; Protein kinase, cAMP-dependent; Snail neuron; Protein kinase inhibitor; Intracellularly stored calcium (Onozuka, M.) 473, 401

Potassium ion

Development; Olfactory bulb; γ-Aminobutyric acid receptor (Math, F.) 461, 384

Potassium undershoot

Calcium; Anoxic depolarization; Synaptic transmission (Roberts, E.L.) **456**, 113

Potentiation

Excitatory postsynaptic potential (EPSP); Synaptic facilitation; Ia

afferent; Motoneuron (Collins, III, W.F.) 442, 161

Power spectra

Phrenic; Recurrent laryngeal; Hypoglossal; Inspiratory neuron; Coherence spectra (Sica, A.L.) 440, 370

Power-line frequency

Epilepsy; Electrical kindling; Seizure; Magnetic field, 60 Hz; Health effect; Rat (Ossenkopp, K.-P.) 442, 255

Practice

Movement initiation; Reaction time; Conditioned avoidance response; Nigrostriatal function; Age; Dopamine (MacRae, P.G.) **451**, 139

Prazosin

 α_1 -Adrenoceptor, central; Rapid eye movement sleep; Narcolepsy; Cataplexy (Mignot, E.) **444**, 184

Clozapine; Chronic treatment; α_1 -Noradrenergic antagonist; Dopamine release; Striatum; Nucleus accumbens; In vivo voltammetry (Lane, R.F.) **460**, 398

Precursor

Thyrotropin-releasing hormone (TRH); Rat; Hypothalamus; Olfactory lobe; Radioimmunoassay; High-performance liquid chromatography (HPLC) (Wu, P.) **456**, 22

Predictable shock

Serotonin; Noradrenaline; Unpredictable shock (Adell, A.) 459, 54

Prefrontal cortex

Amygdala; Thalamus; Striatum; Section Golgi impregnation (Carlsen, J.) **441**, 377

Learning; Neuronal plasticity; Rabbit; Limbic system; Heart rate (Gibbs, C.M.) **442**, 86

Dopaminergic mesencephalic neuron; Amygdala; Nucleus accumbens; Dihydroxyphenylacetic acid/dopamine (DOPAC/DA) ratio; p-Amphetamine; Locomotor activity (Simon, H.) **447**, 335

Microtubule-associated protein 2; Human fetal neocortex; Development; Immunocytochemistry; Sensorimotor cortex; Interstitial neuron (Sims, K.B.) **449**, 192

Dopamine; Tyrosine hydroxylase; Cynomolgus monkey; Squirrel monkey (Lewis, D.A.) **449**, 225

Stress; Dopamine metabolism; Voltammetry in vivo; Roman high-avoidance rat; Roman low-avoidance rat; Emotionality level (D'Angio, M.) **451**, 237

Short-term memory; Cross-temporal integration; Sensory-motor integration; Monkey (Quintana, J.) 474, 211

Behavioral significance; Stimulus evaluation; Attention; Motivation; Monkey (Yajeya, J.) 474, 222

Dopamine; Serotonin; Neonatal lesion; Ventral tegmental area; Food hoarding; Open-field behavior; Sexual dimorphism (Kalsbeek, A.) 475, 80

Prefrontal cortex equivalent

Avian brain; Catecholamine content; Dopamine; Strain difference (Divac, I.) **444,** 371

Prefrontal cortex lesion

Mediodorsal thalamic nucleus; Caudate-putamen complex; Dopamine utilisation; Ibotenate infusion (Jones, M.W.) 475, 8

Pregnancy

Tyrosine; Noradrenaline; Brain development; Diet (Garabal, M.V.) **457**, 330

Opioid analgesia; κ -Receptor; Nor-binaltorphimine; Spinal cord (Sander, H.W.) **474**, 343

Premotor cortex

Partial seizure; Kindling; Transfer; Hippocampus; Basal ganglia (Ono, K.) 475, 182

Preoptic area

Sex difference; α_1 -Receptor; α_2 -Receptor; Quantitative autoradiography; Ventromedial hypothalamic nucleus; Medial amygdaloid nucleus; Guinea pig (Johnson, A.E.) **442**, 205

Prostaglandin E₂; Sleep-wake activity; Temperature; Microinjection; Electroencephalogram; Electromyogram (Matsumura, H.) **444**, 265

Ventromedial hypothalamus; Anterior hypothalamus; Thermosensitive neuron; Brain slice preparation; Brown adipose tissue; Rat (Imai-Matsumura, K.) 445, 193

Muscarinic receptor; Hypothalamus; Estrous cycle; Estradiol; Sex differences; Rat (Olsen, K.L.) 448, 223

Fever; Cat; Prostaglandin; Thromboxane; Prostaglandin I₂-mimetic; Thromboxane A₂-mimetic; Indomethacin (Gollman, H.M.) **449,** 281

Testosterone; Estradiol; Aromatization; Primate; Hypothalamus; Amygdala; Pituitary gland (Rees, H.D.) **452**, 28

Neuroanatomical tracing; *Phaseolus vulgaris* leucoagglutinin; Double-label immunocytochemistry; Histamine; Histidine decarboxylase; Hypothalamus (Wouterlood, F.G.) **455**, 170

Sexual differentiation; Sexually dimorphic nucleus; Rat brain; Diethylstilbestrol (Tarttelin, M.F.) **456**, 271

Preoptic hypothalamus

Interferon-a; Thermosensitive neuron; Naloxone; Sodium salicylate; Anterior hypothalamus; Hypothalamic slice;

Fever (Nakashima, T.) 454, 361

Prepiriform cortex

Olfactory pathway; Entorhinal cortex; Hippocampal formation; Electroencephalogram (EEG); β Activity; θ Rhytm; Mutual information (Boeijinga, P.H.) **448**, 272

Prepositus nucleus

Cerebellar vermis; Purkinje cell; Fastigial nucleus; Eye movement (Ohtsuka, K.) 455, 153

Preproenkephalin mRNA
Opiate peptide; Adrenal medulla;
Second messenger (La Gamma, E.F.)
441, 292

Prepulse inhibition

Acoustic startle; Reticular formation; Pons; Medulla (Wu, M.-F.) 457, 399

Presbycusis

Cochlea; Aging; Enkephalin; Dynorphin; Acetylcholine (Hoffman, D.W.) **460**, 366

Pressure

Primary sensory neuron; Touch; Nociception; Hyperpolarizing pulse; Lamprey (Christenson, J.) **440**, 1

Pressure ejection

Noradrenaline; Cerebellum; Purkinje cell; Receptor specificity; α_2 -Adrenergic receptor (Parfitt, K.D.) **462**, 242

Estrogen; Glutamate; Cerebellar Purkinje cell; Neuromodulation (Smith, S.S.) 475, 272

Presynaptic

Adenosine A1 receptor; Cyclohexyladenosine, [³H]; Postsynaptic; Hippocampus; CA1 region (Deckert, J.) **446**, 161

Adenosine receptor; Perforant path (Dragunow, M.) 462, 252

Presynaptic acetylcholinesterase Lesions of nucleus basalis; Acetylcholinesterase molecular form; Kainic acid; Alzheimer's disease; Neurotoxic lesion (Bisso, G.M.) 449, 391

Presynaptic dopamine autoreceptor Apomorphine; Naltrexone; Water intake; Locomotor activity; Rat (Ukai, M.) 451, 357

Presynaptic facilitation

Excitability; Presynaptic terminal; Low-threshold afferent; Inferior alveolar nerve; Phase-linked modulation; Mastication; Presynaptic inhibition (Kurasawa, I.) 446, 113

[Met⁵]Enkephalin; Naloxone; Sympathetic ganglion; Transmitter release; Intracellular recording; Presynaptic inhibition (Hirai, K.) **448**, 299

Presynaptic inhibition Excitability; Presynaptic terminal; Low-threshold afferent; Inferior alveolar nerve; Phase-linked modulation; Mastication; Presynaptic facilitation (Kurasawa, I.) 446, 113

[Met⁵]Enkephalin; Naloxone; Sympathetic ganglion; Transmitter release; Intracellular recording; Presynaptic facilitation (Hirai, K.) **448**, 299

Neuronal transmission; Brain dialysis; Cholinergic mechanism; Hippocampus; Sensory input; Theta-rhythm (Herreras, O.) **461**, 303

Adenosine; Magnesium; Hippocampus; Epileptiform activity (Bartrup, J.T.) **463**, 374

Presynaptic localization

Oxytocin; Vasopressin; Opioid receptor; κ-Opioid; Dynorphin; Neurohypophysis (Zhao, B.-G.) **462**, 62

Presynaptic terminal

Excitability; Low-threshold afferent; Inferior alveolar nerve; Phase-linked modulation; Mastication; Presynaptic inhibition; Presynaptic facilitation (Kurasawa, I.) 446, 113

Axonal transport; Neurofilament; Tubulin (Garner, J.A.) 458, 309

Pretectum

Corticopretectal influence; Rat; Vision (Molotchnikoff, S.) 446, 67

Prevertebral ganglia

Sympathetic nervous system; Paravertebral ganglia; Guanethidine; Nerve growth factor; 6-Hydroxydopamine (Schmidt, R.E.) 460, 214

Primary afferent

Antidromic activity; Substance P release; Synovial fluid; Opioid receptor; Peripheral afferent terminal (Yaksh, T.L.) 458, 319

Unmyelinated fiber; Lissauer's tract; Intraspinal sprouting; Nerve growth factor; Antibody to nerve growth factor; C-fiber (Hulsebosch, C.E.) **461,** 322

Electron microscopy; Horseradish peroxidase; Vibrissa; Rat (Renehan, W.E.) 462, 396

Primary afferent depolarization Post-tetanic potentiation; Group Ia afferent; Intra-axonal recording; Cat spinal cord (Lev-Tov, A.) 438, 328

Primary afferent neuron Serotonin; Adenosine release; Capsaicin (Sweeney, M.) 462, 346

Primary culture

Glia; Hippocampus; Electrophysiology; Barium action potential (Walz, W.) 443, 321

Somatostatin; Neuron; Vasoactive intestinal peptide; Adenylate cyclase;

Calcium; Phorbol ester (Tapia-Arancibia, L.) 450, 101

Calcium channel; Dihydropyridine; ω-Conotoxin; Protein kinase C; 12-O-Tetradecanoyl-phorbol-β acetate; Thyroliberin release; Hypothalamic neuron (Loudes, C.) 456, 324

Astroglia; Central neuron; Peripheral neuron; Detachment (Gilad, G.M.) **458,** 249

Forskolin; Cyclic adenosine monophosphate; γ-Aminobutyric acid release; Striatum; Neuron (Weiss, S.) **463**, 182

Primary cultured spinal cord neuron

γ-Aminobutyric acid receptor; Benzodiazepine receptor; Chloride channel; Development (Mehta, A.K.) **454**, 156

Primary dissociated neuronal cell culture

α-Keto-δ-guanidinovaleric acid; Convulsant; Hyperargininemia; γ-Aminobutyric acid-response; Glycine-response; Epileptogenicity (De Deyn, P.P.) 449, 54

Primary fissure

Ectopic granule cell; Cerebellum; Plasticity; Rat (Berciano, M.T.) **439**, 169

Primary oscillator

Respiratory rhythm; Rostral ventrolateral medulla; Brainstem in vitro; Newborn rat (Onimaru, H.) **445**, 314

Primary rat brain culture

Ethylcholine aziridinium ion; Cholinergic neuron; Cytotoxicity; Dopaminergic neuron (Amir, A.) **454**, 298

Primary sensory neuron

Touch; Pressure; Nociception; Hyperpolarizing pulse; Lamprey (Christenson, J.) **440**, 1

Synaptic bouton; Intracellular staining; Horseradish peroxidase; Light microscope; Electron microscope; Lamprey (Christenson, J.) 440, 9

Axonal injury; Horseradish peroxidase; Dorsal root ganglion; Neuronal labeling; Neuron metabolism; Nerve anastomosis (Peyronnard, J.M.) 443, 295

Primary somatosensory cortex

Subthalamic nucleus; Secondary somatosensory nuclei; Horseradish peroxidase; Wheat germ-agglutinated horseradish peroxidase; Rat (Canteras, N.S.) 458, 53

Primate

Cerebellar nucleus; Neuronal activity; Arm; Reach (MacKay, W.A.) 442, 240

Serotonin; Neurotoxicity; Amphetamine; 3,4-Methylenedioxymetham-

phetamine (Ricaurte, G.A.) 446, 165

Vocalization; Frontal cortex; Cingulate gyrus; Isolation call (MacLean, P.D.) **450**, 111

Testosterone; Estradiol; Aromatization; Hypothalamus; Amygdala; Preoptic area; Pituitary gland (Rees, H.D.) 452, 28

Main olfactory bulb; Pars externa system of the anterior olfactory nucleus; Interhemispheric connectivity; Wheat-germ agglutinated horseradish peroxidase (Reyher, C.K.H.) **457**, 169

Macaque; Centre médian; Parafascicular nucleus; Medial nucleus of the pallidum; Substantia nigra; Basal ganglia (François, C.) **473**, 181

Primate brain corticoid Glucocorticoid; Dexamethasone (Sapolsky, R.M.) 448, 182

Priming

Amphetamine; Morphine; Nucleus accumbens; Heroin; Reinstatement of drug taking; Drug self-administration (Stewart, J.) 457, 287

Principal abducens motor nucleus Electron microscopy; Synapse; Gap junction; Varanus exanthematicus (Wouterlood, F.G.) 463, 198

Principal olive

Neurotensin(1-13); Nerve terminal; Neocerebellum; Human central nervous system; Development (Mailleux, P.) **456**, 199

Pro-opiomelanocortin

Enkephalin; Hypothalamus; Immunocytochemistry; α-Melanocyte-stimulating hormone; Metorphamide; Opiate; Peptide; Zona incerta (Merchenthaler, I.) **452**, 87

Probst's bundle

Corpus callosum; Acallosal brain; Mouse, ddN strain; Corticocortical fiber; Commissural fiber (Ozaki, H.S.) 441, 5

Proceptivity

Female monkey; Sexual behavior; Hypothalamus; Electrical stimulation (Koyama, Y.) 446, 199

Processing enzyme

Neuropeptide biosynthesis; Carboxypeptidase B-like; Enkephalin convertase; Carboxypeptidase H (Fricker, L.D.) **453**, 281

Proctolin

Stretch-induced release; Oval organ; Lobster (Pasztor, V.M.) 458, 199

Prodynorphin

Rimorphin; Substantia nigra; Rotation; Opioid peptide; Dynorphin B; Dopamine; κ-Receptor; Opiate; Rat (Matsumoto, R.R.) 444, 67

Proenkephalin

Enkephalin; Adrenal medulla; Explant;

Depolarization; Chromatographic characterization (Inturrisi, C.E.) **448**, 230

Progesterone

Glucocorticoid receptor; Glucocorticoid binding; Adrenocorticosteroid; Antiglucocorticoid (Chou, Y.-C.) **440**, 67

Oestrogen; Perivascular; Noradrenergic; Serotonin-like immunoreactivity; Basilar artery; Rabbit (Dhall, U.) **442**, 335

Oxytocin; Paraventricular; Lordosis; Sexual receptivity; Estrogen; Mounting; Medial preoptic area; Lateral subcommissural nucleus (Caldwell, J.D.) **446**, 236

Adrenaline; Estradiol; Hypothalamus; Luteinizing hormone; Luteinizing hormone-releasing hormone; Naloxone; Noradrenaline; Opioid (Crowley, W.R.) **461**, 314

Progesterone action

Ventromedial nucleus; Rough endoplasmic reticulum; Lordosis (Meisel, R.L.) **463**, 153

Progestin receptor

Development; Estrogen; Female sexual behavior; Lordosis; Sexual differentiation; Rat (Williams, C.L.) **449**, 403

Guinea pig; Immunocytochemistry; Sex steroid hormone; Estradiol; Hypothalamus (Blaustein, J.D.) 474, 1

Progressive supranuclear palsy Benzodiazepine receptor; Human brain; Parkinson's disease; Glutamic acid decarboxylase; [³H]Flunitrazepam (Maloteaux, J.-M.) 446, 321

Alzheimer's disease; Senile dementia; Neostriatum; Large neuron; Morphometry (Oyanagi, K.) **458**, 218

Prohormone

Periaqueductal gray; Thyrotropin-releasing hormone; Neuropeptide; Immunocytochemistry (Van den Bergh, P.) **461**, 53

Projection

Substance P; Lateral parabrachial area; Central amygdaloid nucleus; Immunocytochemistry; Coexistence; Calcitonin gene related peptide; Double-staining method (Yamano, M.) **451**, 179

Neuropeptide Y; Adrenergic transmitter; Coexistence; Hypothalamus; Feeding (Sahu, A.) **457**, 376

Prolactin

Vasoactive intestinal peptide (VIP); Secretin; Peptide histidine isoleucine amide (PHI); Medial preoptic area; Microinjection; Luteinizing hormone; Ovariectomized rat (Akema, T.) 441, 367 Growth hormone; Lactation; Morphine; Opiate; Sensitivity (Callahan, P.) 442, 214

Thyrotropin-releasing hormone receptor; Estradiol; Thyronine; Hormone treatment; Pituitary; Retina; Superior cervical ganglia (Sharif, N.A.) 449, 364

Bromocriptine; Cerebellum; Cerebral cortex; Glial cells; Hypothalamus; Neural cells; Pons-medulla; Monkey (Kumaran, B.) **450**, 325

Proliferation

Reactive astrocyte; Cell number; Quantitative analysis; [³H]Thymidine; Glial fibrillary acidic protein; Mouse (Miyake, T.) **451**, 133

Proline

Hippocampus; Excitotoxin; Quinolinic acid; Kynurenic acid; N-Methyl-p-aspartic acid; Hyperprolinemia (Nadler, J.V.) . 456, 168

Prolongation of spike duration Frog muscle spindle; Decapsulation; Collagenase; Aggregation of intramembrane particles (Fujitsuka, N.) 443, 243

Propranolol

Adrenal medulla; β -Adrenergic receptor; Epinephrine; Isoproterenol; Lactation; Norepinephrine; Oxytocin (Song, S.-L.) **457**, 303

Cyclic AMP; Noradrenaline; Phentolamine; 8-Phenyltheophylline; Rat cerebral cortex; Iron-induced epilepsy (Moriwaki, A.) 461, 190

Rapid eye movement sleep; Pontine reticular formation; Carbachol; Cholinergic; Aminergic; Microinjection; Cat; Reciprocal interaction model (Denlinger, S.L.) 473, 116

Propriospinal neuron

L₄ neuron; Convergent activation; Neck rotation; Muscle afferent (Yates, B.J.) **449**, 377

Propylnorapomorphine N-n-

In vivo dopamine receptor labeling; Dipping autoradiography; Dopamine receptor localization; Receptor, D₂-; N-Ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline; Heterogeneity of striatum; Caudate-putamen (Loopuijt, L.D.) **456**, 263

Prostacyclin

Cholinergic stimulus; Prostaglandin; Thromboxane; PGE₂; PGD₂; PGF_{2α}; TXB₂ (Busija, D.W.) **439**, 122

Prostaglandin

Cholinergic stimulus; Thromboxane; PGE₂; Prostacyclin; PGD₂; PGF_{2a}; TXB₂ (Busija, D.W.) **439**, 122

Fever; Preoptic area; Cat; Thromboxane; Prostaglandin I₂-mimetic; Thromboxane A₂-mimetic; Indomethacin (Gollman, H.M.) **449,** 281

Diclofenac sodium; Indomethacin; Paradoxical sleep; Rat; Sleep substance; Slow wave sleep (Naito, K.) **453**, 329

Rat; Ventral septal area; Fever; Kainic acid lesion (Martin, S.M.) 455, 196

Prostaglandin antagonist Pain; Hyperalgesia; Bradykinin; Noradrenaline; Arachidonic acid; SC-19220; Analgesia (Taiwo, Y.O.)

Prostaglandin E₂

458, 402

Hypothalamic luteinizing hormone-releasing hormone; Intracellular Ca²⁺; Cyclic adenosine monophosphate; Hypothalamic development; Female puberty (Ojeda, S.R.) **441**, 339

Sleep-wake activity; Temperature; Preoptic area; Microinjection; Electroencephalogram; Electromyogram (Matsumura, H.) 444, 265

Prostaglandin $F_{2\alpha}$ Human brain; Leukotriene C_4 ; Leukotriene D_4 ; Leukotriene E_4 (Simmet, T.) **456**, 344

Prostaglandin I₂-mimetic Fever; Preoptic area; Cat; Prostaglandin; Thromboxane; Thromboxane A₂-mimetic; Indomethacin (Gollman, H.M.) **449**, 281

Protease

Mast cell; Demyelination; Experimental allergic neuritis; Myelin (Johnson, D.) 444, 195

Protection

Nicotine; Dopamine; Substantia nigra; Striatum; Lesion; Rat brain; Immunohistochemistry; Tyrosine hydroxylase; Image analysis; Quantitative receptor autoradiography (Janson, A.M.) 455, 332

Temporary threshold shift; Binaural; Acoustic stimulation; Crossed olivocochlear bundle (Rajan, R.) 459, 241

Protein 36

Rat brain; Immunocytochemistry; Pyramidal cell; Cortex; Two-dimensional gel electrophoresis (Fukuda, T.) 441, 185

Protein chemistry

Amyloid; β-Protein; Alzheimer's disease; Aging (Joachim, C.L.) **474,** 100

Protein composition
Isolated postsynaptic density;
Hippocampus; Protein
phosphorylation; Glutamate receptor;

γ-Aminobutyric acid receptor; Voltage-sensitive calcium channel; Calmodulin (Wu, K.) 457, 98

Protein determination

Quantitative receptor autoradiography; Computerized image processing; Histological tecniques (Miller, J.A.) 447, 60

Protein F1

N-Methyl-D-aspartate; Protein kinase C; Long-term potentiation (Linden, D.J.) 458, 142

Protein kinase

Synaptic membrane glycoprotein; Tissue culture; Synaptosome; Rat brain; Synaptic differentiation; Two-dimensional, renaturing gel electrophoresis; Western blotting; Immunocytochemistry (Lasher, R.S.) 452, 184

Protein kinase C

Synaptic plasticity; Long-term potentiation; Hippocampal slice, CA, neuron; Field potential (Reymann, K.G.) 440, 305

Phorbol ester; Motor cortex; Postsynaptic current; Voltage clamp; Intracellular injection (Baranyi, A.)

Brain lateralization; Protein phosphorylation; Rat cerebral hemisphere; Cerebral asymmetry; Synaptosomal fraction (De Martinez, M.S.G.) 440, 386

Insulin; Insulin analog; Insulin receptor; 12-O-Tetradecanoylphorbol-13-acetate; Polymyxin B; Psychosine; Centrally mediated hypoglycemia; Mouse (Amir, S.) 450, 272

Thyrotropin-releasing hormone; Thyrotropin-releasing hormone analog; 12-O-Tetradecanoylphorbol-13-acetate; 4- α -Phorbol; Central nervous system; Hypoglycemia; Mouse (Amir, S.)

Baclofen; Receptor, GABAB; Adenosine monophosphate, cyclic; Phorbol ester (Scherer, R.W.) 451, 361

Alzheimer's disease; Neuronal degeneration; Phorbol ester; Phosphorylation; Human brain (Cole, G.) 452, 165

Calcium channel; Dihydropyridine; ω-Conotoxin; 12-O-Tetradecanoylphorbol- β acetate; Thyroliberin release; Hypothalamic neuron; Primary culture (Loudes, C.) 456, 324

N-Methyl-D-aspartate; Protein F1; Long-term potentiation (Linden, D.J.) **458**, 142

Glutamate receptor; Desensitization; Cerebellum (Crepel, F.) 458, 397

Long-term potentiation; Hippocampus; Synaptic plasticity; Calmodulin; Second messenger; Calmidazolium; K-252b;

Protein phosphorylation (Reymann, K.G.) 461, 388

Trophic factor; Neuron; Basic fibroblast growth factor; Epidermal growth factor; Neurite outgrowth (Morrison, R.S.) 473, 141

Protein kinase inhibitor

Potassium current; Adenosine monophosphate, cyclic; Protein kinase, cAMP-dependent; Snail neuron; Intracellularly stored calcium (Onozuka, M.) 473, 401

Protein kinase, cAMP-dependent Potassium current; Adenosine monophosphate, cyclic; Snail neuron; Protein kinase inhibitor; Intracellularly stored calcium (Onozuka, M.) 473, 401

Protein phosphorylation

Brain lateralization; Protein kinase C; Rat cerebral hemisphere; Cerebral asymmetry; Synaptosomal fraction (De Martinez, M.S.G.) 440, 386

Percoll; Synaptosome; Noradrenaline uptake; Release; Content (Harrison, S.M.) 441, 72

Isolated postsynaptic density; Hippocampus; Protein composition; Glutamate receptor; γ-Aminobutyric acid receptor; Voltage-sensitive calcium channel; Calmodulin (Wu, K.) 457, 98

Long-term potentiation; Hippocampus; Synaptic plasticity; Calmodulin; Protein kinase C; Second messenger; Calmidazolium; K-252b (Reymann, K.G.) 461, 388

Protein synthesis

Regeneration; Peripheral nerve; Sciatic nerve; RNA synthesis; DNA synthesis; Schwann cell (Kanje, M.) 439, 116

Long-term potentiation; Anisomycin; Hippocampal CA1 in vitro; Field potential (Frey, U.) 452, 57

P0 protein

Myelin-associated glycoprotein; Myelin basic protein; Myelin protein; Peripheral nervous system; Remyelination; Nerve regeneration; Animal model (Willison, H.J.) 444, 10

Alzheimer's disease; Sporadic cerebral amyloid angiopathy; Hereditary cerebral hemorrhage with amyloidosis; Dementia; Stroke; β -Amyloid disease (Coria, F.) 463, 187

Amyloid; Protein chemistry; Alzheimer's disease; Aging (Joachim, C.L.) 474, 100

Proteolysis

Thiolprotease inhibitor; Axon terminal; Anterograde-retrograde conversion; Membranous organelle; Tubulovesicular organelle (Sahenk, Z.) 460, 199

Proto-oncogenes

C-fos; Adult brain; Plasticity

(Dragunow, M.) 440, 252

Proton pump

Cat; Mechanosensitivity; Muscle spindle; pH; Sensory ending; Ammonia; Carbondioxide (Fukami, Y.) 463, 140

Pseudaffective reflex

Visceral pain; Nociception; Colorectal distension; Morphine; Visceromotor; Cardiovascular pressor; Clonidine (Ness, T.J.) 450, 153

Psychophysics

Locus ceruleus; Noradrenaline; 6-Hydroxydopamine; Olfaction; Olfactory bulb; Castration (Doty, R.L.) 444, 95

Psychosine

Insulin; Insulin analog; Insulin receptor; Protein kinase C; 12-O-Tetradecanoylphorbol-13-acetate; Polymyxin B; Centrally mediated hypoglycemia; Mouse (Amir, S.) 450, 272

Twitcher mouse; Globoid cell leukodystrophy; Galactosylsphingosine; Sciatic nerve (Tanaka, K.) 454, 340

Psychosis

Lateralization; Sensitization; Amphetamine; Stress; Dopamine; Catecholamine; Adrenocorticotropin (LaHoste, G.J.) 453, 381

E-PTA-stained synapse

Synapse; Perforated synapse; Rat frontal cortex; High-voltage electron microscopy (Igarashi, H.) 473, 365

Pterygopalatine ganglion Rat; Guinea pig; Neuropeptide Y; Acetylcholinesterase; Cholinergic; Tyrosine hydroxylase; Small intensely fluorescent (SIF) cell; Coexistence (Kuwayama, Y.) 446, 219

Vasoactive intestinal polypeptide; Cerebral artery; Otic ganglion; Superior cervical ganglion; Immunohistochemistry; Dog (Uemura, Y.) 448, 98

Puberty

Luteinizing hormone-releasing hormone (LH-RH); Noradrenaline; In vitro; Rat (Clough, R.W.) 446, 121

Pulmonary edema

Neurotoxicity; Cerebellum; Somatostatin; Vasopressin; Barrel rotation; Convulsion (Balaban, C.D.) 445, 117

Pulmonary receptor

Medulla oblongata; Nodose ganglion; Nucleus tractus solitarii; Respiration; Spike-triggered averaging; Vagus nerve (Kubin, L.) 443, 215

Pulsatile

Vasoactive intestinal peptide; Noradrenergic; Gonadotropin-releasing hormone; Luteinizing hormone;

6-Hydroxydopamine (Alexander, M.J.) **445**, 247

Pulvinar

Unit activity; Motor behavior; Sensory response; Awake monkey (Magariños-Ascone, C.) **445**, 30

Punishment

Noradrenaline; Dopamine; Serotonin; Neurotransmitter turnover; Brain region (Miyauchi, T.) **454**, 40

Purified enteric neuron

Glia; Culture; Monoclonal antibody; Antibody complement-mediated cytolysis; Cytosine arabinoside; Immunolabelling (Bannerman, P.G.C.) 440, 99

Purine

Adenosine; Acetylcholine; Cholinomimetic; Neuromodulator; Transmitter interaction (Brooks, P.A.) **458**, 106

Purine nucleoside phosphorylase Neuroglia; Cytochemistry; Rat brain; Guinea-pig brain; Technique (Van Reempts, J.) 462, 142

Purinergic neuromodulator Adenosine deaminase; Purkinje cell;

Cerebellum; Immunohistochemistry (Nagy, J.I.) 457, 21

Purinergic neurotransmission

Adenosine deaminase; Enkephalin; Immunohistochemistry; Septal nucleus; Habenula; Septohabenular projection (Staines, W.A.) 455, 72

Purkinje cell

Prepositus nucleus; Cerebellar vermis; Fastigial nucleus; Eye movement (Ohtsuka, K.) **455**, 153

Nerve growth factor; Nerve growth factor receptor; Cerebellum; Flocculonodular lobe; Colchicine; Immunoreactivity (Pioro, E.P.) **455**, 182

Neurofilament protein; Monoclonal antibody; Immunocytochemistry (Langley, O.K.) 457, 12

Adenosine deaminase; Cerebellum; Purinergic neuromodulator; Immunohistochemistry (Nagy, J.I.) **457**, 21

Serotonin; Cerebellum; Mutant mouse *pcd*; 5-Hydroxyindoleacetic acid (Ghetti, B.) **458**, 367

Noradrenaline; Cerebellum; Receptor specificity; α_2 -Adrenergic receptor; Pressure ejection (Parfitt, K.D.) **462**, 242

Organotypic culture; Explantation age; Intracellular horseradish peroxidase; Computer microscope; Quantitative morphology; Discriminant analysis (Calvet, M.-C.) 462, 321

Phaseolus vulgaris-leucoagglutinin; Interposed nucleus; Nucleo-cortical projection; Climbing fiber; Cat (Murakami, F.) 463, 144

Topological analysis; Trichotomy; Random terminal branching; Random segmental branching; Computer modelling; Vertex ratio (Sadler, M.) 474, 130

Purkinje cell axon

Purkinje cell dendrite; Developing kitten cerebellum; Organotypic culture; Explantation age; Golgi preparation; Horseradish peroxidase preparation; Computer microscope; Discriminant morphometric analysis (Calvet, M.-C.) 462, 334

Purkinje cell degeneration

[³H]Muscimol binding site; Weaver; Reeler; Staggerer (Rotter, A.) **439**, 236

Flunitrazepam binding site; Weaver; Staggerer; Reeler (Rotter, A.) 444, 133

Purkinje cell degeneration mouse Insulin-like growth factor II; Cerebellar receptor; Weaver mouse (Mendelsohn, L.G.) 458, 361

Purkinje cell dendrite

Purkinje cell axon; Developing kitten cerebellum; Organotypic culture; Explantation age; Golgi preparation; Horseradish peroxidase preparation; Computer microscope; Discriminant morphometric analysis (Calvet, M.-C.) 462, 334

Purkinje neuron

Microiontophoresis; N-Methyl-D-aspartic acid; L-Homocysteic acid; Excitatory amino acid antagonist (Lee, M.) 456, 104

Noradrenaline; Cerebellum in oculo; Brain transplantation; Adrenoceptor (Granholm, A.-C.E.) **459**, 256

Push-pull cannula

Long-term potentiation; Extracellular protein; Dentate gyrus; Learning and memory; Polyacrylamide gel electrophoresis (Fazeli, M.S.) 473, 51

Push-pull perfusion

Benztropine; Tris chloride; Choline chloride; Sodium; Ouabain; Dopamine; Re-uptake; Striatum; Rat (Sirinathsinghji, D.J.S.) 438, 399

1-Methyl-4-phenyl-1,2,3,6-tetra-hydropyridine (MPTP); 1-Methyl-4-phenylpyridine (MPP⁺); Dopamine; 3,4-Dihydroxyphenylacetic acid (DOPAC); Benztropine; Ouabain; Calcium; EGTA; High-performance liquid chromatography; Parkinsonism; Neostriatum; Rat (Sirinathsinghji, D.J.S.) 443, 101

Long-term potentiation; Opioid peptide; Perforant path; Naloxone (Bramham, C.R.) **449**, 352

Blood pressure; Caudal ventrolateral medulla; *N*-Methyl-p-aspartate; 2-Amino-5-phosphonovalerate;

Excitatory amino acid; Rat (Kubo, T.) 451, 366

Vasopressin; Oxytocin; Central release; Osmotic stimulation; Septum; Dorsal hippocampus (Landgraf, R.) **457**, 219

Vasopressin; Oxytocin; Septum; Paraventricular nucleus; Electrical stimulation (Neumann, I.) 462, 181

Endogenous thyrotropin-releasing hormone; Cerebral ventricle; Passive immunization; Cardiovascular system; Conscious rat; Bleeding (Okuda, C.) 474, 399

Putamen

Dopamine D1 receptor; SCH 23390; Quantitative autoradiography; Hippocampus; Senile dementia (Cortés, R.) 475, 164

Putrescine

Cerebral ischemia; α -Difluoromethylornithine; Ornithine decarboxylase; Polyamine metabolism; Rat (Paschen, W.) 453, 9

Pyramidal cell

Frontal cortex; Choline acetyltransferase immunopositivity; Rat (Nishimura, Y.) **440**, 144

Protein 36; Rat brain; Immunocytochemistry; Cortex; Two-dimensional gel electrophoresis (Fukuda, T.) **441**, 185

Hippocampal slice; γ -Aminobutyric acid; Dendritic inhibition; GABA_B receptor; CA3 (Janigro, D.) **453**, 265

Alzheimer's disease; Tau; Meshwork; Senile plaque; Dendrite; Sprouting (Ihara, Y.) **459**, 138

Arginine vasopressin; Hippocampal slice; Interneuron; Cerebral microvessel (Albeck, D.) **463**, 394

Pyramidal neuron

Hippocampus; CA2; Septum; Horseradish peroxidase; Lamellar organization; Computer reconstruction (Tamamaki, N.) **452**, 255

 a_2 -Adrenoceptor; Hippocampus; Noradrenaline; Idazoxan; Microiontophoresis (Curet, O.) **475**, 35

a-Adrenoceptor; β-Adrenoceptor; Noradrenaline; Rat dorsal hippocampus; Locus ceruleus; 6-Hydroxydopamine (Curet, O.) 475, 47

Pyramidal neuron spine of motor cortex

Ontogenetic adaptation of dendritic spine genesis; Pyramidal neuron spine of visual cortex; Undernutrition; Spine genesis; Brain development (Gundappa, G.) **456**, 205

Pyramidal neuron spine of visual cortex

Ontogenetic adaptation of dendritic spine genesis; Pyramidal neuron spine

of motor cortex; Undernutrition; Spine genesis; Brain development (Gundappa, G.) 456, 205

Pyramidal tract

Corticospinal tract; Unmyelinated axon; Anterograde tracing; Rat (Joosten, E.A.J.) 459, 173

Pyramidal tract neuron

Motor cortex; Locomotion; Gait adjustment; Cat (Drew, T.) 457, 181

Pyrethroid

Sodium channel; Squid axon; Voltage clamp; Octylguanidine; Channel modification (De Weille, J.R.) 445, 1

Sodium channel inactivation; Squid giant axon; Tetramethrin; Grayanotoxin; Sodium current (Takeda, K.) 448, 308

Insecticide; Sodium channel; Batrachotoxin; Batrachotoxinin A 20-α-benzoate (Lombet, A.) 459, 44

Pyrethroid insecticide

Rat; Cortical blood flow; Basal forebrain lesion; Cholinergic vasodilation (Lister, T.) 450, 364

Pyridazine derivative

γ-Aminobutyric acid (GABA); GABA_A antagonist; Sensory ganglion; Chromaffin cell; Chloride channel; Calcium current (Hamann, M.) 442, 287

Pyridoxal 5'-phosphate Neuronal cell clone; NG108-15; γ-Aminobutyric acid; Glutamic acid decarboxylase; Neurotransmitter; Differentiation (Searles, C.D.) 448, 373

Pyridoxine deficiency

Pineal gland; Aromatic amino acid decarboxylase; Serotonin; Melatonin; Rat (Viswanathan, M.) 473, 37

Pyriform cortex

Long-term potentiation; Olfactory cortex; Olfactory bulb; Evoked potential; Rat (Stripling, J.S.) 441, 281

Epilepsy; Kindling; Interictal spike; Amygdala; Hippocampus (Racine, R.J.) 454, 251

Epilepsy; Kindling; Amygdala; Septal area; Hippocampus; Lesion (Racine, R.J.) 454, 264

N-Methyl-D-aspartate; Trypsin; Hippocampal neuron; Kainate; Quisqualate (Allen, C.N.) 458, 147

Pyrithiamine

Glucose metabolism; Edematous cerebral cortex; Thiamine-deficient rat; Amino acid; Wernicke's encephalopathy (Takahashi, H.) 441, 202

L-Pyroglutamic acid

Huntington's disease; Neurotoxin hypothesis; Plasma; Cerebrospinal fluid; Brain (Uhlhaas, S.) 457, 196 Pyruvate carboxylase

Biotin; Oligodendrocyte; Carbonic anhydrase; Acetyl-coenzyme A carboxylase (LeVine, S.M.) 444, 199

Quadriceps femoris muscle

 α -Motoneuron; Treadmill locomotion; Locomotor drive potential; Walking; Electromyogram (Glenn, L.L.) 439, 396

Quaking

Shiverer; Myelin-deficient; Gene interaction; Myelin morphology (Wolf, M.K.) 461, 257

Quantal release

Synaptic vesicle; Nerve terminal; Neuromuscular junction; Synapse Synaptic transmission (Smith, D.O.) 447, 145

Quantal transmission

Neuromuscular junction; Transmitter release (Vautrin, J.) 438, 304

Quantification

Monoamine innervation; Cerebral cortex; Distribution; Radioautography (Doucet, G.) 441, 233

Cerebral cortex; Dopamine innervation; Neonatal 6-hydroxydopamine; N(2-chloro-ethyl)N-ethyl-2-bromo benzylamine hydrochloride (DSP-4) denervation; Radioautography (Berger, B.) 441, 260

Quantitation

Neuroleptic; Radioimmunocytochemistry; Striatum; Dopamine receptor (Cruz, C.J.) **457**, 29

Quantitative analysis

Enucleation; Optic tectum; Teleost (Peyrichoux, J.) 447, 299

Reactive astrocyte; Cell number; Proliferation; [3H]Thymidine; Glial fibrillary acidic protein; Mouse (Miyake, T.) 451, 133

Quantitative autoradiography

 β -Bungarotoxin; Rat brain; Hippocampus; Cerebellum; Dendrotoxin; K+-channel (Pelchen-Matthews, A.) 441, 127

Adrenergic receptor; Human brain; Suicide (Biegon, A.) 442, 199

Sex difference; α_1 -Receptor; α_2 -Receptor; Ventromedial hypothalamic nucleus; Preoptic area; Medial amygdaloid nucleus; Guinea pig (Johnson, A.E.) 442, 205

Insulin-like growth factor-1; Brain; Rat; Receptor (Bohannon, N.J.) 444, 205

Angiotensin-converting enzyme inhibitor; Kininase II; Brain transport; Peptidase; Axonal transport; Striatonigral pathway (Aiso, M.) 447, 195

Sodium (Na⁺) channel; Saxitoxin; Tetrodotoxin; Rat brain; Human brain (Mourre, C.) 448, 128

[3H]Museimol binding; Chick brain (Stewart, M.G.) 456, 387

Hippocampus; Development; N-Methyl-D-aspartic acid site; Hippocampal membrane (Tremblay, E.) **461**, 393

Dopamine D1 receptor; SCH 23390; Hippocampus; Putamen; Senile dementia (Cortés, R.) 475, 164

Quantitative morphology

Purkinje cell; Organotypic culture; Explantation age; Intracellular horseradish peroxidase; Computer microscope; Discriminant analysis (Calvet, M.-C.) 462, 321

Quantitative receptor autoradiography

Protein determination; Computerized image processing; Histological tecniques (Miller, J.A.) 447, 60

Choline acetyltransferase; Muscarinic acetylcholine receptor; Quinuclidinyl benzilate; Transmitter-receptor mismatch (Ernsberger, P.) 452, 336

Nicotine; Dopamine; Substantia nigra; Striatum; Lesion; Rat brain; Immunohistochemistry; Tyrosine hydroxylase; Image analysis; Protection (Janson, A.M.) 455, 332

γ-Aminobutyric acid (GABA) receptor; Benzodiazepine receptor; Motor thalamus; Basal ganglia output (Kultas-Ilinsky, K.) 459, 1

Quantum

Miniature end plate potential; Postsynaptic potential; End plate potential; Non-stationary Poisson distribution; Binomial release; Navanax inermis; Gastropod; Mollusc (Cappell, M.S.) 454, 244

Quaternary naltrexone

Intracerebroventricular; Stress-induced analgesia; Freezing; Endogenous opioid; Opioid antagonist; Pavlovian conditioning; Conditioned fear (Fanselow, M.S.) 444, 147

Quercetin

Frog muscle spindle; Cyclic adenosine monophosphate (cAMP); Intracellular Ca²⁺; Decapsulation; Encoding process (Sokabe, M.) 443, 254

Quiescent astrocyte

Cholinergic factor; Cytosine arabinoside; Choline acetyltransferase; Subcortical cholinergic cell culture; Glutamine synthetase (Patel, A.J.) **450,** 378

Quin 2

Muscarinic receptor; Retinal pigment epithelium; Choroid; Free cytoplasmic calcium (Friedman, Z.) 446, 11

Ouinine

Frog taste cell; Intracellular receptor potential; Active chloride secretion; Furosemide; Cotransport of Na⁺/Cl⁻ (Okada, Y.) **450**, 295

Quinolinate

Kainate; Acetylcholinesterase; NADPH-diaphorase; Excitatory amino acid; Huntington's disease; Striatum; Cell culture (Koh, J.-Y.) **446**, 374

Quinoline

Kainic acid; Seizure; Hippocampus; Mossy fiber; Vesicle; Toluene sulfanomide quinoline (TSQ); Epilepsy; Zinc-containing neuron; Zinc (Frederickson, C.J.) 446, 383

Quinolinic acid

Neuropeptide Y; Somatostatin; Nicotinamide adenine dinucleotide phosphate (NADPH)-diaphorase; Striatum; Cortex; Rat (Boegman, R.J.) 445, 358

Catalepsy; SCH23390; Haloperidol; Kainic acid; Neuroleptic; Striatum (Calderon, S.F.) **450**, 403

Striatum; Neuropeptide Y; Acetylcholine; Choline acetyltransferase; Kainic acid; L-Glutamic acid; Decortication (Boegman, R.J.) **452**, 219

Brain dialysis; Calcium; Hippocampus; Neurodegeneration; Seizure (Vezzani, A.) **454**, 289

Proline; Hippocampus; Excitotoxin; Kynurenic acid; N-Methyl-p-aspartic acid; Hyperprolinemia (Nadler, J.V.) **456**, 168

Quinpirole

Dopamine; D₂ receptor; Inositol phosphate; Polyphosphoinositide; Corpus striatum (Pizzi, M.) **456**, 235

Quinuclidinyl benzilate

Choline acetyltransferase; Muscarinic acetylcholine receptor; Quantitative receptor autoradiograhy; Transmitter-receptor mismatch (Ernsberger, P.) 452, 336

³H-1-Quinuclidinylbenzilate-binding Muscarinic; Cholinergic; Receptor; Cohclea; Efferent; Autoradiography (Van Megen, Y.J.B.) 474, 185

Quisqualate

Glutamate; Kainate; N-Methyl-D-aspartate; Fluctuation analysis; Ion channel (Shingai, R.)

448, 198

Glutamate; Stizolobic acid; Competitive inhibitor; Crayfish neuromuscular junction (Shinozaki, H.) **451,** 353

Desensitization; Glutamate; Kainate; Piriform cortex (Hori, N.) 457, 350

N-Methyl-p-aspartate; Trypsin; Hippocampal neuron; Kainate; Pyriform cortex (Allen, C.N.) **458**, 147

Glutamic acid; Glutamic acid diethyl ester; Excitatory amino acid; Seizure; Homocysteine; Diethyl glutarate (Freed, W.J.) 459, 157

Calcium; Depolarization; Glutamate; Neuroblastoma; Neurotoxicity; Cell culture (Murphy, T.H.) **460**, 155

Astrocyte; 3,3-Diethylthiadicarboxyamineiodide; Membrane potential; Potassium; Glutamate receptor; Kainate; N-Methyl-p-aspartate (Enkvist, M.O.K.) **462**, 67

Glutamate; N-Methyl-D-aspartic acid; Kainate; Stizolobic acid; Excitatory amino acid; Rat spinal cord (Ishida, M.) 473, 193

Glutamate; Aspartate; Kainate; N-Methyl-D-aspartate; Turtle cerebellum; Spreading depression; Ion-selective microelectrode (Lauritzen, M.) 475, 317

Ouisqualate receptor

Brain; Postsynaptic density; Synaptic vesicle; Glutamic acid; Aspartic acid (Villanueva, S.) **440**, 363

Quisqualate-sensitive glutamate receptor channel

Argiotoxin₆₃₆; Non-competitive antagonism; Locust muscle (Kerry, C.J.) **459**, 312

R

R1881

Androgen receptor; Baboon (Handa, R.J.) 445, 111

Rahhit

Retina; Amacrine cell; Acetylcholine; γ-Aminobutyric acid; Neurotransmitter colocalization (Vaney, D.I.) **438**, 369

Learning; Neuronal plasticity; Prefrontal cortex; Limbic system; Heart rate (Gibbs, C.M.) 442, 86

Oestrogen; Progesterone; Perivascular; Noradrenergic; Serotonin-like immunoreactivity; Basilar artery (Dhall, U.) **442**, 335 Classical conditioning; Cerebellum; Interpositus; Red nucleus; Electrical stimulation (Chapman, P.F.) **442**, 97

Cochlear nucleus; Deoxyglucose; Pavlovian conditioning; Associative learning; Autoradiography (Harvey, J.A.) **449**, 213

Adenosine; Theophylline; Dipyridamole; Cerebral blood flow; Cerebral pO₂; Cerebral pCO₂ (Puiroud, S.) **453**, 287

Guanidino compound; Cerebrospinal fluid; Convulsion; Pentylenetetrazol (Hiramatsu, M.) 455, 38

Substance P; Neurofilament; Immunohistochemistry; Facet joint; Supraspinous ligament (El-Bohy, A.) 460, 379

Demyelination; Experimental autoimmune encephalomyelitis; Inflammation; Visual evoked potential (Arezzo, J.C.) 462, 286

Neuropeptide Y; Subarachnoid hemorrhage; Cerebral artery; Cerebrospinal fluid (Abel, P.W.) 463, 250

Neuropeptide Y; Cerebrospinal Fluid; Radioimmunoassay; Immunohistochemistry; High performance liquid chromatography; Cerebral artery (McDonald, J.K.) 463, 259

Baroreceptor reflex; Aortic nerve; Ventrolateral medulla; Nucleus tractus solitarii (Wang, Q.) 473, 227

Retina; Amacrine cell; γ-Aminobutyric acid; NADPH-diaphorase; Colocalization (Vaney, D.I.) **474**, 380

Rabbit retina

Dopamine; Superfusion; Light; Nomifensine (Godley, B.F.) 452, 393

Raclopride

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Position emission tomography; Nomifensine; Dopamine re-uptake (Leenders, K.L.) **445**, 61

Radial arm maze

Colchicine; Nucleus basalis; Cholinergic pharmacological agent; Animal model of cognitive dysfunction (Tilson, H.A.) 438, 83

Colchicine; Fetal hippocampal cell suspension; Motor activity (Tandon, P.) 473, 241

Radial glia

Retinotectal projection; Optic nerve regeneration; Ependymin; Synaptic stabilization; Minipump infusion; Goldfish (Schmidt, J.T.) 446, 269

Radioactive label, ¹²⁵I Neocortex; Film autoradiography; Differential absorption; Loss of resolution; Radioactive label, ³H; Radioactive label, ¹⁴C (Lidow, M.S.) **459**, 105 Radioactive label, ¹⁴C

Neocortex; Film autoradiography; Differential absorption; Loss of resolution; Radioactive label, ³H; Radioactive label, ¹²⁵I (Lidow, M.S.) 459, 105

Radioactive label, ³H

Neocortex; Film autoradiography; Differential absorption; Loss of resolution; Radioactive label, ¹²⁵I; Radioactive label, ¹⁴C (Lidow, M.S.) 459, 105

Radioautography

Monoamine innervation; Cerebral cortex; Distribution; Quantification (Doucet, G.) 441, 233

Cerebral cortex; Dopamine innervation; Neonatal 6-hydroxydopamine; N(2-chloro-ethyl)N-ethyl-2-bromobenzylamine hydrochloride (DSP-4) denervation; Quantification (Berger, B.) 441, 260

Radioenzymatic assay

Dopamine β -hydroxylase; Antibody; Rat retina; Immunocytochemical staining; Interspecies cross-immunoreactivity (Park, D.H.) 460, 352

Radiofrequency lesion

Arcuate nucleus; Dorsomedial hypothalamus; Ventromedial hypothalamus; Immunoreactive dynorphin A; Immunoreactive dynorphin B; Hypothalamus; Pituitary gland (Spampinato, S.) 463, 100

Radiohistochemistry

γ-Aminobutyric acid (GABA)-benzodiazepine receptor; Evolution; Photoaffinity labeling; Immunohistochemistry (Hebebrand, J.) 446, 251

γ-Aminobutyric acid/Benzodiazepine receptor; Cerebellum; Evolution; Immunohistochemistry (Schmitz, E.) 473, 314

Radioimmunoassay

Gastrin releasing peptide; Retina; Immunohistochemistry; Chromatography (McKillop, J.M.) 447, 239

Neuropeptide Y; Hypothalamus; Elasmobranch fish; Scyliorhinus; Immunohistochemistry; High-performance liquid chromatography (Vallarino, M.) 448, 67

Thyrotropin-releasing hormone (TRH); Precursor; Rat; Hypothalamus; Olfactory lobe; High-performance liquid chromatography (HPLC) (Wu, P.) **456**, 22

Scent marking (Albers, H.E.) 456, 382

Neuropeptide Y; Rabbit; Cerebrospinal Fluid: Immunohistochemistry; High performance liquid chromatography;

Cerebral artery (McDonald, J.K.) 463, 259

Neonatal treatment; Vasopressin; Vasopressin antagonist; Sexual behavior; Development; Immunocytochemistry (Meyerson, B.J.) 473, 344

Immunocytochemistry; Motor neurone disease; Neurofilament triplet protein; Neuropeptide; Onuf's nucleus; Sacral spinal cord (Gibson, S.J.) 474, 255

Radioimmunocytochemistry Neuroleptic; Quantitation; Striatum; Dopamine receptor (Cruz, C.J.)

Radioprotectant

Dithiothreitol; Hippocampus; Intracellular recording (Tolliver, J.M.) 456, 49

Random segmental branching

Topological analysis; Trichotomy; Random terminal branching; Computer modelling; Vertex ratio; Purkinje cell (Sadler, M.) 474, 130

Random stimulation

Dorsal horn neuron; Cutaneous afferent; Peristimulus time histogram; Coherence function (Kuipers, U.) 462, 154

Random terminal branching

Topological analysis; Trichotomy; Random segmental branching; Computer modelling; Vertex ratio; Purkinje cell (Sadler, M.) 474, 130

Ranvier's node Axoglial junction; Wallerian degeneration; Demyelination; Freeze-fracturing; Optic nerve; Myelin; Axolemma (Hasegawa, M.) 452, 345

Axoplasmic flow; Histocytochemistry; Electron microscopy; Ventral root; Spinal cord; Motor neuron; Initial axon segment (Berthold, C.-H.) 456, 293

Transplantation; Serotonin; Hippocampus; Horseradish peroxidase; Immunocytochemistry; High-pressure liquid chromatography (Zhou, F.C.) 450, 51

Blood pressure; Cardiovascular; Baroreceptor reflex (Haselton, J.R.) 453, 167

Blood pressure; Defense response; Hypothalamus; Periaqueductal gray; Intermediolateral horn (Haselton, J.R.) 453, 176

Fluoro-Gold; Retrograde tracing; Fluorescent tracer; Locus coeruleus; Substantia nigra; Nucleus basalis; Afferent pathway; Immunofluorescence; Rat (Pieribone, V.A.) 475, 259

Raphe neuron

Thyrotrophin-releasing hormone; Wet-dog shake; Choline

acetyltransferase; Serotonin; Motoneuron (Fone, K.C.F.) 455, 157

Serotonin neuron; Hippocampal graft (Daszuta, A.) 458, 1

Raphe nucleus

Integrated functional activity; Serotonergic system; 5,7-Dihydroxytryptamine; Electrolytic lesion (Cudennec, A.) 444, 214

Integrated functional activity; Cortical column; Serotonergic system; Serotonin head syndrome; Thalamocortical pathway; Extrapyramidal system (Cudennec, A.) 444, 227

Serotonin; Neuronal transplantation; Immunohistochemistry; Subcommissural organ (Ueda, S.) 444, 361

Serotoninergic axon; Amphetamine derivative; Neurotoxicity (Fritschy, J.-M.) 473, 261

Raphe system

Serotonin; Locus ceruleus; Ovulation; Luteinizing hormone (LH) (Morello, H.) 440, 227

Rapid eye movement sleep Self-stimulation; Knife cut; Medial forebrain bundle; Rate-frequency data; Path neuron (Waraczynski, M.A.) 438, 8

 α_1 -Adrenoceptor, central; Prazosin; Narcolepsy; Cataplexy (Mignot, E.) 444, 184

Insomnia; Acetylcholine; Carbachol; p-Chlorophenylalanine; Pontine area (Drucker-Colín, R.) 462, 163

Vasoactive intestinal polypeptide antagonist; Peptide; Rat; Circadian rhythm (Mirmiran, M.) 458, 192

Pontine reticular formation; Carbachol; Cholinergic; Propranolol; Aminergic; Microinjection; Cat; Reciprocal interaction model (Denlinger, S.L.) **473**, 116

Ponto-geniculo-occipital wave; Acetylcholine; Lateral geniculate nucleus; Peribrachial area; Nicotinic mechanism (Hu, B.) 473, 394

Medial hypothalamus; Dorsal horn neuron; Heat-evoked response; Tail-flick reflex; Descending inhibition; Stimulation-produced analgesia (Culhane, E.S.) 438, 137

Dorsal root regeneration; Grafted Pacinian corpuscle; Reinnervation; Electron microscopy (Zelená, J.) **438**, 163

Corpus callosum; Sex difference; Early experience; Brain laterality (Berrebi, A.S.) 438, 216

Respiration; Regeneration; Nerve transplant; Axotomy; Electrophysiology; Brainstem (Gauthier, P.) 438, 225

Cocaine; Nociception; Flexion reflex; Analgesia (Pertovaara, A.) 438, 286

Carnosine; Olfactory bulb; Immunocytochemistry; Neurotransmitter (Sakai, M.) **438**, 335

Pineal; Thyroxine 5'-deiodinase; Hypothyroidism; Rhythm; β -Adrenergic (Murakami, M.) **438**, 366

Benztropine; Tris chloride; Choline chloride; Sodium; Ouabain; Dopamine; Re-uptake; Striatum; Push-pull perfusion (Sirinathsinghji, D.J.S.) **438**, 399

Mouse; Somatosensory cortex; Barrel; Vibrissa; Anti-γ-aminobutyric acid (anti-GABA) serum; Immunocytochemistry (Chmielowska, J.) **439**, 155

Ectopic granule cell; Primary fissure; Cerebellum; Plasticity (Berciano, M.T.) **439**, 169

Long-term potentiation; Critical period; Visual cortex; Current source density; In vitro (Perkins, IV, A.T.) 439, 222

Neuropeptide Y, Suprachiasmatic nucleus; Lateral geniculate nucleus; Immunocytochemistry; Electron microscopy (Ibata, Y.) **439**, 230

γ-Aminobutyric acid; Aspartate; Immunohistochemistry; Deep cerebellar nucleus (Kumoi, K.) **439**, 302

Immunocytochemistry; Histaminergic fiber; Histidine decarboxylase; Histamine; Median eminence; Hypophysis (Inagaki, N.) 439, 402

Receptive field; Neuron; Somatosensory cortex; Anesthesia; Cat (Dykes, R.) **440**, 133

Frontal cortex; Pyramidal cell; Choline acetyltransferase immunopositivity (Nishimura, Y.) **440**, 144

Thyrotropin-releasing hormone; Aging; Thermoregulation; Chloral hydrate (Amir, S.) **440**, 181

Kassinin; Tachykinin; Salt appetite; Sodium depletion; Deoxycorticosterone acetate; Renin (Massi, M.) **440**, 232

Microdialysis; Hemorrhage; Blood pressure; Noradrenaline; 3-Methoxy-4-hydroxyphenylethyleneglycol (MHPG); Serotonin; Uric acid; Supraoptic nucleus (Kendrick, K.M.) 440, 402

Nucleus accumbens; Substantia innominata; Carbachol; Locomotor activity (Austin, M.C.) **441**, 209

Aminopeptidase inhibitor; Amastatin;

Bestatin; Angiotensin II; Angiotensin III; Cerebroventricular metabolism; Drinking (Wright, J.W.) **441**, 215

Long-term potentiation; Pyriform cortex; Olfactory cortex; Olfactory bulb; Evoked potential (Stripling, J.S.) **441**, 281

Subthalamic nucleus; Striatum; Nucleus tegmenti pedunculopontinus pars compacta; Globus pallidus; Substantia nigra; Retrograde double labeling (Takada, M.) 442, 72

Piriform cortex; Metabolic activity; Odor; Computerized image processing method (Cattarelli, M.) 442, 180

Rostral ventrolateral medulla; Pacemaker neuron; Reticulospinal neuron; Basal sympathetic tone; Intracellular recording (Sun, M.-K.) **442**, 229

Epilepsy; Electrical kindling; Seizure; Magnetic field, 60 Hz; Power-line frequency; Health effect (Ossenkopp, K.-P.) 442, 255

Corticotropin-releasing factor; Arterial pressure; Regional vascular resistance (Grosskreutz, C.L.) **442**, 363

Sexual behavior; Dopamine; cis-Flupenthixol; Apomorphine; Medial preoptic area; Male (Pehek, E.A.) 443, 70

1-Methyl-4-phenyl-1,2,3,6-tetra-hydropyridine (MPTP);
1-Methyl-4-phenylpyridine (MPP+);
Dopamine; 3,4-Dihydroxyphenylacetic acid (DOPAC); Benztropine; Ouabain; Calcium; EGTA; Push-pull perfusion; High-performance liquid chromatography; Parkinsonism; Neostriatum (Sirinathsinghji, D.J.S.)
443, 101

Neurotensin; Mammillary body; Passive avoidance behavior; Central amygdaloid nucleus; Learning behavior (Shibata, K.) **443**, 117

Decerebrate; Chronic; Nucleus tractus solitarii; Taste; Electrophysiology (Mark, G.P.) **443**, 137

Atrial natriuretic polypeptide; Angiotensin II; Subfornical organ; Brain slice preparation; Body fluid homeostasis (Hattori, Y.) 443, 355

Regional cerebral glucose utilization; Conditioned fear; Aversive conditioning; Conditional emotional response; Stress (Bryan, R.M.) 444, 17

Rimorphin; Substantia nigra; Rotation; Opioid peptide; Prodynorphin; Dynorphin B; Dopamine; κ-Receptor; Opiate (Matsumoto, R.R.) 444, 67

Temperature dependence; Taste nerve response; Amiloride; Receptor potential; NaCl; Anion influence (Nakamura, M.) 444, 159

Insulin-like growth factor-1; Quantitative autoradiography; Brain; Receptor (Bohannon, N.J.) 444, 205

Ketamine anesthesia; Striatum; Dopamine turnover; 3,4-Dihydroxyphenylacetic acid; Homovanillic acid (Koshikawa, N.) 444, 394

Somatostatin; Substance P; Haloperidol; Long-term administration; Dopamine (Radke, J.M.) **445**, 55

Cerebral vascular innervation; Sympathetic innervation; Stellate ganglion; Basilar artery; Vertebral artery; Anterograde tracing; Wheatgerm-agglutinated horseradish peroxidase (WGA-HRP) histochemistry (Arbab, M.A.) 445, 175

Ventromedial hypothalamus; Preoptic area; Anterior hypothalamus; Thermosensitive neuron; Brain slice preparation; Brown adipose tissue (Imai-Matsumura, K.) 445, 193

Glucocorticoid receptor; Hippocampus; Stress (Meaney, M.J.) 445, 198

Glucoprivic feeding; Fatty acid oxidation; 5-Thio-p-glucose; Methyl palmoxirate; Fourth ventricle; Metabolic control of food intake; Caudal brainstem (Tordoff, M.G.) 445. 216

Transplant; Dopamine; Adrenal medulla; Chromaffin cell; Caudate; In vivo dialysis; Circling (Nishino, H.) **445**, 325

Neuropeptide Y; Somatostatin; Nicotinamide adenine dinucleotide phosphate (NADPH)-diaphorase; Striatum; Cortex; Quinolinic acid (Boegman, R.J.) 445, 358

Pretectum; Corticopretectal influence; Vision (Molotchnikoff, S.) 446, 67

Luteinizing hormone-releasing hormone (LH-RH); Puberty; Noradrenaline; In vitro (Clough, R.W.) 446, 121

Nerve growth factor; Receptor; Development; Central nervous system (Eckenstein, F.) **446**, 149

Magnetic field; Cyclic adenosine monophosphate (cAMP); Pineal gland (Rudolph, K.) **446**, 159

Soma size; Oxidative enzyme activity; Horseradish peroxidase; Motoneuron; Fast-twitch muscle; Slow-twitch muscle (Ishihara, A.) **446**, 195

Pterygopalatine ganglion; Guinea pig; Neuropeptide Y; Acetylcholinesterase; Cholinergic; Tyrosine hydroxylase; Small intensely fluorescent (SIF) cell; Coexistence (Kuwayama, Y.) 446, 219

Acetylcholine; Muscarinic receptor subtype; Muscarinic agonist; Pirenzepine; Microiontophoresis

(Rascol, O.) 446, 303

γ-Aminobutyric acid (GABA); γ-Aminobutyric acid antiserum; Immunohistochemistry; Hypothalamus; Pituitary gland (Sakaue, M.) **446**, 343

Thalamic reticular cell; Lateral geniculate nucleus; Lateral posterior nucleus; Visual cortex (Sumitomo, I.) **446**, 354

Atrial natriuretic factor; Sodium nitroprusside; Cyclic guanosine monophosphate (GMP); Hippocampus; Immunocytochemistry (De Vente, J.) 446. 387

Inescapable shock; Noradrenergic mechanism; Dopaminergic mechanism; Serotonergic mechanism; Cholinergic mechanism; γ-Aminobutyric acidergic mechanism; Motor activity (Płaźnik, A.) 447, 122

Calcitonin gene-related peptide; Vestibular end-organ; Immunohistochemistry (Tanaka, M.) 447, 175

Flexor reflex; Arthritis; Tenotomy; Chronic; Plasticity; Spinal cord (Wall, P.D.) 447, 215

Entubulation repair; Peripheral nerve repair; Collagen; Laminin; Peripheral nervous system (Madison, R.D.) **447**, 325

Burst discharge; Phasic hyperpolarization; Rebound excitation; Ventrobasal relay neuron (Sumitomo, I.) 447, 376

Trigeminal sensory complex; Nociception; Ventrobasal thalamic neuron; Orofacial receptive field; Tractotomy (Dallel, R.) 448, 7

γ-Aminobutyric acid; Muscimol; 4,5,6,7-Tetrahydro-isoxazolo [5,4-c]pyridin 3-ol (THIP); Bicuculline; Intracerebral injection; Epilepsy, Electroencephalogram; Substantia nigra; Petit mal (Depaulis, A.) 448, 20

Tumor necrosis factor; Interleukin-1 β ; Transforming growth factor- β ; Angiotensin II; Food and water intake; Central nervous system; Intracerebroventricular administration (Plata-Salamán, C.R.) **448**, 106

Muscarinic receptor; Preoptic area; Hypothalamus; Estrous cycle; Estradiol; Sex differences (Olsen, K.L.) 448, 223

Catecholamine; Magnetic field; Retina (Olcese, J.) 448, 325

Angiotensin II; Angiotensin III; Amastatin; Bestatin; Cerebroventricle (Dewey, A.L.) 448, 369

4-Aminopyridine; Micturition reflex; Urinary bladder; Capsaicin-sensitive sensory neuron; Bladder voiding cycle (Maggi, C.A.) 449, 61

Kindling; Sleep; Memory; Aging; Seizure (Stone, W.S.) 449, 135

Conditioning lesion; Axonal regeneration; Nerve transection; Nerve freeze; Sciatic nerve; Tenotomy; Neurotrophic factor (Bondoux-Jahan, M.) **449**, 150

Hypothalamus; Locomotion; Exploration; Flight; Electrical brain stimulation; Discriminant analysis; Mapping (Lammers, J.H.C.M.) **449**, 294

Hypothalamus; Aggression; Teeth-chattering; Social grooming; Electrical brain stimulation; Discriminant analysis; Mapping (Lammers, J.H.C.M.) 449, 311

Calcitonin gene-related peptide; Sacral parasympathetic nucleus; Sympathetic preganglionic neuron; Pelvic ganglion (Senba, E.) 449, 386

Development; Estrogen; Female sexual behavior; Lordosis; Progestin receptor; Sexual differentiation (Williams, C.L.) **449.** 403

Pineal; Melatonin; Serotonin *N*-acetyltransferase; Adrenal; Pituitary; Stress; Saline injection (Troiani, M.E.) **450**, 18

Blood-brain barrier; Circumventricular organ; Fluorescein; Gonadectomy; Sex difference (Martinez, J.L.) 450, 81

Glycine; γ-Aminobutyric acid; Immunocytochemistry; Colocalization; Cerebellum (Ottersen, O.P.) **450**, 342

Corticotropin-releasing hormone; Luteinizing hormone; Opioid; Tolerance (Nikolarakis, K.E.) **450**, 360

Cortical blood flow; Basal forebrain lesion; Cholinergic vasodilation; Pyrethroid insecticide (Lister, T.) **450.** 364

Opiate withdrawal; Fasciculus retroflexus; Interpeduncular nucleus; 2-Deoxyglucose autoradiography; Behavioral withdrawal; Lesion (Cutlip, A.C.) 451, 54

49-Tetrahydrocannabinol; Marijuana; Cannabinoid; Cannabis; Dopamine; 3,4-Dihydroxyphenylethylamine; Neostriatum; Caudate nucleus; Potassium; In vivo electrochemistry; In vivo microdialysis; Brain reward (Ng Cheong Ton, J.M.) 451, 59

Pedunculopontine nucleus; Mesencephalic locomotor region; Locomotor activity; Carbachol; Amphetamine; Nucleus accumbens; Cholinergic mechanism (Brudzynski, S.M.) 451, 119

Lesion-induced synaptic reorganization; Medial amygdaloid nucleus; Accessory olfactory bulb; *Phaseolus vulgaris* leucoagglutinin (PHA-L) (Ichikawa, M.) **451**, 248 Amiloride; Taste; Single fiber; Chorda tympani nerve; Ionic stimulus; Electrical stimulation (Ninomiya, Y.) **451**, 319

Stimulation-produced analgesia; Periaqueductal gray matter; Superior colliculus; Tegmentum; Midbrain; Blood pressure; Analgesia (Depaulis, A.) **451**, 326

Apomorphine; Presynaptic dopamine autoreceptor; Naltrexone; Water intake; Locomotor activity (Ukai, M.) **451**, 357

Blood pressure; Caudal ventrolateral medulla; N-Methyl-p-aspartate; 2-Amino-5-phosphonovalerate; Excitatory amino acid; Push-pull perfusion (Kubo, T.) **451**, 366

ω-Conotoxin; Calcium channel; Autoradiography; Distribution; Brain (Takemura, M.) **451**, 386

Angiotensin II; Angiotensin III; Tachyphylaxis; Drinking (Quirk, W.S.) **452**, 73

Biological rhythm; Autoradiography; Light effect (Pauly, J.R.) 452, 105

Luteinizing hormone-releasing hormone; Luteinizing hormone; Ovariectomy (King, J.C.) **452**, 127

Gonadotropin releasing hormone; Receptor; Central nervous system (Jennes, L.) **452**, 156

Acetylcholine; Concussion; Head injury; Pons; Hippocampus; Amygdala; Thalamus (Saija, A.) 452, 303

Middle cerebral artery; Neurological deficit; Motor coordination; Learning behavior; Chronic ischemic model (Yamamoto, M.) **452**, 323

Cerebral ischemia; α-Difluoromethylornithine; Ornithine decarboxylase; Polyamine metabolism; Putrescine (Paschen, W.) **453**, 9

Alcohol; Brain metabolism; Convulsion; Ethanol withdrawal syndrome; Deoxyglucose; Kindling; Physical dependence (Clemmesen, L.) 453, 204

Diclofenac sodium; Indomethacin; Prostaglandin; Paradoxical sleep; Sleep substance; Slow wave sleep (Naito, K.) **453**, 329

Calcitonin gene-related peptide; Substance P; Meissner's corpuscle; Immunohistochemistry (Ishida-Yamamoto, A.) **453**, 362

Kainic acid; Dorsal lateral geniculate nucleus; Retrograde axonal transport; Fluorescent dye; Visual cortex; Retina (Woodward, W.R.) **454**, 106

Experimental epilepsy; 6-Hydroxydopamine; Noradrenaline (Trottier, S.) **454**, 308 Taste; Thermal sensitivity; Mechanoreceptive neuron; Cold neuron; Solitary tract nucleus; Receptive field (Ogawa, H.) **454**, 321

Nerve growth factor; Cerebral cortex; Basal nucleus; Neostriatum; Neuronal degeneration; Rat brain injury; Brain plasticity (Lorez, H.P.) **454**, 355

Prostaglandin; Ventral septal area; Fever; Kainic acid lesion (Martin, S.M.) 455, 196

Intrathecal; Noradrenaline; 5-Hydroxytryptamine; Posterior raphe nuclear complex; Antinociception (Clatworthy, A.) **455**, 300

Subparafascicular nucleus; Neocortex; Spinal cord; All dopamine cell group; Retrograde fluorescent labeling; Immunohistochemistry (Takada, M.) **455**, 346

Thyrotropin-releasing hormone (TRH); Precursor; Hypothalamus; Olfactory lobe; Radioimmunoassay; High-performance liquid chromatography (HPLC) (Wu, P.) **456,** 22

Benzodiazepine; Clonazepam; Palatability; Sweet taste; Zolpidem; Fluid intake (Cooper, S.J.) **456**, 173

Neonatal androgenization; Ovulation; Lordosis; Bethanechol; Estrogen binding site (Lauber, A.H.) **456**, 177

Atropine sulfate; Auditory brainstem response; Brainstem auditory evoked potential; Cortical auditory evoked potential (Church, M.W.) 456, 224

Neuropeptide Y; Paraventricular hypothalamic nucleus; Gastric acid secretion; Microinjection; Peptide; Central nervous system; Hypothalamus (Humphreys, G.A.) **456**, 241

Angiotensin II; Angiotensin III; [Sar¹]Angiotensin II; Amastatin; Bestatin; Blood pressure; Intracerebroventricular (Sullivan, M.J.) **456**, 249

Corticotropin-releasing hormone antagonist; Freezing behavior; Stress response; Nociception (Kalin, N.H.) **457**, 130

Nigrotectal projection; Dopamine; Parkinsonism; Saccade (Takada, M.) **457**, 165

N-Methyl-D-aspartate antagonist; Spreading depression; Cerebral cortex; Electric stimulation; Ion-sensitive microelectrode (Marrannes, R.) 457, 226

Ketamine anesthesia; Classical conditioning; Conditioned suppression; Retention (Edeline, J.-M.) 457, 274

Hippocampus; Central cardiovascular control; Electrical stimulation; Chemical stimulation; Medial frontal

cortex (Ruit, K.G.) 457, 310

α-Melanocyte-stimulating hormone; Dopamine; Hypothalamus; Superfusion; Apomorphine; Flupenthixol (Tiligada, E.) **457**, 379

Subthalamic nucleus; Primary somatosensory cortex; Secondary somatosensory nuclei; Horseradish peroxidase; Wheat germ-agglutinated horseradish peroxidase (Canteras, N.S.) 458, 53

Retina; γ-Aminobutyric acid; Gabaculine; Immunocytochemistry; Müller cell (Cubells, J.F.) **458**, 82

Vasoactive intestinal polypeptide antagonist; Rapid-eye-movement sleep; Peptide; Circadian rhythm (Mirmiran, M.) **458**, 192

Substance P receptor; Superior cervical ganglion; Tissue culture; Neuron; Autoradiography (James, S.) 458, 205

Pyramidal tract; Corticospinal tract; Unmyelinated axon; Anterograde tracing (Joosten, E.A.J.) **459**, 173

Central nervous system; Development; Excitatory amino acid; Glutamate; Hypoxia-ischemia; Neurotoxicity; *N*-Methyl-D-aspartate (McDonald, J.W.) **459**, 200

Adrenergic; Serotoninergic; Peptidergic; Perivascular; Innervation; Cerebral artery; Development (Mione, M.C.) **460**, 103

Hippocampus; Dentate gyrus; Opioid receptor; μ -Site; δ -Site; κ -Site (Plager, M.D.) **460**, 150

Thalamus; Nucleus submedius; Nociception (Dostrovsky, J.O.) **460**, 269

Plasticity; Retinal ganglion cell; Fluorescent dye; Electron microscopy (Chan, S.O.) **461**, 163

5-Hydroxytryptamine; Coexistence; Immunohistochemistry; Neurotransmitter; Nucleus raphe magnus (Millhorn, D.E.) **461**, 169

Osmosensitive neuron; Subfornical organ; In vitro; Synaptic blockade (Sibbald, J.R.) **461**, 205

Blood-brain barrier; Plasma volume; Brain; Capillary; Distribution volume; Dextran; Inulin; Transferrin (Smith, Q.R.) **462**, 1

Substance P antagonist; Tail flick; Intrathecal; Nociception; Spinal cord (Cridland, R.A.) **462**, 15

Methylmercury; L-Cysteine; Blood-brain barrier; Transport (Aschner, M.) **462**, 31

Cerebrospinal fluid pressure; Circadian pattern; Central nervous system; Intracranial pressure (Starcevic, V.P.) **462**, 112

Auditory system; Spiral ganglion; T II neuron; Neurofilament subunits; Immunocytochemistry (Romand, R.) **462**, 167

Parvocellular reticular nucleus; Efferent projection; Mesencephalic trigeminal nucleus; Field potential (Jüch, P.J.W.) **462**, 185

Glycine; Substantia nigra zona compacta; Potassium; Voltage clamp; Slice (Mercuri, N.B.) **462**, 199

C-flanking peptide of neuropeptide Y (C-PON); Immunocytochemistry; NADPH-diaphorase; Enzyme histochemistry; Striatum (Villalba, R.M.) 462, 359

Electron microscopy; Horseradish peroxidase; Primary afferent; Vibrissa (Renehan, W.E.) **462**, 396

MK-801; N-Methyl-D-aspartate receptor; Non-competitive antagonist; Kindling (Sato, K.) **463**, 12

Tooth pulp axon; Pain; Capsaicin; Sympathectomy; Electron microscopy (Fried, K.) **463**, 118

Neuropeptide; Calcitonin gene-related peptide; Immunohistochemistry; Receptor binding site; Motor system; Sensory system; Autonomic system (Kruger, L.) 463, 223

Dentate gyrus; Granule cell; Stereology; Dendrite; Neuronal plasticity; Alcohol (Cadete-Leite, A.) 473, 1

Pineal gland; Pyridoxine deficiency; Aromatic amino acid decarboxylase; Serotonin; Melatonin (Viswanathan, M.) **473**, 37

Endogenous organic acid; 3,4-Dihydroxybutanoic acid γ -lactone; 2,4,5-Trihydroxypentanoic acid γ -lactone; Feeding modulation; Serum glucose; Insulin; 4-Butanolide (Sakata, T.) **473**, 43

γ-Aminobutyric acid; Dorsal raphe nucleus; Chronic benzodiazepine; Diazepam; Brain slice (Wilson, M.A.) 473. 198

Aging; Vasopressin innervation; Oxytocin innervation; Testosterone; Sex steroid; Plasticity in senescence (Goudsmit, E.) 473, 306

Hyperbaric oxygenation; Peripheral nerve; Hypoxia; Blood-nerve barrier (Schmelzer, J.D.) **473**, 321

Interleukin-1; Lipopolysaccharide endotoxin; Conditioned taste aversion (Tazi, A.) **473**, 369

Cholecystokinin; Receptor; Nervus vagus; Nodose ganglion; Nucleus tractus solitarii (Ladenheim, E.E.) **474**, 125

Ethanol; Muscarinic binding site; Chronic treatment; Alcoholism model (Wahlström, G.) 474, 189

Immunocytochemistry; γ-Aminobutyric acid; Glutamic acid decarboxylase; Somatosensory cortex (Spreafico, R.) **474**, 192

Excitatory amino acid; Kainic acid; Domoic acid; Acromelic acid; Spinal cord; Electrophysiology (Ishida, M.) **474**, 386

Aromatic L-amino acid decarboxylase; Tyrosine hydroxylase; Dopamine; Serotonin; Spinal cord; Immunohistochemistry; Mouse (Nagatsu, I.) 475, 91

Dynorphin; Calcitonin gene-related peptide; Spinal cord; Immunocytochemistry; Nociception (Takahashi, O.) 475, 168

Nerve regeneration; Sciatic nerve; Growth hormone; Somatomedin; Insulin-like growth factor (Kanje, M.) 475, 254

Fluoro-Gold; Retrograde tracing; Fluorescent tracer; Locus coeruleus; Raphe; Substantia nigra; Nucleus basalis; Afferent pathway; Immunofluorescence (Pieribone, V.A.) 475, 259

Cerebral blood flow; Chronic hypoglycemia; Hypoglycemia; Insulin; Iodoantipyrine (Bryan, R.M.) 475, 397

Rat brain

Superoxide radical; Superoxide dismutase; Glutathione peroxidase; Cerebral ischemia (Chan, P.H.) **439**, 388

β-Bungarotoxin; Quantitative autoradiography; Hippocampus; Cerebellum; Dendrotoxin; K⁺-channel (Pelchen-Matthews, A.) **441**, 127

Protein 36; Immunocytochemistry; Pyramidal cell; Cortex; Two-dimensional gel electrophoresis (Fukuda, T.) **441**, 185

Habenula projection; *Phaseolus* vulgaris leucoagglutinin (PHA-L); Anterograde axonal tracing; Thalamus; Midbrain (Araki, M.) **441**, 319

Autoradiography; Competition study; Oxytocin; Synthetic structural analogue; V_1 receptor; Vasopressin (Tribollet, E.) **442**, 105

Cholinotoxin (AF64A); Aluminum accumulation; Regional difference; Parietal cortex; Hippocampus; Alzheimer's disease (Szerdahelyi, P.) 444, 356

MCD peptide receptor; Ionic channel; Ontogenesis; Seizure; Autoradiography (Mourre, C.) 446, 106

Sodium (Na⁺) channel; Saxitoxin; Tetrodotoxin; Quantitative autoradiography; Human brain (Mourre, C.) 448, 128 Cytochalasin B; Glucose transporter; Autoradiography (Tucker, S.P.) **450**, 131

Ca²⁺-dependent K⁺ channel; Apamin; 2-Deoxyglucose, [¹⁴C]-; Brain metabolism (Mourre, C.) **451**, 274

Benzodiazepine; Barbiturate; Chloride ion; Midazolam; Pentobarbital; γ-Aminobutyric acid; Chloride flux (Yu, O.) **451**, 376

L-Dihydroxyphenylalanine; Glutaraldehyde; Antibody; Substantia nigra; Locus ceruleus; Striatum; Enzyme-linked immunosorbent assay; Immunocytochemistry (Mons, N.) 451, 403

Protein kinase; Synaptic membrane glycoprotein; Tissue culture; Synaptic differentiation; Two-dimensional, renaturing gel electrophoresis; Western blotting; Immunocytochemistry (Lasher, R.S.) 452, 184

Nicotine; Dopamine; Substantia nigra; Striatum; Lesion; Immunohistochemistry; Tyrosine hydroxylase; Image analysis; Protection; Quantitative receptor autoradiography (Janson, A.M.) 455, 332

Sexual differentiation; Sexually dimorphic nucleus; Preoptic area; Diethylstilbestrol (Tarttelin, M.F.) **456**, 271

Nicotine; 2-Deoxyglucose; Local cerebral glucose utilization; Nicotinic receptor; Chronic nicotine administration; Locomotor activity (Grünwald, F.) **456**, 350

Neurotensin binding; Rat uterus; Dynorphin; L-156,903; Levocabastine; Autoradiography (Pettibone, D.J.) **457,** 212

Purine nucleoside phosphorylase; Neuroglia; Cytochemistry; Guinea-pig brain; Technique (Van Reempts, J.) **462,** 142

Cholinergic receptor; Muscarinic receptor subtype; Cyclic adenosine monophosphate; M₂ receptor; Cerebral cortex; Forskolin (Anderson, D.J.) **475**, 28

Rat brain cell culture

Astrocyte; Glial fibrillary acidic protein; Fetal calf serum; Factor; Differentiation (Bologa, L.) 457, 295

Rat brain hemisphere

Neuron; Cell culture; Neurofilament; Aluminum; Tangle; Immunocytochemistry (Langui, D.) 438, 67

Rat brain injury

Nerve growth factor; Cerebral cortex; Basal nucleus; Neostriatum; Rat; Neuronal degeneration; Brain plasticity (Lorez, H.P.) 454, 355

Rat brain region

Supine restraint stress; Noradrenaline turnover; 3-Methoxy-4-hydroxy-phenylethyleneglycol sulfate; Corticosterone; Expression of aggression (Tsuda, A.) 474, 174

Rat cerebral cortex

Peripheral benzodiazepine receptor; Focal ischaemia; Neurotoxic lesion; Diaschisis; Striatum (Dubois, A.) **445**, 77

Muscarinic cholinergic receptor; Heterogeneity; Heart; Ileum; Himbacine (Wang, J.-x.) 446, 155

Cyclic AMP; Noradrenaline; Phentolamine; Propranolol; 8-Phenyltheophylline; Iron-induced epilepsy (Moriwaki, A.) **461**, 190

Rat cerebral hemisphere

Brain lateralization; Protein phosphorylation; Protein kinase C; Cerebral asymmetry; Synaptosomal fraction (De Martinez, M.S.G.) **440**, 386

Rat dorsal hippocampus

α-Adrenoceptor; β-Adrenoceptor; Noradrenaline; Pyramidal neuron; Locus ceruleus; 6-Hydroxydopamine (Curet, O.) 475, 47

Rat dorsal horn neuron

Calcitonin gene-related peptide; Spinal cord; Slice (Ryu, P.D.) 441, 357

Rat frontal cortex

Synapse; E-PTA-stained synapse; Perforated synapse; High-voltage electron microscopy (Igarashi, H.) 473, 365

Rat hippocampal slice

Cholecystokinin; Brain receptor; Cholecystokinin A (CCK-A) receptor; Cholecystokinin B (CCK-B) receptor; Single-unit activity; Extracellular recording (Böhme, G.A.) 451, 309

Adenosine; Physiological modulation; A₁-Receptor antagonist; 8-Cyclopentyl-1,3-dipropylxanthine; Adenosine deaminase; Ca²⁺ flux; Synaptic transmission (Schubert, P.) **458**, 162

Rat hypothalamus

Corticotropin-releasing hormone; γ-Aminobutyric acid; Diazepam; Muscimol; Baclofen (Calogero, A.E.) 463, 28

Rat model

γ-Aminobutyric acid (GABA); Partial epilepsy; Remote lesion; Withdrawal; Cerebral cortex; Brain plasticity (Brailowsky, S.) **442**, 175

Rat neostriatum

Glutamate decarboxylase (GAD) immunoreactivity; Medium-spiny projection neuron (Kita, H.) 447, 346

Neuropeptide Y; Dopamine; Double

immunostaining; Silver intensification; Electron microscope (Kubota, Y.) 458, 389

Rat retina

Dopamine β -hydroxylase; Antibody; Immunocytochemical staining; Interspecies cross-immunoreactivity; Radioenzymatic assay (Park, D.H.) 460, 352

Rat sciatic nerve

Nerve regeneration; Thymidine; Schwann cell; Mitosis (Sjöberg, J.) 453, 221

Rat spinal cord

Glutamate; N-Methyl-D-aspartic acid; Quisqualate; Kainate; Stizolobic acid; Excitatory amino acid (Ishida, M.) 473, 193

Rat striatal synaptosome

Corticostriatal pathway; Excitatory amino acid; Decortication; Phospholipid methylation; Dopamine (Tacconi, M.T.) 461, 194

Rat striatum

Adenosine receptor; Dopamine autoreceptor; Tyrosine hydroxylase (Onali, P.) 456, 302

Rat uterus

Neurotensin binding; Rat brain; Dynorphin; L-156,903; Levocabastine; Autoradiography (Pettibone, D.J.) 457, 212

Rate-frequency data

Self-stimulation; Knife cut; Medial forebrain bundle; Path neuron; Rat (Waraczynski, M.A.) 438, 8

Re-uptake

Benztropine; Tris chloride; Choline chloride; Sodium; Ouabain; Dopamine; Striatum; Push-pull perfusion; Rat (Sirinathsinghji, D.J.S.) 438, 399

Primate; Cerebellar nucleus; Neuronal activity; Arm (MacKay, W.A.) 442, 240

Reaction time

Parkinson's disease; Akinesia; Motor planning (Rogers, M.W.) 438, 271

Striatum; D₂-Dopaminergic receptor (Wilcox, R.E.) 443, 190

Movement initiation; Conditioned avoidance response; Nigrostriatal function; Age; Dopamine; Practice (MacRae, P.G.) 451, 139

Reactive astrocyte

Cell number; Proliferation; Quantitative analysis; [³H]Thymidine; Glial fibrillary acidic protein; Mouse (Miyake, T.) 451, 133

Reactive astrocyte proliferation Brain injury; Newborn rat; Glial fibrillary acid protein; Immunocytochemistry; Autoradiography (Janeczko, K.) 456, 280

Reactive plasticity

Calcitonin gene-related peptide nerve; Carotid body; Ultrastructure (Kondo, H.) 473, 283

Rebound excitation

Burst discharge; Phasic hyperpolarization; Ventrobasal relay neuron; Rat (Sumitomo, I.) 447, 376

Recent memory disturbance

Animal model; Hyperactivity; Learning deficit; Memory deficit; Open field; Passive avoidance; T-maze; Senescence accelerated mouse (Yagi, H.) 474, 86

Receptive field

Neuron; Somatosensory cortex; Anesthesia; Cat; Rat (Dykes, R.) **440**, 133

Corpus callosum; Cat; Somatosensory cortex; Interhemispheric transfer; Mid-line fusion (Guillemot, J.-P.) 441, 221

S1 cortex; Baclofen; GABAB; Natural stimulation; Microiontophoresis (Kaneko, T.) 443, 360

Dorsal paraflocculus; Climbing fiber; Cerebellum (Robertson, L.T.) 452, 97

Taste; Thermal sensitivity; Mechanoreceptive neuron; Cold neuron; Solitary tract nucleus; Rat (Ogawa, H.) 454, 321

Receptor

 β -Nerve growth factor; Immunocytochemistry (Dawbarn, D.)

Angiotensin II; Spinal cord; Motoneuron; Dorsal horn; Peptide (White, S.R.) 441, 195

Angiotensin II; Spinal cord; Culture; Autoradiography; Neuron; Glial cell (Simonnet, G.) 443, 403

Insulin-like growth factor-1; Quantitative autoradiography; Brain; Rat (Bohannon, N.J.) 444, 205

Nerve growth factor; Development; Central nervous system; Rat (Eckenstein, F.) 446, 149

Canine brain tissue; Freezer storage time; Biogenic amine; Metabolite (Faull, K.F.) 450, 225

Gonadotropin releasing hormone; Central nervous system; Rat (Jennes, L.) 452, 156

Substance P; Neurokinin A; Eledoisin; Neurokinin; Ontogeny; Cortex (Dam, T.-V.) 453, 372

Brain cell culture; Corticotropin-releasing factor (CRF); Hypothalamus; Extrahypothalamic brain; Regulation (Kapcala, L.P.) 456, 159

Canary; Brain; Vasotocin; Autoradiography; Testosterone (Voorhuis, Th.A.M.) 457, 148

Bicuculline; Acetylcholine; γ-Aminobutyric acid; Nicotine; Muscarine; Insect; Locust (Benson, J.A.) 458, 65

Sialic acid; β -Glucuronidase; Astrocyte; C6 glioma (Jenkins, H.G.) 462, 265

Benzodiazepine; Autoradiography; Superior colliculus; Electron microscopy (Pinard, R.) 474, 48

Cholecystokinin; Nervus vagus; Nodose ganglion; Nucleus tractus solitarii; Rat (Ladenheim, E.E.) 474, 125

Muscarinic; Cholinergic; ³H-1-Quinuclidinylbenzilate-binding; Cohclea; Efferent; Autoradiography (Van Megen, Y.J.B.) 474, 185

Autoradiography; Brain nucleus; Renin angiotensin system; Angiotensin converting enzyme; Hypertension; Atriopeptin; Atrial natriuretic factor (Nazarali, A.J.) 475, 134

Receptor (binding site) Phencyclidine; N-Methyl-D-aspartic acid; Excitatory amino acid; Glycine;

Glutamate (Thomas, J.W.) 442, 396 Receptor antagonist Sarthran; Blood pressure; Intracerebroventricular; Angiotensin;

Spontaneously hypertensive rat (Jensen, L.L.) 448, 359

Receptor autoradiography Kindling; γ-Aminobutyric acid (GABA) receptor; Benzodiazepine receptor; Sensorimotor cortex (Santori, E.M.) 442, 261

Receptor binding Clonidine; Clonidine-displacing substance; Medulla oblongata; Ventrolateral medulla; $p-[^3H]$ Aminoclonidine; α -Adrenergic receptor; Imidazole binding site (Ernsberger, P.) 441, 309

Histidyl-proline diketopiperazine (cyclo(His-Pro)); Ventromedial hypothalamic nucleus (VMH); Lesion; Somatostatin (Ogawa, N.) 451, 115

Serotonin; Receptor, 5-HT₂: Serotonergic axon; Dorsal raphe; Cerebral cortex; Immunocytochemistry; Autoradiography (Blue, M.E.) 453, 315

Receptor binding site

Neuropeptide; Calcitonin gene-related peptide; Immunohistochemistry; Motor system; Sensory system; Autonomic system; Rat (Kruger, L.) 463, 223

Receptor characterization Brain slice; Intracellular recording;

Lucifer yellow injection; Opioid peptide (Wuarin, J.-P.) 445, 289

D₂ Receptor [125]3-Iodobenzamide; In vivo binding; Single photon emission computerized tomography; LY-171555; YM-09151-2; Neuroleptic; IBZM (Singhaniyom, W.)

453, 393

Receptor desensitization

Human neuroblastoma; Neurotransmitter receptor; Adenylate cyclase; Inhibitory coupling (Olasmaa, M.) 475, 291

Receptor down-regulation

Autoradiography; Brattleboro rat; Dehydration; Dynorphin; κ -Opiate receptor; Vasopressin (Brady, L.S.) 443, 398

Receptor gain

Carotid body; Chemoreceptor; Flow dependence; Flow interruption; Chemosensory excitation (Alcayaga, J.)

Receptor heteroregulation

Electrolytic ventral mesencephalic tegmentum lesion; Locomotor hyperactivity; Spontaneous alternation; Noradrenergic-dopaminergic (NA-DA) interaction; Behavioral restoration (Taghzouti, K.) 440, 172

Receptor neuron

Leptinotarsa decemlineata; Olfaction; Electrophysiology; Odor quality coding; Suppression; Binary mixture (De Jong, R.) 447, 18

Receptor potential

Temperature dependence; Taste nerve response; Amiloride; Rat; NaCl; Anion influence (Nakamura, M.) 444, 159

Receptor regulation

Lithium; Muscarinic acetylcholine receptor; Neuroblastoma cell (Liles, W.C.) 439, 88

Receptor specificity

Noradrenaline; Cerebellum; Purkinje cell; a2-Adrenergic receptor; Pressure ejection (Parfitt, K.D.) 462, 242

Receptor stability

Adrenocorticosteroid receptor; Mineralocorticoid; Glucocorticoid; Steroid binding (Luttge, W.G.) 453, 41

5-HT_{1A} receptor subtype Vesical pelvic ganglia; Cholinergic transmission; 5-Hydroxytryptamine; Synaptic inhibition (Nishimura, T.) 442, 399

Receptor supersensitivity

5-Hydroxytryptamine; Neurotoxin; Nociception; Serotonin agonist; Mouse (Eide, P.K.) 440, 42

Receptor synthesis

Acetylcholine receptor; Neuromuscular junction; α-Bungarotoxin (Ramsay, D.A.) 462, 134

Receptor, 5-HT₂

Serotonin; Serotonergic axon; Dorsal raphe; Cerebral cortex; Receptor binding; Immunocytochemistry; Autoradiography (Blue, M.E.) **453**, 315

Receptor, D₁-

Rotation; Amphetamine;

Apomorphine; Striatum; Receptor, D₂-; Asymmetry; Lateralization; N-Methylspiperone; SCH-23390 (Glick, S.D.) 455, 43

Receptor, -D₂

Kindling; Nucleus accumbens; Dopamine receptor (Csernansky, J.G.)

Receptor, D₂-

Rotation; Amphetamine; Apomorphine; Striatum; Receptor, -; Asymmetry; Lateralization; N-Methylspiperone; SCH-23390 (Glick, S.D.) 455, 43

In vivo dopamine receptor labeling; Propylnorapomorphine N-n-; Dipping autoradiography; Dopamine receptor localization; N-Ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline; Heterogeneity of striatum; Caudate-putamen (Loopuijt, L.D.) 456, 263

Receptor, GABA_B
Baclofen; Adenosine monophosphate, cyclic; Protein kinase C; Phorbol ester (Scherer, R.W.) 451, 361

Receptor, M₁ AFDX-116; Blood pressure; cis-Methyldioxolane; Heart rate; Muscarinic receptor; McN-A343; Pirenzepine; Wistar rat (Sundaram, K.) **449**, 141

Receptor, a1-

Obesity; Diet; α_1 -Noradrenoceptor; α_2 -Noradrenoceptor; Receptor, α_2 -; β -Noradrenoceptor; Receptor, β -; Dopamine receptor; Ventromedial hypothalamus; Dorsomedial hypothalamus; Insulin (Wilmot, C.A.) 453, 157

Receptor, α₂-

Obesity; Diet; α_1 -Noradrenoceptor; Receptor, α_1 -; α_2 -Noradrenoceptor; β -Noradrenoceptor; Receptor, β -; Dopamine receptor; Ventromedial hypothalamus; Dorsomedial hypothalamus; Insulin (Wilmot, C.A.) 453, 157

Receptor, β-

Obesity; Diet; α_1 -Noradrenoceptor; Receptor, α_1 -; α_2 -Noradrenoceptor; Receptor, α_2 -; β -Noradrenoceptor; Dopamine receptor; Ventromedial hypothalamus; Dorsomedial hypothalamus; Insulin (Wilmot, C.A.) 453, 157

Receptor, δ-opioid

Brain opioid receptor; [D-Ala²,D-Leu⁵]Enkephalin (Tao, P.-L.) 462, 313

Receptor-effector coupling

Adenylate cyclase; β -Adrenoceptor; Neuropeptide; Cell fusion; Membrane; Hybridization (Olasmaa, M.) 473, 29

A₁-Receptor antagonist

Adenosine; Physiological modulation;

8-Cyclopentyl-1,3-dipropylxanthine; Adenosine deaminase; Ca2+ flux; Synaptic transmission; Rat hippocampal slice (Schubert, P.) **458**, 162

D₁-Receptor

Cyclic adenosine monophosphate; 6-Hydroxydopamine lesion; Autoradiography (Ariano, M.A.) 443, 204

H₁-Receptor

Histamine; Phosphoinositide hydrolysis; Astrocyte; [3H]Mepyramine; Extracellular calcium (Arbonés, L.) 450, 144

α-Receptor

Norepinephrine; In vitro lateral hypothalamus; Cyclic adenosine monophosphate; β -Receptor; γ-Aminobutyric acid (Cheng, J.-T.) 446, 90

a1-Receptor

Sex difference; α_2 -Receptor; Quantitative autoradiography; Ventromedial hypothalamic nucleus; Preoptic area; Medial amygdaloid nucleus; Guinea pig (Johnson, A.E.) 442, 205

a2-Receptor

Sex difference; α_1 -Receptor; Quantitative autoradiography; Ventromedial hypothalamic nucleus; Preoptic area; Medial amygdaloid nucleus; Guinea pig (Johnson, A.E.) 442, 205

B-Receptor

Norepinephrine; In vitro lateral hypothalamus; Cyclic adenosine monophosphate; α -Receptor; γ-Aminobutyric acid (Cheng, J.-T.) 446, 90

Cyclic adenosine monophosphate; Ovine pineal; Vasoactive intestinal peptide; In vitro autoradiography; Adrenergic control (Morgan, P.J.) 447, 279

δ-Receptor

Dorsal horn neuron; Opioid; μ -Receptor; κ -Receptor; Antinociception (Fleetwood-Walker, S.M.) 451, 213

μ-Receptor

Medial thalamus; κ -Receptor; Analgesia; Reward (Carr, K.D.) 441, 173

Dorsal horn neuron; Opioid; δ -Receptor; κ -Receptor; Antinociception (Fleetwood-Walker, S.M.) 451, 213

κ-Receptor

Medial thalamus; μ -Receptor; Analgesia; Reward (Carr, K.D.) 441, 173

Rimorphin; Substantia nigra; Rotation; Opioid peptide; Prodynorphin; Dynorphin B; Dopamine; Opiate; Rat

(Matsumoto, R.R.) 444, 67

Dorsal horn neuron; Opioid; μ -Receptor; δ -Receptor; Antinociception (Fleetwood-Walker, S.M.) **451**, 213

Pregnancy; Opioid analgesia; Nor-binaltorphimine; Spinal cord (Sander, H.W.) **474**, 343

Reciprocal connections

Vestibular nucleus; Nodulus; Perihypoglossal nucleus; Wheatgerm agglutinin-horseradish peroxidase complex (Walberg, F.) **449**, 47

Reciprocal interaction model

Rapid eye movement sleep; Pontine reticular formation; Carbachol; Cholinergic; Propranolol; Aminergic; Microinjection; Cat (Denlinger, S.L.) 473, 116

Recovery of function

Visual cortex damage; Extrastriate cortex; Neural plasticity; Development; Lateral suprasylvian cortex (Spear, P.D.) 447, 79

Dopamine; Dihydroxyphenylacetic acid; Homovanillic acid; 5-Hydroxyindoleacetic acid; Release; 6-Hydroxydopamine; Amphetamine; Dialysis; Rotational behavior (Robinson, T.E.) **450**, 209

Recurrent inhibition

Optic tectum; Field potential; Monosynaptic excitatory postsynaptic potential (EPSP); Dendritic cable property (Langdon, R.B.) **441**, 299

Cervical spinal cord; Forelimb; Renshaw cell; Cat (Hahne, M.) **456**, 188

Neuronal transmission; Gating mechanism; Hippocampus; Theta-rhythm (Herreras, O.) **461**, 290

Recurrent larvngeal

Phrenic; Hypoglossal; Inspiratory neuron; Power spectra; Coherence spectra (Sica, A.L.) **440**, 370

Red nucleus

Classical conditioning; Cerebellum; Interpositus; Electrical stimulation; Rabbit (Chapman, P.F.) **442**, 97

Corticorubral fiber; Sprouting; Cerebral lesion; Kitten; Phaseolus vulgaris leucoagglutinin (PHA-L) (Murakami, F.) 447, 98

Central nervous system reorganization; Neural plasticity; Sprouting; Age-at-lesion effect; Motor cortex; Hemispherectomy (Villablanca, J.R.) **453**, 17

Nictitating membrane response; γ-Aminobutyric acid; Classical conditioning; Bicuculline methiodide; Picrotoxin (Haley, D.A.) **454**, 131

5α-Reductase

Aromatase; 5β -Reductase;

Testosterone; Brain development; Sex dimorphism; Hypothalamus (Schumacher, M.) 441, 98

Retina; Steroid metabolism; 3β-Hydroxysteroid dehydrogenase (Lanthier, A.) **463**, 403

5α-Reduction

Testosterone metabolism; Zebra finch; Aromatase; 5β -Reduction; Sexual differentiation (Vockel, A.) **463**, 330

5β-Reductase

Aromatase; 5a-Reductase; Testosterone; Brain development; Sex dimorphism; Hypothalamus (Schumacher, M.) 441, 98

5β-Reduction

Testosterone metabolism; Zebra finch; Aromatase; 5α -Reduction; Sexual differentiation (Vockel, A.) **463**, 330

Reelei

[³H]Muscimol binding site; Weaver; Purkinje cell degeneration; Staggerer (Rotter, A.) **439**, 236

Flunitrazepam binding site; Purkinje cell degeneration; Weaver; Staggerer (Rotter, A.) 444, 133

Referred pain

Visceral afferent; Autonomic nervous system; Cardiovascular regulation; Viscerosomatic integration (Knuepfer, M.M.) 446, 17

Headache; Thalamus; Intracranial vasculature; Cat (Davis, K.D.) 454, 89

Reflex inhibition

Muscle fatigue; Synergist; Muscle afferent (Hayward, L.) 440, 199

Refractory period

Feeding; Reward; Medical forebrain bundle; Connectivity (Gratton, A.) 438, 256

Feeding; Reward; Medial forebrain bundle; Conduction velocity; Connectivity (Gratton, A.) 438, 264

Circling; Collision method; Conduction velocity; Striatonigral pathway (Tehovnik, E.J.) **441**, 269

Medial forebrain bundle; Dopamine cell; Current-distance relation (Yeomans, J.S.) **450**, 86

Vasopressin cell; Phasic activity; Plateau potential; Potassium conductance; Cell culture (Legendre, P.) 457, 386

Regenerating growth cone

Light microscopy; Electron microscopy; Axonal tract tracing; Wheat germ-agglutinated horseradish peroxidase (Nothias, F.) **461**, 349

Regeneration

Respiration; Nerve transplant; Axotomy; Rat; Electrophysiology; Brainstem (Gauthier, P.) 438, 225

Peripheral nerve; Sciatic nerve; Protein

synthesis; RNA synthesis; DNA synthesis; Schwann cell (Kanje, M.) **439**, 116

Brain stab wound; Basal lamina; Glia limitans; Meninx (Carbonell, A.L.) **439,** 337

Neocortex; Transplant; Basal nucleus; Plasticity (Höhmann, C.F.) 448, 53

Hypothalamo-neurohypophysial system; Leptomeninges; Fine structure; Neurophysin immunohistochemistry (Dellmann, H.-D.) **450**, 181

Injury; C-fos (Dragunow, M.) 455, 295

Peripheral nerve; Schwann cell factor; Growth; Adhesion; Migration (Le Beau, J.M.) 459, 93

Neurofilament; Phosphorylation; Axotomy; Deafferentation; Alzheimer's disease (Shaw, G.) **460,** 227

Visual pathway; Axonal guidance; Goldfish (Airhart, M.J.) 460, 383

Basic fibroblast growth factor; Acidic fibroblast growth factor; Central nervous system; Astrocyte; White matter; Angiogenesis (Ferrara, N.) 462, 223

Axon reaction; Chromatolysis; Motor neuron; Nerve injury; Perikaryal response (Bowe, C.M.) **463**, 69

Regional cerebral blood flow Trigeminal ganglion; Sagittal sinus; Evoked potential; Migraine (Lambert, G.A.) 453, 143

Insulin; Regional cerebral glucose utilization (Duckrow, R.B.) 462, 363

Regional cerebral glucose utilization

Conditioned fear; Aversive conditioning; Conditional emotional response; Rat; Stress (Bryan, R.M.) 444, 17

Insulin; Regional cerebral blood flow (Duckrow, R.B.) 462, 363

Regional difference

Cholinotoxin (AF64A); Aluminum accumulation; Rat brain; Parietal cortex; Hippocampus; Alzheimer's disease (Szerdahelyi, P.) **444**, 356

Regional distribution

Apparent binding of [³H]glutathione; L-Cysteine; Temperature dependency; Glutamate binding site (Ogita, K.) **463**, 37

Regional vascular resistance

Corticotropin-releasing factor; Arterial pressure; Rat (Grosskreutz, C.L.) **442**, 363

Regulation

Peripheral nerve; Blood vessel; Blood flow; Vasa nervorum; Carbon dioxide; Peripheral neuropathy; Mononeuritis; Ischemia; Laser Doppler flowmetry (Rechthand, E.) 446, 61

Brain cell culture; Corticotropin-releasing factor (CRF); Hypothalamus; Receptor; Extrahypothalamic brain (Kapcala, L.P.) **456**, 159

Reinforcement

Brain-stimulation reward; Dopamine receptor; Nucleus accumbens; SCH 23390; Sulpiride; Ventral tegmental area (Kurumiya, S.) 448, 1

Reinforcement threshold

Caffeine; Intracranial self-stimulation; Tolerance; Withdrawal (Mumford, G.K.) **459**, 163

Reinnervation

Dorsal root regeneration; Grafted Pacinian corpuscle; Electron microscopy; Rat (Zelená, J.) 438, 163

Aging; Development; Nerve regeneration; Sweat gland; Sudomotor axon (Navarro, X.) 447, 133

Muscle spindle; Sensory function; Nerve crush (Scott, J.J.A.) 461, 381

Collateral sprouting; Sudomotor axon; Sweat gland; Age (Navarro, X.) **463**, 174

Reinstatement of drug taking

Amphetamine; Morphine; Nucleus accumbens; Heroin; Priming; Drug self-administration (Stewart, J.) 457, 287

Relay cell

γ-Aminobutyric acid; Glutamic acid decarboxylase; Immunocytochemistry; Inhibition; Local circuit neuron; Reptile; Thalamus (Pritz, M.B.) 457, 154

Relay neuron of vestibulo-ocular reflex

Cerebellar flocculus; Middle zone; Medial vestibular nucleus; Target neuron of floccular inhibition; Eye movement (Sato, Y.) **446**, 225

Release

Percoll; Synaptosome; Protein phosphorylation; Noradrenaline uptake; Content (Harrison, S.M.) 441, 72

L-Dihydroxyphenylalanine; Dopamine; Parkinsonism; Striatum; Voltammetry (Keller, R.W.) **447**, 191

Dopamine; Dihydroxyphenylacetic acid; Homovanillic acid; 5-Hydroxyindoleacetic acid; 6-Hydroxydopamine; Recovery of function; Amphetamine; Dialysis; Rotational behavior (Robinson, T.E.) **450**, 209

Serotonin; Acetylcholine; Striatum; Slice (Jackson, D.) 457, 259

Serotonin; Acetylcholine; Dopamine; Striatum; In vitro; 6-Hydroxydopamine (Jackson, D.) **457**, 267

Dopamine; Synaptosome; Chopped tissue; Uptake; Striatum (Kristensen, E.W.) **461**, 44

Ethanol; Intracellular calcium; Neurotransmitter (Shah, J.) 474, 94

Noradrenaline; Hippocampus; Microdialysis; In vivo; Neurotoxin; Tetrodotoxin (Kalén, P.) **474**, 374

Release assav

N-Methyl-D-aspartic acid receptor; Phencyclidine receptor; Cerebellum; Cortex; Norepinephrine (Yi, S.-J.) **445**, 147

Remote lesion

γ-Aminobutyric acid (GABA); Partial epilepsy; Withdrawal; Cerebral cortex; Rat model; Brain plasticity (Brailowsky, S.) **442**, 175

Remyelination

Myelin-associated glycoprotein; P0 protein; Myelin basic protein; Myelin protein; Peripheral nervous system; Nerve regeneration; Animal model (Willison, H.J.) 444, 10

Globoid cell leukodystrophy; Twitcher mouse; Bone marrow transplantation; Peripheral nerve (Kondo, A.) **460**, 178

Renal denervation

Renal excretion; Anteroventral third ventricle (AV3V); Saline loading (Huang, W.-C.) **460**, 83

Renal excretion

Renal denervation; Anteroventral third ventricle (AV3V); Saline loading (Huang, W.-C.) **460**, 83

Renal hypertension

Spontaneous hypertension; Brain ventricle; Captopril; Hydrocephalus; Spontaneously hypertensive rat; Intraventricular pressure (Ritter, S.) **450**, 354

Renal vasodilatation

Galanin (Gardiner, S.M.) 458, 179

Renir

Hemorrhage; Adrenocorticotropic hormone (ACTH); Catecholamine; Arterial pressure; Baroreceptor reflex; Conscious rat (Darlington, D.N.) 439, 289

Kassinin; Tachykinin; Salt appetite; Sodium depletion; Deoxycorticosterone acetate; Rat (Massi, M.) 440, 232

Vasopressin; Spontaneously hypertensive rat; Converting enzyme inhibition; 6-Hydroxydopamine (Sladek, C.D.) **445**, 39

Renin angiotensin system

Autoradiography; Brain nucleus; Angiotensin converting enzyme; Hypertension; Receptor; Atriopeptin; Atrial natriuretic factor (Nazarali, A.J.) 475, 134

Sympathetic ganglion; Deafferentation; Hypertension, genetic; Neuropeptide

receptor; Autoradiography (Pinto, J.E.B.) 475, 146

Renshaw cell

Cervical spinal cord; Forelimb; Recurrent inhibition; Cat (Hahne, M.) **456**, 188

Repeated exposure

Noise; Choline uptake; Frontal cortex; Hippocampus; Tolerance; Classical conditioning (Lai, H.) **442**, 403

Reperfusion

Cerebral ischemia; Spontaneously hypertensive rat (Sadoshima, S.) **454**, 238

Reperfusion injury

Oxygen radical; Glutamate; Glutamine synthetase (Schor, N.F.) 456, 17

Reproduction

Gonadotropin-releasing hormone (GnRH); Transplant; hpg Mouse (Silverman, A.-J.) 443, 267

Tract tracing; Steroid autoradiography; Hypothalamus; Limbic system; Ventromedial nucleus; Medial amygdala (Akesson, T.R.) **451**, 381

Reptile

Somatostatin; Immunocytochemistry; Cerebral cortex; Lizard (Dávila, J.C.) 447, 52

γ-Aminobutyric acid; Glutamic acid decarboxylase; Immunocytochemistry; Inhibition; Local circuit neuron; Relay cell; Thalamus (Pritz, M.B.) **457**, 154

Lizard; Cerebral cortex; Hippocampus; Horseradish peroxidase; Connection; Synapse; Timm; *Podarcis hispanica* (Lopez-Garcia, C.) **463**, 205

Resistance to hypoxia

Acoustic stress; Motion disorder; Intracranial haemorrhage (Ryasina, T.V.) 473, 153

Respiration

Regeneration; Nerve transplant; Axotomy; Rat; Electrophysiology; Brainstem (Gauthier, P.) 438, 225

Medulla oblongata; Nodose ganglion; Nucleus tractus solitarii; Pulmonary receptor; Spike-triggered averaging; Vagus nerve (Kubin, L.) **443**, 215

Bulbar respiratory neuron; Pelvic nerve; Defecation; Micturition; Parturition; Kölliker-Fuse (K-F) nucleus; Straining (Fukuda, H.) 449, 157

Early phrenic motor unit; Late phrenic motor unit; Phrenic-to-phrenic reflex; Spinal cord (Marlot, D.) **450**, 373

Fastigial nucleus; Parabrachial nucleus; Electrical stimulation; Blood pressure; Heart rate; Autonomic nervous system; Cardiovascular system (Miura, M.) 473, 352

Dorsal spinocerebellar tract; Cerebellum; Rhythmic movement; Cat (Hirai, N.) 475, 385

Respiratory activity

Bötzinger complex; Breathing pattern; L-Glutamate; DL-Homocysteic acid; Phrenic nerve activity; Expiratory muscle (Bongianni, F.) 445, 254

Respiratory bulbospinal neuron Antidromic latency; Amino acid; γ-Aminobutyric acid (GABA); Glycine; Glutamate; Homocysteate; Medulla; Cat (Grelot, L.) 443, 27

Respiratory neuronBehavioral control of breathing (Orem, J.) **458**, 224

Respiratory oscillator Phase-response curve (PRC); Phase singularity; Endogenous bursting neuron; External intercostal nerve; Phrenic nerve; Phase-response surface (PRS) (Kitano, S.-i.) 439, 19

Respiratory rhythm Primary oscillator; Rostral ventrolateral medulla; Brainstem in vitro; Newborn rat (Onimaru, H.) 445, 314

Multistability; Biologic oscillator; Sleep; Wakefulness; Arousal (Vibert, J.-F.) **448**, 403

Response pattern

Sheep; Chemoreception; Epiglottis; Nucleus of the solitary tract; Off response; Superior laryngeal nerve; Upper airway (Sweazey, R.D.) 439, 195

Restraint

Stress-induced analgesia; Morphine; Naloxone; Analgesia; Tail flick; Circadian effect; CD-1 mice (Miller, D.B.) 473, 327

Retention

Dehydroepiandrosterone; Dehydroepiandrosterone sulfate; Hormone; Memory; Mouse; Steroid; Amnesia (Flood, J.F.) **447**, 269

Aging; Mouse; Memory; Steroid; Adrenal (Flood, J.F.) 448, 178

Ketamine anesthesia; Classical conditioning; Conditioned suppression; Rat (Edeline, J.-M.) **457**, 274

Bombesin; Gastrin-releasing peptide; Gut peptide; Memory; Mouse (Flood, J.F.) **460**, 314

Reticular ascending projection Nucleus reticularis gigantocellularis; Reticular formation; Anterograde tracing; Phaseolus vulgaris leucoagglutinin; Reticulo-spinal projection; Reticulo-reticular connection (Matsuyama, K.) 460, 124

Reticular formation

Acetylcholine esterase; Choline acetyltransferase; Acetylcholine; Kainic acid (Jones, B.E.) **451**, 13

Acoustic startle; Pons; Medulla; Prepulse inhibition (Wu, M.-F.)

457, 399

Choline acetyltransferase; Tyrosine hydroxylase; Paradoxical sleep; Wakefulness (Webster, H.H.) **458**, 285

Nucleus reticularis gigantocellularis; Anterograde tracing; Phaseolus vulgaris leucoagglutinin; Reticular ascending projection; Reticulo-spinal projection; Reticulo-reticular connection (Matsuyama, K.) **460**, 124

Reticulata neuron

Striatum; Motor activity; Amphetamine; Apomorphine (Olds, M.E.) **452**, 237

Reticulo-reticular connection

Nucleus reticularis gigantocellularis; Reticular formation; Anterograde tracing; Phaseolus vulgaris leucoagglutinin; Reticular ascending projection; Reticulo-spinal projection (Matsuyama, K.) **460**, 124

Reticulospinal neuron

Rostral ventrolateral medulla; Pacemaker neuron; Basal sympathetic tone; Intracellular recording; Rat (Sun, M.-K.) 442, 229

Rostral ventrolateral medulla; Pacemaker neuron; Basal sympathetic tone; C₁ adrenergic cell (Sun, M.-K.) **451**, 345

Reticulospinal projection

Nucleus reticularis gigantocellularis; Reticular formation; Anterograde tracing; Phaseolus vulgaris leucoagglutinin; Reticular ascending projection; Reticulo-reticular connection (Matsuyama, K.) 460, 124

Reticulospinal system

Mauthner neuron; Escape response; Command neuron; Lateralization (DiDomenico, R.) 473, 15

Retina

Amacrine cell; Acetylcholine; γ-Aminobutyric acid; Neurotransmitter colocalization; Rabbit (Vaney, D.I.) 438, 369

Serotonin; Amacrine cell; Bipolar cell; Ganglion cell; Chicken; Kainic acid; 5,7-Dihydroxytryptamine (Millar, T.J.) **439.** 77

Cholinergic neurotoxin; Choline acetyltransferase; Muscarinic receptor; Ethylcholine mustard aziridinium ion (AF64A); Retinal blood vessel (Estrada, C.) 439, 107

Ganglion cell; γ -Aminobutyric acid (GABA); Monoclonal antibody (Yu, B.C.) **439**, 376

D₁-Dopamine receptor; Dopamine-stimulated adenylate cyclase; Guanine nucleotide; [³H]SCH 23390; Striatum; Frontal cortex (De Keyser, J.) **443**, 77

Horizontal cell; Vision; Adaptation (Malchow, R.P.) 443, 222

Antibody; Bovine; Monkey; Human; Insulin receptor; Localization; Immunocytochemistry; Immunoelectron microscopy (Rodrigues, M.) 443, 389

Amacrine cell; Enkephalin; Neurotensin; γ-Aminobutyric acid; Glycine; Coexistence (Watt, C.B.) 444, 366

Substance P; γ-Aminobutyric acid; Amacrine cell; Cat; Immunocytochemistry; Colocalization (Pourcho, R.G.) **447**, 164

Gastrin releasing peptide; Radioimmunoassay; Immunohistochemistry; Chromatography (McKillop, J.M.) 447, 239

Catecholamine; Magnetic field; Rat (Olcese, J.) 448, 325

Retinopetal fiber; Molluscan cardioexcitatory peptide (FMRFamide); Frog; Nervus terminalis; Lesion; Immunocytochemistry (Wirsig-Wiechmann, C.R.) 449, 116

Horizontal cell; Dopamine (Witkovsky, P.) 449, 332

Thyrotropin-releasing hormone receptor; Prolactin; Estradiol; Thyronine; Hormone treatment; Pituitary; Superior cervical ganglia (Sharif, N.A.) 449, 364

Melatonin; Intracellular recording; Horizontal cell; Larval tiger salamander (Wiechmann, A.F.) 453, 377

Diurnal rhythm; Dopamine; Tyrosińe; Diabetes (Gibson, C.J.) 454, 60

Ganglion cell; Superior colliculus; Dorsal lateral geniculate nucleus; Soma size (Lugo-Garcia, N.) **454**, 67

Kainic acid; Dorsal lateral geniculate nucleus; Retrograde axonal transport; Fluorescent dye; Visual cortex; Rat (Woodward, W.R.) **454**, 106

Carp; Amacrine cell; Ca²⁺-action potential; Dendritic arborization; Postsynaptic potential; Reversal potential (Takahashi, K.-I.) **456**, 29

Rat; γ-Aminobutyric acid; Gabaculine; Immunocytochemistry; Müller cell (Cubells, J.F.) **458**, 82

Amacrine cell; Enkephalin; Neurotensin; Glycine; Coexistence (Wu, S.M.) **458**, 195

FMRFamide; Pineal organ; Nucleus nervus terminalis; Nucleus olfactoretinalis; Immunocytochemistry; Teleost fish (Ekström, P.) **460**, 68

Glial cell; Potassium; Electrical coupling; Gap junction; Müller cell (Mobbs, P.) **460**, 235

Steroid metabolism; 5α-Reductase;

 3β -Hydroxysteroid dehydrogenase (Lanthier, A.) **463**, 403

Visual pathway; Goldfish; Monoclonal antibody (Sharma, S.C.) 473, 359

Amacrine cell; γ -Aminobutyric acid; NADPH-diaphorase; Colocalization; Rabbit (Vaney, D.I.) **474**, 380

Retinal blood vessel

Cholinergic neurotoxin; Retina; Choline acetyltransferase; Muscarinic receptor; Ethylcholine mustard aziridinium ion (AF64A) (Estrada, C.) 439, 107

Retinal cone

Calbindin-27 kDa; Pineal transducer; Calcium; Immunocytochemistry (Roman, A.) 442, 33

Retinal ganglion cell

Noradrenaline; Dopamine; Adrenoceptor; Dopamine receptor; Neuroleptic (Robbins, J.) 438, 52

Visual cortex ablation; Plasticity; Inner plexiform layer (Rowe, M.H.) 439, 345

Plasticity; Fluorescent dye; Electron microscopy; Rat (Chan, S.O.) 461, 163

Retinal pigment epithelium

Muscarinic receptor; Choroid; Free cytoplasmic calcium; Quin 2 (Friedman, Z.) **446**, 11

Retinal pigmented epithelium

Acetylcholinesterase; Chick development; Neural retina (Martelly, I.) 460, 205

Retinal projection

Butyrylcholinesterase; Cholinesterase; Lateral geniculate nucleus; Tree shrew (Horn, K.M.) 448, 386

Visual system; Lateral geniculate body; Optic tract; Axon terminal; Hamster (Erzurumlu, R.S.) 461, 175

Retinal swelling

γ-Aminobutyric acid; Taurine; Chloride-dependent release; Kainic acid (Pasantes-Morales, H.) **459**, 120

Retinofugal pathway

Accessory optic system; Human visual system; Medial terminal accessory optic nucleus; Lateral terminal accessory optic nucleus; Dorsal terminal accessory optic nucleus; Interstitial nucleus of the superior fascicle, posterior fibers; p-Phenylene-diamine method; Oculomotor function (Fredericks, C.A.) 454, 116

Retinohypothalamic tract

Circadian rhythm; Entrainment; Neuronal plasticity; Hamster; Geniculohypothalamic tract (Johnson, R.F.) **460**, 297

Geniculohypothalamic tract; Suprachiasmatic nucleus; Circadian rhythm; Entrainment; Anterior hypothalamus (Johnson, R.F.) **462**, 301

Retinopetal fiber

Retina; Molluscan cardioexcitatory peptide (FMRFamide); Frog; Nervus terminalis; Lesion; Immunocytochemistry (Wirsig-Wiechmann, C.R.) 449, 116

Retinotectal projection

Optic nerve regeneration; Ependymin; Radial glia; Synaptic stabilization; Minipump infusion; Goldfish (Schmidt, J.T.) **446**, 269

Retrograde axonal transport

Kainic acid; Dorsal lateral geniculate nucleus; Fluorescent dye; Visual cortex; Retina; Rat (Woodward, W.R.) 454, 106

Fluoro-Gold; Fluorescent dye; Peritoneum; Stomach; Vagus nerve; Dorsal motor nucleus of the vagus (Yoshida, J.) **455**, 1

Retrograde degeneration

Ganglioside; Brain damage; Visual system; Lateral geniculate body (Sabel, B.A.) **459**, 373

Cholinergic neuron; Axotomy; Cell death; Choline acetyltransferase; Acetylcholinesterase (Lams, B.E.) **475**, 401

Retrograde double labeling

Subthalamic nucleus; Striatum; Nucleus tegmenti pedunculopontinus pars compacta; Globus pallidus; Substantia nigra; Rat (Takada, M.) 442, 72

Retrograde fluorescent labeling

Subparafascicular nucleus; Neocortex; Spinal cord; All dopamine cell group; Immunohistochemistry; Rat (Takada, M.) 455, 346

Retrograde label

Olivocochlear neuron; Cochlear nucleus; Anterograde label (Robertson, D.) **462,** 47

Retrograde tracer

Fluorescent dye; Wheat germ agglutinin horseradish peroxidase; Parasympathetic outflow; Mesencephalon; Ciliary ganglion (Burde, R.M.) 463, 158

Retrograde tracing

Fluoro-Gold; Fluorescent tracer; Locus coeruleus; Raphe; Substantia nigra; Nucleus basalis; Afferent pathway; Immunofluorescence; Rat (Pieribone, V.A.) 475, 259

Retrograde transport

Acrylamide; Axonal transport; Sciatic nerve; Neurotoxin; Neurotoxicology; Axonopathy; Neuropathy (Moretto, A.) **440**, 18

Adrenaline; Immunocytochemistry; Horseradish peroxidase (Milner, T.A.) 448, 205

Electron microscope; Hippocampus; Lectin; Transplant (Seeley, P.J.) **449,** 177 Rhodamine-X-isothiocyanate; Rhodamine-B-isothiocyanate; Texas red; Lissamine rhodamine-B-sulfonyl chloride; Fluorescent labeling (Ogilvy, C.S.) 475, 244

Retrograde transport of horseradish peroxidase

Medullary swallowing interneuron (unitary activity); Hypoglossal motor nucleus; Parvocellular reticular formation; Sheep (Amri, M.) 441, 119

Reversal potential

Carp; Retina; Amacrine cell; Ca²⁺-action potential; Dendritic arborization; Postsynaptic potential (Takahashi, K.-I.) **456**, 29

Reversible cooling lesion

Cerebellar intention tremor; Isometric contraction; Arm movement (Flament, D.) 439, 179

Reward

Feeding; Medical forebrain bundle; Refractory period; Connectivity (Gratton, A.) 438, 256

Feeding; Medial forebrain bundle; Conduction velocity; Connectivity; Refractory period (Gratton, A.) 438, 264

Medial thalamus; μ-Receptor; κ-Receptor; Analgesia (Carr, K.D.) **441**, 173

Rhesus monkey

Opiate system; Pituitary-adrenal activation; Separation (Kalin, N.H.) 440, 288

Rhodamine-B-isothiocyanate

Rhodamine-X-isothiocyanate; Texas red; Lissamine rhodamine-B-sulfonyl chloride; Retrograde transport; Fluorescent labeling (Ogilvy, C.S.) 475, 244

Rhodamine-X-isothiocyanate

Rhodamine-B-isothiocyanate; Texas red; Lissamine rhodamine-B-sulfonyl chloride; Retrograde transport; Fluorescent labeling (Ogilvy, C.S.) 475, 244

Rhodopsin

Circadian rhythm; Phototransduction; G-proteins; Transducin; Entrainment (Zatz, M.) 453, 63

Rhythm

Pineal; Thyroxine 5'-deiodinase; Rat; Hypothyroidism; β -Adrenergic (Murakami, M.) **438**, 366

Medullary inspiratory neuron; Inspiratory nerve; Spectral analysis; Coherence function; Interval analysis (Christakos, C.N.) **463**, 362

Rhythmic movement

Dorsal spinocerebellar tract; Cerebellum; Respiration; Cat (Hirai, N.) 475, 385

θ Rhvtm

Long-term potentiation; Hippocampus;

Dentate gyrus (Pavlides, C.) 439, 383

Long-term potentiation; N-Methyl-D-aspartate; Hippocampus; CA₁; Synaptic plasticity (Larson, J.) **441**, 111

Intracellular; Carbachol; Hippocampal slice (Bland, B.H.) 447, 364

Olfactory pathway; Prepiriform cortex; Entorhinal cortex; Hippocampal formation; Electroencephalogram (EEG); β Activity; Mutual information (Boeijinga, P.H.) **448**, 272

Hippocampal slice; Carbachol; Nicotine; Neurotransmitter (Konopacki, J.) **455**, 110

N-Methyl-D-aspartate receptor antagonist; Phase shift; Septohippocampal system; Place learning; Spectral analysis (Leung, L.-W.S.) 463, 148

Ricinus communis agglutinin I Dorsal root ganglion; Sciatic nerve; Light microscopy (Aldskogius, H.) 461, 215

Rimorphin

Substantia nigra; Rotation; Opioid peptide; Prodynorphin; Dynorphin B; Dopamine; κ -Receptor; Opiate; Rat (Matsumoto, R.R.) **444**, 67

RNA synthesis

Regeneration; Peripheral nerve; Sciatic nerve; Protein synthesis; DNA synthesis; Schwann cell (Kanje, M.) **439,** 116

RNA-blot hybridization

Luteinizing hormone-releasing hormone (LH-RH); Messenger RNA (mRNA); Testosterone; Hypothalamus (Park, Y.) 451, 255

Ro 15-1788

Analgesia;

3α-Hydroxy-4-pregnen-20-one; Follicle stimulating hormone suppression; Steroid; γ-Aminobutyric acid; Opiate; Calcium channel antagonist; Benzodiazepine; Naloxone; Verapamil; Nifedipine; Picrotoxin; Bicuculline; Tyr-MIF-1; Morphine (Wiebe, J.P.) 461, 150

Ro 15-4513

Photoaffinity labeling; Flunitrazepam; Clonazepam; Different benzodiazepine binding protein; Peptide mapping; Papin; Autoradiography (Sieghart, W.) **450**, 387

Rodent

Cerebral lateralization; Neocortical ablation; Spatial bias; Stress-related hormone; Amphetamine; Sensitization (LaHoste, G.J.) 474, 296

Roman high-avoidance rat Stress; Prefrontal cortex; Dopamine metabolism; Voltammetry in vivo; Roman low-avoidance rat; Emotionality level (D'Angio, M.) 451, 237

Roman low-avoidance rat

Stress; Prefrontal cortex; Dopamine metabolism; Voltammetry in vivo; Roman high-avoidance rat; Emotionality level (D'Angio, M.) **451,** 237

Rostral ventrolateral medulla
Medullospinal sympathoexcitatory

Medullospinal sympathoexcitatory neuron; Pacemaker activity; Vasomotor center (Sun, M.-K.) 438, 23

Pacemaker neuron; Reticulospinal neuron; Basal sympathetic tone; Intracellular recording; Rat (Sun, M.-K.) 442, 229

Respiratory rhythm; Primary oscillator; Brainstem in vitro; Newborn rat (Onimaru, H.) **445**, 314

Pacemaker neuron; Reticulospinal neuron; Basal sympathetic tone; C₁ adrenergic cell (Sun, M.-K.) **451**, 345

γ-Aminobutyric acid; Dorsal vagal nucleus; Somatic input; Bradycardia (Wang, Q.) **457**, 367

Defence reaction; Hypertension; Midbrain periaqueductal grey; Subretrofacial nucleus; Excitatory amino acid; Blood pressure (Carrive, P.) 460, 339

Rotation

Benzodiazepine; Flurazepam; γ-Aminobutyric acid (GABA); Muscimol; Substantia nigra; Circling; Tolerance (Tietz, E.I.) 438, 41

Rimorphin; Substantia nigra; Opioid peptide; Prodynorphin; Dynorphin B; Dopamine; κ -Receptor; Opiate; Rat (Matsumoto, R.R.) 444, 67

Amphetamine; Apomorphine; 6-Hydroxydopamine; Striatum; Lateralization (Glick, S.D.) 450, 334

Morphine; Opioid; μ -Agonist; δ -Agonist; κ -Agonist; Ventral tegmental area (Jenck, F.) **450**, 387

Amphetamine; Apomorphine; Striatum; Receptor, D_1 -; Receptor, D_2 -; Asymmetry; Lateralization; *N*-Methylspiperone; SCH-23390 (Glick, S.D.) **455**, 43

In vivo microdialysis; Amphetamine; Dopamine; Striatum; Asymmetry (Glick, S.D.) 473, 161

Rotational behavior

D-Dihydroxyphenylalanine metabolism; L-Dihydroxyphenylalanine metabolism; D-Dihydroxyphenylalanine/ L-dihydroxyphenylalanine relationship (Karoum, F.) **440**, 190

Dopamine; Dihydroxyphenylacetic acid; Homovanillic acid; 5-Hydroxyindoleacetic acid; Release; 6-Hydroxydopamine; Recovery of function; Amphetamine; Dialysis (Robinson, T.E.) 450, 209

Food deprivation; Medial prefrontal cortex; Dopamine; p-Amphetamine; Brain asymmetry (Carlson, J.N.) **454,** 373

Rough endoplasmic reticulum Ventromedial nucleus; Progesterone action; Lordosis (Meisel, R.L.) 463, 153

Route of administration 3,4-Methylenedioxymethylamphetamine; Amphetamine analog; Serotonin; Neurotoxicity (Finnegan, K.T.) 447, 141

Ruffini

Corpuscle; Free ending; Node of Ranvier; Cation binding; Schwann cell; Mechanoreceptor (Byers, M.R.) **461**, 397

S

S1 cortex

Receptive field; Baclofen; GABA_B; Natural stimulation; Microiontophoresis (Kaneko, T.) **443**, 360

Saccade

Nigrotectal projection; Dopamine; Parkinsonism; Rat (Takada, M.) **457**, 165

Saccadic disorder

Frontal eye field; Eye movement; Superior colliculus (Keating, E.G.) **438**, 247

Sacral intermediolateral nucleus Sacral parasympathetic preganglionic neuron; Adrenergic fiber; Cholinergic

neuron; β-Galactosidase; Double-immunostaining method (Kohno, J.) **461**, 158

Sacral parasympathetic nucleus Calcitonin gene-related peptide; Sympathetic preganglionic neuron; Pelvic ganglion; Rat (Senba, E.) 449, 386

Sacral parasympathetic preganglionic neuron

Sacral intermediolateral nucleus; Adrenergic fiber; Cholinergic neuron; β-Galactosidase; Double-immunostaining method (Kohno, J.) **461**, 158

Sacral spinal cord

Immunocytochemistry; Motor neurone disease; Neurofilament triplet protein; Neuropeptide; Onuf's nucleus; Radioimmunoassay (Gibson, S.J.) 474, 255

Sagittal band

Monoclonal antibody; Acetylcholinesterase; Cerebellum; Cerebellar nucleus; Development (Boegman, R.J.) 448, 237

Sagittal sinus

Trigeminal ganglion; Regional cerebral blood flow; Evoked potential; Migraine (Lambert, G.A.) 453, 143

Saline injection

Pineal; Rat; Melatonin; Serotonin *N*-acetyltransferase; Adrenal; Pituitary; Stress (Troiani, M.E.) **450**, 18

Saline loading

Renal denervation; Renal excretion; Anteroventral third ventricle (AV3V) (Huang, W.-C.) **460**, 83

Salivary gland

Von Ebner's gland; Autonomic nervous system; Tongue; Circumvallate papilla; Taste (Gurkan, S.) 473, 127

Salt appetite

Kassinin; Tachykinin; Sodium depletion; Deoxycorticosterone acetate; Renin; Rat (Massi, M.) 440, 232

Angiotensin II; Deoxycorticosterone acetate; Circumventricular organ; Angiotensin receptor (King, S.J.) 448, 140

Salt sensitivity

 α_2 -Adrenoceptor; Hypothalamus; Hypertension; Spontaneously hypertensive rat; Calcium (Klangkalya, B.) **451**, 77

Saponin

Filipin; Tomatin; Calcium; Axolemma; Lipid domain; Extracellular matrix; Membrane-associated cytoskeleton; Cytoskeleton; Cholesterol (Fields, R.D.) 443, 231

Saralasin

Angiotensin; Blood pressure; Cardiovascular locus; Spinal cord (Pant, K.K.) **454**, 400

Sarthran

Receptor antagonist; Blood pressure; Intracerebroventricular; Angiotensin; Spontaneously hypertensive rat (Jensen, L.L.) 448, 359

Satiety

Cholecystokinin; Feeding behavior; Osmotic minipump (Schick, R.R.) 448, 294

Saxitoxin

Sodium (Na⁺) channel; Tetrodotoxin; Quantitative autoradiography; Rat brain; Human brain (Mourre, C.) **448**, 128

SC-19220

Pain; Hyperalgesia; Bradykinin; Noradrenaline; Arachidonic acid; Prostaglandin antagonist; Analgesia (Taiwo, Y.O.) **458**, 402 Scent marking

Radioimmunoassay (Albers, H.E.) 456, 382

Dopamine D1 receptor; Quantitative autoradiography; Hippocampus; Putamen; Senile dementia (Cortés, R.) 475, 164

SCH-23390

Dopamine receptor; D₁-Dopamine receptor; Striatum; Estrogen; Estrogen treatment (Hruska, R.E.) **442**, 349

D₁-Dopamine receptor; Dopamine-stimulated adenylate cyclase; Guanine nucleotide; Retina; Striatum; Frontal cortex (De Keyser, J.) **443**, 77

Brain-stimulation reward; Dopamine receptor; Nucleus accumbens; Reinforcement; Sulpiride; Ventral tegmental area (Kurumiya, S.) 448, 1

Quinolinic acid; Catalepsy; Haloperidol; Kainic acid; Neuroleptic; Striatum (Calderon, S.F.) **450**, 403

Rotation; Amphetamine; Apomorphine; Striatum; Receptor, D₁-; Receptor, D₂-; Asymmetry; Lateralization; N-Methylspiperone (Glick, S.D.) **455**, 43

Schedule-induced polydipsia Coping; Central dopaminergic system; Amphetamine (Tazi, A.) 445, 211

Schizophrenia

Substance P-like immunoreactivity; Substance P receptor number; Methamphetamine; Behavioral sensitization (Ujike, H.) **453**, 136

Enkephalin; Opioid peptide; Cerebrospinal fluid; Electroconvulsive shock; Neuroleptic drug; Neuropeptide (Iadarola, M.J.) **474,** 75

Immunocytochemistry; Alzheimer's disease; Neurofilament; Phosphorylation; Neuronal tangle (Poltorak, M.) 475, 328

Schwann cell

Regeneration; Peripheral nerve; Sciatic nerve; Protein synthesis; RNA synthesis; DNA synthesis (Kanje, M.) 439, 116

Fetal nerve; Cell culture (Scarpini, E.) **440**, 261

Cation-binding; Trigeminal perikaryon; Axon hillock; Stem axon; Node (Byers, M.R.) **443**, 125

Ca²⁺-ATPase; Peripheral nerve; Axon; Dorsal root ganglia (DRG); Myelin; Electron microscopic cytochemistry (Mata, M.) **445**, 47

Nerve regeneration; Rat sciatic nerve; Thymidine; Mitosis (Sjöberg, J.) **453,** 221

Ruffini; Corpuscle; Free ending; Node of Ranvier; Cation binding;

Mechanoreceptor (Byers, M.R.) 461, 397

Ganglioside; Mitosis; Adenosine 3',5'-monophosphate (Sobue, G.) **474,** 287

Calmodulin; Peripheral nerve; Axon; Immunocytochemistry; Schmidt-Lanterman cleft (Mata, M.) 475, 297

Schwann cell factor

Peripheral nerve; Regeneration; Growth; Adhesion; Migration (Le Beau, J.M.) **459**, 93

Sciatic nerve

Regeneration; Peripheral nerve; Protein synthesis; RNA synthesis; DNA synthesis; Schwann cell (Kanje, M.) 439, 116

Acrylamide; Retrograde transport; Axonal transport; Neurotoxin; Neurotoxicology; Axonopathy; Neuropathy (Moretto, A.) **440**, 18

Wallerian degeneration; Endoneurial capillary; Permeability; Vascular space; Frog (Weerasuriya, A.) **445**, 181

Conditioning lesion; Axonal regeneration; Nerve transection; Nerve freeze; Rat; Tenotomy; Neurotrophic factor (Bondoux-Jahan, M.) 449, 150

Twitcher mouse; Globoid cell leukodystrophy; Galactosylsphingosine; Psychosine (Tanaka, K.) 454, 340

Buspirone; Ipsapirone; 8-Hydroxy-2-[N,N-dipropylamino]tetralin; Serotonin; Hippocampus; Cerebellum (Hiner, B.C.) **461**, 1

Ricinus communis agglutinin I; Dorsal root ganglion; Light microscopy (Aldskogius, H.) **461**, 215

Nerve regeneration; Growth hormone; Somatomedin; Insulin-like growth factor; Rat (Kanje, M.) 475, 254

Sciatic nerve section

Somatosensory cortex; Hindlimb deafferentation; Cortical plasticity; Laminar analysis (Dykes, R.W.) 449, 1

Somatosensory cortex; Hindlimb deafferentation; Glutamic acid; Acetylcholine (Lamour, Y.) 449, 18

Scopolamine

Cholinergic; Experimental brain injury; Mechanical brain injury; Spinal cord injury (Lyeth, B.G.) **452**, 39

Thyrotropin-releasing hormone; MK-771; Wet-dog shake; Atropine (Sills, M.A.) **453**, 385

Scrapic

Neurotransmitter; Cerebellum; Glutamic acid decarboxylase; Adenosine receptor (Quinn, M.R.) 445, 297 Scrotal skin temperature

Sulcal prefrontal cortex; Hypothalamic temperature; Thermoregulation (Shibata, M.) 443, 37

Scyliorhinus

Neuropeptide Y; Hypothalamus; Elasmobranch fish; Immunohistochemistry; High-performance liquid chromatography; Radioimmunoassay (Vallarino, M.) 448, 67

Second messenger

Opiate peptide; Adrenal medulla; Preproenkephalin mRNA (La Gamma, E.F.) 441, 292

Long-term potentiation; Hippocampus; Synaptic plasticity; Calmodulin; Protein kinase C; Calmidazolium; K-252b; Protein phosphorylation (Reymann, K.G.) **461**, 388

Second messenger system

Guanine nucleotide-binding protein; Islet-activating protein substrate; Hippocampus; Cerebral cortex; Cerebellar cortex; Synapse (Terashima, T.) 442, 305

Second somatosensory cortex

First somatosensory cortex; Glutamic acid decarboxylase; γ -Aminobutyric acid; Immunocytochemistry; Monkey (Chudler, E.H.) **456**, 57

Secondary amyloidosis

Alzheimer's disease; Amyloid; Monoclonal antibody; Novel protein; Immunohistology; Western blotting (Yamashita, T.) 474, 309

Secondary somatosensory nuclei Subthalamic nucleus; Primary somatosensory cortex; Horseradish peroxidase; Wheat germ-agglutinated horseradish peroxidase; Rat (Canteras, N.S.) 458, 53

Secretin

Vasoactive intestinal peptide (VIP); Peptide histidine isoleucine amide (PHI); Medial preoptic area; Microinjection; Luteinizing hormone; Prolactin; Ovariectomized rat (Akema, T.) 441, 367

Secretion

Desensitization; Nicotinic receptor; Tachykinin; Substance P; Adrenal chromaffin cell; Catecholamine; Neuromodulation (Khalil, Z.) **459**, 282

Tachykinin; Substance P; Adrenal chromaffin cell; Catecholamine; Neuromodulation (Khalil, Z.) **459**, 289

Secretory activity

Corticotropin-releasing factor; Adrenalectomy; Axonal transport; Colchicine (Berkenbosch, F.) 442, 312

Section Golgi impregnation Amygdala; Thalamus; Striatum; Prefrontal cortex (Carlsen, J.) 441, 377 Segmental lateral giant axon Horseradish peroxidase; Crayfish;

Endo/exocytosis (Viancour, T.A.)
439, 211

Segmental reflex

Potassium; Spinal cord; In vitro central nervous system (CNS); Synaptic transmission; Dorsal root reflex; Dorsal root potential (Czéh, G.) **446**, 50

Seizure

Kainic acid; Hippocampus; Epilepsy; Mossy fiber; CA3 (Okazaki, M.M.) **440**, 352

Epilepsy; Electrical kindling; Magnetic field, 60 Hz; Power-line frequency; Health effect; Rat (Ossenkopp, K.-P.) **442**, 255

MCD peptide receptor; Ionic channel; Ontogenesis; Rat brain; Autoradiography (Mourre, C.) **446,** 106

Kainic acid; Hippocampus; Mossy fiber; Vesicle; Quinoline; Toluene sulfanomide quinoline (TSQ); Epilepsy; Zinc-containing neuron; Zinc (Frederickson, C.J.) 446, 383

Kindling; Sleep; Memory; Aging; Rat (Stone, W.S.) 449, 135

Brain; Energy reserve; Normoxemia; Newborn monkey (Fujikawa, D.G.) **454,** 51

Brain dialysis; Calcium; Hippocampus; Quinolinic acid; Neurodegeneration (Vezzani, A.) **454**, 289

Glutamic acid; Glutamic acid diethyl ester; Excitatory amino acid; Homocysteine; Quisqualate; Diethyl glutarate (Freed, W.J.) **459**, 157

Cobalt focus; Epilepsy; Hippocampus; Neuron damage (Sugaya, E.) **459**, 196

Deoxyglucose; Amygdala; Limbic system; Status epilepticus (Handforth, A.) **460**, 94

Pilocarpine; Non-steroidal anti-inflammatory drugs; Epilepsy; Brain damage (Ikonomidou-Turski, C.) **462**, 275

Cysteamine; Myoclonus; Somatostatin; Amygdaloid kindling; Cortical kindling (Takazawa, A.) 473, 99

Epilepsy; Sprouting; Dentate mossy fiber; Hippocampus; Kainic acid (Cronin, J.) 474, 181

Benzodiazepine ligand; *N*-Methyl-β-carboline-3-carboxamide (FG 7142); Anxiety; [¹⁴C]Deoxyglucose technique; Glucose utilization (Pratt, J.A.) **475**, 218

Seizure arrest

Endogenous anticonvulsant; Opioid peptide; Epilepsy; Cerebrospinal fluid (Tortella, F.C.) **456**, 139

Seizure disorder

Anticonvulsant; Herpes simplex

encephalitis; Herpes simplex virus; Immunocytochemistry; Neurovirulence (Schlitt, M.) **440**, 293

Selective attention

Brain glucose metabolism; Inhibition; Thalamus; Cortex; Electrical stimulation; Sensory processing; Thalamic reticular nucleus (Sharp, J.W.) 438, 357

Cochlear micromechanics; Evoked oto-acoustic emission; Olivo-cochlear efferent (Puel, J.-L.) 447, 380

Selective breeding

γ-Aminobutyric acid (GABA); Benzodiazepine; t-Butylbicyclophosphorothionate (TBPS); Diazepam-sensitive (DS) mouse; Diazepam-resistant (DR) mouse (Allan, A.M.) 452, 118

Self-administration

Microdialysis; Gas chromatography/mass spectrometry; Pharmacokinetics; Uptake (Nicolaysen, L.C.) **456**, 317

Self-stimulation

Knife cut; Medial forebrain bundle; Rate-frequency data; Path neuron; Rat (Waraczynski, M.A.) 438, 8

Amphetamine; Brain stimulation reward; Nucleus Accumbens (Colle, L.M.) **459**, 361

Semliki Forest virus

Axonal transport; T-Lymphocyte; Demyelination; Optic nerve; Multiple sclerosis (Jenkins, H.G.) **459**, 145

Senescence accelerated mouse Animal model; Hyperactivity; Learning deficit; Memory deficit; Open field; Passive avoidance; Recent memory disturbance; T-maze (Yagi, H.) 474, 86

Senile dementia

Progressive supranuclear palsy; Alzheimer's disease; Neostriatum; Large neuron; Morphometry (Oyanagi, K.) 458, 218

Calcium; Calcium binding protein; Calbindin-28K; Cerebral cortex; Alzheimer's disease (Ichimiya, Y.) 475, 156

Dopamine D1 receptor; SCH 23390; Quantitative autoradiography; Hippocampus; Putamen (Cortés, R.) 475, 164

Senile dementia of the Alzheimer type

Human hippocampus; Aging; Excitatory aminoacid binding site; Mossy fiber plasticity (Represa, A.) 457, 355

Senile plaque

Alzheimer's disease; Tau; Meshwork; Pyramidal cell; Dendrite; Sprouting (Ihara, Y.) 459, 138

Alzheimer's disease; Visual cortex; Gliosis; Neurofibrillary tangle; Glial

fibrillary acidic protein (Beach, T.G.) 463, 357

Sensitivity

Prolactin; Growth hormone; Lactation; Morphine; Opiate (Callahan, P.) **442,** 214

Sensitization

Hyperalgesia; Nociceptor; Pain; Unmyelinated fiber; Axon reflex (Meyer, R.A.) 441, 168

Stress; Benzodiazepine; Diazepam; Corticosterone; Pentylenetetrazole; Post-traumatic stress disorder (Antelman, S.M.) **445**, 380

Lateralization; Amphetamine; Stress; Psychosis; Dopamine; Catecholamine; Adrenocorticotropin (LaHoste, G.J.) **453,** 381

Amphetamine; Dopamine; Nucleus accumbens; Dialysis; Dopamine release; Locomotion; Stereotyped behavior; Stimulant; Chronic drug effect; Amphetamine psychosis; Neural plasticity (Robinson, T.E.) 462, 211

Cerebral lateralization; Rodent; Neocortical ablation; Spatial bias; Stress-related hormone; Amphetamine (LaHoste, G.J.) **474**, 296

Sensorimotor cortex

Intracellular recording; Ventrolateral thalamus (VL); Cerebellum; Sensory input; Spinal cord (Mackel, R.) **440,** 348

Kindling; γ -Aminobutyric acid (GABA) receptor; Benzodiazepine receptor; Receptor autoradiography (Santori, E.M.) 442, 261

Microtubule-associated protein 2; Human fetal neocortex; Development; Immunocytochemistry; Prefrontal cortex; Interstitial neuron (Sims, K.B.) **449**, 192

Sensory

Chemoreceptor; Nucleus tractus solitarii; Brainstem; Medulla; Visceral (Claps, A.) **455**, 123

Baroreceptor; Visceral; Brainstem; Nucleus tractus solitarii; Medulla (Torrealba, F.) **455**, 134

Sensory afferent

Dorsal root; Caudal spinal cord; Amphibian spinal cord (Nordlander, R.H.) **440**, 391

Sensory deprivation

Olfactory bulb development; Nicotinamide adenine dinucleotide phosphate diaphorase histochemistry; Short-axon cell (Croul-Ottman, C.E.) 460, 323

Sensory ending

Cat; Mechanosensitivity; Muscle spindle; Ph; Proton pump; Ammonia; Carbondioxide (Fukami, Y.) 463, 140

Sensory function

Muscle spindle; Reinnervation; Nerve

crush (Scott, J.J.A.) 461, 381

Sensory ganglion

γ-Aminobutyric acid (GABA); GABA_A antagonist; Pyridazine derivative; Chromaffin cell; Chloride channel; Calcium current (Hamann, M.) **442**, 287

Sensory input

Intracellular recording; Ventrolateral thalamus (VL); Cerebellum; Spinal cord; Sensorimotor cortex (Mackel, R.) 440, 348

Neuronal transmission; Brain dialysis; Presynaptic inhibition; Cholinergic mechanism; Hippocampus; Theta-rhythm (Herreras, O.) 461, 303

Sensory nerve fiber

Histochemistry; Peripheral nerve; Carbonic anhydrase; Cholinesterase; Nerve regeneration; Axotomy; Myelinated axon; Motor nerve fiber (Riley, D.A.) 453, 79

Sensory neuron

Ca²⁺ current; Concentration clamp technique; Intracellular perfusion; Lidocaine; Voltage clamp (Oyama, Y.) **442**, 223

Sensory processing

Brain glucose metabolism; Inhibition; Thalamus; Cortex; Electrical stimulation; Selective attention; Thalamic reticular nucleus (Sharp, J.W.) 438, 357

Sensory receptor

Calcitonin gene-related peptide; Neurogenic inflammation; Axonal sprouting (Taylor, P.E.) **461**, 371

Sensory regulation

Giant interneuron; Feedback; Cercus; Cockroach (Goldstein, R.S.) 440, 366

Sensory response

Pulvinar; Unit activity; Motor behavior; Awake monkey (Magariños-Ascone, C.) **445**, 30

Sensory system

Neuropeptide; Calcitonin gene-related peptide; Immunohistochemistry; Receptor binding site; Motor system; Autonomic system; Rat (Kruger, L.) 463, 223

Sensory vagus nerve

Nodose ganglion; Dissociated cell culture; Substance P; Nerve growth factor (MacLean, D.B.) 457, 53

Sensory-motor integration

Prefrontal cortex; Short-term memory; Cross-temporal integration; Monkey (Quintana, J.) **474**, 211

Separation

Rhesus monkey; Opiate system; Pituitary-adrenal activation (Kalin, N.H.) 440, 288

Sepia officinalis

Optic gland; Phe-Met-Arg-Phe-NH₂;

Immunocytochemistry; Mollusca (Le Gall, S.) 462, 83

Septal area

Epilepsy; Kindling; Amygdala; Pyriform cortex; Hippocampus; Lesion (Racine, R.J.) **454**, 264

Septal neuron

Serum-free culture; Transplantation; Nerve growth factor; Fimbria-fornix transection (Hisanaga, K.) 475, 349

Septal nucleus

Adenosine deaminase; Enkephalin; Immunohistochemistry; Habenula; Septohabenular projection; Purinergic neurotransmission (Staines, W.A.) 455, 72

Septohabenular projection

Adenosine deaminase; Enkephalin; Immunohistochemistry; Septal nucleus; Habenula; Purinergic neurotransmission (Staines, W.A.) 455, 72

Septohippocampal pathway Acetylcholine; γ-Aminobutyric acid; Disinhibition; Dorsolateral septum (Hasuo, H.) 438, 323

Septohippocampal projection Hippocampus; Disinhibition; Intracellular recording; Inhibitory postsynaptic potential (IPSP) (Krniević, K.) 438, 182

Septohippocampal system N-Methyl-D-aspartate receptor antagonist; θ Rhythm; Phase shift; Place learning; Spectral analysis (Leung, L.-W.S.) 463, 148

Septum

Neuronal activity; Theta-hythm; Cholinergic drug; Electrical stimulation (Brazhnik, E.S.) **451**, 1

Hippocampus; Pyramidal neuron; CA2; Horseradish peroxidase; Lamellar organization; Computer reconstruction (Tamamaki, N.) **452**, 255

Acetylcholine; Serotonin; Hippocampus; Spatial learning; Locomotor activity (Nilsson, O.G.) **453**, 235

Neural transplantation; Human fetus; Hippocampus; Acetylcholinesterase; Immunization (Nilsson, O.G.) **456**, 193

Vasopressin; Oxytocin; Central release; Push-pull perfusion; Osmotic stimulation; Dorsal hippocampus (Landgraf, R.) **457**, 219

Vasopressin; Oxytocin; Push-pull perfusion; Paraventricular nucleus; Electrical stimulation (Neumann, I.) **462**, 181

Serial position curve

Medial septum; Dorsal hippocampal formation; Item recognition memory; List learning (Kesner, R.P.) 454, 219

Serotonergic

Adrenergic; Peptidergic; Perivascular; Innervation; Cerebral artery; Development; Rat (Mione, M.C.) **460,** 103

Serotonergic axon

Serotonin; Receptor, 5-HT₂; Dorsal raphe; Cerebral cortex; Receptor binding; Immunocytochemistry; Autoradiography (Blue, M.E.) **453,** 315

Raphe nucleus; Amphetamine derivative; Neurotoxicity (Fritschy, J.-M.) 473, 261

Serotonergic mechanism

Inescapable shock; Noradrenergic mechanism; Dopaminergic mechanism; Cholinergic mechanism; γ-Aminobutyric acidergic mechanism; Motor activity; Rat (Płaźnik, A.) 447, 122

Serotonergic system

Integrated functional activity; Raphe nucleus; 5,7-Dihydroxytryptamine; Electrolytic lesion (Cudennec, A.) **444,** 214

Integrated functional activity; Raphe nucleus; Cortical column; Serotonin head syndrome; Thalamocortical pathway; Extrapyramidal system (Cudennec, A.) 444, 227

Serotonergic terminal

Periventricular nucleus; Somatostatin neuron; Hypothalamus; Synaptic connection (Kiss, J.) **442**, 23

Serotonin

Aplysia; Calcium current; Dopamine; Forskolin (Lotshaw, D.P.) 439, 64

Retina; Amacrine cell; Bipolar cell; Ganglion cell; Chicken; Kainic acid; 5,7-Dihydroxytryptamine (Millar, T.J.) **439**, 77

Methylmercury; Noradrenaline; Dopamine; Cerebral cortex; Spinal cord; Caudate-putamen; Cerebral palsy (O'Kusky, J.R.) **439**, 138

Ventrolateral medulla; Substance P; Neurotensin; Somatostatin; Cardiovascular regulation (Ciriello, J.) **440,** 53

Locus ceruleus; Raphe system; Ovulation; Luteinizing hormone (LH) (Morello, H.) 440, 227

Enkephalin; Spinal cord; Coexistence; Immunohistochemistry; Immunofluorescence; Cat (Tashiro, T.) **440,** 357

Microdialysis; Hemorrhage; Blood pressure; Noradrenaline; 3-Methoxy-4-hydroxyphenylethyleneglycol (MHPG); Uric acid; Supraoptic nucleus; Rat (Kendrick, K.M.) 440, 402

Chronic naltrexone administration; Norepinephrine; Dopamine (Sharma, T.R.) 442, 379

Cerebral blood vessel; Co-transmission; Immunohistochemistry; Perivascular nerve (Jackowski, A.) **443**, 159

Spinal cord; Human; 5-Hydroxyindoleacetic acid; Norepinephrine (Lacković, Z.) 443, 199

Serotonin-3 (5-HT₃) receptor; Ion channel; Neuroblastoma-glioma hybrid cell (Reiser, G.) **443**, 338

Immunocytochemistry; Nucleus raphe magnus; Pain modulation; Descending control; Ultrastructure; Periaqueductal gray (Lakos, S.) 443, 383

Raphe nucleus; Neuronal transplantation; Immunohistochemistry; Subcommissural organ (Ueda, S.) 444, 361

Suprachiasmatic nucleus; Circadian hormone rhythm; Corticosterone; Ontogenesis (Bánky, Z.) 445, 222

Tetrahydrobiopterin; Catecholamine; Guanosine triphosphate (GTP) cyclohydrolase; Disease model; Diaminopyrimidine (Suzuki, S.) 446, 1

Neurotoxicity; Amphetamine; Primate; 3,4-Methylenedioxymethamphetamine (Ricaurte, G.A.) 446, 165

3,4-Methylenedioxymethylamphetamine; Amphetamine analog; Neurotoxicity; Route of administration (Finnegan, K.T.) 447, 141

Morphine; Testosterone; Luteinizing hormone; Follicle-stimulating hormone; Noradrenaline; Endogenous opioid (Gabriel, S.M.) 447, 200

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Tryptophan hydroxylase; Mouse (Fukuda, H.) 449, 399

Transplantation; Hippocampus; Raphe; Horseradish peroxidase; Immunocytochemistry; High-pressure liquid chromatography (Zhou, F.C.) **450,** 51

Immunocytochemistry; Spinal cord; Traumatic injury; Paraplegia (Faden, A.I.) **450**, 94

Lateral hypothalamus; Excitatory amino acid; Stimulation-produced antinociception; Tail-flick reflex; Descending inhibition (Aimone, L.D.) 450, 170

5-Hydroxyindoleacetic acid; Serotonin neurotoxin; Denervation tool; Central nervous system; Pigeon (Alesci, R.) **450,** 259

Acetylcholine; Vasoactive intestinal peptide; Frog corticosteroidogenesis; Co-action; Perifusion (Leboulenger, F.) **453**, 103

Acetylcholine; Septum; Hippocampus; Spatial learning; Locomotor activity (Nilsson, O.G.) **453**, 235

Receptor, 5-HT₂; Serotonergic axon; Dorsal raphe; Cerebral cortex; Receptor binding; Immunocytochemistry; Autoradiography (Blue, M.E.) **453**, 315

Punishment; Noradrenaline; Dopamine; Neurotransmitter turnover; Brain region (Miyauchi, T.) **454**, 40

Thyrotrophin-releasing hormone; Wet-dog shake; Choline acetyltransferase; Raphe neuron; Motoneuron (Fone, K.C.F.) **455**, 157

Synaptosome; 5-Hydroxytryptamine; Volatile anesthetics; Ketamine; Narcotic (Martin, D.C.) **455**, 360

5-HT receptor; Ionophoresis; Nociception; Dorsal horn (El-Yassir, N.) **456**, 147

N-Methyl-p-aspartate; Neocortical neuron; Excitatory postsynaptic potential; Modulation (Reynolds, J.N.) **456**, 286

Iminodipropionitrile; Spasmodic dyskinesia; Striatum; Nucleus accumbens; Brainstem (Cadet, J.L.) **456,** 371

Methylenedioxymethamphetamine; Neurotoxicity; Antinociception; Morphine (Nencini, P.) **457**, 136

Acetylcholine; Striatum; Slice; Release (Jackson, D.) 457, 259

Acetylcholine; Dopamine; Striatum; In vitro; 6-Hydroxydopamine; Release (Jackson, D.) **457**, 267

Cerebellum; Mutant mouse pcd; Purkinje cell; 5-Hydroxyindoleacetic acid (Ghetti, B.) 458, 367

Immunohistochemistry; Electron microscopy; High-performance liquid chromatography; Chromaffin cell; Frog; Sympathetic regulation (Delarue, C.) **459**, 17

G protein; Pertussis toxin; Dorsal raphe; Baclofen (Innis, R.B.) 459, 27

Noradrenaline; Predictable shock; Unpredictable shock (Adell, A.) 459, 54

Monoamine; Gastropod; Catecholamine; Snail (Croll, R.P.) 460, 29

Buspirone; Ipsapirone; 8-Hydroxy-2-[N,N-dipropylamino]tetralin; Hippocampus; Cerebellum; Sciatic nerve (Hiner, B.C.) **461**, 1

Adenosine release; Capsaicin; Primary afferent neuron (Sweeney, M.) **462,** 346

Immunohistochemistry; Cerebral ganglion; Bilateral symmetry

(Sukhdeo, S.C.) 463, 57

Pineal gland; Pyridoxine deficiency; Aromatic amino acid decarboxylase; Melatonin; Rat (Viswanathan, M.) 473, 37

Organotypic tissue culture; Substance P; Thyrotrophin-releasing hormone; Development (Jonakait, G.M.) 473, 336

Neurotoxicity; Amphetamine; Cerebrospinal fluid; 5-Hydroxyindoleacetic acid; (±)-3,4-Methylenedioxymethamphetamine (Ricaurte, G.A.) 474, 359

Dopamine; Prefrontal cortex; Neonatal lesion; Ventral tegmental area; Food hoarding; Open-field behavior; Sexual dimorphism (Kalsbeek, A.) 475, 80

Aromatic L-amino acid decarboxylase; Tyrosine hydroxylase; Dopamine; Spinal cord; Immunohistochemistry; Mouse; Rat (Nagatsu, I.) 475, 91

Serotonin N-acetyltransferase

Pineal; Rat; Melatonin; Adrenal; Pituitary; Stress; Saline injection (Troiani, M.E.) 450, 18

Pineal gland; Brattleboro rat; Melatonin synthesis; Circadian rhythmicity; Long-Evans rat; Vasopressin (Schröder, H.) **459**, 328

Serotonin agonist

5-Hydroxytryptamine; Neurotoxin; Nociception; Receptor supersensitivity; Mouse (Eide, P.K.) 440, 42

Serotonin head syndrome

Integrated functional activity; Raphe nucleus; Cortical column; Serotonergic system; Thalamocortical pathway; Extrapyramidal system (Cudennec, A.) 444, 227

Serotonin neuron

Hippocampal graft; Raphe neuron (Daszuta, A.) 458, 1

Serotonin neurotoxin

Serotonin; 5-Hydroxyindoleacetic acid; Denervation tool; Central nervous system; Pigeon (Alesci, R.) **450**, 259

Serotonin receptor

Spinal cord-sensory ganglion; Tissue culture; Adenylate cyclase; Cyclic adenosine monophosphate (cAMP); Opioid tolerance; Opioid receptor; Pertussis toxin (Makman, M.H.) 445, 303

Serotonin uptake site

Cyanoimipramine; Autoradiography, quantitative (Kovachich, G.B.) 454, 78

Serotonin-2 (5-HT₂) binding site [³H]Ketanserin binding; Human postmortem brain; Suicide; Depression; Antidepressant drug (Cheetham, S.C.) 443, 272

Serotonin-3 (5-HT₃) receptor

Serotonin; Ion channel; Neuroblastoma-glioma hybrid cell (Reiser, G.) 443, 338

Serotonin-like immunoreactivity

Oestrogen; Progesterone; Perivascular; Noradrenergic; Basilar artery; Rabbit (Dhall, U.) 442, 335

Serum glucose

Endogenous organic acid; 3,4-Dihydroxybutanoic acid γ -lactone; 2,4,5-Trihydroxypentanoic acid γ -lactone; Feeding modulation; Rat; Insulin; 4-Butanolide (Sakata, T.) **473**, 43

Serum-free culture

Neurite growth; Neurite guidance; Grating; Microstructure; Growth cone; Dorsal root ganglion neuron; Nerve cell culture (Hirono, T.) 446, 189

Transplantation; Septal neuron; Nerve growth factor; Fimbria-fornix transection (Hisanaga, K.) 475, 349

Sex difference

Corpus callosum; Early experience; Brain laterality; Rat (Berrebi, A.S.) 438, 216

 α_1 -Receptor; α_2 -Receptor; Quantitative autoradiography; Ventromedial hypothalamic nucleus; Preoptic area; Medial amygdaloid nucleus; Guinea pig (Johnson, A.E.) **442**, 205

Hypothalamus; Estradiol binding site; Bethanechol; Atropine sulfate (Lauber, A.H.) **443**, 21

Corpus callosum; Axon; Ultrastructure; Differential environment (Juraska, J.M.) **450**, 1

Blood-brain barrier; Circumventricular organ; Fluorescein; Gonadectomy; Rat (Martinez, J.L.) **450**, 81

Androgen receptor; Guinea pig brain; Noradrenergic transmission (Ahdieh, H.B.) **456**, 275

Astrocyte; Glial fibrillary acidic protein; Arcuate nucleus; Hippocampus; Globus pallidus; Estradiol; Testosterone; Immunocytochemistry (Garcia-Segura, L.M.) 456, 357

5-Hydroxytryptamine; 5-Methoxy-N,N-dimethyltryptamine; Depression; Stress; Corticosterone; Open field activity; Food intake (Haleem, D.J.) **458**, 339

Sex differences

Muscarinic receptor; Preoptic area; Hypothalamus; Estrous cycle; Estradiol; Rat (Olsen, K.L.) 448, 223

Sex dimorphism

Aromatase; 5α-Reductase; 5β-Reductase; Testosterone; Brain development; Hypothalamus (Schumacher, M.) 441, 98 Sex steroid

Aging; Vasopressin innervation; Oxytocin innervation; Testosterone; Plasticity in senescence; Rat (Goudsmit, E.) 473, 306

Sex steroid hormone

Progestin receptor; Guinea pig; Immunocytochemistry; Estradiol; Hypothalamus (Blaustein, J.D.) 474, 1

Sexual behavior

Dopamine; cis-Flupenthixol; Apomorphine; Medial preoptic area; Rat; Male (Pehek, E.A.) 443, 70

Female monkey; Proceptivity; Hypothalamus; Electrical stimulation (Koyama, Y.) **446**, 199

Neuron activity; Ventromedial hypothalamus; Medial preoptic area; Female; Monkey (Aou, S.) **455**, 65

Hypothalamus; Masculine sexual arousal; Copulatory mechanism; Marmoset (Lloyd, S.A.C.) **463**, 317

Neonatal treatment; Vasopressin; Vasopressin antagonist; Development; Immunocytochemistry; Radioimmunoassay (Meyerson, B.J.) 473, 344

Sexual differentiation

Development; Estrogen; Female sexual behavior; Lordosis; Progestin receptor; Rat (Williams, C.L.) 449, 403

Sexually dimorphic nucleus; Preoptic area; Rat brain; Diethylstilbestrol (Tarttelin, M.F.) **456**, 271

Testosterone metabolism; Zebra finch; Aromatase; 5α -Reduction; 5β -Reduction (Vockel, A.) **463**, 330

Sexual dimorphism

Male primate; Gonadotropin-releasing hormone; Luteinizing hormone; Estrogen (Francis Pau, K.-Y.) 459, 70

Dopamine; Serotonin; Prefrontal cortex; Neonatal lesion; Ventral tegmental area; Food hoarding; Open-field behavior (Kalsbeek, A.) 475, 80

Sexual receptivity

Oxytocin; Paraventricular; Lordosis; Estrogen; Progesterone; Mounting; Medial preoptic area; Lateral subcommissural nucleus (Caldwell, J.D.) 446, 236

Sexually dimorphic nucleus Sexual differentiation; Preoptic area; Rat brain; Diethylstilbestrol (Tarttelin, M.F.) 456, 271

Sheep

Intracranial dialysis; Oxytocin; Dopamine; Uric acid; Olfactory bulb; Substantia nigra; Parturition; Suckling (Kendrick, K.M.) 439, 1

Response pattern; Chemoreception; Epiglottis; Nucleus of the solitary tract; Off response; Superior laryngeal nerve; Upper airway (Sweazey, R.D.) 439, 195

Medullary swallowing interneuron (unitary activity); Hypoglossal motor nucleus; Parvocellular reticular formation; Retrograde transport of horseradish peroxidase (Amri, M.) **441**, 119

Microdialysis; Oxytocin; Aspartate; γ-Aminobutyric acid (GABA); Glutamate; Olfactory bulb; Vaginocervical stimulation (Kendrick, K.M.) 442, 171

Shift predictor

Connectivity diagram; Conditional cross-correlation; Effective connectivity; Excitation; Inhibition; Multi-unit recording; Neural interaction (Espinosa, I.E.) 450, 39

Shiverer

Jimpy; Myelin deficient; Myelin synthesis deficiency; Gene interaction; Myelin morphology (Billings-Gagliardi, S.) **455**, 271

Myelin-deficient; Quaking; Gene interaction; Myelin morphology (Wolf, M.K.) **461**, 257

Shiverer: Myelin deficient (*mld*) Myelin; Double mutation; Morphology (Inoue, Y.) **449**, 271

Short-axon cell

Olfactory bulb development; Nicotinamide adenine dinucleotide phosphate diaphorase histochemistry; Sensory deprivation (Croul-Ottman, C.E.) 460, 323

Short-sleep mice

Dentate gyrus; Basket cell; Astrocyte; Chronic ethanol; Granule cell; Long-sleep mice (Scheetz, A.J.)
460, 246

Short-term memory

Prefrontal cortex; Cross-temporal integration; Sensory-motor integration; Monkey (Quintana, J.) **474**, 211

Short-term potentiation Hippocampus; Tetanus (Anwyl, R.) **459**, 192

Shuttle-box training

Learning; Memory; Goldfish brain protein; Ependymin; Avoidance conditioning; Long-term memory; Extracellular glycoprotein (Piront, M.-L.) 442, 53

Sialic acid

Receptor; β -Glucuronidase; Astrocyte; C6 glioma (Jenkins, H.G.) **462**, 265

Sialosyl cholesterol

Differentiation; Glioblast; Cyclic adenosine monophosphate (Kato, T.) **438**, 277

Silver intensification

Rat neostriatum; Neuropeptide Y; Dopamine; Double immunostaining; Electron microscope (Kubota, Y.) **458**, 389

Single fiber

Amiloride; Taste; Chorda tympani nerve; Ionic stimulus; Electrical stimulation; Rat (Ninomiya, Y.) **451**, 319

Single fiber analysis

Umami; Taste quality; Conditioned taste aversion; Chorda tympani; Glossopharyngeal nerve (Yamamoto, T.) 451, 147

Single photon emission computerized tomography

[1251]3-Iodobenzamide; In vivo binding; D₂ Receptor; LY-171555; YM-09151-2; Neuroleptic; IBZM (Singhaniyom, W.) **453**, 393

Single unit activity

Suprachiasmatic nucleus; Circadian rhythm; Metabolic activity; Hamster; In vitro (Shibata, S.) **438**, 374

Locus coeruleus; Noradrenaline; Endogenous opioid; Naloxone; Stress; Cat (Abercrombie, E.D.) **441**, 362

Cholecystokinin; Brain receptor; Cholecystokinin A (CCK-A) receptor; Cholecystokinin B (CCK-B) receptor; Rat hippocampal slice; Extracellular recording (Böhme, G.A.) **451**, 309

Amphetamine; Freely moving rat; Neostriatum (Gardiner, T.W.) 463, 268

Single-unit recording

Kindling; Substantia nigra pars reticulata; Epileptogenesis; γ-Aminobutyric acid; Glycine; Glutamate; Acetylcholine (Waszczak, B.L.) 455, 115

δ-Site

Hippocampus; Dentate gyrus; Rat; Opioid receptor; μ -Site; κ -Site (Plager, M.D.) **460**, 150

к-Site

Hippocampus; Dentate gyrus; Rat; Opioid receptor; μ -Site; δ -Site (Plager, M.D.) **460**, 150

μ-Site

Hippocampus; Dentate gyrus; Rat; Opioid receptor; δ -Site; κ -Site (Plager, M.D.) **460**, 150

Size distribution

Trochlear nerve; Abducens nerve; Myelinated axon; Unmyelinated axon; Fibre count (Hildebrand, C.) **453**, 401

Skate

γ-Aminobutyric acid; Horizontal cell; Elasmobranch (Cohen, J.L.) **455**, 366

SKF 38393-induced grooming

D₁-supersensitivity; Apomorphine-induced stereotypy; Spiroperidol; Dopamine metabolite concentration (Gandolfi, O.) **455**, 390

Skilled forelimb reaching Hemidecortication; Movement;

Kennard doctrine; Motor cortex; Skilled reaching; Neonatal cortex lesion; Plasticity; Sparing of function (Whishaw, I.Q.) **451**, 97

Skilled reaching

Hemidecortication; Movement; Kennard doctrine; Motor cortex; Neonatal cortex lesion; Plasticity; Skilled forelimb reaching; Sparing of function (Whishaw, I.Q.) **451**, 97

Sleep

Cholecystokinin; Brain temperature; Feeding (Kapás, L.) 438, 155

Respiratory rhythm; Multistability; Biologic oscillator; Wakefulness; Arousal (Vibert, J.-F.) **448**, 403

Kindling; Memory; Aging; Rat; Seizure (Stone, W.S.) 449, 135

Thermoregulation; Brainstem; Paradoxical sleep without atonia (Amini-Sereshki, L.) 450, 9

Cerebral cortex; N-Methyl-D-aspartic acid (NMDA); 2-Amino-5-phosphonovaleric acid (2-APV); Thalamocortical (Armstrong-James, M.) **451**, 189

Choline acetyltransferase; Horseradish peroxidase-conjugated wheat germ agglutinin; *Phaseolus vulgaris* leucoagglutinin; Immunohistochemistry; Double labeling; Brainstem reticular formation (Mitani, A.) **451**, 397

Aging; Temperature; Arousal (Bowersox, S.S.) 457, 200

Sleep substance

Diclofenac sodium; Indomethacin; Prostaglandin; Paradoxical sleep; Rat; Slow wave sleep (Naito, K.) 453, 329

Sleep-wake activity

Prostaglandin E₂; Temperature; Preoptic area; Microinjection; Electroencephalogram; Electromyogram (Matsumura, H.) 444, 265

Sleep-waking cycle

Brain DNA synthesis; Circadian rhythm (Grassi Zucconi, G.) 447, 253

Carbamazepine; Ethosuximide; Evoked potential; Amygdala kindling; Systemic penicillin epilepsy; Ventral lateral thalamus; Motor cortex; Cat (Shouse, M.N.) 473, 372

Slice

Calcitonin gene-related peptide; Rat dorsal horn neuron; Spinal cord (Ryu, P.D.) 441, 357

Hippocampus; Long-term potentiation; Calcium; N-Methyl-p-aspartate (Huang, Y.-Y.) **456**, 88

Serotonin; Acetylcholine; Striatum; Release (Jackson, D.) 457, 259

Glycine; Substantia nigra zona compacta; Potassium; Voltage clamp;

Rat (Mercuri, N.B.) 462, 199

Slice preparation

Visual cortex; Spike-triggered averaging; Unitary postsynaptic potential; Intracortical connectivity; Cat (Komatsu, Y.) 442, 359

Striate cortex; Layer I; Kynurenate; Intracellular recording; Synaptic potential (Nakajima, S.) **457**, 176

Slice technique

Angiotensin İİ-sensitive neuron; Organum vasculosum lamina terminalis; Spontaneously hypertensive rat; Wistar-Kyoto rat; Brain; Micropressure injection (Nelson, D.O.) 444, 46

Slow inhibitory postsynaptic potential

Sympathetic ganglion; Sucrose-gap; Adrenergic pharmacology; Bullfrog (Yavari, P.) **452**, 175

Slow postsynaptic potential

Neural conditioning action; Heterosynaptic potentiation; Long-term enhancement; Synaptic modulation; Synaptic plasticity; Sympathetic ganglion; Dopamine (Libet, B.) 473, 271

Slow synaptic potential

Sympathetic ganglion; M₁-muscarinic action; Interneuronal receptor; Postganglionic receptor; McN-A-343; AF-102B (Mochida, S.) **455**, 9

Slow wave sleep

Diclofenac sodium; Indomethacin; Prostaglandin; Paradoxical sleep; Rat; Sleep substance (Naito, K.) 453, 329

Slow-twitch muscle

Soma size; Oxidative enzyme activity; Horseradish peroxidase; Motoneuron; Fast-twitch muscle; Rat (Ishihara, A.) **446**, 195

Small intensely fluorescent (SIF) cell

Pterygopalatine ganglion; Rat; Guinea pig; Neuropeptide Y; Acetylcholinesterase; Cholinergic; Tyrosine hydroxylase; Coexistence (Kuwayama, Y.) 446, 219

Smoking

Nicotine; Developing human brain; Nicotine receptor (Cairns, N.J.) 475, 1

Snail

Monoamine; Gastropod; Serotonin; Catecholamine (Croll, R.P.) 460, 29

Snail neuron

Epilepsy; Pentylenetetrazol; Membrane current; Calcium; Helix pomatia (Walden, J.) 473, 294

Potassium current; Adenosine monophosphate, cyclic; Protein kinase, cAMP-dependent; Protein kinase inhibitor; Intracellularly stored calcium (Onozuka, M.) 473, 401

Social grooming

Rat; Hypothalamus; Aggression;

Teeth-chattering; Electrical brain stimulation; Discriminant analysis; Mapping (Lammers, J.H.C.M.) **449**, 311

Social memory

Vasopressin; Lateral septum; Androgen-dependent behavior (Dantzer, R.) **457**, 143

Social stress

β-Endorphin; Periaqueductal gray; Pituitary; Mouse strain; Analgesia; Naloxone; β-Chlornaltrexamine (Külling, P.) **450**, 237

Sodium

Benztropine; Tris chloride; Choline chloride; Ouabain; Dopamine; Re-uptake; Striatum; Push-pull perfusion; Rat (Sirinathsinghji, D.J.S.) 438, 399

Sodium-calcium exchange

Insect; Locust; Calcium; Neuroendocrine; Corpus cardiacum; Adipokinetic hormone (Pannabecker, T.) 458, 180

Sodium (Na⁺) channel

Saxitoxin; Tetrodotoxin; Quantitative autoradiography; Rat brain; Human brain (Mourre, C.) 448, 128

Sodium channel

Squid axon; Voltage clamp; Pyrethroid; Octylguanidine; Channel modification (De Weille, J.R.) 445, 1

Pyrethroid; Insecticide; Batrachotoxin; Batrachotoxinin A 20-α-benzoate (Lombet, A.) **459**, 44

Sodium channel inactivation

Squid giant axon; Pyrethroid; Tetramethrin; Grayanotoxin; Sodium current (Takeda, K.) 448, 308

Sodium chloride ingestion

Tyrosine hydroxylase mass; Tyrosine hydroxylase activity; Median eminence; Superior cervical ganglion (Wang, P.S.) **446**, 363

Sodium current

Cyclic adenosine monophosphate (cyclic AMP); Molluscan neuron; Molluscan feeding (McCrohan, C.R.) 438, 115

Sodium channel inactivation; Squid giant axon; Pyrethroid; Tetramethrin; Grayanotoxin (Takeda, K.)
448, 308

Cyclic adenosine monophosphate (cAMP); Pentylenetetrazol; Molluscan neuron; Phosphodiesterase (McCrohan, C.R.) **452**, 21

Aplysia neuron; Edrophonium; Concentration clamp; Intracellular perfusion (Oyama, Y.) 463, 124

Sodium depletion

Kassinin; Tachykinin; Salt appetite; Deoxycorticosterone acetate; Renin; Rat (Massi, M.) 440, 232 Sodium flux

N-Methyl-D-aspartate; MK-801; Excitatory amino acid (Ransom, R.W.) 444, 25

Sodium nitroprusside

Atrial natriuretic factor; Cyclic guanosine monophosphate (GMP); Hippocampus; Immunocytochemistry; Rat (De Vente, J.) 446, 387

Sodium permeability

Aplysia neuron; Edrophonium; Inward current; Internal perfusion; Concentration clamp (Oyama, Y.) 438, 95

Sodium salicylate

Interferon-α; Thermosensitive neuron; Naloxone; Preoptic hypothalamus; Anterior hypothalamus; Hypothalamic slice; Fever (Nakashima, T.) **454**, 361

Sodium valproate

Hippocampus; Physiology; Epilepsy; Post-tetanic potentiation; Bursting (Griffith, W.H.) 474, 155

Solitary nucleus

Vagal complex; Cholinergic receptor; Area postrema; Emesis; Human brainstem (Hyde, T.M.) **447**, 287

Solitary tract nucleus

Taste; Thermal sensitivity; Mechanoreceptive neuron; Cold neuron; Rat; Receptive field (Ogawa, H.) **454**, 321

Soma size

Oxidative enzyme activity; Horseradish peroxidase; Motoneuron; Fast-twitch muscle; Slow-twitch muscle; Rat (Ishihara, A.) 446, 195

Retina; Ganglion cell; Superior colliculus; Dorsal lateral geniculate nucleus (Lugo-Garcia, N.) **454,** 67

Conduction velocity; Axonal diameter; Cat pyramidal tract cell; Horseradish peroxidase staining (Sakai, H.) **460**, 1

Soman

Acetylcholine esterase inhibitor; Bladder; Parasympathetic neuron; Nicotinic depolarization; Muscarinic hyperpolarization (Kumamoto, E.) **458**, 151

Somatic input

Vagal preganglionic neuron; Dorsal vagal nucleus; Nucleus ambiguus; Nucleus tractus solitarius (Wang, Q.) **439**, 350

γ-Aminobutyric acid; Dorsal vagal nucleus; Rostral ventrolateral medulla; Bradycardia (Wang, Q.) **457**, 367

Somatic sensation

Thalamus; Nucleus ventralis posteromedialis parvocellularis; Trigeminal nerve; Tongue; Cat (Nishikawa, Y.) 458, 394

Thalamus; Nucleus ventralis posteromedialis; Periodontium; Cat (Yokota, T.) 475, 187

Somatic sensory cortex

Glutamate; Asymmetric synapse; Visual cortex; Cat; Immunocytochemistry (Defelipe, J.) **455,** 162

Glutamate; Cortico-cortical connection; Immunocytochemistry; Monkey (Conti, F.) **462**, 148

Somatomedin

Nerve regeneration; Sciatic nerve; Growth hormone; Insulin-like growth factor; Rat (Kanje, M.) 475, 254

Somatomotor/visceromotor integration

Striatum; Dopamine; Norepinephrine; Arterial baroreceptor nerve; Cardiovascular regulation (Alexander, N.) 444, 320

Somatosensory cortex

Mouse; Rat; Barrel; Vibrissa; Anti-γ-aminobutyric acid (anti-GABA) serum; Immunocytochemistry (Chmielowska, J.) 439, 155

Receptive field; Neuron; Anesthesia; Cat; Rat (Dykes, R.) 440, 133

Thin spike; Somatosensory neuron; Acetylcholine sensitivity (Dykes, R.W.) **441,** 48

Corpus callosum; Cat; Interhemispheric transfer; Receptive field; Mid-line fusion (Guillemot, J.-P.) **441**, 221

Dendritic spine; Axospinous synaptic junction; Degeneration; Structural alteration; Spiny stellate neuron; Thalamocortical (Benshalom, G.) **443**, 377

Cortical lesion; Somatotopic mapping (Burton, H.) 448, 397

Hindlimb deafferentation; Sciatic nerve section; Cortical plasticity; Laminar analysis (Dykes, R.W.) 449, 1

Hindlimb deafferentation; Sciatic nerve section; Glutamic acid; Acetylcholine (Lamour, Y.) **449**, 18

Nociceptive neuron; Noxious thermal stimulation; Pain (Kenshalo, D.R.) 454, 378

Interneuron; Excitatory postsynaptic potential; Intracellular study; Cat; Horseradish peroxidase (Yamamoto, T.) **461**, 199

Posterior thalamic complex; Barrelfield; Vibrissa (Koralek, K.-A.) 463, 346

Immunocytochemistry; γ -Aminobutyric acid; Glutamic acid decarboxylase; Rat (Spreafico, R.) **474**, 192

Somatosensory evoked potential (SEP)

Cerebral blood flow (CBF); Hypoxia; Thalamocortical conduction time (Coyer, P.E.) 441, 145

Somatosensory evoked response Spinal cord injury; Trauma;

Thyrotropin-releasing hormone (TRH) analog; Neurological recovery; Histopathology (Faden, A.I.) 448, 287

Somatosensory neuron

Somatosensory cortex; Thin spike; Acetylcholine sensitivity (Dykes, R.W.) 441, 48

Somatosensory system

Dorsal column nucleus; Spinal cord; Peripheral nerve; Transganglionic transport (Florence, S.L.) **452**, 388

Somatostatin

Cyclic adenosine monophosphate (cAMP); Growth hormone-releasing factor (GRF); Adenohypophysis; Forskolin; Pertussis toxin (Schettini, G.) 439, 322

Ventrolateral medulla; Serotonin; Substance P; Neurotensin; Cardiovascular regulation (Ciriello, J.) **440,** 53

AtT-20 pituitary cell; Adrenocorticotropic hormone (ACTH) secretion; Potassium channel; Pertussis toxin; G-protein (Pennefather, P.S.) 444, 346

Substance P; Haloperidol; Long-term administration; Dopamine; Rat (Radke, J.M.) **445**, 55

Neurotoxicity; Cerebellum; Vasopressin; Barrel rotation; Convulsion; Pulmonary edema (Balaban, C.D.) **445**, 117

Neuropeptide Y; Nicotinamide adenine dinucleotide phosphate (NADPH)-diaphorase; Striatum; Cortex; Quinolinic acid; Rat (Boegman, R.J.) 445, 358

Immunocytochemistry; Cerebral cortex; Lizard; Reptile (Dávila, J.C.) 447, 52

Electrically evoked release; Cortical brain slice; High pressure liquid chromatography characterization (Bonanno, G.) **447**, 92

Growth hormone; Periventricular nucleus; Immunoneutralization (Kaler, L.W.) **447**, 384

Dorsal reticulospinal tract; Immunocytochemistry; Nucleus gigantocellularis; Nucleus raphe magnus (Bowker, R.M.) 447, 398

Hyperpolarization; Hippocampus; CA1 pyramidal neuron (Watson, T.W.J.) 448, 40

Primary culture; Neuron; Vasoactive intestinal peptide; Adenylate cyclase; Calcium; Phorbol ester (Tapia-Arancibia, L.) **450**, 101

Histidyl-proline diketopiperazine (cyclo(His-Pro)); Receptor binding; Ventromedial hypothalamic nucleus (VMH); Lesion (Ogawa, N.) 451, 115

Neurotransmitter; Virus (Lipkin, W.I.) 451, 333

Alzheimer's disease; Amygdala; Neuropeptide Y; Neuronal atrophy; Neuritic plaque; Cholinergic afferent (Unger, J.W.) **452**, 293

Amygdala; Human; Alzheimer's disease; Immunohistochemistry; Basal forebrain (Mufson, E.J.) **453**, 117

Genetically obese Zucker rat; Hypothalamus (DonCarlos, L.L.) **458**, 372

Lateral spinal nucleus; Peptide; Substance P; Enkephalin; Dynorphin (Cliffer, K.D.) **460**, 356

Cysteamine; Seizure; Myoclonus; Amygdaloid kindling; Cortical kindling (Takazawa, A.) 473, 99

Pain; Antinociception; Spinal cord; Antiserum; Intrathecal injection; Adjuvant arthritis (Ohno, H.) **474**, 197

Growth hormone (GH); GH-releasing factor (GRF); GH secretory pattern; Antiserum to rat GRF; α -Methyl-p-tyrosine (Sugihara, H.) 475, 128

Vasoactive intestinal polypeptide; γ-Aminobutyric acid; Immunoreactivity; Hippocampus; Epileptic mouse; Epilepsy (King, J.T.) 475, 192

Somatostatin neuron

Periventricular nucleus; Serotoninergic terminal; Hypothalamus; Synaptic connection (Kiss, J.) **442**, 23

Somatostatin-28

Vasopressin secretion; Cysteamine; Paraventricular nucleus; Hemorrhage (Brown, M.R.) **452**, 212

Somatosympathetic reflex Phrenic nerve afferent; Cord dorsum potential; Cardiac sympathetic nerve (Szulczyk, A.) 447, 109

Somatotopic mapping Somatosensory cortex; Cortical lesion (Burton, H.) 448, 397

Somatotopic organization Horseradish peroxidase; Palatine afferent (Arvidsson, J.) **451**, 197

Somatotopy

Taste; Tactile; Medulla; Facial lobe; Catfish; Amino acid; Electrophysiology (Marui, T.) **446**, 178

Somesthetic pathway

Axonal tract tracing; Wheatgerm agglutinated horseradish peroxidase; Leucine; Autoradiography (Nothias, F.) 447, 169

Song system

Estrogen receptor; Zebra finch; Hypothalamus; Aromatization inhibitor (Walters, M.J.) **459**, 37

Sound localization

Spatial sensitivity; Inferior colliculus;

Bat (Schlegel, P.A.) 456, 127

Source of astroglial ganglioside Ganglioside; Astroglia; Neuron (Byrne, M.C.) 461, 87

Sparing of function

Hemidecortication; Movement; Kennard doctrine; Motor cortex; Skilled reaching; Neonatal cortex lesion; Plasticity; Skilled forelimb reaching (Whishaw, I.Q.) **451**, 97

Spasmodic dyskinesia

Iminodipropionitrile; Serotonin; Striatum; Nucleus accumbens; Brainstem (Cadet, J.L.) **456**, 371

Spatial bias

Cerebral lateralization; Rodent; Neocortical ablation; Stress-related hormone; Amphetamine; Sensitization (LaHoste, G.J.) **474**, 296

Spatial coding

Olfaction; Antennal lobe; Olfactory stimulation; Deoxyglucose; Autoradiography (Rodrigues, V.) **453**, 299

Spatial integration

Lurcher mutant mouse; Cerebellum; Spontaneous alternation (Lalonde, R.) 455, 24

Spatial learning

Acetylcholine; Serotonin; Septum; Hippocampus; Locomotor activity (Nilsson, O.G.) **453**, 235

Spatial memory

Nucleus basalis magnocellularis; Choline-acetyltransferase activity; Place navigation task; Cross maze (Mayo, W.) 455, 213

Nucleus basalis magnocellularis lesion; Cholinergic cortical transplant (Welner, S.A.) **463**, 192

Spatial sensitivity

Inferior colliculus; Bat; Sound localization (Schlegel, P.A.) 456, 127

Spectral analysis

N-Methyl-D-aspartate receptor antagonist; θ Rhythm; Phase shift; Septohippocampal system; Place learning (Leung, L.-W.S.) 463, 148

Medullary inspiratory neuron; Inspiratory nerve; Rhythm; Coherence function; Interval analysis (Christakos, C.N.) **463**, 362

Spectrin

Hippocampus; Plasticity; Sprouting; Degeneration; Cytoskeleton; Pathology; Astrocyte (Ivy, G.) **459**, 233

Spike-triggered averaging

Antidromic mapping; Axonal branching; Medullospinal sympathetic neuron; Sympathetic nerve discharge (Barman, S.M.) 441, 371

Visual cortex; Unitary postsynaptic potential; Intracortical connectivity; Slice preparation; Cat (Komatsu, Y.)

442, 359

Medulla oblongata; Nodose ganglion; Nucleus tractus solitarii; Pulmonary receptor; Respiration; Vagus nerve (Kubin, L.) 443, 215

Neural control of respiration; Axonal mapping; Bulbospinal tract; Phrenic motoneuron; Inspiration (Dick, T.E.) **454**, 31

Spinal accessory

Motoneuron; Sternocleidomastoid; Trapezius; Monkey (Jenny, A.) **441**, 352

Spinal cord

Inhibitory spinal interneuron; Glycine; Strychnine-sensitive inhibitory postsynaptic potential (IPSP); Lamprey; Locomotion; Pattern generator (Buchanan, J.T.) 438, 404

Pain; Dorsal horn; Cutaneous afferent fiber; C fiber (Schouenborg, J.) 439, 56

Methylmercury; Noradrenaline; Serotonin; Dopamine; Cerebral cortex; Caudate-putamen; Cerebral palsy (O'Kusky, J.R.) **439**, 138

Fictive locomotion; Lamprey; Biological buffer; *N*-Hydroxyethyl' piperazine-*N*-ethane sulfonic acid (HEPES) (Burton, N.R.) **440**, 159

Edinger-Westphal nucleus; Anterior median nucleus; Parasympathetic nucleus; Fluorescent tracer; Nuclear yellow; Fast blue; Ciliary ganglion; Double label (Burde, R.M.) 440, 177

Intracellular recording; Ventrolateral thalamus (VL); Cerebellum; Sensory input; Sensorimotor cortex (Mackel, R.) 440, 348

Enkephalin; Serotonin; Coexistence; Immunohistochemistry; Immunofluorescence; Cat (Tashiro, T.) **440**, 357

Angiotensin II; Motoneuron; Dorsal horn; Peptide; Receptor (White, S.R.) **441**, 195

Calcitonin gene-related peptide; Rat dorsal horn neuron; Slice (Ryu, P.D.) **441,** 357

Human; Serotonin; 5-Hydroxyindoleacetic acid; Norepinephrine (Lacković, Z.) **443**, 199

Angiotensin II; Culture; Autoradiography; Receptor; Neuron; Glial cell (Simonnet, G.) 443, 403

Development; Noradrenaline; Adrenoceptor; Cyclic adenosine monophosphate; Uptake (Simmons, R.M.A.) 445, 338

Cholecystokinin; Lucifer yellow; Intracellular staining; Lamprey (Ohta, Y.) **445**, 400

Potassium; In vitro central nervous

system (CNS); Synaptic transmission; Segmental reflex; Dorsal root reflex; Dorsal root potential (Czéh, G.) **446,** 50

5-Hydroxyindole; Nucleus raphe magnus; Morphine; Voltammetry (Rivot, J.P.) **446**, 333

Flexor reflex; Arthritis; Tenotomy; Rat; Chronic; Plasticity (Wall, P.D.) 447, 215

Immunohistochemistry; Teleost; Supramedullary neuron; Neuropeptide (Benedetti, I.) **449**, 373

Serotonin; Immunocytochemistry; Traumatic injury; Paraplegia (Faden, A.I.) **450.** 94

Early phrenic motor unit; Late phrenic motor unit; Phrenic-to-phrenic reflex; Respiration (Marlot, D.) **450**, 373

Femoral-saphenous vein; Vascular afferent; Enteroceptor; Interneuron; Cat (Yates, B.J.) **451**, 285

Endorphin; Naloxone; Electroacupuncture; Analgesia; Tail flick; Electrostimulation; Acupuncture (Pomeranz, B.) **452**, 227

Electroacupuncture; Analgesia; Naloxone; Endorphin; Naltrexone; Nociceptive reflex; Acupuncture (Pomeranz, B.) **452**, 232

Somatosensory system; Dorsal column nucleus; Peripheral nerve; Transganglionic transport (Florence, S.L.) **452**, 388

Vestibular; Electromyogram extensor; Locus ceruleus; Pontine reticular formation (Barnes, C.D.) 453, 32

Spinocerebellar; Clarke's column; Cerebellum; Central cervical nucleus (Tracey, D.J.) **453**, 129

Paraventricular nucleus; Antidromic response; Vagal afferent (Lovick, T.A.) **454**, 123

Angiotensin; Blood pressure; Cardiovascular locus; Saralasin (Pant, K.K.) **454**, 400

Substance P; Capsaicin; Kainic acid; Picrotoxin; Strychnine; Morphine; L-Glutamic acid; Pain; Behavior (Frenk, H.) 455, 223

Substance P; Strychnine; Kainic acid; L-Glutamic acid; Morphine; Analgesia; Pain; Behavior (Bossut, D.) **455**, 232

Substance P; Valproic acid; Kainic acid; Strychnine; Morphine; Pain; Behavior; Chlordiazepoxide (Frenk, H.) 455, 240

Extracellular space; Development; Chick embryo (Sano, N.) 455, 324

Subparafascicular nucleus; Neocortex; All dopamine cell group; Retrograde fluorescent labeling; Immunohistochemistry; Rat (Takada, M.) 455, 346

Axoplasmic flow; Histocytochemistry; Electron microscopy; Ventral root; Motor neuron; Ranvier's node; Initial axon segment (Berthold, C.-H.) **456**, 293

Extracellular potassium; Injury; Pain (Svoboda, J.) **458**, 97

Stress; Oxytocin; Vasopressin; Pituitary; Hypothalamus; Pons-medulla (Miaskowski, C.) **458**, 137

Superior cervical ganglion; Neurospecificity; Choline acetyltransferase; Tissue culture (Chalazonitis, A.) **458**, 231

 μ -Opioid; δ-Opioid; Excitatory synaptic transmission (Jeftinija, S.) **460**, 260

Morphine; Descending inhibition; Nociception; Brainstem; Glutamate (Jones, S.L.) **460**, 281

Substance P antagonist; Tail flick; Intrathecal; Nociception; Rat (Cridland, R.A.) 462, 15

Voltammetry; 5-Hydroxyindole; Morphine; Trigeminal nucleus caudalis; Dorsal horn (Rivot, J.P.) **463**, 275

Locus ceruleus; Phentolamine; Noradrenaline; Brain graft (Henschen, A.F.) 474, 66

Pain; Antinociception; Somatostatin; Antiserum; Intrathecal injection; Adjuvant arthritis (Ohno, H.) 474, 197

Pregnancy; Opioid analgesia; κ -Receptor; Nor-binaltorphimine (Sander, H.W.) **474**, 343

Excitatory amino acid; Kainic acid; Domoic acid; Acromelic acid; Rat; Electrophysiology (Ishida, M.) 474, 386

Aromatic L-amino acid decarboxylase; Tyrosine hydroxylase; Dopamine; Serotonin; Immunohistochemistry; Mouse; Rat (Nagatsu, I.) 475, 91

Dynorphin; Calcitonin gene-related peptide; Rat; Immunocytochemistry; Nociception (Takahashi, O.) 475, 168

Spinal cord injury

Trauma; Thyrotropin-releasing hormone (TRH) analog; Neurological recovery; Somatosensory-evoked response; Histopathology (Faden, A.I.) 448, 287

Spinal cord regeneration; Locomotion; Descending command system; Brainstem locomotor region; Lamprey (McClellan, A.D.) 448, 339

Scopolamine; Cholinergic; Experimental brain injury; Mechanical brain injury (Lyeth, B.G.) **452**, 39

Trauma; Eicosanoid; Lipoxygenase; Cyclo-oxygenase; Cation (Faden, A.I.) **463**, 63

Thyrotropin releasing hormone;

Dynorphin A; Substance P antagonist (Martinez-Arizala, A.) 473, 385

Spinal cord regeneration

Locomotion; Spinal cord injury; Descending command system; Brainstem locomotor region; Lamprey (McClellan, A.D.) 448, 339

Spinal cord transection

Fetal rat; Surgical mortality; Oligohydramnios (De Beer, F.C.) **454,** 397

Spinal cord-sensory ganglion

Tissue culture; Adenylate cyclase; Cyclic adenosine monophosphate (cAMP); Opioid tolerance; Opioid receptor; Serotonin receptor; Pertussis toxin (Makman, M.H.) 445, 303

Spinal dorsal horn

Calcitonin gene-related peptide; Iontophoresis; Nociception; Neuropeptide; Synaptic transmission; Cat (Miletic, V.) 446, 169

Calcitonin gene-related peptide; Calcium influx; Calcium efflux; Synaptosome (Oku, R.) 475, 356

Spinal norepinephrine

Calcium-induced paralysis; Chemical paralysis; Sucrose-potassium phosphate-glyoxylic acid (SPG) histofluorescence; Monoamine; High-performance liquid chromatography (HPLC) (De la Torre, J.C.) 442, 297

Spinal opioid receptor

Vagal afferent; Pain modulation; Tail flick reflex; Nociception (Ren, K.) **446**, 285

Spine genesis

Ontogenetic adaptation of dendritic spine genesis; Pyramidal neuron spine of motor cortex; Pyramidal neuron spine of visual cortex; Undernutrition; Brain development (Gundappa, G.) 456, 205

Spinocerebellar

Clarke's column; Cerebellum; Spinal cord; Central cervical nucleus (Tracey, D.J.) **453**, 129

Spinothalamic tract

Periaqueductal gray; Double-label fluorescence (Harmann, P.A.) 441, 87

Dynorphin; Enkephalin; Vasoactive intestinal polypeptide; Lateral spinal nucleus; Lamina X (Nahin, R.L.) **443**, 345

Spiny stellate neuron

Dendritic spine; Axospinous synaptic junction; Degeneration; Structural alteration; Thalamocortical; Somatosensory cortex (Benshalom, G.) 443, 377

Spiral ganglion

Auditory system; T II neuron; Neurofilament subunits; Immunocytochemistry; Rat (Romand, R.) 462, 167

Spiroperidol

D₁-supersensitivity; Apomorphine-induced stereotypy; SKF 38393-induced grooming; Dopamine metabolite concentration (Gandolfi, O.) **455**, 390

Spontaneous alternation

Electrolytic ventral mesencephalic tegmentum lesion; Locomotor hyperactivity; Noradrenergic-dopaminergic (NA-DA) interaction; Behavioral restoration; Receptor heteroregulation (Taghzouti, K.) 440, 172

Lurcher mutant mouse; Cerebellum; Spatial integration (Lalonde, R.) **455**, 24

Striatal transplant; Muscarinic cholinergic receptor; Kainic acid; Behavioral recovery; Huntington's disease; Locomotor activity (Deckel, A.W.) 474, 27

Spontaneous hypertension Renal hypertension; Brain ventricle; Captopril; Hydrocephalus; Spontaneously hypertensive rat; Intraventricular pressure (Ritter, S.) 450, 354

Spontaneous limbic seizure Experimental epilepsy; Kainic acid; Microinjection; Amygdala; Complex partial seizure (Tanaka, S.) 463, 163

Spontaneous network burst Mast cell degranulating peptide (MCD); Ca 3; Hippocampal neuron; Evoked network burst; Long-lasting effect (Cherubini, E.) 445, 91

Spontaneous release Giant miniature endplate potential (gMEPP); Calcium-independent release; Emetine (Alkadhi, K.A.)

Excitatory amino acid; Ca²⁺ withdrawal; Veratridine; Amino-oxyacetic acid (Minc-Golomb, D.) **457**, 205

447, 293

Spontaneously hypertensive rat Corticotropin-releasing factor; Catecholamine; Mean arterial pressure; Heart rate; Bombesin (Brown, M.R.) 441, 33

Hypertension; Neuropeptide Y; Adrenergic; Cerebral vessel; Perivascular nerve; Superior cervical ganglion (Dhital, K.K.) 444, 33

Angiotensin II-sensitive neuron; Organum vasculosum lamina terminalis; Wistar-Kyoto rat; Brain; Slice technique; Micropressure injection (Nelson, D.O.) 444, 46

Vasopressin; Renin; Converting enzyme inhibition; 6-Hydroxydopamine (Sladek, C.D.) **445**, 39

Sarthran; Receptor antagonist; Blood

pressure; Intracerebroventricular: Angiotensin (Jensen, L.L.) 448, 359

Spontaneous hypertension; Renal hypertension; Brain ventricle; Captopril: Hydrocephalus: Intraventricular pressure (Ritter, S.) 450, 354

α₂-Adrenoceptor; Hypothalamus; Hypertension; Salt sensitivity; Calcium (Klangkalya, B.) 451, 77

Cerebral ischemia; Reperfusion (Sadoshima, S.) 454, 238

Sporadic cerebral amyloid angiopathy

Alzheimer's disease: Hereditary cerebral hemorrhage with amyloidosis; Dementia; Stroke; β -Protein; β -Amyloid disease (Coria, F.) **463**, 187

Spreading depression

Migraine; Cerebellum; Biomagnetism; Evoked magnetic field (Okada, Y.C.) 442, 185

Neuronal injury (Nedergaard, M.) 449, 395

N-Methyl-D-aspartate antagonist; Cerebral cortex: Rat: Electric stimulation; Ion-sensitive microelectrode (Marrannes, R.) 457, 226

Leao's depression; Neuron damage; Potassium; Extracellular; Calcium (Kawasaki, K.) 457, 322

Potassium; Extracellular pH; Ion-selective microelectrode; Elasmobranch; Cerebellum (Rice, M.E.) 461, 328

Glutamate; Aspartate; Quisqualate; Kainate; N-Methyl-D-aspartate; Turtle cerebellum; Ion-selective microelectrode (Lauritzen, M.) 475, 317

Carbon fiber electrode; KCl stimulation; Ion-selective electrode; Caudate; Substantia nigra; In vivo voltammetry (Kasser, R.J.) 475, 333

Sprouting

Corticorubral fiber; Cerebral lesion; Red nucleus; Kitten; Phaseolus vulgaris leucoagglutinin (PHA-L) (Murakami, F.) 447, 98

Central nervous system reorganization; Neural plasticity; Age-at-lesion effect; Red nucleus; Motor cortex; Hemispherectomy (Villablanca, J.R.) **453.** 17

Gonadal steroid; Adrenal steroid; Hippocampus; Neurotrophic; Glucocorticoid (Scheff, S.W.) 457, 246

Alzheimer's disease; Tau; Meshwork; Senile plaque; Pyramidal cell; Dendrite (Ihara, Y.) 459, 138

Perseveration; Entorhinal cortex

(Ramirez, J.J.) 459, 153

Hippocampus; Plasticity; Degeneration: Cytoskeleton; Pathology (Seubert, P.) 459, 226

Hippocampus; Plasticity; Degeneration; Cytoskeleton; Pathology; Astrocyte; Spectrin (Ivy, G.) 459, 233

Epilepsy; Seizure; Dentate mossy fiber; Hippocampus; Kainic acid (Cronin, J.) 474, 181

Square-wave grating

2-Deoxyglucose; Diffuse light; Visual system (Rooney, B.J.) 439, 311

SOUID

Magnetic field; Hippocampal slice; Magnetoencephalogram; Neural modeling (Tesche, C.D.) 462, 190

Squid axon

Sodium channel; Voltage clamp; Pyrethroid; Octylguanidine; Channel modification (De Weille, J.R.) 445, 1

Squid giant axon

Sodium channel inactivation: Pyrethroid; Tetramethrin; Grayanotoxin; Sodium current (Takeda, K.) 448, 308

Squirrel monkey

Dopamine; Tyrosine hydroxylase; Prefrontal cortex; Cynomolgus monkey (Lewis, D.A.) 449, 225

Basal ganglia; γ -Aminobutyric acid; Immunohistochemistry; Amino acid (Smith, Y.) 453, 353

Staggerer [3H]Muscimol binding site; Weaver; Reeler; Purkinje cell degeneration (Rotter, A.) 439, 236

Flunitrazepam binding site: Purkinie cell degeneration; Weaver; Reeler (Rotter, A.) 444, 133

Stannous ion

Transmitter release; Motor nerve ending; Anti-curare action; Frog (Hattori, T.) 473, 157

Staphylococcal protein A

Immunochemistry; Histocytochemistry; Immunoenzyme technique; Neurotransmitter; Peptide; Enkephalin; Tyrosine hydroxylase (Correa, F.M.A.) 448, 192

Startle

Glutamate; Amino acid antagonist; Lateral lemniscus (Spiera, R.F.) 445, 130

Status epilepticus

Deoxyglucose; Seizure; Amygdala; Limbic system (Handforth, A.) 460, 94

Stellate ganglion Cerebral vascular innervation; Sympathetic innervation; Basilar artery; Vertebral artery; Anterograde tracing; Wheatgerm-agglutinated horseradish peroxidase (WGA-HRP) histochemistry; Rat (Arbab, M.A.)

445, 175

Stem axon

Cation-binding; Trigeminal perikaryon; Axon hillock; Node; Schwann cell (Byers, M.R.) 443, 125

Stereology

Disector; Dentate gyrus; Granule cell; Morphometrics (West, M.J.) 448, 167

Dentate gyrus; Granule cell; Dendrite; Neuronal plasticity; Alcohol; Rat (Cadete-Leite, A.) 473, 1

Stereoselectivity

Anticonvulsant; Maximal electric shock; Mouse (Kohn, H.) 457, 371

Stereotyped behavior

Sensitization; Amphetamine; Dopamine; Nucleus accumbens; Dialysis; Dopamine release; Locomotion; Stimulant; Chronic drug effect; Amphetamine psychosis; Neural plasticity (Robinson, T.E.) 462, 211

Stereotyped pecking

Apomorphine; 6-Hydroxydopamine; Nucleus basalis; Pigeon (Lindenblatt, U.) 453, 1

Sternocleidomastoid

Motoneuron; Trapezius; Spinal accessory; Monkey (Jenny, A.) 441, 352

Steroid

Benzodiazepine receptor; Adrenalectomy; Hypophysectomy; Corticosterone (Miller, L.G.) 446, 314

Dehydroepiandrosterone; Dehydroepiandrosterone sulfate; Hormone; Memory; Mouse; Retention; Amnesia (Flood, J.F.) 447, 269

Aging; Mouse; Memory; Retention; Adrenal (Flood, J.F.) 448, 178

Monoamine; Catecholamine turnover; Hypothalamus; Vocal control system; Zebra finch (Barclay, S.R.) 459, 333

Analgesia;

3α-Hydroxy-4-pregnen-20-one; Follicle stimulating hormone suppression; γ-Aminobutyric acid; Opiate; Calcium channel antagonist; Benzodiazepine; Naloxone; Verapamil; Nifedipine; Ro 15-1788; Picrotoxin; Bicuculline; Tyr-MIF-1; Morphine (Wiebe, J.P.) **461**, 150

Steroid autoradiography

Tract tracing; Hypothalamus; Limbic system; Ventromedial nucleus; Medial amygdala; Reproduction (Akesson, T.R.) 451, 381

Steroid binding

Adrenocorticosteroid receptor: Mineralocorticoid; Glucocorticoid; Receptor stability (Luttge, W.G.) 453, 41

Steroid metabolism

Retina; 5α -Reductase; 3β-Hydroxysteroid dehydrogenase (Lanthier, A.) 463, 403

Steroid receptor

Glucocorticoid binding; Human cortex; [³H]Dexamethasone; Epilepsy (Sarrieau, A.) **442**, 157

Stimulant

Sensitization; Amphetamine; Dopamine; Nucleus accumbens; Dialysis; Dopamine release; Locomotion; Stereotyped behavior; Chronic drug effect; Amphetamine psychosis; Neural plasticity (Robinson, T.E.) 462, 211

Stimulation

Locus coeruleus; Medial preoptic nucleus; Luteinizing hormone (LH); Luteinizing hormone-releasing hormone (LH-RH); Hypothalamic transection; Locus coeruleus decussation (Gitler, M.S.) 447, 205

Facilitation; Motor tract; Motoneuron; Evoked potential; Motor unit (Rossini, P.M.) 458, 20

Striatum; Intracranial self-stimulation; Voltammetry; Model; Uptake (Nicolaysen, L.C.) **460**, 50

Stimulation-coupled transmitter release

Cerebellar granule cell; Neuronal culture; Neuromodulation; Glutamate; Glycine; Glycine receptor; Cerebellum (Kingsbury, A.) 448, 46

Stimulation-produced analgesia Medial hypothalamus; Dorsal horn neuron; Heat-evoked response; Tail-flick reflex; Descending inhibition; Rat (Culhane, E.S.) 438, 137

Dorsal raphe nucleus; Periaqueductal gray; Opiate; Acetylcholine; Analgesia; Pain; Behavior (Klatt, D.S.) **447**, 246

Periaqueductal gray matter; Superior colliculus; Tegmentum; Midbrain; Blood pressure; Analgesia; Rat (Depaulis, A.) 451, 326

Stimulation-produced antinociception

Lateral reticular nucleus; Locus coeruleus/subcoeruleus; Dorsolateral funiculus; Descending inhibition; Tonic descending inhibition (Janss, A.J.) **440,** 109

Lateral hypothalamus; Excitatory amino acid; Serotonin; Tail-flick reflex; Descending inhibition (Aimone, L.D.) **450,** 170

Stimulus evaluation

Prefrontal cortex; Behavioral significance; Attention; Motivation; Monkey (Yajeya, J.) 474, 222

Stimulus train-induced bursting Kindling; Permanence; Hippocampus; CA3; Potassium (Bragdon, A.C.) **453**, 257 Stizolobic acid

Glutamate; Quisqualate; Competitive inhibitor; Crayfish neuromuscular junction (Shinozaki, H.) **451**, 353

Glutamate; N-Methyl-p-aspartic acid; Quisqualate; Kainate; Excitatory amino acid; Rat spinal cord (Ishida, M.) 473, 193

Stomach

Corticotropin-releasing factor; Acoustic stress; Cold stress; Gastric emptying; Motility; Mouse (Buéno, L.) 441, 1

Fluoro-Gold; Retrograde axonal transport; Fluorescent dye; Peritoneum; Vagus nerve; Dorsal motor nucleus of the vagus (Yoshida, J.) 455, 1

Storage vesicle

Thalamus; Kainic acid; Catecholamine; Indoleamine; High-performance liquid chromatography; Electrochemical detection (Weil-Fugazza, J.) 444, 374

Strain difference

Avian brain; Catecholamine content; Dopamine; Prefrontal cortex equivalent (Divac, I.) **444**, 371

Pentobarbital; Circadian rhythm; Phase response curve; Mouse (Ebihara, S.) **454**, 404

Straining

Bulbar respiratory neuron; Pelvic nerve; Defecation; Micturition; Parturition; Kölliker-Fuse (K-F) nucleus; Respiration (Fukuda, H.) 449, 157

Streptozotocin

Diabetes; Axonal transport; Acetylcholinesterase; Peripheral neuropathy (Macioce, P.) 438, 291

Stress

Mouse; Genotype; Dopamine; Dihydroxyphenylacetic acid; Homovanillic acid; 3-Methoxytyramine; Brain area (Cabib, S.) **441**, 153

Locus coeruleus; Noradrenaline; Endogenous opioid; Naloxone; Single unit activity; Cat (Abercrombie, E.D.) 441, 362

Regional cerebral glucose utilization; Conditioned fear; Aversive conditioning; Conditional emotional response; Rat (Bryan, R.M.) 444, 17

Glucocorticoid receptor; Hippocampus; Rat (Meaney, M.J.) 445, 198

Benzodiazepine; Diazepam; Corticosterone; Sensitization; Pentylenetetrazole; Post-traumatic stress disorder (Antelman, S.M.) 445, 380

Cold water swim; Adrenal denervation; Opioid; Non-opioid analgesia; Tail flick (Rochford, J.) 445, 404

Pineal; Rat; Melatonin; Serotonin N-acetyltransferase; Adrenal; Pituitary; Saline injection (Troiani, M.E.) **450**, 18

Prefrontal cortex; Dopamine metabolism; Voltammetry in vivo; Roman high-avoidance rat; Roman low-avoidance rat; Emotionality level (D'Angio, M.) **451**, 237

Lateralization; Sensitization; Amphetamine; Psychosis; Dopamine; Catecholamine; Adrenocorticotropin (LaHoste, G.J.) **453**, 381

Surgery; Central benzodiazepine receptor; Peripheral benzodiazepine binding site; Ketamine; Flunitrazepam; PK 11195 (Okun, F.) 458, 31

Oxytocin; Vasopressin; Pituitary; Hypothalamus; Pons-medulla; Spinal cord (Miaskowski, C.) **458**, 137

5-Hydroxytryptamine; 5-Methoxy-N,N-dimethyltryptamine; Sex difference; Depression; Corticosterone; Open field activity; Food intake (Haleem, D.J.) **458**, 339

Corticotropin-releasing factor; Immunoreactivity; Adrenocorticotropic hormone; Hypothalamus; Median eminence; Anisomycin (Haas, D.A.) 461, 230

Epilepsy; Hippocampus; Neuron death; Kainic acid; Glutamate; Glucocorticoid; Metyrapone (Stein, B.A.) 473, 175

N-Methyl-D-aspartate-receptor; Hippocampus; Lactate; Glucose consumption (Schasfoort, E.M.C.) 475, 58

Stress hyperglycemia
Tail pinch; Enkephalin (Sanchez, R.)
452, 149

Stress response

Corticotropin-releasing hormone antagonist; Freezing behavior; Rat; Nociception (Kalin, N.H.) 457, 130

Stress ulcer

Central amygdala; Endorphin; Enkephalin; Naloxone (Ray, A.) 442, 195

Stress-induced analgesia

Intracerebroventricular; Freezing; Quaternary naltrexone; Endogenous opioid; Opioid antagonist; Pavlovian conditioning; Conditioned fear (Fanselow, M.S.) 444, 147

Genetic difference; Opiate receptor; Naloxone; Hypothermia (Marek, P.) 447, 188

Restraint; Morphine; Naloxone; Analgesia; Tail flick; Circadian effect; CD-1 mice (Miller, D.B.) 473, 327

Stress-related hormone

Cerebral lateralization; Rodent; Neocortical ablation; Spatial bias; Amphetamine; Sensitization (LaHoste, G.J.) **474**, 296

Stretch-induced release Proctolin; Oval organ; Lobster (Pasztor, V.M.) 458, 199

Striatal compartment

Neuropeptide; Dynorphin; Substance P; Enkephalin (Gerfen, C.R.) 460, 161

Striatal transplant

Muscarinic cholinergic receptor; Kainic acid; Behavioral recovery; Huntington's disease; Locomotor activity; Spontaneous alternation (Deckel, A.W.) 474, 27

Striate cortex

Slice preparation; Layer I; Kynurenate; Intracellular recording; Synaptic potential (Nakajima, S.) **457**, 176

Phaclofen; Baclofen-induced suppression; Visually evoked response (Baumfalk, U.) **463**, 398

Striatonigral GABAergic output Opioid catalepsy; Striatum; Corticostriatal pathway; Decortication; *N*-Methyl-p-aspartate receptor antagonist (Consolo, S.) **449**, 97

Striatonigral pathway

Circling; Collision method; Refractory period; Conduction velocity (Tehovnik, E.J.) 441, 269

Angiotensin-converting enzyme inhibitor; Kininase II; Brain transport; Quantitative autoradiography; Peptidase; Axonal transport (Aiso, M.) 447, 195

Striatonigral projection

Substantia nigra; Neostriatum; Glutamic acid decarboxylase; Immunocytochemistry; γ-Aminobutyric acid; γ-Aminobutyric acid synapse; Degeneration (Nitsch, C.) **461**, 127

Striatum

Benztropine; Tris chloride; Choline chloride; Sodium; Ouabain; Dopamine; Re-uptake; Push-pull perfusion; Rat (Sirinathsinghji, D.J.S.) 438, 399

Dopamine D_2 receptor; In vivo labeling; High affinity agonist 205-502; Pituitary (Closse, A.) **440**, 123

Ischemia; Dextromethorphan; *N*-Methyl-D-aspartic acid (NMDA); Neocortex (George, C.P.) **440**, 375

Amygdala; Thalamus; Prefrontal cortex; Section Golgi impregnation (Carlsen, J.) 441, 377

Electrical stimulation; Globus pallidus; Local cerebral glucose utilization; [¹⁴C]Deoxyglucose method; Circling behavior (Aiko, Y.) **442**, 43

Subthalamic nucleus; Nucleus tegmenti pedunculopontinus pars compacta; Globus pallidus; Substantia nigra; Retrograde double labeling; Rat (Takada, M.) 442, 72

Dopamine receptor; D₁-Dopamine receptor; SCH-23390; Estrogen; Estrogen treatment (Hruska, R.E.) **442**, 349

D₁-Dopamine receptor; Dopamine-stimulated adenylate cyclase; Guanine nucleotide; [³H]SCH 23390; Retina; Frontal cortex (De Keyser, J.) **443**, 77

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP); 1-Methyl-4-phenyl-pyridinium (MMP+); Mitochondrial respiration; Cytochrome-b; Hippocampus (Sanchez-Ramos, J.R.) **443**, 183

Reaction time; D₂-Dopaminergic receptor (Wilcox, R.E.) **443**, 190

Dopamine; Norepinephrine; Arterial baroreceptor nerve; Cardiovascular regulation; Somatomotor/visceromotor integration (Alexander, N.) **444**, 320

Ketamine anesthesia; Dopamine turnover; 3,4-Dihydroxyphenylacetic acid; Homovanillic acid; Rat (Koshikawa, N.) **444**, 394

Peripheral benzodiazepine receptor; Focal ischaemia; Neurotoxic lesion; Diaschisis; Rat cerebral cortex (Dubois, A.) 445, 77

Herpes simplex virus; Mouse; Dopamine; Encephalitis (Seegal, R.F.) **445**, 234

Neuropeptide Y; Somatostatin; Nicotinamide adenine dinucleotide phosphate (NADPH)-diaphorase; Cortex; Quinolinic acid; Rat (Boegman, R.J.) 445, 358

Huntington's disease; Kainic acid; Neural transplant; Locomotor behavior; Digiscan (Giordano, M.) **446**, 183

Quinolinate; Kainate; Acetylcholinesterase; NADPH-diaphorase; Excitatory amino acid; Huntington's disease; Cell culture (Koh, J.-Y.) **446**, 374

L-Dihydroxyphenylalanine; Dopamine; Parkinsonism; Release; Voltammetry (Keller, R.W.) **447**, 191

Opioid catalepsy; Corticostriatal pathway; Decortication; *N*-Methyl-D-aspartate receptor antagonist; Striatonigral GABAergic output (Consolo, S.) **449**, 97

Ethanol; Dopamine receptor; Adenylate cyclase (Lucchi, L.) 449, 347

Rotation; Amphetamine; Apomorphine; 6-Hydroxydopamine; Lateralization (Glick, S.D.) **450**, 334

Quinolinic acid; Catalepsy; SCH23390; Haloperidol; Kainic acid; Neuroleptic (Calderon, S.F.) **450**, 403

L-Dihydroxyphenylalanine; Glutaraldehyde; Antibody; Rat brain; Substantia nigra; Locus ceruleus; Enzyme-linked immunosorbent assay; Immunocytochemistry (Mons, N.) 451, 403 Neuropeptide Y; Acetylcholine; Choline acetyltransferase; Kainic acid; Quinolinic acid; L-Glutamic acid; Decortication (Boegman, R.J.) 452, 219

Reticulata neuron; Motor activity; Amphetamine; Apomorphine (Olds, M.E.) **452**, 237

Brain dialysis; Dopamine release; Tyrosine; Nucleus accumbens (During, M.J.) **452,** 378

Dopamine autoreceptor; Muscarinic; Aging (Joseph, J.A.) **454**, 140

Calcium; A23187; Inositoltrisphosphate; Dopamine autoreceptor; Muscarinic (Joseph, J.A.) **454**, 149

Rotation; Amphetamine; Apomorphine; Receptor, D₁-; Receptor, D₂-; Asymmetry; Lateralization; *N*-Methylspiperone; SCH-23390 (Glick, S.D.) **455**, 43

Parkinson's disease; Medium spiny I neuron; Neurodegenerative disease; Basal ganglia (McNeill, T.H.) **455**, 148

Nicotine; Dopamine; Substantia nigra; Lesion; Rat brain; Immunohistochemistry; Tyrosine hydroxylase; Image analysis; Protection; Quantitative receptor autoradiography (Janson, A.M.) 455, 332

Iminodipropionitrile; Spasmodic dyskinesia; Serotonin; Nucleus accumbens; Brainstem (Cadet, J.L.) **456.** 371

Neuroleptic; Radioimmunocytochemistry; Quantitation; Dopamine receptor (Cruz, C.J.) **457**, 29

Serotonin; Acetylcholine; Slice; Release (Jackson, D.) 457, 259

Serotonin; Acetylcholine; Dopamine; In vitro; 6-Hydroxydopamine; Release (Jackson, D.) **457**, 267

Opiate; Tolerance; Dependence; Gene regulation (Uhl, G.R.) 459, 391

Stimulation; Intracranial self-stimulation; Voltammetry; Model; Uptake (Nicolaysen, L.C.) **460**, 50

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Uridine; Substantia nigra; Dihydroxyphenylalanine (Pakkenberg, H.) **460**, 146

Clozapine; Chronic treatment; Prazosin; α₁-Noradrenergic antagonist; Dopamine release; Nucleus accumbens; In vivo voltammetry (Lane, R.F.) **460**, 398

Dopamine; Synaptosome; Chopped tissue; Uptake; Release (Kristensen, E.W.) **461**, 44

Cortex; Microdialysis; Alzheimer's

disease; Basal ganglia; Monoganglioside GM1 (Maysinger, D.) 461, 355

C-flanking peptide of neuropeptide Y (C-PON); Immunocytochemistry; NADPH-diaphorase; Enzyme histochemistry; Rat (Villalba, R.M.) **462**, 359

Adrenal medulla graft; Parkinson's disease; Microdialysis; Dopamine release; Cerebrospinal fluid (Becker, J.B.) 462, 401

Forskolin; Cyclic adenosine monophosphate; γ-Aminobutyric acid release; Neuron; Primary culture (Weiss, S.) **463**, 182

In vivo microdialysis; Amphetamine; Dopamine; Rotation; Asymmetry (Glick, S.D.) 473, 161

MnCl₂ toxicity; Dopamine; Vitamin E; Lisuride; α -Methyltyrosine (Parenti, M.) **473**, 236

Dopamine; Electrophysiology; 6-Hydroxydopamine; Behavioral recovery (Nisenbaum, E.S.) **473**, 389

Neostriatum; Brain transplantation; Kainic acid; Dopamine receptor; Behavioral recovery; Locomotor activity (Deckel, A.W.) 474, 39

Adenosine deaminase; Hypothalamus; Substantia nigra; Tuberomammillary nucleus; Immunohistochemistry; Fluorescence retrograde tracing (Yamamoto, T.) 474, 112

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Parkinson's disease; Dopamine; Neurotoxicology; Potassium; Cytochrome *b*; 1-Methyl-4-phenylpyridinium (Hollinden, G.E.) **475**, 283

Stroke

Alzheimer's disease; Sporadic cerebral amyloid angiopathy; Hereditary cerebral hemorrhage with amyloidosis; Dementia; β -Protein; β -Amyloid disease (Coria, F.) **463**, 187

Stroke model

4-(3-Phosphonopropyl)-2-piperazine-Carboxylic acid (CPP); cis-4-(Phosphonomethyl)-2-piperidine-Carboxylic acid (CGS 19755); Hippocampus; Motor activity; N-Methyl-D-aspartic acid antagonist (Boast, C.A.) 442, 345

Structural alteration

Dendritic spine; Axospinous synaptic junction; Degeneration; Spiny stellate neuron; Thalamocortical; Somatosensory cortex (Benshalom, G.) **443**, 377

Structure—activity relationship Choline uptake; Inhibitor; Mouse brain synaptosome (Tamaru, M.) 473, 205

Strychnine

Substance P; Capsaicin; Kainic acid;

Picrotoxin; Morphine; L-Glutamic acid; Pain; Behavior; Spinal cord (Frenk, H.) **455**, 223

Substance P; Kainic acid; L-Glutamic acid; Morphine; Analgesia; Pain; Behavior; Spinal cord (Bossut, D.) 455, 232

Substance P; Valproic acid; Kainic acid; Morphine; Pain; Behavior; Spinal cord; Chlordiazepoxide (Frenk, H.) **455**, 240

2-Amino-5-phosphonovalerate, [D-Pro²,D-Trp^{7,9}]-substance P; Substance P; Behavior; Pain; Analgesia; Kainic acid; Morphine (Bossut, D.) **455**, 247

Strychnine-sensitive inhibitory postsynaptic potential (IPSP) Inhibitory spinal interneuron; Glycine; Lamprey; Spinal cord; Locomotion; Pattern generator (Buchanan, J.T.) 438, 404

Subarachnoid hemorrhage Neuropeptide Y; Cerebral artery; Rabbit; Cerebrospinal fluid (Abel, P.W.) 463, 250

Subcellular fractionation Sympathetic ganglion; Co-existence; Enkephalin; Neuropeptide Y; Vesicle (Bastiaensen, E.) 442, 124

Subcommissural organ Serotonin; Raphe nucleus; Neuronal

transplantation; Immunohistochemistry (Ueda, S.) 444, 361

Subcortical cholinergic cell culture Cholinergic factor; Quiescent astrocyte; Cytosine arabinoside; Choline acetyltransferase; Glutamine synthetase (Patel, A.J.) 450, 378

Subfornical organ

Atrial natriuretic polypeptide; Angiotensin II; Brain slice preparation; Rat; Body fluid homeostasis (Hattori, Y.) 443, 355

Lateral hypothalamic area; Zona incerta; Neural connection; Osmotic stimulation (Tanaka, J.) **456**, 397

Rat; Osmosensitive neuron; In vitro; Synaptic blockade (Sibbald, J.R.) **461,** 205

Median preoptic nucleus; Paraventricular nucleus; Vasopressin neuron (Tanaka, J.) **461**, 403

Submandibular gland

Nerve growth factor assay; PC12 cell; Muscular dystrophy (Sano, M.) **459.** 404

Submucous neuron

Voltage-clamp; Guinea-pig; Intracellular calcium concentration; Fura-2; Calcium-dependent potassium current (Hirai, K.) **461**, 367

Subparafascicular nucleus Neocortex; Spinal cord; All dopamine cell group; Retrograde fluorescent labeling; Immunohistochemistry; Rat (Takada, M.) 455, 346

Subretrofacial nucleus

Defence reaction; Hypertension; Midbrain periaqueductal grey; Rostral ventrolateral medulla; Excitatory amino acid; Blood pressure (Carrive, P.) **460**, 339

Substance P

Ventrolateral medulla; Serotonin; Neurotensin; Somatostatin; Cardiovascular regulation (Ciriello, J.) 440, 53

Opioid peptide; Passive immunization; Aversive behavior; Intrathecal injection; Mouse (Sakurada, T.) 442, 191

Mesenteric nerve stimulation (MNS); Myenteric neuron; Guinea pig ileum (Takaki, M.) **442**, 351

Calcitonin gene-related peptide (CGRP); Cat; Intraepidermal nerve fibers; Immunocytochemistry (Alvarez, F.J.) 442, 391

Dynorphin; Combined effect; Intranigral injection; Dopamine turnover; Circling behavior (Tan, D.-P.) **443**, 310

Somatostatin; Haloperidol; Long-term administration; Dopamine; Rat (Radke, J.M.) 445, 55

Blood pressure control; Capsaicin; Nucleus tractus solitarii; Baroreceptor reflex; Chemoreceptor reflex (Takano, Y.) **445**, 188

Human cerebellum; Immunofluorescence (Del Fiacco, M.) **446**, 173

γ-Aminobutyric acid; Retina; Amacrine cell; Cat; Immunocytochemistry; Colocalization (Pourcho, R.G.) 447, 164

Tyrosine hydroxylase; Dual-immunocytochemistry (Chang, H.T.) **448**, 391

Axon reflex; Flare; Wheal; Sweating; Histamine; Nicotine; Capsaicin (Izumi, H.) **449**, 328

Lateral parabrachial area; Central amygdaloid nucleus; Projection; Immunocytochemistry; Coexistence; Calcitonin gene related peptide; Double-staining method (Yamano, M.) **451**, 179

Antibody microprobe; Cutaneous stimulus (Duggan, A.W.) 451, 261

Enkephalin; Co-localization; Intraspinal neuron; Substantia gelatinosa; Anti-nociception (Senba, E.) **453**, 110

Calcitonin gene-related peptide; Meissner's corpuscle; Immunohistochemistry; Rat (Ishida-Yamamoto, A.) 453, 362

Neurokinin A; Eledoisin; Neurokinin; Ontogeny; Cortex; Receptor (Dam, T.-V.) 453, 372

Neuropeptide; Cerebellum; Huntington's disease; Neuropeptide Y (Beal, M.F.) **454**, 393

Capsaicin; Kainic acid; Picrotoxin; Strychnine; Morphine; L-Glutamic acid; Pain; Behavior; Spinal cord (Frenk, H.) **455**, 223

Strychnine; Kainic acid; L-Glutamic acid; Morphine; Analgesia; Pain; Behavior; Spinal cord (Bossut, D.) **455**, 232

Valproic acid; Kainic acid; Strychnine; Morphine; Pain; Behavior; Spinal cord; Chlordiazepoxide (Frenk, H.) 455, 240

2-Amino-5-phosphonovalerate, [D-Pro²,D-Trp^{7,9}]-substance P; Behavior; Pain; Analgesia; Strychnine; Kainic acid; Morphine (Bossut, D.) **455**, 247

Sensory vagus nerve; Nodose ganglion; Dissociated cell culture; Nerve growth factor (MacLean, D.B.) 457, 53

Desensitization; Nicotinic receptor; Tachykinin; Adrenal chromaffin cell; Secretion; Catecholamine; Neuromodulation (Khalil, Z.) **459**, 282

Tachykinin; Adrenal chromaffin cell; Secretion; Catecholamine; Neuromodulation (Khalil, Z.) **459**, 289

Neuropeptide; Dynorphin; Enkephalin; Striatal compartment (Gerfen, C.R.) **460,** 161

Lateral spinal nucleus; Peptide; Enkephalin; Dynorphin; Somatostatin (Cliffer, K.D.) **460**, 356

Neurofilament; Immunohistochemistry; Facet joint; Supraspinous ligament; Rabbit (El-Bohy, A.) **460**, 379

Organotypic tissue culture; Serotonin; Thyrotrophin-releasing hormone; Development (Jonakait, G.M.) 473, 336

Substance P antagonist

Tail flick; Intrathecal; Nociception; Spinal cord; Rat (Cridland, R.A.) 462, 15

Thyrotropin releasing hormone; Dynorphin A; Spinal cord injury (Martinez-Arizala, A.) 473, 385

Substance P binding site

Periaqueductal gray; Autoradiography; Substance P immunoreactive neuron (Liu, R.P.C.) 475, 73

Substance P immunoreactive neuron

Periaqueductal gray; Autoradiography; Substance P binding site (Liu, R.P.C.) **475**, 73

Substance P receptor

Superior cervical ganglion; Tissue culture; Neuron; Autoradiography; Rat (James, S.) **458**, 205

Substance P receptor number Substance P-like immunoreactivity; Methamphetamine; Behavioral sensitization; Schizophrenia (Ujike, H.) 453, 136

Substance P release

Primary afferent; Antidromic activity; Synovial fluid; Opioid receptor; Peripheral afferent terminal (Yaksh, T.L.) **458**, 319

Substance P-like immunoreactivity Substance P receptor number; Methamphetamine; Behavioral sensitization; Schizophrenia (Ujike, H.) 453, 136

Substantia gelatinosa

Substance P; Enkephalin; Co-localization; Intraspinal neuron; Anti-nociception (Senba, E.) **453**, 110

Substantia innominata

Nucleus accumbens; Carbachol; Locomotor activity; Rat (Austin, M.C.) **441**, 209

Substantia nigra

Benzodiazepine; Flurazepam; γ-Aminobutyric acid (GABA); Muscimol; Rotation; Circling; Tolerance (Tietz, E.I.) 438, 41

Suicide transport; Toxic lectin; Abrin; Modeccin; Volkensin; Caudate nucleus; Parafascicular nucleus (Wiley, R.G.) 438, 145

Anticonvulsant; Electroshock; γ-Vinyl-GABA; Norepinephrine (Bonhaus, D.W.) **438**, 391

Intracranial dialysis; Oxytocin; Dopamine; Uric acid; Olfactory bulb; Parturition; Suckling; Sheep (Kendrick, K.M.) 439, 1

Subthalamic nucleus; Striatum; Nucleus tegmenti pedunculopontinus pars compacta; Globus pallidus; Retrograde double labeling; Rat (Takada, M.) **442**, 72

Rimorphin; Rotation; Opioid peptide; Prodynorphin; Dynorphin B; Dopamine; κ-Receptor; Opiate; Rat (Matsumoto, R.R.) 444, 67

Antinociception; Morphine; Naloxone; Intracerebral microinjection; Pain; Analgesia (Baumeister, A.A.) 447, 116

γ-Aminobutyric acid; Muscimol; 4,5,6,7-Tetrahydro-isoxazolo [5,4-c]pyridin 3-ol (THIP); Bicuculline; Intracerebral injection; Epilepsy, Electroencephalogram; Rat; Petit mal (Depaulis, A.) 448, 20

Neurotoxicity; Parkinsonism; Nerve cell degeneration; Aging (Forno, L.S.) **448**, 150

Ethanol; γ -Aminobutyric acid; Synaptosome; γ -Vinyl γ -aminobutyric acid; γ -Aminobutyric acid turnover (Frye, G.D.) **449**, 71

Tyrosine hydroxylase; Nucleus basalis magnocellularis; Cholinergic; Acetylcholinesterase (Martinez-Murillo, R.) **451,** 227

L-Dihydroxyphenylalanine; Glutaraldehyde; Antibody; Rat brain; Locus ceruleus; Striatum; Enzyme-linked immunosorbent assay; Immunocytochemistry (Mons, N.) 451, 403

Deoxyglucose; 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Inferior olive; Parkinsonism (Palombo, E.) **453,** 227

Thalamic nucleus; Superior colliculus; Topographical organization (Kemel, M.L.) **455**, 307

Nicotine; Dopamine; Striatum; Lesion; Rat brain; Immunohistochemistry; Tyrosine hydroxylase; Image analysis; Protection; Quantitative receptor autoradiography (Janson, A.M.) 455, 332

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Uridine; Striatum; Dihydroxyphenylalanine (Pakkenberg, H.) **460**, 146

Neostriatum; Glutamic acid decarboxylase; Immunocytochemistry; Striatonigral projection; γ -Aminobutyric acid; γ -Aminobutyric acid synapse; Degeneration (Nitsch, C.) **461**, 127

1-Methyl-4-phenylpyridinium; 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Intracerebral infusion; Neurotoxicity; Dopamine (Gibb, W.R.G.) **461**, 361

Dopamine; Ventral tegmental area; Bursting; Medial prefrontal cortex; Anterior cingulate cortex; Low-threshold spike (Gariano, R.F.) 462, 194

Muscimol; Entopeduncular nucleus; Maximal electroshock seizure; Pilocarpine seizure (Hosford, D.A.) **462**, 205

Dopamine neuron; Extracellular recording; Discharge pattern; Apamin; Calcium-dependent potassium channel (Shepard, P.D.) **463**, 380

Primate; Macaque; Centre médian; Parafascicular nucleus; Medial nucleus of the pallidum; Basal ganglia (François, C.) 473, 181

Adenosine deaminase; Striatum; Hypothalamus; Tuberomammillary nucleus; Immunohistochemistry; Fluorescence retrograde tracing (Yamamoto, T.) 474, 112

Accommodation; Hyperpolarization;

A-current; Cadmium; Pars compacta neuron (Fujimura, K.) 475, 177

Fluoro-Gold; Retrograde tracing; Fluorescent tracer; Locus coeruleus; Raphe; Nucleus basalis; Afferent pathway; Immunofluorescence; Rat (Pieribone, V.A.) 475, 259

Carbon fiber electrode; KCl stimulation; Spreading depression; Ion-selective electrode; Caudate; In vivo voltammetry (Kasser, R.J.) 475, 333

Substantia nigra pars compacta 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine;

1-Methyl-4-phenylpyridinium ion; Caudate nucleus; Osmotic minipump; Monkey; Hemiparkinsonism; Dopamine (Imai, H.) 474, 327

Substantia nigra pars reticulata Benzodiazepine; Tolerance; Flurazepam (Tyma, J.L.) 453, 344

Kindling; Single-unit recording; Epileptogenesis; γ-Aminobutyric acid; Glycine; Glutamate; Acetylcholine (Waszczak, B.L.) 455, 115

Substantia nigra reticulata Turning behavior; Output pathway; Superior colliculus; Nucleus ventralis lateralis/nucleus ventralis medialis complex; Nucleus tegmenti pedunculopontinus (Motles, E.) 473, 65

Substantia nigra zona compacta Glycine; Potassium; Voltage clamp; Slice; Rat (Mercuri, N.B.) 462, 199

Substitution of sodium Intracellular pH; Leech neuron (Deitmer, J.W.) 462, 233

Subthalamic locomotor region Locomotor activity; Mesencephalic locomotor region; Pedunculopontine nucleus; Zona incerta; Subthalamic nucleus; Chemical microinjection; Electrical stimulation (Milner, K.L.) 452, 273

Subthalamic nucleus

Striatum; Nucleus tegmenti pedunculopontinus pars compacta; Globus pallidus; Substantia nigra; Retrograde double labeling; Rat (Takada, M.) 442, 72

Locomotor activity; Mesencephalic locomotor region; Subthalamic locomotor region; Pedunculopontine nucleus; Zona incerta; Chemical microinjection; Electrical stimulation (Milner, K.L.) 452, 273

Primary somatosensory cortex; Secondary somatosensory nuclei; Horseradish peroxidase; Wheat germ-agglutinated horseradish peroxidase; Rat (Canteras, N.S.) 458, 53

Zona incerta; Hypothalamus; Cardiovascular control; Autonomic nervous system; L-Glutamate; Autoradiography (Spencer, S.E.) **458**, 72

Suckling

Intracranial dialysis; Oxytocin; Dopamine; Uric acid; Olfactory bulb; Substantia nigra; Parturition; Sheep (Kendrick, K.M.) **439**, 1

Sucrose-gap

Sympathetic ganglion; Slow inhibitory postsynaptic potential; Adrenergic pharmacology; Bullfrog (Yavari, P.) **452**, 175

Sucrose-potassium phosphate-glyoxylic acid (SPG) histofluorescence

Calcium-induced paralysis; Chemical paralysis; Spinal norepinephrine; Monoamine; High-performance liquid chromatography (HPLC) (De la Torre, J.C.) 442, 297

Sudomotor axon

Aging; Development; Nerve regeneration; Reinnervation; Sweat gland (Navarro, X.) **447**, 133

Collateral sprouting; Reinnervation; Sweat gland; Age (Navarro, X.) **463,** 174

Suicide

Adrenergic receptor; Human brain; Quantitative autoradiography (Biegon, A.) **442**, 199

Serotonin-2 (5-HT₂) binding site; [³H]Ketanserin binding; Human postmortem brain; Depression; Antidepressant drug (Cheetham, S.C.) **443**, 272

Desmethylimipramine; Autoradiography; Human brain (Gross-Isseroff, R.) **456**, 120

γ-Aminobutyric acid; Benzodiazepine binding site; Glutamic acid decarboxylase; Human postmortem brain; Depression; Antidepressant drug (Cheetham, S.C.) 460, 114

Suicide transport

Toxic lectin; Abrin; Modeccin; Volkensin; Caudate nucleus; Substantia nigra; Parafascicular nucleus (Wiley, R.G.) 438, 145

Sulcal prefrontal cortex Scrotal skin temperature;

Hypothalamic temperature; Thermoregulation (Shibata, M.) 443, 37

Sulpiride

Brain-stimulation reward; Dopamine receptor; Nucleus accumbens; Reinforcement; SCH 23390; Ventral tegmental area (Kurumiya, S.) 448, 1

Superfusion

Rabbit retina; Dopamine; Light; Nomifensine (Godley, B.F.) **452**, 393

α-Melanocyte-stimulating hormone; Dopamine; Rat; Hypothalamus; Apomorphine; Flupenthixol (Tiligada, E.) **457**, 379

Superior cervical ganglion

Cerebral vessel; Immunohistochemistry; 5-Hydroxytryptamine; Noradrenaline; Coexistence; Sympathetic nerve (Chang, J.-Y.) 438, 237

Vasopressin; Noradrenaline; Cyclic AMP (Petit, P.) 440, 299

Hypertension; Neuropeptide Y; Adrenergic; Cerebral vessel; Perivascular nerve; Spontaneously hypertensive rat (Dhital, K.K.) 444, 33

Tyrosine hydroxylase mass; Tyrosine hydroxylase activity; Sodium chloride ingestion; Median eminence (Wang, P.S.) 446, 363

Vasoactive intestinal polypeptide; Cerebral artery; Pterygopalatine ganglion; Otic ganglion; Immunohistochemistry; Dog (Uemura, Y.) **448**, 98

Thyrotropin-releasing hormone receptor; Prolactin; Estradiol; Thyronine; Hormone treatment; Pituitary; Retina (Sharif, N.A.) **449**, 364

Vasopressin (Horn, A.M.) 455, 18

Guanosine triphosphate-binding regulatory protein; Islet-activating protein; Pertussis toxin; Enteric nervous system; Adrenal medulla (Terashima, T.) 455, 353

Substance P receptor; Tissue culture; Neuron; Autoradiography; Rat (James, S.) 458, 205

Spinal cord; Neurospecificity; Choline acetyltransferase; Tissue culture (Chalazonitis, A.) 458, 231

Superior colliculus

Saccadic disorder; Frontal eye field; Eye movement (Keating, E.G.) 438, 247

Cerebellum; Mystacial vibrissa; Trigeminal; Climbing fiber response; Crus II (Akaike, T.) **442**, 373

Horseradish peroxidase; Ventral paraflocculus; Afferent and efferent pathways; Deep cerebellar nucleus (Gayer, N.S.) 449, 253

γ-Aminobutyric acid (GABA); Laminar distribution; Dorsal lateral geniculate nucleus; Visual cortex; Cat (Kanno, S.) **451**, 172

Stimulation-produced analgesia; Periaqueductal gray matter; Tegmentum; Midbrain; Blood pressure; Analgesia; Rat (Depaulis, A.) 451, 326

Retina; Ganglion cell; Dorsal lateral geniculate nucleus; Soma size (Lugo-Garcia, N.) **454**, 67

Substantia nigra; Thalamic nucleus; Topographical organization (Kemel, M.L.) 455, 307

Tissue culture; Target specificity; Transplantation; Maturation (Harvey, A.R.) **462**, 89

Turning behavior; Output pathway; Substantia nigra reticulata; Nucleus ventralis lateralis/nucleus ventralis medialis complex; Nucleus tegmenti pedunculopontinus (Motles, E.) 473, 65

Receptor; Benzodiazepine; Autoradiography; Electron microscopy (Pinard, R.) 474, 48

Superior laryngeal nerve Sheep; Response pattern; Chemoreception; Epiglottis; Nucleus of the solitary tract; Off response; Upper airway (Sweazey, R.D.) 439, 195

Superior olivary nuclei Auditory pathway; Inferior colliculus; Insectivora; Mole; Wheat germ-agglutinin horseradish peroxidase; Adaptation; Binaural hearing (Kudo, M.) 463, 352

Superior temporal sulcus Corticocortical connection; Inferior parietal lobule; Monkey (Neal, J.W.) 438, 351

Superoxide dismutase Superoxide radical; Glutathione peroxidase; Cerebral ischemia; Rat brain (Chan, P.H.) 439, 388

Superoxide radical Superoxide dismutase; Glutathione peroxidase; Cerebral ischemia; Rat brain (Chan, P.H.) 439, 388

Supine restraint stress Noradrenatine turnover; 3-Methoxy-4-hydroxyphenylethyleneglycol sulfate; Rat brain region; Corticosterone; Expression of aggression (Tsuda, A.) 474, 174

Suppression
Leptinotarsa decemlineata; Olfaction;
Electrophysiology; Odor quality
coding; Receptor neuron; Binary
mixture (De Jong, R.) 447, 18

Suprachiasmatic nucleus Circadian rhythm; Single unit activity; Metabolic activity; Hamster; In vitro (Shibata, S.) 438, 374

Circadian hormone rhythm; Corticosterone; Serotonin; Ontogenesis (Bánky, Z.) 445, 222

Avian; Circadian; Periventricular preoptic nucleus; Ventral lateral geniculate nucleus; Lateral anterior nucleus (Cassone, V.M.) **459**, 178

Retinohypothalamic tract; Geniculohypothalamic tract; Circadian rhythm; Entrainment; Anterior hypothalamus (Johnson, R.F.) **462**, 301

Brain slice; cAMP; Circadian rhythm;

Hypothalamus; Oscillator; Pacemaker; Phase-shift (Gillette, M.U.) 474, 348

Supramammillary nucleus

Ammon's horn; Hippocampus; Dentate gyrus; Hypothalamus; Non-pyramidal neuron; Cat; Wheat germ-agglutinated horseradish peroxidase (Ino, T.) **460**, 173

Supramedullary neuron

Immunohistochemistry; Teleost; Spinal cord; Neuropeptide (Benedetti, I.) 449, 373

Supraoptic nucleus

Microdialysis; Hemorrhage; Blood pressure; Noradrenaline; 3-Methoxy-4-hydroxyphenylethyleneglycol (MHPG); Serotonin; Uric acid; Rat (Kendrick, K.M.) 440, 402

Excitatory amino acid; Synaptic potential; Magnocellular neuroendocrine system (Gribkoff, V.K.) 442, 152

Neurosecretory cell; Vasopressin cell; Nucleus tractus solitarii; Catecholaminergic projection: A2 catecholamine cell group (Day, T.A.) **454,** 387

Vasopressin; Gene regulation; Fetus (Reppert, S.M.) 456, 392

Opioid peptide; Water intake; Opioid receptor subtype; p-Ala²-NMePhe⁴-Gly(ol)-Enkephalin; [p-Pen², L-Pen⁵]Enkephalin; Dynorphin A₁₋₁₃; Hypothalamus; Paraventricular nucleus (Ukai, M.) **459**, 275

Supraspinous ligament Substance P; Neurofilament; Immunohistochemistry; Facet joint; Rabbit (El-Bohy, A.) **460**, 379

Suprasylvian cortex Area 21; Posteromedial lateral suprasylvian area; Area 19; Vision; Orientation selectivity (Mizobe, K.) 438, 307

Surgery
Central benzodiazepine receptor;
Peripheral benzodiazepine binding site;
Ketamine; Flunitrazepam; PK 11195;
Stress (Okun, F.) 458, 31

Surgical CA3 axotomy Kainic acid lesion; γ-Glutamyl transpeptidase; Hippocampal formation (Šťastný, F.) 462, 56

Surgical mortality Fetal rat; Spinal cord transection; Oligohydramnios (De Beer, F.C.) 454, 397

Surplus acetylcholine Acetylcholine synthesis; Acetylcholine release; Adrenal; Brain cortex; Choline (Doležal, V.) 449, 244

Sweat gland Aging; Development; Nerve regeneration; Reinnervation; Sudomotor axon (Navarro, X.) 447, 133

Collateral sprouting; Reinnervation; Sudomotor axon; Age (Navarro, X.) **463**, 174

Sweating

Axon reflex; Flare; Wheal; Histamine; Substance P; Nicotine; Capsaicin (Izumi, H.) 449, 328

Sweet preference

Opiate receptor; Naltrexone; Endogenous opioid peptide; Palatability; Mouse (Yirmiya, R.) **438**, 339

Sweet taste

Benzodiazepine; Clonazepam; Palatability; Zolpidem; Fluid intake; Rat (Cooper, S.J.) **456**, 173

SH-SY5Y cell line

Muscarinic receptor; Pertussis toxin; Phosphatidylinositol hydrolysis; Human neuroblastoma (Mei, L.) 447, 360

Sympathectomy
Vascactive intestina

Vasoactive intestinal peptide; Neuropeptide Y; Co-existence; Cerebral artery; Immunofluorescence (Gibbins, I.L.) 444, 402

Nerve growth factor; Vinblastine; Ganglioside; GM1 ganglioside; Noradrenaline; Sympathetic nervous system; Newborn rat (Vantini, G.) 448, 252

Rat; Tooth pulp axon; Pain; Capsaicin; Electron microscopy (Fried, K.) **463**, 118

Sympathetic

Diabetes; Neuroaxonal dystrophy; Neuropeptide; Neuropathy (Schmidt, R.E.) 458, 353

Sympathetic ganglion Co-existence; Enkephalin; Neuropeptide Y; Subcellular fractionation; Vesicle (Bastiaensen, E.) 442, 124

Acetylcholine; Cell death; Chicken; Ciliary ganglion; Embryology; Synaptic transmission; Trophic factor (Maderdrut, J.L.) 444, 189

[Met⁵]Enkephalin; Naloxone; Transmitter release; Intracellular recording; Presynaptic facilitation; Presynaptic inhibition (Hirai, K.) **448**, 299

Sucrose-gap; Slow inhibitory postsynaptic potential; Adrenergic pharmacology; Bullfrog (Yavari, P.) 452, 175

Slow synaptic potential; M_1 -muscarinic action; Interneuronal receptor; Postganglionic receptor; McN-A-343; AF-102B (Mochida, S.) **455**, 9

Adrenal gland; Autonomic nervous

system; Dorsal root ganglion; Sympathetic preganglionic neuron (Strack, A.M.) **455**, 187

Antibiotic; Open channel blockade; Nicotinic receptor; Clindamycin; Excitatory postsynaptic current (Konopka, L.M.) 458, 278

Neural conditioning action; Heterosynaptic potentiation; Long-term enhancement; Slow postsynaptic potential; Synaptic modulation; Synaptic plasticity; Dopamine (Libet, B.) 473, 271

Deafferentation; Hypertension, genetic; Neuropeptide receptor; Renin angiotensin system; Autoradiography (Pinto, J.E.B.) 475, 146

Sympathetic ganglion cell Antibiotic; M-current; Hyperpolarizing afterpotential; Ganglion cell depolarization; Clindamycin (Konopka, L.M.) 458, 269

Sympathetic innervation Cerebral vascular innervation; Stellate ganglion; Basilar artery; Vertebral artery; Anterograde tracing; Wheatgerm-agglutinated horseradish peroxidase (WGA-HRP) histochemistry; Rat (Arbab, M.A.) 445, 175

Sympathetic nerve Cerebral vessel; Immunohistochemistry; 5-Hydroxytryptamine; Noradrenaline; Coexistence; Superior cervical ganglion (Chang, J.-Y.) 438, 237

Sympathetic nerve discharge Antidromic mapping; Axonal branching; Medullospinal sympathetic neuron; Spike-triggered averaging (Barman, S.M.) 441, 371

Sympathetic nervous system γ_2 -Melanocyte-stimulating hormone; Anteroventral third ventricle; Blood pressure; Heart rate (Callahan, M.F.) 444, 177

Angiotensin II; Basal heart rate; Baroreflex; Captopril; Blood pressure regulation; Converting enzyme inhibitor (Menani, J.V.) 446, 295

Nerve growth factor; Vinblastine; Ganglioside; GM1 ganglioside; Sympathectomy; Noradrenaline; Newborn rat (Vantini, G.) 448, 252

Area postrema; Coronary constriction; α-Adrenoceptor; β-Adrenoceptor; Ventricular tachyarrhythmias; Vagotomy (Gatti, P.J.) 448, 313

Prevertebral ganglia; Paravertebral ganglia; Guanethidine; Nerve growth factor; 6-Hydroxydopamine (Schmidt, R.E.) **460**, 214

Nucleus basalis magnocellularis lesion; Learning/memory; Neuronal reorganization (Harrell, L.E.) **474**, 353 Sympathetic neuron

Norepinephrine; Co-culture; Heart cell; Nerve growth factor (Wakade, A.R.) 458, 115

Sympathetic preganglionic neuron Calcitonin gene-related peptide; Sacral parasympathetic nucleus; Pelvic ganglion; Rat (Senba, E.) **449**, 386

Adrenal gland; Autonomic nervous system; Dorsal root ganglion; Sympathetic ganglion (Strack, A.M.) 455, 187

Sympathetic regulation Serotonin; Immunohistochemistry; Electron microscopy; High-performance liquid chromatography; Chromaffin cell; Frog (Delarue, C.) 459, 17

Sympathetic stimulation Carotid body; Potassium; Calcium; Dopamine; Acetylcholine; Cyanide; Hypoxia (O'Regan, R.G.) 445, 268

Synapse Guanine nucleotide-binding protein; Islet-activating protein substrate; Hippocampus; Cerebral cortex; Cerebellar cortex; Second messenger system (Terashima, T.) 442, 305

Identified neuron; Intracellular staining; Hexamminecobaltic chloride; Ultrastructure; Mitochondrion; Insect ocellus (Littlewood, P.M.H.) 445, 165

Synaptic vesicle; Nerve terminal; Neuromuscular junction; Synaptic transmission; Quantal release (Smith, D.O.) 447, 145

Caudate-putamen; Nucleus accumbens; Dopamine; Immunocytochemistry; Glia; Norepinephrine; Catecholamine (Aoki, C.) **459**, 205

Mutant; Extraocular; Motor neuron; Muscle (LaVail, J.H.) **463**, 78

Principal abducens motor nucleus; Electron microscopy; Gap junction; Varanus exanthematicus (Wouterlood, F.G.) **463**, 198

Reptile; Lizard; Cerebral cortex; Hippocampus; Horseradish peroxidase; Connection; Timm; *Podarcis hispanica* (Lopez-Garcia, C.) **463**, 205

E-PTA-stained synapse; Perforated synapse; Rat frontal cortex; High-voltage electron microscopy (Igarashi, H.) 473, 365

Pentobarbital; Crayfish; Behavior; Tolerance; Facilitation (Winegar, B.D.) 475, 21

Synapse morphology Multivariate statistics; Brain plasticity; Complex environment; Mitochondrion; Blood vessel (Sirevaag, A.M.) 441, 386

Synaptic apposition length Aging; Caudate nucleus; Ultrastructure; Synaptic density; Cat (Levine, M.S.) 440, 267

Synaptic blockade Rat; Osmosensitive neuron; Subfornical organ; In vitro (Sibbald, J.R.) **461,** 205

Synaptic bouton Primary sensory neuron; Intracellular staining; Horseradish peroxidase; Light microscope; Electron microscope; Lamprey (Christenson, J.) 440, 9

Synaptic connection Periventricular nucleus; Somatostatin neuron; Serotoninergic terminal; Hypothalamus (Kiss, J.) **442**, 23

Synaptic density Aging; Caudate nucleus; Ultrastructure; Synaptic apposition length; Cat (Levine, M.S.) 440, 267

Astrocyte; Neuropil; Electron microscopy; Cerebellar culture; Cytosine arabinoside (Meshul, C.K.) 441, 23

Synaptic differentiation Protein kinase; Synaptic membrane glycoprotein; Tissue culture; Synaptosome; Rat brain; Two-dimensional, renaturing gel electrophoresis; Western blotting; Immunocytochemistry (Lasher, R.S.) 452, 184

Synaptic excitation Excitatory amino acid; Glutamate receptor; Voltage clamp (Dryer, S.E.) 443, 173

Synaptic facilitation Excitatory postsynaptic potential (EPSP); Potentiation; Ia afferent; Motoneuron (Collins, III, W.F.) 442, 161

Synaptic inhibition Vesical pelvic ganglia; Cholinergic transmission; 5-Hydroxytryptamine; 5-HT_{1A} receptor subtype (Nishimura, T.) **442**, 399

Synaptic input Electron microscopy; Immunohistochemistry; Tyrosine hydroxylase; Bipolar cell (Hokoç, J.N.) **461**, 17

Synaptic membrane Glycoprotein; Monoclonal antibody; Postsynaptic density (Hill, I.E.) **461**, 27

Synaptic membrane glycoprotein Protein kinase; Tissue culture; Synaptosome; Rat brain; Synaptic differentiation; Two-dimensional, renaturing gel electrophoresis; Western blotting; Immunocytochemistry (Lasher, R.S.) 452, 184

Synaptic modification
Long-term potentiation; Hippocampus;
Membrane apposition surface area;
Dendritic spine (Desmond, N.L.)
453, 308

Synaptic modulation Neural conditioning action; Heterosynaptic potentiation; Long-term enhancement; Slow postsynaptic potential; Synaptic plasticity; Sympathetic ganglion; Dopamine (Libet, B.) 473, 271

Synaptic plasticity

Long-term potentiation; Hippocampal slice, CA₁ neuron; Field potential; Protein kinase C (Reymann, K.G.) **440**, 305

Long-term potentiation; N-Methyl-D-aspartate; θ -Rhythm; Hippocampus; CA_1 (Larson, J.) **441**, 111

Long-term potentiation; Hippocampus; Calmodulin; Protein kinase C; Second messenger; Calmidazolium; K-252b; Protein phosphorylation (Reymann, K.G.) 461, 388

Neural conditioning action; Heterosynaptic potentiation; Long-term enhancement; Slow postsynaptic potential; Synaptic modulation; Sympathetic ganglion; Dopamine (Libet, B.) 473, 271

Synaptic potential

Excitatory amino acid; Supraoptic nucleus; Magnocellular neuroendocrine system (Gribkoff, V.K.) 442, 152

Striate cortex; Slice preparation; Layer I; Kynurenate; Intracellular recording (Nakajima, S.) 457, 176

Synaptic relationship

Cerebral cortex; Dopamine innervation; Immunocytochemistry; Ultrastructure (Séguéla, P.) 442, 11

Synaptic release

N-Acetylaspartylglutamate (NAAG); Glutamate; γ-Aminobutyric acid (GABA); Neuropeptide; Amphibian; Biosynthesis (Williamson, L.C.) 475, 151

Synaptic stabilization

Retinotectal projection; Optic nerve regeneration; Ependymin; Radial glia; Minipump infusion; Goldfish (Schmidt, J.T.) 446, 269

Synaptic terminal

Neural control of respiration; Phrenic motor column; Horseradish peroxidase; Neuroanatomy; Axon collateral (Dick, T.E.) 449, 201

Synaptic vesicle; Vesicle size; Vesicle density; Vesicle distribution; Particle distribution; Morphometric analysis; Electric organ (Fox, G.Q.) 475, 103

Synaptic transmission

Photoreceptor; Horizontal cell; Cone; Ethylenediaminetetraacetic acid (EDTA); Ethyleneglycol-bis-(β-aminoethyl ether)-N,N,N',N',-tetraacetic acid (EGTA); Chelator; Calcium; Magnesium (Normann, R.A.) 443, 95

Acetylcholine; Cell death; Chicken;

Ciliary ganglion; Embryology; Sympathetic ganglion; Trophic factor (Maderdrut, J.L.) **444,** 189

Potassium; Spinal cord; In vitro central nervous system (CNS); Segmental reflex; Dorsal root reflex; Dorsal root potential (Czéh, G.) 446, 50

Calcitonin gene-related peptide; Spinal dorsal horn; Iontophoresis; Nociception; Neuropeptide; Cat (Miletic, V.) **446**, 169

Synaptic vesicle; Nerve terminal; Neuromuscular junction; Synapse; Quantal release (Smith, D.O.) 447, 145

Isolated frog labyrinth; Calcium; Barium; K⁺-channel blocker (Rossi, M.L.) **452**, 312

Calcium; Potassium undershoot; Anoxic depolarization (Roberts, E.L.) **456**, 113

Adenosine; Physiological modulation; A_1 -Receptor antagonist; 8-Cyclopentyl-1,3-dipropylxanthine; Adenosine deaminase; Ca^{2+} flux; Rat hippocampal slice (Schubert, P.) **458**, 162

Hippocampus; N-Methyl-D-aspartate; Long-term potentiation; 3-[(±)-2-Carboxypiperazin-4-yl]-propyl-1-phosphonic acid; (+)-5-Methyl-10,11-dihydro-5H-dibenzo[a,d]cyclo-hepten-5,10-imine maleate; Field potential (Abraham, W.C.) 462, 40

Hypoxia; Isolated spinal cord; Adenosine; Neonatal rat (Lloyd, H.G.E.) **462**, 391

Synaptic uncoupling

Extracellular recording; Fornix stimulation; Lateral septum; Oxytocin; Vasopressin (Raggenbass, M.) 459, 60

Synaptic vesicle

Quisqualate receptor; Brain; Postsynaptic density; Glutamic acid; Aspartic acid (Villanueva, S.) 440, 363

Nerve terminal; Neuromuscular junction; Synapse; Synaptic transmission; Quantal release (Smith, D.O.) 447, 145

N-Acetylaspartylglutamate; Acidic amino acid; Neuropeptide; Amphibian; Amacrine; Bipolar; Photoreceptor (Williamson, L.C.) **456**, 375

Acetylcholine; Neuromuscular junction; Miniature endplate potential; End plate potential; AH5183 (Lupa, M.T.) **461**, 118

Synaptic terminal; Vesicle size; Vesicle density; Vesicle distribution; Particle distribution; Morphometric analysis; Electric organ (Fox, G.Q.) 475, 103

Synaptosomal fraction

Brain lateralization; Protein phosphorylation; Protein kinase C; Rat

cerebral hemisphere; Cerebral asymmetry (De Martinez, M.S.G.) 440, 386

Synaptosome

Dextromethorphan; Dextrorphan; Calcium channel; Calcium channel antagonist; ⁴⁵Ca²⁺ uptake; PC12 cell line (Carpenter, C.L.) **439**, 372

Percoll; Homogeneity; Biochemical marker; Electron microscopy; Morphology (Dunkley, P.R.) 441, 59

Percoll; Protein phosphorylation; Noradrenaline uptake; Release; Content (Harrison, S.M.) 441, 72

Ethanol; γ -Aminobutyric acid; Substantia nigra; γ -Vinyl γ -aminobutyric acid; γ -Aminobutyric acid turnover (Frye, G.D.) **449**, 71

Protein kinase; Synaptic membrane glycoprotein; Tissue culture; Rat brain; Synaptic differentiation; Two-dimensional, renaturing gel electrophoresis; Western blotting; Immunocytochemistry (Lasher, R.S.) 452, 184

Calcium channel; Conotoxin; Electric organ; Transmitter release; Nerve terminal; Neurosecretion (Ahmad, S.N.) 453, 247

Serotonin; 5-Hydroxytryptamine; Volatile anesthetics; Ketamine; Narcotic (Martin, D.C.) **455**, 360

Dopamine; Chopped tissue; Uptake; Release; Striatum (Kristensen, E.W.) 461, 44

Adenosine; Neuromodulation; K⁺-conductance; Lipophilic ions; Ion-selective microelectrode; Ionic mechanism (Michaelis, M.L.) **473**, 249

Dopamine release; Calcium; Fura-2 (Woodward, J.J.) 473, 91

Calcium channel; ω -Conotoxin; Dopamine release (Woodward, J.J.) 475, 141

Calcitonin gene-related peptide; Calcium influx; Calcium efflux; Spinal dorsal horn (Oku, R.) 475, 356

Synergist

Muscle fatigue; Reflex inhibition; Muscle afferent (Hayward, L.) 440, 199

Synergy

Caerulein; Haloperidol; Dopamine; Hypothalamic defensive attack; Chronic cat (Maeda, H.) **459**, 351

Synovial fluid

Primary afferent; Antidromic activity; Substance P release; Opioid receptor; Peripheral afferent terminal (Yaksh, T.L.) 458, 319

Synthetic structural analogue Autoradiography; Competition study; Oxytocin; Rat brain; V₁ receptor; Vasopressin (Tribollet, E.) **442**, 105 Syrian hamster

Pineal gland; Melatonin; N-Acetyltransferase activity; Isoproterenol (Gonzalez-Brito, A.) 475, 393

Systemic penicillin epilepsy

Carbamazepine; Ethosuximide; Evoked potential; Amygdala kindling; Ventral lateral thalamus; Motor cortex; Cat; Sleep-waking cycle (Shouse, M.N.) 473, 372

T

Tachykinin

Kassinin; Salt appetite; Sodium depletion; Deoxycorticosterone acetate; Renin; Rat (Massi, M.) 440, 232

Tachykinin binding site; Interpeduncular nucleus; Development (Murray, M.) **459**, 76

Tachykinin binding site

Tachykinin; Interpeduncular nucleus; Development (Murray, M.) **459**, 76

Desensitization; Nicotinic receptor; Substance P; Adrenal chromaffin cell; Secretion; Catecholamine; Neuromodulation (Khalil, Z.) **459**, 282

Substance P; Adrenal chromaffin cell; Secretion; Catecholamine; Neuromodulation (Khalil, Z.) **459**, 289

Tachyphylaxis

Angiotensin II; Angiotensin III; Drinking; Rat (Quirk, W.S.) 452, 73

Tactile

Taste; Somatotopy; Medulla; Facial lobe; Catfish; Amino acid; Electrophysiology (Marui, T.) 446, 178

Tail flick

Cold water swim; Adrenal denervation; Stress; Opioid; Non-opioid analgesia (Rochford, J.) 445, 404

Endorphin; Naloxone; Electroacupuncture: A

Electroacupuncture; Analgesia; Spinal cord; Electrostimulation; Acupuncture (Pomeranz, B.) **452**, 227

Substance P antagonist; Intrathecal; Nociception; Spinal cord; Rat (Cridland, R.A.) **462**, 15

Restraint; Stress-induced analgesia; Morphine; Naloxone; Analgesia; Circadian effect; CD-1 mice (Miller, D.B.) 473, 327

Tail flick reflex

Medial hypothalamus; Dorsal horn neuron; Heat-evoked response; Descending inhibition; Stimulation-produced analgesia; Rat (Culhane, E.S.) 438, 137

Dynorphin; N-Methyl-D-Aspartate (NMDA); γ -D-Glutamylglycine; 2-Amino-5-phosphonovalerate (APV); Neurotoxicity (Caudle, R.M.) **443**, 329

Vagal afferent; Pain modulation; Nociception; Spinal opioid receptor (Ren, K.) 446, 285

Lateral hypothalamus; Excitatory amino acid; Serotonin; Stimulation-produced antinociception; Descending inhibition (Aimone, L.D.) **450,** 170

Tail pinch

Stress hyperglycemia; Enkephalin (Sanchez, R.) **452**, 149

Lateral hypothalamic area; Periaqueductal gray; Electrophoresis; Glucose-sensitive neuron; Extracellular recording; Intracellular recording (Kai, Y.) **461**, 107

Tangle

Neuron; Cell culture; Neurofilament; Aluminum; Immunocytochemistry; Rat brain hemisphere (Langui, D.) 438, 67

Tanycytic process

Dopaminergic; Hypothalamus; Immunocytochemistry; Neonate; Dendrite (Piotte, M.) 439, 127

Target neuron of floccular inhibition

Cerebellar flocculus; Middle zone; Medial vestibular nucleus; Relay neuron of vestibulo-ocular reflex; Eye movement (Sato, Y.) **446**, 225

Target specificity

Tissue culture; Superior colliculus; Transplantation; Maturation (Harvey, A.R.) 462, 89

Taste

Decerebrate; Chronic; Rat; Nucleus tractus solitarii; Electrophysiology (Mark, G.P.) 443, 137

Tactile; Somatotopy; Medulla; Facial lobe; Catfish; Amino acid; Electrophysiology (Marui, T.) 446, 178

Larynx; Epiglottis; Apnea (Dickman, J.D.) 450, 25

Amiloride; Single fiber; Chorda tympani nerve; Ionic stimulus; Electrical stimulation; Rat (Ninomiya, Y.) **451**, 319

Thermal sensitivity; Mechanoreceptive neuron; Cold neuron; Solitary tract nucleus; Rat; Receptive field (Ogawa, H.) **454**, 321

Nucleus tractus solitarii; Parabrachial nucleus; Hamster; Horseradish peroxidase; Autoradiography (Travers, J.B.) **457**, 1

Von Ebner's gland; Autonomic nervous system; Tongue; Circumvallate papilla; Salivary gland (Gurkan, S.) 473, 127 Taste cell

Current-clamp; Inward current; Mouse; Potassium conductance; Voltage-clamp (Tonosaki, K.) 445, 363

Taste nerve response

Temperature dependence; Amiloride; Receptor potential; Rat; NaCl; Anion influence (Nakamura, M.) 444, 159

Taste quality

Umami; Conditioned taste aversion; Chorda tympani; Glossopharyngeal nerve; Single fiber analysis (Yamamoto, T.) **451**, 147

Tan

Alzheimer's disease; Meshwork; Senile plaque; Pyramidal cell; Dendrite; Sprouting (Ihara, Y.) **459**, 138

Taurine

γ-Aminobutyric acid; Chloride-dependent release; Kainic acid; Retinal swelling (Pasantes-Morales, H.) **459**, 120

Taxol

Microtubule; Neuron; Growth cone; Endocytosis; Cell cortex (Sinclair, G.I.) **450**, 60

T-cell mitogenesis

Immunomodulation; Lateralization (Barnéoud, P.) 474, 394

T-cell subset

Neural transplantation; Xenograft; Cyclosporin A; Blood-brain barrier (Nakashima, H.) 475, 232

Technique

Purine nucleoside phosphorylase; Neuroglia; Cytochemistry; Rat brain; Guinea-pig brain (Van Reempts, J.) 462, 142

Tectum

Inferior colliculus; Visual cell; Visual midbrain; Visual system; Audiovisual integration (Mascetti, G.G.) **442**, 387

Teeth-chattering

Rat; Hypothalamus; Aggression; Social grooming; Electrical brain stimulation; Discriminant analysis; Mapping (Lammers, J.H.C.M.) 449, 311

Tegmentum

Stimulation-produced analgesia; Periaqueductal gray matter; Superior colliculus; Midbrain; Blood pressure; Analgesia; Rat (Depaulis, A.) 451, 326

Telencephalon

Muscarinic cholinergic receptor; Pigeon brain; Basal ganglia; Cerebellum (Dietl, M.M.) **439**, 360

Teleost

Enucleation; Optic tectum; Quantitative analysis (Peyrichoux, J.) 447, 299

Immunohistochemistry; Spinal cord; Supramedullary neuron; Neuropeptide (Benedetti, I.) **449**, 373

Teleost fish

FMRFamide; Pineal organ; Retina:

Nucleus nervus terminalis; Nucleus olfactoretinalis; Immunocytochemistry (Ekström, P.) **460**, 68

Temperature

Prostaglandin E₂; Sleep-wake activity; Preoptic area; Microinjection; Electroencephalogram; Electromyogram (Matsumura, H.) **444**, 265

Sleep; Aging; Arousal (Bowersox, S.S.) 457, 200

Temperature dependence

Taste nerve response; Amiloride; Receptor potential; Rat; NaCl; Anion influence (Nakamura, M.) 444, 159

Temperature dependency

Apparent binding of [³H]glutathione; L-Cysteine; Regional distribution; Glutamate binding site (Ogita, K.) **463**, 37

Temperature sensitivity

Hippocampal slice; CA1 pyramidal cell; Immature nervous system (Shen, K.-f.) 475, 305

Temporary threshold shift

Binaural; Acoustic stimulation; Crossed olivocochlear bundle; Protection (Rajan, R.) **459**, 241

Tenotomy

Flexor reflex; Arthritis; Rat; Chronic; Plasticity; Spinal cord (Wall, P.D.) 447, 215

Conditioning lesion; Axonal regeneration; Nerve transection; Nerve freeze; Sciatic nerve; Rat; Neurotrophic factor (Bondoux-Jahan, M.) 449, 150

Teratogenesis

Valproate; Glia; Adhesion; Collagen type IV receptor; Heat shock (Martin, M.L.) **459**, 131

Terminal

Glutamate; N-Methyl-D-aspartic acid receptor; Alzheimer's disease (Cowburn, R.) **452**, 403

Testosterone

Aromatase; 5α-Reductase; 5β-Reductase; Brain development; Sex dimorphism; Hypothalamus (Schumacher, M.) 441, 98

Canary; Brain; Vasotocin (Voorhuis, Th.A.M.) 442, 139

Morphine; Luteinizing hormone; Follicle-stimulating hormone; Noradrenaline; Serotonin; Endogenous opioid (Gabriel, S.M.) 447, 200

Luteinizing hormone-releasing hormone (LH-RH); Messenger RNA (mRNA); Hypothalamus; RNA-blot hybridization (Park, Y.) 451, 255

Estradiol; Aromatization; Primate; Hypothalamus; Amygdala; Preoptic area; Pituitary gland (Rees, H.D.) **452**, 28

Astrocyte; Glial fibrillary acidic protein; Arcuate nucleus; Hippocampus; Globus pallidus; Estradiol; Sex difference; Immunocytochemistry (Garcia-Segura, L.M.) 456, 357

Canary; Brain; Vasotocin; Receptor; Autoradiography (Voorhuis, Th.A.M.) 457, 148

Aging; Vasopressin innervation; Oxytocin innervation; Sex steroid; Plasticity in senescence; Rat (Goudsmit, E.) 473, 306

Testosterone metabolism

Zebra finch; Aromatase; 5α -Reduction; 5β -Reduction; Sexual differentiation (Vockel, A.) **463**, 330

Tetanus

Short-term potentiation; Hippocampus (Anwyl, R.) 459, 192

Tetanus toxin

Ganglioside; Tetanus toxin binding; Tetanus toxin internalization (Parton, R.G.) 475, 118

Tetanus toxin binding

Tetanus toxin; Ganglioside; Tetanus toxin internalization (Parton, R.G.) 475, 118

Tetanus toxin internalization

Tetanus toxin; Ganglioside; Tetanus toxin binding (Parton, R.G.) 475, 118

Tetrahymena

Opiate receptor; β-Endorphin; Naloxone; Phylogeny of receptors (O'Neill, J.B.) **450**, 303

Tetracycline

Invertebrate; Vertebrate; Myelin; Cation; Aluminum (Pereyra, P.M.) **458.** 377

$\begin{tabular}{ll} 12\text{-}{\it O}\text{-}Tetra decan oyl-phorbol-}\beta\\ acetate \end{tabular}$

Calcium channel; Dihydropyridine; c-Conotoxin; Protein kinase C; Thyroliberin release; Hypothalamic neuron; Primary culture (Loudes, C.) **456**, 324

12-O-Tetradecanoylphorbol-13-acetate

Insulin; Insulin analog; Insulin receptor; Protein kinase C; Polymyxin B; Psychosine; Centrally mediated hypoglycemia; Mouse (Amir, S.) 450, 272

Thyrotropin-releasing hormone; Thyrotropin-releasing hormone analog; Protein kinase C; 4-α-Phorbol; Central nervous system; Hypoglycemia; Mouse (Amir, S.) **450**, 369

Tetraethylammonium

PC12 cells; Potassium channel; Phencyclidine; Thienylphencylclidine; Dioxadrol; Methylpiperidine 1-(1-Phenylcyclohexyl)-3-; 4-Aminopyridine (Rogawski, M.A.) 456, 38 Afterhyperpolarization; BAPTA; Calcium-activated potassium conductance; Cadmium; EGTA; Potassium channel blocker (Zhang, L.) 462, 174

Tetrahydrobiopterin

Catecholamine; Serotonin; Guanosine triphosphate (GTP) cyclohydrolase; Disease model; Diaminopyrimidine (Suzuki, S.) **446**, 1

Tetramethrin

Sodium channel inactivation; Squid giant axon; Pyrethroid; Grayanotoxin; Sodium current (Takeda, K.) 448, 308

Δ9-Tetrahydrocannabinol

Hippocampus; Morphometrics; Neuronal density; Glial reactivity; Behavior; Corticosterone; Adrenocorticotropic hormone (ACTH) (Landfield, P.W.) 443, 47

Marijuana; Cannabinoid; Cannabis; Dopamine;

3,4-Dihydroxyphenylethylamine; Neostriatum; Caudate nucleus; Rat; Potassium; In vivo electrochemistry; In vivo microdialysis; Brain reward (Ng Cheong Ton, J.M.) 451, 59

4,5,6,7-Tetrahydro-isoxazolo [5,4-c]pyridin 3-ol (THIP)

γ-Aminobutyric acid; Muscimol; Bicuculline; Intracerebral injection; Epilepsy, Electroencephalogram; Substantia nigra; Rat; Petit mal (Depaulis, A.) 448, 20

4,5,6,7-Tetrahydroisoxazolo-[5,4-c]pyridin-3-ol

Antinociception; Bicuculline; γ-Aminobutyric acid; Hyperalgesia; Nucleus raphe magnus; Nucleus reticularis gigantocellularis pars alpha (Drower, E.J.) **450**, 316

Tetrodotoxin

Aging; Amphetamine; Corpus striatum; Dopamine (Dluzen, D.E.) **445**, 354

Sodium (Na⁺) channel; Saxitoxin; Quantitative autoradiography; Rat brain; Human brain (Mourre, C.) **448**, 128

Noradrenaline; Hippocampus; Microdialysis; Release; In vivo; Neurotoxin (Kalén, P.) 474, 374

Texas red

Rhodamine-X-isothiocyanate; Rhodamine-B-isothiocyanate; Lissamine rhodamine-B-sulfonyl chloride; Retrograde transport; Fluorescent labeling (Ogilvy, C.S.) 475, 244

Thalamic nucleus

Substantia nigra; Superior colliculus; Topographical organization (Kemel, M.L.) 455, 307

Thalamic reticular cell
Lateral geniculate nucleus; Lateral

posterior nucleus; Visual cortex; Rat (Sumitomo, I.) 446, 354

Thalamic reticular nucleus Brain glucose metabolism; Inhibition; Thalamus; Cortex; Electrical stimulation; Selective attention; Sensory processing (Sharp, J.W.) 438, 357

Thalamocortical

Dendritic spine; Axospinous synaptic junction; Degeneration; Structural alteration; Spiny stellate neuron; Somatosensory cortex (Benshalom, G.) **443**, 377

Sleep; Cerebral cortex; N-Methyl-D-aspartic acid (NMDA); 2-Amino-5-phosphonovaleric acid (2-APV) (Armstrong-James, M.) 451, 189

Thalamocortical conduction time Cerebral blood flow (CBF); Somatosensory evoked potential (SEP); Hypoxia (Coyer, P.E.) 441, 145

Thalamocortical pathway Integrated functional activity; Raphe nucleus; Cortical column; Serotonergic system; Serotonin head syndrome; Extrapyramidal system (Cudennec, A.) 444, 227

Thalamus

Brain glucose metabolism; Inhibition; Cortex; Electrical stimulation; Selective attention; Sensory processing; Thalamic reticular nucleus (Sharp, J.W.) 438, 357

Habenula projection; *Phaseolus* vulgaris leucoagglutinin (PHA-L); Anterograde axonal tracing; Rat brain; Midbrain (Araki, M.) **441**, 319

Amygdala; Striatum; Prefrontal cortex; Section Golgi impregnation (Carlsen, J.) **441**, *377*

Kainic acid; Storage vesicle; Catecholamine; Indoleamine; High-performance liquid chromatography; Electrochemical detection (Weil-Fugazza, J.) 444, 374

Bradykinin; Cerebrovascular; Headache; Trigeminal (Davis, K.D.) **446**, 401

Lateral geniculate nucleus; Hippocampus; γ -Aminobutyric acid; Baclofen; Inhibitory postsynaptic potential, GABA_A; Inhibitory postsynaptic potential, GABA_B (Soltesz, I.) **448**, 351

Acetylcholine; Concussion; Head injury; Pons; Rat; Hippocampus; Amygdala (Saija, A.) 452, 303

Headache; Intracranial vasculature; Referred pain; Cat (Davis, K.D.) **454,** 89

γ-Aminobutyric acid; Glutamic acid decarboxylase; Immunocytochemistry; Inhibition; Local circuit neuron; Relay cell; Reptile (Pritz, M.B.) 457, 154

Nucleus ventralis posteromedialis parvocellularis; Somatic sensation; Trigeminal nerve; Tongue; Cat (Nishikawa, Y.) 458, 394

Nucleus submedius; Nociception; Rat (Dostrovsky, J.O.) 460, 269

Entopeduncular nucleus; Lateral habenular nucleus; Horseradish peroxidase conjugated to wheat germ agglutinin; Electron microscopy; Cat (Tokuno, H.) 474, 390

Nucleus ventralis posteromedialis; Periodontium; Somatic sensation; Cat (Yokota, T.) **475**, 187

Theophylline

Adenosine; Dipyridamole; Cerebral blood flow; Cerebral pO_2 ; Cerebral pCO_2 ; Rabbit (Puiroud, S.) **453**, 287

Thermal sensitivity

Taste; Mechanoreceptive neuron; Cold neuron; Solitary tract nucleus; Rat; Receptive field (Ogawa, H.) **454**, 321

Thermoregulation

Thyrotropin-releasing hormone; Aging; Chloral hydrate; Rat (Amir, S.) **440**, 181

Vasoactive intestinal polypeptide; Anterior hypothalamic area; Hibernation (Laemle, L.K.) **441,** 398

Sulcal prefrontal cortex; Scrotal skin temperature; Hypothalamic temperature (Shibata, M.) **443**, 37

Sleep; Brainstem; Paradoxical sleep without atonia (Amini-Sereshki, L.) **450,** 9

Opioid; Opioid receptor; Food intake; Water intake; Weight regulation; Naloxone (Millan, M.J.) **450**, 247

Thermosensitive neuron

Ventromedial hypothalamus; Preoptic area; Anterior hypothalamus; Brain slice preparation; Brown adipose tissue; Rat (Imai-Matsumura, K.) **445**, 193

Interferon-α; Naloxone; Sodium salicylate; Preoptic hypothalamus; Anterior hypothalamus; Hypothalamic slice; Fever (Nakashima, T.) **454**, 361

Theta

Hippocampus; Brain slice; Carbachol; Topography; CA3c generator (Konopacki, J.) **451**, 33

Theta-on

Hippocampal; Tonic; Phasic; Cell; Cholinergics (Bland, B.H.) 440, 167

Theta rhythm

Long-term potentiation; Hippocampus; Dentate gyrus (Greenstein, Y.J.) 438, 331

Septum; Neuronal activity; Cholinergic drug; Electrical stimulation (Brazhnik, E.S.) 451, 1

Neuronal transmission; Gating mechanism; Hippocampus; Recurrent inhibition (Herreras, O.) **461**, 290

Neuronal transmission; Brain dialysis; Presynaptic inhibition; Cholinergic mechanism; Hippocampus; Sensory input (Herreras, O.) 461, 303

Thiamine-deficient rat

Glucose metabolism; Edematous cerebral cortex; Pyrithiamine; Amino acid; Wernicke's encephalopathy (Takahashi, H.) **441,** 202

Thienylphencylclidine
PC12 cells; Potassium channel;
Phencyclidine; Dioxadrol;
Methylpiperidine
1-(1-Phenylcyclohexyl)-3-;
4-Aminopyridine; Tetraethylammonium
(Rogawski, M.A.) 456, 38

N-(1-[2-Thienyl]cyclohexyl)-piperidine

p-Aspartate; Glutamate; Alzheimer's disease; Brain (Simpson, M.D.C.)

Thin spike

Somatosensory cortex; Somatosensory neuron; Acetylcholine sensitivity (Dykes, R.W.) **441**, 48

5-Thio-D-glucose

Glucoprivic feeding; Fatty acid oxidation; Methyl palmoxirate; Fourth ventricle; Metabolic control of food intake; Caudal brainstem; Rat (Tordoff, M.G.) 445, 216

Thiolprotease inhibitor

Proteolysis; Axon terminal; Anterograde-retrograde conversion; Membranous organelle; Tubulovesicular organelle (Sahenk, Z.) 460, 199

Third cerebral ventricle Cerebrospinal fluid flow; Osmoreception; Arginine-vasopressin release (Eriksson, S.) 448, 121

Threshold

Human axon; Potassium channel; Inward rectification; Electrotonus (Bostock, H.) **462**, 354

Threshold population spike Hippocampus; Kindling; Evoked potential; Inhibitory control; Paired-pulse depression (Kamphuis, W.) 440, 205

Thromboxane

Cholinergic stimulus; Prostaglandin; PGE₂; Prostacyclin; PGD₂; PGF_{2a}; TXB₂ (Busija, D.W.) **439**, 122

Fever; Preoptic area; Cat; Prostaglandin; Prostaglandin I₂-mimetic; Thromboxane A₂-mimetic; Indomethacin (Gollman, H.M.) **449.** 281

Thromboxane A₂-mimetic Fever; Preoptic area; Cat;

Prostaglandin; Thromboxane; Prostaglandin I₂-mimetic; Indomethacin (Gollman, H.M.) **449**, 281

Thy 1 antigen

Monoclonal antibody; OX7; Axonal transport; Immunoperoxidase (LaRocca, C.D.) 449, 381

Thymidine

Nerve regeneration; Rat sciatic nerve; Schwann cell; Mitosis (Sjöberg, J.) **453**, 221

[3H]Thymidine

Reactive astrocyte; Cell number; Proliferation; Quantitative analysis; Glial fibrillary acidic protein; Mouse (Miyake, T.) **451**, 133

Bromodeoxyuridine; Immunohistochemistry; Autoradiography; Cortex; Hippocampus; Dentate gyrus (Miller, M.W.) 457, 44

Thymidine incorporation

Astrocyte; Heparin; Growth; Inhibition (Robertson, P.L.) 447, 341

Thyroliberin release

Calcium channel; Dihydropyridine; -Conotoxin; Protein kinase C; 12-O-Tetradecanoyl-phorbol-β acetate; Hypothalamic neuron; Primary culture (Loudes, C.) **456**, 324

Thyronine

Thyrotropin-releasing hormone receptor; Prolactin; Estradiol; Hormone treatment; Pituitary; Retina; Superior cervical ganglia (Sharif, N.A.) 449, 364

Thyrotropin-releasing hormone Aging; Thermoregulation; Chloral hydrate; Rat (Amir, S.) 440, 181

Thyrotropin-releasing hormone analog; Protein kinase C; 12-*O*-Tetradecanoylphorbol-13-acetate; 4-α-Phorbol; Central nervous system; Hypoglycemia; Mouse (Amir, S.) **450**, 369

MK-771; Wet-dog shake; Atropine; Scopolamine (Sills, M.A.) 453, 385

Wet-dog shake; Choline acetyltransferase; Serotonin; Raphe neuron; Motoneuron (Fone, K.C.F.) **455,** 157

Thyrotropin-releasing hormone analog; Glucagon; Hyperglycemia; Hypophysectomy; Mouse (Amir, S.) **455**, 201

Precursor; Rat; Hypothalamus; Olfactory lobe; Radioimmunoassay; High-performance liquid chromatography (HPLC) (Wu, P.) **456,** 22

Dorsal motor nucleus; Ulcer; Gastric acid (Hernandez, D.E.) 459, 148

Indoleamine; Choline acetyltransferase activity; Motoneuron; Bulbospinal

raphe neuron; Peptide (Fone, K.C.F.) 460, 22

Magnesium; Brain injury; Nuclear magnetic resonance (Vink, R.) **460**, 184

Periaqueductal gray; Prohormone; Neuropeptide; Immunocytochemistry (Van den Bergh, P.) **461**, 53

Anti-thyrotropin-releasing hormone antibody; 2-Deoxyglucose; Hyperglycemia; Mouse (Amir, S.) **462**, 160

Organotypic tissue culture; Serotonin; Substance P; Development (Jonakait, G.M.) 473, 336

Dynorphin A; Substance P antagonist; Spinal cord injury (Martinez-Arizala, A.) 473, 385

Thyrotropin-releasing hormone analog

Spinal cord injury; Trauma; Neurological recovery; Somatosensory-evoked response; Histopathology (Faden, A.I.) 448, 287

Thyrotropin-releasing hormone; Protein kinase C; 12-O-Tetradecanoylphorbol-13-acetate; 4-α-Phorbol; Central nervous system; Hypoglycemia; Mouse (Amir, S.) **450**, 369

Thyrotropin-releasing hormone; Glucagon; Hyperglycemia; Hypophysectomy; Mouse (Amir, S.) **455**, 201

Thyrotropin-releasing hormone receptor

Prolactin; Estradiol; Thyronine; Hormone treatment; Pituitary; Retina; Superior cervical ganglia (Sharif, N.A.) 449, 364

Thyroxine 5'-deiodinase

Pineal; Rat; Hypothyroidism; Rhythm; β-Adrenergic (Murakami, M.) 438, 366

Tight junction

Blood-brain barrier; Cryofixed endothelium; Vesicular transport (Nagy, Z.) **440**, 315

Tiletamine

Excitatory amino acid; Myorelaxant action; Anticonvulsant action (Klockgether, T.) **461**, 343

Timm

Reptile; Lizard; Cerebral cortex; Hippocampus; Horseradish peroxidase; Connection; Synapse; *Podarcis hispanica* (Lopez-Garcia, C.) **463**, 205

Timm staining

Kainic acid; Zinc; Hippocampus; Mossy fiber (Théorêt, Y.) 449, 341

Tissue culture

Astrocyte; Bromodeoxyuridine; Glial

growth factor from bovine pituitary; Human; Mitogen; Platelet-derived growth factor; Phorbol ester (Yong, V.W.) 444, 59

Spinal cord-sensory ganglion; Adenylate cyclase; Cyclic adenosine monophosphate (cAMP); Opioid tolerance; Opioid receptor; Serotonin receptor; Pertussis toxin (Makman, M.H.) 445, 303

Protein kinase; Synaptic membrane glycoprotein; Synaptosome; Rat brain; Synaptic differentiation; Two-dimensional, renaturing gel electrophoresis; Western blotting; Immunocytochemistry (Lasher, R.S.) 452, 184

Chromaffin cell; Cryopreservation; Dymethyl sulfoxide; Nerve growth factor; Tyrosine hydroxylase; Transplantation (Silani, V.) **454**, 383

Substance P receptor; Superior cervical ganglion; Neuron; Autoradiography; Rat (James, S.) **458**, 205

Spinal cord; Superior cervical ganglion; Neurospecificity; Choline acetyltransferase (Chalazonitis, A.) 458, 231

Superior colliculus; Target specificity; Transplantation; Maturation (Harvey, A.R.) **462**, 89

Neuronal cell; Cryopreservation; Neuron-specific enolase; γ-Aminobutyric acid (Silani, V.) **473**, 169

Down syndrome; Action potential; Dorsal root ganglion; Neuron; Patch clamp; Trisomy 21; Development (Nieminen, K.) 474, 246

Tissue reaction

Transplant; Polymer capsule; Xenograft (Aebischer, P.) 448, 364

T-maze

Animal model; Hyperactivity; Learning deficit; Memory deficit; Open field; Passive avoidance; Recent memory disturbance; Senescence accelerated mouse (Yagi, H.) 474, 86

T II neuron

Auditory system; Spiral ganglion; Neurofilament subunits; Immunocytochemistry; Rat (Romand, R.) **462**, 167

Tolerance

Benzodiazepine; Flurazepam; γ-Aminobutyric acid (GABA); Muscimol; Substantia nigra; Rotation; Circling (Tietz, E.I.) 438, 41

Noise; Repeated exposure; Choline uptake; Frontal cortex; Hippocampus; Classical conditioning (Lai, H.) 442, 403

Corticotropin-releasing hormone;

Luteinizing hormone; Opioid; Rat (Nikolarakis, K.E.) 450, 360

Benzodiazepine; Substantia nigra pars reticulata; Flurazepam (Tyma, J.L.) **453,** 344

Caffeine; Reinforcement threshold; Intracranial self-stimulation; Withdrawal (Mumford, G.K.) **459**, 163

Opiate; Dependence; Gene regulation; Striatum (Uhl, G.R.) **459**, 391

Pentobarbital; Crayfish; Behavior; Facilitation; Synapse (Winegar, B.D.) **475**, 21

Toluene sulfanomide quinoline (TSO)

Kainic acid; Seizure; Hippocampus; Mossy fiber; Vesicle; Quinoline; Epilepsy; Zinc-containing neuron; Zinc (Frederickson, C.J.) 446, 383

Tomatin

Filipin; Saponin; Calcium; Axolemma; Lipid domain; Extracellular matrix; Membrane-associated cytoskeleton; Cytoskeleton; Cholesterol (Fields, R.D.) 443, 231

Tongue

Thalamus; Nucleus ventralis posteromedialis parvocellularis; Somatic sensation; Trigeminal nerve; Cat (Nishikawa, Y.) **458**, 394

Von Ebner's gland; Autonomic nervous system; Circumvallate papilla; Salivary gland; Taste (Gurkan, S.) **473**, 127

Tongue proprioception

Hypoglossal afferent; Lingual reflex (Zapata, P.) 445, 19

Tonic

Hippocampal; Phasic; Theta-on; Cell; Cholinergics (Bland, B.H.) 440, 167

Tonic descending inhibition

Lateral reticular nucleus; Locus coeruleus/subcoeruleus; Dorsolateral funiculus; Descending inhibition; Stimulation-produced antinociception (Janss, A.J.) 440, 109

Tonic immobility

Nociceptive response; Analgesia (Fleischmann, A.) 455, 49

Tonotopic organization

Auditory cortex; Cortical topography; Binaural cortical neuron (Phillips, D.P.) **443**, 281

Tooth pulp afferent neuron

Horseradish peroxidase; Wheatgerm agglutinin conjugate; Transneuronal transport (Turner, D.F.) 452, 381

Tooth pulp axon

Rat; Pain; Capsaicin; Sympathectomy; Electron microscopy (Fried, K.) 463, 118

Topographical organization

Substantia nigra; Thalamic nucleus; Superior colliculus (Kemel, M.L.) **455**, 307

Topography

Hippocampus; Brain slice; Carbachol; Theta; CA3c generator (Konopacki, J.) **451,** 33

Topological analysis

Trichotomy; Random terminal branching; Random segmental branching; Computer modelling; Vertex ratio; Purkinje cell (Sadler, M.) 474, 130

Touch

Primary sensory neuron; Pressure; Nociception; Hyperpolarizing pulse; Lamprey (Christenson, J.) 440, 1

Toxic lectin

Suicide transport; Abrin; Modeccin; Volkensin; Caudate nucleus; Substantia nigra; Parafascicular nucleus (Wiley, R.G.) 438, 145

Tract tracing

Steroid autoradiography; Hypothalamus; Limbic system; Ventromedial nucleus; Medial amygdala; Reproduction (Akesson, T.R.) **451**, 381

Tractotomy

Trigeminal sensory complex; Nociception; Ventrobasal thalamic neuron; Orofacial receptive field; Rat (Dallel, R.) 448, 7

Transcutaneous electrical nerve stimulation

Muscular pain; Peripheral conditioning stimulation; Intramuscular electrical nerve stimulation; Vibration; Human; Pain-inhibitory mechanism (Duranti, R.) 452, 66

Transducin

Circadian rhythm; Phototransduction; G-proteins; Rhodopsin; Entrainment (Zatz, M.) **453**, 63

Transfer

Partial seizure; Kindling; Premotor cortex; Hippocampus; Basal ganglia (Ono, K.) 475, 182

Transferrin

Blood-brain barrier; Plasma volume; Brain; Capillary; Distribution volume; Dextran; Inulin; Rat (Smith, Q.R.) **462**, 1

Transforming growth factor-B

Tumor necrosis factor; Interleukin-1β; Angiotensin II; Food and water intake; Rat; Central nervous system; Intracerebroventricular administration (Plata-Salamán, C.R.) 448, 106

Transganglionic

Wheatgerm-agglutinated horseradish peroxidase (WGA-HRP); Trigeminal nerve; Baroreceptor; Arteriovenous anastomosis; Cat (Onodera, S.) 444, 273

Transganglionic transport

Horseradish peroxidase (HRP); Great auricular nerve; Afferent fiber (Liu, D.) 445, 205

Somatosensory system; Dorsal column nucleus; Spinal cord; Peripheral nerve (Florence, S.L.) **452**, 388

Transglutaminase

Peripheral nerve; Injury; Axon reaction (Tetzlaff, W.) 445, 142

Transmitter

Acetylcholine; Immunohistochemistry; Lateral line efferent; Choline acetyltransferase; Goldfish (Danielson, P.D.) 448, 158

Afferent synapse; Acousticolateralis receptor; Electroreceptor; Postsynaptic potential; Postsynaptic receptor; Kynurenate (Okano, K.) 457, 89

Transmitter interaction

Purine; Adenosine; Acetylcholine; Cholinomimetic; Neuromodulator (Brooks, P.A.) **458**, 106

Transmitter release

Neuromuscular junction; Quantal transmission (Vautrin, J.) 438, 304

[Met⁵]Enkephalin; Naloxone; Sympathetic ganglion; Intracellular recording; Presynaptic facilitation; Presynaptic inhibition (Hirai, K.) **448**, 299

Calcium channel; Conotoxin; Electric organ; Synaptosome; Nerve terminal; Neurosecretion (Ahmad, S.N.) **453**, 247

Stannous ion; Motor nerve ending; Anti-curare action; Frog (Hattori, T.) 473, 157

Transmitter-receptor mismatch

Choline acetyltransferase; Muscarinic acetylcholine receptor; Quantitative receptor autoradiograhy; Quinuclidinyl benzilate (Ernsberger, P.) **452**, 336

Transneuronal regulation

Olfactory bulb; Tyrosine hydroxylase; γ -Aminobutyric acid (GABA); Phenotypic expression (Baker, H.) **450**, 69

Transneuronal transport

Horseradish peroxidase; Wheatgerm agglutinin conjugate; Tooth pulp afferent neuron (Turner, D.F.) 452, 381

Transplant

Gonadotropin-releasing hormone (GnRH); hpg Mouse; Reproduction (Silverman, A.-J.) 443, 267

Dopamine; Adrenal medulla; Chromaffin cell; Caudate; In vivo dialysis; Circling; Rat (Nishino, H.) 445, 325

Astrocyte; Microsphere; Fluorescence; Electron microscope (Emmett, C.J.) **447,** 223

Neocortex; Basal nucleus; Plasticity; Regeneration (Höhmann, C.F.) 448, 53

Polymer capsule; Xenograft; Tissue reaction (Aebischer, P.) 448, 364

Electron microscope; Hippocampus; Lectin; Retrograde transport (Seeley, P.J.) **449**, 177

Adrenal medulla; Chromaffin cell; Graft; Nerve growth factor; Parkinson's disease (Pezzoli, G.) **459**, 398

Transplantation

Neurite; Fluorescence histochemistry; Cerebral cortex (Freed, W.J.) 446, 133

Serotonin; Hippocampus; Raphe; Horseradish peroxidase; Immunocytochemistry; High-pressure liquid chromatography (Zhou, F.C.) 450. 51

Chromaffin cell; Cryopreservation; Dymethyl sulfoxide; Tissue culture; Nerve growth factor; Tyrosine hydroxylase (Silani, V.) **454**, 383

Olfactory neuron; Olfactory marker protein (Monti Graziadei, A.G.) **455**, 401

Tissue culture; Superior colliculus; Target specificity; Maturation (Harvey, A.R.) 462, 89

Serum-free culture; Septal neuron; Nerve growth factor; Fimbria-fornix transection (Hisanaga, K.) 475, 349

Transport

γ-Aminobutyric acid; Brain particle; Model (Liron, Z.) 444, 119

Calcium; Hypocalcemia; Brain; Cerebrospinal fluid; Choroid plexus; Blood-brain barrier (Murphy, V.A.) **454,** 315

Methylmercury; L-Cysteine; Blood-brain barrier; Rat (Aschner, M.) 462, 31

Trapezius

Motoneuron; Sternocleidomastoid; Spinal accessory; Monkey (Jenny, A.) 441, 352

Trauma

Spinal cord injury; Thyrotropin-releasing hormone (TRH) analog; Neurological recovery; Somatosensory-evoked response; Histopathology (Faden, A.I.) 448, 287

Spinal cord injury; Eicosanoid; Lipoxygenase; Cyclo-oxygenase; Cation (Faden, A.I.) **463**, 63

Traumatic injury

Serotonin; Immunocytochemistry; Spinal cord; Paraplegia (Faden, A.I.) **450**, 94

Treadmill locomotion

α-Motoneuron; Quadriceps femoris muscle; Locomotor drive potential; Walking; Electromyogram (Glenn, L.L.) 439, 396

Tree shrew

Butyrylcholinesterase; Cholinesterase; Lateral geniculate nucleus; Retinal projections (Horn, K.M.) 448, 386 Triacylglycerol

Hypoxia; Phosphoinositide; Free fatty acid; Energy metabolism (Ikeda, M.) **459**, 344

Triazolam

Circadian rhythm; γ-Aminobutyric acid; Benzodiazepine antagonist; Benzodiazepine receptor (Van Reeth, O.) 444, 333

Adenosine; Benzodiazepine; Cerebral cortex (O'Regan, M.H.) 445, 376

Trichotomy

Topological analysis; Random terminal branching; Random segmental branching; Computer modelling; Vertex ratio; Purkinje cell (Sadler, M.) 474, 130

Trigeminal

Cerebellum; Superior colliculus; Mystacial vibrissa; Climbing fiber response; Crus II (Akaike, T.) **442**, 373

Bradykinin; Cerebrovascular; Headache; Thalamus (Davis, K.D.) **446.** 401

Trigeminal ganglion

Sagittal sinus; Regional cerebral blood flow; Evoked potential; Migraine (Lambert, G.A.) **453**, 143

Trigeminal motor nucleus

Trigeminal nucleus oralis; Axonal trajectory; Intracellular HRP injection (Shigenaga, Y.) **461**, 143

Trigeminal nerve

Wheatgerm-agglutinated horseradish peroxidase (WGA-HRP); Transganglionic; Baroreceptor; Arteriovenous anastomosis; Cat (Onodera, S.) 444, 273

Thalamus; Nucleus ventralis posteromedialis parvocellularis; Somatic sensation; Tongue; Cat (Nishikawa, Y.) 458, 394

Trigeminal neuron

Immunohistochemistry; Alkaline phosphatase; Horseradish peroxidase; Choline acetyltransferase; Calcitonin gene-related peptide (Batten, T.F.C.) 447, 314

Trigeminal nucleus

Jaw opening reflex; Periodontium; First-order neuron; Mesencephalic nucleus (Aigouy, L.) 473, 380

Trigeminal nucleus caudalis

Voltammetry; 5-Hydroxyindole; Morphine; Dorsal horn; Spinal cord (Rivot, J.P.) **463**, 275

Trigeminal nucleus oralis

Axonal trajectory; Trigeminal motor nucleus; Intracellular HRP injection (Shigenaga, Y.) **461**, 143

Trigeminal perikaryon

Cation-binding; Axon hillock; Stem axon; Node; Schwann cell (Byers, M.R.) 443, 125

Trigeminal sensory complex

Nociception; Ventrobasal thalamic neuron; Orofacial receptive field; Tractotomy; Rat (Dallel, R.) 448, 7

2,4,5-Trihydroxypentanoic acid γ-lactone 3,4-Dihydroxybutanoic acid γ-lactone;

Ventromedial hypothalamic acid y-factore Lateral hypothalamic area; Ventromedial hypothalamic nucleus; Intracellular recording; Feeding regulation (Minami, T.) 462, 258

Endogenous organic acid; 3,4-Dihydroxybutanoic acid γ -lactone; Feeding modulation; Rat; Serum glucose; Insulin; 4-Butanolide (Sakata, T.) **473**, 43

Trimethyltin

Corticosterone receptor; Fixed ratio behavior; Hippocampus (Gerbec, E.N.) **460**, 346

Tris chloride

Benztropine; Choline chloride; Sodium; Ouabain; Dopamine; Re-uptake; Striatum; Push-pull perfusion; Rat (Sirinathsinghji, D.J.S.) 438, 399

Trisomy 21

Down syndrome; Action potential; Tissue culture; Dorsal root ganglion; Neuron; Patch clamp; Development (Nieminen, K.) 474, 246

Trochlear nerve

Abducens nerve; Myelinated axon; Unmyelinated axon; Fibre count; Size distribution (Hildebrand, C.) **453**, 401

Trophic factor

Acetylcholine; Cell death; Chicken; Ciliary ganglion; Embryology; Sympathetic ganglion; Synaptic transmission (Maderdrut, J.L.) 444, 189

Functional recovery; Brain transplant; Hippocampus; Astrocyte; Kainate (Kesslak, J.P.) **454**, 347

Protein kinase C; Neuron; Basic fibroblast growth factor; Epidermal growth factor; Neurite outgrowth (Morrison, R.S.) 473, 141

Trypsin

N-Methyl-p-aspartate; Hippocampal neuron; Kainate; Quisqualate; Pyriform cortex (Allen, C.N.) **458**, 147

Tryptamine

p-Tyramine; M-Tyramine; β-Phenylethylamine; Lobster; Nerve cord; Aromatic-L-amino acid decarboxylase inhibition (Juorio, A.V.) 444, 380

Tryptophan hydroxylase 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Serotonin; Mouse (Fukuda, H.) **449**, 399

Tuberomammillary nucleus Histamine; Organotypic culture; Growth cone; Hypothalamus;

Immunohistochemistry; Hippocampus (Reiner, P.B.) 442, 166

Adenosine deaminase; Striatum; Hypothalamus; Substantia nigra; Immunohistochemistry; Fluorescence retrograde tracing (Yamamoto, T.) 474, 112

Tubulin

Hydrodynamics; Macromolecular complex; Polymerization; Postsynaptic density (LeVine, III, H.) 439, 47

Cold stability; Microtubule; Axon; Nervous system; Isoelectric focusing; Mouse (Binet, S.) **450**, 231

Axonal transport; Neurofilament; Presynaptic terminal (Garner, J.A.) **458**, 309

Axon reaction; In situ hybridization; Neuronal plasticity; Axonal sprouting (Pearson, R.C.A.) **463**, 245

Tubulovesicular organelle

Proteolysis; Thiolprotease inhibitor; Axon terminal; Anterograderetrograde conversion; Membranous organelle (Sahenk, Z.) **460**, 199

Tumor necrosis factor

Interleukin-1 β ; Transforming growth factor- β ; Angiotensin II; Food and water intake; Rat; Central nervous system; Intracerebroventricular administration (Plata-Salamán, C.R.) **448**, 106

Turning behavior

Output pathway; Substantia nigra reticulata; Superior colliculus; Nucleus ventralis lateralis/nucleus ventralis medialis complex; Nucleus tegmenti pedunculopontinus (Motles, E.) 473, 65

Turtle

Hippocampus; Excitatory amino acid; N-Methyl-p-aspartic acid; γ-Aminobutyric acid; Epilepsy (Larson-Prior, L.J.) **460**, 369

Turtle cerebellum

Glutamate; Aspartate; Quisqualate; Kainate; N-Methyl-D-aspartate; Spreading depression; Ion-selective microelectrode (Lauritzen, M.) 475, 317

Twitcher mouse

Globoid cell leukodystrophy; Galactosylsphingosine; Psychosine; Sciatic nerve (Tanaka, K.) **454**, 340

Globoid cell leukodystrophy; Bone marrow transplantation; Peripheral nerve; Remyelination (Kondo, A.) **460,** 178

Two-dimensional gel electrophoresis

Protein 36; Rat brain; Immunocytochemistry; Pyramidal cell; Cortex (Fukuda, T.) 441, 185

Two-dimensional, renaturing gel electrophoresis

Protein kinase; Synaptic membrane

glycoprotein; Tissue culture; Synaptosome; Rat brain; Synaptic differentiation; Western blotting; Immunocytochemistry (Lasher, R.S.) 452, 184

TXB,

Cholinergic stimulus; Prostaglandin; Thromboxane; PGE₂; Prostacyclin; PGD₂; PGF_{2a} (Busija, D.W.) **439**, 122

Tvr-MIF-1

Analgesia;

Aningssia, 3α -Hydroxy-4-pregnen-20-one; Follicle stimulating hormone suppression; Steroid; γ -Aminobutyric acid; Opiate; Calcium channel antagonist; Benzodiazepine; Naloxone; Verapamil; Nifedipine; Ro 15-1788; Picrotoxin; Bicuculline; Morphine (Wiebe, J.P.) **461**, 150

M-Tyramine

p-Tyramine; β-Phenylethylamine; Tryptamine; Lobster; Nerve cord; Aromatic-L-amino acid decarboxýlase inhibition (Juorio, A.V.) 444, 380

p-Tyramine

M-Tyramine; β-Phenylethylamine; Tryptamine; Lobster; Nerve cord; Aromatic-L-amino acid decarboxylase inhibition (Juorio, A.V.) 444, 380

Tyrosine

Brain dialysis; Dopamine release; Striatum; Nucleus accumbens (During, M.J.) **452**, 378

Retina; Diurnal rhythm; Dopamine; Diabetes (Gibson, C.J.) 454, 60

Noradrenaline; Brain development; Petgnancy; Diet (Garabal, M.V.) **457,** 330

Tyrosine hydroxylase

Pterygopalatine ganglion; Rat; Guinea pig; Neuropeptide Y; Acetylcholinesterase; Cholinergic; Small intensely fluorescent (SIF) cell; Coexistence (Kuwayama, Y.) 446, 219

Immunochemistry; Histocytochemistry; Staphylococcal protein A; Immunoenzyme technique; Neurotransmitter; Peptide; Enkephalin (Correa, F.M.A.) 448, 192

Substance P; Dual-immunocytochemistry

(Chang, H.T.) 448, 391 Dopamine; Prefrontal cortex;

Dopamine; Prefrontal cortex; Cynomolgus monkey; Squirrel monkey (Lewis, D.A.) 449, 225

Axotomy; Gene expression; Neuronal gene; Nucleic acid hybridization (Koo, E.H.) 449, 361

Olfactory bulb; γ -Aminobutyric acid (GABA); Transneuronal regulation; Phenotypic expression (Baker, H.) **450**, 69

Nucleus basalis magnocellularis; Cholinergic; Acetylcholinesterase; Substantia nigra (Martinez-Murillo, R.) 451, 227

Chromaffin cell; Cryopreservation; Dymethyl sulfoxide; Tissue culture; Nerve growth factor; Transplantation (Silani, V.) **454**, 383

Neuropeptide; Colocalization; Ventral tegmental area; Immunohistochemistry (Seroogy, K.) 455, 88

Nicotine; Dopamine; Substantia nigra; Striatum; Lesion; Rat brain; Immunohistochemistry; Image analysis; Protection; Quantitative receptor autoradiography (Janson, A.M.) 455, 332

Adenosine receptor; Dopamine autoreceptor; Rat striatum (Onali, P.) **456,** 302

Choline acetyltransferase; Reticular formation; Paradoxical sleep; Wakefulness (Webster, H.H.) 458, 285

Electron microscopy; Immunohistochemistry; Synaptic input; Bipolar cell (Hokoç, J.N.) **461**, 17

Human; Hypothalamus; Vasopressin; Oxytocin (Li, Y.W.) 461, 75

Catecholamine; Cebus monkey; Immunohistochemistry; Non-human primate (Kordower, J.H.) **461**, 221

Aromatic L-amino acid decarboxylase; Dopamine; Serotonin; Spinal cord; Immunohistochemistry; Mouse; Rat (Nagatsu, I.) 475, 91

Tyrosine hydroxylase activity Tyrosine hydroxylase mass; Sodium chloride ingestion; Median eminence; Superior cervical ganglion (Wang, P.S.) 446, 363

Tyrosine hydroxylase mass

Tyrosine hydroxylase activity; Sodium chloride ingestion; Median eminence; Superior cervical ganglion (Wang, P.S.) **446**, 363

U

[3H]UK-14304

 α_2 -Adrenoceptor; Autoradiography; Membrane binding; Human brain (Pazos, A.) 475, 361

Ulcer

Thyrotropin-releasing hormone; Dorsal motor nucleus; Gastric acid (Hernandez, D.E.) **459**, 148

Ultrastructural localization Nerve growth factor; Development (Williams, R.) 463, 21

Ultrastructure

Aging; Caudate nucleus; Synaptic density; Synaptic apposition length; Cat (Levine, M.S.) **440**, 267

Cerebral cortex; Dopamine innervation; Immunocytochemistry; Synaptic relationship (Séguéla, P.) **442**, 11

Serotonin; Immunocytochemistry; Nucleus raphe magnus; Pain modulation; Descending control; Periaqueductal gray (Lakos, S.) 443, 383

Identified neuron; Intracellular staining; Hexamminecobaltic chloride; Mitochondrion; Synapse; Insect ocellus (Littlewood, P.M.H.) 445, 165

Corpus callosum; Sex difference; Axon; Differential environment (Juraska, J.M.) **450,** 1

Nicotinamide adenine dinucleotide phosphate (NADPH) diaphorase; Histochemistry; Cat central nervous system (Mizukawa, K.) 452, 286

Calcitonin gene-related peptide nerve; Carotid body; Reactive plasticity (Kondo, H.) **473**, 283

Umami

Taste quality; Conditioned taste aversion; Chorda tympani; Glossopharyngeal nerve; Single fiber analysis (Yamamoto, T.) **451**, 147

Uncoupling

Gap junction; Gap junction antibody; Glia; Dye transfer (Dudek, F.E.) 439, 275

Undernutrition

Ontogenetic adaptation of dendritic spine genesis; Pyramidal neuron spine of motor cortex; Pyramidal neuron spine of visual cortex; Spine genesis; Brain development (Gundappa, G.) **456,** 205

Unfocused laser lesioning

Dye-targeting; In vitro; Neuronal death (Madison, R.D.) 445, 101

Unilateral eye covering

Cytochrome oxidase histochemistry; Optic lobe; Visual deprivation; Fly (Mimura, K.) 445, 228

Unit activity

Parkinson's disease; Globus pallidus; 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Dopamine; Passive movement; Joint rotation; Monkey (Filion, M.) 444, 165

Pulvinar; Motor behavior; Sensory response; Awake monkey (Magariños-Ascone, C.) 445, 30

Graft; Microiontophoresis; Basal forebrain; Cholinergic neuron (Bassant, M.H.) 460, 8

Unitary postsynaptic potential Visual cortex; Spike-triggered

averaging; Intracortical connectivity; Slice preparation; Cat (Komatsu, Y.) **442**, 359

Unmyelinated axon

Trochlear nerve; Abducens nerve; Myelinated axon; Fibre count; Size distribution (Hildebrand, C.) **453**, 401

Pyramidal tract; Corticospinal tract; Anterograde tracing; Rat (Joosten, E.A.J.) **459**, 173

Unmyelinated fiber

Hyperalgesia; Nociceptor; Pain; Sensitization; Axon reflex (Meyer, R.A.) 441, 168

Primary afferent; Lissauer's tract; Intraspinal sprouting; Nerve growth factor; Antibody to nerve growth factor; C-fiber (Hulsebosch, C.E.) **461**, 322

Unmyelinated nerve

Calcitonin gene-related peptide; Calcitonin; Vagus nerve; Immunocytochemistry; Myelinated nerve (Kakudo, K.) **440**, 153

Unpredictable shock

Serotonin; Noradrenaline; Predictable shock (Adell, A.) 459, 54

Up-regulation

Idazoxan; α_2 -Adrenoceptor; Forebrain; Hindbrain (Yakubu, M.A.) **463**, 289

Upper airway

Sheep; Response pattern; Chemoreception; Epiglottis; Nucleus of the solitary tract; Off response; Superior laryngeal nerve (Sweazey, R.D.) 439, 195

Uptake

L-Ĥomocysteate; (±)-β-Parachlorophenylglutamate; N-Methyl-D-aspartate; Neocortex; Intracellular recording; In vitro (Zeise, M.L.) **443**, 373

Spinal cord; Development; Noradrenaline; Adrenoceptor; Cyclic adenosine monophosphate (Simmons, R.M.A.) 445, 338

Microdialysis; Gas chromatography/mass spectrometry; Pharmacokinetics; Self-administration (Nicolaysen, L.C.) **456**, 317

Striatum; Stimulation; Intracranial self-stimulation; Voltammetry; Model (Nicolaysen, L.C.) **460**, 50

Dopamine; Synaptosome; Chopped tissue; Release; Striatum (Kristensen, E.W.) **461,** 44

Uric acid

Intracranial dialysis; Oxytocin; Dopamine; Olfactory bulb; Substantia nigra; Parturition; Suckling; Sheep (Kendrick, K.M.) 439, 1

Microdialysis; Hemorrhage; Blood pressure; Noradrenaline; 3-Methoxy-4-hydroxyphenylethyleneglycol (MHPG); Serotonin; Supraoptic nucleus; Rat (Kendrick, K.M.) **440**, 402

Uridine

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Substantia nigra; Striatum; Dihydroxyphenylalanine (Pakkenberg, H.) **460**, 146

Urinary bladder

4-Aminopyridine; Micturition reflex; Rat; Capsaicin-sensitive sensory neuron; Bladder voiding cycle (Maggi, C.A.) 449, 61

Urine osmolality

Area postrema; Horseradish peroxidase; Vasopressin; Urine output; Urine sodium excretion (Iovino, M.) 447, 178

Urine output

Area postrema; Horseradish peroxidase; Vasopressin; Urine osmolality; Urine sodium excretion (Iovino, M.) 447, 178

Urine sodium excretion

Area postrema; Horseradish peroxidase; Vasopressin; Urine output; Urine osmolality (Iovino, M.) 447, 178



V₁ receptor

Autoradiography; Competition study; Oxytocin; Rat brain; Synthetic structural analogue; Vasopressin (Tribollet, E.) **442**, 105

Vagal afferent

Vasopressin; Oxytocin; Nausea; Ferret (Hawthorn, J.) 438, 193

Pain modulation; Tail flick reflex; Nociception; Spinal opioid receptor (Ren, K.) 446, 285

Paraventricular nucleus; Spinal cord; Antidromic response (Lovick, T.A.) **454,** 123

Vomiting; Expulsion; Diaphragm; Esophagus; Cat (Miller, A.D.) **456,** 367

Vagal complex

Cholinergic receptor; Solitary nucleus; Area postrema; Emesis; Human brainstem (Hyde, T.M.) 447, 287

Vagal preganglionic neuron Somatic input; Dorsal vagal nucleus; Nucleus ambiguus; Nucleus tractus solitarius (Wang, Q.) 439, 350

Vaginocervical stimulation Microdialysis; Oxytocin; Aspartate; γ-Aminobutyric acid (GABA); Glutamate; Olfactory bulb; Sheep (Kendrick, K.M.) 442, 171

Vagotomy

Area postrema; Coronary constriction; Sympathetic nervous system; α-Adrenoceptor; β-Adrenoceptor; Ventricular tachyarrhythmias (Gatti, P.J.) 448, 313

Vagus

Medulla; Antinociception; Pain; Cardiovascular (Randich, A.) 445, 68

Vagus nerve

Calcitonin gene-related peptide; Calcitonin; Immunocytochemistry; Myelinated nerve; Unmyelinated nerve (Kakudo, K.) 440, 153

Medulla oblongata; Nodose ganglion; Nucleus tractus solitarii; Pulmonary receptor; Respiration; Spike-triggered averaging (Kubin, L.) 443, 215

Fluoro-Gold; Retrograde axonal transport; Fluorescent dye; Peritoneum; Stomach; Dorsal motor nucleus of the vagus (Yoshida, J.) 455, 1

Valproate

Glia; Adhesion; Collagen type IV receptor; Heat shock; Teratogenesis (Martin, M.L.) **459**, 131

Valproic acid

Substance P; Kainic acid; Strychnine; Morphine; Pain; Behavior; Spinal cord; Chlordiazepoxide (Frenk, H.) 455, 240

N-Vanillylnonanamide

Micturition; Intrathecal injection; Capsaicin; 6-Hydroxydopamine; 5,6-Dihydroxytryptamine (Durant, P.A.C.) **451**, 301

Varanus exanthematicus

Principal abducens motor nucleus; Electron microscopy; Synapse; Gap junction (Wouterlood, F.G.) **463**, 198

Vasa nervorum

Peripheral nerve; Blood vessel; Blood flow; Carbon dioxide; Peripheral neuropathy; Mononeuritis; Ischemia; Regulation; Laser Doppler flowmetry (Rechthand, E.) 446, 61

Vascular afferent

Femoral-saphenous vein; Enteroceptor; Spinal cord; Interneuron; Cat (Yates, B.J.) **451**, 285

Vascular nociceptor

Central chemoreceptor; Ventral respiratory group; Caudal chemoceptive area; Intermediate chemoceptive area; Nucleus paragigantocellularis lateralis; Peripheral chemoreceptor; Control of breathing (Arita, H.) 442, 1

Vascular permeability

Blood-brain barrier; Ethanol; Pentobarbital; Capillary ultrastructure (Stewart, P.A.) 443, 12

Vascular space

Wallerian degeneration; Sciatic nerve;

Endoneurial capillary; Permeability; Frog (Weerasuriya, A.) **445**, 181

Vascular tone

Cerebral artery; Femoral artery; Nifedipine; Bay K 8644; CGP 28392; Noradrenaline release (Fernández-Alfonso, M.S.) 474, 147

Vasoactive intestinal peptide

Secretin; Peptide histidine isoleucine amide (PHI); Medial preoptic area; Microinjection; Luteinizing hormone; Prolactin; Ovariectomized rat (Akema, T.) 441, 367

Neuropeptide Y; Co-existence; Sympathectomy; Cerebral artery; Immunofluorescence (Gibbins, I.L.) 444, 402

Noradrenergic; Gonadotropin-releasing hormone; Luteinizing hormone; 6-Hydroxydopamine; Pulsatile (Alexander, M.J.) **445**, 247

Cyclic adenosine monophosphate; Ovine pineal; β -Receptor; In vitro autoradiography; Adrenergic control (Morgan, P.J.) **447**, 279

Somatostatin; Primary culture; Neuron; Adenylate cyclase; Calcium; Phorbol ester (Tapia-Arancibia, L.) **450**, 101

Acetylcholine; Serotonin; Frog corticosteroidogenesis; Co-action; Perifusion (Leboulenger, F.) **453**, 103

Ciliary neuron; Parasympathetic nervous system; Calcitonin gene-related peptide; Enkephalin; Neuropeptide Y (Stone, R.A.) 475, 389

Vasoactive intestinal polypeptide

Thermoregulation; Anterior hypothalamic area; Hibernation (Laemle, L.K.) 441, 398

Spinothalamic tract; Dynorphin; Enkephalin; Lateral spinal nucleus; Lamina X (Nahin, R.L.) **443**, 345

Cerebral artery; Pterygopalatine ganglion; Otic ganglion; Superior cervical ganglion; Immunohistochemistry; Dog (Uemura, Y.) 448, 98

Cerebral artery; Forskolin; Adenylate cyclase; Adenosine monophosphate, cyclic (Suzuki, Y.) **457**, 241

Pineal gland; Enkephalin; Neuropeptide Y; Dopamine-β-hydroxylase (Moore, R.Y.) **457**, 395

Somatostatin; γ-Aminobutyric acid; Immunoreactivity; Hippocampus; Epileptic mouse; Epilepsy (King, J.T.) **475,** 192

Vasoactive intestinal polypeptide antagonist

Rapid-eye-movement sleep; Peptide; Rat; Circadian rhythm (Mirmiran, M.) **458**, 192 Vasogenic edema

Arachidonic acid; 21-Aminosteroid; Lipid peroxidation (Hall, E.D.) **451,** 350

Vasomotor center

Rostral ventrolateral medulla; Medullospinal sympathoexcitatory neuron; Pacemaker activity (Sun, M.-K.) 438, 23

Vasopressin

Oxytocin; Vagal afferent; Nausea; Ferret (Hawthorn, J.) 438, 193

Anteroventral third ventricle; Nucleus tractus solitarius; Hypertension; Blood pressure; Hypothalamus (Catelli, J.M.) **439**, 330

Noradrenaline; Cyclic AMP; Superior cervical ganglion (Petit, P.) 440, 299

Autoradiography; Competition study; Oxytocin; Rat brain; Synthetic structural analogue; V₁ receptor (Tribollet, E.) **442**, 105

Autoradiography; Brattleboro rat; Dehydration; Dynorphin; κ -Opiate receptor; Receptor down-regulation (Brady, L.S.) **443**, 398

Spontaneously hypertensive rat; Renin; Converting enzyme inhibition; 6-Hydroxydopamine (Sladek, C.D.) **445**, 39

Neurotoxicity; Cerebellum; Somatostatin; Barrel rotation; Convulsion; Pulmonary edema (Balaban, C.D.) **445**, 117

Central receptor; Peptide; Autoradiography; Homogenate binding (Lawrence, J.A.M.) **446**, 212

Area postrema; Horseradish peroxidase; Urine output; Urine osmolality; Urine sodium excretion (Iovino, M.) 447, 178

Neurohypophysis; Oxytocin; Potassium channel; 4-Aminopyridine; Dendrotoxin (Bondy, C.A.) **453**, 397

Superior cervical ganglion (Horn, A.M.) 455, 18

Supraoptic nucleus; Gene regulation; Fetus (Reppert, S.M.) 456, 392

Lateral septum; Social memory; Androgen-dependent behavior (Dantzer, R.) **457**, 143

Catecholamine; Epinephrine; Norepinephrine; Blood pressure; Conscious rabbit (Martin, S.M.) 457, 192

Oxytocin; Central release; Push-pull perfusion; Osmotic stimulation; Septum; Dorsal hippocampus (Landgraf, R.) **457**, 219

Stress; Oxytocin; Pituitary; Hypothalamus; Pons-medulla; Spinal cord (Miaskowski, C.) 458, 137

Extracellular recording; Fornix stimulation; Lateral septum; Oxytocin; Synaptic uncoupling (Raggenbass, M.) **459**, 60

Pineal gland; Brattleboro rat; Melatonin synthesis; Circadian rhythmicity; Serotonin-N-acetyltransferase; Long-Evans rat (Schröder, H.) **459.** 328

Locus ceruleus; Noradrenaline; Immunocytochemistry; Coexistence (Caffé, A.R.) **459**, 386

Human; Hypothalamus; Tyrosine hydroxylase; Oxytocin (Li, Y.W.) **461**, 75

Oxytocin; Opioid receptor; κ -Opioid; Dynorphin; Neurohypophysis; Presynaptic localization (Zhao, B,-G.) **462**, 62

Oxytocin; Push-pull perfusion; Septum; Paraventricular nucleus; Electrical stimulation (Neumann, I.) 462, 181

Analgesia; Motor suppression; Neuropeptide; Pain (Thurston, C.L.) **463**, 1

Kindling; Brattleboro rat; Anterior neocortex (Weller, K.L.) 463, 390

Neonatal treatment; Vasopressin antagonist; Sexual behavior; Development; Immunocytochemistry; Radioimmunoassay (Meyerson, B.J.) 473, 344

Immunocytochemistry; Accurel; Binding site; Blood vessel; Brattleboro rat; Blood-brain barrier (Van Zwieten, E.J.) 474, 369

Vasopressin antagonist

Angiotensin II; Blood pressure; Water intake; Brattleboro rat (Harland, D.) 455, 58

Neonatal treatment; Vasopressin; Sexual behavior; Development; Immunocytochemistry; Radioimmunoassay (Meyerson, B.J.) 473, 344

Vasopressin cell

Supraoptic nucleus; Neurosecretory cell; Nucleus tractus solitarii; Catecholaminergic projection: A2 catecholamine cell group (Day, T.A.) **454,** 387

Phasic activity; Plateau potential; Refractory period; Potassium conductance; Cell culture (Legendre, P.) **457**, 386

Vasopressin innervation

Aging; Oxytocin innervation; Testosterone; Sex steroid; Plasticity in senescence; Rat (Goudsmit, E.) 473, 306 Vasopressin neuron

Subfornical organ; Median preoptic nucleus; Paraventricular nucleus (Tanaka, J.) **461**, 403

Vasopressin receptor

Arg-vasopressin; Brain phosphoinositide; Nucleus tractus solitarii (Moratalla, R.) **450**, 398

Vasopressin secretion

Somatostatin-28; Cysteamine; Paraventricular nucleus; Hemorrhage (Brown, M.R.) **452**, 212

Vasotocin

Canary; Brain; Testosterone (Voorhuis, Th.A.M.) 442, 139

Canary; Brain; Receptor; Autoradiography; Testosterone (Voorhuis, Th.A.M.) **457**, 148

Venous capillary

Cerebrospinal fluid absorption; Choroid plexus; Circumventricular organ; Horseradish peroxidase; Mouse (Hashimoto, P.H.) **440**, 149

Ventral lateral geniculate nucleus

Avian; Circadian; Suprachiasmatic nucleus; Periventricular preoptic nucleus; Lateral anterior nucleus (Cassone, V.M.) **459**, 178

Ventral lateral thalamus

Carbamazepine; Ethosuximide; Evoked potential; Amygdala kindling; Systemic penicillin epilepsy; Motor cortex; Cat; Sleep-waking cycle (Shouse, M.N.) **473**, 372

Ventral paraflocculus

Horseradish peroxidase; Afferent and efferent pathways; Superior colliculus; Deep cerebellar nucleus (Gayer, N.S.) 449, 253

Ventral respiratory group

Central chemoreceptor; Caudal chemoceptive area; Intermediate chemoceptive area; Nucleus paragigantocellularis lateralis; Peripheral chemoreceptor; Vascular nociceptor; Control of breathing (Arita, H.) 442, 1

Inspiratory neuron; Expiratory neuron; Augmenting firing; Decrementing firing; Distribution (Ezure, K.) **455**, 262

Ventral respiratory group inspiratory neuron

Phaseolus vulgaris leucoagglutinin; Fast blue; Phrenic motoneuron; Efferent connection (Yamada, H.) 455, 283

Ventral root

Axoplasmic flow; Histocytochemistry; Electron microscopy; Spinal cord; Motor neuron; Ranvier's node; Initial axon segment (Berthold, C.-H.) **456**, 293

Ventral septal area

Prostaglandin; Rat; Fever; Kainic acid lesion (Martin, S.M.) 455, 196

Ventral tegmental area

Brain-stimulation reward; Dopamine receptor; Nucleus accumbens; Reinforcement; SCH 23390; Sulpiride (Kurumiya, S.) 448, 1

Morphine; Opioid; μ -Agonist; δ -Agonist; κ -Agonist; Rotation (Jenck, F.) **450**, 387

Neuropeptide; Tyrosine hydroxylase; Colocalization; Immunohistochemistry (Seroogy, K.) **455**, 88

Naltrexone; Brain stimulation reward; Nucleus accumbens; Lateral hypothalamus (West, T.E.G.) **462**, 126

Dopamine; Substantia nigra; Bursting; Medial prefrontal cortex; Anterior cingulate cortex; Low-threshold spike (Gariano, R.F.) **462**, 194

Dopamine; Serotonin; Prefrontal cortex; Neonatal lesion; Food hoarding; Open-field behavior; Sexual dimorphism (Kalsbeek, A.) 475, 80

Ventricular tachyarrhythmias Area postrema; Coronary constriction; Sympathetic nervous system; α-Adrenoceptor; β-Adrenoceptor; Vagotomy (Gatti, P.J.) 448, 313

Ventrobasal relay neuron Burst discharge; Phasic hyperpolarization; Rebound excitation; Rat (Sumitomo, I.) 447, 376

Ventrobasal thalamic neuron Trigeminal sensory complex; Nociception; Orofacial receptive field; Tractotomy; Rat (Dallel, R.) 448, 7

Ventrolateral medulla

Serotonin; Substance P; Neurotensin; Somatostatin; Cardiovascular regulation (Ciriello, J.) 440, 53

Clonidine; Clonidine-displacing substance; Medulla oblongata; Receptor binding; *p*-[³H]Aminoclonidine; α-Adrenergic receptor; Imidazole binding site (Ernsberger, P.) **441**, 309

Baroreceptor reflex; Aortic nerve; Nucleus tractus solitarii; Rabbit (Wang, Q.) **473,** 227

Ventrolateral thalamus (VL) Intracellular recording; Cerebellum; Sensory input; Spinal cord; Sensorimotor cortex (Mackel, R.) 440, 348

Ventromedial hypothalamic nucleus Sex difference; α_1 -Receptor; α_2 -Receptor; Quantitative autoradiography; Preoptic area; Medial amygdaloid nucleus; Guinea pig (Johnson, A.E.) **442**, 205

Histidyl-proline diketopiperazine (cyclo(His-Pro)); Receptor binding; Lesion; Somatostatin (Ogawa, N.) 451, 115

3,4-Dihydroxybutanoic acid γ -lactone; 2,4,5-Trihydroxypentanoic acid

γ-lactone; Lateral hypothalamic area; Intracellular recording; Feeding regulation (Minami, T.) **462**, 258

Ventromedial hypothalamus

Lordosis; Luteinizing hormone-releasing hormone (LH-RH) fragment; Medial preoptic area; Midbrain central gray; Microinfusion (Dudley, C.A.) **441**, 161

Antihistamine; Histamine H₁-receptor; Feeding; α-Fluoromethylhistidine; Lateral hypothalamus; Paraventricular nucleus; Microinfusion (Sakata, T.) **441**, 403

Preoptic area; Anterior hypothalamus; Thermosensitive neuron; Brain slice preparation; Brown adipose tissue; Rat (Imai-Matsumura, K.) 445, 193

Obesity; Diet; α_1 -Noradrenoceptor; Receptor, α_1 -; α_2 -Noradrenoceptor; Receptor, α_2 -; β -Noradrenoceptor; Receptor, β -; Dopamine receptor; Dorsomedial hypothalamus; Insulin (Wilmot, C.A.) **453**, 157

Neuron activity; Medial preoptic area; Female; Sexual behavior; Monkey (Aou, S.) 455, 65

Arcuate nucleus; Dorsomedial hypothalamus; Immunoreactive dynorphin A; Immunoreactive dynorphin B; Hypothalamus; Pituitary gland; Radiofrequency lesion (Spampinato, S.) 463, 100

Ventromedial nucleus

Tract tracing; Steroid autoradiography; Hypothalamus; Limbic system; Medial amygdala; Reproduction (Akesson, T.R.) **451**, 381

Progesterone action; Rough endoplasmic reticulum; Lordosis (Meisel, R.L.) **463**, 153

Ventromedial thalamic nucleus

Zona incerta-lateral hypothalamus; Haloperidol; Catalepsy; Bicuculline; γ-Aminobutyric acid-A receptor (Wardas, J.) **462**, 378

Verapamil

4-Aminopyridine; Caffeine; Penicillin; L-Phenyl-isopropyladenosine (L-PIA); Epileptiform bursting; Hippocampus (Frank, C.) 441, 393

Acetylcholine release; Neuromuscular transmission; Calcium channel; Diltiazem; Nifedipine (Chang, C.C.) **454**, 332

Analgesia;

3α-Hydroxy-4-pregnen-20-one; Follicle stimulating hormone suppression; Steroid; γ-Aminobutyric acid; Opiate; Calcium channel antagonist; Benzodiazepine; Naloxone; Nifedipine; Ro 15-1788; Picrotoxin; Bicuculline; Tyr-MIF-1; Morphine (Wiebe, J.P.) **461**, 150

Veratridine

Excitatory amino acid; Ca²⁺ withdrawal; Spontaneous release; Amino-oxyacetic acid (Minc-Golomb, D.) **457**, 205

Endogenous glutamate; Brain cortex; Calcium (Villanueva, S.) **461**, 377

Vertebral artery

Cerebral vascular innervation; Sympathetic innervation; Stellate ganglion; Basilar artery; Anterograde tracing; Wheatgerm-agglutinated horseradish peroxidase (WGA-HRP) histochemistry; Rat (Arbab, M.A.) 445, 175

Vertebrate

Tetracycline; Invertebrate; Myelin; Cation; Aluminum (Pereyra, P.M.) **458**, 377

Vertex ratio

Topological analysis; Trichotomy; Random terminal branching; Random segmental branching; Computer modelling; Purkinje cell (Sadler, M.) **474,** 130

Vertical limb of diagonal band of Broca

Acetylcholine; Pilocarpine; Learning; Marmoset (Ridley, R.M.) 456, 71

Vertical optokinetic nystagmus Visual cortex lesion; Accessory optic system; Lateral terminal nucleus; Cat (Grasse, K.L.) 455, 385

Vesical pelvic ganglia

Cholinergic transmission; 5-Hydroxytryptamine; Synaptic inhibition; 5-HT_{1A} receptor subtype (Nishimura, T.) **442**, 399

Vesicle

Sympathetic ganglion; Co-existence; Enkephalin; Neuropeptide Y; Subcellular fractionation (Bastiaensen, E.) 442, 124

Kainic acid; Seizure; Hippocampus; Mossy fiber; Quinoline; Toluene sulfanomide quinoline (TSQ); Epilepsy; Zinc-containing neuron; Zinc (Frederickson, C.J.) 446, 383

Vesicle density

Synaptic terminal; Synaptic vesicle; Vesicle size; Vesicle distribution; Particle distribution; Morphometric analysis; Electric organ (Fox, G.Q.) 475, 103

Vesicle distribution

Synaptic terminal; Synaptic vesicle; Vesicle size; Vesicle density; Particle distribution; Morphometric analysis; Electric organ (Fox, G.Q.) 475, 103

Vesicle size

Synaptic terminal; Synaptic vesicle; Vesicle density; Vesicle distribution; Particle distribution; Morphometric analysis; Electric organ (Fox, G.Q.) 475, 103

Vesicular transport

Blood-brain barrier; Cryofixed endothelium; Tight junction (Nagy, Z.) **440**, 315

Vestibular

Spinal cord; Electromyogram extensor; Locus ceruleus; Pontine reticular formation (Barnes, C.D.) **453**, 32

Vestibular compensation

Medial vestibular nucleus; Labyrinthectomy; Neuronal plasticity (Smith, P.F.) **444**, 295

Medial vestibular nucleus; Labyrinthectomy; Neuronal plasticity (Smith, P.F.) 444, 308

Vestibular end-organ

Calcitonin gene-related peptide; Immunohistochemistry; Rat (Tanaka, M.) 447, 175

Vestibular ganglion

Glycine; Anti-glycine antibody; Immunocytochemistry; Glycinergic neuron; Auditory pathway (Aoki, E.) 442, 63

Vestibular nucleus

Nodulus; Perihypoglossal nucleus; Reciprocal connections; Wheatgerm agglutinin-horseradish peroxidase complex (Walberg, F.) **449**, 47

Vestibular system

Hair cell; Afferent synapse; Excitatory amino acid receptor (Soto, E.) 462, 104

Vibration

Muscular pain; Peripheral conditioning stimulation; Transcutaneous electrical nerve stimulation; Intramuscular electrical nerve stimulation; Human; Pain-inhibitory mechanism (Duranti, R.) 452, 66

Vibrissa

Mouse; Rat; Somatosensory cortex; Barrel; Anti-γ-aminobutyric acid (anti-GABA) serum; Immunocytochemistry (Chmielowska, J.) 439, 155

Locus ceruleus; Barrel receptor field; Cerebral metabolism; 2-Deoxyglucose (Levin, B.E.) **443**, 261

Electron microscopy; Horseradish peroxidase; Primary afferent; Rat (Renehan, W.E.) **462**, 396

Posterior thalamic complex; Barrelfield; Somatosensory cortex (Koralek, K.-A.) 463, 346

Video microscopy

Axon; Axonal transport; Organelle motion (Smith, R.S.) 446, 26

Vinblastine

Nerve growth factor; Ganglioside; GM1 ganglioside; Sympathectomy; Noradrenaline; Sympathetic nervous system; Newborn rat (Vantini, G.) 448, 252 γ-Vinyl γ-aminobutyric acid

Ethanol; γ-Aminobutyric acid; Substantia nigra; Synaptosome; γ-Aminobutyric acid turnover (Frye, G.D.) 449, 71

γ-Vinyl-GABA

Anticonvulsant; Electroshock; Norepinephrine; Substantia nigra (Bonhaus, D.W.) **438**, 391

Virus

Neurotransmitter; Somatostatin (Lipkin, W.I.) 451, 333

Visceral

Chemoreceptor; Nucleus tractus solitarii; Brainstem; Medulla; Sensory (Claps, A.) **455**, 123

Baroreceptor; Sensory; Brainstem; Nucleus tractus solitarii; Medulla (Torrealba, F.) **455**, 134

Visceral afferent

Autonomic nervous system; Referred pain; Cardiovascular regulation; Viscerosomatic integration (Knuepfer, M.M.) 446, 17

Visceral pain

Nociception; Pseudaffective reflex; Colorectal distension; Morphine; Visceromotor; Cardiovascular pressor; Clonidine (Ness, T.J.) 450, 153

Visceromotor

Visceral pain; Nociception; Pseudaffective reflex; Colorectal distension; Morphine; Cardiovascular pressor; Clonidine (Ness, T.J.) **450**, 153

Viscerosomatic integration

Visceral afferent; Autonomic nervous system; Referred pain; Cardiovascular regulation (Knuepfer, M.M.) 446, 17

Visinin

Opsin; Phosphodiesterase; Pineal organ; Lamprey; Immunohistochemistry (Kuo, C.-H.) 442, 147

Vision

Area 21; Posteromedial lateral suprasylvian area; Area 19; Suprasylvian cortex; Orientation selectivity (Mizobe, K.) 438, 307

Retina; Horizontal cell; Adaptation (Malchow, R.P.) 443, 222

Pretectum; Corticopretectal influence; Rat (Molotchnikoff, S.) 446, 67

Audition; Orientation; Neurophysiology; Behavior (Stein, B.E.) 448, 355

Visual cell

Inferior colliculus; Visual midbrain; Visual system; Tectum; Audiovisual integration (Mascetti, G.G.) 442, 387

Visual cortex

Long-term potentiation; Critical period; Current source density; Rat; In vitro (Perkins, IV, A.T.) 439, 222

Spike-triggered averaging; Unitary postsynaptic potential; Intracortical

connectivity; Slice preparation; Cat (Komatsu, Y.) 442, 359

Thalamic reticular cell; Lateral geniculate nucleus; Lateral posterior nucleus; Rat (Sumitomo, I.) 446, 354

Blindness; Positron emission tomography; Human; Binocular deprivation (Wanet-Defalque, M.-C.) **446**, 369

Extrastriate cortex; Development; Lateral suprasylvian cortex (McCall, M.A.) 447, 67

γ-Aminobutyric acid (GABA); Laminar distribution; Dorsal lateral geniculate nucleus; Superior colliculus; Cat (Kanno, S.) **451**, 172

Kainic acid; Dorsal lateral geniculate nucleus; Retrograde axonal transport; Fluorescent dye; Retina; Rat (Woodward, W.R.) **454**, 106

Glutamate; Asymmetric synapse; Somatic sensory cortex; Cat; Immunocytochemistry (Defelipe, J.) **455**, 162

Bursting neuron; Intracellular recording; Brain Slice (Montoro, R.J.) **460,** 168

Alzheimer's disease; Gliosis; Senile plaque; Neurofibrillary tangle; Glial fibrillary acidic protein (Beach, T.G.) **463**, 357

Visual cortex ablation

Plasticity; Inner plexiform layer; Retinal ganglion cell (Rowe, M.H.) **439**, 345

Visual cortex damage

Recovery of function; Extrastriate cortex; Neural plasticity; Development; Lateral suprasylvian cortex (Spear, P.D.) 447, 79

Visual cortex lesion

Vertical optokinetic nystagmus; Accessory optic system; Lateral terminal nucleus; Cat (Grasse, K.L.) 455, 385

Visual deprivation

Cytochrome oxidase histochemistry; Optic lobe; Unilateral eye covering; Fly (Mimura, K.) **445**, 228

Visual evoked potential

Demyelination; Experimental autoimmune encephalomyelitis; Inflammation; Rabbit (Arezzo, J.C.) **462,** 286

Visual midbrain

Inferior colliculus; Visual cell; Visual system; Tectum; Audiovisual integration (Mascetti, G.G.) 442, 387

Visual pathway

Regeneration; Axonal guidance; Goldfish (Airhart, M.J.) 460, 383

Retina; Goldfish; Monoclonal antibody (Sharma, S.C.) 473, 359

Visual response

Y cell; X cell; W cell; Lateral geniculate nucleus; Electroencephalogram synchronization; Electroencephalogram desynchronization; Inhibitory circuitry; Cat (Sawai, H.) 455, 394

Visual system

Dorsal lateral geniculate nucleus; Coronal plane; γ-Aminobutyric acidergic neuron; Morphometry; 3-Dimensional reconstruction (Gabbott, P.L.A.) 438, 379

2-Deoxyglucose; Diffuse light; Square-wave grating (Rooney, B.J.) **439**, 311

Inferior colliculus; Visual cell; Visual midbrain; Tectum; Audiovisual integration (Mascetti, G.G.) **442**, 387

Bird; Neuron size; Plasticity; Deprivation; Development (Herrmann, K.) **451,** 43

Ganglioside; Brain damage; Retrograde degeneration; Lateral geniculate body (Sabel, B.A.) **459**, 373

Lateral geniculate body; Optic tract; Retinal projection; Axon terminal; Hamster (Erzurumlu, R.S.) 461, 175

Development; Parvalbumin; Calbindin; γ-Aminobutyric acid; Zebra finch; Plasticity (Braun, K.) 475, 205

Visually evoked response Phaclofen; Baclofen-induced suppression; Striate cortex (Baumfalk, U.) 463, 398

Vitamin E

MnCl₂ toxicity; Dopamine; Striatum; Lisuride; α-Methyltyrosine (Parenti, M.) **473**, 236

Vocal control system

Monoamine; Catecholamine turnover; Steroid; Hypothalamus; Zebra finch (Barclay, S.R.) **459**, 333

Vocalization

Primate; Frontal cortex; Cingulate gyrus; Isolation call (MacLean, P.D.) 450, 111

Volatile anesthetics

Synaptosome; Serotonin; 5-Hydroxytryptamine; Ketamine; Narcotic (Martin, D.C.) **455**, 360

Volkensin

Suicide transport; Toxic lectin; Abrin; Modeccin; Caudate nucleus; Substantia nigra; Parafascicular nucleus (Wiley, R.G.) 438, 145

Voltage clamp

Protein kinase C; Phorbol ester; Motor cortex; Postsynaptic current; Intracellular injection (Baranyi, A.) **440,** 341

Ca²⁺ current; Concentration clamp technique; Intracellular perfusion; Lidocaine; Sensory neuron (Oyama, Y.) 442, 223

Excitatory amino acid; Glutamate receptor; Synaptic excitation (Dryer, S.E.) 443, 173

Sodium channel; Squid axon; Pyrethroid; Octylguanidine; Channel modification (De Weille, J.R.) 445, 1

Current-clamp; Inward current; Mouse; Taste cell; Potassium conductance (Tonosaki, K.) **445**, 363

Molluscan neuron; Voltage-gated calcium current; Dopamine-induced inhibition; Intracellular calcium; Intracellular dialysis (Chemeris, N.K.) **460,** 142

Apamin; Ca²⁺-dependent K⁺ current; Inhibitory postsynaptic response; Afterhyperpolarization; Neocortex; Intracellular injection (Szente, M.B.) **461,** 64

Guinea-pig; Submucous neuron; Intracellular calcium concentration; Fura-2; Calcium-dependent potassium current (Hirai, K.) 461, 367

Glycine; Substantia nigra zona compacta; Potassium; Slice; Rat (Mercuri, N.B.) **462**, 199

A-current; Neostriatum; Cell culture (Surmeier, D.J.) 473, 187

Voltage-clamp recording κ -Neurotoxin; Neuronal nicotinic receptor; Cockroach neuron; Chick ciliary ganglion neuron (Pinnock, R.D.) 458, 45

Voltage-gated calcium current Molluscan neuron; Dopamine-induced inhibition; Intracellular calcium; Voltage clamp; Intracellular dialysis (Chemeris, N.K.) 460, 142

Voltage-sensitive calcium channel Isolated postsynaptic density; Hippocampus; Protein composition; Protein phosphorylation; Glutamate receptor; γ-Aminobutyric acid receptor; Calmodulin (Wu, K.) 457, 98

Voltammetry

5-Hydroxyindole; Nucleus raphe magnus; Morphine; Spinal cord (Rivot, J.P.) **446**, 333

L-Dihydroxyphenylalanine; Dopamine; Parkinsonism; Striatum; Release (Keller, R.W.) 447, 191

Striatum; Stimulation; Intracranial self-stimulation; Model; Uptake (Nicolaysen, L.C.) **460**, 50

5-Hydroxyindole; Morphine; Trigeminal nucleus caudalis; Dorsal horn; Spinal cord (Rivot, J.P.) **463**, 275

Voltammetry in vivo

Stress; Prefrontal cortex; Dopamine metabolism; Roman high-avoidance rat; Roman low-avoidance rat; Emotionality level (D'Angio, M.) **451,** 237

Voluntary contraction

Motor unit recruitment; Hand muscle unit (Oishi, K.) 458, 261

Vomiting

Expulsion; Diaphragm; Esophagus; Vagal afferent; Cat (Miller, A.D.) **456**, 367

Von Ebner's gland

Autonomic nervous system; Tongue; Circumvallate papilla; Salivary gland; Taste (Gurkan, S.) 473, 127



Wakefulness

Respiratory rhythm; Multistability; Biologic oscillator; Sleep; Arousal (Vibert, J.-F.) 448, 403

Choline acetyltransferase; Tyrosine hydroxylase; Reticular formation; Paradoxical sleep (Webster, H.H.) **458**, 285

Walking

α-Motoneuron; Treadmill locomotion; Quadriceps femoris muscle; Locomotor drive potential; Electromyogram (Glenn, L.L.) **439**, 396

Wallerian degeneration

Sciatic nerve; Endoneurial capillary; Permeability; Vascular space; Frog (Weerasuriya, A.) 445, 181

Myelin phagocytosis; Monocyte; Immunoglobulin; Bursectomy; Nerve edema (Hann, P.G.) **451**, 126

Ranvier's node; Axoglial junction; Demyelination; Freeze-fracturing; Optic nerve; Myelin; Axolemma (Hasegawa, M.) 452, 345

Water

Blood-brain barrier; Cerebral edema; Cerebral endothelia; Corticosteroid (Olson, J.J.) **439**, 259

Water intake

Opioid; Opioid receptor; Food intake; Thermoregulation; Weight regulation; Naloxone (Millan, M.J.) **450**, 247

Apomorphine; Presynaptic dopamine autoreceptor; Naltrexone; Locomotor activity; Rat (Ukai, M.) 451, 357

Angiotensin II; Blood pressure; Vasopressin antagonist; Brattleboro rat (Harland, D.) **455**, 58

Opioid peptide; Opioid receptor subtype; D-Ala²-NMePhe⁴-Gly(ol)-Enkephalin; [D-Pen², L-Pen⁵]Enkephalin; Dynorphin A₁₋₁₃; Hypothalamus; Paraventricular nucleus; Supraoptic nucleus (Ukai, M.) 459, 275

Wavelength

Melatonin; Light; Pineal; Circadian (Brainard, G.C.) 454, 212

W cel

Y cell; X cell; Lateral geniculate nucleus; Visual response; Electroencephalogram synchronization; Electroencephalogram desynchronization; Inhibitory circuitry; Cat (Sawai, H.) 455, 394

Weaver

[³H]Muscimol binding site; Reeler; Purkinje cell degeneration; Staggerer (Rotter, A.) **439**, 236

Flunitrazepam binding site; Purkinje cell degeneration; Staggerer; Reeler (Rotter, A.) 444, 133

Weaver mouse

Insulin-like growth factor II; Cerebellar receptor; Purkinje cell degeneration mouse (Mendelsohn, L.G.) 458, 361

Weight

Electroconvulsive shock; C57BL/6J ob/ob mouse; C57BL/KsJ db/db mouse; Hyperglycemia; Body temperature; Diabetes (Nutt, D.J.) 448, 377

Weight regulation

Opioid; Opioid receptor; Food intake; Water intake; Thermoregulation; Naloxone (Millan, M.J.) **450**, 247

Wernicke's encephalopathy Glucose metabolism; Edematous cerebral cortex; Thiamine-deficient rat; Pyrithiamine; Amino acid (Takahashi, H.) 441, 202

Western blotting

Protein kinase; Synaptic membrane glycoprotein; Tissue culture; Synaptosome; Rat brain; Synaptic differentiation; Two-dimensional, renaturing gel electrophoresis; Immunocytochemistry (Lasher, R.S.) 452, 184

Alzheimer's disease; Amyloid; Monoclonal antibody; Secondary amyloidosis; Novel protein; Immunohistology (Yamashita, T.) 474, 309

Wet dog shake

Hippocampus; [NMe-Phe³-D-Pro⁴]-morphiceptin (PL017); Convulsion (Lee, P.H.K.) **441**, 381

Thyrotropin-releasing hormone; MK-771; Atropine; Scopolamine (Sills, M.A.) **453**, 385

Thyrotrophin-releasing hormone; Choline acetyltransferase; Serotonin; Raphe neuron; Motoneuron (Fone, K.C.F.) **455**, 157

Wheal

Axon reflex; Flare; Sweating; Histamine; Substance P; Nicotine; Capsaicin (Izumi, H.) 449, 328

Wheat germ agglutinin horseradish peroxidase

Axonal tract tracing; Leucine; Autoradiography; Somesthetic pathway (Nothias, F.) 447, 169

Main olfactory bulb; Pars externa system of the anterior olfactory nucleus; Interhemispheric connectivity; Primate (Reyher, C.K.H.) 457, 169

Subthalamic nucleus; Primary somatosensory cortex; Secondary somatosensory nuclei; Horseradish peroxidase; Rat (Canteras, N.S.) **458**, 53

Ammon's horn; Hippocampus; Dentate gyrus; Supramammillary nucleus; Hypothalamus; Non-pyramidal neuron; Cat (Ino, T.) 460, 173

Light microscopy; Electron microscopy; Regenerating growth cone; Axonal tract tracing (Nothias, F.) 461, 349

Retrograde tracer; Fluorescent dye; Parasympathetic outflow; Mesencephalon; Ciliary ganglion (Burde, R.M.) 463, 158

Auditory pathway; Superior olivary nuclei; Inferior colliculus; Insectivora; Mole; Adaptation; Binaural hearing (Kudo, M.) 463, 352

Wheatgerm agglutinin conjugate Horseradish peroxidase; Transneuronal transport; Tooth pulp afferent neuron (Turner, D.F.) 452, 381

Wheatgerm agglutinin-horseradish peroxidase complex

Vestibular nucleus; Nodulus; Perihypoglossal nucleus; Reciprocal connections (Walberg, F.) 449, 47

Wheatgerm-agglutinated horseradish peroxidase (WGA-HRP) histochemistry

Cerebral vascular innervation; Sympathetic innervation; Stellate ganglion; Basilar artery; Vertebral artery; Anterograde tracing; Rat (Arbab, M.A.) 445, 175

Wheatgerm-agglutinated horseradish peroxidase (WGA-HRP

Transganglionic; Trigeminal nerve; Baroreceptor; Arteriovenous anastomosis; Cat (Onodera, S.)

Anterograde tracing; γ-Aminobutyric acid (GABA) immunocytochemistry; Inferior olive; Electron microscopy; Cat (De Zeeuw, C.I.) 447, 369

Intracellular; Barrel cortex; Excitatory postsynaptic potential; Inhibitory postsynaptic potential; Columnar organization (Carvell, G.E.) 448, 186

White matter

Local oxygen tension; Local blood flow; Polarography; Cerebral cortex; Hippocampus (Feng, Z.-C.) 445, 280

Basic fibroblast growth factor: Acidic fibroblast growth factor; Central nervous system; Astrocyte; Angiogenesis; Regeneration (Ferrara, N.) 462, 223

Whole-body autoradiography

Choroid plexus; Blood-CSF barrier; Blood-brain barrier; Organic anion transport (Kim, C.S.) 440, 216

Whole-cell clamp

Isolated taste cell; Bullfrog; Membrane property; Electrical stimulation; Action potential (Miyamoto, T.) 449, 369

Whole-cell voltage-clamp

Cultured hippocampal neuron; L-Glutamate; Membrane permeability; Alkali metal cation; Calcium; Magnesium (Ozawa, S.) 443, 85

Wistar-Kyoto normotensive rats

Neuropeptide Y; Caudal ventrolateral medulla; Mean arterial pressure; Heart rate; A1 noradrenaline nucleus; Nucleus ambiguus (Macrae, I.M.)

Wistar-Kyoto rat

Angiotensin II-sensitive neuron; Organum vasculosum lamina terminalis; Spontaneously hypertensive rat; Brain; Slice technique; Micropressure injection (Nelson, D.O.) 444, 46

Wistar rat

AFDX-116; Blood pressure; cis-Methyldioxolane; Heart rate; Muscarinic receptor; Receptor, M₁; McN-A343; Pirenzepine (Sundaram, K.) 449, 141

Withdrawal

γ-Aminobutyric acid (GABA); Partial epilepsy; Remote lesion; Cerebral cortex; Rat model; Brain plasticity (Brailowsky, S.) 442, 175

Caffeine: Reinforcement threshold; Intracranial self-stimulation; Tolerance (Mumford, G.K.) 459, 163

Aversion; Methylnaloxone; Place conditioning; Morphine dependence (Hand, T.H.) 474, 364

Working/episodic memory

AF64A; Cholinergic neurotoxin; Memory; Acetylcholine; Medial septum; Hippocampus (Chrobak, J.J.) **463**, 107

Working memory

Acetylcholine turnover; Basal forebrain; Cortex; Carbachol (Robinson, S.E.) 445, 160



X cell

Y cell; W cell; Lateral geniculate nucleus; Visual response; Electroencephalogram synchronization; Electroencephalogram desynchronization; Inhibitory circuitry; Cat (Sawai, H.) 455, 394

Xenograft

Transplant; Polymer capsule; Tissue reaction (Aebischer, P.) 448, 364

Neural transplantation; Cyclosporin A; T cell subset; Blood-brain barrier (Nakashima, H.) 475, 232



Y cell

Lateral geniculate nucleus X-cell; Nitrous oxide; Cat; Binocular interaction; Monocular paralysis (Schroeder, C.E.) 454, 227

X cell; W cell; Lateral geniculate nucleus; Visual response; Electroencephalogram synchronization; Electroencephalogram desynchronization; Inhibitory circuitry; Cat (Sawai, H.) 455, 394

YM-09151-2 [125I]3-Iodobenzamide; In vivo binding; D₂ Receptor; Single photon emission computerized tomography; LY-171555; Neuroleptic; IBZM (Singhaniyom, W.) **453**, 393

Zebra finch

Estrogen receptor; Hypothalamus; Song system; Aromatization inhibitor (Walters, M.J.) 459, 37

Monoamine: Catecholamine turnover; Steroid; Hypothalamus; Vocal control system (Barclay, S.R.) 459, 333

Testosterone metabolism; Aromatase; 5α -Reduction; 5β -Reduction; Sexual differentiation (Vockel, A.) **463**, 330

Development; Parvalbumin; Calbindin; γ-Aminobutyric acid; Visual system; Plasticity (Braun, K.) 475, 205

Zinc

Kainic acid; Seizure; Hippocampus; Mossy fiber; Vesicle; Quinoline; Toluene sulfanomide quinoline (TSQ); Epilepsy; Zinc-containing neuron (Frederickson, C.J.) **446**, 383

Kainic acid; Timm staining; Hippocampus; Mossy fiber (Théorêt, Y.) **449**, 341

Hippocampus; Dentate gyrus; Epilepsy; El mouse (Fukahori, M.) **455**, 381

Zinc-containing neuron

Kainic acid; Seizure; Hippocampus; Mossy fiber; Vesicle; Quinoline; Toluene sulfanomide quinoline (TSQ); Epilepsy; Zinc (Frederickson, C.J.) **446**, 383 Zolpidem

Benzodiazepine; Clonazepam; Palatability; Sweet taste; Fluid intake; Rat (Cooper, S.J.) **456**, 173

Zona incerta

Gonadotropin release; Dopamine; Incertohypothalamic tract (MacKenzie, F.J.) **444,** 75

Enkephalin; Hypothalamus; Immunocytochemistry; α-Melanocyte-stimulating hormone; Metorphamide; Opiate; Peptide; Pro-opiomelanocortin (Merchenthaler, I.) **452**, 87

Locomotor activity; Mesencephalic locomotor region; Subthalamic locomotor region; Pedunculopontine nucleus; Subthalamic nucleus; Chemical microinjection; Electrical

stimulation (Milner, K.L.) 452, 273

Lateral hypothalamic area; Subfornical organ; Neural connection; Osmotic stimulation (Tanaka, J.) **456**, 397

Hypothalamus; Subthalamic nucleus; Cardiovascular control; Autonomic nervous system; L-Glutamate; Autoradiography (Spencer, S.E.) **458**, 72

Zona incerta-lateral hypothalamus Ventromedial thalamic nucleus; Haloperidol; Catalepsy; Bicuculline; γ-Aminobutyric acid-A receptor (Wardas, J.) 462, 378

Zucker rat

Brain glucose utilization; Genetic obesity; Food deprivation; Hunger-motivated behavior (Tsujii, S.) 475, 371

DEVELOPMENTAL BRAIN RESEARCH AUTHOR INDEX 1988 VOLUMES 466–471; 44 (38–44)



Abrams, R.M., Hutchison, A.A., Jay, T.M., Sokoloff, L. and Kennedy, C Local cerebral glucose utilization non-selectively elevated in rapid eye movement sleep of the fetus, 40, 65 Abrous, N., see Herman, J.P., 40, 81 Adler, J.E., see La Gamma, E.F., 39, 177

Ahmed, Z.

Expression of membrane currents in rat neocortical neurons in serum-free culture. I. Inward currents, 40, 285

Ahmed, Z.

Expression of membrane currents in rat neocortical neurons in serum-free culture. II. Outward currents, 40, 297

Akowitz, A., see Barbarese, E., **39**, 183

Alameddine, L., see Wimer, R.E.,

Alho, H., Ferrarese, C., Vicini, S. and Vaccarino, F. Subsets of GABAergic neurons in dissociated cell cultures of neonatal rat cerebral cortex show co-localization with specific

modulator peptides, 39, 193 Allen, J., see Johanson, C.E., 38, 255 Alliot, F., Delhaye-Bouchaud, N., Geffard, M. and Pessac, B. Role of astroglial cell clones in the survival and differentiation of cerebellar embryonic neurons, 44, 247

Amaral, D.G., see Rapp, P.R., 41, 231 Antolick, L.L., see Jacobson, C.D.,

Aramant, R. and Turner, J.E. Cross-species grafting of embryonic mouse and grafting of older postnatal rat retinas into the lesioned adult rat eye: the importance of cyclosporin A for survival, 41, 303

Aranda, A., see Ortiz-Caro, J., 42, 229 Aranda, A., see Hargreaves, A., 38, 141

Arbuckle, J.M., see Prusky, G.T., 39, 154

Asanuma, C., Ohkawa, R., Stanfield, B.B. and Cowan, W.M. Observations on the development of certain ascending inputs to the thalamus in rats. I. Postnatal development, 41, 159

Astic, L. and Saucier, D. Topographical projection of the septal organ to the main olfactory bulb in rats: ontogenetic study, **42**, 297

Astier, H., see Pares-Herbuté, N., 40, 89

Atsuta, Y., Garcia-Rill, E. and Skinner, R.D.

Electrically induced locomotion in the in vitro brainstem-spinal cord preparation, 42, 309

Avila, J., see Hargreaves, A., 38, 141

Baird, A., see Walicke, P.A., 40, 71 Balázs, R., Gallo, V. and Kingsbury,

Effect of depolarization on the maturation of cerebellar granule cells in culture, 40, 269

Ballabio, M., see Melcangi, R.C., 44, 181

Barbarese, E., Barry, C., D'Occhio, C., Edgar, S., Akowitz, A. and Carson, J.H. Expression of myelin basic protein mRNA and polypeptides in mouse oligodendrocytes in culture: differential regulation by genetic and epigenetic factors, 39, 183

Barbin, G., see Brundin, P., 39, 233 Barr, G.A., see Giordano, J., 41, 121 Barr, G.A., see Hughes, H.E., 41, 109 Barr, G.A., see Tempel, A., 41, 129 Barret, A., see Faivre-Bauman, A.,

40, 261 Barry, C., see Barbarese, E., 39, 183 Bates, T., see Thompson, J.L., 38, 149 Batshaw, M.L., see Hohmann, C.F.,

43, 163 Bauduin, B., see Boilly, B., 38, 155

Bawa, P. Dorsal root reflexes in kittens,

39, 145

Beal, M.F., Walker, L.C., Swartz, K.J., Casanova, M.F. and Price, D.L.

Developmental changes of neuropeptides and amino acids in baboon cortex, 44, 156

Beaujouan, J.-C., see Lockerbie, R.O., 40, 1

Beazley, L.D., see Dann, J.F., 44, 21 Bennett, M.V.L., see Gregory, W.A.,

Bennett, M.V.L., see Gregory, W.A., 44, 1

Bennett, M.V.L., see Gregory, W.A., 44. 9

Berger, B., see Verney, C., 42, 45 Berry, M., see Wigley, C.B., 42, 85

Bezamahouta, C., Zanetta, J.-P., Clos, J., Meyer, A. and Vincendon, G.

Studies on the 240-kDa Con A-binding glycoprotein of rat cerebellum, a putative marker of synaptic junctions, 40, 193

Binder, L.I., see Tucker, R.P., 38, 313 Binet, S. and Meininger, V. Modifications of tubulin

heterogeneity during axonal growth in the embryonic nervous system,

38, 296

Bishop, A.K., see Pierce, S.T., **40**, 213 Björklund, A., see Brundin, P., **39**, 233 Black, I.B., see Buck, C.R., 44, 259 Black, J.E., see Sirevaag, A.M.,

43, 299

Blanc, G., see Lockerbie, R.O., 38, 19 Bland, B.H., see Konopacki, J., 38, 229

Bloom, F.E., see Naus, C.C.G., 40, 113

Bloom, F.E., see Naus, C.C.G., 43, 61 Bodenant, C., see Gonzalez, B.J., 40, 154

Boilly, B. and Bauduin, B. Production in vitro by spinal cord of growth factor(s) acting on newt limb regeneration: influence of regeneration of the nerve fibers, 38, 155

Bonet, A., see Pares-Herbuté, N., 40, 89

Bonner, P.H.

Gap junctions form in culture between chick embryo neurons and skeletal muscle myoblasts, 38, 233

Bosch, E.P., see Lim, R., 40, 277 Bourrat, F. and Sotelo, C Migratory pathways and neuritic

differentiation of inferior olivary neurons in the rat embryo. Axonal tracing study using the in vitro slab technique, 39, 19

Bower, A.J., see Payne, J.N., 39, 313 Bradley, N.S. and Smith, J.L. Neuromuscular patterns of stereotypic hindlimb behaviors in the first two postnatal months. I Stepping in normal kittens, 38, 37

Bradley, N.S. and Smith, J.L. Neuromuscular patterns of stereotypic hindlimb behaviors in the first two postnatal months. II. Stepping in spinal kittens, 38, 53 Bradley, N.S. and Smith, J.L.

Neuromuscular patterns of stereotypic hindlimb behaviors in the first two postnatal months. III. Scratching and the paw-shake response in kittens, 38, 69

Bradley, P.M. and Galal, K.M. State-dependent recall can be induced by protein synthesis inhibition: behavioural and morphological observations, 40, 243 Brady, S.T., see Cancalon, P., 38, 275

Brehier, A., see Dechesne, C.J., 41, 221

Bréhier, A., see Legrand, C., 38, 121 Breipohl, W., see Rehn, B., 40, 143 Brenneman, D.E., see Eiden, L.E., 44, 141

Brigant, J.L., see Legendre, P., 43, 273 Brink, D.L., see Meyer, R.L., 41, 25 Brion, J.P., Guilleminot, J. and Nunez,

Dendritic and axonal distribution of the microtubule-associated proteins MAP₂ and tau in the cerebellum of the nervous mutant mouse, 44, 221 Brooks, A.R., see Hohmann, C.F.,

42, 253

Bruce, J.L., see Robertson, R.T., 39, 298

Brundin, P., Barbin, G., Strecker, R.E., Isacson, O., Prochiantz, A. and Björklund, A. Survival and function of dissociated rat dopamine neurones grafted at different developmental stages or after being cultured in vitro, 39, 233

Brunjes, P.C., see Tessitore, C., 43, 139

Bruun, A., see Östholm, T., 42, 1 Bryan, M., see Thompson, J.L., 38, 149

Buck, C.R., Martinez, H.J., Chao, M.V. and Black, I.B. Differential expression of the nerve growth factor receptor gene in multiple brain areas, 44, 259

Burkhart, A.B., see Newton, B.W., 44, 161

C

Cammer, W., see Tansey, F.A., 43, 123, 43, 131

Cancalon, P., Brady, S.T. and Lasek, R.J. Slow transport in a nerve with embryonic characteristics, the olfactory nerve, 38, 275

olfactory nerve, 38, 275
Cannella, M.S., Roisen, F.J.,
Ogawa, T., Sugimoto, M. and
Ledeen, R.W.
Comparison of epi-GM3 with GM3
and GM1 as stimulators of neurite
outgrowth, 39, 137

Carlone, R.L., Waters, B.W.,
Leonard, S.M. and Vijh, K.M.
A low-molecular weight chick
brain-derived growth factor is
mitogenic for cultured astroglia from
the chick embryo, 39, 97

Carson, J.H., see Barbarese, E., 39, 183

Casanova, M.F., see Beal, M.F., 44, 156

Castano, P., see Melcangi, R.C., **44**, 181

Cau, P., see Massacrier, A., 40, 161 Cau, P., see Nègre-Aminou, P., 40, 171 Caviness Jr., V.S., see

Hemmendinger, L.M., 38, 291 Caviness Jr., V.S., see Misson, J.-P., 38, 183

Caviness Jr., V.S., see Misson, J.-P., 44, 95

Celotti, F., see Melcangi, R.C., 44, 181 Chalupa, L.M., see Huntley, G.W., 43, 69

Chang, F.-L.F., see Greenough, W.T., **43**, 148

Chao, M.V., see Buck, C.R., 44, 259 Chen, S. and Hillman, D.E. Developmental factors related to abnormal cerebellar foliation induced by methylazoxymethanol acetate (MAM), 40, 201

Clavel, M.C., see Legrand, C., 38, 121 Clos, J., see Bezamahouta, C., 40, 193 Collins, F.

Developmental time course of the effect of nerve growth factor on the parasympathetic ciliary ganglion, 39, 111

Coopersmith, R., see Lincoln, J., 39, 309

Cornbrooks, C.J., see Schinstine, M., 43, 23

Cotman, C.W., see Lincoln, J., 39, 309 Cotman, C.W., see Millaruelo, A.I., 38, 219

Couraud, F., see Massacrier, A., 40, 161

Cowan, W.M., see Asanuma, C., 41, 159

Coy, D.H., see Gonzalez, B.J., **40**, 154 Coyle, J.T., see Hohmann, C.F., **42**, 253

Coyle, J.T., see Hohmann, C.F., **43**, 163

Coyle, J.T., see Robertson, R.T., 39, 298

Cramer, C.P.

Experience during suckling increases weight and volume of rat hippocampus, 42, 151

Crespo, D., Viadero, C.F., Villegas, J. and Lafarga, M.
Nucleoli numbers and neuronal growth in supraoptic nucleus neurons during postnatal development in the rat, 44, 151

Crimi, C.P., see Gruol, D.L., 41, 135 Crossland, W.J., see Granda, R.H.,

40, 138

Cupo, A., see Gil-Loyzaga, P., 42, 142 Cynader, M., see Needler, M.C., 42, 217

Cynader, M., see Shaw, C., **40**, 148 Cynader, M.S., see Prusky, G.T., **39**, 154

Cynader, M.S., see Prusky, G.T., 39, 161

Cynader, M.S., see Van Huizen, F., 44, 296

the frog Limnodynastes dorsalis, 44, 21

Davaí, J.-L., see Deckert, J., 42, 313 David, S., see Giftochristos, N., 39, 149

Davis, G.E., see Danielsen, N., 39, 39 De Beur, S.J., see Windrem, M.S., 43, 13

De Blas, M.R., see Guillamón, A., 40, 306

De Kloet, E.R., see Rosenfeld, P., 42, 113

De Kloet, E.R., see Rosenfeld, P., 42, 119

De Paermentier, F., see Heuschling, P., 38, 9

Dechesne, C.J. and Thomasset, M. Calbindin (CaBP 28 kDa) appearance and distribution during development of the mouse inner ear, 40, 233

Dechesne, C.J.,
Lavigne-Rebillard, M., Brehier, A.,
Thomasset, M. and Sans, A.
Appearance and distribution of
neuron-specific enolase and
calbindin (CaBP 28 kDa) in the
developing human inner ear, 41, 221

Deckert, J., Morgan, P.F.,
Daval, J.-L., Nakajima, T. and
Marangos, P.J.
Ontogeny of adenosine uptake sites
in guinea pig brain: differential
profile of [³H]nitrobenzylthioinosine
and [³H]dipyridamole binding sites,
42, 313

Del Abril, A., see Guillamón, A., 44, 281

Delhaye-Bouchaud, N., see Alliot, F., 44, 247

Delhaye-Bouchaud, N., see Shojaeian, H., 38, 211

Delivoria-Papadopoulos, M., see Mishra, O.P., 42, 173

D'Occhio, C., see Barbarese, E., 39, 183

Dow-Edwards, D.L., Freed, L.A. and Milhorat, T.H. Stimulation of brain metabolism by perinatal cocaine exposure, **42**, 137 Dulluc, J., see Herman, J.P., **40**, 81

Dusart, I., see Pelaprat, D., 44, 119 Dussault, J.H., see Garza, R., 43, 287

D

Danielsen, N., Müller, H.,
Pettmann, B., Williams, L.R.,
Davis, G.E., Engvall, E.,
Manthorpe, M. and Varon, S.
Rat amnion membrane matrix as a
substratum for regenerating axons
from peripheral and central
neurons: effects in a silicone
chamber model, 39, 39

Dann, J.F. and Beazley, L.D. Development of the optic tecta in

E

Ebner, F.F., see Erzurumlu, R.S., 44, 302

Edgar, S., see Barbarese, E., 39, 183 Edwards, M.A., see Misson, J.-P., 38, 183

Edwards, M.A., see Misson, J.-P., 44, 95

Eiden, L.E., Siegel, R.E., Giraud, P. and Brenneman, D.E.

Ontogeny of enkephalin- and VIP-containing neurons in dissociated cultures of embryonic mouse spinal cord and dorsal root ganglia, 44, 141

Eisenberg, J., see Pardridge, W.M., 38, 245

Ekström, P., see Östholm, T., 42, 1 Elder, G.A. and Major, E.O. Early appearance of type II astrocytes in developing human fetal brain, 42, 146

Ellis, L., see Toran-Allerand, C.D., 41, 87

Engvall, E., see Danielsen, N., 39, 39 Epstein, C.J., see Orozco, C.B., 38, 265

Erzurumlu, R.S. and Ebner, F.F. Maintenance of discrete somatosensory maps in subcortical relay nuclei is dependent on an intact sensory cortex, 44, 302 Escher, G., see Schönenberger, N.,

40, 253

Eybalin, M., see Gil-Loyzaga, P., 42, 142

Ezerman, E.B.

Survival and development of embryonic and postnatal cerebellum transplanted into adult rat hosts: effect of growth as explants in culture prior to transplantation, 41, 253

Faivre-Bauman, A., Loudes, C., Barret, A., Patte, C. and Tixier-Vidal, A. Ontogenesis of peptidylglycyl α -amidation activity in the mouse hypothalamus in vivo and in serum-free medium cultures Relation with thyroliberin (TRH) accumulation and release in vitro, 40, 261

Faivre-Sarrailh, C. and Rabié, A. A lower proportion of filamentous to monomeric actin in the developing cerebellum of thyroid-deficient rats, 41, 293

Faivre-Sarrailh, C. and Rabié, A. Developmental study of factors controlling microtubule in vitro cold-stability in rat cerebrum, 42, 199

Fayolle, C., see Zifa, E., 44, 133 Febvret, A., see Verney, C., 42, 45 Feder, H.H., see Johnson, A.E.,

Ferrarese, C., see Alho, H., 39, 193 Ferrer, I., see Lopez-Garcia, C., 43, 167

Fierer, G., see Pardridge, W.M., 38, 245

Figlewicz, D.A., Gremo, F. and Innocenti, G.M. Differential expression of neurofilament subunits in the developing corpus callosum, 42, 181 Fillion, G., see Zifa, E., 44, 133 Finlay, B.L., see Pallas, S.L., 43, 1 Finlay, B.L., see Windrem, M.S., 43, 13

Fischer, G. and Schachner, M.
Characterization of Ca²⁺-dependent and -independent aggregation mechanisms among mouse cerebellar cells, 43, 39

Fischer, T.M., see Kirby, M.A., 44, 37 Fitzgerald, M. and Shortland, P. The effect of neonatal peripheral nerve section on the somadendritic growth of sensory projection cells in the rat spinal cord, 42, 129

Foster, G.A., see Hares, K.A.R., **40**, 99

Franklin, M., see Lau, C., 44, 109 Freed, L.A., see Dow-Edwards, D.L., **42**, 137

Frilli, S., see Maggi, C.A., 43, 183 Futamachi, K.J., see Ort, C.A.,

Futamachi, K.J., see Peacock, J.H.,

Gabrion, J., see Pares-Herbuté, N.,

Gainer, H., see Szaro, B.G., 43, 207 Galal, K.M., see Bradley, P.M.,

Gallo, V., see Balázs, R., 40, 269 Garcia-Rill, E., see Atsuta, Y., 42, 309 Garcia-Verdugo, J.M., see

Lopez-Garcia, C., 43, 167 Garden, G., see Lambert, M.P., 41, 263

Garza, R., Dussault, J.H. and Puymirat, J. Influence of triiodothyronine (L-T3) on the morphological and biochemical development of fetal brain acetylcholinesterase-positive neurons cultured in a chemically

defined medium, 43, 287 Gaspar, P., see Verney, C., 42, 45 Gavaret, J.-M., see Pomerance, M.,

42, 77 Gaver, A., see Miller, L.G., 44, 241 Geffard, M., see Alliot, F., 44, 247 Gendreau, M., see Kalcheim, C.,

41, 79 Geppetti, P., see Maggi, C.A., 43, 183 Gerlach, J.L., see Loy, R., 39, 245

Giftochristos, N. and David, S Immature optic nerve glia of rat do not promote axonal regeneration when transplanted into a peripheral

nerve, 39, 149 Gil-Loyzaga, P., Cupo, A. and Eybalin, M. Met-enkephalin and Met-enkephalin-Arg⁶-Gly⁷-Leu⁸ immunofluorescence in the developing guinea-pig organ of Corti, 42, 142

Gilad, G.M. and Gilad, V.H. Early polyamine treatment enhances survival of sympathetic neurons after postnatal axonal injury or immunosympathectomy, 38, 175

Gilad, V.H., see Gilad, G.M., 38, 175 Gilmore, S.A., see Sims, T.J., 40, 223 Gilmour, S.M., see Pallas, S.L., 43, 1

Giordano, J. and Barr, G.A Effects of neonatal spinal cord serotonin depletion on opiate-induced analgesia in tests of thermal and mechanical pain, 41, 121

Giraud, P., see Eiden, L.E., 44, 141 Glowinski, J., see Lockerbie, R.O., 38, 19

Glowinski, J., see Lockerbie, R.O., 40, 1

Godfraind, C., Schachner, M. and Goffinet, A.M. Immunohistological localization of cell adhesion molecules L1, J1, N-CAM and their common carbohydrate L2 in the embryonic cortex of normal and reeler mice, 42, 99

Goffinet, A.M., see Godfraind, C., 42, 99

Golden, J., see Jacquin, M.F., 43, 309 Gonzalez, B.J., Leroux, P. Laquerrière, A., Coy, D.H., Bodenant, C. and Vaudry, H. Transient expression of somatostatin receptors in the rat cerebellum during development, 40, 154

Gonzalo, L.M. and Torramadé, J Hemispherectomy in the newborn hamster: effect on cell death in the extraocular motor nuclei, 44, 309

Gordon-Weeks, P.R. and Lang, R.D.A The α -tubulin of the growth cone is predominantly in the tyrosinated form, **42**, 156

Graeber, M.B., see Schoen, S.W., 39, 125

Granda, R.H. and Crossland, W.J. Morphological plasticity in the chick ventral lateral geniculate nucleus: temporal parameters, 40, 138

Greenough, W.T. and Chang, F.-L.F. Dendritic pattern formation involves both oriented regression and oriented growth in the barrels of mouse somatosensory cortex, 43, 148

Greenough, W.T., see Sirevaag, A.M., 43, 299

Gregorio, A., see Petit, T.L., 41, 209 Gregory, W.A. and Bennett, M.V.L. Gap junctions in goldfish preoptic ependyma: regional variation in cellular differentiation, 42, 205

Gregory, W.A., Hall, D.H. and Bennett, M.V.L. Neuronal and glial gap junctions in the goldfish preoptic area, a thin section and freeze-fracture study, 44, 9

Gregory, W.A., Hall, D.H. and Bennett, M.V.L.

Satellite glial cells penetrate neurosecretory cells to perinuclear position in the goldfish preoptic area, 44, 1

Greis, C., see Rösner, H., **42**, 161 Gremo, F., see Figlewicz, D.A., **42**, 181

Grigonis, A.M., see Murphy, E.H., 38, 27

Grigonis, A.M., Zingaro, G.J. and Murphy, E.H. The development of orientation and direction selectivity in the rabbit visual cortex, 40, 315

Grothe, C. and Unsicker, K.
Reciprocal age-dependent pattern of
two neuronal markers, tetanus toxin
and neuron-specific enolase, in
postnatal rat sensory and
sympathetic neurons, 39, 1

Gruol, D.L. and Crimi, C.P.
Morphological and physiological
properties of rat cerebellar neurons
in mature and developing cultures,
41, 135

Guillamon, A., De Blas, M.R. and Segovia, S. Effects of sex steroids on the development of the locus coeruleus

in the rat, 40, 306 Guillamón, A., Segovia, S. and Del

Abril, A. Early effects of gonadal steroids on the neuron number in the medial posterior region and the lateral division of the bed nucleus of the stria terminalis in the rat, 44, 281

Guilleminot, J., see Brion, J.P., 44, 221

H

Habas, J., see Tempel, A., 41, 129
Hakamada, S., Hayakawa, F.,
Kuno, K. and Tanaka, R.
Development of the monosynaptic
reflex pathway in the human spinal
cord, 42, 239
Hall, D. H., see Gragory, W. A., 44, 1

Hall, D.H., see Gregory, W.A., 44, 1 Hall, D.H., see Gregory, W.A., 44, 9 Hamill, R.W., see Melvin, J.E., 38, 131

Hamill, R.W., see Newton, B.W., 44, 161

Hamon, B. and Heinemann, U.
Developmental changes in neuronal
sensitivity to excitatory amino acids

in area CA1 of the rat hippocampus, 38, 286

Hamon, R., see Hohmann, C.F., **43**, 163

Hanes, M.A., see Robertson, R.T., 41, 1

Hares, K.A.R. and Foster, G.A. Immunohistochemical analysis of the ontogeny of peptide histidine isoleucine (PHI)-immunoreactive neurons in the pre- and postnatal rat brain, 40, 99

Hargreaves, A., Yusta, B.,
Aranda, A., Avila, J. and Pascual,
A.
Triiodothyronine (T3) induces
neurite formation and increases
synthesis of a protein related to
MAP 1B in cultured cells of
neuronal origin, 38, 141

Harris, E.W., see Lincoln, J., 39, 309 Hashimoto, K., see Hayashi, M., 41, 37

Hatanaka, H., Tsukui, H. and Nihonmatsu, I. Developmental change in the nerve growth factor action from induction of choline acetyltransferase to promotion of cell survival in cultured basal forebrain cholinergic neurons from postnatal rats, 39, 85 Hayakawa, F., see Hakamada, S., 42, 239

Hayashi, M., Hayashi, R., Tanii, H., Hashimoto, K. and Patel, A.J. The influence of neuronal cells on the development of glutamine synthetase in astrocytes in vitro, 41, 37

Hayashi, R., see Hayashi, M., 41, 37 Hayden, T.E., see Murphy, E.H., 38, 27

Hayes, W.P. and Meyer, R.L. Retinotopically inappropriate synapses of subnormal density formed by surgically misdirected optic fibers in goldfish tectum, 38, 304

Headon, M.P., see Sloper, J.J., 40, 47 Headon, M.P., see Sloper, J.J., 40, 61 Heath, J.W., see Inuzuka, T., 38, 191 Heaton, M.B.

Species specificity in the responsiveness of chick embryo neural tube explants to target-conditioned medium, 38, 152

Hecox, K.E., see Shapiro, S.M., 41, 147

Heinemann, U., see Hamon, B., 38, 286

Hemmendinger, L.M. and Caviness Jr., V.S. Cellular migration in developing cerebral wall explants in vitro, 38, 291

Hendry, S.H.C., see Huntley, G.W., 43, 69

Henke-Fahle, S., see Rösner, H., 42, 161

Herman, J.P., Abrous, N., Vigny, A., Dulluc, J. and Le Moal, M. Distorted development of intracerebral grafts: long-term maintenance of tyrosine hydroxylase-containing neurons in grafts of cortical tissue, 40, 81 Hernandez, J., see Zifa, E., 44, 133

Hervé, D., see Lockerbie, R.O., 38, 19 Heuschling, P., De Paermentier, F. and Van den Bosch de Aguilar, P. Topographical distribution in the adult rat brain of neurotrophic activities directed to central nervous

system targets, 38, 9
Hicklin, D.J., see Lim, R., 40, 277
Hillman, D.E., see Chen, S., 40, 201
Hirn, M., see Nègre-Aminou, P.,
40, 171

Hitzemann, R., see Vorhees, C.V., 38, 161

Hoffman, G.E., see Watson Jr., R.E., 44, 49

Hofman, M.A., see Swaab, D.F., 44, 314

Hohmann, C.F., Brooks, A.R. and Coyle, J.T. Neonatal lesions of the basal forebrain cholinergic neurons result in abnormal cortical development, 42, 253

Hohmann, C.F., Hamon, R., Batshaw, M.L. and Coyle, J.T. Transient postnatal elevation of serotonin levels in mouse neocortex, 43, 163

Höhmann, C.F., see Robertson, R.T., 39, 298

Holmes, G.L. and Thompson, J.L. Effects of kainic acid on seizure susceptibility in the developing brain, 39, 51

Holmes, G.L., see Thompson, J.L., 38, 149

Hughes, H.E. and Barr, G.A.
Analgesic effects of intrathecally applied noradrenergic compounds in the developing rat: differences due to thermal vs mechanical nociception, 41, 109
Hunt, A., see Patel, A.J., 42, 283

Hunt, S.P., see Maggi, C.A., 43, 183 Huntley, G.W., Hendry, S.H.C., Killackey, H.P., Chalupa, L.M. and Jones, E.G. Temporal sequence of neurotransmitter expression by developing neurons of fetal monkey

visual cortex, 43, 69 Hutchison, A.A., see Abrams, R.M., 40, 65

I

Ikuta, F., see Yoshida, Y., 44, 211Inagaki, S., Kubota, Y., Shimada, S.,Tohyama, M., Kito, S.,MacIntyre, I. and Takagi, H.

Ontogeny of calcitonin gene-related peptide-immunoreactive structures in the rat forebrain and diencephalon, 43, 235

Innocenti, G.M., see Figlewicz, D.A.,

42, 181

Inuzuka, T., Quarles, R.H., Trapp, B.D. and Heath, J.W. Analysis of myelin proteins in sympathetic peripheral nerve of adult rats, 38, 191

Iriki, A., Nozaki, S. and Nakamura, Y. Feeding behavior in mammals: corticobulbar projection is reorganized during conversion from sucking to chewing, 44, 189

Isacson, O., see Brundin, P., 39, 233

Itaya, S.K.

Transneuronal transport of WGA-HRP in immature rat visual pathways, 38, 83

Jacobson, C.D., Antolick, L.L., Scholey, R. and Uemura, E. The influence of prenatal phenobarbital exposure on the growth of dendrites in the rat hippocampus, 44, 233

Jacquemin, C., see Pomerance, M.,

Jacquin, M.F., Golden, J. and Panneton, W.M. Structure and function of barrel 'precursor' cells in trigeminal nucleus principalis, 43, 309

Janigro, D. and Schwartzkroin, P.A. Effects of GABA and baclofen on pyramidal cells in the developing rabbit hippocampus: an 'in vitro study, 41, 171

Jay, T.M., see Abrams, R.M., 40, 65 Jeffrey, P.L., see Sheppard, A.M., 40, 181

Jeffrey, P.L., see Sheppard, A.M., 43, 49

Jensen, R., see Pantazis, N.J., 40, 123 Johanson, C.E., Allen, J. and Withrow, C.D. Regulation of pH and HCO3 in brain and CSF of the developing mammalian central nervous system, 38, 255

Johnson, A.E., Nock, B., McEwen, B.S. and Feder, H.H. α_1 - and α_2 -noradrenergic receptors in steroid-sensitive brain areas: development and response to estradiol- 17β benzoate in neonatal guinea pigs, 42, 247

Jones, E.G., see Huntley, G.W., 43, 69 Jones, E.G., see Schreyer, D.J., 38, 103

Jones, E.H.G., see Schreyer, D.J., 38, 89

Kalcheim, C. and Gendreau, M. Brain-derived neurotrophic factor stimulates survival and neuronal differentiation in cultured avian neural crest, 41, 79

Kalin, N.H. and Shelton, S.E. Effects of clonidine and propranolol on separation-induced distress in infant rhesus monkeys, 42, 289

Kennedy, C., see Abrams, R.M., 40, 65

Killackey, H.P., see Huntley, G.W., **43**, 69

Kingsbury, A., see Balázs, R., 40, 269 Kirby, M.A., Wilson, P.D. and Fischer, T.M.

Development of the optic nerve of the opossum (Didelphis virginiana),

Kita, H., see Surmeier, D.J., 42, 265 Kitai, S.T., see Surmeier, D.J., 42, 265 Kito, S., see Inagaki, S., 43, 235 Klein, W.L., see Lambert, M.P.,

Kohsaka, S., see Takamiya, Y., 38, 201 Konopacki, J., Bland, B.H. and

Roth, S.H. The development of carbachol-induced EEG ' θ ' examined in hippocampal formation

slices, 38, 229

Konopka, M., see Sheppard, A.M., 40, 181

Konopka, M., see Sheppard, A.M., 43, 49

Kreutzberg, G.W., see Schoen, S.W., 39, 125

Kubota, Y., see Inagaki, S., 43, 235 Kuhlmann-Krieg, S., Sommer, I. and Schachner, M

Ultrastructural features of cultured oligodendrocytes expressing stage-specific cell-surface antigens, **39**, 269

Kumar, S.R., see Sieber-Blum, M., 39, 69

Kuno, K., see Hakamada, S., 42, 239

Laemle, L.K.

Vasoactive intestinal polypeptide (VIP)-like immunoreactivity in the suprachiasmatic nucleus of the perinatal rat, 41, 308

Lafarga, M., see Crespo, D., 44, 151 Laing, D.G., see Rehn, B., 40, 143 Lambert, M.P., Megerian, T.,

Garden, G. and Klein, W.L. Soluble proteins from rat olfactory

bulb promote the survival and differentiation of cultured basal forebrain neurons, 41, 263

Lang, R.D.A., see

Gordon-Weeks, P.R., 42, 156 Laquerrière, A., see Gonzalez, B.J., 40, 154

Lasek, R.J., see Cancalon, P., 38, 275 Lau, C., Franklin, M., McCarthy, L., Pylypiw, A. and Ross, L.L. Thyroid hormone control of preganglionic innervation of the adrenal medulla and chromaffin cell development in the rat. An ultrastructural, morphometric and biochemical evaluation, 44, 109

Lavigne-Rebillard, M., see Dechesne, C.J., 41, 221

La Gamma, E.F. and Adler, J.E. Development of transsynaptic regulation of adrenal enkephalin, 39, 177

Le Moal, M., see Herman, J.P., 40, 81 LeBoutillier, J.C., see Petit, T.L., 41, 209

Ledeen, R.W., see Cannella, M.S., 39, 137

Legendre, P., Tixier-Vidal, A., Brigant, J.L. and Vincent, J.D. Electrophysiology and ultrastructure of mouse hypothalamic neurons in culture: a correlative analysis during development, 43, 273

Legrand, C., Bréhier, A., Clavel, M.C., Thomasset, M. and Rabié, A Cholecalcin (28-kDa CaBP) in the rat cochlea. Development in normal and hypothyroid animals. An

immunocytochemical study, 38, 121 Lemay, J., see Magnan, J., 38, 300 Lemmon, V.

A monoclonal antibody that binds to the surface of photoreceptors, 39, 117

Leon, M., see Lincoln, J., 39, 309 Leon, M., see Wilson, D.A., 42, 69 Leonard, S.M., see Carlone, R.L.,

Leroux, P., see Gonzalez, B.J., 40, 154 Levine, S., see Rosenfeld, P., 42, 113 Levine, S., see Rosenfeld, P., 42, 119 Libstug, H., see Petit, T.L., 41, 209

Lim, R., Hicklin, D.J., Ryken, T.C., Miller, J.F. and Bosch, E.P. Endogenous immunoreactive glia maturation factor-like molecule in cultured rat Schwann cells, 40, 277

Lincoln, J., Coopersmith, R., Harris, E.W., Cotman, C.W. and Leon, M.

NMDA receptor activation and early olfactory learning, 39, 309 Linden, R. and Renteria, A.S.

Afferent control of neuron numbers in the developing brain, 44, 291

Ling, T. and Stone, J. The development of astrocytes in the cat retina: evidence of migration from the optic nerve, 44, 73

Lockerbie, R.O., Beaujouan, J.-C., Saffroy, M. and Glowinski, J.

An isolated growth cone-enriched fraction from developing rat brain has substance P binding sites, **40**, 1

Lockerbie, R.O., Hervé, D.,
Blanc, G., Tassin, J.-P. and
Glowinski, J.
Isolated neuronal growth cones from
developing rat forebrain possess
adenylate cyclase activity which can
be augmented by various receptor
agonists, 38, 19

Lopez-Garcia, C., Molowny, A., Garcia-Verdugo, J.M. and Ferrer, I. Delayed postnatal neurogenesis in the cerebral cortex of lizards,

43, 167

López-Colomé, A.M., see Somohano, F., **42**, 59 Loudes, C., see Faivre-Bauman, A.,

Loy, R., Gerlach, J.L. and
McEwen, B.S.
Autoradiographic localization of
estradiol-binding neurons in the rat
hippocampal formation and

entorhinal cortex, 39, 245 Lukas, R.J., see Siegel, H.N., 44, 269

M

MacIntyre, I., see Inagaki, S., 43, 235 Maffei, L., see Perry, V.H., 41, 195 Maffei, L. and Perry, V.H. The axon initial segment as a possible determinant of retinal ganglion cell dendritic geometry, 41, 185

Magari, S., see Sakanaka, M., 43, 175
Maggi, C.A., Santicioli, P.,
Geppetti, P., Frilli, S.,
Spillantini, M.G., Nediani, C.,
Hunt, S.P. and Meli, A.
Biochemical, anatomical and
functional correlates of postnatal
development of the
capsaicin-sensitive innervation of the

rat urinary bladder, 43, 183 Magnan, J., Lemay, J. and Tiberi, M. Binding of the non-selective opioid [³H]etorphine in the human fetal central nervous system, 38, 300

Mahadik, S.P., see Špoerri, P.E., 41, 71

Major, E.O., see Elder, G.A., 42, 146
Mangoura, D. and Vernadakis, A.
GABAergic neurons in cultures
derived from three-, six- or
eight-day-old chick embryo: a
biochemical and
immunocytochemical study, 40, 25

Mangoura, D., Sakellaridis, N. and Vernadakis, A. Cholinergic neurons in cultures

Cholinergic neurons in culture derived from three-, six- or eight-day-old chick embryo: a

biochemical and immunocytochemical study, **40**, 37 Manthorpe, M., see Danielsen, N., **39**, 39

Marangos, P.J., see Deckert, J., 42, 313 Mariani, J., see Shojaeian, H., 38, 211

Martin, G.F. and Xu, X.M.
Evidence for developmental plasticity of the rubrospinal tract.
Studies using the North American opossum, 39, 303

Martinez, H.J., see Buck, C.R., 44, 259

Martini, L., see Melcangi, R.C., 44, 181

Maslim, J. and Stone, J.

Time course of stratification of the dendritic fields of ganglion cells in the retina of the cat, 44, 87

Massacrier, A., Nègre-Aminou, P.,
Couraud, F. and Cau, P.
Quantitative analysis of fetal rat
brain neurons developing in primary
cultures. I. Stereological study of
the neuronal differentiation, 40, 161
Massacrier, A. see Nègre-Aminou P.

Massacrier, A., see Nègre-Aminou, P., 40, 171

Matricon, C., see Pomerance, M., 42, 77

Matus, A.I., see Tucker, R.P., **38**, 313 McCarthy, L., see Lau, C., **44**, 109 McEwen, B.S., see Johnson, A.E., **42**, 247

McEwen, B.S., see Loy, R., 39, 245 McGuire, C.B., Snipes, G.J. and Norden, J.J. Light-microscopic immunolocalization of the growthand plasticity-associated protein GAP-43 in the developing rat brain,

41, 277
McLoon, L.K. and McLoon, S.C.
Schwann cell-conditioned medium
promotes neurite outgrowth from
explants of fetal rat retina and
tectum in vitro, 39, 61

McLoon, S.C., see McLoon, L.K., 39, 61

McNeill, T.H., see Melvin, J.E., 38, 131

Meaney, M.J., see Sarrieau, A., 43, 158

Megerian, T., see Lambert, M.P., 41, 263

Meininger, V., see Binet, S., 38, 296 Melcangi, R.C., Celotti, F., Ballabio, M., Castano, P.,

Poletti, A., Milani, S. and Martini, L.

Ontogenetic development of the 5α-reductase in the rat brain: cerebral cortex, hypothalamus, purified myelin and isolated oligodendrocytes, 44, 181 Meli, A., see Maggi, C.A., 43, 183

Melvin, J.E., McNeill, T.H. and Hamill, R.W. Biochemical and morphological effects of castration on the postorganizational development of the hypogastric ganglion, 38, 131 Mendoza, A.S. and Szabó, K.
Developmental studies on the rat
vomeronasal organ: vascular pattern
and neuroepithelial differentiation.
II. Electron microscopy, 39, 259

Mendoza, A.S., see Szabó, K., 39, 253 Meyer, A., see Bezamahouta, C., 40, 193

Meyer, R.L. and Brink, D.L. Locally correlated activity in the goldfish tectum in the absence of optic innervation, 41, 25

Meyer, R.L., see Hayes, W.P., 38, 304 Milani, S., see Melcangi, R.C., 44, 181 Milhorat, T.H., see

Dow-Edwards, D.L., 42, 137

Millaruelo, A.I., Nieto-Sampedro, M. and Cotman, C.W. Cooperation between nerve growth factor and laminin or fibronectin in promoting sensory neuron survival and neurite outgrowth, 38, 219

Miller, J.F., see Lim, R., 40, 277
Miller, L.G., Weill, C.L., Roy, R.B.
and Gaver, A.
Lorazepam administration during
embryonic development alters
GABA_A receptor binding and
function, 44, 241

Mishra, O.P. and

Delivoria-Papadopoulos, M. Anti-oxidant enzymes in fetal guinea pig brain during development and the effect of maternal hypoxia, 42, 173

Misson, J.-P., Edwards, M.A., Yamamoto, M. and Caviness Jr., V.S.

Identification of radial glial cells within the developing murine central nervous system: studies based upon a new immunohistochemical marker, 44, 95

Misson, J.-P., Edwards, M.A., Yamamoto, M. and Caviness Jr., V.S.

Mitotic cycling of radial glial cells of the fetal murine cerebral wall: a combined autoradiographic and immunohistochemical study, 38, 183

Molowny, A., see Lopez-Garcia, C., 43, 167

Moody, S.A. and Stein, D.B.
The development of
acetylcholinesterase activity in the
embryonic nervous system of the
frog, *Xenopus laevis*, 39, 225

frog, Xenopus laevis, 39, 225 Moore, R.Y., see Shibata, S., 41, 313 Morgan, C.R., see Trune, D.R., 42, 304

Morgan, P.F., see Deckert, J., 42, 313 Morrison, J.H., see Naus, C.C.G., 40, 113

Moshé, S.L., see Sperber, E.F., 39, 295

Moshé, S.L., see Wurpel, J.N.D., 43, 305

Mostamand, F., see Robertson, R.T.,

Müller, H., see Danielsen, N., 39, 39 Murphy, E.H., Grigonis, A.M., Hayden, T.E., Tashayyod, D. and Wilkes, M.
The effects of ablation of visual cortex in neonatal rabbits on the organization of retinothalamic and retinopretectal projections, 38, 27

Murphy, E.H., see Grigonis, A.M., 40, 315

Musto, N.A., see Pardridge, W.M., 38, 245

N

Nakajima, T., see Deckert, J., 42, 313 Nakamura, Y., see Iriki, A., 44, 189 Naus, C.C.G. and Bloom, F.E. Immunohistochemical analysis of the development of somatostatin in the reeler neocortex, 43, 61

Naus, C.C.G., Morrison, J.H. and Bloom, F.E. Development of somatostatin-containing neurons and fibers in the rat hippocampus, 40, 113

Nediani, C., see Maggi, C.A., 43, 183 Needler, M.C., Wilkinson, M., Prusky, G., Shaw, C. and Cynader, M. Development of phorbol ester (protein kingse C) hinding sites in

(protein kinase C) binding sites in cat visual cortex, **42**, 217

Negishi, K., see Teranishi, T., 39, 9 Nègre-Aminou, P., Massacrier, A., Hirn, M. and Cau, P. Quantitative analysis of rat brain neurons developing in primary cultures. II. Changes in the distribution of N-CAM associated to neuronal cell surfaces, 40, 171

Nègre-Aminou, P., see Massacrier, A., 40, 161

Nelson, D.O.

Developme

Development of angiotensin II-sensitive OVLT neurons in SHR and WKY rats, 39, 105

Newton, B.W., Burkhart, A.B., Romagnano, M.-A.A. and Hamill, R.W. The postnatal ontogeny of substance P-immunoreactive fibers in the

sympathetic preganglionic nuclei of the rat, 44, 161 Nieke, J., Sommer, I. and Schachner,

M.
Stage-specific cell-surface antigens of oligodendrocytes in the peripheral nervous system.
Expression during development and regeneration and in myelin-deficient mutants, 39, 281

Nieto-Sampedro, M., see Millaruelo, A.I., 38, 219 Nihonmatsu, I., see Hatanaka, H., 39, 85 Nilsson, I.

Proliferation of Schwann cells in a developing feline lumbar ventral spinal root. 38, 1

Nixon, R.A., see Shea, T.B., 41, 298 Nixon, R.A., see Shea, T.B., 43, 97 Nock, B., see Johnson, A.E., 42, 247 Noisin, E.L. and Thomas, W.E.

Ontogeny of dopaminergic function in the rat midbrain tegmentum, corpus striatum and frontal cortex, 41, 241

Norden, LJ., see McGuire, C.B., 41, 277

Nozaki, S., see Iriki, A., 44, 189 Nunez, J., see Brion, J.P., 44, 221

\mathbf{O}

Ogawa, T., see Cannella, M.S., 39, 137 Ohkawa, R., see Asanuma, C., 41, 159 O'Kusky, J.R., Radke, J.M. and Vincent, S.R.

Methylmercury-induced movement and postural disorders in developing rat: loss of

somatostatin-immunoreactive interneurons in the striatum, 40, 11

Orozco, C.B., Epstein, C.J. and Rapoport, S.I. Voltage-activated sodium conductances in cultured normal and trisomy 16 dorsal root ganglion neurons from the fetal mouse, 38, 265

Ort, C.A., Futamachi, K.J. and Peacock, J.H. Morphology and electrophysiology of ventral mesencephalon nerve cell cultures, 39, 205

Ort, C.A., see Peacock, J.H., 39, 217 Ortiz-Caro, J., Yusta, B., Pascual, A. and Aranda, A.

Proliferation and differentiation are not directly related to H_1^0 accumulation in cultured glial cells, **42**, 229

Östholm, T., Ekström, P., Bruun, A. and Van Veen, T.
Temporal disparity in pineal and retinal ontogeny, 42, 1
Otani, M., see Takamiya, Y., 38, 201

P

Pallas, S.L., Gilmour, S.M. and Finlay, B.L.
Control of cell number in the

developing neocortex. I. Effects of early tectal ablation, 43, 1 Panhuber, H., see Rehn, B., 40, 143 Panneton, W.M., see Jacquin, M.F., 43, 309

Pantazis, N.J. and Jensen, R.

Nerve growth factor, not laminin, is the major neurite-promoting component in medium conditioned by mouse L929 fibroblast cells, 40, 123

Pardridge, W.M., Eisenberg, J.,
Fierer, G. and Musto, N.A.
Developmental changes in brain and
serum binding of testosterone and in
brain capillary uptake of
testosterone-binding serum proteins
in the rabbit, 38, 245

Paredes, W., see Tempel, A., 41, 129 Pares-Herbuté, N., Bonet, A., Peraldi, S., Pin, J.-P., Gabrion, J., Astier, H. and Tapia-Arancibia, L. The presence of non-neuronal cells influences somatostatin release from

cultured cerebral cortical cells, **40**, 89

Pascual, A., see Hargreaves, A., 38, 141

Pascual, A., see Ortiz-Caro, J., 42, 229 Patel, A.J., Seaton, P. and Hunt, A. A novel way of removing quiescent astrocytes in a culture of subcortical neurons grown in a chemically defined medium, 42, 283

Patel, A.J., see Hayashi, M., 41, 37 Patte, C., see Faivre-Bauman, A., 40, 261

Payne, J.N. and Bower, A.J. Cerebellar afferents in early postnatal rats: a retrograde fluorescence study, 39, 313 Peacock, J.H., Ort, C.A. and

Feacock, J.H., Ort, C.A. and Futamachi, K.J. Acetylcholine responses in synaptically active neurons in mouse ventral mesencephalon cultures, 39, 217

Peacock, J.H., see Ort, C.A., 39, 205 Pelaprat, D., Dusart, I. and Peschanski, M. Postnatal development of cholecystokinin (CCK) binding sites in the rat forebrain and midbrain:

an autoradiographic study, 44, 119 Peraldi, S., see Pares-Herbuté, N., 40, 89

Perry, V.H. and Maffei, L. Dendritic competition: competition for what?, 41, 195

Perry, V.H., see Maffei, L., 41, 185 Peschanski, M., see Pelaprat, D., 44, 119

Pessac, B., see Alliot, F., 44, 247
Petit, T.L., LeBoutillier, J.C.,
Gregorio, A. and Libstug, H.
The pattern of dendritic
development in the cerebral cortex
of the rat, 41, 209

Pettmann, B., see Danielsen, N., 39, 39

Pfenninger, K.H., see Toran-Allerand, C.D., 41, 87 276 Pierce, S.T., Bishop, A.K. and Thompson, J.M. Developmental patterns of neurite outgrowth from chick embryo spinal cord and retinal neurons on laminin substrates, 40, 213 Pierre, M., see Pomerance, M., 42, 77 Pin, J.-P., see Pares-Herbuté, N., 40, 89 Poletti, A., see Melcangi, R.C., 44, 181 Pomerance, M., Gavaret, J.-M., Jacquemin, C., Matricon, C., Toru-Delbauffe, D. and Pierre, M. Insulin and insulin-like growth factor 1 receptors during postnatal development of rat brain, 42, 77 Powell, T.P.S., see Sloper, J.J., Powell, T.P.S., see Sloper, J.J., **40**, 61

Price, D.L., see Beal, M.F., 44, 156 Prochiantz, A., see Brundin, P., 39, 233 Prusky, G., see Needler, M.C., 42, 217

Prusky, G.T., Arbuckle, J.M. and Cynader, M.S. Transient concordant distributions of nicotinic receptors and

acetylcholinesterase activity in infant rat visual cortex, 39, 154

Prusky, G.T., Shaw, C. and Cynader, M.S. The distribution and ontogenesis of [3H]nicotine binding sites in cat visual cortex, 39, 161

Puymirat, J., see Garza, R., 43, 287 Pylypiw, A., see Lau, C., 44, 109

Quarles, R.H., see Inuzuka, T., 38, 191

Rabié, A., see Faivre-Sarrailh, C., **41**, 293 , **42**, 199 Rabié, A., see Legrand, C., 38, 121 Radke, J.M., see O'Kusky, J.R., Rapoport, S.I., see Orozco, C.B., 38, 265 Rapp, P.R. and Amaral, D.G.

The time of origin of

somatostatin-immunoreactive neurons in the rat hippocampal formation, 41, 231

Rapport, M.M., see Spoerri, P.E., 41, 71

Rauch, S., see Vorhees, C.V., 38, 161 Rehn, B., Panhuber, H., Laing, D.G. and Breipohl, W. Spine density on olfactory granule cell dendrites is reduced in rats

reared in a restricted olfactory environment, 40, 143

Renteria, A.S., see Linden, R., 44, 291 Ribak, C.E., see Seress, L., 44, 197 Richter, K., see Wolf, G., 41, 101 Riley, D.A., see Sieber-Blum, M., 39, 69

Roberts, P.J., see Somohano, F., 42, 59 Robertson, R.T. and Mostamand, F. Development of 'non-specific cholinesterase-containing neurons in the dorsal thalamus of the rat, 41, 43

Robertson, R.T., Hanes, M.A. and Yu. J. Investigations of the origins of transient acetylcholinesterase activity in developing rat visual cortex, 41, 1

Robertson, R.T., Höhmann, C.F., Bruce, J.L. and Coyle, J.T. Neonatal enucleations reduce specific activity of acetylcholinesterase but not choline acetyltransferase in developing rat visual cortex, 39, 298

Roisen, F.J., see Cannella, M.S., **39**, 137

Roisen, F.J., see Spoerri, P.E., 41, 71 Romagnano, M.-A.A., see

Newton, B.W., 44, 161 Rosenfeld, P., Sutanto, W., Levine, S. and De Kloet, E.R. Ontogeny of Type I and Type II corticosteroid receptors in the rat hippocampus, 42, 113

Rosenfeld, P., Van Eekelen, J.A.M., Levine, S. and De Kloet, E.R. Ontogeny of the Type 2 glucocorticoid receptor in discrete rat brain regions: an immunocytochemical study, 42, 119

Rösner, H., Greis, C. and Henke-Fahle, S. Developmental expression in embryonic rat and chicken brain of a polysialoganglioside-antigen reacting with the monoclonal antibody Q 211, 42, 161

Ross, L.L., see Lau, C., 44, 109 Rostas, J.A.P., see Weinberger, R.P., 43, 249

Rostas, J.A.P., see Weinberger, R.P., Roth, S.H., see Konopacki, J., 38, 229 Roy, R.B., see Miller, L.G., 44, 241

Ryan, A.F. and Woolf, N.K. Development of tonotopic representation in the Mongolian gerbil: a 2-deoxyglucose study, 41, 61

Ryken, T.C., see Lim, R., 40, 277

Saffroy, M., see Lockerbie, R.O.,

Sakanaka, M., Magari, S., Shibasaki, T. and Yokokawa, K. Ontogeny and afferent connections of corticotropin releasing factor-like immunoreactivity in the rat neocortex, 43, 175 Sakellaridis, N., see Mangoura, D.,

40, 37

Sans, A., see Dechesne, C.J., 41, 221 Santicioli, P., see Maggi, C.A., 43, 183 Sarrieau, A., Sharma, S. and

Meaney, M.J. Postnatal development and environmental regulation of hippocampal glucocorticoid and mineralocorticoid receptors, 43, 158

Saucier, D., see Astic, L., 42, 297 Schachner, M., see Fischer, G., 43, 39 Schachner, M., see

Kuhlmann-Krieg, S., 39, 269 Schachner, M., see Nieke, J., 39, 281 Schachner, M., see Werz, W., 43, 225 Schachner, M., see Godfraind, C., 42, 99

Schinstine, M. and Cornbrooks, C.J. Age-dependent patterns and rates of neurite outgrowth from CNS neurons on Schwann cell-derived basal lamina and laminin substrata, 43, 23

Schnitzer, J Immunocytochemical studies on the development of astrocytes, Müller (glial) cells, and oligodendrocytes in the rabbit retina, 44, 59

Schoen, S.W., Graeber, M.B., Tóth, L. and Kreutzberg, G.W. 5'-Nucleotidase in postnatal ontogeny of rat cerebellum: a marker for migrating nerve cells?, 39, 125

Scholey, R., see Jacobson, C.D., 44, 233

Schönenberger, N. and Escher, G. Excessive numbers of axons after early enucleation and blockade of metamorphosis in the oculomotor

nerve of *Xenopus laevis*, **40**, 253 Schöpp, W., see Wolf, G., **41**, 101 Schreyer, D.J. and Jones, E.G. Axon elimination in the developing corticospinal tract of the rat, 38, 103

Schreyer, D.J. and Jones, E.H.G. Topographic sequence of outgrowth of corticospinal axons in the rat: a study using retrograde axonal labeling with Fast blue, 38, 89

Schünzel, G., see Wolf, G., 41, 101 Schwartz, J.P. and Simantov, R. Developmental expression of proenkephalin mRNA in rat striatum and in striatal cultures, 40, 311

Schwartzkroin, P.A., see Janigro, D., 41, 171

Seaton, P., see Patel, A.J., 42, 283 Segovia, S., see Guillamón, A., 40, 306 Segovia, S., see Guillamón, A., 44, 281 Seil, F.J. and Woodward, W.R. Differential effects of granule cell transplantation on two sprouted axonal systems in granuloprival coeruleocerebellar cultures, 43, 153

Seiler, M. and Turner, J.E. The activities of host and graft glial cells following retinal transplantation into the lesioned adult rat eye: developmental expression of glial markers, 43, 111

Seress, L. and Ribak, C.E The development of GABAergic neurons in the rat hippocampal formation. An immunocytochemical study, **44**, 197

Shafron, D., see Sirevaag, A.M., 43, 299

Shapiro, S.M. and Hecox, K.E. Development of brainstem auditory evoked potentials in heterozygous and homozygous jaundiced Gunn rats, 41, 147

Sharma, S., see Sarrieau, A., 43, 158 Shaw, C. and Cynader, M. Unilateral eyelid suture increases GABA_A receptors in cat visual cortex, **40**, 148

Shaw, C., see Needler, M.C., 42, 217 Shaw, C., see Prusky, G.T., 39, 161

Shea, T.B. and Nixon, R.A. Differential distribution of vimentin and neurofilament protein immunoreactivity in NB2a/d1 neuroblastoma cells following neurite retraction distinguishes two separate intermediate filament systems, 41, 298 Shea, T.B., Sihag, R.K. and

Nixon, R.A. Neurofilament triplet proteins of NB2a/d1 neuroblastoma: posttranslational modification and incorporation into the cytoskeleton during differentiation, 43, 97

Shelton, S.E., see Kalin, N.H., 42, 289

Sheppard, A.M., Konopka, M. and Jeffrey, P.L. The developmental appearance of Thy-1 in the avian cerebellum, 40, 181

Sheppard, A.M., Konopka, M. and Jeffrey, P.L. Thy-1 expression in the retinotectal

system of the chick, 43, 49 Shibasaki, T., see Sakanaka, M., 43, 175

Shibata, S. and Moore, R.Y. Development of a fetal circadian rhythm after disruption of the maternal circadian system, 41, 313

Shimada, S., see Inagaki, S., 43, 235 Shojaeian, H., Delhaye-Bouchaud, N. and Mariani, J.

Stability of inferior olivary neurons in rodents. I. Moderate cell loss in adult Purkinje cell degeneration mutant mouse, 38, 211

Shortland, P., see Fitzgerald, M., 42, 129

Sieber-Blum, M., Kumar, S.R. and Riley, D.A. In vitro differentiation of quail neural crest cells into sensory-like neuroblasts, 39, 69

Siegel, H.N. and Lukas, R.J. Morphological and biochemical differentiation of the human medulloblastoma cell line TE671, 44, 269

Siegel, R.E., see Eiden, L.E., 44, 141 Sihag, R.K., see Shea, T.B., 43, 97 Simantov, R., see Schwartz, J.P., 40, 311

Sims, T.J., Gilmore, S.A. and Waxman, S.G. Temporary adhesions between axons and myelin-forming processes, **40**, 223

Sirevaag, A.M., Black, J.E., Shafron, D. and Greenough, W.T. Direct evidence that complex experience increases capillary branching and surface area in visual cortex of young rats, 43, 299
Skinner, R.D., see Atsuta, Y., 42, 309
Sloper, J.J., Headon, M.P. and

Powell, T.P.S. A comparison of cell size changes in central and pericentral representations within the primate lateral geniculate nucleus following

early monocular deprivation, 40, 61

Sloper, J.J., Headon, M.P. and Powell, T.P.S. Experiments to study recovery of lateral geniculate nucleus cell size following monocular lid closure and reverse suture in infant monkeys, 40, 47

Smith, J.L., see Bradley, N.S., 38, 37 Smith, J.L., see Bradley, N.S., 38, 53 Smith, J.L., see Bradley, N.S., 38, 69 Snipes, G.J., see McGuire, C.B., 41, 277

Sokoloff, L., see Abrams, R.M., 40, 65

Sommer, I., see Kuhlmann-Krieg, S., 39, 269

Sommer, I., see Nieke, J., 39, 281 Somohano, F., Roberts, P.J. and López-Colomé, A.M. Maturational changes in retinal excitatory amino acid receptors, 42, 59

Sotelo, C., see Bourrat, F., 39, 19 Sperber, E.F. and Moshé, S.L. Age-related differences in seizure susceptibility to flurothyl, 39, 295

Sperber, E.F., see Wurpel, J.N.D., 43, 305

Spillantini, M.G., see Maggi, C.A., 43, 183

Spoerri, P.E., Rapport, M.M., Mahadik, S.P. and Roisen, F.J. Inhibition of conditioned media-mediated neuritogenesis of sensory ganglia by monoclonal antibodies to GM1 ganglioside, **41**, 71

Stanfield, B.B., see Asanuma, C.,

Stein, D.B., see Moody, S.A., 39, 225 Stone, J., see Ling, T., 44, 73 Stone, J., see Maslim, J., 44, 87 Strecker, R.E., see Brundin, P., 39, 233

Strosberg, A.D., see Van Huizen, F., 44, 296

Sugimoto, M., see Cannella, M.S., 39, 137

Surmeier, D.J., Kita, H. and Kitai, S.T. The expression of γ -aminobutyric acid and Leu-enkephalin immunoreactivity in primary monolayer cultures of rat striatum, 42, 265

Sutanto, W., see Rosenfeld, P., 42, 113 Suzuki, K.

Oligodendrocytes with aberrant cytoplasmic processes in a human white matter disorder, 38, 167

Swaab, D.F. and Hofman, M.A. Sexual differentiation of the human hypothalamus: ontogeny of the sexually dimorphic nucleus of the preoptic area, 44, 314 Swartz, K.J., see Beal, M.F., 44, 156

Szabó, K., see Mendoza, A.S., 39, 259 Szabó, K. and Mendoza, A.S.

Developmental studies on the rat vomeronasal organ: vascular pattern and neuroepithelial differentiation. I. Light microscopy, 39, 253

Szaro, B.G. and Gainer, H. Immunocytochemical identification of non-neuronal intermediate filament proteins in the developing Xenopus laevis nervous system, 43, 207

Takagi, H., see Inagaki, S., 43, 235 Takamiya, Y., Kohsaka, S., Toya, S., Otani, M. and Tsukada, Y. Immunohistochemical studies on the proliferation of reactive astrocytes and the expression of cytoskeletal proteins following brain injury in rats, 38, 201 Tanaka, R., see Hakamada, S., 42, 239

Tanii, H., see Hayashi, M., 41, 37 Tansey, F.A. and Cammer, W Acetyl-CoA carboxylase in rat brain. I. Activities in homogenates

and isolated fractions, 43, 123 Tansey, F.A., Thampy, K.G. and Cammer, W.

Acetyl-CoA carboxylase in rat brain. II. Immunocytochemical localization, 43, 131

Tapia-Arancibia, L., see Pares-Herbuté, N., 40, 89 Tashayyod, D., see Murphy, E.H., 38, 27

Tassin, J.-P., see Lockerbie, R.O., 38, 19

Tatton, W.G. and Theriault, E.
Postnatal growth of medial
gastrocnemius motoneurons in the
kitten, 43, 191

Tempel, A., Habas, J., Paredes, W. and Barr, G.A. Morphine-induced downregulation of μ -opioid receptors in neonatal rat brain, **41**, 129

Tempel, A., see Wurpel, J.N.D., 43, 305

Teranishi, T. and Negishi, K. Regional difference in the dendritic morphology of dopamine cells in carp retina, 39, 9

Tessitore, C. and Brunjes, P.C. A comparative study of myelination in precocial and altricial murid rodents, 43, 139

Thampy, K.G., see Tansey, F.A., 43, 131

Theriault, E., see Tatton, W.G., 43, 191

Thomas, W.E., see Noisin, E.L., 41, 241

Thomasset, M., see Dechesne, C.J., 40, 233

Thomasset, M., see Dechesne, C.J., 41, 221

Thomasset, M., see Legrand, C., 38, 121

Thompson, E.G., see Thompson, J.M., **40**, 158

Thompson, J.L., Bryan, M., Bates, T. and Holmes, G.L. Failure of kindling to alter susceptibility to kainic acid, 38, 149

Thompson, J.L., see Holmes, G.L., 39, 51

Thompson, J.M. and Thompson, E.G. Developmental changes in spinal cord neurite-promoting activity from chick muscle extracts, 40, 158

Thompson, J.M., see Pierce, S.T., 40, 213

Tiberi, M., see Magnan, J., 38, 300 Tixier-Vidal, A., see

Faivre-Bauman, A., 40, 261 Tixier-Vidal, A., see Legendre, P., 43, 273

Tohyama, M., see Inagaki, S., 43, 235 Toran-Allerand, C.D., Ellis, L. and Pfenninger, K.H. Estrogen and insulin synergism in

Estrogen and insulin synergism in neurite growth enhancement in vitro: mediation of steroid effects by interactions with growth factors?, 41, 87

Torramadé, J., see Gonzalo, L.M., 44, 309

Toru-Delbauffe, D., see
Pomerance, M., 42, 77
Tóth, L., see Schoen, S.W., 39, 125
Toya, S., see Takamiya, Y., 38, 201
Trapp, B.D., see Inuzuka, T., 38, 191
Trune, D.R. and Morgan, C.R.

Influence of developmental auditory deprivation on neuronal

ultrastructure in the mouse anteroventral cochlear nucleus, 42, 304

Tsukada, Y., see Takamiya, Y., 38, 201 Tsukui, H., see Hatanaka, H., 39, 85

Tucker, R.P., Binder, L.I. and Matus, A.I.
Differential localization of the highand low-molecular weight variants of MAP2 in the developing retina,
38, 313

Turner, J.E., see Aramant, R., 41, 303 Turner, J.E., see Seiler, M., 43, 111

U

Uemura, E., see Jacobson, C.D., 44, 233 Unsicker, K., see Grothe, C., 39, 1

V

Vaccarino, F., see Alho, H., 39, 193 Van den Bosch de Aguilar, P., see Heuschling, P., 38, 9

Van Eekelen, J.A.M., see Rosenfeld, P., 42, 119

Van Huizen, F., Strosberg, A.D. and Cynader, M.S. Cellular and subcellular localisation of muscarinic acetylcholine receptors during postnatal development of cat visual cortex using immunocytochemical procedures,

immunocytochemical procedures, 44, 296

Van Veen, T., see Östholm, T., 42, 1 Varon, S., see Danielsen, N., 39, 39 Vaudry, H., see Gonzalez, B.J., 40, 154

Vernadakis, A., see Mangoura, D., 40, 25

Vernadakis, A., see Mangoura, D., 40, 37

Verney, C., Gaspar, P., Febvret, A. and Berger, B.
Transient tyrosine hydroxylase-like

immunoreactive neurons contain somatostatin and substance P in the developing amygdala and bed nucleus of the stria terminalis of the rat, 42, 45

Viadero, C.F., see Crespo, D., 44, 151 Vicini, S., see Alho, H., 39, 193 Vigny, A., see Herman, J.P., 40, 81 Vijh, K.M., see Carlone, R.L., 39, 97 Villegas, J., see Crespo, D., 44, 151 Vincendon, G., see Bezamahouta, C., 40, 193

Vincent, J.D., see Legendre, P., 43, 273

Vincent, S.R., see O'Kusky, J.R., 40, 11

Vorhees, C.V., Rauch, S. and Hitzemann, R. Effects of short-term prenatal alcohol exposure on neuronal membrane order in rats, 38, 161

W

Wakabayashi, K., see Yoshida, Y.,

Walicke, P.A. and Baird, A.
Neurotrophic effects of basic and
acidic fibroblast growth factors are
not mediated through glial cells,
40. 71

Walker, L.C., see Beal, M.F., 44, 156 Waters, B.W., see Carlone, R.L., 39, 97

Watson Jr., R.E., Wiegand, S.J. and Hoffman, G.E.
Ontogeny of a sexually dimorphic opioid system in the preoptic area of the rat, 44, 49

Waxman, S.G., see Sims, T.J., 40, 223

Weill, C.L., see Miller, L.G., 44, 241
Weinberger, R.P. and Rostas, J.A.P.
Developmental changes in protein
phosphorylation in chicken
forebrain. I. cAMP-stimulated
phosphorylation, 43, 249

Weinberger, R.P. and Rostas, J.A.P. Developmental changes in protein phosphorylation in chicken forebrain. II. Calmodulin stimulated phosphorylation, 43, 259

Werz, W. and Schachner, M.
Adhesion of neural cells to
extracellular matrix constituents.
Involvement of glycosaminoglycans
and cell adhesion molecules, 43, 225
Westrum, L.E.

Electron microscopy of plasticity in rat olfactory cortex, 42, 29

rat olfactory cortex, 42, 29 Wiegand, S.J., see Watson Jr., R.E., 44, 49

Wigley, C.B. and Berry, M.
Regeneration of adult rat retinal
ganglion cell processes in monolayer
culture: comparisons between
cultures of adult and neonatal
neurons, 42, 85

Wilkes, M., see Murphy, E.H., **38**, 27 Wilkinson, M., see Needler, M.C., **42**, 217

Williams, L.R., see Danielsen, N., 39, 39

Wilson, D.A. and Leon, M.
Noradrenergic modulation of olfactory bulb excitability in the postnatal rat, 42, 69

Wilson, P.D., see Kirby, M.A., 44, 37 Wimer, C.C., see Wimer, R.E., 42, 191 Wimer, R.E., Wimer, C.C. and Alameddine, L. On the development of strain and sex differences in granule cell number in the area dentata of house mice. 42, 191

Windrem, M.S., De Beur, S.J. and Finlay, B.L.
Control of cell number in the developing neocortex. II. Effects of corpus callosum section, 43, 13

Withrow, C.D., see Johanson, C.E., 38, 255

Wolf, G., Richter, K., Schünzel, G. and Schöpp, W. Histochemically demonstrable activity of phosphate-activated glutaminase in the postnatally developing rat hippocampus, 41, 101

Woodward, W.R., see Seil, F.J., 43, 153 Woolf, N.K., see Ryan, A.F., 41, 63

Woolf, N.K., see Ryan, A.F., 41, 61 Wurpel, J.N.D., Tempel, A., Sperber, E.F. and Moshé, S.L. Age-related changes of muscimol binding in the substantia nigra, 43, 305 X

Xu, X.M., see Martin, G.F., 39, 303

Z

Zanetta, J.-P., see Bezamahouta, C., 40, 193

Yusta, B., see Hargreaves, A., 38, 141

Yusta, B., see Ortiz-Caro, J., 42, 229

Zifa, E., Hernandez, J., Fayolle, C. and Fillion, G. Postnatal development of 5-HT, receptors: [3H]5-HT binding sites and 5-HT induced adenylate cyclase activations in rat brain cortex, 44, 133

Zingaro, G.J., see Grigonis, A.M., 40, 315

Ziskind-Conhaim, L.
Physiological and morphological changes in developing peripheral nerves of rat embryos, 42, 15

Y

Yamada, M., see Yoshida, Y., 44, 211
Yamamoto, M., see Misson, J.-P.,
38, 183
Yamamoto, M., see Misson, J.-P.,
44, 95
Yokokawa, K., see Sakanaka, M.,
43, 175
Yoshida, Y., Yamada, M.,
Wakabayashi, K. and Ikuta, F.
Endothelial fenestrae in the rat fetal cerebrum, 44, 211
Yu, J., see Robertson, R.T., 41, 1



DEVELOPMENTAL BRAIN RESEARCH SUBJECT INDEX 1988 VOLUMES 466–471; 44 (38–44)





Aberrant myelination

Oligodendrocyte; Cytoplasmic process; Leukodystrophy; Junctional complex (Suzuki, K.) 38, 167

Abnormal foliation

Cerebellum; Development; External granular layer; Layer expansion; Lobulation; Methylazoxymethanol (MAM) (Chen, S.) **40**, 201

Acetyl-coenzyme A carboxylase Oligodendroglia; Myelination; Rat brain (Tansey, F.A.) 43, 123

Oligodendrocyte; Carbonic anhydrase; Myelination (Tansey, F.A.) **43**, 131

Acetylcholine

Acetylcholinesterase; Nicotinic receptor; Muscarinic receptor; Rat visual cortex; Development; Enucleation (Prusky, G.T.) 39, 154

Nicotine; Development; Cat visual cortex; Receptor; Binding site (Prusky, G.T.) 39, 161

Development; Pineal organ; Retina; Teleost; Photoreceptor; γ-Aminobutyric acid; S-antigen; α-Transducin (Östholm, T.) 42, 1

Acetylcholine iontophoresis Intracellular electrophysiology; Fetal mouse; Ventral mesencephalon; Dissociated culture (Peacock, J.H.) 39, 217

Acetylcholinesterase

Acetylcholine; Nicotinic receptor; Muscarinic receptor; Rat visual cortex; Development; Enucleation (Prusky, G.T.) 39, 154

Primary motoneuron; Rohon-Beard neuron; Neuronal differentiation; Primary interneuron; Trigeminal ganglion cell; Neuronal development (Moody, S.A.) 39, 225

Choline acetyltransferase; Cortex; Development; Enucleation; Transience (Robertson, R.T.) 39, 298

Embryonic development; Cultured neuron; Neuronal plasticity; Cholinergic phenotype; Choline acetyltransferase; Cholinoceptive neuron (Mangoura, D.) 40, 37

Basal forebrain; Cerebral cortex; Development; Lateral geniculate nucleus; Thalamocortical projection; Visual system (Robertson, R.T.) 41, 1

Brain culture; Choline acetyltransferase; Neuron; Neurotrophic factor; Triiodothyronine (Garza, R.) 43, 287

Acomys cahirinus

Development; Myelination; Precocial

species; Altricial species; Comparative neurobiology (Tessitore, C.) 43, 139

Actin

Growth cone; Cytoskeleton; Development; Tubulin; Myosin (Gordon-Weeks, P.R.) 42, 156

Actin filament

Cerebellum; Thyroid hormone; Development; Rat (Faivre-Sarrailh, C.) 41, 293

Action potential

Mouse; Trisomy 16; Down syndrome; Tissue culture; Patch-clamp; Membrane current; Activation; Inactivation; Sodium; Dorsal root ganglion (Orozco, C.B.) 38, 265

Activation

Mouse; Trisomy 16; Down syndrome; Tissue culture; Patch-clamp; Action potential; Membrane current; Inactivation; Sodium; Dorsal root ganglion (Orozco, C.B.) 38, 265

θ-Activity

Hippocampus; Brain slice; Carbachol; CA₁; Dentate; Development (Konopacki, J.) **38**, 229

Adenosine uptake site

Nitrobenzylthioinosine; Dipyridamole; Guinea pig (Deckert, J.) 42, 313

Adenylate cyclase

Isolated growth cone; Rat; Forebrain; Receptor agonist; Development (Lockerbie, R.O.) 38, 19

Receptor; Binding site; Serotonin; Cyclic adenosine monophosphate; Postnatal development (Zifa, E.) 44, 133

Adhesion molecule

Extracellular matrix; Glycosaminoglycan; N-CAM; L1 (Werz, W.) 43, 225

Adrenal medulla

Enkephalin; Opiate peptide; Catecholamine; Development; Transmitter phenotypic plasticity (La Gamma, E.F.) 39, 177

Adrenergic

Rhesus monkey, Infant; Separation; Distress; Vocalization; Clonidine; Propranolol (Kalin, N.H.) **42**, 289

Adrenomedullary development Thyroid hormone; Preganglionic innervation (Lau, C.) 44, 109

Adult mammalian central nervous system

Central nervous system regeneration; Retinal ganglion cell; Neuronal culture; Immunocytochemistry (Wigley, C.B.) 42, 85

Afferent connection

Postnatal development; Corticotropin-releasing factor; Rat cerebral cortex; Cobalt-enhanced immunohistochemistry; Horseradish peroxidase/immunohistochemistry combined (Sakanaka, M.) 43, 175

Aggregation mechanism

Cell aggregation; Cerebellum; Development; Glycosaminoglycan (Fischer, G.) **43**, 39

Airstepping

Treadmill locomotion; Eletromyogram of stepping; Spinal cord transection; Motor development (Bradley, N.S.) 38, 53

Albumin

Blood-brain barrier; Testosterone-binding globulin (Pardridge, W.M.) 38, 245

Altricial species

Acomys cahirinus; Development; Myelination; Precocial species; Comparative neurobiology (Tessitore, C.) 43, 139

p-Aminoclonidine

 α_1 -Receptor; α_2 -Receptor; Prazosin; Quantitative autoradiography; Ventromedial hypothalamic nucleus; Guinea pig; Sexual behavior (Johnson, A.E.) **42**, 247

γ-Aminobutyric acid

Hippocampal slice; Baclofen; Inhibition; Development; Pyramidal cell; CA1; CA3 (Janigro, D.) **41**, 171

Development; Pineal organ; Retina; Teleost; Photoreceptor; Acetylcholine; S-antigen; α -Transducin (Östholm, T.) **42,** 1

Striatum; Culture; Leu-enkephalin; Development; Immunocytochemistry (Surmeier, D.J.) **42**, 265

Visual cortex; Development; Immunocytochemistry; Substance P; Neuropeptide (Huntley, G.W.) 43, 69

Neuropeptide Y; Somatostatin; Substance P; Taurine (Beal, M.F.) 44, 156

Glutamate decarboxylase; Rat; Immunocytochemistry; Light microscopy (Seress, L.) 44, 197

Benzodiazepine; Chloride; Lorazepam; Embryo (Miller, L.G.) 44, 241

γ-Aminobutyric acid (GABA)
Methylmercury; Somatostatin;
Glutamic acid decarboxylase (GAD);
Carebral cortex: Striatum: Postnatal

Cerebral cortex; Striatum; Postnatal development; Cerebral palsy (O'Kusky, J.R.) 40, 11
Receptor; Cat visual cortex; Monocular

deprivation; Plasticity (Shaw, C.) 40, 148

γ-Aminobutyric acid (GABA) phenotype

Embryonic development; Cultured neuron; Chick embryo; Glutamic acid decarboxylase; Neuronal plasticity (Mangoura, D.) 40, 25

γ-Aminobutyric acid receptor Muscimol; Substantia nigra; Rat;

Animal, newborn (Wurpel, J.N.D.) 43, 305

γ-Aminobutyric acidergic cell
Cell culture; Ventral mesencephalon;
Electrophysiology; Dopaminergic cell;
Calcium action potential; Mouse
(Ort, C.A.) 39, 205

γ-Aminobutyric acidergic neuron Cerebral cortex; Cell culture; Electrophysiology; Immunocytochemistry (Alho, H.) 39, 193

Amphibian

Metamorphosis; Thiourea; Axon turnover; Bilateral effect; Target-dependency of nerve (Schönenberger, N.) 40, 253

Cytokeratin; Vimentin; Glial fibrillary acidic protein; Neurofilament (Szaro, B.G.) 43, 207

Analgesia

Development; Intrathecal; Receptor type; Noradrenaline; Clonidine; Noxious stimulus; Spinal cord (Hughes, H.E.) 41, 109

Morphine; Ketocyclazocine; 5,7-Dihydroxytryptamine; Opioid receptor; μ-Opioid receptor; Serotonin; Spinal cord; κ-Opioid receptor; Nociception; Thermal stimulus; Mechanical stimulus; Development; Ontogeny (Giordano, J.) 41, 121

Androgen

5a-Reductase; Central nervous system; Myelin; Oligodendrocyte; Development (Melcangi, R.C.) 44, 181

Angiogenesis

Microvascular; Occipital cortex; Neural plasticity; Stereology; Rat (Sirevaag, A.M.) 43, 299

Angiotensin binding

Angiotensin II sensitive neuron; Organum vasculosum laminae terminalis; Hypertension development; Spontaneously hypertensive rat (SHR); Normotensive Wistar-Kyoto rat (WKY); Brain slice technique (Nelson, D.O.) 39, 105

Angiotensin II sensitive neuron

Organum vasculosum laminae terminalis; Hypertension development; Angiotensin binding; Spontaneously hypertensive rat (SHR); Normotensive Wistar–Kyoto rat (WKY); Brain slice technique (Nelson, D.O.) 39, 105

Animal, newborn

Seizure; Convulsion; Flurothyl; Rat (Sperber, E.F.) 39, 295

γ-Aminobutyric acid receptor; Muscimol; Substantia nigra; Rat (Wurpel, J.N.D.) **43**, 305

Annular gap junction

Astrocyte; Ependyma; Glia; Goldfish; Neurosecretion; Preoptic Area; Radial glia (Gregory, W.A.) 42, 205

Anti-oxidant enzyme

Hypoxia; Brain; Superoxide dismutase; Catalase; Glutathione peroxidase (Mishra, O.P.) **42**, 173

Antigen expression

Oligodendrocyte; Surface antigen; Glial differentiation; Astrocyte (Kuhlmann-Krieg, S.) 39, 269

0-Antigen

Glial fibrillary acidic protein; Vimentin; Galactocerebroside; Astrocyte; Müller cell; Oligodendrocyte; Rabbit retina (Schnitzer, J.) 44, 59

Ascorbate

Peptidylglycine α -amidating mono-oxygenase (PAM) ontogenesis; Mouse hypothalamus; Serum-free culture; Thyroliberin (TRH) (Faivre-Bauman, A.) **40**, 261

Astrocyte

Proliferation; Peptide; Culture; Growth factor; Regeneration (Carlone, R.L.) 39, 97

Oligodendrocyte; Surface antigen; Glial differentiation; Antigen expression (Kuhlmann-Krieg, S.) **39**, 269

Fibroblast growth factor; Neuron; Neurotrophic factor; Epidermal growth factor; Cell culture (Walicke, P.A.) 40, 71

Proenkephalin mRNA; Enkephalin peptide; Developmental expression; Striatum (Schwartz, J.P.) 40, 311

Annular gap junction; Ependyma; Glia; Goldfish; Neurosecretion; Preoptic Area; Radial glia (Gregory, W.A.) 42, 205

Glial fibrillary acidic protein; Vimentin; Galactocerebroside; 0-Antigen; Müller cell; Oligodendrocyte; Rabbit retina (Schnitzer, J.) 44, 59

Astroglia

Glial clone; Cerebellum; Development; Cerebellar explant (Alliot, F.) **44,** 247

Immunohistochemistry; Mouse brain; Neocortex; Cerebellum; Striatum; Spinal cord; Histogenesis (Misson, J.-P.) 44, 95

Auditory deprivation

Cochlear nucleus; Neuronal organelle; Morphometry; Development; Metabolism; Synaptic competition; Genetic expression (Trune, D.R.) 42, 304

Auditory development

Central auditory system; Deoxyglucose; Tonotopic organization (Ryan, A.F.) 41, 61

Bilirubin encephalopathy; Brainstem auditory evoked potential; Gunn rat; Hyperbilirubinemia; Neonatal jaundice (Shapiro, S.M.) 41, 147

Autoradiography

Electron microscopy; Peripheral nervous system; Schwann cell proliferation (Nilsson, I.) 38, 1

Radial glial cell; Cerebral cortex; Lineage; Immunohistochemistry (Misson, J.-P.) **38**, 183

Cellular migration; Cortical development; Tissue culture; Thymidine, [³H]-(Hemmendinger, L.M.) **38**, 291

Somatostatin receptor; Cerebellum; Development; Granule cell (Gonzalez, B.J.) 40, 154

Thymidine; Reptile; Postnatal neurogenesis; Cerebral cortex; Hippocampus (Lopez-Garcia, C.) 43, 167

Avian

Nerve growth factor; Parasympathetic; Ciliary ganglion; Neurite outgrowth; Embryo; Sensory; Dorsal root ganglion (Collins, F.) 39, 111

Thy-1 antigen; Cerebellum (Sheppard, A.M.) 40, 181

Thy-1 antigen; Retina; Tectum (Sheppard, A.M.) 43, 49

Axon

Tubulin; Cold-stable microtubule; Differentiating nervous system; Isoelectric focusing; Mouse (Binet, S.) 38, 296

Retina; Ganglion cell; Dendrite; Polarity (Maffei, L.) 41, 185

Corpus callosum; Cortex; Cytoskeleton; Neurofilament; Visual system; Development; Exuberancy (Figlewicz, D.A.) 42, 181

Axon bundle

Neuroglia; Blood vessel; Glial fibrillary acidic protein; Hyaloid artery (Ling, T.) **44**, 73

Axon growth

Growth-associated protein; Developmental regulation; Synaptic plasticity; Immunocytochemistry (McGuire, C.B.) 41, 277

Axon turnover

Metamorphosis; Thiourea; Amphibian; Bilateral effect; Target-dependency of nerve (Schönenberger, N.) 40, 253

Axonal neuritogenesis

Neurofilament; Phosphorylation; Neuroblastoma; Cytoskeleton; Dibutyryl cyclic adenosine monophosphate (Shea, T.B.) 43, 97

Axonal sprouting

Ceruleocerebellar culture; Cytosine arabinoside; Catecholamine; Neurite reduction; Transplanted culture; Cerebellar granule cell (Seil, F.J.) 43, 153

Axotomy

Polyamine; Sympathetic neuron;

Development; Survival; Immunosympathectomy (Gilad, G.M.) 38, 175

B

Baclofen

Hippocampal slice; γ-Aminobutyric acid; Inhibition; Development; Pyramidal cell; CA1; CA3 (Janigro, D.) 41, 171

Barrel

Trigeminal; Nucleus principalis; Neuron morphometry (Jacquin, M.F.) 43, 309

Somatosensory cortex; Ventrobasal nucleus; Trigeminal system; Dorsal column nuclei; Pattern formation (Erzurumlu, R.S.) 44, 302

Basal forebrain

Acetylcholinesterase; Cerebral cortex; Development; Lateral geniculate nucleus; Thalamocortical projection; Visual system (Robertson, R.T.) 41, 1

Basal lamina

Laminin; Neurite; Tissue culture; Regeneration; Development; Central nervous system neuron (Schinstine, M.) 43, 23

Basement membrane

Laminin; Neurite; Nerve regeneration; Extracellular matrix (Danielsen, N.) 39, 39

Bed nucleus of the stria terminalis Sex difference; Vomeronasal system; Main olfactory system; Sex steroid (Guillamón, A.) 44, 281

Behavior

Neural grafting; In vitro culture; Rat; Dopamine neuron; Nigrostriatal pathway (Brundin, P.) **39**, 233

Benzodiazepine

γ-Aminobutýric acid; Chloride; Lorazepam; Embryo (Miller, L.G.) 44, 241

Bicarbonate and pCO2

Cerebrospinal fluid pH; Cerebral cortex pH; Central nervous system acid-base regulation; Dimethadione method; Metabolic acidosis and alkalosis; Ontogeny of cell pH; Cell H ion homeostasis (Johanson, C.E.) 38, 255

Bilateral effect

Metamorphosis; Thiourea; Amphibian; Axon turnover; Target-dependency of nerve (Schönenberger, N.) 40, 253

Bilirubin encephalopathy

Auditory development; Brainstem auditory evoked potential; Gunn rat;

Hyperbilirubinemia; Neonatal jaundice (Shapiro, S.M.) 41, 147

Bimodal distribution

Development; Kitten motoneuron; Somal size (Tatton, W.G.) 43, 191

Binding site

Acetylcholine; Nicotine; Development; Cat visual cortex; Receptor (Prusky, G.T.) 39, 161

Receptor; Serotonin; Adenylate cyclase; Cyclic adenosine monophosphate; Postnatal development (Zifa, E.) 44, 133

Bipolar cell

Retina; Inner plexiform layer; Stratification (Maslim, J.) 44, 87

Blood vessel

Neuroglia; Axon bundle; Glial fibrillary acidic protein; Hyaloid artery (Ling, T.) 44, 73

Blood-brain barrier

Testosterone-binding globulin; Albumin (Pardridge, W.M.) 38, 245

Endothelial fenestra; Developing brain; Rat fetus (Yoshida, Y.) 44, 211

Brain

Opioid; Ontogeny; Human (Magnan, J.) 38, 300

Glucocorticoid receptor; Immunocytochemistry; Ontogeny; Rat (Rosenfeld, P.) 42, 119

Polysialoganglioside; Chicken; Rat; Development; Monoclonal antibody Q 211 (Rösner, H.) **42**, 161

Anti-oxidant enzyme; Hypoxia; Superoxide dismutase; Catalase; Glutathione peroxidase (Mishra, O.P.) **42,** 173

Brain culture

Acetylcholinesterase; Choline acetyltransferase; Neuron; Neurotrophic factor; Triiodothyronine (Garza, R.) 43, 287

Brain development

Dopaminergic ontogeny; Rat dopaminergic system; Dopamine receptor; Dopamine synthesis; Developmental regulation (Noisin, E.L.) 41, 241

Deoxyglucose; Drug abuse; Pregnancy; Dopamine (Dow-Edwards, D.L.) **42**, 137

Brain injury

Immunohistochemistry; Reactive astrocyte; Glial fibrillary acidic protein (GFAP); Vimentin (Takamiya, Y.) 38, 201

Brain membrane fluidity and development

Prenatal alcohol; Brain neuronal membrane order; Ethanol and brain neuronal membrane (Vorhees, C.V.) 38, 161

Brain neuronal membrane order

Prenatal alcohol; Brain membrane fluidity and development; Ethanol and brain neuronal membrane (Vorhees, C.V.) 38, 161

Brain opioid receptor development

Downregulation; Brain μ -receptor; Morphine; Tolerance; Neonate; Chronic agonist (Tempel, A.) **41**, 129

Brain slice

Hippocampus; Carbachol; θ-Activity; CA₁; Dentate; Development (Konopacki, J.) **38**, 229

Brain slice technique

Angiotensin II sensitive neuron; Organum vasculosum laminae terminalis; Hypertension development; Angiotensin binding; Spontaneously hypertensive rat (SHR); Normotensive Wistar-Kyoto rat (WKY) (Nelson, D.O.) 39, 105

Brain µ-receptor

Downregulation; Morphine; Tolerance; Neonate; Chronic agonist; Brain opioid receptor development (Tempel, A.) 41, 129

Brain-derived neurotrophic factor

Neural crest; Substance P; Sensory ganglion; Nerve growth factor; Peripheral nervous system (Kalcheim, C.) 41, 79

Brainstem auditory evoked potential

Auditory development; Bilirubin encephalopathy; Gunn rat; Hyperbilirubinemia; Neonatal jaundice (Shapiro, S.M.) 41, 147

Brainstem-spinal cord

Locomotion; În vitro; Electrical stimulation (Atsuta, Y.) 42, 309

α-Bungarotoxin

Cerebellum; Cyclic AMP; Differentiation; Nicotinic receptor; Morphology (Siegel, H.N.) 44, 269

C

CA₁

Hippocampus; Brain slice; Carbachol; θ-Activity; Dentate; Development (Konopacki, J.) 38, 229

Hippocampal slice; γ -Aminobutyric acid; Baclofen; Inhibition; Development; Pyramidal cell; CA3 (Janigro, D.) **41,** 171

CA1 pyramidal cell

Hippocampal slice; N-Methyl-D-aspartate; Quisqualate; Extracellular free calcium; Development (Hamon, B.) 38, 286

CA3

Hippocampal slice; γ -Aminobutyric acid; Baclofen; Inhibition; Development; Pyramidal cell; CA1 (Janigro, D.) **41**, 171

Calbindin (CaBP 28 kDa)

Inner ear; Development; Mouse; Immunocytochemistry (Dechesne, C.J.) **40**, 233

Neuron-specific enolase; Human; Development; Cochlea; Vestibule (Dechesne, C.J.) **41**, 221

Calcitonin gene-related peptide

Ontogeny; Immunohistochemistry; Forebrain; Rat (Inagaki, S.) 43, 235

Calcium

Phosphorylation; Chicken; Calmodulin; Development; Protein kinase (Weinberger, R.P.) **43**, 259

Calcium action potential

Cell culture; Ventral mesencephalon; γ-Aminobutyric acidergic cell; Electrophysiology; Dopaminergic cell; Mouse (Ort, C.A.) 39, 205

Calcium current

Growth cone; Rat embryo; Intercostal nerve (Ziskind-Conhaim, L.) **42**, 15

Calmodulin

Phosphorylation; Chicken; Calcium; Development; Protein kinase (Weinberger, R.P.) **43**, 259

N-CAM

Adhesion molecule; Extracellular matrix; Glycosaminoglycan; L1 (Werz, W.) 43, 225

Capsaicin

Micturition reflex; Newborn rat; Sensory innervation; Substance P-like immunoreactivity; Immunohistochemistry (Maggi, C.A.) 43, 183

Carbachol

Hippocampus; Brain slice; θ-Activity; CA₁; Dentate; Development (Konopacki, J.) **38**, 229

Carbonic anhydrase

Neural crest; Neurogenesis; Development; Sensory neuron; Neuronal differentiation; Substance P; Neurofilament; Tyrosine hydroxylase; Dopamine-β-hydroxylase (Sieber-Blum, M.) 39, 69

Acetyl-coenzyme A carboxylase; Oligodendrocyte; Myelination (Tansey, F.A.) **43**, 131

Carp retina

Dopamine cell; Lucifer yellow; Intracellular injection; Development (Teranishi, T.) 39, 9

Cat

Muscarinic acetylcholine receptor; Monoclonal antibody; Primary visual cortex; Development (Van Huizen, F.) 44, 296

Cat visual cortex

Acetylcholine; Nicotine; Development; Receptor; Binding site (Prusky, G.T.) **39,** 161

γ-Aminobutyric acid (GABA); Receptor; Monocular deprivation; Plasticity (Shaw, C.) **40**, 148

Phorbol ester; Postnatal development; Receptor; Protein kinase C (Needler, M.C.) **42**, 217

Catalase

Anti-oxidant enzyme; Hypoxia; Brain; Superoxide dismutase; Glutathione peroxidase (Mishra, O.P.) 42, 173

Catecholamine

Enkephalin; Opiate peptide; Adrenal medulla; Development; Transmitter phenotypic plasticity (La Gamma, E.F.) 39, 177

Ceruleocerebellar culture; Cytosine arabinoside; Axonal sprouting; Neurite reduction; Transplanted culture; Cerebellar granule cell (Seil, F.J.) 43, 153

Cell adhesion molecule

Reeler; Development; Forebrain (Godfraind, C.) **42**, 99

Cell aggregation

Aggregation mechanism; Cerebellum; Development; Glycosaminoglycan (Fischer, G.) **43**, 39

Cell culture

Postnatal sensory neuron; Postnatal sympathetic neuron; Tetanus toxin; Neuron-specific enolase (Grothe, C.) **39.** 1

Cerebral cortex; γ-Aminobutyric acidergic neuron; Electrophysiology; Immunocytochemistry (Alho, H.) **39**, 193

Ventral mesencephalon; v-Aminobutyric acidergic

γ-Aminobutyric acidergic cell; Electrophysiology; Dopaminergic cell; Calcium action potential; Mouse (Ort, C.A.) 39, 205

Fibroblast growth factor; Astrocyte; Neuron; Neurotrophic factor; Epidermal growth factor (Walicke, P.A.) 40, 71

Cell death

Collateral elimination; Soma size; Corticotectal projection; Hamster; Early lesion; Population matching (Pallas, S.L.) 43, 1

Collateral elimination; Soma size; Corpus callosum; Neocortex; Population matching; Hamster (Windrem, M.S.) 43, 13

Hemispherectomy; Newborn hamster; Extraocular neuron (Gonzalo, L.M.) 44, 309 Cell differentiation

Fetal rat brain neurons in culture; Stereological study; Synaptogenesis (Massacrier, A.) 40, 161

Cell division

Tectal growth; Cellular lamination; Retinotectal projection (Dann, J.F.) 44, 21

Cell H ion homeostasis

Cerebrospinal fluid pH; Cerebral cortex pH; Central nervous system acid-base regulation; Dimethadione method; Bicarbonate and pCO₂; Metabolic acidosis and alkalosis; Ontogeny of cell pH (Johanson, C.E.) **38**, 255

Cell migration

Cerebellum; Development; 5'-Nucleotidase; Transmembrane signalling; Wistar rat (Schoen, S.W.) 39, 125

Cell proliferation

Elimination of quiescent astrocytes; Combined epidermal growth factor and cytosine arabinoside treatment; Subcortical neuronal culture; Tissue culture (Patel, A.J.) **42**, 283

Cell-surface antigen

Monoclonal antibody; Peripheral nervous system antigen; Myelin deficiency; Development; Regeneration (Nieke, J.) 39, 281

Cellular lamination

Cell division; Tectal growth; Retinotectal projection (Dann, J.F.) 44, 21

Cellular migration

Cortical development; Tissue culture; Thymidine, [³H]-; Autoradiography (Hemmendinger, L.M.) **38,** 291

Central auditory system

Auditory development; Deoxyglucose; Tonotopic organization (Ryan, A.F.) 41, 61

Central nervous system

Neurotrophic factor; Transplantation; Neuronal culture; Rat; Cerebral topography (Heuschling, P.) 38, 9

Estrogen; Insulin, in CNS; Insulin-like growth factor, in CNS; Neurite growth (Toran-Allerand, C.D.) 41, 87

Trophic; Neurite outgrowth; Neuronal; Olfactory bulb; Survival; Cholinergic (Lambert, M.P.) 41, 263

5a-Reductase; Androgen; Myelin; Oligodendrocyte; Development (Melcangi, R.C.) 44, 181

Central nervous system (CNS) glia Regeneration; Schwann cell; Optic nerve; Neural grafting; Development (Giftochristos, N.) 39, 149

Central nervous system acid-base regulation

Cerebrospinal fluid pH; Cerebral cortex pH; Dimethadione method;

Bicarbonate and pCO₂; Metabolic acidosis and alkalosis; Ontogeny of cell pH; Cell H ion homeostasis (Johanson, C.E.) **38**, 255

Central nervous system neuron Basal lamina; Laminin; Neurite; Tissue culture; Regeneration; Development (Schinstine, M.) 43, 23

Central nervous system regeneration

Retinal ganglion cell; Neuronal culture; Immunocytochemistry; Adult mammalian central nervous system (Wigley, C.B.) 42, 85

Cerebellar culture

Cerebellar granule cell; Neuronal maturation; Stimulation-coupled release of amino acid transmitters; Depolarization and neuronal maturation in culture; Depolarization and neuronal survival in culture (Balázs, R.) 40, 269

Cerebellar explant

Astroglia; Glial clone; Cerebellum; Development (Alliot, F.) 44, 247

Cerebellar granule cell

Neuronal maturation; Cerebellar culture; Stimulation-coupled release of amino acid transmitters; Depolarization and neuronal maturation in culture; Depolarization and neuronal survival in culture (Balázs, R.) 40, 269

Ceruleocerebellar culture; Cytosine arabinoside; Catecholamine; Axonal sprouting; Neurite reduction; Transplanted culture (Seil, F.J.) 43, 153

Cerebellar neuron

Tissue culture; Physiological property; Neuronal development (Gruol, D.L.) 41, 135

Cerebellum

Development; Degeneration; Purkinje cell; Inferior olive; *Pcd* mutant (Shojaeian, H.) **38**, 211

Development; Cell migration; 5'-Nucleotidase; Transmembrane signalling; Wistar rat (Schoen, S.W.) **39**, 125

Development; Fluorescent retrograde tracer; Precerebellar nucleus (Payne, J.N.) 39, 313

Somatostatin receptor; Development; Granule cell; Autoradiography (Gonzalez, B.J.) 40, 154

Thy-1 antigen; Avian (Sheppard, A.M.) 40, 181

Development; Hypothyroidism; Glycoprotein 240-kDa (Bezamahouta, C.) **40**, 193

Abnormal foliation; Development; External granular layer; Layer expansion; Lobulation; Methylazoxymethanol (MAM) (Chen, S.) 40, 201 Actin filament; Thyroid hormone; Development; Rat (Faivre-Sarrailh, C.) 41, 293

Hippocampus; Suckling experience; Early enrichment; Nipple-shifting; Cortex (Cramer, C.P.) 42, 151

Aggregation mechanism; Cell aggregation; Development; Glycosaminoglycan (Fischer, G.) **43**, 39

Astroglia; Immunohistochemistry; Mouse brain; Neocortex; Striatum; Spinal cord; Histogenesis (Misson, J.-P.) 44, 95

Microtubule-associated protein; Mutant mouse; Tau protein (Brion, J.P.) 44, 221

Astroglia; Glial clone; Development; Cerebellar explant (Alliot, F.) 44, 247

α-Bungarotoxin; Cyclic AMP; Differentiation; Nicotinic receptor; Morphology (Siegel, H.N.) **44,** 269

Cerebral cortex

Corticospinal tract development; Rat (Schreyer, D.J.) 38, 89

Radial glial cell; Lineage; Immunohistochemistry; Autoradiography (Misson, J.-P.) 38, 183

Cell culture; γ-Aminobutyric acidergic neuron; Electrophysiology; Immunocytochemistry (Alho, H.) **39**, 193

Methylmercury; Somatostatin; Glutamic acid decarboxylase (GAD); γ-Aminobutyric acid (GABA); Striatum; Postnatal development; Cerebral palsy (O'Kusky, J.R.) 40, 11

Acetylcholinesterase; Basal forebrain; Development; Lateral geniculate nucleus; Thalamocortical projection; Visual system (Robertson, R.T.) 41, 1

Dendritic development; Dendritic spine (Petit, T.L.) 41, 209

Thymidine; Autoradiography; Reptile; Postnatal neurogenesis; Hippocampus (Lopez-Garcia, C.) **43**, 167

Cerebral cortex pH

Cerebrospinal fluid pH; Central nervous system acid-base regulation; Dimethadione method; Bicarbonate and pCO₂; Metabolic acidosis and alkalosis; Ontogeny of cell pH; Cell H ion homeostasis (Johanson, C.E.) **38**, 255

Cerebral glucose utilization

Fetal sheep; Rapid eye movement sleep; Deoxyglucose (Abrams, R.M.) **40,** 65

Cerebral palsy

Methylmercury; Somatostatin; Glutamic acid decarboxylase (GAD); γ-Aminobutyric acid (GABA); Cerebral cortex; Striatum; Postnatal development (O'Kusky, J.R.) 40, 11 Cerebral topography

Neurotrophic factor; Central nervous system; Transplantation; Neuronal culture; Rat (Heuschling, P.) 38, 9

Cerebrospinal fluid pH

Cerebral cortex pH; Central nervous system acid-base regulation; Dimethadione method; Bicarbonate and pCO₂; Metabolic acidosis and alkalosis; Ontogeny of cell pH; Cell H ion homeostasis (Johanson, C.E.) **38**, 255

Cerebrum

Cold-stable microtubule; Development; Rat (Faivre-Sarrailh, C.) 42, 199

Ceruleocerebellar culture

Cytosine arabinoside; Catecholamine; Axonal sprouting; Neurite reduction; Transplanted culture; Cerebellar granule cell (Seil, F.J.) 43, 153

Chewing

Development; Corticobulbar projection; Sucking; Mammal; Guinea pig (Iriki, A.) 44, 189

Chick

Learning; Synapse; Protein synthesis inhibition; State dependency (Bradley, P.M.) **40**, 243

Chick embryo

Gap junction; Myoblast; Neuron; Spinal cord; Ciliary ganglion; Differentiation (Bonner, P.H.) 38, 233

Embryonic development; Cultured neuron; Glutamic acid decarboxylase; γ-Aminobutyric acid (GABA) phenotype; Neuronal plasticity (Mangoura, D.) 40, 25

Neurite outgrowth; Development; Spinal cord; Trophic factor (Thompson, J.M.) 40, 158

Chick retina

Monoclonal antibody; Photoreceptor; Development (Lemmon, V.) 39, 117

Chicken

Plasticity; Ventral lateral geniculate nucleus; Visual system; Temporal parameter (Granda, R.H.) 40, 138

Polysialoganglioside; Rat; Brain; Development; Monoclonal antibody Q 211 (Rösner, H.) **42**, 161

Phosphorylation; Cyclic adenosine monophosphate; Development; Protein kinase (Weinberger, R.P.) 43, 249

Phosphorylation; Calcium; Calmodulin; Development; Protein kinase (Weinberger, R.P.) **43**, 259

Chloride

Benzodiazepine; γ-Aminobutyric acid; Lorazepam; Embryo (Miller, L.G.) **44,** 241

Cholecalcin (28-kDa CaBP, calbindin)

Cochlea; Receptor hair cell; Kölliker's organ; Developing rat; Thyroid

deficiency; Vitamin D (Legrand, C.) 38, 121

Choline acetyltransferase

Hypogastric ganglion; Tyrosine hydroxylase; Testosterone; Organization (Melvin, J.E.) 38, 131

Nerve growth factor; Septal cholinergic neuron; Neuronal survival; Postnatal cell culture (Hatanaka, H.) 39, 85

Acetylcholinesterase; Cortex; Development; Enucleation; Transience (Robertson, R.T.) 39, 298

Embryonic development; Cultured neuron; Neuronal plasticity; Cholinergic phenotype; Acetylcholinesterase; Cholinoceptive neuron (Mangoura, D.) 40, 37

Acetylcholinesterase; Brain culture; Neuron; Neurotrophic factor; Triiodothyronine (Garza, R.) 43, 287

Cholinergic

Trophic; Čentral nervous system; Neurite outgrowth; Neuronal; Olfactory bulb; Survival (Lambert, M.P.) 41, 263

Cholinergic basal forebrain Morphogenesis; Neocortex; Mouse (Hohmann, C.F.) 42, 253

Cholinergic phenotype

Embryonic development; Cultured neuron; Neuronal plasticity; Choline acetyltransferase; Acetylcholinesterase; Cholinoceptive neuron (Mangoura, D.) 40, 37

Cholinesterase

Development; Intralaminar nucleus: Thalamus; Thalamocortical; Transient projection (Robertson, R.T.) 41, 43

Cholinoceptive neuron

Embryonic development; Cultured neuron; Neuronal plasticity; Cholinergic phenotype; Choline acetyltransferase; Acetylcholinesterase (Mangoura, D.) 40, 37

Chromosomal basic protein H₁⁰ Glial cell; Proliferation; Differentiation; Short-chain fatty acid; Glucocorticoid; Cyclic adenosine monophoshate (Ortiz-Caro, J.) 42, 229

Chronic agonist

Downregulation; Brain μ-receptor; Morphine; Tolerance; Neonate; Brain opioid receptor development (Tempel, A.) 41, 129

Ciliary ganglion

Gap junction; Myoblast; Neuron; Spinal cord; Differentiation; Chick embryo (Bonner, P.H.) 38, 233

Nerve growth factor; Parasympathetic; Neurite outgrowth; Embryo; Avian; Sensory; Dorsal root ganglion (Collins, F.) 39, 111

Circadian rhythm

Suprachiasmatic nucleus; Development;

2-Deoxyglucose method; Maternal influence (Shibata, S.) 41, 313

Clonidine

Development; Analgesia; Intrathecal; Receptor type; Noradrenaline; Noxious stimulus; Spinal cord (Hughes, H.E.) 41, 109

Rhesus monkey, Infant; Separation; Distress; Vocalization; Propranolol; Adrenergic (Kalin, N.H.) 42, 289

Co-culture of astrocytes

Glutamine synthetase; Co-culture of neuronal cells; Neuron conditioned medium; Neuronal substratum (Havashi, M.) 41, 37

Co-culture of neuronal cells Glutamine synthetase; Co-culture of astrocytes; Neuron conditioned medium; Neuronal substratum (Hayashi, M.) 41, 37

Co-localization

Immunocytochemistry; Tyrosine hydroxylase; Somatostatin; Substance P; Development; Limbic structure (Verney, C.) 42, 45

Cobalt-enhanced immunohistochemistry

Postnatal development; Corticotropin-releasing factor; Rat cerebral cortex; Afferent connection; Horseradish peroxidase/ immunohistochemistry combined (Sakanaka, M.) 43, 175

Cochlea

Cholecalcin (28-kDa CaBP, calbindin); Receptor hair cell; Kölliker's organ; Developing rat; Thyroid deficiency; Vitamin D (Legrand, C.) 38, 121

Neuron-specific enolase; Calbindin (CaBP 28 kDa); Human; Development; Vestibule (Dechesne, C.J.) 41, 221

Enkephalin; Development; Immunofluorescence; Guinea pig (Gil-Loyzaga, P.) 42, 142

Cochlear nucleus

Auditory deprivation; Neuronal organelle; Morphometry; Development; Metabolism; Synaptic competition; Genetic expression (Trune, D.R.) 42, 304

Colchicine

Neurofilament; Vimentin; Intermediate filament; Neuroblastoma; Neuronal differentiation; Cytoskeleton (Shea, T.B.) 41, 298

Cold-stable microtubule

Tubulin; Axon; Differentiating nervous system; Isoelectric focusing; Mouse (Binet, S.) 38, 296

Cerebrum; Development; Rat (Faivre-Sarrailh, C.) 42, 199

Collagen

Spinal cord; Retina; Neurite; Substrate; Laminin; Polylysine; Development;

Tissue culture (Pierce, S.T.) 40, 213

Collateral elimination

Cell death; Soma size; Corticotectal projection; Hamster; Early lesion; Population matching (Pallas, S.L.) **43**, 1

Cell death; Soma size; Corpus callosum; Neocortex; Population matching; Hamster (Windrem, M.S.) 43, 13

Combined epidermal growth factor and cytosine arabinoside treatment Elimination of quiescent astrocytes; Subcortical neuronal culture; Tissue culture; Cell proliferation (Patel, A.J.) 42, 283

Comparative neurobiology Acomys cahirinus; Development;

Myelination; Precocial species; Altricial species (Tessitore, C.) 43, 139

Competition

Topography; Regeneration; Fasciculation; Synaptogenesis; Horseradish peroxidase; Electron microscopy; Synaptic density (Hayes, W.P.) 38, 304

Conditioned medium

Embryonic chick; Dorsal root ganglion; Monosialoganglioside GM1; Neuritogenesis; Monoclonal antibody against GM1 (Spoerri, P.E.) 41, 71

Convulsion

Seizure; Flurothyl; Rat; Animal newborn (Sperber, E.F.) 39, 295

Corpus callosum

Cortex; Cytoskeleton; Neurofilament; Visual system; Axon; Development; Exuberancy (Figlewicz, D.A.) 42, 181

Cell death; Collateral elimination; Soma size; Neocortex; Population matching; Hamster (Windrem, M.S.) 43, 13

Correlation

Optic fiber; Tectum; Regeneration; Retinotopy; Hebb; Electrophysiology (Meyer, R.L.) 41, 25

Cortex

Acetylcholinesterase; Choline acetyltransferase; Development; Enucleation; Transience (Robertson, R.T.) 39, 298

Development; Enkephalin; Intracerebral graft; Neuropeptide Y: Tyrosine hydroxylase (Herman, J.P.) 40, 81

Hippocampus; Suckling experience; Early enrichment; Nipple-shifting; Cerebellum (Cramer, C.P.) 42, 151

Corpus callosum; Cytoskeleton; Neurofilament; Visual system; Axon; Development; Exuberancy (Figlewicz, D.A.) 42, 181

Cortical cell

Glial cell; Somatostatin; Cytosine

arabinoside; Glial fibrillary acidic protein; Vimentin; Glutamate (Pares-Herbuté, N.) 40, 89

Cortical development

Cellular migration; Tissue culture; Thymidine, [³H]-; Autoradiography (Hemmendinger, L.M.) **38**, 291

Corticobulbar projection

Development; Sucking; Chewing; Mammal; Guinea pig (Iriki, A.) 44, 189

Corticospinal axon

Growth and elimination; Rat (Schreyer, D.J.) 38, 103

Corticospinal tract development Cerebral cortex; Rat (Schreyer, D.J.) 38, 89

Corticosteroid receptor

Hippocampus; Ontogeny; Rat (Rosenfeld, P.) 42, 113

Corticotectal projection

Cell death; Collateral elimination; Soma size; Hamster; Early lesion; Population matching (Pallas, S.L.) 43, 1

Corticotropin-releasing factor

Postnatal development; Rat cerebral cortex; Cobalt-enhanced immunohistochemistry; Afferent connection; Horseradish peroxidase/immunohistochemistry combined (Sakanaka, M.) 43, 175

Critical age

Synapse; Deafferentation; Development; Degeneration; Reinnervation (Westrum, L.E.) 42, 29

Culture

Astrocyte; Proliferation; Peptide; Growth factor; Regeneration (Carlone, R.L.) 39, 97

Striatum; γ -Aminobutyric acid; Leu-enkephalin; Development; Immunocytochemistry (Surmeier, D.J.) **42,** 265

Culture medium

Myelin basic protein; Oligodendrocyte; Inbred strain (Barbarese, E.) 39, 183

Cultured neuron

Embryonic development; Chick embryo; Glutamic acid decarboxylase; γ-Aminobutyric acid (GABA) phenotype; Neuronal plasticity (Mangoura, D.) 40, 25

Embryonic development; Neuronal plasticity; Cholinergic phenotype; Choline acetyltransferase; Acetylcholinesterase; Cholinoceptive neuron (Mangoura, D.) 40, 37

Cyclic adenosine monophoshate Glial cell; Chromosomal basic protein H₁⁰; Proliferation; Differentiation; Short-chain fatty acid; Glucocorticoid (Ortiz-Caro, J.) **42**, 229 Cyclic adenosine monophosphate
Phosphorylation; Development; Protein

kinase; Chicken (Weinberger, R.P.)
43, 249

Receptor; Binding site; Serotonin; Adenylate cyclase; Postnatal development (Zifa, E.) **44,** 133

Cyclic AMP

α-Bungarotoxin; Cerebellum; Differentiation; Nicotinic receptor; Morphology (Siegel, H.N.) **44**, 269

Cyclosporin A treatment

Neuronal transplantation; Retinal cross-species grafting (Aramant, R.) 41, 303

Cytokeratin

Vimentin; Glial fibrillary acidic protein; Neurofilament; Amphibian (Szaro, B.G.) 43, 207

Cytoplasmic process

Oligodendrocyte; Leukodystrophy; Aberrant myelination; Junctional complex (Suzuki, K.) 38, 167

Cytosine arabinoside

Cortical cell; Glial cell; Somatostatin; Glial fibrillary acidic protein; Vimentin; Glutamate (Pares-Herbuté, N.) 40, 89

Ceruleocerebellar culture; Catecholamine; Axonal sprouting; Neurite reduction; Transplanted culture; Cerebellar granule cell (Seil, F.J.) 43, 153

Cytoskeleton

Neurofilament; Vimentin; Intermediate filament; Neuroblastoma; Neuronal differentiation; Colchicine (Shea, T.B.) 41, 298

Growth cone; Development; Actin; Tubulin; Myosin (Gordon-Weeks, P.R.) 42, 156

Corpus callosum; Cortex; Neurofilament; Visual system; Axon; Development; Exuberancy (Figlewicz, D.A.) 42, 181

Neurofilament; Phosphorylation; Neuroblastoma; Axonal neuritogenesis; Dibutyryl cyclic adenosine monophosphate (Shea, T.B.) 43, 97

D

Deafferentation

Synapse; Critical age; Development; Degeneration; Reinnervation (Westrum, L.E.) 42, 29

Deep cerebellar nucleus

Ventral thalamic nucleus; Developmental overgrowth; Targeting error; Dorsal column nucleus; Inferior colliculus (Asanuma, C.) 41, 159

Degeneration

Development; Cerebellum; Purkinje cell; Inferior olive; *Pcd* mutant (Shojaeian, H.) **38**, 211

Synapse; Deafferentation; Critical age; Development; Reinnervation (Westrum, L.E.) 42, 29

Dendrite

Retina; Ganglion cell; Axon; Polarity (Maffei, L.) 41, 185

Posteromedial barrel subfield; Somatosensory cortex; Overproduction; Golgi impregnation; Synapse loss (Greenough, W.T.) 43, 148

Dendritic competition

Retina; Ganglion cell (Perry, V.H.) 41, 195

Dendritic development

Cerebral cortex; Dendritic spine (Petit, T.L.) 41, 209

Dendritic growth

Hippocampus; Phenobarbital; Golgi-stained neuron; Prenatal; Drug exposure (Jacobson, C.D.) 44, 233

Dendritic spine

Odor exposure; Rat; Olfactory bulb development; Golgi technique; Granule cell (Rehn, B.) 40, 143

Dendritic development; Cerebral cortex (Petit, T.L.) 41, 209

Dentate

Hippocampus; Brain slice; Carbachol; θ-Activity; CA₁; Development (Konopacki, J.) **38**, 229

Dentate gyrus

Hippocampus; Estradiol receptor; Steroid; Development; Sexual dimorphism (Loy, R.) 39, 245

Neurogenesis; Hippocampus; Thymidine autoradiography; Somatostatin; Rat (Rapp, P.R.) 41, 231

Deoxyglucose

Early learning; Olfactory bulb development; *N*-Methyl-D-aspartic acid receptor (Lincoln, J.) **39**, 309

Fetal sheep; Cerebral glucose utilization; Rapid eye movement sleep (Abrams, R.M.) 40, 65

Auditory development; Central auditory system; Tonotopic organization (Ryan, A.F.) 41, 61

Brain development; Drug abuse; Pregnancy; Dopamine (Dow-Edwards, D.L.) **42**, 137

2-Deoxyglucose method Circadian rhythm; Suprachiasmatic nucleus: Development: Maternal

nucleus; Development; Maternal influence (Shibata, S.) 41, 313

Depolarization and neuronal maturation in culture
Cerebellar granule cell; Neuronal

maturation; Cerebellar culture; Stimulation-coupled release of amino acid transmitters; Depolarization and neuronal survival in culture (Balázs, R.) 40, 269

Depolarization and neuronal survival in culture

Cerebellar granule cell; Neuronal maturation; Cerebellar culture; Stimulation-coupled release of amino acid transmitters; Depolarization and neuronal maturation in culture (Balázs, R.) 40, 269

Developing brain

Endothelial fenestra; Blood-brain barrier; Rat fetus (Yoshida, Y.) 44, 211

Developing rat

Cholecalcin (28-kDa CaBP, calbindin); Cochlea; Receptor hair cell; Kölliker's organ; Thyroid deficiency; Vitamin D (Legrand, C.) 38, 121

Development

Isolated growth cone; Rat; Forebrain; Adenylate cyclase; Receptor agonist (Lockerbie, R.O.) 38, 19

Transsynaptic transport; Wheat germ agglutinin-horseradish peroxidase; Visual pathway (Itaya, S.K.) 38, 83

Polyamine; Sympathetic neuron; Survival; Axotomy; Immunosympathectomy (Gilad, G.M.) 38, 175

Degeneration; Cerebellum; Purkinje cell; Inferior olive; *Pcd* mutant (Shojaeian, H.) **38**, 211

Nerve growth factor (NGF); Laminin; Fibronectin; Dorsal root ganglion (DRG); Neuronal survival; Neurite outgrowth; Regeneration (Millaruelo, A.I.) 38, 219

Hippocampus; Brain slice; Carbachol; θ -Activity; CA₁; Dentate (Konopacki, J.) **38**, 229

Hippocampal slice; CA1 pyramidal cell; N-Methyl-p-aspartate; Quisqualate; Extracellular free calcium (Hamon, B.) 38, 286

Microtubule-associated protein; MAP2; MAP2c; Retina; Neuronal differentiation; Immunohistochemistry (Tucker, R.P.) 38, 313

Carp retina; Dopamine cell; Lucifer yellow; Intracellular injection (Teranishi, T.) **39**, 9

Neural crest; Neurogenesis; Sensory neuron; Neuronal differentiation; Substance P; Carbonic anhydrase; Neurofilament; Tyrosine hydroxylase; Dopamine-β-hydroxylase (Sieber-Blum, M.) 39, 69

Monoclonal antibody; Photoreceptor; Chick retina (Lemmon, V.) 39, 117

Cerebellum; Cell migration; 5'-Nucleotidase; Transmembrane

signalling; Wistar rat (Schoen, S.W.) 39, 125

Dorsal root reflex; Kitten; Spinal cord; Presynaptic inhibition (Bawa, P.) **39**, 145

Regeneration; Central nervous system (CNS) glia; Schwann cell; Optic nerve; Neural grafting (Giftochristos, N.) **39**, 149

Acetylcholine; Acetylcholinesterase; Nicotinic receptor; Muscarinic receptor; Rat visual cortex; Enucleation (Prusky, G.T.) 39, 154

Acetylcholine; Nicotine; Cat visual cortex; Receptor; Binding site (Prusky, G.T.) **39**, 161

Enkephalin; Opiate peptide; Catecholamine; Adrenal medulla; Transmitter phenotypic plasticity (La Gamma, E.F.) 39, 177

Hippocampus; Dentate gyrus; Estradiol receptor; Steroid; Sexual dimorphism (Loy, R.) 39, 245

Vomeronasal organ; Vascular pattern; India ink injection; Rat; Light microscopy (Szabó, K.) 39, 253

Vomeronasal organ; Vascular pattern; Neuroepithelial differentiation; Rat; Electron microscopy (Mendoza, A.S.) **39.** 259

Monoclonal antibody; Cell-surface antigen; Peripheral nervous system antigen; Myelin deficiency; Regeneration (Nieke, J.) 39, 281

Acetylcholinesterase; Choline acetyltransferase; Cortex; Enucleation; Transience (Robertson, R.T.) 39, 298

Cerebellum; Fluorescent retrograde tracer; Precerebellar nucleus (Payne, J.N.) 39, 313

Isolated growth cone; Rat; Substance P receptor; Pharmacology (Lockerbie, R.O.) 40, 1

Hippocampus; Somatostatin; Immunohistochemistry; In situ hybridization (Naus, C.C.G.) **40**, 113

Somatostatin receptor; Cerebellum; Granule cell; Autoradiography (Gonzalez, B.J.) 40, 154

Neurite outgrowth; Chick embryo; Spinal cord; Trophic factor (Thompson, J.M.) 40, 158

Hypothyroidism; Cerebellum; Glycoprotein 240-kDa (Bezamahouta, C.) **40**, 193

Cerebellum; Abnormal foliation; External granular layer; Layer expansion; Lobulation; Methylazoxymethanol (MAM) (Chen, S.) 40, 201

Spinal cord; Retina; Neurite; Substrate; Laminin; Polylysine; Collagen; Tissue culture (Pierce, S.T.) 40, 213 Inner ear; Calbindin (CaBP 28 kDa); Mouse; Immunocytochemistry (Dechesne, C.J.) 40, 233

Orientation selectivity; Direction selectivity; Rabbit; Visual cortex (Grigonis, A.M.) **40**, 315

Cortex; Enkephalin; Intracerebral graft; Neuropeptide Y; Tyrosine hydroxylase (Herman, J.P.) 40, 81

Acetylcholinesterase; Basal forebrain; Cerebral cortex; Lateral geniculate nucleus; Thalamocortical projection; Visual system (Robertson, R.T.) 41, 1

Cholinesterase; Intralaminar nucleus; Thalamus; Thalamocortical; Transient projection (Robertson, R.T.) 41, 43

Analgesia; Intrathecal; Receptor type; Noradrenaline; Clonidine; Noxious stimulus; Spinal cord (Hughes, H.E.) 41, 109

Morphine; Ketocyclazocine; 5,7-Dihydroxytryptamine; Opioid receptor; μ-Opioid receptor; Serotonin; Spinal cord; κ-Opioid receptor; Analgesia; Nociception; Thermal stimulus; Mechanical stimulus; Ontogeny (Giordano, J.) **41**, 121

Hippocampal slice; γ-Aminobutyric acid; Baclofen; Inhibition; Pyramidal cell; CA1; CA3 (Janigro, D.) **41**, 171

Neuron-specific enolase; Calbindin (CaBP 28 kDa); Human; Cochlea; Vestibule (Dechesne, C.J.) **41**, 221

Actin filament; Cerebellum; Thyroid hormone; Rat (Faivre-Sarrailh, C.) **41,** 293

Circadian rhythm; Suprachiasmatic nucleus; 2-Deoxyglucose method; Maternal influence (Shibata, S.) 41, 313

Pineal organ; Retina; Teleost; Photoreceptor; γ -Aminobutyric acid; Acetylcholine; S-antigen; α -Transducin (Östholm, T.) **42**, 1

Synapse; Deafferentation; Critical age; Degeneration; Reinnervation (Westrum, L.E.) 42, 29

Spinal cord; Dorsal horn; Trophic influence; Primary afferent; Peripheral nerve; Neuronal growth (Fitzgerald, M.) 42, 129

Enkephalin; Cochlea; Immunofluorescence; Guinea pig (Gil-Loyzaga, P.) **42**, 142

Growth cone; Cytoskeleton; Actin; Tubulin; Myosin (Gordon-Weeks, P.R.) 42, 156

Polysialoganglioside; Chicken; Rat; Brain; Monoclonal antibody Q 211 (Rösner, H.) 42, 161

Corpus callosum; Cortex; Cytoskeleton; Neurofilament; Visual system; Axon; Exuberancy (Figlewicz, D.A.) 42, 181

Hippocampus; Neurogenesis; Neuron death; House mouse (Wimer, R.E.) 42, 191

Cold-stable microtubule; Cerebrum; Rat (Faivre-Sarrailh, C.) 42, 199

H-reflex; Premature baby; Infant; Triceps surae; Hypothenar reflex (Hakamada, S.) **42**, 239

Striatum; Culture; γ-Aminobutyric acid; Leu-enkephalin; Immunocytochemistry (Surmeier, D.J.) **42,** 265

Immunocytochemistry; Tyrosine hydroxylase; Somatostatin; Substance P; Co-localization; Limbic structure (Verney, C.) 42, 45

Cell adhesion molecule; Reeler; Forebrain (Godfraind, C.) 42, 99

Auditory deprivation; Cochlear nucleus; Neuronal organelle; Morphometry; Metabolism; Synaptic competition; Genetic expression (Trune, D.R.) 42, 304

Basal lamina; Laminin; Neurite; Tissue culture; Regeneration; Central nervous system neuron (Schinstine, M.) 43, 23

Aggregation mechanism; Cell aggregation; Cerebellum; Glycosaminoglycan (Fischer, G.) **43**, 39

Somatostatin; Reeler; Immunohistochemistry; Neocortex (Naus, C.C.G.) 43, 61

Visual cortex; Immunocytochemistry; γ-Aminobutyric acid; Substance P; Neuropeptide (Huntley, G.W.) 43, 69

Acomys cahirinus; Myelination; Precocial species; Altricial species; Comparative neurobiology (Tessitore, C.) 43, 139

Hippocampus; Steroid receptor; Glucocorticoid; Mineralocorticoid; Early environment; Stress (Sarrieau, A.) 43, 158

Serotonin; Noradrenaline; Neocortex; Mouse (Hohmann, C.F.) **43,** 163

Kitten motoneuron; Somal size; Bimodal distribution (Tatton, W.G.) 43, 191

Phosphorylation; Cyclic adenosine monophosphate; Protein kinase; Chicken (Weinberger, R.P.) 43, 249

Phosphorylation; Chicken; Calcium; Calmodulin; Protein kinase (Weinberger, R.P.) 43, 259

Hypothalamus; Dissociated cell culture; Electrical activity; Extracellular patch recording; Electron microscopy (Legendre, P.) 43, 273

Optic nerve; Enucleation; Re-organization (Kirby, M.A.) 44, 37 Neuropeptide; Receptor (Pelaprat, D.) 44, 119

Peptide; Peroxidase-antiperoxidase technique; Spinal cord; Sympathetic nervous system (Newton, B.W.) 44, 161

5a-Reductase; Androgen; Central nervous system; Myelin; Oligodendrocyte (Melcangi, R.C.) **44,** 181

Corticobulbar projection; Sucking; Chewing; Mammal; Guinea pig (Iriki, A.) **44,** 189

Astroglia; Glial clone; Cerebellum; Cerebellar explant (Alliot, F.) 44, 247

Messenger RNA expression; Nerve growth factor receptor (Buck, C.R.) 44, 259

Muscarinic acetylcholine receptor; Monoclonal antibody; Cat; Primary visual cortex (Van Huizen, F.) 44, 296

Development and organization Rat cerebellum; Intracephalic transplantation; Explant culture; Neuronal survival (Ezerman, E.B.) 41, 253

Developmental cell death Neuron death; Neurotrophic factor (Linden, R.) **44,** 291

Developmental expression Proenkephalin mRNA; Enkephalin peptide; Striatum; Astrocyte (Schwartz, J.P.) 40, 311

Developmental overgrowth Ventral thalamic nucleus; Targeting error; Dorsal column nucleus; Deep cerebellar nucleus; Inferior colliculus (Asanuma, C.) **41**, 159

Developmental plasticity Opossum; Regeneration; Rubrospinal tract; Spinal cord (Martin, G.F.) **39**, 303

Developmental regulation Dopaminergic ontogeny; Rat dopaminergic system; Dopamine receptor; Brain development; Dopamine synthesis (Noisin, E.L.) 41, 241

Growth-associated protein; Axon growth; Synaptic plasticity; Immunocytochemistry (McGuire, C.B.) **41,** 277

Dibutyryl cyclic adenosine monophosphate

Neurofilament; Phosphorylation; Neuroblastoma; Axonal neuritogenesis; Cytoskeleton (Shea, T.B.) 43, 97

Differentiating nervous system Tubulin; Cold-stable microtubule; Axon; Isoelectric focusing; Mouse (Binet, S.) 38, 296

Differentiation

Gap junction; Myoblast; Neuron; Spinal cord; Ciliary ganglion; Chick embryo (Bonner, P.H.) 38, 233

Glial cell; Chromosomal basic protein $H_1^{\ 0}$; Proliferation; Short-chain fatty acid; Glucocorticoid; Cyclic adenosine monophoshate (Ortiz-Caro, J.) **42**, 229

α-Bungarotoxin; Cerebellum; Cyclic AMP; Nicotinic receptor; Morphology (Siegel, H.N.) **44**, 269

5,7-DihydroxytryptamineMorphine; Ketocyclazocine; Opioid receptor; μ-Opioid receptor; Serotonin; Spinal cord; κ-Opioid receptor; Analgesia; Nociception; Thermal stimulus; Mechanical stimulus; Development; Ontogeny

(Giordano, J.) 41, 121 Dimethadione method

42, 313

Cerebrospinal fluid pH; Cerebral cortex pH; Central nervous system acid-base regulation; Bicarbonate and pCO₂; Metabolic acidosis and alkalosis; Ontogeny of cell pH; Cell H ion homeostasis (Johanson, C.E.) **38**, 255

DipyridamoleNitrobenzylthioinosine; Adenosine
uptake site; Guinea pig (Deckert, J.)

Direction selectivity
Orientation selectivity; Rabbit; Visual
cortex; Development (Grigonis, A.M.)

40, 315

Dissociated cell culture
Hypothalamus; Development;
Electrical activity; Extracellular patch

recording; Electron microscopy (Legendre, P.) 43, 273 Dissociated culture

Acetylcholine iontophoresis; Intracellular electrophysiology; Fetal mouse; Ventral mesencephalon (Peacock, J.H.) 39, 217

DistressRhesus monkey, Infant; Separation;
Vocalization; Clonidine; Propranolol;

Vocalization; Clonidine; Propranolol; Adrenergic (Kalin, N.H.) **42**, 289 **Dopamine**

Deoxyglucose; Brain development; Drug abuse; Pregnancy (Dow-Edwards, D.L.) 42, 137

Dopamine cell Carp retina; Lucifer yellow; Intracellular injection; Development (Teranishi, T.) 39, 9

Dopamine neuronNeural grafting; In vitro culture; Rat;
Nigrostriatal pathway; Behavior
(Brundin, P.) 39, 233

Dopamine receptor
Dopaminergic ontogeny; Rat
dopaminergic system; Brain
development; Dopamine synthesis;
Developmental regulation
(Noisin, E.L.) 41, 241

Dopamine synthesis
Dopaminergic ontogeny; Rat

dopaminergic system; Dopamine receptor; Brain development; Developmental regulation (Noisin, E.L.) 41, 241

Dopamine-β-hydroxylase

Neural crest; Neurogenesis; Development; Sensory neuron; Neuronal differentiation; Substance P; Carbonic anhydrase; Neurofilament; Tyrosine hydroxylase (Sieber-Blum, M.) 39, 69

Dopaminergic cell

Cell culture; Ventral mesencephalon; γ-Aminobutyric acidergic cell; Electrophysiology; Calcium action potential; Mouse (Ort, C.A.) 39, 205

Dopaminergic ontogeny

Rat dopaminergic system; Dopamine receptor; Brain development; Dopamine synthesis; Developmental regulation (Noisin, E.L.) 41, 241

Dorsal column nuclei

Ventral thalamic nucleus; Developmental overgrowth; Targeting error; Deep cerebellar nucleus; Inferior colliculus (Asanuma, C.) 41, 159

Somatosensory cortex; Barrel; Ventrobasal nucleus; Trigeminal system; Pattern formation (Erzurumlu, R.S.) 44, 302

Dorsal horn

Spinal cord; Development; Trophic influence; Primary afferent; Peripheral nerve; Neuronal growth (Fitzgerald, M.) 42, 129

Dorsal root ganglion

Nerve growth factor (NGF); Laminin; Fibronectin; Neuronal survival; Neurite outgrowth; Development; Regeneration (Millaruelo, A.I.) 38, 219

Mouse; Trisomy 16; Down syndrome; Tissue culture; Patch-clamp; Action potential; Membrane current; Activation; Inactivation; Sodium (Orozco, C.B.) 38, 265

Nerve growth factor; Parasympathetic; Ciliary ganglion; Neurite outgrowth; Embryo; Avian; Sensory (Collins, F.) **39.** 111

Ganglioside GM3; Epi-GM3; Neuro-2A cell; PC-12 cell; Neuritogenesis (Cannella, M.S.) **39**, 137

Embryonic chick; Monosialoganglioside GM1; Conditioned medium; Neuritogenesis; Monoclonal antibody against GM1 (Spoerri, P.E.) 41, 71

Dorsal root reflex

Development; Kitten; Spinal cord; Presynaptic inhibition (Bawa, P.) **39**, 145

Down syndrome

Mouse; Trisomy 16; Tissue culture; Patch-clamp; Action potential; Membrane current; Activation;

Inactivation; Sodium; Dorsal root ganglion (Orozco, C.B.) 38, 265

Downregulation

Brain μ -receptor; Morphine; Tolerance; Neonate; Chronic agonist; Brain opioid receptor development (Tempel, A.) **41,** 129

Drug abuse

Deoxyglucose; Brain development; Pregnancy; Dopamine (Dow-Edwards, D.L.) 42, 137

Drug exposure

Hippocampus; Phenobarbital; Golgi-stained neuron; Dendritic growth; Prenatal (Jacobson, C.D.) 44, 233

E

Early enrichment

Hippocampus; Suckling experience; Nipple-shifting; Cortex; Cerebellum (Cramer, C.P.) **42**, 151

Early environment

Hippocampus; Steroid receptor; Glucocorticoid; Mineralocorticoid; Development; Stress (Sarrieau, A.) 43, 158

Early learning

Deoxyglucose; Olfactory bulb development; *N*-Methyl-p-aspartic acid receptor (Lincoln, J.) **39**, 309

Early lesion

Cell death; Collateral elimination; Soma size; Corticotectal projection; Hamster; Population matching (Pallas, S.L.) 43, 1

Electrical activity

Hypothalamus; Dissociated cell culture; Development; Extracellular patch recording; Electron microscopy (Legendre, P.) 43, 273

Electrical stimulation

Locomotion; In vitro; Brainstem-spinal cord (Atsuta, Y.) 42, 309

Electromyogram of stereotypic motion

Locomotion; Postural tremor; Motor development; Stepping behavior (Bradley, N.S.) 38, 37

Electromyogram of stereotypic movement

Motor development; Spinal cord transection; Postural control (Bradley, N.S.) 38, 69

Electron microscopy

Autoradiography; Peripheral nervous system; Schwann cell proliferation (Nilsson, I.) 38, 1

Topography; Competition; Regeneration; Fasciculation; Synaptogenesis; Horseradish peroxidase; Synaptic density (Hayes, W.P.) 38, 304

Development; Vomeronasal organ; Vascular pattern; Neuroepithelial differentiation; Rat (Mendoza, A.S.) 39, 259

Hypothalamus; Dissociated cell culture; Development; Electrical activity; Extracellular patch recording (Legendre, P.) 43, 273

Electrophysiology

Cerebral cortex; Cell culture; γ-Aminobutyric acidergic neuron; Immunocytochemistry (Alho, H.) 39, 193

Cell culture; Ventral mesencephalon; γ -Aminobutyric acidergic cell; Dopaminergic cell; Calcium action potential; Mouse (Ort, C.A.) **39**, 205

Optic fiber; Tectum; Regeneration; Correlation; Retinotopy; Hebb (Meyer, R.L.) 41, 25

Eletromyogram of stepping Treadmill locomotion; Airstepping; Spinal cord transection; Motor development (Bradley, N.S.) 38, 53

Elimination of quiescent astrocytes Combined epidermal growth factor and cytosine arabinoside treatment; Subcortical neuronal culture; Tissue culture; Cell proliferation (Patel, A.J.) 42, 283

Embryo

Nerve growth factor; Parasympathetic; Ciliary ganglion; Neurite outgrowth; Avian; Sensory; Dorsal root ganglion (Collins, F.) 39, 111

Benzodiazepine; γ-Aminobutyric acid; Chloride; Lorazepam (Miller, L.G.) 44, 241

Embryonic chick

Dorsal root ganglion; Monosialoganglioside GM1; Conditioned medium; Neuritogenesis; Monoclonal antibody against GM1 (Spoerri, P.E.) 41, 71

Embryonic development

Cultured neuron; Chick embryo; Glutamic acid decarboxylase; γ-Aminobutyric acid (GABA) phenotype; Neuronal plasticity (Mangoura, D.) 40, 25

Cultured neuron; Neuronal plasticity; Cholinergic phenotype; Choline acetyltransferase; Acetylcholinesterase; Cholinoceptive neuron (Mangoura, D.) 40, 37

Embryonic neuron

Olfactory nerve; Slow axonal transport (Cancalon, P.) 38, 275

Endothelial fenestra

Developing brain; Blood-brain barrier; Rat fetus (Yoshida, Y.) 44, 211

Enkephalin

Opiate peptide; Catecholamine; Adrenal medulla; Development; Transmitter phenotypic plasticity (La Gamma, E.F.) 39, 177

Cortex; Development; Intracerebral graft; Neuropeptide Y; Tyrosine hydroxylase (Herman, J.P.) 40, 81

Development; Cochlea; Immunofluorescence; Guinea pig (Gil-Loyzaga, P.) **42**, 142

Opioid; Preoptic area; Hypothalamus; Puberty; Estrogen (Watson, R.E.) **44**, 49

Enkephalin peptide

Proenkephalin mRNA; Developmental expression; Striatum; Astrocyte (Schwartz, J.P.) 40, 311

Enucleation

Acetylcholine; Acetylcholinesterase; Nicotinic receptor; Muscarinic receptor; Rat visual cortex; Development (Prusky, G.T.) 39, 154

Acetylcholinesterase; Choline acetyltransferase; Cortex; Development; Transience (Robertson, R.T.) 39, 298

Development; Optic nerve; Re-organization (Kirby, M.A.) 44, 37

Ependyma

Annular gap junction; Astrocyte; Glia; Goldfish; Neurosecretion; Preoptic Area; Radial glia (Gregory, W.A.) 42, 205

Epi-GM3

Ganglioside GM3; Neuro-2A cell; PC-12 cell; Dorsal root ganglion; Neuritogenesis (Cannella, M.S.) **39**, 137

Epidermal growth factor

Fibroblast growth factor; Astrocyte; Neuron; Neurotrophic factor; Cell culture (Walicke, P.A.) 40, 71

Epilepsy

Kindling; Kainic acid; Hippocampus (Thompson, J.L.) 38, 149

Kainic acid; Seizure; Hippocampus (Holmes, G.L.) 39, 51

Estradiol receptor

Hippocampus; Dentate gyrus; Steroid; Development; Sexual dimorphism (Loy, R.) 39, 245

Estrogen

Central nervous system; Insulin, in CNS; Insulin-like growth factor, in CNS; Neurite growth (Toran-Allerand, C.D.) 41, 87

Opioid; Enkephalin; Preoptic area; Hypothalamus; Puberty (Watson, R.E.) **44**, 49 Ethanol and brain neuronal membrane

Prenatal alcohol; Brain neuronal membrane order; Brain membrane fluidity and development (Vorhees, C.V.) 38, 161

Excitatory amino acid

Retina; Receptor maturation chick embryo (Somohano, F.) 42, 59

Explant culture

Rat cerebellum; Intracephalic transplantation; Development and organization; Neuronal survival (Ezerman, E.B.) 41, 253

Expression of excitability

Whole-cell voltage clamp; Inward membrane current; Neocortical neuron; Serum-free culture; Neuronal development (Ahmed, Z.) 40, 285

Whole-cell voltage clamp; Single-channel recording; Outward membrane current; Neocortical neuron; Neuronal development; Serum-free culture (Ahmed, Z.) 40, 297

External granular layer

Cerebellum; Abnormal foliation; Development; Layer expansion; Lobulation; Methylazoxymethanol (MAM) (Chen, S.) 40, 201

Extracellular free calcium

Hippocampal slice; CA1 pyramidal cell; N-Methyl-D-aspartate; Quisqualate; Development (Hamon, B.) 38, 286

Extracellular matrix

Basement membrane; Laminin; Neurite; Nerve regeneration (Danielsen, N.) 39, 39

Adhesion molecule; Glycosaminoglycan; N-CAM; L1 (Werz, W.) 43, 225

Extracellular patch recording

Hypothalamus; Dissociated cell culture; Development; Electrical activity; Electron microscopy (Legendre, P.) 43, 273

Extraocular neuron

Hemispherectomy; Newborn hamster; Cell death (Gonzalo, L.M.) 44, 309

Exuberancy

Corpus callosum; Cortex; Cytoskeleton; Neurofilament; Visual system; Axon; Development (Figlewicz, D.A.) 42, 181

ת

Fasciculation

Topography; Competition; Regeneration; Synaptogenesis; Horseradish peroxidase; Electron microscopy; Synaptic density (Hayes, W.P.) 38, 304

Fetal brain neurons in vitro

Neural cell adhesion molecule distribution; Immunogold staining (Nègre-Aminou, P.) 40, 171

Fetal mouse

Acetylcholine iontophoresis; Intracellular electrophysiology; Ventral mesencephalon; Dissociated culture (Peacock, J.H.) 39, 217

Fetal rat brain neurons in culture Stereological study; Cell differentiation; Synaptogenesis

Fetal sheep

Cerebral glucose utilization; Rapid eye movement sleep; Deoxyglucose (Abrams, R.M.) 40, 65

Fibroblast growth factor

(Massacrier, A.) 40, 161

Astrocyte; Neuron; Neurotrophic factor; Epidermal growth factor; Cell culture (Walicke, P.A.) 40, 71

Fibronectin

Nerve growth factor (NGF); Laminin; Dorsal root ganglion (DRG); Neuronal survival; Neurite outgrowth; Development; Regeneration (Millaruelo, A.I.) 38, 219

Fish brain

Freeze-fracture; Gap junction; Glia; Neuron; Neurosecretion; Preoptic; Radial glia (Gregory, W.A.) 44, 9

Fluorescent retrograde tracer Cerebellum; Development; Precerebellar nucleus (Payne, J.N.)

39, 313 **Flurothyl**

Seizure; Convulsion; Rat; Animal newborn (Sperber, E.F.) 39, 295

Forebrain

Isolated growth cone; Rat; Adenylate cyclase; Receptor agonist; Development (Lockerbie, R.O.) 38, 19

Cell adhesion molecule; Reeler; Development (Godfraind, C.) 42, 99

Calcitonin gene-related peptide; Ontogeny; Immunohistochemistry; Rat (Inagaki, S.) 43, 235

Freeze-fracture

Fish brain; Gap junction; Glia; Neuron; Neurosecretion; Preoptic; Radial glia (Gregory, W.A.) 44, 9

G

Galactocerebroside

Glial fibrillary acidic protein; Vimentin; 0-Antigen; Astrocyte; Müller cell;

Oligodendrocyte; Rabbit retina (Schnitzer, J.) 44, 59

Ganglion cell

Retina; Dendrite; Axon; Polarity (Maffei, L.) 41, 185

Retina; Dendritic competition (Perry, V.H.) 41, 195

Ganglioside GM3

Epi-GM3; Neuro-2A cell; PC-12 cell; Dorsal root ganglion; Neuritogenesis (Cannella, M.S.) 39, 137

Gap junction

Myoblast; Neuron; Spinal cord; Ciliary ganglion; Differentiation; Chick embryo (Bonner, P.H.) 38, 233

Glia; Goldfish; Neuron; Neurosecretory cell; Preoptic; Satellite cell; Trophospongium (Gregory, W.A.)

Fish brain; Freeze-fracture; Glia; Neuron; Neurosecretion; Preoptic; Radial glia (Gregory, W.A.) 44, 9

Sexual differentiation; Sexually dimorphic nucleus; Human hypothalamus; Preoptic area; Human brain development; Sexual orientation (Swaab, D.F.) 44, 314

Genetic expression

Auditory deprivation; Cochlear nucleus; Neuronal organelle; Morphometry; Development; Metabolism; Synaptic competition (Trune, D.R.) 42, 304

Annular gap junction; Astrocyte; Ependyma; Goldfish; Neurosecretion; Preoptic Area; Radial glia (Gregory, W.A.) 42, 205

Gap junction; Goldfish; Neuron; Neurosecretory cell; Preoptic; Satellite cell; Trophospongium (Gregory, W.A.)

Fish brain; Freeze-fracture; Gap junction; Neuron; Neurosecretion; Preoptic; Radial glia (Gregory, W.A.) 44, 9

Glia maturation

Schwann cell; Immunoreactivity; Glia maturation factor (GMF) (Lim, R.) 40, 277

Glia maturation factor (GMF) Glia maturation; Schwann cell; Immunoreactivity (Lim, R.) 40, 277

Glial cell

Retina; Superior colliculus; Tissue culture; Neurite; Visual system (McLoon, L.K.) 39, 61

Cortical cell; Somatostatin; Cytosine arabinoside; Glial fibrillary acidic protein; Vimentin; Glutamate (Pares-Herbuté, N.) 40, 89

Chromosomal basic protein H₁⁰; Proliferation; Differentiation; Short-chain fatty acid; Glucocorticoid; Cyclic adenosine monophoshate (Ortiz-Caro, J.) 42, 229

Glial clone

Astroglia; Cerebellum; Development; Cerebellar explant (Alliot, F.) 44, 247

Glial development

Neural cell culture; Human fetal brain; Type I astrocyte; Type II astrocyte; Monoclonal antibody A2B5 (Elder, G.A.) 42, 146

Glial differentiation

Oligodendrocyte; Surface antigen; Astrocyte; Antigen expression (Kuhlmann-Krieg, S.) 39, 269

Glial fibrillary acidic protein Immunohistochemistry; Reactive astrocyte; Brain injury; Vimentin (Takamiya, Y.) 38, 201

Cortical cell; Glial cell; Somatostatin; Cytosine arabinoside; Vimentin; Glutamate (Pares-Herbuté, N.) 40, 89

Cytokeratin; Vimentin; Neurofilament; Amphibian (Szaro, B.G.) 43, 207

Vimentin; Galactocerebroside; 0-Antigen; Astrocyte; Müller cell; Oligodendrocyte; Rabbit retina (Schnitzer, J.) 44, 59

Neuroglia; Axon bundle; Blood vessel; Hyaloid artery (Ling, T.) 44, 73

Glial marker

Neuronal transplantation; Retinal grafting (Seiler, M.) 43, 111

Glucocorticoid

Glial cell; Chromosomal basic protein H₁⁰; Proliferation; Differentiation; Short-chain fatty acid; Cyclic adenosine monophoshate (Ortiz-Caro, J.) 42, 229

Hippocampus; Steroid receptor; Mineralocorticoid; Development; Early environment; Stress (Sarrieau, A.) 43, 158

Glucocorticoid receptor

Immunocytochemistry; Ontogeny; Brain; Rat (Rosenfeld, P.) 42, 119

Cortical cell; Glial cell; Somatostatin; Cytosine arabinoside; Glial fibrillary acidic protein; Vimentin (Pares-Herbuté, N.) 40, 89

Glutamatergic transmission Glutaminase; Hippocampal formation;

Postnatal development; Histophotometrical determination (Wolf, G.) 41, 101

Glutamic acid decarboxylase

Methylmercury; Somatostatin; γ-Aminobutyric acid (GABA); Cerebral cortex; Striatum; Postnatal development; Cerebral palsy (O'Kusky, J.R.) 40, 11

Embryonic development; Cultured

neuron; Chick embryo; γ-Aminobutyric acid (GABA) phenotype; Neuronal plasticity (Mangoura, D.) 40, 25

γ-Aminobutyric acid; Rat; Immunocytochemistry; Light microscopy (Seress, L.) 44, 197

Hippocampal formation; Postnatal development; Glutamatergic transmission; Histophotometrical determination (Wolf, G.) 41, 101

Glutamine synthetase

Co-culture of neuronal cells; Co-culture of astrocytes; Neuron conditioned medium; Neuronal substratum (Hayashi, M.) 41, 37

Glutathione peroxidase

Anti-oxidant enzyme; Hypoxia; Brain; Superoxide dismutase; Catalase (Mishra, O.P.) 42, 173

Glycoprotein

Superior cervical ganglion; Sympathetic nerve; Myelin protein; Myelin basic protein (Inuzuka, T.) 38, 191

Glycoprotein 240-kDa

Development; Hypothyroidism; Cerebellum (Bezamahouta, C.) 40, 193

Glycosaminoglycan

Adhesion molecule; Extracellular matrix; N-CAM; L1 (Werz, W.) 43, 225

Aggregation mechanism; Cell aggregation; Cerebellum; Development (Fischer, G.) 43, 39

Goldfish

Annular gap junction; Astrocyte; Ependyma; Glia; Neurosecretion; Preoptic Area; Radial glia (Gregory, W.A.) 42, 205

Gap junction; Glia; Neuron; Neurosecretory cell; Preoptic; Satellite cell; Trophospongium (Gregory, W.A.)

Golgi impregnation

Posteromedial barrel subfield; Somatosensory cortex; Dendrite; Overproduction; Synapse loss (Greenough, W.T.) 43, 148

Golgi technique

Odor exposure; Rat; Dendritic spine; Olfactory bulb development; Granule cell (Rehn, B.) 40, 143

Golgi-stained neuron

Hippocampus; Phenobarbital; Dendritic growth; Prenatal; Drug exposure (Jacobson, C.D.) 44, 233

Granule cell

Odor exposure; Rat; Dendritic spine; Olfactory bulb development; Golgi technique (Rehn, B.) 40, 143

Somatostatin receptor; Cerebellum; Development; Autoradiography

(Gonzalez, B.J.) 40, 154

Noradrenaline; Olfactory bulb development; Synaptic inhibition; Propranolol; Isoproterenol; Postnatal rat (Wilson, D.A.) 42, 69

Growth and elimination

Corticospinal axon; Rat (Schreyer, D.J.) 38, 103

Growth cone

Calcium current; Rat embryo: Intercostal nerve (Ziskind-Conhaim, L.) 42, 15

Cytoskeleton; Development; Actin; Tubulin; Myosin (Gordon-Weeks, P.R.) 42, 156

Growth factor

Limb regeneration; Newt; Neurotrophic factor; Spinal cord; Organ culture (Boilly, B.) 38, 155

Astrocyte; Proliferation; Peptide; Culture; Regeneration (Carlone, R.L.) 39, 97

Growth-associated protein Developmental regulation; Axon growth; Synaptic plasticity Immunocytochemistry (McGuire, C.B.) 41, 277

Guinea pig

Enkephalin; Development; Cochlea; Immunofluorescence (Gil-Loyzaga, P.) 42, 142

 α_1 -Receptor; α_2 -Receptor; Prazosin; p-Aminoclonidine; Quantitative autoradiography; Ventromedial hypothalamic nucleus; Sexual behavior (Johnson, A.E.) 42, 247

Nitrobenzylthioinosine; Dipyridamole; Adenosine uptake site (Deckert, J.) 42, 313

Development; Corticobulbar projection; Sucking; Chewing; Mammal (Iriki, A.) 44, 189

Gunn rat

Auditory development; Bilirubin encephalopathy; Brainstem auditory evoked potential; Hyperbilirubinemia; Neonatal jaundice (Shapiro, S.M.) 41, 147

Hamster

Cell death; Collateral elimination; Soma size; Corticotectal projection; Early lesion; Population matching (Pallas, S.L.) 43, 1

Cell death; Collateral elimination; Soma size; Corpus callosum;

Neocortex: Population matching (Windrem, M.S.) 43, 13

Hebb

Optic fiber; Tectum; Regeneration; Correlation; Retinotopy; Electrophysiology (Meyer, R.L.) 41, 25

Hemispherectomy

Newborn hamster; Extraocular neuron; Cell death (Gonzalo, L.M.) 44, 309

Hippocampal formation

Glutaminase; Postnatal development; Glutamatergic transmission; Histophotometrical determination (Wolf, G.) 41, 101

Hippocampal slice

CA1 pyramidal cell; N-Methyl-D-aspartate; Quisqualate; Extracellular free calcium; Development (Hamon, B.) 38, 286

γ-Aminobutyric acid; Baclofen; Inhibition; Development; Pyramidal cell; CA1; CA3 (Janigro, D.) 41, 171

Hippocampus

Kindling; Kainic acid; Epilepsy (Thompson, J.L.) 38, 149

Brain slice; Carbachol; θ -Activity; CA1; Dentate; Development (Konopacki, J.) 38, 229

Kainic acid; Epilepsy; Seizure (Holmes, G.L.) 39, 51

Dentate gyrus; Estradiol receptor; Steroid; Development; Sexual dimorphism (Loy, R.) 39, 245

Somatostatin; Development; Immunohistochemistry; In situ hybridization (Naus, C.C.G.) 40, 113

Neurogenesis; Dentate gyrus; Thymidine autoradiography; Somatostatin; Rat (Rapp, P.R.) 41, 231

Corticosteroid receptor; Ontogeny; Rat (Rosenfeld, P.) 42, 113

Suckling experience; Early enrichment; Nipple-shifting; Cortex; Cerebellum (Cramer, C.P.) 42, 151

Development; Neurogenesis; Neuron death; House mouse (Wimer, R.E.) 42, 191

Steroid receptor; Glucocorticoid; Mineralocorticoid; Development; Early environment; Stress (Sarrieau, A.) 43, 158

Thymidine: Autoradiography; Reptile; Postnatal neurogenesis; Cerebral cortex (Lopez-Garcia, C.) 43, 167

Phenobarbital; Golgi-stained neuron; Dendritic growth; Prenatal; Drug exposure (Jacobson, C.D.) 44, 233

Histogenesis

Astroglia; Immunohistochemistry; Mouse brain; Neocortex; Cerebellum; Striatum; Spinal cord (Misson, J.-P.) 44, 95

Histophotometrical determination Glutaminase; Hippocampal formation; Postnatal development; Glutamatergic transmission (Wolf, G.) 41, 101

Horseradish peroxidase Topography; Competition; Regeneration; Fasciculation; Synaptogenesis; Electron microscopy; Synaptic density (Hayes, W.P.) 38, 304

Rat; Olfaction; Septal organ; Ontogenesis (Astic, L.) 42, 297

Horseradish peroxidase axonal tracing in vitro

Neuritic differentiation; Inferior olive; Rat embryo (Bourrat, F.) 39, 19

Horseradish peroxidase/ immunohistochemistry combined Postnatal development; Corticotropin-releasing factor; Rat cerebral cortex; Cobalt-enhanced immunohistochemistry; Afferent connection (Sakanaka, M.) 43, 175

House mouse

Hippocampus; Development; Neurogenesis; Neuron death (Wimer, R.E.) 42, 191

H-reflex

Development; Premature baby; Infant; Triceps surae; Hypothenar reflex (Hakamada, S.) 42, 239

Opioid; Ontogeny; Brain (Magnan, J.) **38**, 300

Neuron-specific enolase; Calbindin (CaBP 28 kDa); Development; Cochlea; Vestibule (Dechesne, C.J.) 41, 221

Human brain development Sexual differentiation; Sexually dimorphic nucleus; Human hypothalamus; Preoptic area; Sexual orientation; Gender (Swaab, D.F.) 44, 314

Human fetal brain

Neural cell culture; Type I astrocyte; Type II astrocyte; Monoclonal antibody A2B5; Glial development (Elder, G.A.) 42, 146

Human hypothalamus

Sexual differentiation; Sexually dimorphic nucleus; Preoptic area; Human brain development; Sexual orientation; Gender (Swaab, D.F.) 44, 314

Hyaloid artery

Neuroglia; Axon bundle; Blood vessel; Glial fibrillary acidic protein (Ling, T.) 44. 73

Hyperbilirubinemia

Auditory development; Bilirubin encephalopathy; Brainstem auditory evoked potential; Gunn rat; Neonatal jaundice (Shapiro, S.M.) 41, 147

Hypertension development Angiotensin II sensitive neuron; Organum vasculosum laminae terminalis; Angiotensin binding; Spontaneously hypertensive rat (SHR); Normotensive Wistar-Kyoto rat (WKY); Brain slice technique (Nelson, D.O.) 39, 105

Hypogastric ganglion

Tyrosine hydroxylase; Choline acetyltransferase; Testosterone; Organization (Melvin, J.E.) 38, 131

Hypothalamus

Dissociated cell culture; Development; Electrical activity; Extracellular patch recording; Electron microscopy (Legendre, P.) 43, 273

Opioid; Enkephalin; Preoptic area; Puberty; Estrogen (Watson, R.E.) **44,** 49

Hypothenar reflex

H-reflex; Development; Premature baby; Infant; Triceps surae (Hakamada, S.) 42, 239

Hypothyroidism

Development; Cerebellum; Glycoprotein 240-kDa (Bezamahouta, C.) **40**, 193

Hypoxia

Anti-oxidant enzyme; Brain; Superoxide dismutase; Catalase; Glutathione peroxidase (Mishra, O.P.) 42, 173

I

Immunocytochemistry

Cerebral cortex; Cell culture; γ-Aminobutyric acidergic neuron; Electrophysiology (Alho, H.) **39**, 193

Inner ear; Calbindin (CaBP 28 kDa); Development; Mouse (Dechesne, C.J.) 40, 233

Growth-associated protein; Developmental regulation; Axon growth; Synaptic plasticity (McGuire, C.B.) 41, 277

Tyrosine hydroxylase; Somatostatin; Substance P; Co-localization; Development; Limbic structure (Verney, C.) 42, 45

Central nervous system regeneration; Retinal ganglion cell; Neuronal culture; Adult mammalian central nervous system (Wigley, C.B.) 42, 85

Glucocorticoid receptor; Ontogeny; Brain; Rat (Rosenfeld, P.) 42, 119

Striatum; Culture; γ-Aminobutyric acid; Leu-enkephalin; Development (Surmeier, D.J.) **42**, 265

Visual cortex; Development; γ-Aminobutyric acid; Substance P; Neuropeptide (Huntley, G.W.) 43, 69

γ-Aminobutyric acid; Glutamate decarboxylase; Rat; Light microscopy (Seress, L.) 44, 197

Immunofluorescence

Enkephalin; Development; Cochlea; Guinea pig (Gil-Loyzaga, P.) 42, 142

Immunogold staining

Fetal brain neurons in vitro; Neural cell adhesion molecule distribution (Nègre-Aminou, P.) 40, 171

Immunohistochemistry

Radial glial cell; Cerebral cortex; Lineage; Autoradiography (Misson, J.-P.) 38, 183

Reactive astrocyte; Brain injury; Glial fibrillary acidic protein (GFAP); Vimentin (Takamiya, Y.) 38, 201

Microtubule-associated protein; MAP2; MAP2c; Retina; Development; Neuronal differentiation (Tucker, R.P.) 38, 313

Hippocampus; Somatostatin; Development; In situ hybridization (Naus, C.C.G.) **40**, 113

Somatostatin; Reeler; Development; Neocortex (Naus, C.C.G.) 43, 61

Micturition reflex; Newborn rat; Capsaicin; Sensory innervation; Substance P-like immunoreactivity (Maggi, C.A.) 43, 183

Calcitonin gene-related peptide; Ontogeny; Forebrain; Rat (Inagaki, S.) 43, 235

Astroglia; Mouse brain; Neocortex; Cerebellum; Striatum; Spinal cord; Histogenesis (Misson, J.-P.) 44, 95

Immunoreactivity

Glia maturation; Schwann cell; Glia maturation factor (GMF) (Lim, R.) 40, 277

Immunosympathectomy

Polyamine; Sympathetic neuron; Development; Survival; Axotomy (Gilad, G.M.) 38, 175

In situ hybridization

Hippocampus; Somatostatin; Development; Immunohistochemistry (Naus, C.C.G.) **40**, 113

In vitro

Locomotion; Brainstem-spinal cord; Electrical stimulation (Atsuta, Y.) **42**, 309

In vitro culture

Neural grafting; Rat; Dopamine neuron; Nigrostriatal pathway; Behavior (Brundin, P.) 39, 233

Inactivation

Mouse; Trisomy 16; Down syndrome; Tissue culture; Patch-clamp; Action potential; Membrane current; Activation; Sodium; Dorsal root ganglion (Orozco, C.B.) 38, 265

Inbred strain

Myelin basic protein; Oligodendrocyte; Culture medium (Barbarese, E.) **39,** 183

India ink injection

Development; Vomeronasal organ; Vascular pattern; Rat; Light microscopy (Szabó, K.) 39, 253

Infant

H-reflex; Development; Premature baby; Triceps surae; Hypothenar reflex (Hakamada, S.) **42**, 239

Inferior colliculus

Ventral thalamic nucleus; Developmental overgrowth; Targeting error; Dorsal column nucleus; Deep cerebellar nucleus (Asanuma, C.) 41. 159

Inferior olive

Development; Degeneration; Cerebellum; Purkinje cell; *Pcd* mutant (Shojaeian, H.) **38**, 211

Neuritic differentiation; Horseradish peroxidase axonal tracing in vitro; Rat embryo (Bourrat, F.) 39, 19

Inhibition

Hippocampal slice; γ -Aminobutyric acid; Baclofen; Development; Pyramidal cell; CA1; CA3 (Janigro, D.) **41,** 171

Inner ear

Calbindin (CaBP 28 kDa); Development; Mouse; Immunocytochemistry (Dechesne, C.J.) 40, 233

Inner plexiform layer Retina; Stratification; Bipolar cell (Maslim, J.) 44, 87

Insulin

Postnatal development; Insulin-like growth factor 1; Receptor; Tyrosine kinase (Pomerance, M.) 42, 77

Insulin, in CNS

Central nervous system; Estrogen; Insulin-like growth factor, in CNS; Neurite growth (Toran-Allerand, C.D.) 41, 87

Insulin-like growth factor 1 Postnatal development; Insulin; Receptor; Tyrosine kinase (Pomerance, M.) 42, 77

Insulin-like growth factor, in CNS Central nervous system; Estrogen; Insulin, in CNS; Neurite growth (Toran-Allerand, C.D.) 41, 87

Intercostal nerve

Calcium current; Growth cone; Rat embryo (Ziskind-Conhaim, L.) 42, 15

Intermediate filament

Neurofilament; Vimentin; Neuroblastoma; Neuronal differentiation; Cytoskeleton; Colchicine (Shea, T.B.) 41, 298

Intracellular electrophysiology Acetylcholine iontophoresis; Fetal mouse; Ventral mesencephalon; Dissociated culture (Peacock, J.H.) 39, 217

Intracellular injection

Carp retina; Dopamine cell; Lucifer yellow; Development (Teranishi, T.) **39,** 9

Intracephalic transplantation

Rat cerebellum; Explant culture; Development and organization; Neuronal survival (Ezerman, E.B.) 41, 253

Intracerebral graft

Cortex; Development; Enkephalin; Neuropeptide Y; Tyrosine hydroxylase (Herman, J.P.) 40, 81

Intralaminar nucleus

Cholinesterase; Development; Thalamus; Thalamocortical; Transient projection (Robertson, R.T.) 41, 43

Intrathecal

Development; Analgesia; Receptor type; Noradrenaline; Clonidine; Noxious stimulus; Spinal cord (Hughes, H.E.) 41, 109

Inward membrane current

Whole-cell voltage clamp; Expression of excitability; Neocortical neuron; Serum-free culture; Neuronal development (Ahmed, Z.) 40, 285

Isoelectric focusing

Tubulin; Cold-stable microtubule; Axon; Differentiating nervous system; Mouse (Binet, S.) 38, 296

Isolated growth cone

Rat; Forebrain; Adenylate cyclase; Receptor agonist; Development (Lockerbie, R.O.) 38, 19

Rat; Substance P receptor; Pharmacology; Development (Lockerbie, R.O.) 40, 1

Isoproterenol

Noradrenaline; Olfactory bulb development; Synaptic inhibition; Granule cell; Propranolol; Postnatal rat (Wilson, D.A.) 42, 69

J

Junctional complex

Oligodendrocyte; Cytoplasmic process; Leukodystrophy; Aberrant myelination (Suzuki, K.) 38, 167



Kainic acid

Kindling; Epilepsy; Hippocampus (Thompson, J.L.) 38, 149

Epilepsy; Seizure; Hippocampus (Holmes, G.L.) **39**, 51

Ketocyclazocine

Morphine; 5,7-Dihydroxytryptamine; Opioid receptor; μ-Opioid receptor; Serotonin; Spinal cord; κ-Opioid receptor; Analgesia; Nociception; Thermal stimulus; Mechanical stimulus; Development; Ontogeny (Giordano, J.) 41, 121

Kindling

Kainic acid; Epilepsy; Hippocampus (Thompson, J.L.) 38, 149

Kitten

Dorsal root reflex; Development; Spinal cord; Presynaptic inhibition (Bawa, P.) **39**, 145

Kitten motoneuron

Development; Somal size; Bimodal distribution (Tatton, W.G.) 43, 191

Kölliker's organ

Cholecalcin (28-kDa CaBP, calbindin); Cochlea; Receptor hair cell; Developing rat; Thyroid deficiency; Vitamin D (Legrand, C.) 38, 121



L1

Adhesion molecule; Extracellular matrix; Glycosaminoglycan; N-CAM (Werz, W.) 43, 225

Laminin

Nerve growth factor (NGF); Fibronectin; Dorsal root ganglion (DRG); Neuronal survival; Neurite outgrowth; Development; Regeneration (Millaruelo, A.I.) 38, 219

Basement membrane; Neurite; Nerve regeneration; Extracellular matrix (Danielsen, N.) **39**, 39

Nerve growth factor; L-cell; Neurite-promoting factor; Pheochromocytoma (PC12) cell (Pantazis, N.J.) **40**, 123

Spinal cord; Retina; Neurite; Substrate; Polylysine; Collagen; Development; Tissue culture (Pierce, S.T.) 40, 213

Basal lamina; Neurite; Tissue culture; Regeneration; Development; Central

nervous system neuron (Schinstine, M.) 43, 23

Lateral geniculate nucleus

Visual deprivation; Reverse suture; Primate (Sloper, J.J.) **40**, 47

Visual deprivation; Primate (Sloper, J.J.) 40, 61

Acetylcholinesterase; Basal forebrain; Cerebral cortex; Development; Thalamocortical projection; Visual system (Robertson, R.T.) 41, 1

Layer expansion

Cerebellum; Abnormal foliation; Development; External granular layer; Lobulation; Methylazoxymethanol (MAM) (Chen, S.) 40, 201

L-cell

Nerve growth factor; Laminin; Neurite-promoting factor; Pheochromocytoma (PC12) cell (Pantazis, N.J.) 40, 123

Learning

Chick; Synapse; Protein synthesis inhibition; State dependency (Bradley, P.M.) 40, 243

Leu-enkephalin

Striatum; Culture; γ-Aminobutyric acid; Development; Immunocytochemistry (Surmeier, D.J.) 42, 265

Leukodystrophy

Oligodendrocyte; Cytoplasmic process; Aberrant myelination; Junctional complex (Suzuki, K.) 38, 167

Light microscopy

Development; Vomeronasal organ; Vascular pattern; India ink injection; Rat (Szabó, K.) 39, 253

γ-Aminobutyric acid; Glutamate decarboxylase; Rat; Immunocytochemistry (Seress, L.) 44, 197

Limb regeneration

Newt; Neurotrophic factor; Growth factor; Spinal cord; Organ culture (Boilly, B.) 38, 155

Limbic structure

Immunocytochemistry; Tyrosine hydroxylase; Somatostatin; Substance P; Co-localization; Development (Verney, C.) 42, 45

Lineage

Radial glial cell; Cerebral cortex; Immunohistochemistry; Autoradiography (Misson, J.-P.) 38, 183

Lobulation

Cerebellum; Abnormal foliation; Development; External granular layer; Layer expansion; Methylazoxymethanol (MAM) (Chen, S.) 40, 201

Locomotion

Postural tremor; Motor development; Stepping behavior; Electromyogram of stereotypic motion (Bradley, N.S.) **38,** 37

In vitro; Brainstem-spinal cord; Electrical stimulation (Atsuta, Y.) **42,** 309

Locus ceruleus

Sex difference; Noradrenergic system (Guillamón, A.) 40, 306

Lorazepam

Benzodiazepine; γ-Aminobutyric acid; Chloride; Embryo (Miller, L.G.) **44,** 241

Lucifer yellow

Carp retina; Dopamine cell; Intracellular injection; Development (Teranishi, T.) 39, 9

M

Main olfactory system

Sex difference; Bed nucleus of the stria terminalis; Vomeronasal system; Sex steroid (Guillamón, A.) 44, 281

Mammal

Development; Corticobulbar projection; Sucking; Chewing; Guinea pig (Iriki, A.) 44, 189

MAP2

Microtubule-associated protein; MAP2c; Retina; Development; Neuronal differentiation; Immunohistochemistry (Tucker, R.P.) 38, 313

MAP2c

Microtubule-associated protein; MAP2; Retina; Development; Neuronal differentiation; Immunohistochemistry (Tucker, R.P.) 38, 313

Maternal influence

Circadian rhythm; Suprachiasmatic nucleus; Development; 2-Deoxyglucose method (Shibata, S.) 41, 313

Mechanical stimulus

Morphine; Ketocyclazocine; 5,7-Dihydroxytryptamine; Opioid receptor; μ-Opioid receptor; Serotonin; Spinal cord; κ-Opioid receptor; Analgesia; Nociception; Thermal stimulus; Development; Ontogeny (Giordano, J.) 41, 121

Membrane current

Mouse; Trisomy 16; Down syndrome; Tissue culture; Patch-clamp; Action potential; Activation; Inactivation; Sodium; Dorsal root ganglion (Orozco, C.B.) 38, 265

Messenger RNA expression Development; Nerve growth factor receptor (Buck, C.R.) 44, 259 Met-enkephalin

Met-enkephalin-Arg-Phe; Vasoactive intestinal polypeptide; Neuronal development; Peptidergic neuron ontogeny; Spinal cord (Eiden, L.E.) 44, 141

Met-enkephalin-Arg-Phe

Met-enkephalin; Vasoactive intestinal polypeptide; Neuronal development; Peptidergic neuron ontogeny; Spinal cord (Eiden, L.E.) 44, 141

Metabolic acidosis and alkalosis Cerebrospinal fluid pH; Cerebral cortex pH; Central nervous system acid-base regulation; Dimethadione method; Bicarbonate and pCO₂; Ontogeny of cell pH; Cell H ion homeostasis (Johanson, C.E.) 38, 255

Metabolism

Auditory deprivation; Cochlear nucleus; Neuronal organelle; Morphometry; Development; Synaptic competition; Genetic expression (Trune, D.R.) 42, 304

Metamorphosis

Thiourea; Amphibian; Axon turnover; Bilateral effect; Target-dependency of nerve (Schönenberger, N.) 40, 253

Methylazoxymethanol (MAM)

Cerebellum; Abnormal foliation; Development; External granular layer; Layer expansion; Lobulation (Chen, S.) 40, 201

Methylmercury

Somatostatin; Glutamic acid decarboxylase (GAD); γ-Aminobutyric acid (GABA); Cerebral cortex; Striatum; Postnatal development; Cerebral palsy (O'Kusky, J.R.) 40, 11

N-Methyl-D-aspartate

Hippocampal slice; CA1 pyramidal cell; Quisqualate; Extracellular free calcium; Development (Hamon, B.) 38, 286

N-Methyl-p-aspartic acid receptor Early learning; Deoxyglucose; Olfactory bulb development (Lincoln, J.) 39, 309

Microtubule-associated protein MAP2; MAP2c; Retina; Development; Neuronal differentiation; Immunohistochemistry (Tucker, R.P.) 38, 313

Mutant mouse; Cerebellum; Tau protein (Brion, J.P.) 44, 221

Microtubule-associated protein 1B Neuronal cell; Thyroid hormone; Neurite (Hargreaves, A.) 38, 141

Microvascular

Angiogenesis; Occipital cortex; Neural plasticity; Stereology; Rat (Sirevaag, A.M.) 43, 299

Micturition reflex

Newborn rat; Capsaicin; Sensory innervation; Substance P-like

immunoreactivity; Immunohistochemistry (Maggi, C.A.) 43, 183

Mineralocorticoid

Hippocampus; Steroid receptor; Glucocorticoid; Development; Early environment; Stress (Sarrieau, A.) 43, 158

Monoclonal antibody

Photoreceptor; Chick retina; Development (Lemmon, V.) 39, 117

Cell-surface antigen; Peripheral nervous system antigen; Myelin deficiency; Development; Regeneration (Nieke, J.) 39, 281

Muscarinic acetylcholine receptor; Cat; Primary visual cortex; Development (Van Huizen, F.) **44**, 296

Monoclonal antibody A2B5 Neural cell culture; Human fetal brain; Type I astrocyte; Type II astrocyte; Glial development (Elder, G.A.) 42, 146

Monoclonal antibody against GM1 Embryonic chick; Dorsal root ganglion; Monosialoganglioside GM1; Conditioned medium; Neuritogenesis (Spoerri, P.E.) 41, 71

Monoclonal antibody Q 211 Polysialoganglioside; Chicken; Rat; Brain; Development (Rösner, H.) 42, 161

Monocular deprivation

γ-Aminobutyric acid (GABA); Receptor; Cat visual cortex; Plasticity (Shaw, C.) 40, 148

Monosialoganglioside GM1

Embryonic chick; Dorsal root ganglion; Conditioned medium; Neuritogenesis; Monoclonal antibody against GM1 (Spoerri, P.E.) 41, 71

Morphine

Ketocyclazocine; 5,7-Dihydroxytryptamine; Opioid receptor; μ-Opioid receptor; Serotonin; Spinal cord; κ-Opioid receptor; Analgesia; Nociception; Thermal stimulus; Mechanical stimulus; Development; Ontogeny (Giordano, J.) 41, 121

Downregulation; Brain μ -receptor; Tolerance; Neonate; Chronic agonist; Brain opioid receptor development (Tempel, A.) 41, 129

Morphogenesis

Neocortex; Cholinergic basal forebrain; Mouse (Hohmann, C.F.) 42, 253

Morphology

α-Bungarotoxin; Cerebellum; Cyclic AMP; Differentiation; Nicotinic receptor (Siegel, H.N.) 44, 269

Morphometry

Auditory deprivation; Cochlear nucleus; Neuronal organelle; Development; Metabolism; Synaptic competition; Genetic expression (Trune, D.R.) 42, 304

Motor development

Locomotion; Postural tremor; Stepping behavior; Electromyogram of stereotypic motion (Bradley, N.S.) 38, 37

Treadmill locomotion; Airstepping; Eletromyogram of stepping; Spinal cord transection (Bradley, N.S.) 38, 53

Electromyogram of stereotypic movement; Spinal cord transection; Postural control (Bradley, N.S.) 38, 69

Mouse

Trisomy 16; Down syndrome; Tissue culture; Patch-clamp; Action potential; Membrane current; Activation; Inactivation; Sodium; Dorsal root ganglion (Orozco, C.B.) 38, 265

Tubulin; Cold-stable microtubule; Axon; Differentiating nervous system; Isoelectric focusing (Binet, S.) 38, 296

Cell culture; Ventral mesencephalon; γ-Aminobutyric acidergic cell; Electrophysiology; Dopaminergic cell; Calcium action potential (Ort, C.A.) **39**, 205

Inner ear; Calbindin (CaBP 28 kDa); Development; Immunocytochemistry (Dechesne, C.J.) **40**, 233

Morphogenesis; Neocortex; Cholinergic basal forebrain (Hohmann, C.F.) **42,** 253

Serotonin; Noradrenaline; Neocortex; Development (Hohmann, C.F.) 43, 163

Mouse brain

Astroglia; Immunohistochemistry; Neocortex; Cerebellum; Striatum; Spinal cord; Histogenesis (Misson, J.-P.) 44, 95

Mouse hypothalamus

Peptidylglycine α -amidating mono-oxygenase (PAM) ontogenesis; Serum-free culture; Ascorbate; Thyroliberin (TRH) (Faivre-Bauman, A.) **40**, 261

Müller cell

Glial fibrillary acidic protein; Vimentin; Galactocerebroside; 0-Antigen; Astrocyte; Oligodendrocyte; Rabbit retina (Schnitzer, J.) 44, 59

Muscarinic acetylcholine receptor Monoclonal antibody; Cat; Primary visual cortex; Development (Van Huizen, F.) 44, 296

Muscarinic receptor

Acetylcholine; Acetylcholinesterase; Nicotinic receptor; Rat visual cortex; Development; Enucleation (Prusky, G.T.) 39, 154

Muscimol

γ-Aminobutyric acid receptor; Substantia nigra; Rat; Animal, newborn (Wurpel, J.N.D.) 43, 305

Mutant mouse

Microtubule-associated protein; Cerebellum; Tau protein (Brion, J.P.) 44, 221

Myelin

5a-Reductase; Androgen; Central nervous system; Oligodendrocyte; Development (Melcangi, R.C.) 44, 181

Myelin basic protein

Superior cervical ganglion; Sympathetic nerve; Myelin protein; Glycoprotein (Inuzuka, T.) 38, 191

Oligodendrocyte; Inbred strain; Culture medium (Barbarese, E.) **39**, 183

Myelin deficiency

Monoclonal antibody; Cell-surface antigen; Peripheral nervous system antigen; Development; Regeneration (Nieke, J.) **39**, 281

Myelin protein

Superior cervical ganglion; Sympathetic nerve; Myelin basic protein; Glycoprotein (Inuzuka, T.) 38, 191

Myelination

Schwann cell; Oligodendrocyte; Spinal cord (Sims, T.J.) 40, 223

Acetyl-coenzyme A carboxylase; Oligodendroglia; Rat brain (Tansey, F.A.) **43**, 123

Acetyl-coenzyme A carboxylase; Oligodendrocyte; Carbonic anhydrase (Tansey, F.A.) 43, 131

Acomys cahirinus; Development; Precocial species; Altricial species; Comparative neurobiology (Tessitore, C.) 43, 139

Myoblast

Gap junction; Neuron; Spinal cord; Ciliary ganglion; Differentiation; Chick embryo (Bonner, P.H.) 38, 233

Mvosin

Growth cone; Cytoskeleton; Development; Actin; Tubulin (Gordon-Weeks, P.R.) 42, 156

N

Neocortex

Morphogenesis; Cholinergic basal forebrain; Mouse (Hohmann, C.F.) **42**, 253

Cell death; Collateral elimination; Soma size; Corpus callosum; Population matching; Hamster (Windrem, M.S.) 43, 13

Somatostatin; Reeler; Development; Immunohistochemistry (Naus, C.C.G.) **43,** 61

Serotonin; Noradrenaline; Development; Mouse (Hohmann, C.F.) 43, 163

Astroglia; Immunohistochemistry; Mouse brain; Cerebellum; Striatum; Spinal cord; Histogenesis (Misson, J.-P.) 44, 95

Neocortical neuron

Whole-cell voltage clamp; Expression of excitability; Inward membrane current; Serum-free culture; Neuronal development (Ahmed, Z.) 40, 285

Whole-cell voltage clamp; Single-channel recording; Expression of excitability; Outward membrane current; Neuronal development; Serum-free culture (Ahmed, Z.) 40, 297

Neonatal jaundice

Auditory development; Bilirubin encephalopathy; Brainstem auditory evoked potential; Gunn rat; Hyperbilirubinemia (Shapiro, S.M.) 41, 147

Neonatal lesion

Visual; Retinofugal projection (Murphy, E.H.) 38, 27

Neonate

Downregulation; Brain μ -receptor; Morphine; Tolerance; Chronic agonist; Brain opioid receptor development (Tempel, A.) **41**, 129

Nerve growth factor

Laminin; Fibronectin; Dorsal root ganglion (DRG); Neuronal survival; Neurite outgrowth; Development; Regeneration (Millaruelo, A.I.) 38, 219

Parasympathetic; Ciliary ganglion; Neurite outgrowth; Embryo; Avian; Sensory; Dorsal root ganglion (Collins, F.) 39, 111

Septal cholinergic neuron; Neuronal survival; Postnatal cell culture; Choline acetyltransferase (Hatanaka, H.) 39, 85

Laminin; L-cell; Neurite-promoting factor; Pheochromocytoma (PC12) cell (Pantazis, N.J.) 40, 123

Brain-derived neurotrophic factor; Neural crest; Substance P; Sensory ganglion; Peripheral nervous system (Kalcheim, C.) 41, 79

Nerve growth factor receptor Development; Messenger RNA expression (Buck, C.R.) 44, 259

Nerve regeneration

Basement membrane; Laminin; Neurite; Extracellular matrix (Danielsen, N.) 39, 39

Neural cell adhesion molecule distribution

Fetal brain neurons in vitro; Immunogold staining (Nègre-Aminou, P.) 40, 171 Neural cell culture

Human fetal brain; Type I astrocyte; Type II astrocyte; Monoclonal antibody A2B5; Glial development (Elder, G.A.) 42, 146

Neural crest

Neurogenesis; Development; Sensory neuron; Neuronal differentiation; Substance P; Carbonic anhydrase; Neurofilament; Tyrosine hydroxylase; Dopamine-β-hydroxylase (Sieber-Blum, M.) **39**, 69

Brain-derived neurotrophic factor; Substance P; Sensory ganglion; Nerve growth factor; Peripheral nervous system (Kalcheim, C.) 41, 79

Neural grafting

Regeneration; Central nervous system (CNS) glia; Schwann cell; Optic nerve; Development (Giftochristos, N.) **39**, 149

In vitro culture; Rat; Dopamine neuron; Nigrostriatal pathway; Behavior (Brundin, P.) **39**, 233

Neural plasticity

Angiogenesis; Microvascular; Occipital cortex; Stereology; Rat (Sirevaag, A.M.) 43, 299

Neural tube explant

Neurogenesis; Species specificity; Target-conditioned medium (Heaton, M.B.) 38, 152

Neurite

Neuronal cell; Thyroid hormone; Microtubule-associated protein 1B (Hargreaves, A.) 38, 141

Basement membrane; Laminin; Nerve regeneration; Extracellular matrix (Danielsen, N.) 39, 39

Retina; Superior colliculus; Tissue culture; Glial cell; Visual system (McLoon, L.K.) 39, 61

Spinal cord; Retina; Substrate; Laminin; Polylysine; Collagen; Development; Tissue culture (Pierce, S.T.) 40, 213

Basal lamina; Laminin; Tissue culture; Regeneration; Development; Central nervous system neuron (Schinstine, M.) 43, 23

Neurite growth

Central nervous system; Estrogen; Insulin, in CNS; Insulin-like growth factor, in CNS (Toran-Allerand, C.D.) 41, 87

Neurite outgrowth

Nerve growth factor (NGF); Laminin; Fibronectin; Dorsal root ganglion (DRG); Neuronal survival; Development; Regeneration (Millaruelo, A.I.) 38, 219

Nerve growth factor; Parasympathetic; Ciliary ganglion; Embryo; Avian; Sensory; Dorsal root ganglion (Collins, F.) 39, 111

Development; Chick embryo; Spinal cord; Trophic factor (Thompson, J.M.) **40**, 158

Trophic; Central nervous system; Neuronal; Olfactory bulb; Survival; Cholinergic (Lambert, M.P.) 41, 263

Neurite reduction

Ceruleocerebellar culture; Cytosine arabinoside; Catecholamine; Axonal sprouting; Transplanted culture; Cerebellar granule cell (Seil, F.J.) 43, 153

Neurite-promoting factor

Nerve growth factor; Laminin; L-cell; Pheochromocytoma (PC12) cell (Pantazis, N.J.) **40**, 123

Neuritic differentiation

Horseradish peroxidase axonal tracing in vitro; Inferior olive; Rat embryo (Bourrat, F.) **39**, 19

Neuritogenesis

Ganglioside GM3; Epi-GM3; Neuro-2A cell; PC-12 cell; Dorsal root ganglion (Cannella, M.S.) **39,** 137

Embryonic chick; Dorsal root ganglion; Monosialoganglioside GM1; Conditioned medium; Monoclonal antibody against GM1 (Spoerri, P.E.) 41, 71

Neuro-2A cell

Ganglioside GM3; Epi-GM3; PC-12 cell; Dorsal root ganglion; Neuritogenesis (Cannella, M.S.) 39, 137

Neuroblastoma

Neurofilament; Vimentin; Intermediate filament; Neuronal differentiation; Cytoskeleton; Colchicine (Shea, T.B.) 41, 298

Neurofilament; Phosphorylation; Axonal neuritogenesis; Cytoskeleton; Dibutyryl cyclic adenosine monophosphate (Shea, T.B.) 43, 97

Neuroepithelial differentiation

Development; Vomeronasal organ; Vascular pattern; Rat; Electron microscopy (Mendoza, A.S.) 39, 259

Neurofilament

Neural crest; Neurogenesis; Development; Sensory neuron; Neuronal differentiation; Substance P; Carbonic anhydrase; Tyrosine hydroxylase; Dopamine-β-hydroxylase (Sieber-Blum, M.) **39**, 69

Vimentin; Intermediate filament; Neuroblastoma; Neuronal differentiation; Cytoskeleton; Colchicine (Shea, T.B.) **41**, 298

Corpus callosum; Cortex; Cytoskeleton; Visual system; Axon; Development; Exuberancy (Figlewicz, D.A.) 42, 181

Cytokeratin; Vimentin; Glial fibrillary acidic protein; Amphibian (Szaro, B.G.) **43**, 207 Phosphorylation; Neuroblastoma; Axonal neuritogenesis; Cytoskeleton; Dibutyryl cyclic adenosine monophosphate (Shea, T.B.) 43, 97

Neurogenesis

Neural tube explant; Species specificity; Target-conditioned medium (Heaton, M.B.) 38, 152

Neural crest; Development; Sensory neuron; Neuronal differentiation; Substance P; Carbonic anhydrase; Neurofilament; Tyrosine hydroxylase; Dopamine-β-hydroxylase (Sieber-Blum, M.) **39**, 69

Hippocampus; Dentate gyrus; Thymidine autoradiography; Somatostatin; Rat (Rapp, P.R.) 41, 231

Hippocampus; Development; Neuron death; House mouse (Wimer, R.E.) **42**, 191

Neuroglia

Axon bundle; Blood vessel; Glial fibrillary acidic protein; Hyaloid artery (Ling, T.) 44, 73

Neuromodulator

Peptide histidine isoleucine; Ontogeny, Postnatal rat; Trophic factor (Hares, K.A.R.) 40, 99

Neuron

Gap junction; Myoblast; Spinal cord; Ciliary ganglion; Differentiation; Chick embryo (Bonner, P.H.) 38, 233

Fibroblast growth factor; Astrocyte; Neurotrophic factor; Epidermal growth factor; Cell culture (Walicke, P.A.) 40, 71

Acetylcholinesterase; Brain culture; Choline acetyltransferase; Neurotrophic factor; Triiodothyronine (Garza, R.) 43, 287

Gap junction; Glia; Goldfish; Neurosecretory cell; Preoptic; Satellite cell; Trophospongium (Gregory, W.A.) 44, 1

Fish brain; Freeze-fracture; Gap junction; Glia; Neurosecretion; Preoptic; Radial glia (Gregory, W.A.) 44, 9

Neuron conditioned medium

Glutamine synthetase; Co-culture of neuronal cells; Co-culture of astrocytes; Neuronal substratum (Hayashi, M.) 41, 37

Neuron death

Hippocampus; Development; Neurogenesis; House mouse (Wimer, R.E.) 42, 191

Neurotrophic factor; Developmental cell death (Linden, R.) 44, 291

Neuron morphometry

Trigeminal; Nucleus principalis; Barrel (Jacquin, M.F.) 43, 309

Neuron-specific enolase Postnatal sensory neuron; Postnatal sympathetic neuron; Tetanus toxin; Cell culture (Grothe, C.) 39, 1

Calbindin (CaBP 28 kDa); Human; Development; Cochlea; Vestibule (Dechesne, C.J.) 41, 221

Neuronal

Trophic; Central nervous system; Neurite outgrowth; Olfactory bulb; Survival; Cholinergic (Lambert, M.P.) **41,** 263

Neuronal cell

Thyroid hormone; Neurite; Microtubule-associated protein 1B (Hargreaves, A.) 38, 141

Neuronal culture

Neurotrophic factor; Central nervous system; Transplantation; Rat; Cerebral topography (Heuschling, P.) 38, 9

Central nervous system regeneration; Retinal ganglion cell; Immunocytochemistry; Adult mammalian central nervous system (Wigley, C.B.) 42, 85

Neuronal development

Primary motoneuron; Rohon-Beard neuron; Neuronal differentiation; Primary interneuron; Trigeminal ganglion cell; Acetylcholinesterase (Moody, S.A.) 39, 225

Whole-cell voltage clamp; Expression of excitability; Inward membrane current; Neocortical neuron; Serum-free culture (Ahmed, Z.) 40, 285

Whole-cell voltage clamp; Single-channel recording; Expression of excitability; Outward membrane current; Neocortical neuron; Serum-free culture (Ahmed, Z.) 40, 297

Cerebellar neuron; Tissue culture; Physiological property (Gruol, D.L.) **41,** 135

Met-enkephalin; Met-enkephali n-Arg-Phe; Vasoactive intestinal polypeptide; Peptidergic neuron ontogeny; Spinal cord (Eiden, L.E.) 44, 141

Neuronal differentiation

Microtubule-associated protein; MAP2; MAP2c; Retina; Development; Immunohistochemistry (Tucker, R.P.) 38, 313

Neural crest; Neurogenesis; Development; Sensory neuron; Substance P; Carbonic anhydrase; Neurofilament; Tyrosine hydroxylase; Dopamine-β-hydroxylase (Sieber-Blum, M.) 39, 69

Primary motoneuron; Rohon-Beard neuron; Primary interneuron; Trigeminal ganglion cell; Neuronal development; Acetylcholinesterase (Moody, S.A.) 39, 225

Neurofilament; Vimentin; Intermediate

filament; Neuroblastoma; Cytoskeleton; Colchicine (Shea, T.B.) 41, 298

Neuronal growth

Spinal cord; Dorsal horn; Development; Trophic influence; Primary afferent; Peripheral nerve (Fitzgerald, M.) 42, 129

Neuronal maturation

Cerebellar granule cell; Cerebellar culture; Stimulation-coupled release of amino acid transmitters; Depolarization and neuronal maturation in culture; Depolarization and neuronal survival in culture (Balázs, R.) 40, 269

Neuronal organelle

Auditory deprivation; Cochlear nucleus; Morphometry; Development; Metabolism; Synaptic competition; Genetic expression (Trune, D.R.) 42, 304

Neuronal plasticity

Embryonic development; Cultured neuron; Chick embryo; Glutamic acid decarboxylase; γ-Aminobutyric acid (GABA) phenotype (Mangoura, D.) 40, 25

Embryonic development; Cultured neuron; Cholinergic phenotype; Choline acetyltransferase; Acetylcholinesterase; Cholinoceptive neuron (Mangoura, D.) **40**, 37

Neuronal substratum

Glutamine synthetase; Co-culture of neuronal cells; Co-culture of astrocytes; Neuron conditioned medium (Hayashi, M.) 41, 37

Neuronal survival

Nerve growth factor (NGF); Laminin; Fibronectin; Dorsal root ganglion (DRG); Neurite outgrowth; Development; Regeneration (Millaruelo, A.I.) 38, 219

Nerve growth factor; Septal cholinergic neuron; Postnatal cell culture; Choline acetyltransferase (Hatanaka, H.) 39, 85

Rat cerebellum; Intracephalic transplantation; Explant culture; Development and organization (Ezerman, E.B.) 41, 253

Neuronal transplantation

Retinal cross-species grafting; Cyclosporin A treatment (Aramant, R.) 41, 303

Retinal grafting; Glial marker (Seiler, M.) 43, 111

Neuropeptide

Visual cortex; Development; Immunocytochemistry; γ-Aminobutyric acid; Substance P (Huntley, G.W.) 43, 69

Development; Receptor (Pelaprat, D.) 44, 119

Neuropeptide Y

Cortex; Development; Enkephalin;

Intracerebral graft; Tyrosine hydroxylase (Herman, J.P.) 40, 81

γ-Aminobutyric acid; Somatostatin; Substance P; Taurine (Beal, M.F.) **44,** 156

Neurosecretion

Annular gap junction; Astrocyte; Ependyma; Glia; Goldfish; Preoptic Area; Radial glia (Gregory, W.A.) 42, 205

Fish brain; Freeze-fracture; Gap junction; Glia; Neuron; Preoptic; Radial glia (Gregory, W.A.) 44, 9

Neurosecretory cell

Gap junction; Glia; Goldfish; Neuron; Preoptic; Satellite cell; Trophospongium (Gregory, W.A.) 44, 1

Neurosecretory neuron

Nucleolus; Supraoptic nucleus; Postnatal maturation; Rat (Crespo, D.) **44,** 151

Neurotrophic factor

Central nervous system; Transplantation; Neuronal culture; Rat; Cerebral topography (Heuschling, P.) 38, 9

Limb regeneration; Newt; Growth factor; Spinal cord; Organ culture (Boilly, B.) 38, 155

Fibroblast growth factor; Astrocyte; Neuron; Epidermal growth factor; Cell culture (Walicke, P.A.) **40**, 71

Acetylcholinesterase; Brain culture; Choline acetyltransferase; Neuron; Triiodothyronine (Garza, R.) 43, 287

Neuron death; Developmental cell death (Linden, R.) 44, 291

Newborn hamster

Hemispherectomy; Extraocular neuron; Cell death (Gonzalo, L.M.) 44, 309

Newborn rat

Micturition reflex; Capsaicin; Sensory innervation; Substance P-like immunoreactivity; Immunohistochemistry (Maggi, C.A.) 43, 183

Newt

Limb regeneration; Neurotrophic factor; Growth factor; Spinal cord; Organ culture (Boilly, B.) 38, 155

Nicotine

Acetylcholine; Development; Cat visual cortex; Receptor; Binding site (Prusky, G.T.) 39, 161

Nicotinic receptor

Acetylcholine; Acetylcholinesterase; Muscarinic receptor; Rat visual cortex; Development; Enucleation (Prusky, G.T.) 39, 154

α-Bungarotoxin; Cerebellum; Cyclic AMP; Differentiation; Morphology (Siegel, H.N.) 44, 269

Nigrostriatal pathway

Neural grafting; In vitro culture; Rat; Dopamine neuron; Behavior (Brundin, P.) 39, 233

Nipple-shifting

Hippocampus; Suckling experience; Early enrichment; Cortex; Cerebellum (Cramer, C.P.) 42, 151

Nitrobenzylthioinosine

Dipyridamole; Adenosine uptake site; Guinea pig (Deckert, J.) 42, 313

Nociception

Morphine; Ketocyclazocine; 5,7-Dihydroxytryptamine; Opioid receptor; μ-Opioid receptor; Serotonin; Spinal cord; κ-Opioid receptor; Analgesia; Thermal stimulus; Mechanical stimulus; Development; Ontogeny (Giordano, J.) 41, 121

Noradrenaline

Development; Analgesia; Intrathecal; Receptor type; Clonidine; Noxious stimulus; Spinal cord (Hughes, H.E.) **41,** 109

Olfactory bulb development; Synaptic inhibition; Granule cell; Propranolol; Isoproterenol; Postnatal rat (Wilson, D.A.) 42, 69

Serotonin; Neocortex; Development; Mouse (Hohmann, C.F.) 43, 163

Noradrenergic system

Sex difference; Locus ceruleus (Guillamón, A.) 40, 306

Normotensive Wistar-Kyoto rat (WKY)

Angiotensin II sensitive neuron; Organum vasculosum laminae terminalis; Hypertension development; Angiotensin binding; Spontaneously hypertensive rat (SHR); Brain slice technique (Nelson, D.O.) 39, 105

Noxious stimulus

Development; Analgesia; Intrathecal; Receptor type; Noradrenaline; Clonidine; Spinal cord (Hughes, H.E.) **41**, 109

Nucleolus

Neurosecretory neuron; Supraoptic nucleus; Postnatal maturation; Rat (Crespo, D.) **44**, 151

Nucleus principalis

Trigeminal; Barrel; Neuron morphometry (Jacquin, M.F.) 43, 309

5'-Nucleotidase

Cerebellum; Development; Cell migration; Transmembrane signalling; Wistar rat (Schoen, S.W.) 39, 125



Occipital cortex

Angiogenesis; Microvascular; Neural plasticity; Stereology; Rat

(Sirevaag, A.M.) 43, 299

Odor exposure

Rat; Dendritic spine; Olfactory bulb development; Golgi technique; Granule cell (Rehn, B.) 40, 143

Olfaction

Rat; Septal organ; Ontogenesis; Horseradish peroxidase (Astic, L.) 42, 297

Olfactory bulb

Trophic; Central nervous system; Neurite outgrowth; Neuronal; Survival; Cholinergic (Lambert, M.P.) 41, 263

Olfactory bulb development

Early learning; Deoxyglucose; N-Methyl-D-aspartic acid receptor (Lincoln, J.) 39, 309

Odor exposure; Rat; Dendritic spine; Golgi technique; Granule cell (Rehn, B.) 40, 143

Noradrenaline; Synaptic inhibition; Granule cell; Propranolol; Isoproterenol; Postnatal rat (Wilson, D.A.) 42, 69

Olfactory nerve

Slow axonal transport; Embryonic neuron (Cancalon, P.) 38, 275

Oligodendrocyte

Cytoplasmic process; Leukodystrophy; Aberrant myelination; Junctional complex (Suzuki, K.) 38, 167

Myelin basic protein; Inbred strain; Culture medium (Barbarese, E.) **39,** 183

Surface antigen; Glial differentiation; Astrocyte; Antigen expression (Kuhlmann-Krieg, S.) 39, 269

Myelination; Schwann cell; Spinal cord (Sims, T.J.) 40, 223

Acetyl-coenzyme A carboxylase; Carbonic anhydrase; Myelination (Tansey, F.A.) **43**, 131

Glial fibrillary acidic protein; Vimentin; Galactocerebroside; 0-Antigen; Astrocyte; Müller cell; Rabbit retina (Schnitzer, J.) 44, 59

5a-Reductase; Androgen; Central nervous system; Myelin; Development (Melcangi, R.C.) 44, 181

Oligodendroglia

Acetyl-coenzyme A carboxylase; Myelination; Rat brain (Tansey, F.A.) **43**, 123

Ontogenesis

Rat; Ölfaction; Septal organ; Horseradish peroxidase (Astic, L.) 42, 297

Ontogeny

Opioid; Human; Brain (Magnan, J.) 38, 300

Morphine; Ketocyclazocine; 5,7-Dihydroxytryptamine; Opioid receptor; μ-Opioid receptor; Serotonin;

Spinal cord; κ-Opioid receptor; Analgesia; Nociception; Thermal stimulus; Mechanical stimulus; Development (Giordano, J.) 41, 121

Corticosteroid receptor; Hippocampus; Rat (Rosenfeld, P.) 42, 113

Glucocorticoid receptor; Immunocytochemistry; Brain; Rat (Rosenfeld, P.) **42**, 119

Calcitonin gene-related peptide; Immunohistochemistry; Forebrain; Rat (Inagaki, S.) 43, 235

Ontogeny of cell pH

Cerebrospinal fluid pH; Cerebral cortex pH; Central nervous system acid-base regulation; Dimethadione method; Bicarbonate and pCO₂; Metabolic acidosis and alkalosis; Cell H ion homeostasis (Johanson, C.E.) 38, 255

Ontogeny, Postnatal rat Peptide histidine isoleucine; Trophic factor; Neuromodulator (Hares, K.A.R.) 40, 99

Opiate peptide

Enkephalin; Catecholamine; Adrenal medulla; Development; Transmitter phenotypic plasticity (La Gamma, E.F.) 39, 177

Opioid

Ontogeny; Human; Brain (Magnan, J.) 38, 300

Enkephalin; Preoptic area; Hypothalamus; Puberty; Estrogen (Watson, R.E.) 44, 49

Opioid receptor

Morphine; Ketocyclazocine; 5,7-Dihydroxytryptamine; μ-Opioid receptor; Serotonin; Spinal cord; κ-Opioid receptor; Analgesia; Nociception; Thermal stimulus; Mechanical stimulus; Development; Ontogeny (Giordano, J.) 41, 121

к-Opioid receptor

Morphine; Ketocyclazocine; 5,7-Dihydroxytryptamine; Opioid receptor; μ-Opioid receptor; Serotonin; Spinal cord; Analgesia; Nociception; Thermal stimulus; Mechanical stimulus; Development; Ontogeny (Giordano, J.) **41**, 121

μ-Opioid receptor

Morphine; Ketocyclazocine; 5,7-Dihydroxytryptamine; Opioid receptor; Serotonin; Spinal cord; κ-Opioid receptor; Analgesia; Nociception; Thermal stimulus; Mechanical stimulus; Development; Ontogeny (Giordano, J.) 41, 121

Opossum

Developmental plasticity; Regeneration; Rubrospinal tract; Spinal cord (Martin, G.F.) 39, 303

Optic fiber

Tectum; Regeneration; Correlation;

Retinotopy; Hebb; Electrophysiology (Meyer, R.L.) 41, 25

Optic nerve

Regeneration; Central nervous system (CNS) glia; Schwann cell; Neural grafting; Development (Giftochristos, N.) 39, 149

Development; Enucleation; Re-organization (Kirby, M.A.) 44, 37

Organ culture

Limb regeneration; Newt; Neurotrophic factor; Growth factor; Spinal cord (Boilly, B.) 38, 155

Organization

Hypogastric ganglion; Tyrosine hydroxylase; Choline acetyltransferase; Testosterone (Melvin, J.E.) 38, 131

Organum vasculosum laminae terminalis

Angiotensin II sensitive neuron; Hypertension development; Angiotensin binding; Spontaneously hypertensive rat (SHR); Normotensive Wistar–Kyoto rat (WKY); Brain slice technique (Nelson, D.O.) 39, 105

Orientation selectivity

Direction selectivity; Rabbit; Visual cortex; Development (Grigonis, A.M.) 40, 315

Outward membrane current

Whole-cell voltage clamp; Single-channel recording; Expression of excitability; Neocortical neuron; Neuronal development; Serum-free culture (Ahmed, Z.) 40, 297

Overproduction

Posteromedial barrel subfield; Somatosensory cortex; Dendrite; Golgi impregnation; Synapse loss (Greenough, W.T.) 43, 148

Parasympathetic

Nerve growth factor; Ciliary ganglion; Neurite outgrowth; Embryo; Avian; Sensory; Dorsal root ganglion (Collins, F.) 39, 111

Patch-clamp

Mouse; Trisomy 16; Down syndrome; Tissue culture; Action potential; Membrane current; Activation; Inactivation; Sodium; Dorsal root ganglion (Orozco, C.B.) 38, 265

Pattern formation

Somatosensory cortex; Barrel; Ventrobasal nucleus; Trigeminal system; Dorsal column nuclei (Erzurumlu, R.S.) 44, 302

PC-12 cell

Ganglioside GM3; Epi-GM3; Neuro-2A cell; Dorsal root ganglion: Neuritogenesis (Cannella, M.S.) 39, 137

Pcd mutant

Development; Degeneration; Cerebellum; Purkinje cell; Inferior olive (Shojaeian, H.) 38, 211

Astrocyte: Proliferation: Culture: Growth factor; Regeneration (Carlone, R.L.) 39, 97

Development:

Peroxidase-antiperoxidase technique; Spinal cord; Sympathetic nervous system (Newton, B.W.) 44, 161

Peptide histidine isoleucine

Ontogeny, Postnatal rat; Trophic factor; Neuromodulator (Hares, K.A.R.) 40, 99

Peptidergic neuron ontogeny Met-enkephalin; Met-enkephali n-Arg-Phe; Vasoactive intestinal

polypeptide; Neuronal development; Spinal cord (Eiden, L.E.) 44, 141

Peptidylglycine α-amidating mono-oxygenase (PAM) ontogenesis Mouse hypothalamus; Serum-free culture; Ascorbate; Thyroliberin (TRH) (Faivre-Bauman, A.) 40, 261

Peripheral nerve

Spinal cord; Dorsal horn; Development; Trophic influence; Primary afferent; Neuronal growth (Fitzgerald, M.) 42, 129

Peripheral nervous system

Autoradiography; Electron microscopy; Schwann cell proliferation (Nilsson, I.) 38. 1

Brain-derived neurotrophic factor; Neural crest; Substance P; Sensory ganglion; Nerve growth factor (Kalcheim, C.) 41, 79

Peripheral nervous system antigen Monoclonal antibody; Cell-surface antigen; Myelin deficiency; Development; Regeneration

(Nieke, J.) 39, 281

Peroxidase-antiperoxidase technique

Development; Peptide; Spinal cord; Sympathetic nervous system (Newton, B.W.) 44, 161

Pharmacology

Isolated growth cone; Rat; Substance P receptor; Development (Lockerbie, R.O.) 40, 1

Phenobarbital

Hippocampus; Golgi-stained neuron; Dendritic growth; Prenatal; Drug exposure (Jacobson, C.D.) 44, 233

Pheochromocytoma (PC12) cell Nerve growth factor; Laminin; L-cell; Neurite-promoting factor

(Pantazis, N.J.) 40, 123

Phorbol ester

Cat visual cortex; Postnatal development; Receptor; Protein kinase C (Needler, M.C.) 42, 217

Phosphorylation

Neurofilament; Neuroblastoma; Axonal neuritogenesis; Cytoskeleton; Dibutyryl cyclic adenosine monophosphate (Shea, T.B.) 43, 97

Cyclic adenosine monophosphate; Development; Protein kinase; Chicken (Weinberger, R.P.) 43, 249

Chicken; Calcium; Calmodulin; Development; Protein kinase (Weinberger, R.P.) 43, 259

Photoreceptor

Monoclonal antibody; Chick retina; Development (Lemmon, V.) 39, 117

Development; Pineal organ; Retina; Teleost; γ-Aminobutyric acid; Acetylcholine; S-antigen; α-Transducin (Östholm, T.) 42, 1

Physiological property

Cerebellar neuron; Tissue culture; Neuronal development (Gruol, D.L.) 41, 135

Pineal organ

Development; Retina; Teleost; Photoreceptor; γ -Aminobutyric acid; Acetylcholine; S-antigen; α -Transducin (Östholm, T.) 42, 1

Plasticity

Ventral lateral geniculate nucleus; Visual system; Chicken; Temporal parameter (Granda, R.H.) 40, 138

 γ -Aminobutyric acid (GABA); Receptor; Cat visual cortex; Monocular deprivation (Shaw, C.) 40, 148

Retina; Ganglion cell; Dendrite; Axon (Maffei, L.) 41, 185

Polyamine

Sympathetic neuron; Development; Survival; Axotomy; Immunosympathectomy (Gilad, G.M.) 38, 175

Polylysine

Spinal cord; Retina; Neurite; Substrate; Laminin; Collagen; Development; Tissue culture (Pierce, S.T.) 40, 213

Polysialoganglioside

Chicken; Rat; Brain; Development; Monoclonal antibody Q 211 (Rösner, H.) 42, 161

Population matching

Cell death; Collateral elimination; Soma size; Corticotectal projection; Hamster; Early lesion (Pallas, S.L.)

Cell death; Collateral elimination; Soma size; Corpus callosum; Neocortex; Hamster (Windrem, M.S.) 43, 13

Posteromedial barrel subfield

Somatosensory cortex; Dendrite; Overproduction; Golgi impregnation; Synapse loss (Greenough, W.T.) **43**, 148

Postnatal cell culture

Nerve growth factor; Septal cholinergic neuron; Neuronal survival; Choline acetyltransferase (Hatanaka, H.) 39, 85

Postnatal development

Methylmercury; Somatostatin; Glutamic acid decarboxylase (GAD); γ-Aminobutyric acid (GABA); Cerebral cortex; Striatum; Cerebral palsy (O'Kusky, J.R.) 40, 11

Glutaminase; Hippocampal formation; Glutamatergic transmission; Histophotometrical determination (Wolf, G.) **41**, 101

Insulin; Insulin-like growth factor 1; Receptor; Tyrosine kinase (Pomerance, M.) **42,** 77

Phorbol ester; Cat visual cortex; Receptor; Protein kinase C (Needler, M.C.) 42, 217

Corticotropin-releasing factor; Rat cerebral cortex; Cobalt-enhanced immunohistochemistry; Afferent connection; Horseradish peroxidase/immunohistochemistry combined (Sakanaka, M.) 43, 175

Receptor; Binding site; Serotonin; Adenylate cyclase; Cyclic adenosine monophosphate (Zifa, E.) **44**, 133

Postnatal maturation

Nucleolus; Neurosecretory neuron; Supraoptic nucleus; Rat (Crespo, D.) **44,** 151

Postnatal neurogenesis

Thymidine; Autoradiography; Reptile; Cerebral cortex; Hippocampus (Lopez-Garcia, C.) 43, 167

Postnatal rat

Noradrenaline; Olfactory bulb development; Synaptic inhibition; Granule cell; Propranolol; Isoproterenol (Wilson, D.A.) 42, 69

Postnatal sensory neuron

Postnatal sympathetic neuron; Tetanus toxin; Neuron-specific enolase; Cell culture (Grothe, C.) 39, 1

Postnatal sympathetic neuron

Postnatal sensory neuron; Tetanus toxin; Neuron-specific enolase; Cell culture (Grothe, C.) 39, 1

Postural control

Motor development; Electromyogram of stereotypic movement; Spinal cord transection (Bradley, N.S.) 38, 69

Postural tremor

Locomotion; Motor development; Stepping behavior; Electromyogram of stereotypic motion (Bradley, N.S.) 38, 37 Prazosin

α₁-Receptor; α₂-Receptor;
 p-Aminoclonidine; Quantitative autoradiography; Ventromedial hypothalamic nucleus; Guinea pig;
 Sexual behavior (Johnson, A.E.)
 42, 247

Precerebellar nucleus

Cerebellum; Development; Fluorescent retrograde tracer (Payne, J.N.) 39, 313

Precocial species

Acomys cahirinus; Development; Myelination; Altricial species; Comparative neurobiology (Tessitore, C.) 43, 139

Preganglionic innervation

Thyroid hormone; Adrenomedullary development (Lau, C.) 44, 109

Pregnancy

Deoxyglucose; Brain development; Drug abuse; Dopamine (Dow-Edwards, D.L.) **42**, 137

Premature baby

H-reflex; Development; Infant; Triceps surae; Hypothenar reflex (Hakamada, S.) **42**, 239

Prenatal

Hippocampus; Phenobarbital; Golgi-stained neuron; Dendritic growth; Drug exposure (Jacobson, C.D.) **44**, 233

Prenatal alcohol

Brain neuronal membrane order; Brain membrane fluidity and development; Ethanol and brain neuronal membrane (Vorhees, C.V.) 38, 161

Preoptic

Gap junction; Glia; Goldfish; Neuron; Neurosecretory cell; Satellite cell; Trophospongium (Gregory, W.A.) 44, 1

Fish brain; Freeze-fracture; Gap junction; Glia; Neuron; Neurosecretion; Radial glia (Gregory, W.A.) 44, 9

Preoptic Area

Annular gap junction; Astrocyte; Ependyma; Glia; Goldfish; Neurosecretion; Radial glia (Gregory, W.A.) 42, 205

Preoptic area

Opioid; Enkephalin; Hypothalamus; Puberty; Estrogen (Watson, R.E.) 44, 49

Sexual differentiation; Sexually dimorphic nucleus; Human hypothalamus; Human brain development; Sexual orientation; Gender (Swaab, D.F.) 44, 314

Presynaptic inhibition

Dorsal root reflex; Development; Kitten; Spinal cord (Bawa, P.) 39, 145

Primary afferent

Spinal cord; Dorsal horn; Development; Trophic influence; Peripheral nerve; Neuronal growth (Fitzgerald, M.) 42, 129

Primary interneuron

Primary motoneuron; Rohon-Beard neuron; Neuronal differentiation; Trigeminal ganglion cell; Neuronal development; Acetylcholinesterase (Moody, S.A.) 39, 225

Primary motoneuron

Rohon-Beard neuron; Neuronal differentiation; Primary interneuron; Trigeminal ganglion cell; Neuronal development; Acetylcholinesterase (Moody, S.A.) 39, 225

Primary visual cortex

Muscarinic acetylcholine receptor; Monoclonal antibody; Cat; Development (Van Huizen, F.) **44**, 296

Primate

Lateral geniculate nucleus; Visual deprivation; Reverse suture (Sloper, J.J.) 40, 47

Lateral geniculate nucleus; Visual deprivation (Sloper, J.J.) 40, 61

Proenkephalin mRNA

Enkephalin peptide; Developmental expression; Striatum; Astrocyte (Schwartz, J.P.) 40, 311

Proliferation

Astrocyte; Peptide; Culture; Growth factor; Regeneration (Carlone, R.L.) **39**, 97

Glial cell; Chromosomal basic protein H_1^0 ; Differentiation; Short-chain fatty acid; Glucocorticoid; Cyclic adenosine monophoshate (Ortiz-Caro, J.) **42**, 229

Propranolol

Rhesus monkey, Infant; Separation; Distress; Vocalization; Clonidine; Adrenergic (Kalin, N.H.) **42**, 289

Noradrenaline; Olfactory bulb development; Synaptic inhibition; Granule cell; Isoproterenol; Postnatal rat (Wilson, D.A.) 42, 69

Protein kinase

Phosphorylation; Cyclic adenosine monophosphate; Development; Chicken (Weinberger, R.P.) 43, 249

Phosphorylation; Chicken; Calcium; Calmodulin; Development (Weinberger, R.P.) 43, 259

Protein kinase C

Phorbol ester; Cat visual cortex; Postnatal development; Receptor (Needler, M.C.) 42, 217

Protein synthesis inhibition Chick; Learning; Synapse; State dependency (Bradley, P.M.) 40, 243

Puberty

Opioid; Enkephalin; Preoptic area; Hypothalamus; Estrogen (Watson, R.E.) 44, 49

Purkinje cell

Development; Degeneration;

Cerebellum; Inferior olive; *Pcd* mutant (Shojaeian, H.) 38, 211

Pyramidal cell

Hippocampal slice; γ-Aminobutyric acid; Baclofen; Inhibition; Development; CA1; CA3 (Janigro, D.) 41, 171

Q

Quantitative autoradiography α_1 -Receptor; α_2 -Receptor; Prazosin; p-Aminoclonidine; Ventromedial hypothalamic nucleus; Guinea pig; Sexual behavior (Johnson, A.E.) **42**, 247

Quisqualate

Hippocampal slice; CA1 pyramidal cell; N-Methyl-D-aspartate; Extracellular free calcium; Development (Hamon, B.) 38, 286

R

Rabbit

Orientation selectivity; Direction selectivity; Visual cortex; Development (Grigonis, A.M.) 40, 315

Rabbit retina

Glial fibrillary acidic protein; Vimentin; Galactocerebroside; 0-Antigen; Astrocyte; Müller cell; Oligodendrocyte (Schnitzer, J.) 44, 59

Radial glia

Annular gap junction; Astrocyte; Ependyma; Glia; Goldfish; Neurosecretion; Preoptic Area (Gregory, W.A.) 42, 205

Fish brain; Freeze-fracture; Gap junction; Glia; Neuron; Neurosecretion; Preoptic (Gregory, W.A.) 44, 9

Radial glial cell

Cerebral cortex; Lineage; Immunohistochemistry; Autoradiography (Misson, J.-P.) 38, 183

Rapid eye movement sleep Fetal sheep; Cerebral glucose utilization; Deoxyglucose (Abrams, R.M.) 40, 65

Rat

Neurotrophic factor; Central nervous

system; Transplantation; Neuronal culture; Cerebral topography (Heuschling, P.) 38, 9

Isolated growth cone; Forebrain; Adenylate cyclase; Receptor agonist; Development (Lockerbie, R.O.) 38, 19

Corticospinal tract development; Cerebral cortex (Schreyer, D.J.) 38, 89

Corticospinal axon; Growth and elimination (Schreyer, D.J.) 38, 103

Neural grafting; In vitro culture; Dopamine neuron; Nigrostriatal pathway; Behavior (Brundin, P.) **39**, 233

Development; Vomeronasal organ; Vascular pattern; India ink injection; Light microscopy (Szabó, K.) 39, 253

Development; Vomeronasal organ; Vascular pattern; Neuroepithelial differentiation; Electron microscopy (Mendoza, A.S.) 39, 259

Seizure; Convulsion; Flurothyl; Animal newborn (Sperber, E.F.) 39, 295

Isolated growth cone; Substance P receptor; Pharmacology; Development (Lockerbie, R.O.) 40, 1

Odor exposure; Dendritic spine; Olfactory bulb development; Golgi technique; Granule cell (Rehn, B.) 40, 143

Neurogenesis; Hippocampus; Dentate gyrus; Thymidine autoradiography; Somatostatin (Rapp, P.R.) 41, 231

Actin filament; Cerebellum; Thyroid hormone; Development (Faivre-Sarrailh, C.) **41**, 293

Corticosteroid receptor; Hippocampus; Ontogeny (Rosenfeld, P.) 42, 113

Glucocorticoid receptor; Immunocytochemistry; Ontogeny; Brain (Rosenfeld, P.) **42**, 119

Polysialoganglioside; Chicken; Brain; Development; Monoclonal antibody Q 211 (Rösner, H.) **42**, 161

Cold-stable microtubule; Cerebrum; Development (Faivre-Sarrailh, C.) **42.** 199

Olfaction; Septal organ; Ontogenesis; Horseradish peroxidase (Astic, L.) 42, 297

Calcitonin gene-related peptide; Ontogeny; Immunohistochemistry; Forebrain (Inagaki, S.) 43, 235

Angiogenesis; Microvascular; Occipital cortex; Neural plasticity; Stereology (Sirevaag, A.M.) 43, 299

γ-Aminobutyric acid receptor; Muscimol; Substantia nigra; Animal, newborn (Wurpel, J.N.D.) **43**, 305

Nucleolus; Neurosecretory neuron; Supraoptic nucleus; Postnatal maturation (Crespo, D.) 44, 151 γ-Aminobutyric acid; Glutamate decarboxylase; Immunocytochemistry; Light microscopy (Seress, L.) **44**, 197

Rat brain

Acetyl-coenzyme A carboxylase; Oligodendroglia; Myelination (Tansey, F.A.) **43**, 123

Rat cerebellum

Intracephalic transplantation; Explant culture; Development and organization; Neuronal survival (Ezerman, E.B.) 41, 253

Rat cerebral cortex

Postnatal development; Corticotropin-releasing factor; Cobalt-enhanced immunohistochemistry; Afferent connection; Horseradish peroxidase/immunohistochemistry combined (Sakanaka, M.) 43, 175

Rat dopaminergic system

Dopaminergic ontogeny; Dopamine receptor; Brain development; Dopamine synthesis; Developmental regulation (Noisin, E.L.) 41, 241

Rat embryo

Neuritic differentiation; Horseradish peroxidase axonal tracing in vitro; Inferior olive (Bourrat, F.) 39, 19

Calcium current; Growth cone; Intercostal nerve (Ziskind-Conhaim, L.) 42, 15

Rat fetus

Endothelial fenestra; Developing brain; Blood-brain barrier (Yoshida, Y.) **44**, 211

Rat pup

Vasoactive intestinal polypeptide; Suprachiasmatic nucleus (Laemle, L.K.) 41, 308

Rat visual cortex

Acetylcholine; Acetylcholinesterase; Nicotinic receptor; Muscarinic receptor; Development; Enucleation (Prusky, G.T.) 39, 154

Re-organization

Development; Optic nerve; Enucleation (Kirby, M.A.) 44, 37

Reactive astrocyte

Immunohistochemistry; Brain injury; Glial fibrillary acidic protein (GFAP); Vimentin (Takamiya, Y.) 38, 201

Receptor

Acetylcholine; Nicotine; Development; Cat visual cortex; Binding site (Prusky, G.T.) 39, 161

γ-Aminobutyric acid (GABA); Cat visual cortex; Monocular deprivation; Plasticity (Shaw, C.) **40**, 148

Postnatal development; Insulin; Insulin-like growth factor 1; Tyrosine kinase (Pomerance, M.) 42, 77

Phorbol ester; Cat visual cortex; Postnatal development; Protein kinase C (Needler, M.C.) 42, 217

Development; Neuropeptide (Pelaprat, D.) 44, 119

Binding site; Serotonin; Adenylate cyclase; Cyclic adenosine monophosphate; Postnatal development (Zifa, E.) 44, 133

Receptor agonist

Isolated growth cone; Rat; Forebrain; Adenylate cyclase; Development (Lockerbie, R.O.) 38, 19

Receptor hair cell

Cholecalcin (28-kDa CaBP, calbindin); Cochlea; Kölliker's organ; Developing rat; Thyroid deficiency; Vitamin D (Legrand, C.) 38, 121

Receptor maturation chick embryo Retina; Excitatory amino acid (Somohano, F.) 42, 59

Receptor type

Development; Analgesia; Intrathecal; Noradrenaline; Clonidine; Noxious stimulus; Spinal cord (Hughes, H.E.) 41, 109

a1-Receptor

a₂-Receptor; Prazosin;
 p-Aminoclonidine; Quantitative autoradiography; Ventromedial hypothalamic nucleus; Guinea pig;
 Sexual behavior (Johnson, A.E.)
 42, 247

a2-Receptor

α₁-Receptor; Prazosin; p-Aminoclonidine; Quantitative autoradiography; Ventromedial hypothalamic nucleus; Guinea pig; Sexual behavior (Johnson, A.E.) **42**, 247

5α-Reductase

Androgen; Central nervous system; Myelin; Oligodendrocyte; Development (Melcangi, R.C.) 44, 181

Reeler

Cell adhesion molecule; Development; Forebrain (Godfraind, C.) 42, 99

Somatostatin; Development; Immunohistochemistry; Neocortex (Naus, C.C.G.) 43, 61

Regeneration

Nerve growth factor (NGF); Laminin; Fibronectin; Dorsal root ganglion (DRG); Neuronal survival; Neurite outgrowth; Development (Millaruelo, A.I.) 38, 219

Topography; Competition; Fasciculation; Synaptogenesis; Horseradish peroxidase; Electron microscopy; Synaptic density (Hayes, W.P.) 38, 304

Astrocyte; Proliferation; Peptide; Culture; Growth factor (Carlone, R.L.) **39**, 97

Central nervous system (CNS) glia; Schwann cell; Optic nerve; Neural grafting; Development (Giftochristos, N.) 39, 149

Monoclonal antibody; Cell-surface antigen; Peripheral nervous system antigen; Myelin deficiency; Development (Nieke, J.) 39, 281

Developmental plasticity; Opossum; Rubrospinal tract; Spinal cord (Martin, G.F.) 39, 303

Optic fiber; Tectum; Correlation; Retinotopy; Hebb; Electrophysiology (Meyer, R.L.) 41, 25

Basal lamina; Laminin; Neurite; Tissue culture; Development; Central nervous system neuron (Schinstine, M.) 43, 23

Reinnervation

Synapse; Deafferentation; Critical age; Development; Degeneration (Westrum, L.E.) **42**, 29

Reptile

Thymidine; Autoradiography; Postnatal neurogenesis; Cerebral cortex; Hippocampus (Lopez-Garcia, C.) **43,** 167

Retina

Microtubule-associated protein; MAP2; MAP2c; Development; Neuronal differentiation; Immunohistochemistry (Tucker, R.P.) 38, 313

Superior colliculus; Tissue culture; Neurite; Glial cell; Visual system (McLoon, L.K.) 39, 61

Spinal cord; Neurite; Substrate; Laminin; Polylysine; Collagen; Development; Tissue culture (Pierce, S.T.) 40, 213

Ganglion cell; Dendrite; Axon; Polarity (Maffei, L.) 41, 185

Ganglion cell; Dendritic competition (Perry, V.H.) 41, 195

Development; Pineal organ; Teleost; Photoreceptor; γ -Aminobutyric acid; Acetylcholine; S-antigen; α -Transducin (Östholm, T.) **42**, 1

Excitatory amino acid; Receptor maturation chick embryo (Somohano, F.) 42, 59

Thy-1 antigen; Avian; Tectum (Sheppard, A.M.) 43, 49

Inner plexiform layer; Stratification; Bipolar cell (Maslim, J.) 44, 87

Retinal cross-species grafting Neuronal transplantation; Cyclosporin A treatment (Aramant, R.) 41, 303

Retinal ganglion cell

Central nervous system regeneration; Neuronal culture; Immunocytochemistry; Adult mammalian central nervous system (Wigley, C.B.) 42, 85

Retinal grafting

Neuronal transplantation; Glial marker (Seiler, M.) 43, 111

Retinofugal projection

Neonatal lesion; Visual (Murphy, E.H.) 38, 27

Retinotectal projection

Cell division; Tectal growth; Cellular lamination (Dann, J.F.) 44, 21

Retinotopy

Optic fiber; Tectum; Regeneration; Correlation; Hebb; Electrophysiology (Meyer, R.L.) **41**, 25

Reverse suture

Lateral geniculate nucleus; Visual deprivation; Primate (Sloper, J.J.) **40,** 47

Rhesus monkey, Infant

Separation; Distress; Vocalization; Clonidine; Propranolol; Adrenergic (Kalin, N.H.) 42, 289

Rohon-Beard neuron

Primary motoneuron; Neuronal differentiation; Primary interneuron; Trigeminal ganglion cell; Neuronal development; Acetylcholinesterase (Moody, S.A.) 39, 225

Rubrospinal tract

Developmental plasticity; Opossum; Regeneration; Spinal cord (Martin, G.F.) 39, 303

S

S-antigen

Development; Pineal organ; Retina; Teleost; Photoreceptor; γ -Aminobutyric acid; Acetylcholine; α -Transducin (Östholm, T.) **42**, 1

Satellite cell

Gap junction; Glia; Goldfish; Neuron; Neurosecretory cell; Preoptic; Trophospongium (Gregory, W.A.) 44, 1

Schwann cell

Regeneration; Central nervous system (CNS) glia; Optic nerve; Neural grafting; Development (Giftochristos, N.) 39, 149

Myelination; Oligodendrocyte; Spinal cord (Sims, T.J.) 40, 223

Glia maturation; Immunoreactivity; Glia maturation factor (GMF) (Lim, R.) 40, 277

Schwann cell proliferation

Autoradiography; Electron microscopy; Peripheral nervous system (Nilsson, I.) 38. i

Seizure

Convulsion; Flurothyl; Rat; Animal newborn (Sperber, E.F.) 39, 295

Kainic acid; Epilepsy; Hippocampus (Holmes, G.L.) 39, 51

Sensory

Nerve growth factor; Parasympathetic; Ciliary ganglion; Neurite outgrowth; Embryo; Avian; Dorsal root ganglion (Collins, F.) 39, 111

Sensory ganglion

Brain-derived neurotrophic factor; Neural crest; Substance P; Nerve growth factor; Peripheral nervous system (Kalcheim, C.) 41, 79

Sensory innervation

Micturition reflex; Newborn rat; Capsaicin; Substance P-like immunoreactivity; Immunohistochemistry (Maggi, C.A.) 43, 183

Sensory neuron

Neural crest; Neurogenesis; Development; Neuronal differentiation; Substance P; Carbonic anhydrase; Neurofilament; Tyrosine hydroxylase; Dopamine-β-hydroxylase (Sieber-Blum, M.) 39, 69

Separation

Rhesus monkey, Infant; Distress; Vocalization; Clonidine; Propranolol; Adrenergic (Kalin, N.H.) 42, 289

Septal cholinergic neuron

Nerve growth factor; Neuronal survival; Postnatal cell culture; Choline acetyltransferase (Hatanaka, H.) 39, 85

Septal organ

Rat; Olfaction; Ontogenesis; Horseradish peroxidase (Astic, L.) 42, 297

Serotonin

Morphine; Ketocyclazocine; 5,7-Dihydroxytryptamine; Opioid receptor; μ-Opioid receptor; Spinal cord; κ-Opioid receptor; Analgesia; Nociception; Thermal stimulus; Mechanical stimulus; Development; Ontogeny (Giordano, J.) 41, 121

Noradrenaline; Neocortex; Development; Mouse (Hohmann, C.F.) 43, 163

Receptor; Binding site; Adenylate cyclase; Cyclic adenosine monophosphate; Postnatal development (Zifa, E.) 44, 133

Serum-free culture

Peptidylglycine a-amidating mono-oxygenase (PAM) ontogenesis; Mouse hypothalamus; Ascorbate; Thyroliberin (TRH) (Faivre-Bauman, A.) 40, 261

Whole-cell voltage clamp; Expression of excitability; Inward membrane current; Neocortical neuron; Neuronal development (Ahmed, Z.) 40, 285

Whole-cell voltage clamp; Single-channel recording; Expression of excitability; Outward membrane current; Neocortical neuron; Neuronal development (Ahmed, Z.) 40, 297

Sex difference

Locus ceruleus; Noradrenergic system (Guillamón, A.) 40, 306

Bed nucleus of the stria terminalis; Vomeronasal system; Main olfactory system; Sex steroid (Guillamón, A.) 44, 281

Sex steroid

Sex difference; Bed nucleus of the stria terminalis; Vomeronasal system; Main olfactory system (Guillamón, A.) 44, 281

Sexual behavior

 α_1 -Receptor; α_2 -Receptor; Prazosin; p-Aminoclonidine; Quantitative autoradiography; Ventromedial hypothalamic nucleus; Guinea pig (Johnson, A.E.) **42**, 247

Sexual differentiation

Sexually dimorphic nucleus; Human hypothalamus; Preoptic area; Human brain development; Sexual orientation; Gender (Swaab, D.F.) 44, 314

Sexual dimorphism

Hippocampus; Dentate gyrus; Estradiol receptor; Steroid; Development (Loy, R.) 39, 245

Sexual orientation

Sexual differentiation; Sexually dimorphic nucleus; Human hypothalamus; Preoptic area; Human brain development; Gender (Swaab, D.F.) 44, 314

Sexually dimorphic nucleus

Sexual differentiation; Human hypothalamus; Preoptic area; Human brain development; Sexual orientation; Gender (Swaab, D.F.) 44, 314

Short-chain fatty acid

Glial cell; Chromosomal basic protein H_1^0 ; Proliferation; Differentiation; Glucocorticoid; Cyclic adenosine monophoshate (Ortiz-Caro, J.) **42**, 229

Single-channel recording

Whole-cell voltage clamp; Expression of excitability; Outward membrane current; Neocortical neuron; Neuronal development; Serum-free culture (Ahmed, Z.) 40, 297

Slow axonal transport

Olfactory nerve; Embryonic neuron (Cancalon, P.) 38, 275

Sodium

Mouse; Trisomy 16; Down syndrome; Tissue culture; Patch-clamp; Action potential; Membrane current; Activation; Inactivation; Dorsal root ganglion (Orozco, C.B.) 38, 265

Soma size

Cell death; Collateral elimination; Corticotectal projection; Hamster; Early lesion; Population matching (Pallas, S.L.) 43, 1 Cell death; Collateral elimination; Corpus callosum; Neocortex; Population matching; Hamster (Windrem, M.S.) 43, 13

Somal size

Development; Kitten motoneuron; Bimodal distribution (Tatton, W.G.) **43,** 191

Somatosensory cortex

Posteromedial barrel subfield; Dendrite; Overproduction; Golgi impregnation; Synapse loss (Greenough, W.T.) 43, 148

Barrel; Ventrobasal nucleus; Trigeminal system; Dorsal column nuclei; Pattern formation (Erzurumlu, R.S.) 44, 302

Somatostatin

Methylmercury; Glutamic acid decarboxylase (GAD); γ-Aminobutyric acid (GABA); Cerebral cortex; Striatum; Postnatal development; Cerebral palsy (O'Kusky, J.R.) 40, 11

Cortical cell; Glial cell; Cytosine arabinoside; Glial fibrillary acidic protein; Vimentin; Glutamate (Pares-Herbuté, N.) 40, 89

Hippocampus; Development; Immunohistochemistry; In situ hybridization (Naus, C.C.G.) **40**, 113

Neurogenesis; Hippocampus; Dentate gyrus; Thymidine autoradiography; Rat (Rapp, P.R.) 41, 231

Immunocytochemistry; Tyrosine hydroxylase; Substance P; Co-localization; Development; Limbic structure (Verney, C.) 42, 45

Reeler; Development; Immunohistochemistry; Neocortex (Naus, C.C.G.) 43, 61

γ-Aminobutyric acid; Neuropeptide Y; Substance P; Taurine (Beal, M.F.) 44, 156

Somatostatin receptor

Cerebellum; Development; Granule cell; Autoradiography (Gonzalez, B.J.) **40**, 154

Species specificity

Neurogenesis; Neural tube explant; Target-conditioned medium (Heaton, M.B.) 38, 152

Spinal cord

Limb regeneration; Newt; Neurotrophic factor; Growth factor; Organ culture (Boilly, B.) 38, 155

Gap junction; Myoblast; Neuron; Ciliary ganglion; Differentiation; Chick embryo (Bonner, P.H.) 38, 233

Dorsal root reflex; Development; Kitten; Presynaptic inhibition (Bawa, P.) 39, 145

Developmental plasticity; Opossum; Regeneration; Rubrospinal tract (Martin, G.F.) **39**, 303 Neurite outgrowth; Development; Chick embryo; Trophic factor (Thompson, J.M.) 40, 158

Retina; Neurite; Substrate; Laminin; Polylysine; Collagen; Development; Tissue culture (Pierce, S.T.) **40**, 213

Myelination; Schwann cell; Oligodendrocyte (Sims, T.J.) **40**, 223

Development; Analgesia; Intrathecal; Receptor type; Noradrenaline; Clonidine; Noxious stimulus (Hughes, H.E.) 41, 109

Morphine; Ketocyclazocine; 5,7-Dihydroxytryptamine; Opioid receptor; μ -Opioid receptor; Serotonin; κ -Opioid receptor; Analgesia; Nociception; Thermal stimulus; Mechanical stimulus; Development; Ontogeny (Giordano, J.) **41**, 121

Dorsal horn; Development; Trophic influence; Primary afferent; Peripheral nerve; Neuronal growth (Fitzgerald, M.) **42**, 129

Astroglia; Immunohistochemistry; Mouse brain; Neocortex; Cerebellum; Striatum; Histogenesis (Misson, J.-P.) 44, 95

Met-enkephalin; Met-enkephali n-Arg-Phe; Vasoactive intestinal polypeptide; Neuronal development; Peptidergic neuron ontogeny (Eiden, L.E.) 44, 141

Development; Peptide; Peroxidase-antiperoxidase technique; Sympathetic nervous system (Newton, B.W.) 44, 161

Spinal cord transection

Treadmill locomotion; Airstepping; Eletromyogram of stepping; Motor development (Bradley, N.S.) 38, 53

Motor development; Electromyogram of stereotypic movement; Postural control (Bradley, N.S.) 38, 69

Spontaneously hypertensive rat (SHR)

Angiotensin II sensitive neuron; Organum vasculosum laminae terminalis; Hypertension development; Angiotensin binding; Normotensive Wistar-Kyoto rat (WKY); Brain slice technique (Nelson, D.O.) 39, 105

State dependency

Chick; Learning; Synapse; Protein synthesis inhibition (Bradley, P.M.) **40**, 243

Stepping behavior

Locomotion; Postural tremor; Motor development; Electromyogram of stereotypic motion (Bradley, N.S.) 38, 37

Stereological study

Fetal rat brain neurons in culture; Cell differentiation; Synaptogenesis (Massacrier, A.) 40, 161

Stereology

Angiogenesis; Microvascular; Occipital cortex; Neural plasticity; Rat (Sirevaag, A.M.) 43, 299

Steroid

Hippocampus; Dentate gyrus; Estradiol receptor; Development; Sexual dimorphism (Loy, R.) 39, 245

Steroid receptor

Hippocampus; Glucocorticoid; Mineralocorticoid; Development; Early environment; Stress (Sarrieau, A.) 43, 158

Stimulation-coupled release of amino acid transmitters

Cerebellar granule cell; Neuronal maturation; Cerebellar culture; Depolarization and neuronal maturation in culture; Depolarization and neuronal survival in culture (Balázs, R.) 40, 269

Stratification

Retina; Inner plexiform layer; Bipolar cell (Maslim, J.) 44, 87

Stress

Hippocampus; Steroid receptor; Glucocorticoid; Mineralocorticoid; Development; Early environment (Sarrieau, A.) 43, 158

Striatum

Methylmercury; Somatostatin; Glutamic acid decarboxylase (GAD); γ-Aminobutyric acid (GABA); Cerebral cortex; Postnatal development; Cerebral palsy (O'Kusky, J.R.) 40, 11

Proenkephalin mRNA; Enkephalin peptide; Developmental expression; Astrocyte (Schwartz, J.P.) 40, 311

Culture; γ-Aminobutyric acid; Leu-enkephalin; Development; Immunocytochemistry (Surmeier, D.J.) **42**, 265

Astroglia; Immunohistochemistry; Mouse brain; Neocortex; Cerebellum; Spinal cord; Histogenesis (Misson, J.-P.) 44, 95

Subcortical neuronal culture

Elimination of quiescent astrocytes; Combined epidermal growth factor and cytosine arabinoside treatment; Tissue culture; Cell proliferation (Patel, A.J.) **42,** 283

Substance P

Neural crest; Neurogenesis; Development; Sensory neuron; Neuronal differentiation; Carbonic anhydrase; Neurofilament; Tyrosine hydroxylase; Dopamine-β-hydroxylase (Sieber-Blum, M.) 39, 69

Brain-derived neurotrophic factor; Neural crest; Sensory ganglion; Nerve growth factor; Peripheral nervous system (Kalcheim, C.) 41, 79

Immunocytochemistry; Tyrosine

hydroxylase; Somatostatin; Co-localization; Development; Limbic structure (Verney, C.) **42**, 45

Visual cortex; Development; Immunocytochemistry; γ-Aminobutyric acid; Neuropeptide (Huntley, G.W.) **43**, 69

γ-Aminobutyric acid; Neuropeptide Y; Somatostatin; Taurine (Beal, M.F.) 44, 156

Substance P receptor

Isolated growth cone; Rat; Pharmacology; Development (Lockerbie, R.O.) 40, 1

Substance P-like immunoreactivity Micturition reflex; Newborn rat; Capsaicin; Sensory innervation; Immunohistochemistry (Maggi, C.A.) 43, 183

Substantia nigra

γ-Aminobutyric acid receptor; Muscimol; Rat; Animal, newborn (Wurpel, J.N.D.) 43, 305

Substrate

Spinal cord; Retina; Neurite; Laminin; Polylysine; Collagen; Development; Tissue culture (Pierce, S.T.) 40, 213

Sucking

Development; Corticobulbar projection; Chewing; Mammal; Guinea pig (Iriki, A.) 44, 189

Suckling experience

Hippocampus; Early enrichment; Nipple-shifting; Cortex; Cerebellum (Cramer, C.P.) **42**, 151

Superior cervical ganglion Sympathetic nerve; Myelin protein; Myelin basic protein; Glycoprotein (Inuzuka, T.) 38, 191

Superior colliculus

Retina; Tissue culture; Neurite; Glial cell; Visual system (McLoon, L.K.) 39, 61

Superoxide dismutase

Anti-oxidant enzyme; Hypoxia; Brain; Catalase; Glutathione peroxidase (Mishra, O.P.) **42**, 173

Suprachiasmatic nucleus

Vasoactive intestinal polypeptide; Rat pup (Laemle, L.K.) 41, 308

Circadian rhythm; Development; 2-Deoxyglucose method; Maternal influence (Shibata, S.) 41, 313

Supraoptic nucleus

Nucleolus; Neurosecretory neuron; Postnatal maturation; Rat (Crespo, D.) 44, 151

Surface antigen

Oligodendrocyte; Glial differentiation; Astrocyte; Antigen expression (Kuhlmann-Krieg, S.) **39**, 269

Survival

Polyamine; Sympathetic neuron; Development; Axotomy; Immunosympathectomy (Gilad, G.M.) 38, 175

Trophic; Central nervous system; Neurite outgrowth; Neuronal; Olfactory bulb; Cholinergic (Lambert, M.P.) 41, 263

Sympathetic nerve

Superior cervical ganglion; Myelin protein; Myelin basic protein; Glycoprotein (Inuzuka, T.) 38, 191

Sympathetic nervous system

Development; Peptide; Peroxidase-antiperoxidase technique; Spinal cord (Newton, B.W.) 44, 161

Sympathetic neuron

Polyamine; Development; Survival; Axotomy; Immunosympathectomy (Gilad, G.M.) 38, 175

Synapse

Chick; Learning; Protein synthesis inhibition; State dependency (Bradley, P.M.) 40, 243

Deafferentation; Critical age; Development; Degeneration; Reinnervation (Westrum, L.E.) 42, 29

Synapse loss

Posteromedial barrel subfield; Somatosensory cortex; Dendrite; Overproduction; Golgi impregnation (Greenough, W.T.) 43, 148

Synaptic competition

Auditory deprivation; Cochlear nucleus; Neuronal organelle; Morphometry; Development; Metabolism; Genetic expression (Trune, D.R.) 42, 304

Synaptic density

Topography; Competition; Regeneration; Fasciculation; Synaptogenesis; Horseradish peroxidase; Electron microscopy (Hayes, W.P.) 38, 304

Synaptic inhibition

Noradrenaline; Olfactory bulb development; Granule cell; Propranolol; Isoproterenol; Postnatal rat (Wilson, D.A.) 42, 69

Synaptic plasticity

Growth-associated protein; Developmental regulation; Axon growth; Immunocytochemistry (McGuire, C.B.) 41, 277

Synaptogenesis

Topography; Competition; Regeneration; Fasciculation; Horseradish peroxidase; Electron microscopy; Synaptic density (Hayes, W.P.) 38, 304

Fetal rat brain neurons in culture; Stereological study; Cell differentiation (Massacrier, A.) 40, 161

T

Target-conditioned medium

Neurogenesis; Neural tube explant; Species specificity (Heaton, M.B.) 38, 152

Target-dependency of nerve

Metamorphosis; Thiourea; Amphibian; Axon turnover; Bilateral effect (Schönenberger, N.) 40, 253

Targeting error

Ventral thalamic nucleus; Developmental overgrowth; Dorsal column nucleus; Deep cerebellar nucleus; Inferior colliculus (Asanuma, C.) 41, 159

Tau protein

Microtubule-associated protein; Mutant mouse; Cerebellum (Brion, J.P.) 44, 221

Taurine

γ-Aminobutyric acid; Neuropeptide Y; Somatostatin; Substance P (Beal, M.F.) 44, 156

Tectal growth

Cell division; Cellular lamination; Retinotectal projection (Dann, J.F.) **44,** 21

Tectum

Optic fiber; Regeneration; Correlation; Retinotopy; Hebb; Electrophysiology (Meyer, R.L.) 41, 25

Thy-1 antigen; Avian; Retina (Sheppard, A.M.) 43, 49

Teleost

Development; Pineal organ; Retina; Photoreceptor; γ -Aminobutyric acid; Acetylcholine; S-antigen; α -Transducin (Östholm, T.) **42**, 1

Temporal parameter

Plasticity; Ventral lateral geniculate nucleus; Visual system; Chicken (Granda, R.H.) **40**, 138

Testosterone

Hypogastric ganglion; Tyrosine hydroxylase; Choline acetyltransferase; Organization (Melvin, J.E.) 38, 131

Testosterone-binding globulin Blood-brain barrier; Albumin (Pardridge, W.M.) 38, 245

Tetanus toxin

Postnatal sensory neuron; Postnatal sympathetic neuron; Neuron-specific enolase; Cell culture (Grothe, C.) 39, 1

Thalamocortical

Cholinesterase; Development; Intralaminar nucleus; Thalamus; Transient projection (Robertson, R.T.) 41, 43

Thalamocortical projection
Acetylcholinesterase; Basal forebrain;

Cerebral cortex; Development; Lateral geniculate nucleus; Visual system (Robertson, R.T.) 41, 1

Thalamus

Cholinesterase; Development; Intralaminar nucleus; Thalamocortical; Transient projection (Robertson, R.T.) 41, 43

Thermal stimulus

Morphine; Ketocyclazocine; 5,7-Dihydroxytryptamine; Opioid receptor; μ-Opioid receptor; Serotonin; Spinal cord; κ-Opioid receptor; Analgesia; Nociception; Mechanical stimulus; Development; Ontogeny (Giordano, J.) **41**, 121

Thiourea

Metamorphosis; Amphibian; Axon turnover; Bilateral effect; Target-dependency of nerve (Schönenberger, N.) 40, 253

Thy-1 antigen

Avian; Cerebellum (Sheppard, A.M.) 40, 181

Avian; Retina; Tectum (Sheppard, A.M.) 43, 49

Thymidine

Autoradiography; Reptile; Postnatal neurogenesis; Cerebral cortex; Hippocampus (Lopez-Garcia, C.) **43**, 167

Thymidine autoradiography

Neurogenesis; Hippocampus; Dentate gyrus; Somatostatin; Rat (Rapp, P.R.) 41, 231

Thymidine, [³H]-

Cellular migration; Cortical development; Tissue culture; Autoradiography (Hemmendinger, L.M.) 38, 291

Thyroid deficiency

Cholecalcin (28-kDa CaBP, calbindin); Cochlea; Receptor hair cell; Kölliker's organ; Developing rat; Vitamin D (Legrand, C.) 38, 121

Thyroid hormone

Neuronal cell; Neurite; Microtubule-associated protein 1B (Hargreaves, A.) 38, 141

Actin filament; Cerebellum; Development; Rat (Faivre-Sarrailh, C.) 41, 293

Preganglionic innervation; Adrenomedullary development (Lau, C.) **44**, 109

Thyroliberin (TRH)

Peptidylglycine α -amidating mono-oxygenase (PAM) ontogenesis; Mouse hypothalamus; Serum-free culture; Ascorbate (Faivre-Bauman, A.) **40**, 261

Tissue culture

Mouse; Trisomy 16; Down syndrome; Patch-clamp; Action potential; Membrane current; Activation; Inactivation; Sodium; Dorsal root ganglion (Orozco, C.B.) 38, 265

Cellular migration; Cortical development; Thymidine, [³H]-; Autoradiography (Hemmendinger, L.M.) **38**, 291

Retina; Superior colliculus; Neurite; Glial cell; Visual system (McLoon, L.K.) 39, 61

Spinal cord; Retina; Neurite; Substrate; Laminin; Polylysine; Collagen; Development (Pierce, S.T.) 40, 213

Cerebellar neuron; Physiological property; Neuronal development (Gruol, D.L.) **41**, 135

Elimination of quiescent astrocytes; Combined epidermal growth factor and cytosine arabinoside treatment; Subcortical neuronal culture; Cell proliferation (Patel, A.J.) 42, 283

Basal lamina; Laminin; Neurite; Regeneration; Development; Central nervous system neuron (Schinstine, M.) 43, 23

Tolerance

Downregulation; Brain μ-receptor; Morphine; Neonate; Chronic agonist; Brain opioid receptor development (Tempel, A.) 41, 129

Tonotopic organization Auditory development; Central auditory system; Deoxyglucose (Ryan, A.F.) 41, 61

Topography

Competition; Regeneration; Fasciculation; Synaptogenesis; Horseradish peroxidase; Electron microscopy; Synaptic density (Hayes, W.P.) 38, 304

Transience

Acetylcholinesterase; Choline acetyltransferase; Cortex; Development; Enucleation (Robertson, R.T.) 39, 298

Transient projection

Cholinesterase; Development; Intralaminar nucleus; Thalamus; Thalamocortical (Robertson, R.T.) 41, 43

Transmembrane signalling Cerebellum; Development; Cell

Cerebellum; Development; Cell migration; 5'-Nucleotidase; Wistar rat (Schoen, S.W.) 39, 125

Transmitter phenotypic plasticity Enkephalin; Opiate peptide; Catecholamine; Adrenal medulla; Development (La Gamma, E.F.) 39, 177

Transplantation

Neurotrophic factor; Central nervous system; Neuronal culture; Rat; Cerebral topography (Heuschling, P.) 38, 9 Transplanted culture

Ceruleocerebellar culture; Cytosine arabinoside; Catecholamine; Axonal sprouting; Neurite reduction; Cerebellar granule cell (Seil, F.J.) 43, 153

Transsynaptic transport

Wheat germ agglutinin-horseradish peroxidase; Development; Visual pathway (Itaya, S.K.) 38, 83

α-Transducin

Development; Pineal organ; Retina; Teleost; Photoreceptor; γ-Aminobutyric acid; Acetylcholine; S-antigen (Östholm, T.) 42, 1

Treadmill locomotion

Airstepping; Eletromyogram of stepping; Spinal cord transection; Motor development (Bradley, N.S.) 38, 53

Triceps surae

H-reflex; Development; Premature baby; Infant; Hypothenar reflex (Hakamada, S.) 42, 239

Trigeminal

Nucleus principalis; Barrel; Neuron morphometry (Jacquin, M.F.) 43, 309

Trigeminal ganglion cell

Primary motoneuron; Rohon-Beard neuron; Neuronal differentiation; Primary interneuron; Neuronal development; Acetylcholinesterase (Moody, S.A.) 39, 225

Trigeminal system

Somatosensory cortex; Barrel; Ventrobasal nucleus; Dorsal column nuclei; Pattern formation (Erzurumlu, R.S.) 44, 302

Triiodothyronine

Acetylcholinesterase; Brain culture; Choline acetyltransferase; Neuron; Neurotrophic factor (Garza, R.) 43, 287

Trisomy 16

Mouse; Down syndrome; Tissue culture; Patch-clamp; Action potential; Membrane current; Activation; Inactivation; Sodium; Dorsal root ganglion (Orozco, C.B.) 38, 265

Trophic

Central nervous system; Neurite outgrowth; Neuronal; Olfactory bulb; Survival; Cholinergic (Lambert, M.P.) 41, 263

Trophic factor

Neurite outgrowth; Development; Chick embryo; Spinal cord (Thompson, J.M.) 40, 158

Peptide histidine isoleucine; Ontogeny, Postnatal rat; Neuromodulator (Hares, K.A.R.) 40, 99

Trophic influence

Spinal cord; Dorsal horn; Development; Primary afferent; Peripheral nerve; Neuronal growth (Fitzgerald, M.) 42, 129

Trophospongium

Gap junction; Glia; Goldfish; Neuron; Neurosecretory cell; Preoptic; Satellite cell (Gregory, W.A.) 44, 1

Tubulin

Cold-stable microtubule; Axon; Differentiating nervous system; Isoelectric focusing; Mouse (Binet, S.) 38, 296

Growth cone; Cytoskeleton; Development; Actin; Myosin (Gordon-Weeks, P.R.) 42, 156

Type I astrocyte

Neural cell culture; Human fetal brain; Type II astrocyte; Monoclonal antibody A2B5; Glial development (Elder, G.A.) 42, 146

Type II astrocyte

Neural cell culture; Human fetal brain; Type I astrocyte; Monoclonal antibody A2B5; Glial development (Elder, G.A.) 42, 146

Tyrosine hydroxylase

Hypogastric ganglion; Choline acetyltransferase; Testosterone; Organization (Melvin, J.E.) 38, 131

Neural crest; Neurogenesis; Development; Sensory neuron; Neuronal differentiation; Substance P; Carbonic anhydrase; Neurofilament; Dopamine-β-hydroxylase (Sieber-Blum, M.) 39, 69

Cortex; Development; Enkephalin; Intracerebral graft; Neuropeptide Y (Herman, J.P.) 40, 81

Immunocytochemistry; Somatostatin; Substance P; Co-localization; Development; Limbic structure (Verney, C.) 42, 45

Tyrosine kinase

Postnatal development; Insulin; Insulin-like growth factor 1; Receptor (Pomerance, M.) 42, 77



Vascular pattern

Development; Vomeronasal organ; India ink injection; Rat; Light microscopy (Szabó, K.) 39, 253

Development; Vomeronasal organ; Neuroepithelial differentiation; Rat; Electron microscopy (Mendoza, A.S.) 39, 259

Vasoactive intestinal polypeptide Suprachiasmatic nucleus; Rat pup (Laemle, L.K.) 41, 308

Met-enkephalin; Met-enkephalin-Arg-Phe; Neuronal development; Peptidergic neuron ontogeny; Spinal cord (Eiden, L.E.) 44. 141

Ventral lateral geniculate nucleus Plasticity; Visual system; Chicken; Temporal parameter (Granda, R.H.) 40, 138

Ventral mesencephalon

Cell culture; γ -Aminobutyric acidergic cell; Electrophysiology; Dopaminergic cell; Calcium action potential; Mouse (Ort, C.A.) 39, 205

Acetylcholine iontophoresis; Intracellular electrophysiology; Fetal mouse; Dissociated culture (Peacock, J.H.) 39, 217

Ventral thalamic nucleus

Developmental overgrowth; Targeting error; Dorsal column nucleus; Deep cerebellar nucleus; Inferior colliculus (Asanuma, C.) 41, 159

Ventrobasal nucleus

Somatosensory cortex; Barrel; Trigeminal system; Dorsal column nuclei; Pattern formation (Erzurumlu, R.S.) 44, 302

Ventromedial hypothalamic nucleus α_1 -Receptor; α_2 -Receptor; Prazosin; p-Aminoclonidine; Quantitative autoradiography; Guinea pig; Sexual behavior (Johnson, A.E.) **42**, 247

Vestibule

Neuron-specific enolase; Calbindin (CaBP 28 kDa); Human; Development; Cochlea (Dechesne, C.J.) 41, 221

Vimentin

Immunohistochemistry; Reactive astrocyte; Brain injury; Glial fibrillary acidic protein (GFAP) (Takamiya, Y.) 38, 201

Cortical cell; Glial cell; Somatostatin; Cytosine arabinoside; Glial fibrillary acidic protein; Glutamate (Pares-Herbuté, N.) 40, 89 Neurofilament; Intermediate filament; Neuroblastoma; Neuronal differentiation; Cytoskeleton; Colchicine (Shea, T.B.) 41, 298

Cytokeratin; Glial fibrillary acidic protein; Neurofilament; Amphibian (Szaro, B.G.) 43, 207

Glial fibrillary acidic protein; Galactocerebroside; 0-Antigen; Astrocyte; Müller cell; Oligodendrocyte; Rabbit retina (Schnitzer, J.) 44, 59

Visual

Neonatal lesion; Retinofugal projection (Murphy, E.H.) 38, 27

Visual cortex

Orientation selectivity; Direction selectivity; Rabbit; Development (Grigonis, A.M.) 40, 315

Development; Immunocytochemistry; γ -Aminobutyric acid; Substance P; Neuropeptide (Huntley, G.W.) **43**, 69

Visual deprivation

Lateral geniculate nucleus; Reverse suture; Primate (Sloper, J.J.) 40, 47

Lateral geniculate nucleus; Primate (Sloper, J.J.) 40, 61

Visual pathway

Transsynaptic transport; Wheat germ agglutinin-horseradish peroxidase; Development (Itaya, S.K.) 38, 83

Visual system

Retina; Superior colliculus; Tissue culture; Neurite; Glial cell (McLoon, L.K.) 39, 61

Plasticity; Ventral lateral geniculate nucleus; Chicken; Temporal parameter (Granda, R.H.) 40, 138

Acetylcholinesterase; Basal forebrain; Cerebral cortex; Development; Lateral geniculate nucleus; Thalamocortical projection (Robertson, R.T.) 41, 1

Corpus callosum; Cortex; Cytoskeleton; Neurofilament; Axon; Development; Exuberancy (Figlewicz, D.A.) 42, 181

Vitamin D

Cholecalcin (28-kDa CaBP, calbindin); Cochlea; Receptor hair cell; Kölliker's organ; Developing rat; Thyroid deficiency (Legrand, C.) 38, 121

Vocalization

Rhesus monkey, Infant; Separation; Distress; Clonidine; Propranolol; Adrenergic (Kalin, N.H.) 42, 289

Vomeronasal organ

Development; Vascular pattern; India ink injection; Rat; Light microscopy (Szabó, K.) **39**, 253

Development; Vascular pattern; Neuroepithelial differentiation; Rat; Electron microscopy (Mendoza, A.S.) 39, 259

Vomeronasal system

Sex difference; Bed nucleus of the stria terminalis; Main olfactory system; Sex steroid (Guillamón, A.) 44, 281



Wheat germ agglutinin-horseradish peroxidase Transsynaptic transport; Development; Visual pathway (Itaya, S.K.) 38, 83

Whole-cell voltage clamp Expression of excitability; Inward membrane current; Neocortical neuron; Serum-free culture; Neuronal development (Ahmed, Z.) 40, 285

Single-channel recording; Expression of excitability; Outward membrane current; Neocortical neuron; Neuronal development; Serum-free culture (Ahmed, Z.) 40, 297

Wistar rat

Cerebellum; Development; Cell migration; 5'-Nucleotidase; Transmembrane signalling (Schoen, S.W.) 39, 125



BRAIN RESEARCH REVIEWS AUTHOR INDEX 1988 VOLUME 472 (13)



В

Başar, E., see Bullock, T.H., 13, 57 Brundin, P., see Widner, H., 13, 287 Bullock, T.H. and Başar, E. Comparison of ongoing compound field potentials in the brains of invertebrates and vertebrates, 13, 57 Burgoyne, R.D. and Cambray-Deakin, M.A. The cellular neurobiology of neuronal development: the cerebellar granule cell, 13, 77

C

Cambray-Deakin, M.A., see
Burgoyne, R.D., 13, 77
Cole, B.J., Robbins, T.W. and
Everitt, B.J.
Lesions of the dorsal noradrenergic
bundle simultaneously enhance and
reduce responsivity to novelty in a
food preference test, 13, 325

E

Ehret, G. and Merzenich, M.M. Complex sound analysis (frequency resolution, filtering and spectral integration) by single units of the inferior colliculus of the cat, 13, 139 Everitt, B.J., see Cole, B.J., 13, 325

F

Spatial organization of the peripheral input to area 1 cell columns. I. The detection of 'segregates', 13, 25
Favorov, O. and Whitsel, B.L. Spatial organization of the peripheral input to area 1 cell columns. II. The forelimb representation achieved by a mosaic of segregates, 13, 43

Favorov, O. and Whitsel, B.L.

J

Jordan, F.L. and Thomas, W.E. Brain macrophages: questions of origin and interrelationship, 13, 165

M

Markowitsch, H.J.

Diencephalic amnesia: a reorientation towards tracts?, 13, 351
Mattson, M.P.
Neurotransmitters in the regulation of neuronal cytoarchitecture, 13, 179
McConnell, S.K.
Development and decision-making in the mammalian cerebral cortex, 13, 1
Merzenich, M.M., see Ehret, G., 13, 139

N

Newhouse, P.A., see Sunderland, T., 13, 371

R

Reese, B.E.

'Hidden lamination' in the dorsal lateral geniculate nucleus: the functional organization of this thalamic region in the rat, 13, 119
Robbins, T.W., see Cole, B.J., 13, 325
Rogawski, M.A., see Siegel, J.M., 13, 213

S

Siegel, J.M. and Rogawski, M.A.
A function for REM sleep:
regulation of noradrenergic receptor

sensitivity, 13, 213
Smith, G.
Animal models of Alzheimer's disease: experimental cholinergic denervation, 13, 103
Sudol, M.
Expression of proto-oncogenes in neural tissues, 13, 391
Sunderland, T., Tariot, P.N. and Newhouse, P.A.
Differential responsivity of mood, behavior, and cognition to cholinergic agents in elderly neuropsychiatric populations, 13, 371

1

Tariot, P.N., see Sunderland, T., 13, 371 Tehovnik, E.J., see Yeomans, J.S., 13, 235 Thomas, W.E., see Jordan, F.L., 13, 165

V

Vaca, K.


The development of cholinergic neurons, 13, 261

W

Whitsel, B.L., see Favorov, O., 13, 25, 13, 43
Widner, H. and Brundin, P.
Immunological aspects of grafting in the mammalian central nervous system. A review and speculative synthesis, 13, 287

Y

Yeomans, J.S. and Tehovnik, E.J. Turning responses evoked by stimulation of visuomotor pathways, 13, 235



BRAIN RESEARCH REVIEWS SUBJECT INDEX 1988 VOLUME 472 (13)



A

Adhesion molecule

Neuronal development; Cerebellum; Granule cell; Cytoskeleton; Neuronal-glial interaction (Burgoyne, R.D.) 13, 77

Allograft

Neural transplantation; Immunology; Immunological privilege; Xenograft; Review (Widner, H.) 13, 287

Alzheimer's disease

Cholinergic system; Animal model; Nucleus basalis of Meynert; Ethylcholine mustard aziridinium ion (AF64A); Scopolamine (Smith, G.) 13, 103

Cholinergic sensitivity; Anticholinergic; Depression; Pharmacologic challenge; Scopolamine; Arecoline; Nicotine (Sunderland, T.) 13, 371

Amnesia

Mediodorsal nucleus; Mamillary bodies; Mamillothalamic tract; Internal medullary lamina; Thalamus (Markowitsch, H.J.) 13, 351

Animal model

Alzheimer's disease; Cholinergic system; Nucleus basalis of Meynert; Ethylcholine mustard aziridinium ion (AF64A); Scopolamine (Smith, G.) 13, 103

Anticholinergic

Cholinergic sensitivity; Alzheimer's disease; Depression; Pharmacologic challenge; Scopolamine; Arecoline; Nicotine (Sunderland, T.) 13, 371

Anxiety

Dorsal noradrenergic ascending bundle; Novelty; Chlordiazepoxide; Rat; Food preference (Cole, B.J.) 13, 325

Aplysia

Electroencephalogram; Brain wave; Power spectrum; Cat; Rabbit; Ray; Elasmobranch (Bullock, T.H.) 13, 57

Arecoline

Cholinergic sensitivity; Anticholinergic; Alzheimer's disease; Depression; Pharmacologic challenge; Scopolamine; Nicotine (Sunderland, T.) 13, 371

B

Brain tissue

Phagocytic cell; Microglia; Supraependymal cell; Epiplexus cell; Pericyte; Meningeal macrophage; Monocyte (Jordan, F.L.) 13, 165

Brain wave

Electroencephalogram; Power spectrum; Cat; Rabbit; Ray; Elasmobranch; *Aplysia* (Bullock, T.H.) **13**, 57

C

Calcium

Second messenger; Circuit formation; Glutamate; Growth cone; Hippocampal cytoarchitecture; Neurite outgrowth; Neurodegenerative disorder; Plasticity (Mattson, M.P.) 13, 179

Cat

Electroencephalogram; Brain wave; Power spectrum; Rabbit; Ray; Elasmobranch; *Aplysia* (Bullock, T.H.) 13, 57

Complex sound analysis; Critical band; Filtering; Frequency resolution; Inferior colliculus; Lateral inhibition; Masking; Spectral analysis (Ehret, G.) 13, 139

Cell death

Cholinergic neuron; Development; Cell lineage; Innervation; Synaptogenesis; Neuromuscular junction; Growth factor (Vaca, K.) 13, 261

Cell lineage

Cholinergic neuron; Development; Innervation; Synaptogenesis; Cell death; Neuromuscular junction; Growth factor (Vaca, K.) 13, 261

Cerebellum

Neuronal development; Granule cell; Cytoskeleton; Adhesion molecule; Neuronal-glial interaction (Burgoyne, R.D.) 13, 77

Proto-oncogene; Developmental expression; Signal transduction; Purkinje cell (Sudol, M.) 13, 391

Chlordiazepoxide

Dorsal noradrenergic ascending bundle; Novelty; Anxiety; Rat; Food preference (Cole, B.J.) 13, 325

Cholinergic neuron

Development; Cell lineage; Innervation; Synaptogenesis; Cell death; Neuromuscular junction; Growth factor (Vaca, K.) 13, 261

Cholinergic sensitivity

Anticholinergic; Alzheimer's disease; Depression; Pharmacologic challenge; Scopolamine; Arecoline; Nicotine (Sunderland, T.) 13, 371

Cholinergic system

Alzheimer's disease; Animal model;

Nucleus basalis of Meynert; Ethylcholine mustard aziridinium ion (AF64A); Scopolamine (Smith, G.) 13, 103

Circuit formation

Calcium; Second messenger; Glutamate; Growth cone; Hippocampal cytoarchitecture; Neurite outgrowth; Neurodegenerative disorder; Plasticity (Mattson, M.P.) 13, 179

Collision method

Refractory period; Prefrontal cortex; Striatum; Substantia nigra; Superior colliculus; Tegmentum; Medial pons (Yeomans, J.S.) 13, 235

Column

Somatosensory cortex; S-I; Receptive field; Single neuron (Favorov, O.) 13, 25

Commitment

Migration; Lineage; Visual system; Transplantation; Neurogenesis (McConnell, S.K.) 13, 1

Complex sound analysis

Cat; Critical band; Filtering; Frequency resolution; Inferior colliculus; Lateral inhibition; Masking; Spectral analysis (Ehret, G.) 13, 139

Critical band

Cat; Complex sound analysis; Filtering; Frequency resolution; Inferior colliculus; Lateral inhibition; Masking; Spectral analysis (Ehret, G.) 13, 139

Cytoskeleton

Neuronal development; Cerebellum; Granule cell; Adhesion molecule; Neuronal-glial interaction (Burgoyne, R.D.) 13, 77

D

Depression

Cholinergic sensitivity; Anticholinergic; Alzheimer's disease; Pharmacologic challenge; Scopolamine; Arecoline; Nicotine (Sunderland, T.) 13, 371

Development

Cholinergic neuron; Cell lineage; Innervation; Synaptogenesis; Cell death; Neuromuscular junction; Growth factor (Vaca, K.) 13, 261

Developmental expression

Proto-oncogene; Signal transduction; Cerebellum; Purkinje cell (Sudol, M.) 13, 391

Dorsal noradrenergic ascending bundle

Novelty; Anxiety; Chlordiazepoxide; Rat; Food preference (Cole, B.J.) 13, 325

E

Elasmobranch

Electroencephalogram; Brain wave; Power spectrum; Cat; Rabbit; Ray; Aplysia (Bullock, T.H.) 13, 57

Electroencephalogram

Brain wave; Power spectrum; Cat; Rabbit; Ray; Elasmobranch; *Aplysia* (Bullock, T.H.) **13**, 57

Epiplexus cell

Brain tissue; Phagocytic cell; Microglia; Supraependymal cell; Pericyte; Meningeal macrophage; Monocyte (Jordan, F.L.) 13, 165

Ethylcholine mustard aziridinium ion (AF64A)

Alzheimer's disease; Cholinergic system; Animal model; Nucleus basalis of Meynert; Scopolamine (Smith, G.) 13, 103

F

Filtering

Cat; Complex sound analysis; Critical band; Frequency resolution; Inferior colliculus; Lateral inhibition; Masking; Spectral analysis (Ehret, G.) 13, 139

Food preference

Dorsal noradrenergic ascending bundle; Novelty; Anxiety; Chlordiazepoxide; Rat (Cole, B.J.) 13, 325

Frequency resolution

Cat; Complex sound analysis; Critical band; Filtering; Inferior colliculus; Lateral inhibition; Masking; Spectral analysis (Ehret, G.) 13, 139

G

Geniculate lamination

Retinal ganglion cell; Superior colliculus; Primary visual cortex; Line of projection (Reese, B.E.) 13, 119

Glutamate

Calcium; Second messenger; Circuit formation; Growth cone; Hippocampal cytoarchitecture; Neurite outgrowth; Neurodegenerative disorder; Plasticity (Mattson, M.P.) 13, 179

Granule cell

Neuronal development; Cerebellum; Cytoskeleton; Adhesion molecule; Neuronal-glial interaction (Burgoyne, R.D.) 13, 77

Growth cone

Calcium; Second messenger; Circuit formation; Glutamate; Hippocampal cytoarchitecture; Neurite outgrowth; Neurodegenerative disorder; Plasticity (Mattson, M.P.) 13, 179

Growth factor

Cholinergic neuron; Development; Cell lineage; Innervation; Synaptogenesis; Cell death; Neuromuscular junction (Vaca, K.) 13, 261

H

Hippocampal cytoarchitecture

Calcium; Second messenger; Circuit formation; Glutamate; Growth cone; Neurite outgrowth; Neurodegenerative disorder; Plasticity (Mattson, M.P.) 13, 179

I

Immunological privilege

Neural transplantation; Immunology; Allograft; Xenograft; Review (Widner, H.) 13, 287

Immunology

Neural transplantation; Immunological privilege; Allograft; Xenograft; Review (Widner, H.) 13, 287

Inferior colliculus

Cat; Complex sound analysis; Critical band; Filtering; Frequency resolution; Lateral inhibition; Masking; Spectral analysis (Ehret, G.) 13, 139

Innervation

Cholinergic neuron; Development; Cell lineage; Synaptogenesis; Cell death; Neuromuscular junction; Growth factor (Vaca, K.) 13, 261

Internal medullary lamina

Mediodorsal nucleus; Mamillary bodies; Mamillothalamic tract; Thalamus; Amnesia (Markowitsch, H.J.) 13, 351

L

Lateral inhibition

Cat; Complex sound analysis; Critical band; Filtering; Frequency resolution; Inferior colliculus; Masking; Spectral analysis (Ehret, G.) 13, 139

Line of projection

Retinal ganglion cell; Superior colliculus; Primary visual cortex; Geniculate lamination (Reese, B.E.) 13, 119

Lineage

Migration; Commitment; Visual system; Transplantation; Neurogenesis (McConnell, S.K.) 13, 1

Locus ceruleus

Rapid eye movement sleep; Noradrenaline; Receptor regulation; Narcolepsy (Siegel, J.M.) 13, 213

M

Mamillary bodies

Mediodorsal nucleus; Mamillothalamic tract; Internal medullary lamina; Thalamus; Amnesia (Markowitsch, H.J.) 13, 351

Mamillothalamic tract

Mediodorsal nucleus; Mamillary bodies; Internal medullary lamina; Thalamus; Amnesia (Markowitsch, H.J.) 13, 351

Masking

Cat; Complex sound analysis; Critical band; Filtering; Frequency resolution; Inferior colliculus; Lateral inhibition; Spectral analysis (Ehret, G.) 13, 139

Medial pons

Collision method; Refractory period; Prefrontal cortex; Striatum; Substantia nigra; Superior colliculus; Tegmentum (Yeomans, J.S.) 13, 235

Mediodorsal nucleus

Mamillary bodies; Mamillothalamic tract; Internal medullary lamina; Thalamus; Amnesia (Markowitsch, H.J.) 13, 351

Meningeal macrophage

Brain tissue; Phagocytic cell; Microglia; Supraependymal cell; Epiplexus cell; Pericyte; Monocyte (Jordan, F.L.) 13, 165

Microglia

Brain tissue; Phagocytic cell; Supraependymal cell; Epiplexus cell; Pericyte; Meningeal macrophage; Monocyte (Jordan, F.L.) 13, 165

Migration

Commitment; Lineage; Visual system; Transplantation; Neurogenesis (McConnell, S.K.) 13, 1

Monocyte

Brain tissue; Phagocytic cell; Microglia; Supraependymal cell; Epiplexus cell; Pericyte; Meningeal macrophage (Jordan, F.L.) 13, 165

N

Narcolepsy

Rapid eye movement sleep; Noradrenaline; Receptor regulation; Locus ceruleus (Siegel, J.M.) 13, 213

Neural transplantation

Immunology; Immunological privilege; Allograft; Xenograft; Review (Widner, H.) 13, 287

Neurite outgrowth

Calcium; Second messenger; Circuit formation; Glutamate; Growth cone; Hippocampal cytoarchitecture; Neurodegenerative disorder; Plasticity (Mattson, M.P.) 13, 179

Neurodegenerative disorder

Calcium; Second messenger; Circuit formation; Glutamate; Growth cone; Hippocampal cytoarchitecture; Neurite outgrowth; Plasticity (Mattson, M.P.) 13, 179

Neurogenesis

Migration; Commitment; Lineage; Visual system; Transplantation (McConnell, S.K.) 13, 1

Neuromuscular junction

Cholinergic neuron; Development; Cell lineage; Innervation; Synaptogenesis; Cell death; Growth factor (Vaca, K.) 13, 261

Neuronal development

Cerebellum; Granule cell; Cytoskeleton; Adhesion molecule; Neuronal-glial interaction (Burgoyne, R.D.) 13, 77

Neuronal-glial interaction

Neuronal development; Cerebellum; Granule cell; Cytoskeleton; Adhesion molecule (Burgoyne, R.D.) 13, 77

Nicotine

Cholinergic sensitivity; Anticholinergic; Alzheimer's disease; Depression; Pharmacologic challenge; Scopolamine; Arecoline (Sunderland, T.) 13, 371

Noradrenaline

Rapid eye movement sleep; Receptor

regulation; Locus ceruleus; Narcolepsy (Siegel, J.M.) 13, 213

Novelty

Dorsal noradrenergic ascending bundle; Anxiety; Chlordiazepoxide; Rat; Food preference (Cole, B.J.) 13, 325

Nucleus basalis of Meynert

Alzheimer's disease; Cholinergic system; Animal model; Ethylcholine mustard aziridinium ion (AF64A); Scopolamine (Smith, G.) 13, 103

P

Pericyte

Brain tissue; Phagocytic cell; Microglia; Supraependymal cell; Epiplexus cell; Meningeal macrophage; Monocyte (Jordan, F.L.) 13, 165

Phagocytic cell

Brain tissue; Microglia; Supraependymal cell; Epiplexus cell; Pericyte; Meningeal macrophage; Monocyte (Jordan, F.L.) 13, 165

Pharmacologic challenge

Cholinergic sensitivity; Anticholinergic; Alzheimer's disease; Depression; Scopolamine; Arecoline; Nicotine (Sunderland, T.) 13, 371

Plasticity

Calcium; Second messenger; Circuit formation; Glutamate; Growth cone; Hippocampal cytoarchitecture; Neurite outgrowth; Neurodegenerative disorder (Mattson, M.P.) 13, 179

Power spectrum

Electroencephalogram; Brain wave; Cat; Rabbit; Ray; Elasmobranch; Aplysia (Bullock, T.H.) 13, 57

Prefrontal cortex

Collision method; Refractory period; Striatum; Substantia nigra; Superior colliculus; Tegmentum; Medial pons (Yeomans, J.S.) 13, 235

Primary visual cortex

Retinal ganglion cell; Superior colliculus; Line of projection; Geniculate lamination (Reese, B.E.) 13, 119

Proto-oncogene

Developmental expression; Signal transduction; Cerebellum; Purkinje cell (Sudol, M.) 13, 391

Purkinje cell

Proto-oncogene; Developmental expression; Signal transduction; Cerebellum (Sudol, M.) 13, 391

R

Rabbit

Electroencephalogram; Brain wave; Power spectrum; Cat; Ray; Elasmobranch; *Aplysia* (Bullock, T.H.) **13,** 57

Rapid eye movement sleep

Noradrenaline; Receptor regulation; Locus ceruleus; Narcolepsy (Siegel, J.M.) 13, 213

Rat

Dorsal noradrenergic ascending bundle; Novelty; Anxiety; Chlordiazepoxide; Food preference (Cole, B.J.) 13, 325

Rav

Electroencephalogram; Brain wave; Power spectrum; Cat; Rabbit; Elasmobranch; *Aplysia* (Bullock, T.H.) **13.** 57

Receptive field

Somatosensory cortex; S-I; Single neuron; Column (Favorov, O.) 13, 25

Somatosensory cortex; S-I; Topographic organization (Favorov, O.) 13, 43

Receptor regulation

Rapid eye movement sleep; Noradrenaline; Locus ceruleus; Narcolepsy (Siegel, J.M.) 13, 213

Refractory period

Collision method; Prefrontal cortex; Striatum; Substantia nigra; Superior colliculus; Tegmentum; Medial pons (Yeomans, J.S.) 13, 235

Retinal ganglion cell

Superior colliculus; Primary visual cortex; Line of projection; Geniculate lamination (Reese, B.E.) 13, 119

Review

Neural transplantation; Immunology; Immunological privilege; Allograft; Xenograft (Widner, H.) 13, 287

S

Scopolamine

Alzheimer's disease; Cholinergic system; Animal model; Nucleus basalis of Meynert; Ethylcholine mustard aziridinium ion (AF64A) (Smith, G.) 13, 103

Cholinergic sensitivity; Anticholinergic; Alzheimer's disease; Depression; Pharmacologic challenge; Arecoline; Nicotine (Sunderland, T.) 13, 371

Second messenger

Calcium; Circuit formation; Glutamate; Growth cone; Hippocampal cytoarchitecture; Neurite outgrowth; Neurodegenerative disorder; Plasticity (Mattson, M.P.) 13, 179

S-I

Somatosensory cortex; Receptive field; Single neuron; Column (Favorov, O.) 13, 25

Somatosensory cortex; Receptive field; Topographic organization (Favorov, O.) 13, 43

Signal transduction

Proto-oncogene; Developmental expression; Cerebellum; Purkinje cell (Sudol, M.) 13, 391

Single neuron

Somatosensory cortex; S-I; Receptive field; Column (Favorov, O.) 13, 25

Somatosensory cortex

S-I; Receptive field; Single neuron; Column (Favorov, O.) 13, 25

S-I; Receptive field; Topographic organization (Favorov, O.) 13, 43

Spectral analysis

Cat; Complex sound analysis; Critical band; Filtering; Frequency resolution; Inferior colliculus; Lateral inhibition; Masking (Ehret, G.) 13, 139

Striatum

Collision method; Refractory period; Prefrontal cortex; Substantia nigra; Superior colliculus; Tegmentum; Medial pons (Yeomans, J.S.) 13, 235 Substantia nigra

Collision method; Refractory period; Prefrontal cortex; Striatum; Superior colliculus; Tegmentum; Medial pons (Yeomans, J.S.) 13, 235

Superior colliculus

Retinal ganglion cell; Primary visual cortex; Line of projection; Geniculate lamination (Reese, B.E.) 13, 119

Collision method; Refractory period; Prefrontal cortex; Striatum; Substantia nigra; Tegmentum; Medial pons (Yeomans, J.S.) 13, 235

Supraependymal cell

Brain tissue; Phagocytic cell; Microglia; Epiplexus cell; Pericyte; Meningeal macrophage; Monocyte (Jordan, F.L.) 13, 165

Synaptogenesis

Cholinergic neuron; Development; Cell lineage; Innervation; Cell death; Neuromuscular junction; Growth factor (Vaca, K.) 13, 261

T

Tegmentum

Collision method; Refractory period; Prefrontal cortex; Striatum; Substantia nigra; Superior colliculus; Medial pons (Yeomans, J.S.) 13, 235 **Thalamus**

Mediodorsal nucleus; Mamillary bodies; Mamillothalamic tract; Internal medullary lamina; Amnesia (Markowitsch, H.J.) 13, 351

Topographic organization

Somatosensory cortex; S-I; Receptive field (Favorov, O.) 13, 43

Transplantation

Migration; Commitment; Lineage; Visual system; Neurogenesis (McConnell, S.K.) 13, 1



Visual system

Migration; Commitment; Lineage; Transplantation; Neurogenesis (McConnell, S.K.) 13, 1



Xenograft

Neural transplantation; Immunology; Immunological privilege; Allograft; Review (Widner, H.) **13,** 287

MOLECULAR BRAIN RESEARCH AUTHOR INDEX 1988 VOLUMES 427 and 464 (3 and 4)



Agrawal, S., see Arai, H., 4, 63 Aizawa, T., see Yoshikawa, K., 4, 87 Akeson, R.A., Wujek, J.R., Roe, S., Warren, S.L. and Small, S.J. Smooth muscle cells transiently express NCAM, 4, 107 Albers, H.E., see Stopa, E.G., 4, 319 Allen, J.M., Martin, J.B. and Heinrich, G Neuropeptide Y gene expression in PC12 cells and its regulation by nerve growth factor: a model for developmental regulation, 3, 39 Anzai, K. and Goto, S. ID sequence-binding protein factors during development of mice, 4, 273 Anzai, K., see Horikoshi, T., 4, 97 Arai, H., Emson, P.C., Agrawal, S., Christodoulou, C. and Gait, M.J. In situ hybridization histochemistry: localisation of vasopressin mRNA in rat brain using a biotinylated oligonucleotide probe, 4, 63 Asanuma, A., see Horikoshi, T., 4, 243 Asanuma, A., see Horikoshi, T., 4, 97 Ashton, R.A., see Vitek, M.P., 4, 121

Shapiro, R.A., Wenthold, R.J., Nakatani, Y., Lampel, K.A., Thomas, J.W., Huie, D.and Curthoys, N.P. Isolation of a cDNA for rat brain glutaminase, 3, 247 Banner, C., see Kim, Y.S., 3, 77 Bannon, M.J., Elliott, P.J. and Bunney, E.B. Striatal tachykinin biosynthesis: regulation of mRNA and peptide levels by dopamine agonists and antagonists, 3, 31 Bartus, R.T., see Vitek, M.P., 4, 121 Baudry, M., Shahi, K. and Gall, C. Induction of ornithine decarboxylase in adult rat hippocampal slices, 4, 313 Bech-Hansen, N.T., see McLachlan, D.R.C., 3, 255 Beer, B., see Vitek, M.P., 4, 121 Bendotti, C., see O'Hara, B.F., 4, 283 Bergeron, C., see McLachlan, D.R.C., 3, 255 Berry, R.W. Alpha bag cell peptide reduces stimulated cAMP levels and pro-ELH synthesis in bag cells,

Biswal, N., Patel, A.G. and Max, S.R.

Banner, C., Hwang, J.-J.,

Regulation of viral and cellular genes in a human neuroblastoma cell line latently infected with herpes simplex virus type 2, 3, 95 Black, I.B., see Friedman, W.J., 3, 203 Blakely, R.D., see Guarda, A.S., 3, 223

Blitzer, R.D., see Moriarty, T.M., Blume, A.J., see Vitek, M.P., 4, 121 Bowcock, A.M., Fahnestock, M., Goslin, K. and Shooter, E.M. The NGF and kallikrein genes of mouse, the African rat Mastomys natalensis and man: their distribution and mode of expression

in the salivary gland, 3, 165 Brănișteanu, D.D., Popescu, L.M., Brănişteanu, D.D. and Haulică, I.D. Cyclic GMP and protein kinase G inhibit the quantal transmitter release induced by protein kinase C, 4, 263

Brănișteanu, D.D., see Brănișteanu, D.D., 4, 263 Brown, I.R., see Sprang, G.K., 3, 89 Brugge, J.S., see Walaas, S.I., 3, 215 Bunney, E.B., see Bannon, M.J., 3, 31 Burbach, H., see Peter, J., 4, 157 Burbach, J.P.H., see Van Tol, H.H.M., 4, 303

Burgunder, J.-M. and Young, III, W.S. The distribution of thalamic projection neurons containing cholecystokinin messenger RNA, using in situ hybridization histochemistry and retrograde labeling, 4, 179 Busciglio, J., see Cáceres, A., 3, 233

Cáceres, A., Busciglio, J., Ferreira, A. and Steward, O. An immunocytochemical and biochemical study of the microtubule-associated protein MAP-2 during post-lesion dendritic remodeling in the central nervous system of adult rats, 3, 233 Calvetta, L., see Sivam, S.P., 3, 155 Carbini, L., see McCaman, R.É., **3**, 107 Carden, M.J., see Shneidman, P.S., 4, 217 Christodoulou, C., see Arai, H., 4, 63 Civelli, O., see Sivam, S.P., 3, 155 Clark, A.W., see Parhad, I.M., 4, 293 Collin, J.-P., see Voisin, P., 4, 53 Conlon, J.M., see McGregor, G.P., 3, 207 Cooper, B.J., see Roch, J.-M., 3, 61 Cotman, C.W., see Palmer, E., 4, 161 Coyle, J.T., see Guarda, A.S., 3, 223

Coyle, J.T., see O'Hara, B.F., 4, 283 Curthoys, N.P., see Banner, C., 3, 247

Danysz, W., see Kaczmarek, L., 3, 183 Davidson, N., see Sutton, F., 3, 187 Davis, L.G., see Manning, R.W., 3, 293 Day, M.L., see Standaert, D.G., 4, 7 De Jong, W., see Van Tol, H.H.M., 4, 303 DeCamilli, P., see Walaas, S.I., 4, 233 Deguchi, T., see Saito, M., 3, 83 Douglas, R.M., Dragunow, M. and Robertson, H.A High-frequency discharge of dentate granule cells, but not long-term potentiation, induces c-fos protein, Douglass, J., see Sivam, S.P., 3, 155 Dragunow, M., see Douglas, R.M., 4, 259 Dreyfus, C.F., see Friedman, W.J., 3, 203 Duch, D.S., Recio-Pinto, E. Frenkel, C. and Urban, B.W. Human brain sodium channels in bilayers, 4, 171 Dunn, R.J., see Tropak, M.B., 4, 143

Ebendal, T., see Lärkfors, L., 3, 55 Elliott, P.J., see Bannon, M.J., 3, 31 Emson, P.C., Northrop, A. and Ichimiya, Y. Localization of vasopressin mRNA in the rat brain using in situ hybridization with short cRNA probes made from synthetic DNA templates, 4, 255 Emson, P.C., see Arai, H., 4, 63 Emson, P.C., see Ichimiya, Y., 4, 167 Emson, P.C., see Ichimiya, Y., 4, 81

Fahnestock, M., see Bowcock, A.M., 3, 165 Ferreira, A., see Cáceres, A., 3, 233

Figueroa, H.H., see Sauceda, R., **3**, 123

Folkesson, R., Monstein, H.-J., Geijer, T., Påhlman, S., Nilsson, K. and Terenius, L. Expression of the proenkephalin gene in human neuroblastoma cell

lines, 3, 147 Forloni, G.L., see Guarda, A.S.,

3, 223

Frenkel, C., see Duch, D.S., 4, 171 Fricker, L.D., see Supattapone, S., **3**, 173

Friedman, W.J., Dreyfus, C.F., McEwen, B. and Black, I.B. Substance K (NKA) increases tyrosine hydroxylase mRNA in cultured substantia nigra, 3, 203 Quantitation of N-acetyl-aspartyl-glutamate in microdissected rat brain nuclei and peripheral tissues: findings with a novel liquid phase radioimmunoassay, 3, 223

Gubits, R.M., Hazelton, J.L. and Simantov, R.

Variations in c-fos gene expression during rat brain development, 3, 197 Guerlotté, J., see Voisin, P., 4, 53 Gupta, S.K., Poduslo, J.F. and Mezei,

Temporal changes in PO and MBP gene expression after crush-injury of the adult peripheral nerve, 4, 133 Gutierrez, A.L., see Sauceda, R.,

3, 123

Ichimiya, Y., see Emson, P.C., 4, 255 Ichimiya, Y., Emson, P.C. and Shaw, F.D. Localization of vasopressin mRNA-containing neurones in the hypothalamus of the monkey, 4, 81 Ichimiya, Y., Emson, P.C.,

Northrop, A.J. and Gilmour, R.S. Insulin-like growth factor II in the rat choroid plexus, 4, 167

Iqbal, K., see Grundke-Iqbal, I., 4, 43

Gait, M.J., see Arai, H., 4, 63 Gall, C., see Baudry, M., 4, 313 Gall, C.M., see White, J.D., 3, 21 Garber, S.L. and Makman, M.H. Regulation of tryptophan hydroxylase activity by a cyclic AMP-dependent mechanism in rat

striatum, 3, 1 Gardner, P.D., Heinemann, S. and

Patrick, J.

Transcriptional regulation of nicotinic acetylcholine receptor genes: identification of control elements of a γ -subunit gene, 3, 69 Gariglio, P., see Sauceda, R., 3, 123

Gearhart, J.D., see O'Hara, B.F.,

Geijer, T., see Folkesson, R., 3, 147 Gillo, B., see Moriarty, T.M., 4, 201
Gillo, B., see Moriarty, T.M., 4, 75
Gilmour, R.S., see Ichimiya, Y., 4, 167
Ginns, E., see Kim, Y.S., 3, 77
Goldstein, M.E., Weiss, S.R.,
Lazzarini, R.A., Shneidman, P.S.,

Lees, J.F. and Schlaepfer, W.W. mRNA levels of all three neurofilament proteins decline following nerve transection, 3, 287

Gorelick, F.S., see Walaas, S.I., 4, 233 Goslin, K., see Bowcock, A.M., 3, 165 Goto, S., see Anzai, K., 4, 273 Goto, S., see Horikoshi, T., 4, 243 Goto, S., see Horikoshi, T., 4, 97

Greengard, P., see Walaas, S.I., 4, 233 Greengard, P., see Walaas, S.I., 3, 215 Grundke-Iqbal, I., Vorbrodt, A.W.,

Iqbal, K., Tung, Y.-C., Wang, G.P. and Wisniewski, H.M. Microtubule-associated polypeptides tau are altered in Alzheimer paired

helical filaments, 4, 43 Guarda, A.S., Robinson, M.B., Ory-Lavollée, L., Forloni, G.L., Blakely, R.D. and Coyle, J.T.

Haarmann, I., see Przewłocki, R., 4, 37

Harris, B., see Mengod, G., 4, 23 Haulică, I.D., see Brănișteanu, D.D., 4, 263

Hazelton, J.L., see Gubits, R.M., 3, 197

Heinemann, S., see Gardner, P.D., **3**, 69

Heinrich, G., see Allen, J.M., 3, 39 Heinrich, G., see Zheng, M., 3, 133 Herbert, E., see Sivam, S.P., 3, 155 Herz, A., see Morris, B.J., 4, 15 Herz, A., see Przewłocki, R., 4, 37 Hoar, D.I., see Parhad, I.M., 4, 293 Hoffer, B., see Lärkfors, L., 3, 55

Hoffman, P.N., see Muma, N.A., **3**, 115 Höllt, V., see Przewłocki, R., 4, 37 Höllt, V., see Morris, B.J., 4, 15 Hong, J.S., see Sivam, S.P., 3, 155 Hong, J.S., see Stachowiak, M.K.,

3, 263 Hong, J.S., see Stachowiak, M.K., 3, 275

Horikoshi, T., Asanuma, A., Yanagisawa, K. and Goto, S Taurine modulates glycine response in Xenopus oocytes injected with messenger RNA from mouse brain, 4, 243

Horikoshi, T., Asanuma, A., Yanagisawa, K., Anzai, K. and Goto, S.

Taurine and β -alanine act on both GABA and glycine receptors in Xenopus oocyte injected with mouse brain messenger RNA, 4, 97

Huie, D., see Banner, C., 3, 247 Hwang, J.-J., see Banner, C., 3, 247

Johnson, P.W., see Tropak, M.B., 4, 143

Jonassen, J.A., see Stopa, E.G., 4, 319

Kaczmarek, L., Siedlecki, J.A. and

Danysz, W.

Proto-oncogene c-fos induction in rat hippocampus, 3, 183

Kage, R., see McGregor, G.P., 3, 207 Kaneko, S., Kato, K.-i.,

Yamagishi, S.-I., Sugiyama, H. and

Nomura, Y.

GTP-binding proteins G, and G transplanted onto Xenopus oocyte by rat brain messenger RNA, 3, 11

Kaplan, B.B., see Stachowiak, M., 3, 193

Kato, K.-i., see Kaneko, S., 3, 11 Kato, Y., see Kojima, N., 4, 207 Kato, Y., see Shirao, T., 4, 71 Kawai, N., see Saito, M., 3, 83

Kim, Y.S., Thomas, J.W.

Tillakaratne, N.J.K., Montpied, P., Suzdak, P.D., Banner, C.,

Ginns, E., Tobin, A.J.and Paul, S.M.

Glutamic acid decarboxylase mRNA in rat brain: regional distribution and effects of intrastriatal kainic

acid, 3, 77 King, J.C., see Stopa, E.G., 4, 319 Kiyama, H., see Noguchi, K., 4, 31 Kojima, N., Kato, Y., Shirao, T. and Obata, K.

Nucleotide sequences of two embryonic drebrins, developmentally regulated brain proteins, and developmental change in their mRNAs, 4, 207 Kojima, N., see Shirao, T., 4, 71 Koo, E.H., see Muma, N.A., 3, 115 Krause, J.E., see Standaert, D.G., 4, 7 Krekoski, C.A., see Parhad, I.M., 4, 293

L

Lai, Y., see Walaas, S.I., 4, 233 Lampe, R.A., see Manning, R.W., 3, 293 Lampel, K.A., see Banner, C., 3, 247 Landau, E.M., see Moriarty, T.M., 4, 201 Landau, E.M., see Moriarty, T.M., 4, 75 Lärkfors, L., Ebendal, T., Whittemore, S.R., Persson, H., Hoffer, B. and Olson, L. Decreased level of nerve growth factor (NGF) and its messenger RNA in the aged rat brain, 3, 55 Lazzarini, R.A., see Goldstein, M.E., 3, 287 Lazzarini, R.A., see Shneidman, P.S., 4, 217 Lee, P.H.K., see Stachowiak, M.K., 3, 263 Lee, P.H.K., see Stachowiak, M.K., 3, 275 Lees, J.F., see Goldstein, M.E., 3, 287 Lees, J.F., see Shneidman, P.S., 4, 217 Lefebvre, D.L., see Zingg, H.H., 4, 1 Lester, H.A., see Sutton, F., 3, 187 Li, S., see Sivam, S.P., 3, 155 Liu, B., see Peter, J., 4, 157 Lukiw, W.J., see McLachlan, D.R.C., 3, 255 Lustig, A., see Walaas, S.I., 3, 215

M

Macq, A.-F., see Vitek, M.P., 4, 121 Maines, V., see McCaman, R.E., 3, 107 Makman, M.H., see Garber, S.L., 3, 1 Maloteaux, J.-M., see Vitek, M.P., 4, 121 Manning, R.W., Reid, C.M., Lampe, R.A. and Davis, L.G. Identification in rodents and other species of an mRNA homologous to the human β -amyloid precursor, 3, 293 Martin, J.B., see Allen, J.M., 3, 39 Matthieu, J.-M., see Roch, J.-M., 3, 61 Max, S.R., see Biswal, N., 3, 95 McCaman, R.E., Carbini, L., Maines, V. and Salvaterra, P.M.

Single RNA species injected in *Xenopus* oocyte directs the synthesis of active choline acetyltransferase, 3, 107

McEwen, B., see Friedman, W.J., 3, 203

McGinty, J.F., see Sivam, S.P., 3, 155 McGregor, G.P., Kage, R. and Conlon, J.M.

Measurement and partial characterization of the C-terminal flanking peptides from bovine preprotachykinins in extracts of brain and gut, 3, 207

McLachlan, D.R.C., Lukiw, W.J., Wong, L., Bergeron, C. and Bech-Hansen, N.T. Selective messenger RNA reduction in Alzheimer's disease, 3, 255

Mengod, G., Palacios, J.M., Probst, A. and Harris, B. Regional distribution of the expression of a human stimulatory GTP-binding protein α-subunit in the human brain studied by in situ hybridization, 4, 23

Mezei, C., see Gupta, S.K., 4, 133 Miledi, R., see Sumikawa, K., 4, 191 Minamitani, N., see Stopa, E.G., 4, 319

Mobtaker, H., see Stopa, E.G., 4, 319 Monaghan, D.T., see Palmer, E., 4, 161

Monstein, H.-J., see Folkesson, R., 3, 147

Montpied, P., see Kim, Y.S., 3, 77
Moretti, M., see Walaas, S.I., 4, 233
Moriarty, T.M., Gillo, B., Sealfon, S.
and Landau, E.M.
Activation of ionic currents in
Xenopus oocytes by
corticotropin-releasing peptides,

Moriarty, T.M., Gillo, B., Sealfon, S., Roberts, J.L., Blitzer, R.D. and Landau, E.M. Functional expression of brain cholecystokinin and bombesin

receptors in *Xenopus* oocytes, **4**, 75 Morita, Y., see Noguchi, K., **4**, 31 Morris, B.J., Reimer, S., Höllt, V. and Herz, A.

Regulation of striatal prodynorphin mRNA levels by the raphe-striatal pathway, 4, 15

Muma, N.A., Troncoso, J.C., Hoffman, P.N., Koo, E.H. and Price, D.L. Aluminum neurotoxicity: altered expression of cytoskeletal genes, 3, 115

N

Nakatani, Y., see Banner, C., 3, 247

Needleman, P., see Standaert, D.G., 4, 7 Nikolarakis, K., see Przewłocki, R., 4, 37 Nilsson, K., see Folkesson, R., 3, 147 Noguchi, K., Morita, Y., Kiyama, H., Ono, K. and Tohyama, M. A noxious stimulus induces the preprotachykinin-A gene expression in the rat dorsal root ganglion: a quantitative study using in situ hybridization histochemistry, 4, 31 Nomura, Y., see Kaneko, S., 3, 11 Northrop, A., see Emson, P.C., 4, 255 Northrop, A.J., see Ichimiya, Y., 4, 167

0

Obata, K., see Kojima, N., 4, 207
Obata, K., see Shirao, T., 4, 71
Ocadiz, R., see Sauceda, R., 3, 123
Octave, J.-N., see Vitek, M.P., 4, 121
Ohsako, S., see Saito, M., 3, 83
Olson, L., see Lärkfors, L., 3, 55
Ono, K., see Noguchi, K., 4, 31
Ortega, V., see Sauceda, R., 3, 123
Ory-Lavollée, L., see Guarda, A.S., 3, 223
Oster-Granite, M.L., see
O'Hara, B.F., 4, 283
O'Hara, B.F., Bendotti, C.,
Reeves, R.H., Oster-Granite, M.L.,
Coyle, J.T. and Gearhart, J.D.

Genetic mapping and analysis of

somatostatin expression in Snell

dwarf mice, 4, 283

P

Palacios, J.M., see Mengod, G., 4, 23 Palmer, E., Monaghan, D.T. and Cotman, C.W.
Glutamate receptors and phosphoinositide metabolism: stimulation via quisqualate receptors is inhibited by N-methyl-D-aspartate receptor activation, 4, 161 Parhad, I.M., Swedberg, E.A., Hoar, D.I., Krekoski, C.A. and Clark, A.W.
Neurofilament gene expression following β , β '-iminodipropionitrile (IDPN) intoxication, 4, 293 Parker, I., see Sumikawa, K., 4, 191 Patel, A.G., see Biswal, N., 3, 95 Patrick, J., see Gardner, P.D., 3, 69

Påhlman, S., see Folkesson, R., 3, 147

Paul, S.M., see Kim, Y.S., 3, 77
Persson, H., see Lärkfors, L., 3, 55
Peter, J., Burbach, H., Liu, B.,
Voorhuis, T.A.M. and Van
Tol, H.H.M.
Diurnal variation in vasopressin and
oxytocin messenger RNAs in
hypothalamic nuclei of the rat,
4, 157
Poduslo, J.F., see Gupta, S.K., 4, 133
Popescu, L.M., see Brănişteanu, D.D.,
4, 263
Price, D.L., see Muma, N.A., 3, 115
Probst, A., see Mengod, G., 4, 23
Przewłocki, R., Haarmann, I.,

Nikolarakis, K., Herz, A. and Höllt, V. Prodynorphin gene expression in spinal cord is enhanced after traumatic injury in the rat, 4, 37

R

Ramirez, M., see Roch, J.-M., 3, 61
Rasool, C.G., see Vitek, M.P., 4, 121
Recio-Pinto, E., see Duch, D.S.,
4, 171
Reeves, R.H., see O'Hara, B.F.,
4, 283
Reid, C.M., see Manning, R.W.,
3, 293
Reimer, S., see Morris, B.J., 4, 15
Richardson, P.M., see Riopelle, R.J.,
3, 45
Rigual, R.J., see Stachowiak, M.K.,
3, 263
Rigual, R.J., see Stachowiak, M.K.,
3, 275

Riopelle, R.J., Verge, V.M.K. and Richardson, P.M. Properties of receptors for nerve growth factor in the mature rat nervous system, 3, 45 Roberts, J.L., see Moriarty, T.M., 4, 75 Robertson, H.A., see Douglas, R.M.,

4, 259 Robinson, M.B., see Guarda, A.S.,

3, 223
Roch, J.-M., Cooper, B.J.,
Ramirez, M. and Matthieu, J.-M.
Expression of only one myelin basic
protein allele in mouse is compatible

with normal myelination, 3, 61 Roder, J.C., see Tropak, M.B., 4, 143 Roe, S., see Akeson, R.A., 4, 107

S

Saito, M., Ohsako, S., Deguchi, T. and Kawai, N.

Glutamate receptors expressed in *Xenopus* oocyte by messenger RNA from invertebrate muscle, **3**, 83 Salcedo, M., see Sauceda, R., **3**, 123 Salvaterra, P.M., see McCaman, R.E., **3**, 107

3, 107
Sauceda, R., Ocadiz, R.,
Gutierrez, A.L., Salcedo, M.,
Ortega, V., Figueroa, H.H. and
Gariglio, P.
Novel combination of c-myc, N-myc
and N-ras oncogene alteration in
brain tumors, 3, 123

Sauvage, F.d., see Vitek, M.P., 4, 121 Schlaepfer, W.W., see Goldstein, M.E., 3, 287

Schwartz, J.P.

Chronic exposure to opiate agonists increases proenkephalin biosynthesis in NG108 cells, 3, 141

Sealfon, S., see Moriarty, T.M., 4, 201 Sealfon, S., see Moriarty, T.M., 4, 75 Shahi, K., see Baudry, M., 4, 313 Shapiro, R.A., see Banner, C., 3, 247 Shaw, F.D., see Ichimiya, Y., 4, 81 Shirao, T., Kojima, N., Kato, Y. and

Obata, K.
Molecular cloning of a cDNA for the developmentally regulated brain protein, drebrin, 4, 71

Shirao, T., see Kojima, N., 4, 207 Shneidman, P.S., Carden, M.J., Lees, J.F. and Lazzarini, R.A. The structure of the largest murine neurofilament protein (NF-H) as revealed by cDNA and genomic sequences, 4, 217

Shneidman, P.S., see Goldstein, M.E., 3, 287

Shooter, E.M., see Bowcock, A.M., 3, 165

Siedlecki, J.A., see Kaczmarek, L., 3, 183

Simantov, R., see Gubits, R.M., 3, 197
Sivam, S.P., Takeuchi, K., Li, S.,
Douglass, J., Civelli, O.,
Calvetta, L., Herbert, E.,
McGinty, J.F. and Hong, J.S.
Lithium increases dynorphin A(1-8)
and prodynorphin mRNA levels in
the basal ganglia of rats, 3, 155

Small, S.J., see Akeson, R.A., 4, 107 Snyder, S.H., see Supattapone, S., 3, 173

Sprang, G.K. and Brown, I.R.
Selective induction of a heat shock
gene in fibre tracts and cerebellar
neurons of the rabbit brain detected
by in situ hybridization, 3, 89

Stachowiak, M., Stricker, E.M.,
Zigmond, M.J. and Kaplan, B.B.
A cholinergic antagonist blocks cold
stress-induced alterations in rat
adrenal tyrosine hydroxylase
mRNA, 3, 193
Stachowiak, M.K., Lee, P.H.K.,

Rigual, R.J., Viveros, O.H. and Hong, J.S.
Roles of the pituitary-adrenocortical axis in control of the native and cryptic enkephalin levels and proenkephalin mRNA in the

sympathoadrenal system of the rat, 3, 263

Stachowiak, M.K., Rigual, R.J., Lee, P.H.K., Viveros, O.H. and Hong, J.S. Regulation of tyrosine hydroxylase and phenylethanolamine N-methyltransferase mRNA levels in the sympathoadrenal system by the pituitary-adrenocortical axis, 3, 275

Standaert, D.G., Needleman, P., Day, M.L., Weigand, R. and Krause, J.E.

Expression of the gene for preproatriopeptin in the central nervous system of the rat, 4, 7

Steward, O., see Cáceres, A., 3, 233
Stopa, E.G., Minamitani, N.,
Jonassen, J.A., King, J.C.,
Wolfe, H., Mobtaker, H. and
Albers, H.E.
Localization of vasoactive intestinal
peptide and peptide histidine
isoleucine immunoreactivity and
mRNA within the rat
suprachiasmatic nucleus, 4, 319

Stricker, E.M., see Stachowiak, M., 3, 193

Strittmatter, S.M., see Supattapone, S., 3, 173 Sugiyama, H., see Kaneko, S., 3, 11 Sumikawa, K., Parker, I. and Miledi, R.

Effect of tunicamycin on the expression of functional brain neurotransmitter receptors and voltage-operated channels in *Xenopus* oocytes, **4**, 191

Supattapone, S., Strittmatter, S.M., Fricker, L.D. and Snyder, S.H. Characterization of a neutral, divalent cation-sensitive endopeptidase: a possible role in neuropeptide processing, 3, 173

Sutton, F., Davidson, N. and Lester, H.A. Tetrodotoxin-sensitive voltage-dependent Na currents recorded from *Xenopus* oocytes injected with mammalian cardiac muscle RNA. 3, 187

muscle RNA, 3, 187 Suzdak, P.D., see Kim, Y.S., 3, 77 Swedberg, E.A., see Parhad, I.M., 4, 293

T

Takeuchi, K., see Sivam, S.P., 3, 155 Terenius, L., see Folkesson, R., 3, 147 Thomas, J.W., see Banner, C., 3, 247 Thomas, J.W., see Kim, Y.S., 3, 77 Tillakaratne, N.J.K., see Kim, Y.S., 3, 77 Tobin, A.J., see Kim, Y.S., 3, 77 Tohyama, M., see Noguchi, K., 4, 31 Troncoso, J.C., see Muma, N.A., 3, 115

Tropak, M.B., Johnson, P.W., Dunn, R.J. and Roder, J.C. Differential splicing of MAG transcripts during CNS and PNS development, 4, 143

Tung, Y.-C., see Grundke-Iqbal, I., 4, 43

U

Uhl, G.R., see Voigt, M.M., 4, 247 Urban, B.W., see Duch, D.S., 4, 171

V

Van den Buuse, M., see Van Tol, H.H.M., 4, 303
Van Tol, H.H.M., see Peter, J., 4, 157
Van Tol, H.H.M., Van den Buuse, M., De Jong, W. and Burbach, J.P.H.
Vasopressin and oxytocin gene expression in the supraoptic and paraventricular nucleus of the spontaneously hypertensive rat (SHR) during development of hypertension, 4, 303
Verge, V.M.K., see Riopelle, R.J.,

3, 45
Vitek, M.P., Rasool, C.G.,
Sauvage, F.d., Vitek, S.M.,
Bartus, R.T., Beer, B.,
Ashton, R.A., Macq, A.-F.,
Maloteaux, J.-M., Blume, A.J., and
Octave, J.-N.
Absence of mutation in the

Absence of mutation in the β -amyloid cDNAs cloned from the brains of three patients with sporadic Alzheimer's disease, 4, 121

Vitek, S.M., see Vitek, M.P., 4, 121 Viveros, O.H., see Stachowiak, M.K., 3, 263

Viveros, O.H., see Stachowiak, M.K., 3, 275

Voigt, M.M. and Uhl, G.R. Preprocholecystokinin mRNA in rat brain: regional expression includes thalamus, 4, 247

Voisin, P., Guerlotté, J. and Collin, J.-P.
An antiserum against chicken hydroxyindole-O-methyltransferase reacts with the enzyme from pineal gland and retina and labels pineal modified photoreceptors, 4, 53

Voorhuis, T.A.M., see Peter, J., 4, 157 Vorbrodt, A.W., see Grundke-Iqbal, I., 4, 43

W

Walaas, S.I., Lai, Y., Gorelick, F.S., DeCamilli, P., Moretti, M. and Greengard, P.
Cell-specific localization of the α-subunit of calcium/calmodulin-dependent protein kinase II in Purkinje cells in rodent cerebellum, 4, 233

Walaas, S.I., Lustig, A., Greengard, P. and Brugge, J.S.
Widespread distribution of the c-src gene product in nerve cells and axon terminals in the adult rat brain,
3, 215

Wang, G.P., see Grundke-Iqbal, I., 4, 43

Warren, S.L., see Akeson, R.A., 4, 107

Weigand, R., see Standaert, D.G., 4, 7 Weiss, S.R., see Goldstein, M.E., 3, 287

Wenthold, R.J., see Banner, C., 3, 247
White, J.D. and Gall, C.M.
Differential regulation of
neuropeptide and proto-oncogene
mRNA content in the hippocampus

following recurrent seizures, 3, 21 Whittemore, S.R., see Lärkfors, L., 3, 55 Wisniewski, H.M., see Grundke-Iqbal, I., 4, 43 Wolfe, H., see Stopa, E.G., 4, 319

Wong, L., see McLachlan, D.R.C., 3, 255

Wujek, J.R., see Akeson, R.A., 4, 107

Y

Yamagishi, S.-I., see Kaneko, S., 3, 11 Yanagisawa, K., see Horikoshi, T., 4, 243

Yanagisawa, K., see Horikoshi, T., 4, 97

Yoshikawa, K. and Aizawa, T.
Transient increases and individual variations in preprocholecystokinin gene expression in rat telencephalic regions during postnatal development: a quantitative comparison between preprocholecystokinin mRNA and preproenkephalin mRNA, 4, 87


Young, III, W.S., see Burgunder, J.-M., 4, 179

Z

Zheng, M. and Heinrich, G.
Structural and functional analysis of
the promoter region of the nerve
growth factor gene, 3, 133
Zigmond, M.J., see Stachowiak, M.,

3, 193

Zingg, H.H. and Lefebvre, D.L. Oxytocin and vasopressin gene expression during gestation and lactation, 4, 1



MOLECULAR BRAIN RESEARCH SUBJECT INDEX 1988 VOLUMES 427 and 464 (3 and 4)





Acetylcholine receptor

Muscle; Nicotinic; γ -Subunit; Transcription; Regulation (Gardner, P.D.) 3, 69

Acetylcholinesterase

Herpes simplex virus (HSV); Human neuroblastoma cell; Latency; Gene expression; Choline acetyltransferase; Neurotransmitter (Biswal, N.) 3, 95

N-Acetyl-aspartate

N-Acetyl-aspartyl-glutamate: Optic tract; Radioimmunoassay Immunocytochemistry; Glutamate (Guarda, A.S.) 3, 223

N-Acetyl-aspartyl-glutamate

Optic tract; Radioimmunoassay; Immunocytochemistry; Glutamate; N-Acetyl-aspartate (Guarda, A.S.) 3, 223

Neurofilament; Tubulin; cDNA; mRNA expression; β , β -Iminodipropionitrile (Parhad, I.M.) 4, 293

Glutamate; Noradrenaline; Intra-brain injection; Proto-oncogene expression; c-Fos; Electroconvulsive shock (Kaczmarek, L.) 3, 183

Activation gating

Sodium channel; Human brain; Planar bilayer; Batrachotoxin; Tetrodotoxin; Selectivity (Duch, D.S.) 4, 171

Adenylate cyclase

Opiate; Proenkephalin mRNA; Proenkephalin synthesis; δ -Opiate receptor; NG108 cell (Schwartz, J.P.) 3, 141

Adrenal gland

Cold stress; Tyrosine hydroxylase mRNA; Chlorisondamine; Cholinomimetics (Stachowiak, M.) 3, 193

Aged brain

Nerve growth factor (NGF); Messenger RNA; Deficiency in NGF (Lärkfors, L.) 3, 55

B-Alanine

Mouse brain; Messenger ribonucleic acid; Neurotransmitter receptor; Xenopus oocyte; Taurine; γ-Aminobutyric acid; Glycine (Horikoshi, T.) 4, 97

Alternative splicing

Meylin-associated glycoprotein; RNase protection; Neurodevelopment; Tissue specificity; Central nervous system; Peripheral nervous system (Tropak, M.B.) 4, 143

Aluminum

Gene expression; In situ hybridization;

Neurofibrillary pathology; Neuronal cytoskeleton; Northern blot (Muma, N.A.) 3, 115

Alzheimer's disease

NF-L; Neurofilament protein, 68 kDa; Brain messenger ribonucleic acid; Messenger ribonucleic acid abundance; Cytoskeleton; Chromatin structure (McLachlan, D.R.C.) 3, 255

Amyloid; Genetic disorder; Neuritic plaque (Manning, R.W.) 3, 293

Neurofibrillary tangle; Paired helical filament; Microtubule-associated protein; Tau; Ubiquitin (Grundke-Igbal, I.) 4, 43

Human brain; Amyloid plaque; β-Amyloid peptide; cDNA cloning; Oligonucleotide probe (Vitek, M.P.)

α-Amino-3-hydroxy-5-methylisoxazole-4-propionic acid

Glutamate receptor; Phosphoinositide metabolism; Quisqualic acid; N-Methyl-D-aspartic acid; Hippocampus; Calcium; 6-Cyano-2,3-dihydroxy-7-nitro-quinoxaline (Palmer, E.) 4, 161

y-Aminobutyric acid

Mouse brain; Messenger ribonucleic acid; Neurotransmitter receptor; *Xenopus* oocyte; Taurine; β -Alanine; Glycine (Horikoshi, T.) 4, 97

 α -Bag cell peptide; Egg-laying hormone; Aplysia (Berry, R.W.) 4, 267

Amplification

Oncogene; Brain tumor; Rearrangement; Enhanced expression (Sauceda, R.) 3, 123

Amyloid

Alzheimer's disease; Genetic disorder; Neuritic plaque (Manning, R.W.) **3**, 293

Amyloid plaque

Alzheimer's disease; Human brain; β -Amyloid peptide; cDNA cloning; Oligonucleotide probe (Vitek, M.P.) 4, 121

β-Amyloid peptide

Alzheimer's disease; Human brain; Amyloid plaque; cDNA cloning; Oligonucleotide probe (Vitek, M.P.) 4, 121

Antibody

Chicken; Pineal; Retina; Modified photoreceptor; Hydroxyindole-O-methyltransferase (Voisin, P.) 4, 53

α-Bag cell peptide; Egg-laying hormone; cAMP (Berry, R.W.) 4, 267

Arginine vasopressin receptor Xenopus oocyte; Corticotropinreleasing factor receptor; Cholecystokinin receptor;

Neuropeptide: Second messenger (Moriarty, T.M.) 4, 201

Asparagine

Glutamine; Growth factor; Seizure; Epilepsy; Hippocampus; Genomic expression (Baudry, M.) 4, 313

Atrial natriuretic factor

Atriopeptin; Solution hybridization; Nuclease protection; Rat brain (Standaert, D.G.) 4, 7

Atriopeptin

Atrial natriuretic factor; Solution hybridization; Nuclease protection; Rat brain (Standaert, D.G.) 4, 7

Autoradiography

Nerve growth factor (NGF); Receptor binding (Riopelle, R.J.) 3, 45

Avidin-biotin complex Expression; Peptide; Non-isotopic method (Arai, H.) 4, 63

R

α-Bag cell peptide

Egg-laying hormone; cAMP; Aplysia (Berry, R.W.) 4, 267

Basal ganglia

Gsa-subunit mRNA; In situ hybridization; Human brain; Cerebellum; Hippocampus (Mengod, G.) 4, 23

Batrachotoxin

Sodium channel; Human brain; Planar bilayer; Tetrodotoxin; Activation gating; Selectivity (Duch, D.S.) 4, 171

Bombesin receptor

Xenopus oocyte; Microinjection of brain RNA; Cholecystokinin receptor; Neuropeptide; In vivo translation (Moriarty, T.M.) 4, 75

Bovine brain

Preprotachykinin; Substance P; Neurokinin A; C-Terminal flanking peptide; Bovine intestine (McGregor, G.P.) 3, 207

Bovine intestine

Preprotachykinin; Substance P; Neurokinin A; C-Terminal flanking peptide; Bovine brain (McGregor, G.P.) 3, 207

Development; Gene expression; Messenger ribonucleic acid; Nervous system-specific protein; Dendrite; λgt11 (Shirao, T.) 4, 71

Brain culture

Tachykinin; Neuropeptide; Tyrosine hydroxylase (Friedman, W.J.) 3, 203 Brain messenger ribonucleic acid NF-L; Neurofilament protein, 68 kDa; Alzheimer's disease; Messenger ribonucleic acid abundance:

ribonucleic acid abundance; Cytoskeleton; Chromatin structure (McLachlan, D.R.C.) 3, 255

Brain messenger RNA

GTP-binding protein; *Pertussis* toxin; Inositol trisphosphate; Calcium; Chloride channel; *Xenopus* oocyte (Kaneko, S.) **3**, 11

Brain mRNA

Glycosylation; Tunicamycin; Xenopus oocyte; Microinjection; Neurotransmitter receptor; Voltage-operated channel (Sumikawa, K.) 4, 191

Brain tumor

Oncogene; Amplification; Rearrangement; Enhanced expression (Sauceda, R.) 3, 123

Brain-specific protein

cDNA cloning; Chicken embryo; Gene expression; Messenger RNA; Neural development (Kojima, N.) 4, 207

C

Calcium

GTP-binding protein; *Pertussis* toxin; Inositol trisphosphate; Chloride channel; *Xenopus* oocyte; Brain messenger RNA (Kaneko, S.) 3, 11

Glutamate receptor; Phosphoinositide metabolism; Quisqualic acid; N-Methyl-τ-aspartic acid; Hippocampus; α-Amino-3-hydroxy-5-methylisoxazole-4-propionic acid; 6-Cyano-2,3-dihydroxy-7-nitro-quinoxaline (Palmer, E.) 4, 161

Calmodulin; Protein kinase II; α-Subunit; Mutant mouse; Cerebellum; Immunocytochemistry; Purkinje cell (Walaas, S.I.) **4**, 233

Calmodulin

Calcium; Protein kinase II; α-Subunit; Mutant mouse; Cerebellum; Immunocytochemistry; Purkinje cell (Walaas, S.I.) 4, 233

Cap site

Nerve growth factor; Promoter; Nucleotide sequence; 5' Flanking sequence; Fusion gene; Transient expression (Zheng, M.) 3, 133

Carboxypeptidase

β-Endorphin; Lysosome; Enkephalin; Dynorphin (Supattapone, S.) 3, 173

Cardiac

Xenopus oocyte; Tetrodotoxin;

Ribonucleic acid (Sutton, F.) 3, 187

Cell surface antigen

Smooth muscle; Neuronal cell adhesion molecule; Developmental regulation; Monoclonal antibody 3F4 (Akeson, R.A.) 4, 107

Central nervous system

Meylin-associated glycoprotein; RNase protection; Neurodevelopment; Alternative splicing; Tissue specificity; Peripheral nervous system (Tropak, M.B.) 4, 143

Cerebellum

Gsα-subunit mRNA; In situ hybridization; Human brain; Hippocampus; Basal ganglia (Mengod, G.) 4, 23

Calcium; Calmodulin; Protein kinase II; α-Subunit; Mutant mouse; Immunocytochemistry; Purkinje cell (Walaas, S.I.) 4, 233

Chicken

Pineal; Retina; Modified photoreceptor; Hydroxyindole-O-methyltransferase; Antibody (Voisin, P.) 4, 53

Chicken embryo

Brain-specific protein; cDNA cloning; Gene expression; Messenger RNA; Neural development (Kojima, N.) 4, 207

Chloride channel

GTP-binding protein; *Pertussis* toxin; Inositol trisphosphate; Calcium; *Xenopus* oocyte; Brain messenger RNA (Kaneko, S.) 3, 11

Chlorisondamine

Adrenal gland; Cold stress; Tyrosine hydroxylase mRNA; Cholinomimetics (Stachowiak, M.) 3, 193

Cholecystokinin

Thalamus; In situ hybridization; Thalamocortical projection (Burgunder, J.-M.) 4, 179

Cholecystokinin receptor

Xenopus oocyte; Microinjection of brain RNA; Bombesin receptor; Neuropeptide; In vivo translation (Moriarty, T.M.) 4, 75

Xenopus oocyte;

Corticotropin-releasing factor receptor; Arginine vasopressin receptor; Neuropeptide; Second messenger (Moriarty, T.M.) 4, 201

Choline acetyltransferase

Herpes simplex virus (HSV); Human neuroblastoma cell; Latency; Gene expression; Acetylcholinesterase; Neurotransmitter (Biswal, N.) 3, 95

Choline acetyltransferase (ChAT) Complementary ribonucleic acid (cRNA); *Xenopus* oocyte; *Drosophila* (McCaman, R.E.) 3, 107

Cholinomimetics

Adrenal gland; Cold stress; Tyrosine

hydroxylase mRNA; Chlorisondamine (Stachowiak, M.) 3, 193

Choroid plexus

Insulin-like growth factor; Transthyretin; In situ hybridization histochemistry (Ichimiya, Y.) 4, 167

Chromatin structure

NF-L; Neurofilament protein, 68 kDa; Brain messenger ribonucleic acid; Alzheimer's disease; Messenger ribonucleic acid abundance; Cytoskeleton (McLachlan, D.R.C.) 3, 255

Cold stress

Adrenal gland; Tyrosine hydroxylase mRNA; Chlorisondamine; Cholinomimetics (Stachowiak, M.) 3, 193

Complementary deoxyribonucleic acid

Glutaminase; Gene regulation; Excitatory amino acid; Glutamate; Kidney (Banner, C.) 3, 247

Complementary ribonucleic acid (cRNA)

Choline acetyltransferase (ChAT); Xenopus oocyte; Drosophila (McCaman, R.E.) 3, 107

Corticotropin-releasing factor receptor

Xenopus oocyte; Arginine vasopressin receptor; Cholecystokinin receptor; Neuropeptide; Second messenger (Moriarty, T.M.) 4, 201

6-Cyano-2,3-dihydroxy-7-nitro-quinoxaline

Glutamate receptor; Phosphoinositide metabolism; Quisqualic acid; N-Methyl-D-aspartic acid; Hippocampus; Calcium; α-Amino-3-hydroxy-5-methylisoxazole-4-propionic acid (Palmer, E.) 4, 161

Cyclic AMP

Tryptophan hydroxylase; Serotonin; Tyrosine hydroxylase; Dopamine; Cyclic AMP-dependent protein kinase; Forskolin (Garber, S.L.) 3, 1

Cyclic AMP-dependent protein kinase

Tryptophan hydroxylase; Serotonin; Tyrosine hydroxylase; Dopamine; Cyclic AMP; Forskolin (Garber, S.L.) 3, 1

Cytoskeleton

NF-L; Neurofilament protein, 68 kDa; Brain messenger ribonucleic acid; Alzheimer's disease; Messenger ribonucleic acid abundance; Chromatin structure (McLachlan, D.R.C.) 3, 255

Deficiency in NGF

Nerve growth factor (NGF); Messenger RNA; Aged brain (Lärkfors, L.) 3, 55

Brain; Development; Gene expression; Messenger ribonucleic acid; Nervous system-specific protein; λgt11 (Shirao, T.) 4, 71

Denervation

Microtubule-associated protein 2; Hippocampus; Septum; Immunocytochemistry; Electrophoresis (Cáceres, A.) 3, 233

Development

Brain; Gene expression; Messenger ribonucleic acid; Nervous system-specific protein; Dendrite; $\lambda gt11$ (Shirao, T.) 4, 71

Preprocholecystokinin; Preproenkephalin; Messenger ribonucleic acid; Gene expression; Telencephalon; Variation (Yoshikawa, K.) 4, 87

ID sequence; DNA-binding protein; Mouse brain; Electrophoretic mobility shift assay (Anzai, K.) 4, 273

Developmental regulation

Smooth muscle; Neuronal cell adhesion molecule; Cell surface antigen; Monoclonal antibody 3F4 (Akeson, R.A.) 4, 107

DNA-binding protein ID sequence; Mouse brain; Development; Electrophoretic mobility shift assay (Anzai, K.) 4, 273

cDNA

Neurofilament; Tubulin; Actin; mRNA expression; β , β -Iminodipropionitrile (Parhad, I.M.) 4, 293

cDNA cloning

Alzheimer's disease; Human brain; Amyloid plaque; β -Amyloid peptide; Oligonucleotide probe (Vitek, M.P.) 4, 121

Brain-specific protein; Chicken embryo; Gene expression; Messenger RNA; Neural development (Kojima, N.) 4, 207

Dopamine

Tryptophan hydroxylase; Serotonin; Tyrosine hydroxylase; Cyclic AMP: Cyclic AMP-dependent protein kinase; Forskolin (Garber, S.L.) 3, 1

Substance P; Substance K; Preprotachykinin mRNA; Striatum; Substantia nigra; Haloperidol; Methamphetamine (Bannon, M.J.) 3, 31

Dorsal raphe

Proenkephalin; Prodynorphin; In situ

hybridization; Striatum (Morris, B.J.) 4, 15

Drosophila

Complementary ribonucleic acid (cRNA); Choline acetyltransferase (ChAT); Xenopus oocyte (McCaman, R.E.) 3, 107

Dynorphin

Haloperidol; Lithium; Naltrexone; Prodynorphin messenger ribonucleic acid (mRNA) (Sivam, S.P.) 3, 155

 β -Endorphin; Carboxypeptidase; Lysosome; Enkephalin (Supattapone, S.) 3, 173

\mathbf{R}

Egg-laying hormone α-Bag cell peptide; cAMP; Aplysia (Berry, R.W.) **4**, 267

Electroconvulsive shock

Glutamate; Noradrenaline; Intra-brain injection; Proto-oncogene expression; c-Fos; β-Actin (Kaczmarek, L.) 3, 183

Electrophoresis

Microtubule-associated protein 2; Denervation; Hippocampus; Septum; Immunocytochemistry (Cáceres, A.) 3, 233

Electrophoretic mobility shift assay ID sequence; DNA-binding protein; Mouse brain; Development (Anzai, K.) 4, 273

B-Endorphin

Carboxypeptidase; Lysosome; Enkephalin; Dynorphin (Supattapone, S.) 3, 173

Enhanced expression

Oncogene; Brain tumor; Amplification; Rearrangement (Sauceda, R.) 3, 123

Enkephalin

 β -Endorphin; Carboxypeptidase; Lysosome; Dynorphin (Supattapone, S.) 3, 173

Pituitary-adrenocortical axis; Proenkephalin mRNA; Sympathoadrenal system (Stachowiak, M.K.) 3, 263

Asparagine; Glutamine; Growth factor; Seizure; Hippocampus; Genomic expression (Baudry, M.) 4, 313

Excitatory amino acid

Glutaminase; Complementary deoxyribonucleic acid; Gene regulation; Glutamate; Kidney (Banner, C.) 3, 247

Expression

Peptide; Non-isotopic method; Avidin-biotin complex (Arai, H.) 4, 63

5' Flanking sequence

Nerve growth factor; Promoter; Nucleotide sequence; Cap site; Fusion gene; Transient expression (Zheng, M.) 3, 133

Forskolin

Tryptophan hydroxylase; Serotonin; Tyrosine hydroxylase; Dopamine; Cyclic AMP; Cyclic AMP-dependent protein kinase (Garber, S.L.) 3, 1

Oncogene; c-H-ras; c-myc; Preproenkephalin; Preprocholecystokinin: Preproneuropeptide Y; Seizure (White, J.D.) 3, 21

Glutamate; Noradrenaline; Intra-brain injection; Proto-oncogene expression; β -Actin; Electroconvulsive shock (Kaczmarek, L.) 3, 183

Proto-oncogene; Rat brain development; mRNA; Gene expression in central nervous system (Gubits, R.M.) 3, 197

Granule cell; Long-term potentiation (Douglas, R.M.) 4, 259

Fusion gene

Nerve growth factor: Promoter: Nucleotide sequence; Cap site; 5' Flanking sequence; Transient expression (Zheng, M.) 3, 133

Gene expression

Myelin; Myelin basic protein; Myelin-deficient mutant mouse; Heterozygote mld; Myelination (Roch, J.-M.) 3, 61

Herpes simplex virus (HSV); Human neuroblastoma cell; Latency; Acetylcholinesterase; Choline acetyltransferase; Neurotransmitter (Biswal, N.) 3, 95

Aluminum; In situ hybridization; Neurofibrillary pathology; Neuronal cytoskeleton; Northern blot (Muma, N.A.) 3, 115

Neurofilament protein; Messenger ribonucleic acid; Nerve regeneration (Goldstein, M.E.) 3, 287

Pro-enkephalin; Pro-dynorphin; Opioid

peptide; Spinal cord; Traumatic injury; Spinalization (Przewłocki, R.) 4, 37

Brain; Development; Messenger ribonucleic acid; Nervous system-specific protein; Dendrite; λgt11 (Shirao, T.) 4, 71

Preprocholecystokinin; Preproenkephalin; Messenger ribonucleic acid; Telencephalon; Development; Variation (Yoshikawa, K.) 4, 87

Myelination; PO glycoprotein; Myelin basic protein; Regeneration; mRNA level; Schwann cell (Gupta, S.K.) 4, 133

Vasopressin mRNA; Oxytocin mRNA; Neuropeptide; Hypothalamo-neurohypophyseal system; Suprachiasmatic nucleus; Supraoptic nucleus; Paraventricular nucleus (Peter, J.) 4, 157

Brain-specific protein; cDNA cloning; Chicken embryo; Messenger RNA; Neural development (Kojima, N.) 4. 207

Vasopressin; Oxytocin; Spontaneously hypertensive rat; Hypertension; Supraoptic nucleus; Paraventricular nucleus (Van Tol, H.H.M.) 4, 303

Gene expression in central nervous system

c-Fos; Proto-oncogene; Rat brain development; mRNA (Gubits, R.M.) 3, 197

Gene mapping

Snell's dwarf; Somatostatin; In situ hybridization; Somatostatin analog (O'Hara, B.F.) 4, 283

Gene regulation

Glutaminase; Complementary deoxyribonucleic acid; Excitatory amino acid; Glutamate; Kidney (Banner, C.) 3, 247

Genetic disorder

Alzheimer's disease; Amyloid; Neuritic plaque (Manning, R.W.) 3, 293

Genome

Salivary gland; Messenger ribonucleic acid (mRNA); γ-Subunit; Mouse; *Mastomys natalensis*; Man; Kallikrein (Bowcock, A.M.) **3**, 165

Genomic expression

Asparagine; Glutamine; Growth factor; Seizure; Epilepsy; Hippocampus (Baudry, M.) 4, 313

Glutamate

Noradrenaline; Intra-brain injection; Proto-oncogene expression; c-Fos; β -Actin; Electroconvulsive shock (Kaczmarek, L.) 3, 183

N-Acetyl-aspartyl-glutamate; Optic tract; Radioimmunoassay; Immunocytochemistry; N-Acetyl-aspartate (Guarda, A.S.) 3, 223

Glutaminase; Complementary deoxyribonucleic acid; Gene regulation; Excitatory amino acid; Kidney (Banner, C.) 3, 247

Glutamate receptor

Messenger RNA; *Xenopus* oocyte; Spider toxin; Neuromuscular synapse; Kainate; *Joro* spider toxin (JSTX) (Saito, M.) 3, 83

Phosphoinositide metabolism; Quisqualic acid; N-Methyl-D-aspartic acid; Hippocampus; Calcium; α-Amino-3-hydroxy-5-methylisoxazole-4-propionic acid; 6-Cyano-2,3-dihydroxy-7-nitro-quinoxaline (Palmer, E.) 4, 161

Glutamic acid decarboxylase (GAD)

Glutamine synthetase (GS); Messenger RNA (mRNA); Regional distribution; Kainic acid (Kim, Y.S.) 3, 77

Glutaminase

Complementary deoxyribonucleic acid; Gene regulation; Excitatory amino acid; Glutamate; Kidney (Banner, C.) 3, 247

Glutamine

Asparagine; Growth factor; Seizure; Epilepsy; Hippocampus; Genomic expression (Baudry, M.) 4, 313

Glutamine synthetase (GS) Glutamic acid decarboxylase (GAD); Messenger RNA (mRNA); Regional distribution; Kainic acid (Kim, Y.S.) 3, 77

Glycine

Mouse brain; Messenger ribonucleic acid; Neurotransmitter receptor; Xenopus oocyte; Taurine; β -Alanine; γ -Aminobutyric acid (Horikoshi, T.) 4. 97

Taurine; Neuromodulator; Mouse brain; mRNA; *Xenopus* oocyte (Horikoshi, T.) **4,** 243

Glycosylation

Tunicamycin; Xenopus oocyte; Microinjection; Neurotransmitter receptor; Voltage-operated channel; Brain mRNA (Sumikawa, K.) 4, 191

Granule cell

c-Fos; Long-term potentiation (Douglas, R.M.) 4, 259

Growth factor

Neuropeptide Y; Sympathetic neuron; PC12 cell; Neuronal differentiation (Allen, J.M.) 3, 39

Asparagine; Glutamine; Seizure; Epilepsy; Hippocampus; Genomic expression (Baudry, M.) 4, 313

Gsα-subunit mRNA

In situ hybridization; Human brain; Cerebellum; Hippocampus; Basal ganglia (Mengod, G.) **4,** 23

Agt11

Brain; Development; Gene expression;

Messenger ribonucleic acid; Nervous system-specific protein; Dendrite (Shirao, T.) 4, 71

GTP-binding protein

Pertussis toxin; Inositol trisphosphate; Calcium; Chloride channel; Xenopus oocyte; Brain messenger RNA (Kaneko, S.) 3, 11

H

Haloperidol

Substance P; Substance K; Preprotachykinin mRNA; Striatum; Substantia nigra; Dopamine; Methamphetamine (Bannon, M.J.) 3, 31

Dynorphin; Lithium; Naltrexone; Prodynorphin messenger ribonucleic acid (mRNA) (Sivam, S.P.) 3, 155

Heat shock gene induction In situ hybridization; Rabbit brain (Sprang, G.K.) 3, 89

Herpes simplex virus (HSV) Human neuroblastoma cell; Latency; Gene expression; Acetylcholinesterase; Choline acetyltransferase; Neurotransmitter (Biswal, N.) 3, 95

Heterozygote mld

Myelin; Myelin basic protein; Myelin-deficient mutant mouse; Gene expression; Myelination (Roch, J.-M.) 3, 61

Hippocampus

Microtubule-associated protein 2; Denervation; Septum; Immunocytochemistry; Electrophoresis (Cáceres, A.) 3, 233

Gsα-subunit mRNA; In situ hybridization; Human brain; Cerebellum; Basal ganglia (Mengod, G.) 4, 23

Glutamate receptor; Phosphoinositide metabolism; Quisqualic acid; N-Methyl-p-aspartic acid; Calcium; α-Amino-3-hydroxy-5-methylisoxazole-4-propionic acid; 6-Cyano-2,3-dihydroxy-7-nitro-quinoxaline (Palmer, E.) 4, 161

Asparagine; Glutamine; Growth factor; Seizure; Epilepsy; Genomic expression (Baudry, M.) 4, 313

c-H-ras

Oncogene; c-Fos; c-myc; Preproenkephalin; Preprocholecystokinin; Preproneuropeptide Y; Seizure (White, J.D.) 3, 21

Human brain

Gsα-subunit mRNA; In situ

hybridization; Cerebellum; Hippocampus; Basal ganglia (Mengod, G.) 4, 23

Alzheimer's disease; Amyloid plaque; β-Amyloid peptide; cDNA cloning; Oligonucleotide probe (Vitek, M.P.) 4, 121

Sodium channel; Planar bilayer; Batrachotoxin; Tetrodotoxin; Activation gating; Selectivity (Duch, D.S.) 4, 171

Human neuroblastoma cell

Herpes simplex virus (HSV); Latency; Gene expression; Acetylcholinesterase; Choline acetyltransferase; Neurotransmitter (Biswal, N.) 3, 95

Hydroxyindole-*O***-methyltransferase** Chicken; Pineal; Retina; Modified photoreceptor; Antibody (Voisin, P.) **4,** 53

Hypertension

Vasopressin; Oxytocin; Spontaneously hypertensive rat; Gene expression; Supraoptic nucleus; Paraventricular nucleus (Van Tol, H.H.M.) 4, 303

Hypothalamo-neurohypophyseal system

Vasopressin mRNA; Oxytocin mRNA; Gene expression; Neuropeptide; Suprachiasmatic nucleus; Supraoptic nucleus; Paraventricular nucleus (Peter, J.) 4, 157

Hypothalamus

Vasopressin; Oxytocin; Messenger ribonucleic acid; Pregnancy; Lactation; Northern blot; Poly(A) tail (Zingg, H.H.) 4, 1

In situ hybridization; Vasopressin; Neurophysin; Monkey (Ichimiya, Y.) 4, 81

I

ID sequence

DNA-binding protein; Mouse brain; Development; Electrophoretic mobility shift assay (Anzai, K.) **4,** 273

β,β-Iminodipropionitrile Neurofilament; Tubulin; Actin; cDNA; mRNA expression (Parhad, I.M.) 4, 293

Immunocytochemistry

N-Acetyl-aspartyl-glutamate; Optic tract; Radioimmunoassay; Glutamate; N-Acetyl-aspartate (Guarda, A.S.) 3, 223

Microtubule-associated protein 2; Denervation; Hippocampus; Septum; Electrophoresis (Cáceres, A.) 3, 233

Calcium: Calmodulin; Protein kinase

II; a-Subunit; Mutant mouse; Cerebellum; Purkinje cell (Walaas, S.I.) 4, 233

In situ hybridization (Stopa, E.G.) **4,** 319

In situ hybridization

Heat shock gene induction; Rabbit brain (Sprang, G.K.) 3, 89

Aluminum; Gene expression; Neurofibrillary pathology; Neuronal cytoskeleton; Northern blot (Muma, N.A.) 3, 115

Proenkephalin; Prodynorphin; Striatum; Dorsal raphe (Morris, B.J.) 4, 15

Gsα-subunit mRNA; Human brain; Cerebellum; Hippocampus; Basal ganglia (Mengod, G.) 4, 23

Vasopressin; Neurophysin; Hypothalamus; Monkey (Ichimiya, Y.) 4, 81

Cholecystokinin; Thalamus; Thalamocortical projection (Burgunder, J.-M.) **4**, 179

Preprocholecystokinin; RNA blotting; Regional distribution; Thalamus (Voigt, M.M.) 4, 247

mRNA; cRNA; Vasopressin; Oxytocin (Emson, P.C.) 4, 255

Snell's dwarf; Somatostatin; Gene mapping; Somatostatin analog (O'Hara, B.F.) 4, 283

Immunocytochemistry (Stopa, E.G.) 4, 319

In situ hybridization histochemistry Substance P; Pain; Nociception (Noguchi, K.) 4, 31

Insulin-like growth factor; Transthyretin; Choroid plexus (Ichimiya, Y.) **4,** 167

In vivo translation

Xenopus oocyte; Microinjection of brain RNA; Cholecystokinin receptor; Bombesin receptor; Neuropeptide (Moriarty, T.M.) 4, 75

Inositol trisphosphate

GTP-binding protein; Pertussis toxin; Calcium; Chloride channel; Xenopus oocyte; Brain messenger RNA (Kaneko, S.) 3, 11

Insulin-like growth factor Transthyretin; In situ hybridization histochemistry; Choroid plexus (Ichimiya, Y.) 4, 167

Intermediate filament

Neurofilament; Protein/DNA sequence; Phosphorylation; Repeat; Mouse (Shneidman, P.S.) 4, 217

Intra-brain injection

Glutamate; Noradrenaline; Proto-oncogene expression; c-Fos; β-Actin; Electroconvulsive shock (Kaczmarek, L.) 3, 183 J

Joro spider toxin (JSTX)

Glutamate receptor; Messenger RNA; Xenopus oocyte; Spider toxin; Neuromuscular synapse; Kainate (Saito, M.) 3, 83

K

Kainate

Glutamate receptor; Messenger RNA; *Xenopus* oocyte; Spider toxin; Neuromuscular synapse; *Joro* spider toxin (JSTX) (Saito, M.) 3, 83

Kainic acid

Glutamic acid decarboxylase (GAD); Glutamine synthetase (GS); Messenger RNA (mRNA); Regional distribution (Kim, Y.S.) 3, 77

Kallikrein

Salivary gland; Messenger ribonucleic acid (mRNA); γ-Subunit; Mouse; *Mastomys natalensis*; Man; Genome (Bowcock, A.M.) 3, 165

Kidney

Glutaminase; Complementary deoxyribonucleic acid; Gene regulation; Excitatory amino acid; Glutamate (Banner, C.) 3, 247

I

Lactation

Vasopressin; Oxytocin; Messenger ribonucleic acid; Hypothalamus; Pregnancy; Northern blot; Poly(A) tail (Zingg, H.H.) 4, 1

Latency

Herpes simplex virus (HSV); Human neuroblastoma cell; Gene expression; Acetylcholinesterase; Choline acetyltransferase; Neurotransmitter (Biswal, N.) 3, 95

Lithium

Dynorphin; Haloperidol; Naltrexone; Prodynorphin messenger ribonucleic acid (mRNA) (Sivam, S.P.) 3, 155

Long-term potentiation c-Fos; Granule cell (Douglas, R.M.) 4, 259 Lysosome

 β -Endorphin; Carboxypeptidase; Enkephalin; Dynorphin (Supattapone, S.) **3**, 173

M

Man

Salivary gland; Messenger ribonucleic acid (mRNA); γ-Subunit; Mouse; *Mastomys natalensis*; Kallikrein; Genome (Bowcock, A.M.) **3,** 165

Mastomys natalensis

Salivary gland; Messenger ribonucleic acid (mRNA); γ-Subunit; Mouse; Man; Kallikrein; Genome (Bowcock, A.M.) **3**, 165

SK-N-MC cell line

Neuroblastoma; Opioid peptide; Proenkephalin; Messenger ribonucleic acid (mRNA); SH-SY5Y cell line (Folkesson, R.) 3, 147

Messenger ribonucleic acid Neurofilament protein; Gene

expression; Nerve regeneration (Goldstein, M.E.) 3, 287

Vasopressin; Oxytocin; Hypothalamus; Pregnancy; Lactation; Northern blot; Poly(A) tail (Zingg, H.H.) 4, 1

Brain; Development; Gene expression; Nervous system-specific protein; Dendrite; \(\text{\gamma} \) gt11 (Shirao, T.) 4, 71

Preprocholecystokinin; Preproenkephalin; Gene expression; Telencephalon; Development; Variation (Yoshikawa, K.) 4, 87

Mouse brain; Neurotransmitter receptor; *Xenopus* oocyte; Taurine; β -Alanine; γ -Aminobutyric acid; Glycine (Horikoshi, T.) **4**, 97

Messenger ribonucleic acid (mRNA)

Neuroblastoma; Opioid peptide; Proenkephalin; SK-N-MC cell line; SH-SY5Y cell line (Folkesson, R.) 3, 147

Salivary gland; y-Subunit; Mouse; Mastomys natalensis; Man; Kallikrein; Genome (Bowcock, A.M.) 3, 165

Messenger ribonucleic acid abundance

NF-L; Neurofilament protein, 68 kDa; Brain messenger ribonucleic acid; Alzheimer's disease; Cytoskeleton; Chromatin structure (McLachlan, D.R.C.) 3, 255

Messenger RNA

Nerve growth factor (NGF); Aged brain; Deficiency in NGF

(Lärkfors, L.) 3, 55

Glutamate receptor; *Xenopus* oocyte; Spider toxin; Neuromuscular synapse; Kainate; *Joro* spider toxin (JSTX) (Saito, M.) **3**, 83

Brain-specific protein; cDNA cloning; Chicken embryo; Gene expression; Neural development (Kojima, N.) 4, 207

Messenger RNA (mRNA)

Glutamic acid decarboxylase (GAD); Glutamine synthetase (GS); Regional distribution; Kainic acid (Kim, Y.S.) 3, 77

Methamphetamine

Substance P; Substance K; Preprotachykinin mRNA; Striatum; Substantia nigra; Dopamine; Haloperidol (Bannon, M.J.) 3, 31

N-Methyl-D-aspartic acid

Glutamate receptor; Phosphoinositide metabolism; Quisqualic acid; Hippocampus; Calcium; α-Amino-3-hydroxy-5-methylisoxazole-4-propionic acid; 6-Cyano-2,3-dihydroxy-7-nitro-quinoxaline (Palmer, Ε.) 4, 161

N-Methyltransferase

Tyrosine hydroxylase; Phenylethanolamine; Sympathoadrenal system (Stachowiak, M.K.) **3,** 275

Meylin-associated glycoprotein RNase protection; Neurodevelopment; Alternative splicing; Tissue specificity; Central nervous system; Peripheral nervous system (Tropak, M.B.) 4, 143

Microinjection

Glycosylation; Tunicamycin; Xenopus oocyte; Neurotransmitter receptor; Voltage-operated channel; Brain mRNA (Sumikawa, K.) 4, 191

Microinjection of brain RNA

Xenopus oocyte; Cholecystokinin receptor; Bombesin receptor; Neuropeptide; In vivo translation (Moriarty, T.M.) 4, 75

Microtubule-associated protein Alzheimer's disease; Neurofibrillary tangle; Paired helical filament; Tau; Ubiquitin (Grundke-Iqbal, I.) 4, 43

Microtubule-associated protein 2 Denervation; Hippocampus; Septum; Immunocytochemistry; Electrophoresis (Cáceres, A.) 3, 233

Modified photoreceptor

Chicken; Pineal; Retina; Hydroxyindole-O-methyltransferase; Antibody (Voisin, P.) 4, 53

Monkey

In situ hybridization; Vasopressin; Neurophysin; Hypothalamus (Ichimiya, Y.) 4, 81

Monoclonal antibody 3F4

Smooth muscle; Neuronal cell adhesion molecule; Developmental regulation;

Cell surface antigen (Akeson, R.A.) 4, 107

Mouse

Salivary gland; Messenger ribonucleic acid (mRNA); γ-Subunit; Mastomys natalensis; Man; Kallikrein; Genome (Bowcock, A.M.) 3, 165

Neurofilament; Protein/DNA sequence; Phosphorylation; Repeat; Intermediate filament (Shneidman, P.S.) 4, 217

Mouse brain

Messenger ribonucleic acid; Neurotransmitter receptor; *Xenopus* oocyte; Taurine; β -Alanine; γ -Aminobutyric acid; Glycine (Horikoshi, T.) **4**, 97

Taurine; Glycine; Neuromodulator; mRNA; *Xenopus* oocyte (Horikoshi, T.) **4**, 243

ID sequence; DNA-binding protein; Development; Electrophoretic mobility shift assay (Anzai, K.) 4, 273

Muscle

Nicotinic; Acetylcholine receptor; γ -Subunit; Transcription; Regulation (Gardner, P.D.) 3, 69

Mutant mouse

Calcium; Calmodulin; Protein kinase II; α-Subunit; Cerebellum; Immunocytochemistry; Purkinje cell (Walaas, S.I.) 4, 233

c-myc

Oncogene; c-Fos; c-H-ras; Preproenkephalin; Preprocholecystokinin; Preproneuropeptide Y; Seizure (White, J.D.) 3, 21

Myelin

Myelin basic protein; Myelin-deficient mutant mouse; Gene expression; Heterozygote *mld*; Myelination (Roch, J.-M.) 3, 61

Myelin basic protein
Myelin Myelin deficient

Myelin; Myelin-deficient mutant mouse; Gene expression; Heterozygote mld; Myelination (Roch, J.-M.) 3, 61

Myelination; PO glycoprotein; Regeneration; mRNA level; Gene expression; Schwann cell (Gupta, S.K.) 4, 133

Myelin-deficient mutant mouse Myelin; Myelin basic protein; Gene expression; Heterozygote *mld*; Myelination (Roch, J.-M.) 3, 61

Myelination

Myelin; Myelin basic protein; Myelin-deficient mutant mouse; Gene expression; Heterozygote *mld* (Roch, J.-M.) 3, 61

PO glycoprotein; Myelin basic protein; Regeneration; mRNA level; Gene expression; Schwann cell (Gupta, S.K.) 4, 133

N

Naltrexone

Dynorphin; Haloperidol; Lithium; Prodynorphin messenger ribonucleic acid (mRNA) (Sivam, S.P.) 3, 155

Neostriatum

Oncogene; Phosphotyrosine; Protein kinase; Quinolinic acid; Substantia nigra (Walaas, S.I.) 3, 215

Nerve growth factor

Promoter; Nucleotide sequence; Cap site; 5' Flanking sequence; Fusion gene; Transient expression (Zheng, M.) 3, 133

Nerve growth factor (NGF)

Receptor binding; Autoradiography (Riopelle, R.J.) 3, 45

Messenger RNA; Aged brain; Deficiency in NGF (Lärkfors, L.) 3, 55

Nerve regeneration

Neurofilament protein; Messenger ribonucleic acid; Gene expression (Goldstein, M.E.) 3, 287

Nervous system-specific protein

Brain; Development; Gene expression; Messenger ribonucleic acid; Dendrite; λ gt11 (Shirao, T.) 4, 71

Neural development

Brain-specific protein; cDNA cloning; Chicken embryo; Gene expression; Messenger RNA (Kojima, N.) 4, 207

Neuritic plaque

Alzheimer's disease; Amyloid; Genetic disorder (Manning, R.W.) 3, 293

Neuroblastoma

Opioid peptide; Proenkephalin; Messenger ribonucleic acid (mRNA); SK-N-MC cell line; SH-SY5Y cell line (Folkesson, R.) 3, 147

Neurodevelopment

Meylin-associated glycoprotein; RNase protection; Alternative splicing; Tissue specificity; Central nervous system; Peripheral nervous system (Tropak, M.B.) 4, 143

Neurofibrillary pathology

Aluminum; Gene expression; In situ hybridization; Neuronal cytoskeleton; Northern blot (Muma, N.A.) 3, 115

Neurofibrillary tangle

Alzheimer's disease; Paired helical filament; Microtubule-associated protein; Tau; Ubiquitin (Grundke-Iqbal, I.) 4, 43

Neurofilament

Protein/DNA sequence; Phosphorylation; Repeat; Intermediate filament; Mouse (Shneidman, P.S.) 4, 217

Tubulin; Actin; cDNA; mRNA expression; β , β -Iminodipropionitrile

(Parhad, I.M.) 4, 293

Neurofilament protein

Messenger ribonucleic acid; Gene expression; Nerve regeneration (Goldstein, M.E.) 3, 287

Neurofilament protein, 68 kDa

NF-L; Brain messenger ribonucleic acid; Alzheimer's disease; Messenger ribonucleic acid abundance; Cytoskeleton; Chromatin structure (McLachlan, D.R.C.) 3, 255

Neurokinin A

Preprotachykinin; Substance P; C-Terminal flanking peptide; Bovine brain; Bovine intestine (McGregor, G.P.) 3, 207

Neuromodulator

Taurine; Glycine; Mouse brain; mRNA; *Xenopus* oocyte (Horikoshi, T.) **4**, 243

Neuromuscular synapse

Glutamate receptor; Messenger RNA; Xenopus oocyte; Spider toxin; Kainate; Joro spider toxin (JSTX) (Saito, M.) 3, 83

Neuronal cell adhesion molecule

Smooth muscle; Developmental regulation; Cell surface antigen; Monoclonal antibody 3F4 (Akeson, R.A.) 4, 107

Neuronal cytoskeleton

Aluminum; Gene expression; In situ hybridization; Neurofibrillary pathology; Northern blot (Muma, N.A.) 3, 115

Neuronal differentiation

Neuropeptide Y; Sympathetic neuron; PC12 cell; Growth factor (Allen, J.M.) 3, 39

Neuropeptide

Tachykinin; Brain culture; Tyrosine hydroxylase (Friedman, W.J.) 3, 203

Xenopus oocyte; Microinjection of brain RNA; Cholecystokinin receptor; Bombesin receptor; In vivo translation (Moriarty, T.M.) 4, 75

Vasopressin mRNA; Oxytocin mRNA; Gene expression;

Hypothalamo-neurohypophyseal system; Suprachiasmatic nucleus; Supraoptic nucleus; Paraventricular nucleus (Peter, J.) 4, 157

Xenopus oocyte;

Corticotropin-releasing factor receptor; Arginine vasopressin receptor; Cholecystokinin receptor; Second messenger (Moriarty, T.M.) 4, 201

Neuropeptide Y

Sympathetic neuron; PC12 cell; Neuronal differentiation; Growth factor (Allen, J.M.) 3, 39

Neurophysin

In situ hybridization; Vasopressin; Hypothalamus; Monkey (Ichimiya, Y.) 4, 81

Neurotransmitter

Herpes simplex virus (HSV); Human neuroblastoma cell; Latency; Gene expression; Acetylcholinesterase; Choline acetyltransferase (Biswal, N.) 3, 95

Neurotransmitter receptor

Mouse brain; Messenger ribonucleic acid; *Xenopus* oocyte; Taurine; β -Alanine; γ -Aminobutyric acid; Glycine (Horikoshi, T.) **4**, 97

Glycosylation; Tunicamycin; *Xenopus* oocyte; Microinjection; Voltage-operated channel; Brain mRNA (Sumikawa, K.) **4**, 191

NF-I

Neurofilament protein, 68 kDa; Brain messenger ribonucleic acid; Alzheimer's disease; Messenger ribonucleic acid abundance; Cytoskeleton; Chromatin structure (McLachlan, D.R.C.) 3, 255

NG108 cell

Opiate; Proenkephalin mRNA; Proenkephalin synthesis; δ-Opiate receptor; Adenylate cyclase (Schwartz, J.P.) 3, 141

Nicotinic

Muscle; Acetylcholine receptor; γ -Subunit; Transcription; Regulation (Gardner, P.D.) 3, 69

Nociception

Substance P; Pain; In situ hybridization histochemistry (Noguchi, K.) 4, 31

Non-isotopic method

Expression; Peptide; Avidin-biotin complex (Arai, H.) 4, 63

Noradrenaline

Glutamate; Intra-brain injection; Proto-oncogene expression; c-Fos; β-Actin; Electroconvulsive shock (Kaczmarek, L.) 3, 183

Northern blot

Aluminum; Gene expression; In situ hybridization; Neurofibrillary pathology; Neuronal cytoskeleton (Muma, N.A.) 3, 115

Vasopressin; Oxytocin; Messenger ribonucleic acid; Hypothalamus; Pregnancy; Lactation; Poly(A) tail (Zingg, H.H.) 4, 1

Nuclease protection

Atriopeptin; Atrial natriuretic factor; Solution hybridization; Rat brain (Standaert, D.G.) 4, 7

Nucleotide sequence

Nerve growth factor; Promoter; Cap site; 5' Flanking sequence; Fusion gene; Transient expression (Zheng, M.) 3, 133

O

Oligonucleotide probe

Alzheimer's disease; Human brain; Amyloid plaque; β-Amyloid peptide; cDNA cloning (Vitek, M.P.) 4, 121

Oncogene

c-Fos; c-H-ras; c-myc; Preproenkephalin; Preprocholecystokinin; Preproneuropeptide Y; Seizure (White, J.D.) 3, 21

Brain tumor; Amplification; Rearrangement; Enhanced expression (Sauceda, R.) 3, 123

Phosphotyrosine; Protein kinase; Quinolinic acid; Neostriatum; Substantia nigra (Walaas, S.I.) 3, 215

Opiate

Proenkephalin mRNA; Proenkephalin synthesis; δ-Opiate receptor; NG108 cell; Adenylate cyclase (Schwartz, J.P.) 3, 141

δ-Opiate receptor

Opiate; Proenkephalin mRNA; Proenkephalin synthesis; NG108 cell; Adenylate cyclase (Schwartz, J.P.) 3, 141

Opioid peptide

Neuroblastoma; Proenkephalin; Messenger ribonucleic acid (mRNA); SK-N-MC cell line; SH-SY5Y cell line (Folkesson, R.) 3, 147

Gene expression; Pro-enkephalin; Pro-dynorphin; Spinal cord; Traumatic injury; Spinalization (Przewłocki, R.) 4. 37

Optic tract

N-Acetyl-aspartyl-glutamate; Radioimmunoassay; Immunocytochemistry; Glutamate; N-Acetyl-aspartate (Guarda, A.S.) 3, 223

Oxytocin

Vasopressin; Messenger ribonucleic acid; Hypothalamus; Pregnancy; Lactation; Northern blot; Poly(A) tail (Zingg, H.H.) 4, 1

mRNA; In situ hybridization; cRNA; Vasopressin (Emson, P.C.) 4, 255

Vasopressin; Spontaneously hypertensive rat; Hypertension; Gene expression; Supraoptic nucleus; Paraventricular nucleus (Van Tol, H.H.M.) 4, 303

Oxytocin mRNA

Vasopressin mRNA; Gene expression; Neuropeptide; Hypothalamo-neurohypophyseal system; Suprachiasmatic nucleus; Supraoptic nucleus; Paraventricular nucleus (Peter, J.) 4, 157

P

Pain

Substance P; Nociception; In situ hybridization histochemistry (Noguchi, K.) 4, 31

Paired helical filament

Alzheimer's disease; Neurofibrillary tangle; Microtubule-associated protein; Tau; Ubiquitin (Grundke-Iqbal, I.)
4, 43

Paraventricular nucleus

Vasopressin mRNA; Oxytocin mRNA; Gene expression; Neuropeptide; Hypothalamo-neurohypophyseal system; Suprachiasmatic nucleus; Supraoptic nucleus (Peter, J.) 4, 157

Vasopressin; Oxytocin; Spontaneously hypertensive rat; Hypertension; Gene expression; Supraoptic nucleus (Van Tol, H.H.M.) 4, 303

PC12 cell

Neuropeptide Y; Sympathetic neuron; Neuronal differentiation; Growth factor (Allen, J.M.) 3, 39

Peptide

Expression; Non-isotopic method; Avidin-biotin complex (Arai, H.) 4, 63

Peripheral nervous system

Meylin-associated glycoprotein; RNase protection; Neurodevelopment; Alternative splicing; Tissue specificity; Central nervous system (Tropak, M.B.) **4,** 143

Pertussis toxin

GTP-binding protein; Inositol trisphosphate; Calcium; Chloride channel; *Xenopus* oocyte; Brain messenger RNA (Kaneko, S.) 3, 11

Phenylethanolamine

Tyrosine hydroxylase; N-Methyltransferase; Sympathoadrenal system (Stachowiak, M.K.) 3, 275

Phosphoinositide metabolism

Glutamate receptor; Quisqualic acid; N-Methyl-p-aspartic acid; Hippocampus; Calcium; a-Amino-3-hydroxy-5-methyl-isoxazole-4-propionic acid; 6-Cyano-2,3-dihydroxy-7-nitro-quinoxaline (Palmer, E.) 4, 161

Phosphorylation

Neurofilament; Protein/DNA sequence; Repeat; Intermediate filament; Mouse (Shneidman, P.S.) 4, 217

Phosphotyrosine

Oncogene; Protein kinase; Quinolinic acid; Neostriatum; Substantia nigra (Walaas, S.I.) 3, 215

Pineal

Chicken; Retina; Modified photoreceptor; Hydroxyindole-O-methyltransferase;

Antibody (Voisin, P.) 4, 53

Pituitary-adrenocortical axis Enkephalin; Proenkephalin mRNA; Sympathoadrenal system (Stachowiak, M.K.) 3, 263

Planar bilayer

Sodium channel; Human brain; Batrachotoxin; Tetrodotoxin; Activation gating; Selectivity (Duch, D.S.) 4, 171

PO glycoprotein

Myelination; Myelin basic protein; Regeneration; mRNA level; Gene expression; Schwann cell (Gupta, S.K.) 4, 133

Poly(A) tail

Vasopressin; Oxytocin; Messenger ribonucleic acid; Hypothalamus; Pregnancy; Lactation; Northern blot (Zingg, H.H.) 4, 1

Pregnancy

Vasopressin; Oxytocin; Messenger ribonucleic acid; Hypothalamus; Lactation; Northern blot; Poly(A) tail (Zingg, H.H.) 4, 1

Preprocholecystokinin

Oncogene; c-Fos; c-H-ras; c-myc; Preproenkephalin; Preproneuropeptide Y; Seizure (White, J.D.) 3, 21

Preproenkephalin; Messenger ribonucleic acid; Gene expression; Telencephalon; Development; Variation (Yoshikawa, K.) 4, 87

In situ hybridization; RNA blotting; Regional distribution; Thalamus (Voigt, M.M.) 4, 247

Preproenkephalin

Oncogene; c-Fos; c-H-ras; c-myc; Preprocholecystokinin; Preproneuropeptide Y; Seizure (White, J.D.) 3, 21

Preprocholecystokinin; Messenger ribonucleic acid; Gene expression; Telencephalon; Development; Variation (Yoshikawa, K.) 4, 87

Preproneuropeptide Y

Oncogene; c-Fos; c-H-ras; c-myc; Preproenkephalin; Preprocholecystokinin; Seizure (White, J.D.) 3, 21

Preprotachykinin

Substance P; Neurokinin A; C-Terminal flanking peptide; Bovine brain; Bovine intestine (McGregor, G.P.) 3, 207

Preprotachykinin mRNA

Substance P; Substance K; Striatum; Substantia nigra; Dopamine; Haloperidol; Methamphetamine (Bannon, M.J.) 3, 31

Pro-dynorphin

Gene expression; Pro-enkephalin; Opioid peptide; Spinal cord; Traumatic injury; Spinalization (Przewłocki, R.) 4, 37 Pro-enkephalin

Gene expression; Pro-dynorphin; Opioid peptide; Spinal cord; Traumatic injury; Spinalization (Przewłocki, R.) 4, 37

Prodynorphin

Proenkephalin; In situ hybridization; Striatum; Dorsal raphe (Morris, B.J.) 4, 15

Prodynorphin messenger ribonucleic acid (mRNA)

Dynorphin; Haloperidol; Lithium; Naltrexone (Sivam, S.P.) 3, 155

Proenkephalin

Neuroblastoma; Opioid peptide; Messenger ribonucleic acid (mRNA); SK-N-MC cell line; SH-SY5Y cell line (Folkesson, R.) 3, 147

Prodynorphin; In situ hybridization; Striatum; Dorsal raphe (Morris, B.J.) 4, 15

Proenkephalin mRNA

Opiate; Proenkephalin synthesis; δ-Opiate receptor; NG108 cell; Adenylate cyclase (Schwartz, J.P.) 3, 141

Pituitary-adrenocortical axis; Enkephalin; Sympathoadrenal system (Stachowiak, M.K.) 3, 263

Proenkephalin synthesis

Opiate; Proenkephalin mRNA; δ-Opiate receptor; NG108 cell; Adenylate cyclase (Schwartz, J.P.) 3, 141

Promoter

Nerve growth factor; Nucleotide sequence; Cap site; 5' Flanking sequence; Fusion gene; Transient expression (Zheng, M.) 3, 133

Protein/DNA sequence

Neurofilament; Phosphorylation; Repeat; Intermediate filament; Mouse (Shneidman, P.S.) 4, 217

Protein kinase

Oncogene; Phosphotyrosine; Quinolinic acid; Neostriatum; Substantia nigra (Walaas, S.I.) 3, 215

Protein kinase A

Quantal release; Protein kinase G; Protein kinase C (Brănişteanu, D.D.) 4, 263

Protein kinase C

Quantal release; Protein kinase G; Protein kinase A (Brănişteanu, D.D.) 4, 263

Protein kinase G

Quantal release; Protein kinase C; Protein kinase A (Brănişteanu, D.D.) 4, 263

Protein kinase II

Calcium; Calmodulin; α-Subunit; Mutant mouse; Cerebellum; Immunocytochemistry; Purkinje cell (Walaas, S.I.) 4, 233 Proto-oncogene

c-Fos; Rat brain development; mRNA; Gene expression in central nervous system (Gubits, R.M.) 3, 197

Proto-oncogene expression

Glutamate; Noradrenaline; Intra-brain injection; c-Fos; β -Actin; Electroconvulsive shock (Kaczmarek, L.) 3, 183

Purkinje cell

Calcium; Calmodulin; Protein kinase II; α -Subunit; Mutant mouse; Cerebellum; Immunocytochemistry (Walaas, S.I.) 4, 233

Q

Ouantal release

Protein kinase G; Protein kinase C; Protein kinase A (Brănişteanu, D.D.) 4, 263

Quinolinic acid

Oncogene; Phosphotyrosine; Protein kinase; Neostriatum; Substantia nigra (Walaas, S.I.) 3, 215

Quisqualic acid

Glutamate receptor; Phosphoinositide metabolism; *N*-Methyl-p-aspartic acid; Hippocampus; Calcium; α-Amino-3-hydroxy-5-methylisoxazole-4-propionic acid; 6-Cyano-2,3-dihydroxy-7-nitro-quinoxaline (Palmer, E.) **4**, 161



Rabbit brain

Heat shock gene induction; In situ hybridization (Sprang, G.K.) 3, 89

Radioimmunoassay

N-Acetyl-aspartyl-glutamate; Optic tract; Immunocytochemistry; Glutamate; N-Acetyl-aspartate (Guarda, A.S.) 3, 223

Rat brain

Atriopeptin; Atrial natriuretic factor; Solution hybridization; Nuclease protection (Standaert, D.G.) 4, 7

Rat brain development

c-Fos; Proto-oncogene; mRNA; Gene expression in central nervous system (Gubits, R.M.) 3, 197

Rearrangement

Oncogene; Brain tumor; Amplification;

Enhanced expression (Sauceda, R.) 3, 123

Receptor binding

Nerve growth factor (NGF); Autoradiography (Riopelle, R.J.) 3, 45

Regeneration

Myelination; PO glycoprotein; Myelin basic protein; mRNA level; Gene expression; Schwann cell (Gupta, S.K.) 4, 133

Regional distribution

Glutamic acid decarboxylase (GAD); Glutamine synthetase (GS); Messenger RNA (mRNA); Kainic acid (Kim, Y.S.) 3, 77

Preprocholecystokinin; In situ hybridization; RNA blotting; Thalamus (Voigt, M.M.) 4, 247

Regulation

Muscle; Nicotinic; Acetylcholine receptor; γ-Subunit; Transcription (Gardner, P.D.) 3, 69

Repeat

Neurofilament; Protein/DNA sequence; Phosphorylation; Intermediate filament; Mouse (Shneidman, P.S.) 4, 217

Retina

Chicken; Pineal; Modified photoreceptor; Hydroxyindole-O-methyltransferase; Antibody (Voisin, P.) 4, 53

Ribonucleic acid

Xenopus oocyte; Tetrodotoxin; Cardiac (Sutton, F.) 3, 187

RNA blotting

Preprocholecystokinin; In situ hybridization; Regional distribution; Thalamus (Voigt, M.M.) 4, 247

cRNA

mRNA; In situ hybridization; Vasopressin; Oxytocin (Emson, P.C.) **4,** 255

mRNA

c-Fos; Proto-oncogene; Rat brain development; Gene expression in central nervous system (Gubits, R.M.) 3, 197

Taurine; Glycine; Neuromodulator; Mouse brain; *Xenopus* oocyte (Horikoshi, T.) **4**, 243

In situ hybridization; cRNA; Vasopressin; Oxytocin (Emson, P.C.) 4, 255

mRNA expression

Neurofilament; Tubulin; Actin; cDNA; β , β -Iminodipropionitrile (Parhad, I.M.) **4**, 293

mRNA level

Myelination; PO glycoprotein; Myelin basic protein; Regeneration; Gene expression; Schwann cell (Gupta, S.K.) 4, 133

RNase protection

Meylin-associated glycoprotein; Neurodevelopment; Alternative splicing; Tissue specificity; Central nervous system; Peripheral nervous system (Tropak, M.B.) 4, 143

Salivary gland

Messenger ribonucleic acid (mRNA); γ-Subunit; Mouse; Mastomys natalensis; Man; Kallikrein; Genome (Bowcock, A.M.) 3, 165

Schwann cell

Myelination; PO glycoprotein; Myelin basic protein; Regeneration; mRNA level; Gene expression (Gupta, S.K.) 4, 133

Second messenger

Xenopus oocyte: Corticotropin-releasing factor receptor; Arginine vasopressin receptor; Cholecystokinin receptor; Neuropeptide (Moriarty, T.M.) 4, 201

Seizure

Oncogene; c-Fos; c-H-ras; c-myc; Preproenkephalin; Preprocholecystokinin; Preproneuropeptide Y (White, J.D.)

Asparagine; Glutamine; Growth factor; Epilepsy; Hippocampus; Genomic expression (Baudry, M.) 4, 313

Selectivity

Sodium channel; Human brain; Planar bilayer; Batrachotoxin; Tetrodotoxin; Activation gating (Duch, D.S.) 4, 171

Septum

Microtubule-associated protein 2; Denervation; Hippocampus; Immunocytochemistry; Electrophoresis (Cáceres, A.) 3, 233

Serotonin

Tryptophan hydroxylase; Tyrosine hydroxylase; Dopamine; Cyclic AMP; Cyclic AMP-dependent protein kinase; Forskolin (Garber, S.L.) 3, 1

Smooth muscle

Neuronal cell adhesion molecule; Developmental regulation; Cell surface antigen; Monoclonal antibody 3F4 (Akeson, R.A.) 4, 107

Snell's dwarf

Somatostatin; Gene mapping; In situ hybridization; Somatostatin analog (O'Hara, B.F.) 4, 283

Sodium channel

Human brain; Planar bilayer; Batrachotoxin; Tetrodotoxin;

Activation gating; Selectivity (Duch, D.S.) 4, 171

Solution hybridization

Atriopeptin; Atrial natriuretic factor; Nuclease protection; Rat brain (Standaert, D.G.) 4, 7

Somatostatin

Snell's dwarf; Gene mapping; In situ hybridization; Somatostatin analog (O'Hara, B.F.) 4, 283

Somatostatin analog

Snell's dwarf; Somatostatin; Gene mapping; In situ hybridization (O'Hara, B.F.) 4, 283

Spider toxin

Glutamate receptor; Messenger RNA; Xenopus oocyte; Neuromuscular synapse; Kainate; Joro spider toxin (JSTX) (Saito, M.) 3, 83

Spinal cord

Gene expression; Pro-enkephalin; Pro-dynorphin; Opioid peptide; Traumatic injury; Spinalization (Przewłocki, R.) 4, 37

Spinalization

Gene expression; Pro-enkephalin; Pro-dynorphin; Opioid peptide; Spinal cord; Traumatic injury (Przewłocki, R.) 4, 37

Spontaneously hypertensive rat Vasopressin; Oxytocin; Hypertension; Gene expression; Supraoptic nucleus; Paraventricular nucleus (Van Tol, H.H.M.) 4, 303

Striatum

Substance P; Substance K; Preprotachykinin mRNA; Substantia nigra; Dopamine; Haloperidol; Methamphetamine (Bannon, M.J.) 3, 31

Proenkephalin; Prodynorphin; In situ hybridization; Dorsal raphe (Morris, B.J.) 4, 15

Substance K

Substance P; Preprotachykinin mRNA; Striatum; Substantia nigra; Dopamine; Haloperidol; Methamphetamine (Bannon, M.J.) 3, 31

Substance P

Substance K; Preprotachykinin mRNA; Striatum; Substantia nigra; Dopamine; Haloperidol; Methamphetamine (Bannon, M.J.) 3, 31

Preprotachykinin; Neurokinin A; C-Terminal flanking peptide; Bovine brain; Bovine intestine (McGregor, G.P.) 3, 207

Pain; Nociception; In situ hybridization histochemistry (Noguchi, K.) 4, 31

Substantia nigra

Substance P; Substance K; Preprotachykinin mRNA; Striatum; Dopamine; Haloperidol; Methamphetamine (Bannon, M.J.) 3, 31

Oncogene; Phosphotyrosine; Protein kinase; Quinolinic acid; Neostriatum (Walaas, S.I.) 3, 215

α-Subunit

Calcium; Calmodulin; Protein kinase II: Mutant mouse; Cerebellum; Immunocytochemistry; Purkinje cell (Walaas, S.I.) 4, 233

γ-Subunit Muscle; Nicotinic; Acetylcholine receptor; Transcription; Regulation (Gardner, P.D.) 3, 69

Salivary gland; Messenger ribonucleic acid (mRNA); Mouse; Mastomys natalensis; Man; Kallikrein; Genome (Bowcock, A.M.) 3, 165

Suprachiasmatic nucleus

Vasopressin mRNA; Oxytocin mRNA; Gene expression; Neuropeptide; Hypothalamo-neurohypophyseal system; Supraoptic nucleus; Paraventricular nucleus (Peter, J.) 4, 157

Supraoptic nucleus

Vasopressin mRNA; Oxytocin mRNA; Gene expression; Neuropeptide; Hypothalamo-neurohypophyseal system; Suprachiasmatic nucleus; Paraventricular nucleus (Peter, J.) 4, 157

Vasopressin; Oxytocin; Spontaneously hypertensive rat; Hypertension; Gene expression; Paraventricular nucleus (Van Tol, H.H.M.) 4, 303

SH-SY5Y cell line

Neuroblastoma; Opioid peptide; Proenkephalin; Messenger ribonucleic acid (mRNA); SK-N-MC cell line (Folkesson, R.) 3, 147

Sympathetic neuron

Neuropeptide Y; PC12 cell; Neuronal differentiation; Growth factor (Allen, J.M.) 3, 39

Sympathoadrenal system Pituitary-adrenocortical axis;

Enkephalin; Proenkephalin mRNA (Stachowiak, M.K.) 3, 263

Tyrosine hydroxylase; Phenylethanolamine: N-Methyltransferase (Stachowiak, M.K.) 3, 275

Tachykinin

Neuropeptide; Brain culture; Tyrosine hydroxylase (Friedman, W.J.) 3, 203

Tau

Alzheimer's disease; Neurofibrillary tangle; Paired helical filament; Microtubule-associated protein; Ubiquitin (Grundke-Iqbal, I.) 4, 43

Taurine

Mouse brain; Messenger ribonucleic acid; Neurotransmitter receptor; Xenopus oocyte; β -Alanine; γ -Aminobutyric acid; Glycine (Horikoshi, T.) **4**, 97

Glycine; Neuromodulator; Mouse brain; mRNA; *Xenopus* oocyte (Horikoshi, T.) **4**, 243

Telencephalon

Preprocholecystokinin; Preproenkephalin; Messenger ribonucleic acid; Gene expression; Development; Variation (Yoshikawa, K.) 4, 87

C-Terminal flanking peptide Preprotachykinin; Substance P; Neurokinin A; Bovine brain; Bovine intestine (McGregor, G.P.) 3, 207

Tetrodotoxin

Xenopus oocyte; Cardiac; Ribonucleic acid (Sutton, F.) 3, 187

Sodium channel; Human brain; Planar bilayer; Batrachotoxin; Activation gating; Selectivity (Duch, D.S.) 4, 171

Thalamocortical projection Cholecystokinin; Thalamus; In situ hybridization (Burgunder, J.-M.) 4, 179

Thalamus

Cholecystokinin; In situ hybridization; Thalamocortical projection (Burgunder, J.-M.) **4**, 179

Preprocholecystokinin; In situ hybridization; RNA blotting; Regional distribution (Voigt, M.M.) 4, 247

Tissue specificity

Meylin-associated glycoprotein; RNase protection; Neurodevelopment; Alternative splicing; Central nervous system; Peripheral nervous system (Tropak, M.B.) 4, 143

Transcription

Muscle; Nicotinic; Acetylcholine receptor; γ -Subunit; Regulation (Gardner, P.D.) 3, 69

Transient expression

Nerve growth factor; Promoter; Nucleotide sequence; Cap site; 5' Flanking sequence; Fusion gene (Zheng, M.) 3, 133

Transthyretin

Insulin-like growth factor; In situ hybridization histochemistry; Choroid plexus (Ichimiya, Y.) 4, 167

Traumatic injury

Gene expression; Pro-enkephalin; Pro-dynorphin; Opioid peptide; Spinal cord; Spinalization (Przewłocki, R.) 4, 37 Tryptophan hydroxylase

Serotonin; Tyrosine hydroxylase; Dopamine; Cyclic AMP; Cyclic AMP-dependent protein kinase; Forskolin (Garber, S.L.) 3, 1

Tubulin

Neurofilament; Actin; cDNA; mRNA expression; β , β -Iminodipropionitrile (Parhad, I.M.) 4, 293

Tunicamycin

Glycosylation; Xenopus oocyte; Microinjection; Neurotransmitter receptor; Voltage-operated channel; Brain mRNA (Sumikawa, K.) 4, 191

Tyrosine hydroxylase

Tryptophan hydroxylase; Serotonin; Dopamine; Cyclic AMP; Cyclic AMP-dependent protein kinase; Forskolin (Garber, S.L.) 3, 1

Tachykinin; Neuropeptide; Brain culture (Friedman, W.J.) 3, 203

Phenylethanolamine;

N-Methyltransferase; Sympathoadrenal system (Stachowiak, M.K.) 3, 275

Tyrosine hydroxylase mRNA Adrenal gland; Cold stress; Chlorisondamine; Cholinomimetics (Stachowiak, M.) 3, 193

U

Ubiquitin

Alzheimer's disease; Neurofibrillary tangle; Paired helical filament; Microtubule-associated protein; Tau (Grundke-Iqbal, I.) **4**, 43



Variation

Preprocholecystokinin; Preproenkephalin; Messenger ribonucleic acid; Gene expression; Telencephalon; Development (Yoshikawa, K.) 4, 87

Vasopressin

Oxytocin; Messenger ribonucleic acid; Hypothalamus; Pregnancy; Lactation; Northern blot; Poly(A) tail (Zingg, H.H.) 4, 1

In situ hybridization; Neurophysin; Hypothalamus; Monkey (Ichimiya, Y.) 4, 81 mRNA; In situ hybridization; cRNA; Oxytocin (Emson, P.C.) 4, 255

Oxytocin; Spontaneously hypertensive rat; Hypertension; Gene expression; Supraoptic nucleus; Paraventricular nucleus (Van Tol, H.H.M.) 4, 303

Vasopressin mRNA

Oxytocin mRNA; Gene expression; Neuropeptide; Hypothalamo-neurohypophyseal system; Suprachiasmatic nucleus; Supraoptic nucleus; Paraventricular nucleus (Peter, J.) 4, 157

Voltage-operated channel Glycosylation; Tunicamycin; *Xenopus* oocyte; Microinjection; Neurotransmitter receptor; Brain mRNA (Sumikawa, K.) **4**, 191



Xenopus oocyte GTP-binding protein; Pertussis toxin; Inositol trisphosphate; Calcium; Chloride channel; Brain messenger RNA (Kaneko, S.) 3, 11

Glutamate receptor; Messenger RNA; Spider toxin; Neuromuscular synapse; Kainate; *Joro* spider toxin (JSTX) (Saito, M.) **3**, 83

Complementary ribonucleic acid (cRNA); Choline acetyltransferase (ChAT); *Drosophila* (McCaman, R.E.) **3**, 107

Tetrodotoxin; Cardiac; Ribonucleic acid (Sutton, F.) 3, 187


Microinjection of brain RNA; Cholecystokinin receptor; Bombesin receptor; Neuropeptide; In vivo translation (Moriarty, T.M.) 4, 75

Mouse brain; Messenger ribonucleic acid; Neurotransmitter receptor; Taurine; β -Alanine; γ -Aminobutyric acid; Glycine (Horikoshi, T.) **4,** 97

Glycosylation; Tunicamycin; Microinjection; Neurotransmitter receptor; Voltage-operated channel; Brain mRNA (Sumikawa, K.) 4, 191

Corticotropin-releasing factor receptor; Arginine vasopressin receptor; Cholecystokinin receptor; Neuropeptide; Second messenger (Moriarty, T.M.) 4, 201

Taurine; Glycine; Neuromodulator; Mouse brain; mRNA (Horikoshi, T.) 4, 243



Illustrations. All illustrations must be submitted in quadruplicate and reach the editors in a form and condition suitable for reproduction either across a single column (=8.3 cm) or a whole page (=17.6 cm). The illustrations should bear the author's name

and be numbered in Arabic numbers according to the sequence of their appearance in the as Fig. 1, Fig. 2 etc. Line-drawings should be in Indian ink on drawing or tracing paper Lettering should be clear and of adequate size to be legible after reduction. Professional possible, lettering should be in fine pencil. Photographs, including roentgenograms, electographs should be supplied as clear black and white prints on glossy paper, rather the

3 8198 301 192 496

usually larger than the final size of reproduction, but not more than 20 × 25 cm. Micrographs should have a scale oat, rather than a magnification factor in the legend. The degree of reduction will be determined by the Publisher, but in general it should be assumed that the same degree of reduction will be applied to all figures in the same paper. Colour reproduction. Reproduction in colours will have to be approved by the Editors. The extra costs of colour reproduction will be charged to the author(s). Colour figures should be submitted as separate prints and not be mounted on cardboard. Professional labelling is preferred, but it is not possible, an overlay displaying the desired labelling, should be provided with the figures. Please note that so-called press-on lettering should be avoided since this is likely to get damaged during handling and photographic processing of the prints. Slides taken from labelled prints are also acceptable. Each illustration must have a legend. These should be typed with double spacing on a separate page and begin with the number of the illustration they refer to.

If illustrations or other small parts of articles or books already published elsewhere are used in papers submitted to Brain Research, the written permission of author and publisher concerned must be included with the manuscript. The original source

must be indicated in the legend of the illustration in these cases.

Tables. Tables of numerical data should each be typed (also with double spacing) on a separate page, numbered in sequence in Roman numerals (Table I. II. etc.), provided with a heading, and referred to in the text as Table I. Table II. etc.)

Roman numerals (Table I, II, etc.), provided with a heading, and referred to in the text as Table I, Table II, etc.

Proofs. Authors should keep a carbon copy of their manuscripts as proofs will be sent to them without manuscript. Proofs will usually be drawn on lower-quality paper. Only printer's errors may be corrected; no change in, or additions to, the edited manuscript will be allowed at this stage.

Reprints. A total of 50 reprints of each paper will be provided free of charge to the author(s). Additional copies can be ordered at prices shown on the reprint order form which will be sent to the author with the proofs.

© 1990, ELSEVIER SCIENCE PUBLISHERS B.V. (BIOMEDICAL DIVISION)

All rights reserved. No part of this publication may by reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of the Publisher, Elsevier Science Publishers B.V. (Biomedical Division), P.O. Box 1527, 1000 BM Amsterdam, The Netherlands. No responsibility is assumed by the Publisher for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions or ideas contained in the material herein. Because of the rapid advances in the medical sciences, the Publisher recommends that independent verification of diagnoses and drug dosages should be made.

Although all advertising material is expected to conform to ethical (medical) standards, inclusion in this publication does not constitute a guarantee or endorsement of the quality or value of such product or of the claims made of it by its manufacturer. Special regulations for authors. Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of

the article to the Publisher. This transfer will ensure the widest possible dissemination of information.

Submission of a paper to this journal entails the author's irrevocable and exclusive authorization of the Publisher to collect any sums or considerations for copying or reproduction payable by third parties (as mentioned in article 17, paragraph 2 of the Dutch Copyright Act of 1912 and in the Royal Decree of June 20, 1974 (Stb. 351) pursuant to article 16b of the Dutch Copyright Act of 1912) and/or to act in or out of Court in connection therewith.

Permission to reproduce, in whole or in part, any material published in this Journal must be sought from the Publisher and from

the author of the article in question.

Special regulations for readers in the U.S.A. This journal has been registered with the Copyright Clearance Center, Inc. Consent is given for copying of articles for personal or internal use, or for the personal use of specific clients. This consent is given on the condition that the copier pays through the Center the per-copy fee stated in the code on the first page of each article for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. The appropriate fee should be forwarded with a copy of the first page of the article to the Copyright Clearance Center, Inc., 27 Congress Street, Salem, MA 01970, U.S.A. If no code appears in an article, the author has not given broad consent to copy and permission to copy must be obtained directly from the author. This consent does not extend to other kinds of copying, such as for general distribution, resale, advertising and promotion purposes, or for creating new collective works. Special written permission must be obtained from the Publisher for such copying.

Printed in The Netherlands.

SUBSCRIPTION AND PUBLICATION DATA 1990

Brain Research (including Brain Research Reviews, Developmental Brain Research and Molecular Brain Research) will appear weekly and be contained in 41 volumes (87 issues): Brain Research, Volumes 503–533 (31 volumes, 62 issues), Brain Research Reviews, Volume 15 (1 volume, 3 issues), Developmental Brain Research, Volumes 51–57 (7 volumes, 14 issues) and Molecular Brain Research, Volumes 6, 7 (2 volumes, 8 issues).

Please note that Volumes 503-505 of Brain Research and Volume 6 of Molecular Brain Research were published ahead of schedule in 1989 in order to reduce publication time. The volumes remain part of the 1990 subscription year. Subscription price:

Dfl. 11398.00 (US\$ 5699.00).

Brain Research Reviews, Volume 15, 1 volume of 3 issues, Dfl. 316.00 (US\$ 158.00), Developmental Brain Research, Volumes 44–50, 7 volumes of 2 issues per volume, Dfl. 2086.00 (US\$ 1043.00) and Molecular Brain Research, Volumes 6, 7, 2 volumes

of 4 issues per volume, Dfl. 632.00 (US\$ 316.00), may also be ordered separately

All prices include postage and handling. The guilder price is definitive. The US\$ price is subject to exchange rate fluctuations and is only given as a guide. Journals are sent by surface delivery to all countries, except the following countries where SAL air delivery (Surface Airlifted Mail) is ensured: Argentina, Australia, Brazil, Canada, Hong Kong, India, Israel, Japan, Malaysia, Mexico, New Zealand, Pakistan, P.R. China, Singapore, South Africa, South Korea, Taiwan, Thailand and U.S.A. Airmail rates for other countries are available on request.

Subscription orders can only be entered by calendar year (Jan.—Dec.) and should be sent to: Elsevier Science Publishers, Journals Department, P.O. Box 211, 1000 AE Amsterdam, The Netherlands. Telex 18582 espa nl, or to your usual subscription agent. Claims for missing issues should be made within 3 months of publication, otherwise they cannot be honoured free of

charge.

The Publisher reserves the right to issue additional volumes during the course of the year. Such volumes will be invoiced before publication and delivered after receipt of payment.

In the United States and Canada: for further information concerning this or any other Elsevier Science Publishers journal, contact Elsevier Science Publishing Co., Inc. Attn. Journal Information Center, 655 Avenue of the Americas, New York, NY 10010, U.S.A. Tel.: (212) 633-3750; Telefax: (212) 633-3990; Telex: 420-643 AEP UI.

COPYRIGHT © 1990 BY ELSEVIER SCIENCE PUBLISHERS B.V. PRINTED IN THE NETHERLANDS

All rights reserved. No part of this publication may by reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without permission in writing from the publisher.